





STRICKLAND
METALS LIMITED

'Unlocking the North Eastern Flank of the Yandal Belt'






Disclaimer

Forward Looking Statements: This presentation has been prepared by Strickland Metals Limited (STK). The information contained in this presentation is a professional opinion only and is given in good faith. Certain information in this document has been derived from third parties and though STK has no reason to believe that it is not accurate, reliable or complete, it has not been independently audited or verified by STK. This presentation is in summary form and does not purport to be all inclusive or complete. Recipients should conduct their own investigations and perform their own analysis in order to satisfy themselves as to the accuracy and the completeness of the information, statements and opinions contained. This is for information purposes only. Neither this nor the information contained in it constitutes an offer, invitation, solicitation or recommendation in relation to the purchase or sale of STK shares in any jurisdiction. This does not constitute investment advice and has been prepared without taking into account the recipient's investment objectives, financial circumstances or particular needs and the opinions and recommendations in this presentation are not intended to represent recommendations of particular investments to particular persons. Recipients should seek professional advice when deciding if an investment is appropriate. All securities transactions involve risks, which include (among others) the risk of adverse or unanticipated market, financial or political developments. To the fullest extent permitted by law, STK, its officers, employees, related bodies corporate, agents and advisors do not make any representations or warranty, express or implied, as to the currency, accuracy, reliability or completeness of any information, statements, opinions, estimated, forecasts or other representations contained in this presentation. No responsibility for any errors or omissions from this arising out of negligence or otherwise is accepted. Any forward looking statements included in this document involve subjective judgment and analysis and are subject to uncertainties, risks and contingencies, many of which are outside the control of, and may be unknown to, STK. In particular, they speak only as of the date of this document, they assume the success of STK's strategies, and they are subject to significant regulatory business, competitive and economic uncertainties and risks. Actual events may vary materially from the forward-looking statements and the assumptions on which the forward-looking statements are based. Recipients of this document are cautioned to not place undue reliance on such forward-looking statements.

Competent Person Statement: The information in this presentation that relates to Exploration Results and Mineral Resources has been extracted from various STK ASX announcements and are available to view on the STK website at www.stricklandmetals.com.au or through the ASX website at www.asx.com.au (using ticker code "STK"). STK confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement. The company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement.


Exploration Targets Cautionary Statement: This presentation may comment on and discuss STK's exploration in terms of target size and type. The information relating to Exploration Targets should not be misunderstood or misconstrued as an estimate of Mineral Resources or Ore Reserves. The potential quantity and quality of material discussed as Exploration Targets is conceptual in nature since there has been insufficient work completed to define them as Mineral Resources or Ore Reserves. It is uncertain if further exploration work will result in the determination of a Mineral Resource or Ore Reserve. Any Exploration Targets referred to in this presentation are not Mineral Resources. The Potential quantity and grade of the Exploration targets are conceptual in nature and there has been insufficient exploration to determine a Mineral Resource. There is no certainty that additional exploration work will result in the estimation and reporting of Mineral Resources.




Project Overview

Geological Setting

- The Yandal East Project (“the Project”) encompasses the eastern flank of the Yandal Greenstone Belt in the northeastern Yilgarn
- 120km of prospective greenstone belt
- Current resource base spans 6km of strike, >100km remaining largely untested
- Deposits are restricted to preserved greenstone belts and not generally present in the gneiss belts
- Favourable regional permeability for gold-bearing fluids







Project Overview

Geological Setting

- Late Archean cross-cutting NE-trending brittle faults are an important control on gold mineralisation
- The NE-trending late brittle faults transect major N-S structural zones, such as the Millrose and Nimary splays of the Celia Shear Zone
- Intersection points of Celia SZ and brittle faults are associated with the highest-grade deposits: Jundee, Millrose and Horse Well
- Deep regolith profile; opportunity for **shallow oxide resource growth**
- Only 26% of historic drilling reaches depths greater than 100m







Project Overview

Location

- The Project is adjacent to Northern Star's Yandal Production Centre
- **Less than 30km east of the Jundee gold mine and 20km north of the Julius gold mine.**
- The largest Strickland Metals gold resource, Millrose Gold Deposit, is located approximately 90km east-northeast of Wiluna







Project Overview

Resource Base

- Mineral resource estimates exist at the Millrose, Horse Well, and Dusk 'til Dawn Deposits
- **Less than 6km** of the total 120km strike length is covered by resource estimate
- **Seven drill-ready advanced exploration targets** at Millrose West, Cowza, Mizina, Ward, Filly, Bronco and Clydesdale yet to be included in the resource base
- **18 exploration targets** with proven high-grade gold mineralisation






Project Overview


Resource Base

- Current resource base of **11.7 Mt at 1.6 g/t Au** for a contained total of 603 koz¹
- An updated resource estimate for the Millrose Gold Deposit, including the newly discovered Wanamaker and Central lodes, is expected Q2 2023






PROJECT	PROSPECT	Indicated			Inferred			ALL CATEGORIES		
		TONNES	GRADE (g/t)	Contained Metal (oz)	TONNES	GRADE (g/t)	Contained Metal (oz)	TONNES	GRADE (g/t)	Contained Metal (oz)
Millrose	Millrose	4,300,000	1.90	264,000	1,700,000	1.50	82,000	6,000,000	1.80	346,000
TOTAL MILLROSE		4,300,000	1.90	264,000	1,700,000	1.50	82,000	6,000,000	1.80	346,000
Horse Well (2019)	Palomino				930,400	2.30	68,300	930,400	2.30	68,300
Horse Well (2019)	Filly SW				302,400	1.80	17,200	302,400	1.80	17,200
Horse Well (2015)	Filly				206,000	1.30	8,700	206,000	1.30	8,700
Horse Well (2019)	Warmblood				788,000	2.1	53,900	788,000	2.1	53,900
Dusk til Dawn (2019)	Dusk til Dawn				3,495,600	1.0	108,900	3,495,600	1.0	108,900
TOTAL HORSE WELL					5,722,400	1.40	257,000	5,722,400	1.40	257,000
TOTAL	All Prospects	4,300,000	1.90	264,000	7,422,400	1.42	339,000	11,722,400	1.60	603,000

1. Refer to ASX release dated 23 June 2021 for full details regarding Millrose Mineral Resource estimate and ASX release dated 26 August 2019 for full details regarding Horse Well Mineral Resource estimate.




Millrose Gold Deposit






Millrose Gold Deposit Overview


- Mineralisation occurs in silicified ($\pm$ carbonate) rocks on the contact between felsic volcanic sediments and mafic schists
- Intersection point between the ductile (Celia) shear zone and brittle NE-trending faults
- Sedimentary iron formation acts as a rheological control on the mineralization for the Millrose North and Central Lodes






Millrose Gold Deposit Overview

- The entire >6 km strike length of the Millrose Gold Deposit is mineralised
- 3.2km long strike length of continuous oxide mineralisation
- Higher-grade north-plunging lodes repeat across the strike length of the Millrose Gold Deposit



Long Section of the Millrose Gold Deposit, highlighting oxide intercepts (yellow) and primary/transition intercepts (red). Laterite mineralisation above the North Lode is outlined in purple. Historic (CSA 2016) resource wireframes are shaded, showing the extensions to the resource by Strickland drilling in 2022.



Millrose Gold Deposit


Controls on Mineralisation

D2 ductile folding control on the distribution of gold mineralisation:


- Northward plunge, hence repeating high-grade lodes
- Rheology contrast for enhanced gold-bearing fluid permeation
- Gold preferentially precipitated freely within silicification zones
- Development of gold-bearing D2 tension veinlets

D3 NE-striking brittle faults and veins cut D2 silicified zones:

- Free gold within chlorite-carbonate veining
- Provide additional high-grade gold targets within the repeating lodes




*Top: Micro XRF image showing free gold associated with sheared veinlets in MRDD008.
Bottom: Micro XRF image of free gold in D3 vein.*




Millrose Gold Deposit Metallurgy

- μ XRF work shows that **gold is free** (non-refractory) and hosted in D2 folding and D3 cross-cutting vein sets
- Metallurgical test work in 2016 confirmed rapid gold recoveries with most the gold extracted within 24 hours. After 72 hours gold **recoveries ranged between 88.9% and 95%** (av. 91.9%)
- Check-assay work in 2016, comparing Fire Assay and Aqua Regia methods (correlation coefficient of 0.996), indicates that **primary ore at Millrose is not refractory**
- Additional Fire Assay vs Aqua Regia check-assay work in 2023, for laterite, oxide, transitional and primary ores across all Millrose Lodes indicates **all domains are not refractory** (correlation coefficient of 0.917)



Hole ID	Core type	¹ Easting (m)	Northing (m)	RL (m)	² Azimuth (degrees)	Dip (degrees)	Total depth (m)	Interval (m)	
								From	To
MSRC 036D	NQ2	7082729	295285	544.03	270	-60	255.5	192.2	201.5
MSRC 071D	NQ2	7082687	295281	544.03	270	-60	261.0	185.0	192.8
MSRC 076D	NQ2	7082646	295254	543.97	270	-60	240.0	156.0	163.5
MSRC 111D	NQ2	7081273	295371	546.27	270	-60	200.0	165.0	172.2
MSRC 113D	NQ2	7082686	295261	544.02	270	-60	260.0	162.8	169.7
MSRC 113D	NQ2	7082686	295261	544.02	270	-60	255.5	183.0	190.0

*Metallurgical test work results of core across the Millrose Gold Deposit.
Refer to ASX release dated 23 June 2021 for full details regarding Millrose Resource estimate.*



Millrose Gold Deposit

2022 Assay Highlights

Millrose North:

- MRDD006: **59m @ 1.9g/t Au** from 141m incl **9m @ 3.1g/t Au** from 141m
- MRDD008: **95.5m @ 2.0g/t Au** from 176.5m incl **8m @ 14.6g/t Au** from 215m
- MRDD044: **92.9m @ 1.0g/t Au** from 315m incl **15.9m @ 2.7g/t Au** from 315m
- MRRC087: **2m @ 10.9g/t Au** from 58m and **25m @ 5.1g/t** from 82m
- MRRC089: **55m @ 2.4g/t Au** from 86m
- MRRC099: **54m @ 1.8g/t Au** from 130m incl **23m @ 2.4g/t Au** from 161m
- MRRC140: **5m @ 11.5g/t Au** from 68m, and **65m @ 4.4g/t Au** from 95m
- MRRC142: **10m @ 13g/t Au** from 66m
- MRRC228: **37m @ 1.6g/t Au** from 58m incl **9m @ 5.6g/t Au** from 86m
- MRRC234: **53m @ 1.1g/t Au** from 44m incl **13m @ 3.3g/t Au** from 84m
- MRRC238: **12m @ 4.9g/t Au** from 64m incl **4m @ 13.6g/t Au** from 68m


Millrose Central:

- MRRC093D: **25m @ 1.0g/t Au** from 61m
- MRRC095: **46m @ 1.0g/t Au** from 104m
- MRRC098D: **17.7m @ 1.5g/t Au** from 205.6m
- MRRC243D: **31m @ 1.0g/t Au** from 75m
- MRRC247: **40m @ 1.1g/t Au** from 87m incl **6m @ 3.8g/t Au** from 94m

Wanamaker:

- MRRC329: **7m @ 22.2g/t Au** from 72m
- MRRC347: **5m @ 14.5g/t Au** from 67m
- MRRC339: **5m @ 6.6g/t Au** from 83m
- MRRC130: **8m @ 4.0g/t Au** from 104m
- MRRC226D: **7.9m @ 7.0g/t Au** from 138.9m
- MRRC355D: **7.7m @ 6.6g/t Au** from 179m
- MRRC353D: **20.2m @ 2.8g/t Au** from 143m
- MRRC357D: **5.4m @ 5.9g/t Au** from 154.6m
- MRRC359D: **6.6m @ 4.9g/t Au** from 141.6m
- MRRC341D: **6.2m @ 3.6g/t Au** from 151.9m
- MRRC335: **2m @ 11.3g/t Au** from 86m

See ASX announcements 19/4/22, 26/4/22, 3/5/22, 10/6/22, 7/7/22, 29/08/22, 7/9/22, 16/9/22, 21/9/22, 17/10/22, 20/10/22 and 7/11/22.




Millrose Gold Deposit

Resource Expansion: Overview


- 2022 drilling highlighted knowledge gaps in the historic understanding of mineralisation, including:
 - the free-nature of gold
 - deformation/mineralisation events
 - repeating nature of lodes
 - the extent of oxide mineralisation
 - the plunge of the ore bodies
- All lodes remain **open at depth**, with additional areas within the deposit footprint still yet to be drilled
- **Pathway to resource growth** in areas of known mineralisation

Millrose Region	Target	Type	Criteria
Wanamaker Supergene		Oxide	Oxide open to the east and west. Add oxide ounces to the north of the Millrose Deposit to aid in optimisation of a pit down to the North and Wanamaker primary lodes.
Wanamaker Lode		Transition/Primary	High-grade lode open at depth and down plunge. Drilled to 160 m vertical depth. Association with lamprophyres.
North Deep		Primary	Open at depth; currently drilled to 390 m vertical depth.
North Fault Zone		Oxide/Transition/Primary	Strickland drilling in 2022 upgraded historic intercepts. Possible plunging lode in this region, yet to be explored at depth.
Central Lode		Transition/Primary	Strickland was successful at intercepting the lode. Further exploration required to delineate mineralisation trends.
Central-South Supergene		Oxide	Extensive oxide lenses are present across Millrose Central and South. Additional ounces discovered would aid pit optimisation down to the Central and North lodes.
South Lode		Transition/Primary	Wide-spaced RC drilling by Strickland returned gold anomalies South of Millrose. Further exploration is required to delineate further plunging orebodies.
Western Corridor		Oxide/Transition/Primary	3 km-long under-explored shear zone which is situated 200 m west of the main Millrose Deposit. Potential for undiscovered repeating high-grade lodes and substantial oxide.




Millrose Gold Deposit Resource Expansion: Overview

- Oxide resource growth at Wanamaker and Central will aid in drawing down the depth of pit optimisation at Millrose by adding gold ounces in the early stages of pit development, and de-risking the stripping of depleted clay zones
- The Millrose West Corridor provides the largest resource growth potential, given its location being 200 m west of Millrose and extending over a >3 km strike length, all of which is yet to be systematically tested




Millrose Gold Deposit Long Section displaying growth targets within current resource footprint




Millrose Gold Deposit

Resource Expansion: North/Wanamaker

- Millrose North mineralisation remains **open at depth**:
 - MRDD044: **92.9m @ 1.0g/t Au** from 315m, incl. **15.9m @ 2.7g/t Au** from 315m.
- The Wanamaker Lode has returned **bonanza grades** across all domains:
 - MRRC329: **7m @ 22.2g/t Au** from 72m (oxide)
 - MRRC353D: **20.2m @ 2.8g/t Au** from 143m (transition)
 - MRRC226D: **7.9m @ 7.0g/t Au** from 138.9m (primary)
- Wanamaker is uniquely associated with lamprophyre intrusions




Long section of Millrose North and Wanamaker.




Millrose Gold Deposit Resource Expansion: North Fault Zone

- Drilling in 2022 by Strickland returned high-grade results, open at depth:
 - MRRC145: **5m @ 3.4g/t Au** from 82 m
 - MRRC146W: **9m @ 2.0g/t Au** from 39m, and **21m @ 2.0g/t Au** from 168m
- **Shallow target for additional ounces** within the main Millrose Gold Deposit footprint
- North Fault Zone has the potential to be a ~200m-long plunging orebody analogous to the North Lode.




Long section of Millrose North and Wanamaker.

Refer to ASX release 29/8/22




Millrose Gold Deposit Resource Expansion: Central

- Millrose Central mineralisation remains open at depth:
 - MRRC098D: **17.7m @ 1.5g/t Au** from 205.6m
 - MRDD013: **46 m @ 1.0g/t Au** from 148m
- **Shallow oxide mineralisation** remains open, with potential for de-risking the early-stage pit development
- **Evidence of an additional lode** around MRRC095, between the North Fault Zone and Central
- **An immediate pathway to resource growth** directly south of the main Millrose North resource




Long section of Millrose Central and South.




Millrose Gold Deposit Resource Expansion: West Corridor

- 200m west of the Millrose deposit footprint, 3km underexplored strike length
- High-grade gold mineralisation along sheared contact of volcanoclastics and granitoid:
 - AMILA058: **4m @ 902g/t Au** from 40m
 - AMILC001: **32m @ 1.7g/t Au** from 60m, including **4m @ 8.3g/t Au** from 60m
 - MRRC313: **27m @ 1.4g/t Au** from 83m, including **7m @ 3.0g/t Au** from 83m
 - MRRC317: **19m @ 2.9g/t Au** from 76m, including **5m @ 8.7g/t Au** from 89m
 - MSRC238: **18m @ 3.5g/t Au** from 74m
 - MSAC121: **25m @ 1.3g/t Au** from 71m
 - MSRC128: **21m @ 1.8g/t Au** from 75m

Refer to ASX release 12/1/23




UAV TMI RTP_Tilt_NEShd_Lin magnetic image, showing the location of the Millrose West Corridor relative to the main Millrose Footprint and the interpreted structural trends




Millrose Gold Deposit Resource Expansion: South



- High-grade oxide mineralisation over a strike length of 800m:
 - MRRC117D: **7m @ 1.4g/t Au** from 40m, and
9m @ 1.1g/t Au from 69m
 - MRRC119: **5m @ 2.4g/t Au** from 36m
- Minimal drilling conducted into primary lode:
 - MSRC115: **5m @ 1.9g/t Au** from 157m
 - MRRC120: **8m @ 1.4g/t Au** from 149m
- Further exploration is required to delineate a plunge and strike of a primary ore body below oxide mineralisation




Strickland Drilling displaying assays > 0.8 g/t at Millrose South Target Zone highlighted in blue. Millrose and West Corridors (shear zones) traced with black dashed lines, and dolerite dyke outlined in white.



Horse Well Gold Deposit






Horse Well Gold Deposit


Overview: Horse Deposits

- Total inferred resource of 150 koz with a total oxide component of ~80 koz @ 1.9g/t Au¹
- Geological and geochemical controls on mineralisation are poorly constrained; historic assays were limited to gold only
- No structural constraints on mineralisation; only two diamond holes have been drilled to date
- Extensive geochemical anomalies identified through historic sampling and shallow RAB/AC drilling

1. Refer to ASX release dated 26/8/19 for full details regarding Horse Well Mineral Resource estimate.



Horse Well map highlighting advanced prospects (blue) and resources (red)




Horse Well Gold Deposit

Resource Expansion: Overview

- **Three drill-ready advanced targets** in areas of proven mineralisation: Bronco, Clydesdale and Filly
- Five exploration targets within Horse Region
- Near-surface mineralisation providing a **pathway to significant resource growth** at low cost
- **All deposits remain open at depth** and structural controls are poorly defined, with no constraints on plunge


Millrose Target Region	Type	Criteria
Bronco	Oxide/Transition/Primary	High-grade near-surface oxide mineralisation which is open in all directions. Poor constraint on mineralisation. Open at depth.
Clydesdale	Oxide/Transition/Primary	Thick near-surface oxide mineralisation which is open to the north and south. Poor constraint on mineralisation. Open at depth.
Filly Trend	Oxide/Transition/Primary	Shallow oxide mineralisation over a 1.6 km-long strike length. No testing at depth for primary ore.




Horse Well Gold Deposit

Resource Expansion: Clydesdale

- Sheared basalt host with stacked, repeating, 15 m thick, NW-striking lodes, open at depth
- **Near-surface well developed oxide mineralisation** to the ~50m deep BOCO
- **2km of strike length** remains to be successfully tested with drilling
- Key intercepts include:
 - HWRAB25: **40m @ 1.1g/t Au** from 16m
 - HWRC139: **15m @ 1.4g/t Au** from 6m
 - HWRC137: **13m @ 1.8g/t Au** from 37m
 - HWRC186: **13m @ 1.3g/t Au** from 55m
 - HWRC138: **15m @ 1.4g/t Au** from 76m




Horse Well map highlighting advanced prospects (blue) and resources (red)




Horse Well Gold Deposit

Resource Expansion: Bronco

- **High-grade, near-surface oxide mineralisation** to the ~70m deep BOCO
- **Multiple stacked lodes** apparent in the deepest drillhole HWRC251, open and increasing grade with depth
- **1.3km of strike length** (Bronco Trend) remains to be successfully tested with drilling
- Key intercepts include:
 - HWRC072: **10m @ 21g/t Au** from 23m
 - HWRC091: **10m @ 4.7g/t Au** from 21m
 - HWRAB38: **12m @ 2.5g/t Au** from 4m
 - HWRC125: **8m @ 3.2g/t Au** from 33m
 - HWRC127: **27m @ 1.8g/t Au** from 86m




Horse Well map highlighting advanced prospects (blue) and resources (red)




Horse Well Gold Deposit

Resource Expansion: Filly North

- 1.6km northward-trending mineralised corridor
- High-grade, near-surface oxide mineralisation to the ~65m deep BOCO
- No structural or geochemical controls determined from current drilling
- Key intercepts include:
 - HWRC002: 9m @ 2.5g/t Au from 46m
 - HWRC150: 8m @ 1.1g/t Au from 42m
 - HWRC170: 9m @ 1g/t Au from 43m
 - HWRC077: 17m @ 1.2g/t Au from 17m
 - HNAC154: 12m @ 2.0g/t Au from 44m (northernmost hole)



Horse Well map highlighting advanced prospects (blue) and resources (red)



Horse Well Gold Deposit


Exploration Targets: Horse North


Pony:

- Sheared metasediment-granodiorite contact with 600m strike length of oxide mineralisation:
 - HWRAC324: **4m @ 2.0g/t Au** from 0m
 - HWRAB372: **16m @ 1.0g/t Au** from 36m
 - HWRAB913: **12m @ 1.1g/t Au** from 68m

Mustang:

- Sheared mafic sequence with shallow laterite and oxide mineralisation over 300m of strike:
 - AHWA381: **8m @ 2.0g/t Au** from 6m
 - AHWA310: **8m @ 2.9g/t Au** from 5m
 - AHWR001: **6m @ 1.6g/t Au** from 64m





Horse Well Gold Deposit

Exploration Targets: Horse North

Colt:


- Steeply dipping, multiple stacked shears over **900 m strike**
- Shallow oxide mineralisation and deep regolith profile:
 - HWRAB372: **16m @ 1.0g/t Au** from 36m (oxide)
 - HWRAB913: **12m @ 1.1g/t Au** from 68m (oxide)
 - HWRC248: **8m @ 1.0g/t Au** from 103m (oxide)

Criollo:

- Potassic-altered mafic-metasediment contact
- 1.7km strike length of anomalous BOH gold:
 - HNAC059: **8m @ 2.2g/t Au** from 28m (oxide)



Appaloosa:


- 300m anomalous BOH trend along the interception of a NE-structure and Celia SZ splay






Dusk 'til Dawn Deposit






Dusk 'til Dawn Deposit Overview

- Mineral resource at the **Dusk 'til Dawn** deposit of 109 koz
- Historic resource incorrectly modelled due to poor constraints on geology and structural architecture
- Re-modelling and follow-up drilling by Strickland has delineated a southeast plunge to the lode and returned significant intercepts:
 - DTDR001: **33m @ 3.6g/t Au** from 61m;
 - DTDR007: **12m @ 2.5g/t Au** within 24m @ 1.6g/t Au from 196m;
 - DTDR002: **10m @ 1.9g/t Au** within 32m @ 1.2g/t Au from 120m;
 - DTDR003: **11m @ 2.0g/t Au** from 157m;
 - DTDR005: **6m @ 2.4g/t Au** within 9m @ 1.8g/t Au from 179m;
 - DTDR010: **7m @ 2.2g/t Au** from 212m;
 - DTDR004: **10m @ 1.6g/t Au** from 117m; and
 - DTDR006: **7m @ 1.6g/t Au** from 218m




Cross section of the Dusk 'til Dawn deposit

Refer to ASX release 30/11/21.




Dusk 'til Dawn Deposit Overview

- Inner biotite-rich alteration zone suggests the region has **experienced significant fluid flow**
- Interpreted to be a broad, post-peak metamorphic hydrothermal (potassic) alteration zone
 - INNER ZONE: (gold associated): biotite, calcic plagioclase, K-feldspar, quartz, pyrite +/- calcite
 - OUTER ZONE: biotite, chlorite, epidote, calcite calcic plagioclase, K-feldspar +/- pyrite +/- magnetite
- Mineralisation is associated with a 0.5mgal positive gravity anomaly which is traceable beyond the drill-tested extents of the Dusk 'til Dawn Deposit




Schematic cross-section of Dusk 'til Dawn alteration and gold mineralisation (red) association




Dusk 'til Dawn Deposit Resource Expansion: Overview

- Dusk 'til Dawn offers expansive **shallow oxide along strike**
- Crack 'o Dawn Prospect and multiple look-a-like gravity anomalies within the mapped alteration corridor from Dusk 'til Dawn
- **All deposits remain open at depth** and structural controls are poorly defined, with no constraints on plunge

Millrose Target Region	Type	Criteria
Dusk 'til Dawn	Oxide	Shallow oxide mineralisation across the region not yet followed up at depth. Gentle dip to ore bodies favourable for pit optimisation in a mining scenario.
Dusk 'til Dawn	Transition/Primary	High-grade mineralisation open at depth. Constraints on mineralisation and structural controls only recently denoted and tested in one phase of drilling during 2021.
Dusk 'til Dawn Regional	Oxide/Transition/Primary	Multiple near surface anomalies coincident with mapped alteration corridors and gravity highs, including the Crack o' Dawn prospect.







Yandal Prospects

Dusk 'til Dawn Regional

- Major alteration corridors, identified by Strickland in 2021, coincident with gold anomalism in historic drilling
- Gravity features potentially associated with pyrite, which at Dusk 'til Dawn has a very close association with gold
- Up to **twenty regional Dusk 'til Dawn look-a-like targets**, indicating the presence of a very large gold system
- Anomalism associated with the margins of granodiorites, splays of the Celia Shear Zone and NE-cutting structures





Yandal Prospects

Dusk 'til Dawn Regional


Django:


- Two shear corridors, each >1.2km in strike length
- Multiple, stacked shallow dipping lodes (DTD analogy)
- High grade shallow oxide:
 - HWAC112: **8m @ 4.2g/t Au** from 48m
 - DJRC001: **14m @ 1.1g/t Au** from 55m

Crack o' Dawn:



- High grade shallow oxide, open in all directions:
 - MTAC032: **11m @ 3.5g/t Au** from 44m
 - ACDR001: **12m @ 1.1g/t Au** from 65m
 - ACDA009: **12m @ 1.6g/t Au** from 52m


Big Daddy, Kahuna and Bingo are yet to have any effective drilling following up the shallow AC intercepts






Yandal Advanced Projects






Yandal Advanced Projects Cowza-Ward Trend

- Beyond Millrose and Horse Well, Strickland has additional Advanced Exploration Projects: **Cowza, Mizina, and Ward**
- 31km strike length encompassing the poorly defined and shallow drilling at Cowza, Mizina and Ward, and the exploration target, Celia, to the North
- Discoveries made through first pass RAB and AC drilling, which was largely ineffective due to water incursion
- Follow up RC drilling did not test the main shear zone
- Cowza, Mizina and Ward offer a **pathway to significant resource growth at low cost**



Cowza-Ward trend drilling overlain on TMI RTP 1DV Norm imagery. Red boxes highlight unexplored sections of the Celia Shear Zone, blue boxes show regions displaying mineralisation in AC reconnaissance drilling which require follow-up exploration.



Yandal Advanced Projects


Ward

Ward North:


- Structurally-complex zone of NE-structures intercepting multiple splays of the Celia SZ and highly-altered ultramafic intrusions
- Two zones of **supergene gold mineralisation**:
 - RCMR005: **65m @ 1.0g/t Au** from 41m incl. **10m @ 3.8g/t Au** from 62m (oxide)
 - RCMR001: **13m @ 1.0g/t Au** from 65m (oxide)
 - YEAC0313: **16m @ 1.2g/t Au** from 88m (oxide)
 - RCMR003: **5m @ 1.7g/t Au** from 105m (oxide)
 - RCMR019: **6m @ 1.8g/t Au** from 141m (primary)

Ward South:

- > 600m-long, >10m-thick oxide gold zone
- BOH gold anomalism over a > 300m strike length
- > 7km of strike at Ward South remains **open and untested at depth** by effective drilling




Mizina-Ward drilling coded by maximum downhole gold. NE-striking regional structures shown by black dashed lines, and target zones for exploration outlined.




Yandal Advanced Projects

Mizina

- Opportunity for **shallow oxide resource growth** to the Yandal East resource base at relatively low cost
- At-surface and shallow oxide mineralisation, and proven primary lode:
 - GMRC06-0007: **4m @ 2.51g/t Au** from 0m (laterite)
 - YEAC0290: **4m @ 2.3g/t Au** from 80m (oxide)
 - YEAC0131: **9m @ 1.0g/t Au** from 117m (primary)
- Mineralisation is open to the north and south, along both the eastern and western margins of the Cowza-Ward Corridor
- Elevated grades at intersections with NE-striking cross-cutting faults




Mizina-Ward drilling coded by maximum downhole gold. NE-striking regional structures shown by black dashed lines, and target zones for exploration outlined.




Yandal Advanced Projects

Cowza



- Opportunity for **immediate resource growth** 20 km from the Horse Well resource base
- Two areas of gold anomalism over **1 km strike length**, with a structural break dividing them
- Extensive, **high-grade supergene mineralisation** is present, such as:
 - FMAC094: **12m @ 3.5g/t Au** from 28m (south)
 - FMAC107: **33 m @ 2.0g/t Au** from 64m (north)
 - FMAC136: **15m @ 2.0g/t Au** from 82m (south)
- Enormous growth potential, with a **total strike length of 4.5km** yet to be sufficiently drill-tested
- Primary mineralisation remains untested




Cowza prospect displaying maximum downhole Au values and the cross-cutting NE-striking structure





Yandal Concepts






Yandal Concepts Halley's Trend

- 8km-long gold anomaly mapped by AC drilling
- **Coherent Au-Bi-Te-Sb anomalism** along the western margin of the mafic granite
- Not yet drill-tested favourable flexures in the granodiorite-sediment contact
- **Analogous to the Granny Smith** gold deposit; highest gold grades are in sedimentary rocks above shallowly dipping and irregular sections of the granitoid contact



Map of the Halley's prospect (Left) displaying key intercepts in AC drilling and drawing comparisons to the analogous Granny Smith deposit (Right).



Yandal Concepts

Baxter's, McGrath, McHugh

- All located within 6km of the Millrose deposit footprint

Baxter's Greenstone:


- Volcanic-dominated greenstone terrane with ultramafic and sedimentary successions; typical of greenstone orogenic gold mineralisation

McGrath:


- 2 ounces discovered in multiple nuggets along sheared basalt-sedimentary contact of Baxter's greenstone block
- NE-trending brittle faults intercept ductile N-S shearing; favourable setting for gold bearing fluid permeation

McHugh:

- **Prospective analogue to the Millrose** geological setting, with the same lithologies and intense silica-sulphide alteration
- **Outcropping** and residual regolith
- 6 km south of Millrose Gold Deposit
- Minimal systematic exploration work has been completed over the region



Gravity image, showing the high-gravity Baxter's Regional block with respect to Millrose and the Celia Shear Zone



Yandal Concepts

Quartz Well, Snake Well, Yorrick

- All located within 10km of Millrose

Quartz Well


- Potential for thick oxide mineralisation; deep BOCO
- Smoky-milky quartz veining was intercepted in every RAB/AC hole drilled over the region.
- Highly sheared, North-striking linament zones are a promising target

Snake Well


- Lag sampling in 1993 returned an anomalous Au and As cluster over the Snake Well prospect
- Proximal shallow AC returned anomalous gold (i.e., **4m @ 0.74 g/t Au** from 36 m) along N-S structural trends
- Geologically similar to Millrose West

Yorrick

- Sheared granite-sedimentary contact along the Millrose Corridor




Gravity image overlay by locations of the McGrath, Quartz Well and Snake Well prospects along the eastern margin of the Baxter's Greenstone Block (gravity high).




Yandal Concepts

Avies

- Located 2km west of Ward along the eastern margin of the Baxter's Regional greenstone block, also coincident with the Red Lake Fault
- Historic drilling intercepted **11m @ 1.2g/t Au** from 49m (to EOH)
- No follow-up drilling was completed due to financial reasons and corporate targets
- **Anomalism extends for over 250 m** and is associated with the same gravity gradient/margin as the McGrath Trend



Avies location and drilling coded by maximum downhole Au.



STRICKLAND
METALS LIMITED



Thank you.