

ASX ANNOUNCEMENT | 17 May 2023

ASKARI INTERSECTS BROAD LITHIUM BEARING PEGMATITES AT FLAGSHIP NAMIBIAN PROJECT



HIGHLIGHTS

- **Drilling intersects 100-metre plus lithium-bearing pegmatites across both tenements of the Uis Lithium Project, Namibia***
- **Broad lithium-bearing pegmatites intersected in ongoing EPL 7345 Phase II RC drilling**
- **Phase I RC drilling assay results at EPL 7345 reveal evolved granite, high fractionation and several positive results with open-ended mineralisation**
- **Detailed mapping has identified significant drill targets at both EPL 7345 and EPL 8535**
- **Planning underway for Phase II RC drilling in EPL 8535**

Askari Metals Limited (ASX: AS2) ("Askari Metals" or "Company") is pleased to provide shareholders and investors with an exploration update and RC drilling assay results from the Company's Uis Lithium Project (EPL7345 and EPL8535) in Namibia.

Commenting on the program, VP-Exploration & Geology, Mr Johan Lambrechts, stated:

"The Company's aggressive exploration strategy on our Uis Lithium Project is proving successful, as we intersect more and more 100-metre-wide pegmatites with lithium-bearing minerals identified in the drill chips.

The first phase of drilling was an introduction to the unexplored world of the pegmatites on our project area, allowing us to gather benchmark data that will inform our next drilling and exploration campaigns.

The results have seen us intersect some very wide pegmatites with lithium-bearing minerals, and we eagerly await the assay results of these follow-on phases. The mapping program will continue to give us detailed information on the pegmatites and help identify future drill targets to be tested later in the year.

The lithium tenor of the results also aligns well with what is known in the region and we are confident of building on the exploration results achieved to date as we continue with our aggressive exploration and development campaign at the Uis Lithium Project. The Company looks forward to updating our shareholders as our exploration activities continue."



** The Company wishes to remind investors that, when reading this announcement in its entirety, the presence of spodumene crystals within pegmatites does not necessarily equate to lithium mineralisation until confirmed by chemical assay. It is not possible to estimate the percentage of lithium mineralisation by visual estimates and this will be determined by the laboratory results which will be reported in full in a future report, expected within the next 8-10 weeks. Visual estimates also potentially provide no information regarding impurities or deleterious physical properties relevant to valuations.*

Overview of Initial RC Drilling Exploration Results

To date, the Company has completed two RC drilling phases at the Uis Lithium Project. The Phase I RC drilling program completed at EPL 7345 comprised of 3,017m across 59 drill holes, whilst at EPL 8535 the Phase I RC drilling program comprised 3,523m across 59 drill holes. A second phase of RC drilling on EPL 7345 is nearing completion with 55 drill holes completed to date for a total of 3,367m drilled. The full table of assay results from the Phase I RC drilling on EPL 7345 is included in Appendix 2 to this announcement.

Results to date have been encouraging, creating greater confidence for the Company to maintain its aggressive exploration strategy, and by doing so, unlock shareholder value from this prospective lithium province. Initial drilling across the Company's tenements has identified broad 100-metre-plus lithium bearing pegmatites and several 40-metre-wide lithium-bearing pegmatites.

The first phase of drilling on EPL 7345 targeted pegmatites artisanal miners had opened and where lithium mineralisation was visible at the surface. Assays from this initial drilling phase reveal the average lithium grade of 510 ppm Li is 17 times greater than the regional background value based on control sampling completed by the Company, while the highest lithium result is more than 110 times greater than the regional background value based on control sampling completed by the Company.

Caesium boasts similar positive characteristics, where the average result in the dataset is 24 times greater than the regional background based on control sampling completed by the Company, with a maximum of more than 250 times the regional background value based on control sampling completed by the Company.

Results indicate lithium and caesium results are highly anomalous for felsic pegmatites, indicating the pegmatites have undergone a significant degree of fractionation. This is an important indicator to the potential presence of economically valuable minerals and offers further insights into the geology of the area.

The second phase of drilling on EPL 7345 targeted areas of outcropping pegmatites with lithium mineralisation in the form of spodumene (predominantly), identified through a recently completed detailed mapping and sampling programme. Phase two drilling is ongoing and has already intersected significant pegmatites with visible lithium-bearing minerals.

Askari recently completed the first phase of drilling on EPL 8535, with results providing the Company confidence in the prospectivity of the licence, with several broad pegmatites and areas of visible lithium-bearing minerals encountered.

The Company is carrying out detailed mapping and sampling on EPL 8535, mirroring work recently undertaken on EPL 7345, which, combined with initial drill results, will help inform future drilling campaigns.



Phase I RC Drilling in EPL 8535 Uncovers Broad Pegmatites

The first phase of RC drilling on EPL 8535 tested prospective areas identified through initial due diligence sampling and additional field work.

The programme has been completed, and several wide pegmatites were intersected during this phase of activity.

One such pegmatite intersected in the south of the tenement is interpreted to be 116 metres wide, with a second parallel pegmatite of 37 metres (see Figure 1).




Figure 1: Cross section of the pegmatite intersected in the south of EPL 8535

None of the holes could penetrate through the entirety of the pegmatite due to water ingress preventing the continuation of the drilling.

Diamond drilling will complete the testing of these pegmatites during a future phase of exploration activity on the project.

Several other such pegmatites were intersected in the north-eastern portion of the tenement, with a 40-metre-wide example shown in Figure 2.

The sections depicted in Figures 1 and 2 also show the various minerals identified from the drill chips. Additional RC and diamond drilling is planned to further investigate these pegmatites down dip and along strike.




Figure 2: Cross section of another wide pegmatite intersected by the first phase of drilling on EPL8535

Wide Pegmatites Identified from EPL 7345 Phase II RC Drilling

The second phase of drilling on EPL 7345 is also delivering some very exciting intersections in the south-eastern portion of the tenement.

Drilling has reached an area where several encouraging spodumene-bearing pegmatites were identified in the recent mapping and sampling program.

This resulted in the first wide drill intercept of a lithium-bearing pegmatite on EPL 7345, with a width of 112 metres being interpreted from current data (See Figure 3), and several polyolithionite and spodumene occurrences have been identified from the drill chips. Polyolithionite refers to a dark lithium-rich mica, often associated with an oxidation of spodumene, where the spodumene mineral has oxidized to a mica state and is referred to as Polyolithionite.




Figure 3: cross section of a wide lithium-bearing pegmatite intersected during the second phase of drilling on EPL 7345

As with the deep drilling on EPL 8535, water has prevented the holes from drilling all the way through the pegmatite, but this intersection is considered very significant by the Company and further work in the area is planned for future drilling phases.

Assay Results from Phase I RC Drilling in EPL 7345

The first phase of drilling on EPL 7345 targeted pegmatites previously mined by artisanal miners and other pegmatites identified by mapping on the ground.

The assay results for this phase have been received and reviewed, indicating the pegmatites on EPL 7345 are evolved and well fractionated. Specifically, a high proportion of lithium, caesium, and tantalum (LCT) pegmatite intersections were identified, with some very positive lithium oxide (Li₂O) results.




Figure 4: Plan view of the best intercepts of the drilling phase

Results reveal several mineralised pegmatites were intersected, predominantly on the eastern side of the tenure.

Drilling revealed artisanal miners had targeted thin, shallow mineralised pegmatites, seldom extending deeper than 12 metres below the surface. Testing larger pegmatites proved much more fruitful, resulting in intersections such as those depicted in Figures 5 and 6. Figure 4 is a plan view of the best intercepts of the drilling phase.

The full table of assay results from the Phase I RC drilling at EPL 7345 are contained in Appendix 2 of this announcement.

Sections were generated from two separate areas on EPL 7345 and are indicated in Figure 4 as Areas "A" and "B". These areas are where the best results were encountered, and the potential for strike and depth extensions is considered high.

Area "A" (Figure 5) is in an area where the pegmatite outcrops over a strike length of more than 660 metres and is more than 10 metres wide.




Figure 5: section through the interpreted pegmatite model generated for area "A" (Figure 4)

Five lines of holes were drilled into the area, leaving both strike and depth potential open on all sides. Some surface mineralisation was identified in the form of green tourmalines and lepidolite crystals. However, the drill intercepts show the intersections are all relatively shallow and as a result it is anticipated that oxidisation has significantly impacted the lithium content of the samples requiring deeper drilling of these targets in order to generate fresh and un-oxidised samples.




Figure 6: section through the interpreted pegmatite model generated for area "B" (Figure 4)

The second section (Figure 6) is of area "B". This area has a strike extent of almost 500 metres and is made up of three to four sub-parallel pegmatites. Not all pegmatites were intersected during the drilling process, presenting future targets to explore which offer potential strike and depth extensions.

The best intercepts from the first phase of drilling in EPL 7345 are tabulated in table 1 below, with the full dataset set out in Appendix 2 to this announcement.

AURC0051	1m @ 0.71% Li ₂ O from 19m
AURC0049	4m @ 0.4% Li ₂ O from 25m
	including 2m @ 0.56% Li ₂ O from 25m
	including 1m @ 0.76% Li ₂ O from 25m
AURC0046	4m @ 0.39% Li ₂ O from 21m
	including 1m @ 0.57% Li ₂ O from 21m
AURC0052	3m @ 0.38% Li ₂ O from 11m
	including 1m @ 0.53% Li ₂ O from 13m
AURC0053	8m @ 0.34% Li ₂ O from 12m
	Including 2m @ 0.47% Li ₂ O from 13m
AURC0035	5m @ 0.32% Li ₂ O from 9m
	including 3m @ 0.44% Li ₂ O from 10m
AURC0054	2m @ 0.36% Li ₂ O from 17m
	4m @ 0.38% Li ₂ O from 30m
	including 1m @ 0.46% Li ₂ O from 32m
AURC0048	4m @ 0.33% Li ₂ O from 9m
	including 1m @ 0.44% Li ₂ O from 10m
AURC0034	4m @ 0.31% Li ₂ O from 7m
AURC0022	6m @ 0.19% Li ₂ O from 15m
	including 1m @ 0.39% Li ₂ O from 16m
	including 1m @ 0.31% Li ₂ O from 20m
AURC0055	1m @ 0.4% Li ₂ O from 10m
	3m @ 0.38% Li ₂ O from 30m

Table 1: the best drill intercepts of the first phase of drilling

While the tenor of the results may be perceived as being low, it is important to understand results from the first phase of drilling correlate well with the regional lithium results as well as the lithium resource of the nearby Uis Tin Mine owned by Andrada Mining Limited, which has a JORC (2012) Mineral Resource of 81Mt @ 0.73% Li₂O (source: [Uis - Andrada Mining](#)).

Results to date demonstrate the Company is testing the correct age and phase of pegmatites.

Testing so far has concentrated on the shallow portion of the mineralisation and it is likely deeper, less weathered pegmatite intercepts may yield results with undiluted lithium values.

The Company will test the pegmatites with deeper drilling, but the exploration work carried out to date will allow the Company to understand which pegmatites pinch near the surface and which continue.



This will provide valuable data for future drilling campaigns and help avoid drilling deep holes beneath pegmatites that potentially pinch near the surface.

FUTURE WORK

- The mapping of EPL 8535 continues and is estimated to take between two and three months to complete given the tenement's size of 210 km².
- Phase two drilling on EPL 7345 is anticipated to be completed shortly.
- The next phase of RC drilling is being planned for EPL 8535 based on targets identified by the ongoing mapping program.
- Additional mapping on EPL 7345 will be based on the results of the second phase of drilling currently being completed.

This announcement is authorised for release by the executive board

- ENDS -

FOR FURTHER INFORMATION PLEASE CONTACT

INVESTORS

Gino D'Anna
EXECUTIVE DIRECTOR

M. +61 400 408 878
E. gino@askarimetals.com

Johan Lambrechts
VICE PRESIDENT – EXPLORATION & GEOLOGY

M. +61 431 477 145
E. johan@askarimetals.com

MEDIA

Josh Lewis
SENIOR MEDIA ADVISOR

M. +61 412 577 266
E. lewisj@hellospoke.com.au

ABOUT ASKARI METALS

Askari Metals was incorporated for the primary purpose of acquiring, exploring and developing a portfolio of high-grade battery (Li + Cu) and precious (Au + Ag) metal projects across Namibia, Western Australia, Northern Territory and New South Wales. The Company has assembled an attractive portfolio of lithium, copper, gold and copper-gold exploration/mineral resource development projects in Western Australia, Northern Territory, New South Wales and Namibia.

For more information please visit: www.askarimetals.com



CAUTION REGARDING FORWARD-LOOKING INFORMATION

This document contains forward-looking statements concerning Askari Metals Limited. Forward-looking statements are not statements of historical fact and actual events and results may differ materially from those described in the forward-looking statements as a result of a variety of risks, uncertainties and other factors. Forward-looking statements are inherently subject to business, economic, competitive, political and social uncertainties and contingencies. Many factors could cause the Company's actual results to differ materially from those expressed or implied in any forward-looking information provided by the Company, or on behalf of, the Company. Such factors include, among other things, risks relating to additional funding requirements, metal prices, exploration, development and operating risks, competition, production risks, regulatory restrictions, including environmental regulation and liability and potential title disputes.

Forward looking statements in this document are based on the Company's beliefs, opinions and estimates of Askari Metals Limited as of the dates the forward-looking statements are made, and no obligation is assumed to update forward looking statements if these beliefs, opinions and estimates should change or to reflect other future developments.

COMPETENT PERSONS STATEMENT

The information in this report that relates to Exploration Targets, Exploration Results or Mineral Resources is based on information compiled by Johan Lambrechts, a Competent Person who is a Member of the Australian Institute of Geoscientists. Mr. Lambrechts is a full-time employee of Askari Metals Limited, who has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves. Mr. Lambrechts consents to the inclusion in the report of the matters based on his information in the form and context in which it appears.



Uis Lithium Project Background: Geology and Mineralisation

The rocks of the Erongo Region, and specifically the Dâures Constituency, are represented by rocks of the Khomas Subgroup, a division of the Swakop Group of the Damara Sequence which have been intruded by numerous zones and unzoned mineralised pegmatites rich in cassiterite, lepidolite, petalite, amblygonite, spodumene, tantalite, columbite, beryl, gem tourmaline, and rare to sparse sulphides, wolframite, scheelite, pollucite or rare earths.

The Uis and Nainais-Kohero swarm of pegmatites represent the fillings of en-echelon tension fractures that formed as a result of regional shearing. These pegmatites can be described as being pervasively altered or extensively albitised with only relics of the original potassium feldspars left after their widespread replacement by albite. They are remarkably similar in composition, except for the varying intensity of pneumatolytic effects and the introduction or concentration of trace elements during the final stages of crystallisation has resulted in complex pegmatite mineralogies. These pegmatites are found within schistose and quartzose rocks of the Khomas Subgroup, a division of the Swakop Group, which have been subjected to intense tectonic deformation and regional metamorphism.

Detailed geological mapping within the Uis area suggests that the Uis swarm of pegmatites consists of over 80 individual pegmatite bodies. Shearing resulted in spaces being opened within the Khomas Subgroup which were subsequently intruded by pegmatite or quartz veins. Within the Nainais pegmatites high tin values are found in smaller altered mica-rich pegmatites near the pegmatite edges. The pegmatite mineralisation composition changes with distance from the granitic contacts with a mineral crystallisation sequence, which indicates garnet and schorl occurring closest to the granitic contacts, cassiterite and lithium-tourmaline occurring further away therefrom, and the tantalite being associated with lithium-tourmaline and quartz blows.




Figure 7: Simplified location map of the Uis Lithium Project

Appendix 1 – JORC Code, 2012 Edition, Table 1 report

Section 1 Sampling Techniques and Data (Criteria in this section applies to all succeeding sections)

Criteria	JORC Code explanation	Commentary
Sampling techniques	<p>Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</p> <p>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</p> <p>Aspects of the determination of mineralisation that are Material to the Public Report.</p>	<p>All holes were sampled on a 1m downhole interval basis.</p> <p>A representation of the rock chips from each 1m interval was collected and stored in RC chip trays for later use.</p> <p>All sampling lengths and other logging data were recorded in AS2's standard sampling record spreadsheets. Data may include from and to measurements, colour, lithology, magnetic susceptibility, structures etc. Visible sulphide content was logged as well as alteration and weathering.</p> <p>Industry-standard practice was used in the processing of samples for assay.</p>
Drilling techniques	<p>Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details.</p>	<p>In this program, reverse circulation (RC) percussion drill holes were used. The hole dip was predominantly -50°.</p> <p>RC percussion drilling was performed with a face sampling hammer bit (bit diameter between 4½ and 5 ¼ inches), and samples were collected by a cone splitter.</p>
Drill sample recovery	<ul style="list-style-type: none"> Method of recording and assessing core and chip sample recoveries and results assessed. 	<ul style="list-style-type: none"> RC drill chip sample recovery was recorded by visual estimation and by the weighing of sample bags. Overall recovery was high. All samples were dry. If groundwater was intersected, drilling stopped if the samples became wet. Measures were taken to ensure maximum RC sample recoveries, including maintaining a clean cyclone and drilling equipment, as well as regular communication with the drillers and slowing drill advance rates when variable to poor ground conditions are encountered.
Logging	<ul style="list-style-type: none"> Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource Estimation, mining studies and metallurgical studies. 	<ul style="list-style-type: none"> The drill chips were geologically logged at 1m intervals with detailed recording of lithology, alteration, mineralisation and other observations such as colour, moisture and recovery. Drill chips were collected and sieved before being placed into reference chip trays for visual logging at 1m intervals. Logging was performed at the time of drilling, and planned drill hole target lengths were adjusted by the geologist during drilling. The geologist also oversaw all sampling and drilling practices. A small selection of representative chips was collected for every 1-meter interval and stored in chip trays.

Criteria	JORC Code explanation	Commentary
Sub-sampling techniques and sample preparation	<ul style="list-style-type: none"> For all sample types, the nature, quality and appropriateness of the sample preparation technique. 	<ul style="list-style-type: none"> 1m Samples were recovered using a rig-mounted cone splitter during drilling into a calico sample bag. The sample target weight was between 2 and 4kg. QAQC was employed. A standard, blank or duplicate sample was inserted into the stream at regular intervals and specific intervals based on the geologist's discretion. Standards were quantified industry standards. Duplicate samples were taken using the same sample sub-sample technique as the original and inserted at the geologist's discretion. Sample sizes are appropriate for the nature of mineralisation.
Quality of assay data and laboratory tests	<ul style="list-style-type: none"> The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established. 	<ul style="list-style-type: none"> All AS2 samples were submitted for assays to Bureau Veritas laboratories in Adelaide. Sample prep was performed by ALS in Namibia. Primary preparation involved crushing and splitting the sample with a riffle splitter where necessary to obtain a sub-fraction which was pulverised in a vibrating pulveriser. The samples were sorted, wet-weighed, dried then weighed again. All coarse residues have been retained. The samples have been analysed by a 40g lead collection fire assay as well as multi-acid digest with an Inductively Coupled Plasma (ICP) Optical Emission Spectrometry finish for multi-elements The lab randomly inserts analytical blanks, standards and duplicates into the client sample batches for laboratory QAQC performance monitoring. AS2 also inserted Certified Reference Material (CRM) samples at regular intervals to assess the accuracy and reproducibility of the drill results. All of the QAQC data has been statistically assessed to determine if the results were within the certified standard deviations of the reference material. If required, a batch or a portion of the batch may be re-assayed. (no re-assays required for the data in the release).
Verification of sampling and assaying	<ul style="list-style-type: none"> The verification of significant intersections by either independent or alternative company personnel. Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. Discuss any adjustment to assay data. 	<ul style="list-style-type: none"> The lab randomly inserts analytical blanks, standards and duplicates into the client sample batches for laboratory QAQC performance monitoring. AS2 also inserted QAQC samples, as mentioned above All of the QAQC data has been statistically assessed, 100% within acceptable QAQC limits as stated by the standard deviation stipulated on the certificate for the reference material used. The results are considered acceptable and suitable for reporting.
Location of data points	<ul style="list-style-type: none"> Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. 	<ul style="list-style-type: none"> Collars were surveyed by high precision RTK enabled drone and are accurate to within 2 – 10cm Down Hole Survey - Downhole surveys were conducted using a Gyro.

Criteria	JORC Code explanation	Commentary
Data spacing and distribution	<ul style="list-style-type: none"> Data spacing for reporting of Exploration Results. Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. Whether sample compositing has been applied. 	<ul style="list-style-type: none"> This is the first drilling on the tenement. The grade continuity of the targeted lodes cannot be determined from this data alone. Results are shown in appendix 2. No compositing was done.
Orientation of data in relation to geological structure	<ul style="list-style-type: none"> Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. 	<ul style="list-style-type: none"> The holes were drilled perpendicular to the mapped strike of the lodes and surface outcropping lithologies and drilled from the hanging wall. The orientation of the drilling is deemed appropriate and unbiased.
Sample security	<ul style="list-style-type: none"> The measures taken to ensure sample security. 	<ul style="list-style-type: none"> All samples were collected and accounted for by AS2 employees/consultants during drilling. All samples were bagged into calico and plastic bags and closed with cable ties. Samples were transported to Windhoek for prep and shipped to Adelaide for assay. The appropriate manifest of sample numbers and a sample submission form containing laboratory instructions were submitted to the laboratory. Any discrepancies between sample submissions and samples received were routinely followed up and accounted for.
Audits or reviews	<ul style="list-style-type: none"> The results of any audits or reviews of sampling techniques and data. 	To the company's knowledge, there is no historic drill or sample data related to this project.

Section 2 Reporting of Exploration Results (Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	<ul style="list-style-type: none"> Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a license to operate in the area. 	<p>The Uis Lithium-Tantalum-Tin Project (Uis Project – EPL7345) is located less than 5km from the township of Uis and less than 2.5km from the operating Uis Tin-Tantalum-Lithium Mine, owned and operated by Andrada Mining plc (LSE: ATM), within the Erongo Region of west-central Namibia. Swakopmund, the capital city of the Erongo Region and Namibia's fourth largest settlement is located approximately 165km south of the Uis Project, while the Namibian capital city of Windhoek is located approximately 270km southeast of the Uis Project.</p> <p>The Uis Project boasts more than 80 mapped pegmatites across the project area, with many of the pegmatites having been mined historically for tin and semi-precious stones.</p>
Exploration done by other parties	<ul style="list-style-type: none"> Acknowledgment and appraisal of exploration by other parties. 	<p>Limited historic exploration of lithium in this region is being bolstered by high levels of modern exploration. No drilling for lithium has been previously reported.</p>
Geology	<ul style="list-style-type: none"> Deposit type, geological setting and style of mineralisation. 	<p>The rocks of the Erongo Region, and specifically the Dâures Constituency, are represented by rocks of the Khomas Subgroup, a division of the Swakop Group of the Damara Sequence, which have been intruded by numerous zones and unzoned mineralised pegmatites rich in cassiterite, lepidolite, petalite, amblygonite, spodumene, tantalite, columbite, beryl, gem tourmaline, and rare to sparse sulphides, wolframite, scheelite, pollucite or rare earth metals. The Uis and Nainais-Kohero swarm of pegmatites represents the fillings of en-echelon tension gashes that formed as a result of shearing of a regional nature, which evolved slowly over considerable geological time. These pegmatites are pervasively altered or extensively albitised, with only relics of the original potassium feldspars left after their widespread replacement by albite. They are remarkably similar in composition, except for the varying intensity of pneumatolytic effects, and the introduction or concentration of trace elements during the final stages of crystallisation has resulted in complex pegmatite mineralogies. These pegmatites are found within schistose and quartzose rocks of the Khomas Subgroup, a division of the Swakop Group, which have been subjected to intense tectonic deformation and regional metamorphism.</p> <p>Detailed geological mapping within the Uis area suggests that the Uis swarm of pegmatites consists of over 100 individual pegmatite bodies. Shearing opened spaces within the Khomas Subgroup country rocks, spaces in which pegmatite or quartz veins were subsequently intruded. Within the Nainais pegmatites, high tin values are found in smaller altered mica-rich pegmatites near the pegmatite edges. The pegmatite mineralisation composition changes in the distance from the granitic contacts with a mineral crystallisation sequence having been mapped, which indicates garnet and schorl occurring closest to the granitic contacts, the</p>

Criteria	JORC Code explanation	Commentary																																																																																																																																																																																																																																																																																																																																																																																																																																																										
		cassiterite and lithium-tourmaline occurring further away therefrom, and the tantalite being associated with lithium-tourmaline and quartz blows.																																																																																																																																																																																																																																																																																																																																																																																																																																																										
Drill hole Information	<ul style="list-style-type: none"> A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: 	<p>Total drilling to the date of this report is 9,352 metres comprising of:</p> <table border="1"> <thead> <tr> <th>Drillhole Type</th> <th># Holes</th> <th>Total metres</th> <th>Ave Depth (m)</th> </tr> </thead> <tbody> <tr> <td>RC</td> <td>59</td> <td>3017</td> <td>51.1</td> </tr> </tbody> </table> <p>The table below shows recent AS2 RC drill details</p> <table border="1"> <thead> <tr> <th>Hole_ID</th> <th>Depth</th> <th>Northing</th> <th>Easting</th> <th>RL</th> <th>Dip</th> <th>Azi</th> <th>Hole_ID</th> <th>Depth</th> <th>Northing</th> <th>Easting</th> <th>RL</th> <th>Dip</th> <th>Azi</th> </tr> </thead> <tbody> <tr><td>AURC0001</td><td>80</td><td>7,649,880</td><td>478,664</td><td>800</td><td>-51</td><td>314</td><td>AURC0035</td><td>45</td><td>7,650,101</td><td>485,476</td><td>800</td><td>-50</td><td>85</td></tr> <tr><td>AURC0002</td><td>40</td><td>7,649,919</td><td>478,627</td><td>800</td><td>-90</td><td>94</td><td>AURC0036</td><td>25</td><td>7,649,722</td><td>484,960</td><td>800</td><td>-54</td><td>113</td></tr> <tr><td>AURC0003</td><td>50</td><td>7,649,918</td><td>478,604</td><td>800</td><td>-90</td><td>78</td><td>AURC0037</td><td>34</td><td>7,649,695</td><td>484,951</td><td>800</td><td>-56</td><td>113</td></tr> <tr><td>AURC0004</td><td>60</td><td>7,649,952</td><td>478,610</td><td>800</td><td>-90</td><td>170</td><td>AURC0038</td><td>126</td><td>7,649,743</td><td>484,883</td><td>800</td><td>-65</td><td>108</td></tr> <tr><td>AURC0005</td><td>102</td><td>7,649,948</td><td>478,541</td><td>800</td><td>-50</td><td>105</td><td>AURC0039</td><td>32</td><td>7,649,573</td><td>484,974</td><td>800</td><td>-59</td><td>89</td></tr> <tr><td>AURC0006</td><td>55</td><td>7,649,947</td><td>478,634</td><td>800</td><td>-90</td><td>322</td><td>AURC0040</td><td>36</td><td>7,649,365</td><td>484,891</td><td>800</td><td>-61</td><td>113</td></tr> <tr><td>AURC0007</td><td>71</td><td>7,650,650</td><td>478,101</td><td>800</td><td>-49</td><td>118</td><td>AURC0041</td><td>32</td><td>7,649,068</td><td>484,057</td><td>800</td><td>-50</td><td>125</td></tr> <tr><td>AURC0008</td><td>52</td><td>7,650,603</td><td>478,088</td><td>800</td><td>-90</td><td>97</td><td>AURC0042</td><td>30</td><td>7,649,076</td><td>484,042</td><td>800</td><td>-50</td><td>123</td></tr> <tr><td>AURC0009</td><td>90</td><td>7,650,623</td><td>478,050</td><td>800</td><td>-51</td><td>121</td><td>AURC0043</td><td>55</td><td>7,649,089</td><td>484,019</td><td>800</td><td>-51</td><td>125</td></tr> <tr><td>AURC0010</td><td>90</td><td>7,650,668</td><td>478,068</td><td>800</td><td>-50</td><td>125</td><td>AURC0044</td><td>54</td><td>7,649,133</td><td>484,074</td><td>800</td><td>-52</td><td>121</td></tr> <tr><td>AURC0011</td><td>40</td><td>7,650,026</td><td>477,989</td><td>800</td><td>-90</td><td>57</td><td>AURC0045</td><td>37</td><td>7,649,286</td><td>484,141</td><td>800</td><td>-52</td><td>125</td></tr> <tr><td>AURC0012</td><td>58</td><td>7,650,037</td><td>477,996</td><td>800</td><td>-72</td><td>117</td><td>AURC0046</td><td>32</td><td>7,649,294</td><td>484,127</td><td>800</td><td>-56</td><td>123</td></tr> <tr><td>AURC0013</td><td>40</td><td>7,650,019</td><td>477,977</td><td>800</td><td>-62</td><td>109</td><td>AURC0047</td><td>54</td><td>7,649,307</td><td>484,105</td><td>800</td><td>-56</td><td>124</td></tr> <tr><td>AURC0014</td><td>47</td><td>7,649,630</td><td>481,589</td><td>800</td><td>-90</td><td>336</td><td>AURC0048</td><td>23</td><td>7,649,331</td><td>484,172</td><td>800</td><td>-50</td><td>139</td></tr> <tr><td>AURC0015</td><td>60</td><td>7,649,607</td><td>481,588</td><td>800</td><td>-62</td><td>105</td><td>AURC0049</td><td>32</td><td>7,649,344</td><td>484,158</td><td>800</td><td>-56</td><td>138</td></tr> <tr><td>AURC0016</td><td>58</td><td>7,649,591</td><td>483,269</td><td>800</td><td>-52</td><td>109</td><td>AURC0050</td><td>51</td><td>7,649,363</td><td>484,141</td><td>800</td><td>-56</td><td>137</td></tr> <tr><td>AURC0017</td><td>60</td><td>7,649,595</td><td>483,253</td><td>800</td><td>-90</td><td>258</td><td>AURC0051</td><td>30</td><td>7,649,400</td><td>484,209</td><td>800</td><td>-51</td><td>138</td></tr> <tr><td>AURC0020</td><td>86</td><td>7,649,657</td><td>483,290</td><td>800</td><td>-51</td><td>101</td><td>AURC0052</td><td>24</td><td>7,648,777</td><td>484,557</td><td>800</td><td>-53</td><td>115</td></tr> <tr><td>AURC0022</td><td>39</td><td>7,649,742</td><td>483,352</td><td>800</td><td>-50</td><td>136</td><td>AURC0053</td><td>30</td><td>7,648,698</td><td>484,519</td><td>800</td><td>-55</td><td>118</td></tr> <tr><td>AURC0023</td><td>110</td><td>7,649,754</td><td>483,309</td><td>800</td><td>-51</td><td>115</td><td>AURC0054</td><td>42</td><td>7,648,708</td><td>484,500</td><td>800</td><td>-57</td><td>119</td></tr> <tr><td>AURC0025</td><td>75</td><td>7,650,900</td><td>483,701</td><td>800</td><td>-56</td><td>103</td><td>AURC0055</td><td>38</td><td>7,648,780</td><td>484,536</td><td>800</td><td>-51</td><td>117</td></tr> <tr><td>AURC0026</td><td>82</td><td>7,650,905</td><td>483,675</td><td>800</td><td>-57</td><td>101</td><td>AURC0056</td><td>66</td><td>7,648,758</td><td>484,507</td><td>800</td><td>-50</td><td>129</td></tr> <tr><td>AURC0027</td><td>60</td><td>7,651,045</td><td>483,783</td><td>800</td><td>-51</td><td>114</td><td>AURC0057</td><td>60</td><td>7,651,828</td><td>483,411</td><td>800</td><td>-51</td><td>122</td></tr> <tr><td>AURC0028</td><td>79</td><td>7,651,057</td><td>483,755</td><td>800</td><td>-57</td><td>109</td><td>AURC0058</td><td>26</td><td>7,651,865</td><td>483,444</td><td>800</td><td>-50</td><td>129</td></tr> <tr><td>AURC0029</td><td>41</td><td>7,651,161</td><td>483,857</td><td>800</td><td>-50</td><td>113</td><td>AURC0059</td><td>34</td><td>7,651,880</td><td>483,422</td><td>800</td><td>-51</td><td>130</td></tr> <tr><td>AURC0030</td><td>60</td><td>7,651,166</td><td>483,841</td><td>800</td><td>-51</td><td>111</td><td>AURC0060</td><td>30</td><td>7,651,917</td><td>483,446</td><td>800</td><td>-53</td><td>115</td></tr> <tr><td>AURC0031</td><td>26</td><td>7,650,127</td><td>485,469</td><td>800</td><td>-50</td><td>101</td><td>AURC0061</td><td>47</td><td>7,651,923</td><td>483,428</td><td>800</td><td>-52</td><td>114</td></tr> <tr><td>AURC0032</td><td>46</td><td>7,650,065</td><td>485,476</td><td>800</td><td>-49</td><td>133</td><td>AURC0062</td><td>42</td><td>7,652,133</td><td>483,530</td><td>800</td><td>-89</td><td>187</td></tr> <tr><td>AURC0033</td><td>28</td><td>7,650,035</td><td>485,483</td><td>800</td><td>-51</td><td>117</td><td>AURC0063</td><td>49</td><td>7,652,061</td><td>483,517</td><td>800</td><td>-90</td><td>147</td></tr> <tr><td>AURC0034</td><td>16</td><td>7,650,088</td><td>485,489</td><td>800</td><td>-49</td><td>106</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> </tbody> </table>	Drillhole Type	# Holes	Total metres	Ave Depth (m)	RC	59	3017	51.1	Hole_ID	Depth	Northing	Easting	RL	Dip	Azi	Hole_ID	Depth	Northing	Easting	RL	Dip	Azi	AURC0001	80	7,649,880	478,664	800	-51	314	AURC0035	45	7,650,101	485,476	800	-50	85	AURC0002	40	7,649,919	478,627	800	-90	94	AURC0036	25	7,649,722	484,960	800	-54	113	AURC0003	50	7,649,918	478,604	800	-90	78	AURC0037	34	7,649,695	484,951	800	-56	113	AURC0004	60	7,649,952	478,610	800	-90	170	AURC0038	126	7,649,743	484,883	800	-65	108	AURC0005	102	7,649,948	478,541	800	-50	105	AURC0039	32	7,649,573	484,974	800	-59	89	AURC0006	55	7,649,947	478,634	800	-90	322	AURC0040	36	7,649,365	484,891	800	-61	113	AURC0007	71	7,650,650	478,101	800	-49	118	AURC0041	32	7,649,068	484,057	800	-50	125	AURC0008	52	7,650,603	478,088	800	-90	97	AURC0042	30	7,649,076	484,042	800	-50	123	AURC0009	90	7,650,623	478,050	800	-51	121	AURC0043	55	7,649,089	484,019	800	-51	125	AURC0010	90	7,650,668	478,068	800	-50	125	AURC0044	54	7,649,133	484,074	800	-52	121	AURC0011	40	7,650,026	477,989	800	-90	57	AURC0045	37	7,649,286	484,141	800	-52	125	AURC0012	58	7,650,037	477,996	800	-72	117	AURC0046	32	7,649,294	484,127	800	-56	123	AURC0013	40	7,650,019	477,977	800	-62	109	AURC0047	54	7,649,307	484,105	800	-56	124	AURC0014	47	7,649,630	481,589	800	-90	336	AURC0048	23	7,649,331	484,172	800	-50	139	AURC0015	60	7,649,607	481,588	800	-62	105	AURC0049	32	7,649,344	484,158	800	-56	138	AURC0016	58	7,649,591	483,269	800	-52	109	AURC0050	51	7,649,363	484,141	800	-56	137	AURC0017	60	7,649,595	483,253	800	-90	258	AURC0051	30	7,649,400	484,209	800	-51	138	AURC0020	86	7,649,657	483,290	800	-51	101	AURC0052	24	7,648,777	484,557	800	-53	115	AURC0022	39	7,649,742	483,352	800	-50	136	AURC0053	30	7,648,698	484,519	800	-55	118	AURC0023	110	7,649,754	483,309	800	-51	115	AURC0054	42	7,648,708	484,500	800	-57	119	AURC0025	75	7,650,900	483,701	800	-56	103	AURC0055	38	7,648,780	484,536	800	-51	117	AURC0026	82	7,650,905	483,675	800	-57	101	AURC0056	66	7,648,758	484,507	800	-50	129	AURC0027	60	7,651,045	483,783	800	-51	114	AURC0057	60	7,651,828	483,411	800	-51	122	AURC0028	79	7,651,057	483,755	800	-57	109	AURC0058	26	7,651,865	483,444	800	-50	129	AURC0029	41	7,651,161	483,857	800	-50	113	AURC0059	34	7,651,880	483,422	800	-51	130	AURC0030	60	7,651,166	483,841	800	-51	111	AURC0060	30	7,651,917	483,446	800	-53	115	AURC0031	26	7,650,127	485,469	800	-50	101	AURC0061	47	7,651,923	483,428	800	-52	114	AURC0032	46	7,650,065	485,476	800	-49	133	AURC0062	42	7,652,133	483,530	800	-89	187	AURC0033	28	7,650,035	485,483	800	-51	117	AURC0063	49	7,652,061	483,517	800	-90	147	AURC0034	16	7,650,088	485,489	800	-49	106							
Drillhole Type	# Holes	Total metres	Ave Depth (m)																																																																																																																																																																																																																																																																																																																																																																																																																																																									
RC	59	3017	51.1																																																																																																																																																																																																																																																																																																																																																																																																																																																									
Hole_ID	Depth	Northing	Easting	RL	Dip	Azi	Hole_ID	Depth	Northing	Easting	RL	Dip	Azi																																																																																																																																																																																																																																																																																																																																																																																																																																															
AURC0001	80	7,649,880	478,664	800	-51	314	AURC0035	45	7,650,101	485,476	800	-50	85																																																																																																																																																																																																																																																																																																																																																																																																																																															
AURC0002	40	7,649,919	478,627	800	-90	94	AURC0036	25	7,649,722	484,960	800	-54	113																																																																																																																																																																																																																																																																																																																																																																																																																																															
AURC0003	50	7,649,918	478,604	800	-90	78	AURC0037	34	7,649,695	484,951	800	-56	113																																																																																																																																																																																																																																																																																																																																																																																																																																															
AURC0004	60	7,649,952	478,610	800	-90	170	AURC0038	126	7,649,743	484,883	800	-65	108																																																																																																																																																																																																																																																																																																																																																																																																																																															
AURC0005	102	7,649,948	478,541	800	-50	105	AURC0039	32	7,649,573	484,974	800	-59	89																																																																																																																																																																																																																																																																																																																																																																																																																																															
AURC0006	55	7,649,947	478,634	800	-90	322	AURC0040	36	7,649,365	484,891	800	-61	113																																																																																																																																																																																																																																																																																																																																																																																																																																															
AURC0007	71	7,650,650	478,101	800	-49	118	AURC0041	32	7,649,068	484,057	800	-50	125																																																																																																																																																																																																																																																																																																																																																																																																																																															
AURC0008	52	7,650,603	478,088	800	-90	97	AURC0042	30	7,649,076	484,042	800	-50	123																																																																																																																																																																																																																																																																																																																																																																																																																																															
AURC0009	90	7,650,623	478,050	800	-51	121	AURC0043	55	7,649,089	484,019	800	-51	125																																																																																																																																																																																																																																																																																																																																																																																																																																															
AURC0010	90	7,650,668	478,068	800	-50	125	AURC0044	54	7,649,133	484,074	800	-52	121																																																																																																																																																																																																																																																																																																																																																																																																																																															
AURC0011	40	7,650,026	477,989	800	-90	57	AURC0045	37	7,649,286	484,141	800	-52	125																																																																																																																																																																																																																																																																																																																																																																																																																																															
AURC0012	58	7,650,037	477,996	800	-72	117	AURC0046	32	7,649,294	484,127	800	-56	123																																																																																																																																																																																																																																																																																																																																																																																																																																															
AURC0013	40	7,650,019	477,977	800	-62	109	AURC0047	54	7,649,307	484,105	800	-56	124																																																																																																																																																																																																																																																																																																																																																																																																																																															
AURC0014	47	7,649,630	481,589	800	-90	336	AURC0048	23	7,649,331	484,172	800	-50	139																																																																																																																																																																																																																																																																																																																																																																																																																																															
AURC0015	60	7,649,607	481,588	800	-62	105	AURC0049	32	7,649,344	484,158	800	-56	138																																																																																																																																																																																																																																																																																																																																																																																																																																															
AURC0016	58	7,649,591	483,269	800	-52	109	AURC0050	51	7,649,363	484,141	800	-56	137																																																																																																																																																																																																																																																																																																																																																																																																																																															
AURC0017	60	7,649,595	483,253	800	-90	258	AURC0051	30	7,649,400	484,209	800	-51	138																																																																																																																																																																																																																																																																																																																																																																																																																																															
AURC0020	86	7,649,657	483,290	800	-51	101	AURC0052	24	7,648,777	484,557	800	-53	115																																																																																																																																																																																																																																																																																																																																																																																																																																															
AURC0022	39	7,649,742	483,352	800	-50	136	AURC0053	30	7,648,698	484,519	800	-55	118																																																																																																																																																																																																																																																																																																																																																																																																																																															
AURC0023	110	7,649,754	483,309	800	-51	115	AURC0054	42	7,648,708	484,500	800	-57	119																																																																																																																																																																																																																																																																																																																																																																																																																																															
AURC0025	75	7,650,900	483,701	800	-56	103	AURC0055	38	7,648,780	484,536	800	-51	117																																																																																																																																																																																																																																																																																																																																																																																																																																															
AURC0026	82	7,650,905	483,675	800	-57	101	AURC0056	66	7,648,758	484,507	800	-50	129																																																																																																																																																																																																																																																																																																																																																																																																																																															
AURC0027	60	7,651,045	483,783	800	-51	114	AURC0057	60	7,651,828	483,411	800	-51	122																																																																																																																																																																																																																																																																																																																																																																																																																																															
AURC0028	79	7,651,057	483,755	800	-57	109	AURC0058	26	7,651,865	483,444	800	-50	129																																																																																																																																																																																																																																																																																																																																																																																																																																															
AURC0029	41	7,651,161	483,857	800	-50	113	AURC0059	34	7,651,880	483,422	800	-51	130																																																																																																																																																																																																																																																																																																																																																																																																																																															
AURC0030	60	7,651,166	483,841	800	-51	111	AURC0060	30	7,651,917	483,446	800	-53	115																																																																																																																																																																																																																																																																																																																																																																																																																																															
AURC0031	26	7,650,127	485,469	800	-50	101	AURC0061	47	7,651,923	483,428	800	-52	114																																																																																																																																																																																																																																																																																																																																																																																																																																															
AURC0032	46	7,650,065	485,476	800	-49	133	AURC0062	42	7,652,133	483,530	800	-89	187																																																																																																																																																																																																																																																																																																																																																																																																																																															
AURC0033	28	7,650,035	485,483	800	-51	117	AURC0063	49	7,652,061	483,517	800	-90	147																																																																																																																																																																																																																																																																																																																																																																																																																																															
AURC0034	16	7,650,088	485,489	800	-49	106																																																																																																																																																																																																																																																																																																																																																																																																																																																						
Data aggregation methods	<ul style="list-style-type: none"> In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated. Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation 	No grade aggregation, weighting, or cut-off methods were used for this announcement.																																																																																																																																																																																																																																																																																																																																																																																																																																																										

Criteria	JORC Code explanation	Commentary
	<p>should be stated and some typical examples of such aggregations should be shown in detail.</p>	
Relationship between mineralisation widths and intercept lengths	<ul style="list-style-type: none"> • These relationships are particularly important in the reporting of Exploration Results. • If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. 	<p>The dip of the pegmatites is near vertical to shallow towards the northwest, and drilling has been conducted at right angles with the mineralised units based on mapping of the target before collaring the hole. The drilling angle is about -50 degrees, but -90 degree holes were drilled in areas requiring this approach.</p>
Diagrams	<ul style="list-style-type: none"> • Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views. 	<p>Diagrams are included in the body of the document.</p>
Balanced reporting	<ul style="list-style-type: none"> • Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of results. 	<p>All sample results have been reported in this release.</p> <p>See Appendix 2. If info about additional elements is sought, don't hesitate to get in touch with the AS2 Board.</p>
Other substantive exploration data	<ul style="list-style-type: none"> • Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances. 	<p>Assessment of other substantive exploration data is not yet complete however considered immaterial at this stage.</p>
Further work	<ul style="list-style-type: none"> • The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling). 	<p>Follow-up work programmes will be subject to the interpretation of recent and historical results, which is ongoing, and as set out in the announcement</p>

Appendix 2: Table of assay results pertaining to this announcement

Hole	Sample	Li	Li ₂ O	Sn	Ta	Cs	Nb	Be	Rb	Ga	Hole	Sample	Li	Li ₂ O	Sn	Ta	Cs	Nb	Be	Rb	Ga
AURC0001	15001	126	271	20	2	35	20	14	330	21	AURC0025	15464	482	1038	27	4	44	25	11	392	23
AURC0001	15002	178	383	35	4	37	25	7	357	23	AURC0025	15465	288	620	69	17	86	27	38	406	23
AURC0001	15003	130	280	33	4	30	23	9	327	21	AURC0026	15466	244	525	40	7	58	15	9	290	20
AURC0001	15004	108	233	32	4	33	20	8	333	19	AURC0026	15467	476	1025	20	6	46	18	8	279	27
AURC0001	15005	120	258	25	3	30	19	9	294	19	AURC0026	15468	482	1038	25	1	45	11	6	270	24
AURC0001	15006	64	138	16	3	11	15	8	174	16	AURC0026	15469	158	340	84	40	29	49	79	522	31
AURC0001	15007	318	685	32	11	36	23	20	289	20	AURC0026	15470	424	913	10	1	39	12	5	284	18
AURC0001	15008	306	659	18	3	26	17	5	207	18	AURC0026	15471	490	1055	42	13	36	29	36	650	25
AURC0001	15009	94	202	44	6	23	19	100	520	24	AURC0026	15472	408	878	38	6	30	31	99	1150	29
AURC0002	15010	178	383	46	52	73	22	21	359	16	AURC0026	15473	354	762	44	4	31	29	77	1620	33
AURC0002	15011	230	495	52	27	100	24	8	518	21	AURC0026	15474	352	758	56	10	30	37	94	1090	32
AURC0002	15012	128	276	33	6	18	34	9	276	27	AURC0026	15475	484	1042	37	10	26	38	129	1060	32
AURC0002	15013	234	504	14	3	31	22	7	194	19	AURC0026	15476	324	698	43	11	24	52	105	973	33
AURC0002	15014	210	452	7	1	32	17	6	177	19	AURC0026	15477	328	706	62	29	31	73	285	1030	41
AURC0002	15016	118	254	28	4	27	21	9	242	19	AURC0026	15478	664	1430	75	32	53	79	107	895	31
AURC0002	15017	86	185	31	3	18	20	6	252	20	AURC0026	15479	636	1369	40	4	64	14	15	561	19
AURC0002	15018	100	215	37	3	23	21	7	266	20	AURC0026	15481	782	1684	41	1	109	17	10	607	19
AURC0002	15019	124	267	37	4	27	22	7	350	21	AURC0026	15482	1900	4091	228	16	264	22	17	1070	26
AURC0002	15021	134	289	37	6	29	23	10	399	21	AURC0026	15483	290	624	47	13	28	51	172	1050	32
AURC0002	15022	110	237	33	4	28	20	10	348	18	AURC0026	15484	346	745	65	4	32	49	130	1370	39
AURC0002	15023	120	258	37	5	31	21	12	386	19	AURC0026	15485	404	870	38	9	37	42	112	1380	30
AURC0002	15024	128	276	36	4	30	23	11	383	20	AURC0026	15486	374	805	55	14	58	55	122	1760	38
AURC0002	15025	104	224	41	5	34	25	8	370	22	AURC0026	15487	456	982	53	15	38	63	189	1330	39
AURC0002	15026	88	189	36	4	29	21	7	322	20	AURC0026	15488	504	1085	59	25	39	74	192	1260	36
AURC0002	15027	122	263	39	4	23	27	12	295	24	AURC0026	15489	330	710	62	27	46	89	133	1320	35
AURC0002	15028	188	405	26	1	42	17	10	226	19	AURC0026	15490	172	370	82	24	54	70	121	1170	31
AURC0002	15029	266	573	14	1	35	17	7	180	17	AURC0026	15491	236	508	75	47	43	97	120	937	40
AURC0002	15030	258	565	47	8	45	34	19	381	27	AURC0026	15492	684	1473	30	5	33	46	34	378	16
AURC0002	15031	278	599	54	8	57	37	31	454	27	AURC0027	15493	404	870	14	1	30	18	18	651	31
AURC0002	15032	250	538	26	2	55	22	8	310	20	AURC0027	15494	402	866	24	1	17	22	26	478	30
AURC0002	15033	334	719	18	2	96	20	7	291	22	AURC0027	15495	504	1085	35	3	19	30	53	626	27
AURC0002	15034	90	194	39	3	39	21	13	342	21	AURC0027	15496	586	1262	60	6	21	34	48	711	27
AURC0002	15036	78	168	33	3	36	20	11	364	21	AURC0027	15497	446	960	65	8	25	49	45	744	30
AURC0002	15037	188	405	41	2	55	21	9	319	20	AURC0027	15498	288	620	21	3	18	38	24	533	27
AURC0002	15038	332	715	9	2	87	22	6	242	19	AURC0027	15499	164	353	21	3	11	45	16	382	21
AURC0003	15039	200	431	13	5	44	15	7	207	16	AURC0027	15501	538	1158	62	20	19	55	72	688	23
AURC0003	15041	140	301	28	14	38	24	189	372	20	AURC0027	15502	616	1326	45	10	15	61	72	387	28
AURC0003	15042	238	512	30	3	49	23	12	324	20	AURC0027	15503	568	1223	55	4	18	34	105	1180	39
AURC0003	15043	78	168	43	4	30	30	94	661	29	AURC0027	15504	948	2041	43	6	17	32	60	1220	35
AURC0003	15044	86	185	37	4	25	26	6	345	22	AURC0027	15505	648	1395	51	7	20	45	63	1030	24
AURC0003	15045	84	181	37	5	24	26	15	424	23	AURC0027	15506	980	2110	60	12	23	37	54	1030	22
AURC0003	15046	122	263	31	3	31	25	9	316	22	AURC0027	15507	794	1709	77	18	29	49	105	1200	25
AURC0003	15047	140	301	36	4	36	28	12	334	23	AURC0027	15508	632	1361	46	27	29	35	90	765	18
AURC0003	15048	308	663	28	2	100	23	11	320	22	AURC0027	15509	454	977	109	45	31	52	106	759	28
AURC0003	15049	270	581	73	8	61	28	57	363	24	AURC0027	15510	946	2037	75	9	34	28	28	770	21
AURC0003	15050	322	693	43	12	41	33	36	261	23	AURC0027	15511	492	1059	76	49	30	51	96	754	29
AURC0003	15051	238	512	32	4	31	26	9	246	23	AURC0027	15512	710	1529	40	3	50	13	20	684	22
AURC0003	15052	182	392	27	3	25	22	8	262	21	AURC0027	15513	716	1542	37	6	73	14	15	589	29
AURC0004	15053	318	685	5	2	29	25	4	166	22	AURC0027	15514	694	1494	24	2	101	10	7	596	27
AURC0004	15054	328	706	6	1	31	19	4	196	21	AURC0027	15515	580	1249	34	2	80	10	12	593	23
AURC0004	15056	258	555	9	2	32	18	5	170	20	AURC0027	15516	486	1046	139	56	55	34	31	818	27
AURC0004	15057	256	551	18	2	44	20	7	207	20	AURC0027	15517	742	1598	85	25	21	49	92	651	28
AURC0004	15058	262	564	4	1	34	19	5	152	20	AURC0027	15518	550	1184	105	48	25	65	98	843	31
AURC0004	15059	270	581	3	1	21	15	6	170	19	AURC0027	15519	536	1154	232	96	50	61	55	1160	33
AURC0004	15061	216	465	5	3	21	18	9	220	21	AURC0027	15521	732	1576	103	36	32	62	110	1160	29
AURC0004	15062	170	362	37	4	39	24	32	281	23	AURC0027	15522	464	995	85	17	39	46	49	558	32
AURC0004	15063	172	370	68	7	43	26	96	388	23	AURC0027	15523	190	388	82	86	37	81	153	1110	33
AURC0004	15064	134	289	55	8	38	34	108	346	25	AURC0027	15524	122	263	92	99	20	122	146	584	34
AURC0004	15065	134	289	21	2	33	24	20	342	20	AURC0027	15525	636	1369	78	45	37	50	31	661	27
AURC0004	15066	250	538	24	2	33	21	17	333	21	AURC0027	15526	406	874	30	5	68	20	14	584	26
AURC0004	15067	76	164	65	14	35	38	113	511	28	AURC0028	15527	190	409	97	76	50	43	34	615	32
AURC0004	15068	92	198	58	9	38	31	123	873	26	AURC0028	15528	252	543	62	30	37	27	16	414	27
AURC0004	15069	66	142	53	6	33	24	74	806	27	AURC0028	15529	322	693	66	62	39	33	27	406	28
AURC0004	15070	262	564	23	3	47	26	23	378	24	AURC0028	15530	370	797	17	1	24	8	5	425	19
AURC0004	15071	234	533	25	3	61	25	9	262	23	AURC0028	15531	314	676	17	1	22	9	13	553	17
AURC0004	15072	206	444	26	3	59	31	12	25	21	AURC0028	15532	552	758	24	2	24	12	15	625	21
AURC0004	15073	376	810	27	2	85	24	8	278	23	AURC0028	15533	242	521	61	18	22	44	133	1450	41
AURC0004	15074	574	1236	120	2	117	23	17	400	24	AURC0028	15534	340	732	57	10	17	35	129	1070	33</

Hole	Sample	Li	Li ₂ O	Sn	Ta	Cs	Nb	Be	Rb	Ga	Hole	Sample	Li	Li ₂ O	Sn	Ta	Cs	Nb	Be	Rb	Ga
AURC0006	IS138	326	702	3	0	11	12	5	147	18	AURC0030	IS594	512	1102	11	1	51	6	3	172	12
AURC0006	IS139	288	620	10	1	28	15	4	182	19	AURC0031	IS595	560	1205	10	1	71	13	4	247	25
AURC0006	IS141	328	706	8	3	24	19	5	242	24	AURC0031	IS596	820	1766	64	1	120	9	9	382	27
AURC0006	IS142	338	729	8	1	31	15	4	221	22	AURC0031	IS597	919	1916	65	18	109	53	101	239	36
AURC0006	IS143	272	586	14	1	37	17	5	165	22	AURC0031	IS598	940	2024	81	13	116	56	112	2970	42
AURC0006	IS144	104	224	30	3	31	19	20	292	21	AURC0031	IS599	1200	2584	64	73	86	122	278	2100	40
AURC0006	IS145	226	487	48	3	75	23	15	376	24	AURC0031	IS601	1080	2325	43	2	141	15	11	526	23
AURC0006	IS146	98	211	41	6	34	22	13	337	22	AURC0031	IS602	746	1606	11	2	97	14	6	329	24
AURC0007	IS147	130	280	10	1	32	8	4	134	12	AURC0032	IS603	666	1434	7	1	63	11	4	202	23
AURC0007	IS148	278	599	36	2	53	9	7	170	12	AURC0033	IS609	668	1438	61	35	89	44	108	1120	40
AURC0007	IS149	304	655	55	1	105	10	7	222	15	AURC0033	IS611	850	1830	44	19	133	32	50	815	29
AURC0007	IS150	390	840	62	1	86	11	17	333	17	AURC0033	IS608	916	1972	46	1	107	14	8	596	25
AURC0007	IS151	314	676	70	0	74	8	10	276	17	AURC0033	IS610	806	1735	53	46	87	56	97	1300	37
AURC0007	IS152	266	573	82	5	49	17	18	312	22	AURC0033	IS606	372	801	52	16	64	29	58	716	32
AURC0007	IS153	312	672	49	3	48	16	14	318	19	AURC0033	IS605	578	1244	75	80	79	96	246	1590	62
AURC0007	IS154	284	611	51	2	42	16	11	325	20	AURC0033	IS604	792	1705	83	22	142	25	27	1140	40
AURC0007	IS156	136	293	52	38	27	31	93	275	29	AURC0033	IS607	804	1731	81	25	160	33	28	840	31
AURC0007	IS157	372	801	44	2	45	13	11	278	20	AURC0034	IS612	1300	2799	45	18	188	30	119	961	29
AURC0007	IS158	276	594	30	2	39	17	10	262	21	AURC0034	IS613	1960	4220	60	75	156	57	103	2820	38
AURC0007	IS159	204	439	36	3	34	21	10	324	24	AURC0034	IS614	1100	2368	31	67	118	63	122	2380	32
AURC0007	IS161	148	319	43	24	29	25	21	254	23	AURC0034	IS615	1370	2950	93	23	237	35	143	1450	30
AURC0007	IS162	374	805	33	2	109	17	9	243	23	AURC0034	IS616	892	1920	39	17	170	26	56	572	28
AURC0007	IS163	222	478	19	1	37	12	4	122	15	AURC0035	IS619	2560	5512	32	44	98	72	130	1430	32
AURC0007	IS164	168	362	12	2	18	12	4	88	16	AURC0035	IS621	1480	3186	53	35	125	56	78	1480	36
AURC0007	IS165	178	383	14	2	31	13	4	128	15	AURC0035	IS618	2080	4478	39	21	130	32	57	1920	28
AURC0007	IS166	190	409	12	1	22	11	3	123	14	AURC0035	IS617	600	1292	19	2	124	16	5	257	24
AURC0007	IS167	188	405	16	1	24	12	4	131	14	AURC0035	IS622	808	1740	19	5	121	21	10	374	27
AURC0007	IS168	240	517	6	0	31	8	2	91	12	AURC0036	IS623	300	646	7	1	54	16	4	188	21
AURC0007	IS169	308	663	28	2	61	16	12	252	20	AURC0036	IS624	484	1042	43	56	408	26	66	945	30
AURC0007	IS170	314	676	40	3	50	17	13	268	21	AURC0036	IS625	382	822	11	18	110	22	40	348	23
AURC0007	IS171	88	189	51	120	32	89	166	484	28	AURC0037	IS626	40	86	11	1	17	7	4	32	7
AURC0007	IS172	84	181	36	101	29	52	115	328	26	AURC0037	IS627	142	306	11	2	84	16	6	186	24
AURC0007	IS173	196	422	58	10	52	16	12	142	12	AURC0038	IS628	186	406	42	3	64	17	8	329	30
AURC0007	IS174	222	478	23	1	86	12	7	186	14	AURC0038	IS629	278	599	87	2	119	18	16	465	30
AURC0007	IS176	404	870	37	2	149	20	8	389	22	AURC0038	IS630	220	474	43	6	60	16	12	265	27
AURC0007	IS177	390	840	34	2	162	18	12	446	21	AURC0038	IS631	276	594	36	2	101	14	17	267	27
AURC0007	IS178	212	456	32	2	68	20	14	284	21	AURC0039	IS635	520	1120	25	4	142	15	8	366	24
AURC0007	IS179	224	482	25	1	49	11	12	365	18	AURC0039	IS636	802	1727	63	48	388	40	72	1970	26
AURC0007	IS181	148	319	43	20	37	34	333	339	24	AURC0039	IS633	280	603	21	6	282	19	11	683	36
AURC0007	IS182	56	121	69	47	41	59	89	715	26	AURC0039	IS632	260	560	47	45	236	35	53	790	29
AURC0007	IS183	32	69	70	51	24	85	83	523	38	AURC0039	IS634	406	874	29	12	130	19	13	435	30
AURC0007	IS184	132	284	47	35	20	37	84	241	21	AURC0040	IS642	794	1729	38	31	111	27	36	852	31
AURC0007	IS185	86	185	76	25	33	33	40	680	26	AURC0040	IS643	628	1352	64	64	215	57	48	1100	36
AURC0007	IS186	50	108	59	65	41	48	50	729	25	AURC0040	IS641	432	930	6	1	26	14	5	179	25
AURC0007	IS187	64	138	50	25	24	45	71	362	24	AURC0040	IS639	424	913	6	1	19	14	4	159	23
AURC0007	IS188	104	224	42	14	27	25	78	351	21	AURC0040	IS638	386	831	6	2	21	17	4	167	26
AURC0007	IS189	214	461	23	2	40	11	11	251	14	AURC0040	IS637	184	396	6	2	34	16	4	163	25
AURC0007	IS190	336	723	48	4	129	19	13	397	25	AURC0040	IS644	504	1085	35	20	200	21	13	402	27
AURC0008	IS191	84	181	28	3	19	19	6	225	21	AURC0041	IS647	668	1438	14	3	82	16	7	282	24
AURC0008	IS192	74	159	35	3	24	23	7	310	23	AURC0041	IS652	868	1869	83	55	170	73	157	1040	31
AURC0008	IS193	86	185	33	3	19	18	6	248	20	AURC0041	IS656	438	943	43	7	156	18	14	375	25
AURC0008	IS194	110	237	34	3	23	19	6	214	20	AURC0041	IS655	580	1249	38	11	191	17	15	412	25
AURC0008	IS196	114	245	48	36	23	27	13	275	23	AURC0041	IS654	710	1529	7	2	43	19	5	197	26
AURC0008	IS197	100	215	46	3	21	22	5	274	25	AURC0041	IS653	732	1576	33	3	171	22	9	551	28
AURC0008	IS198	146	314	29	2	20	17	8	273	21	AURC0041	IS651	804	1731	42	75	28	87	165	729	34
AURC0008	IS199	190	409	32	1	28	13	10	238	18	AURC0041	IS650	298	642	29	28	67	32	60	2220	32
AURC0008	IS201	156	336	78	8	34	10	6	168	19	AURC0041	IS648	1270	2734	83	30	99	44	30	1400	33
AURC0008	IS202	190	409	108	9	45	19	7	222	28	AURC0041	IS646	586	1262	10	1	39	14	4	160	20
AURC0008	IS203	152	327	17	1	40	16	8	249	20	AURC0041	IS645	722	1554	55	18	149	21	24	558	26
AURC0008	IS204	212	456	21	2	43	15	7	200	19	AURC0041	IS649	364	784	35	35	81	45	61	2570	27
AURC0008	IS205	240	517	2	2	65	18	7	248	20	AURC0042	IS661	1280	2							

Hole	Sample	Li	Li ₂ O	Sn	Ta	Cs	Nb	Be	Rb	Ga	Hole	Sample	Li	Li ₂ O	Sn	Ta	Cs	Nb	Be	Rb	Ga
AURC0009	5281	374	805	147	60	60	43	112	318	33	AURC0049	5736	908	1955	10	2	86	18	15	476	26
AURC0009	5282	328	706	29	3	66	13	8	215	15	AURC0049	5735	1230	2648	27	3	45	26	32	586	24
AURC0009	5283	146	314	55	6	42	22	18	318	23	AURC0049	5734	1060	2282	84	80	54	66	86	978	37
AURC0009	5284	48	193	49	9	23	19	20	280	20	AURC0049	5738	536	114	70	12	143	20	11	285	31
AURC0009	5285	170	366	93	41	40	32	91	359	23	AURC0049	5732	3530	7600	60	41	51	70	268	2160	36
AURC0009	5286	42	90	46	102	22	39	167	382	18	AURC0049	5730	888	1912	56	2	344	16	11	1010	26
AURC0009	5287	24	52	26	152	26	71	228	495	24	AURC0049	5729	676	1455	52	14	160	21	15	530	29
AURC0009	5288	26	56	30	187	24	61	140	492	22	AURC0049	5733	1660	3574	51	34	39	68	176	1190	29
AURC0009	5289	34	73	25	144	27	56	161	587	22	AURC0050	5744	1430	3079	76	43	26	76	146	903	34
AURC0009	5290	166	357	18	3	38	13	7	166	15	AURC0050	5747	1080	2325	90	11	87	41	45	1110	29
AURC0010	5291	276	594	4	3	20	18	4	141	19	AURC0050	5748	778	1675	65	5	159	21	22	921	27
AURC0010	5292	222	478	4	2	16	20	3	149	22	AURC0050	5746	952	2050	104	25	85	66	133	1050	34
AURC0010	5293	170	366	62	4	38	13	6	157	21	AURC0050	5745	636	1369	73	37	19	96	230	841	40
AURC0010	5294	222	478	75	5	44	30	13	328	26	AURC0050	5742	742	1598	65	102	42	75	186	903	38
AURC0010	5296	76	164	42	5	38	26	12	311	18	AURC0050	5741	554	1193	105	124	169	65	126	1440	45
AURC0010	5297	74	159	38	4	38	23	11	316	18	AURC0050	5739	1400	3014	136	29	597	20	25	1600	33
AURC0010	5298	72	155	30	4	33	23	11	294	17	AURC0050	5737	644	1387	40	17	266	21	11	481	30
AURC0010	5299	70	151	40	4	40	27	10	371	24	AURC0050	5738	744	1602	26	1	176	12	7	507	26
AURC0010	5301	96	207	56	17	37	32	33	386	28	AURC0050	5743	934	2011	58	54	34	65	131	1120	34
AURC0010	5302	80	172	58	16	33	25	63	343	22	AURC0051	5750	706	1520	14	2	107	20	7	387	31
AURC0010	5303	422	909	35	5	151	21	16	354	22	AURC0051	5754	774	1666	98	49	36	55	102	840	34
AURC0010	5304	272	586	59	5	71	25	18	345	24	AURC0051	5753	3320	7148	117	58	25	97	175	945	41
AURC0010	5305	352	758	97	6	75	22	11	365	18	AURC0051	5751	696	1498	108	48	55	48	67	762	36
AURC0010	5306	516	1111	134	6	141	28	16	512	23	AURC0051	5765	664	1430	131	73	92	46	69	1180	44
AURC0010	5307	86	185	61	14	36	20	26	311	19	AURC0051	5749	636	1369	9	1	96	15	5	256	28
AURC0010	5308	722	1554	154	14	170	27	14	571	23	AURC0051	5752	804	1731	45	51	26	74	83	668	33
AURC0010	5309	500	1077	96	46	125	30	13	398	24	AURC0052	5761	2450	5275	49	29	52	49	161	1530	26
AURC0010	5310	548	1180	28	4	87	21	4	310	26	AURC0052	5764	944	2032	68	43	173	42	55	796	32
AURC0010	5311	496	1068	26	2	119	18	5	414	25	AURC0052	5763	1030	2218	23	2	117	19	8	276	26
AURC0010	5312	310	667	35	4	71	17	9	402	22	AURC0052	5762	1310	2820	59	19	154	36	73	789	30
AURC0010	5313	100	215	44	8	31	24	13	316	22	AURC0052	5759	1350	2907	50	50	116	83	185	1550	37
AURC0010	5314	74	159	42	10	31	22	13	312	20	AURC0052	5758	1500	3230	42	62	73	75	121	1230	28
AURC0010	5316	76	164	48	8	31	32	17	359	23	AURC0052	5756	904	1946	11	3	81	26	8	218	29
AURC0010	5317	108	233	40	4	23	28	8	352	24	AURC0052	5757	1020	2196	51	20	52	35	38	551	24
AURC0010	5318	80	172	44	3	22	27	7	367	26	AURC0053	5770	930	2002	43	89	82	85	185	1390	36
AURC0010	5319	90	194	44	3	24	26	7	333	23	AURC0053	5774	578	1244	12	2	248	26	6	386	27
AURC0010	5321	72	155	41	5	21	28	8	364	26	AURC0053	5773	1760	3789	50	6	219	27	59	669	26
AURC0010	5322	220	474	44	7	30	23	8	278	21	AURC0053	5772	1460	3143	98	37	226	45	76	1440	28
AURC0010	5323	446	960	41	5	75	20	7	321	22	AURC0053	5771	1120	2411	51	45	103	60	149	1810	33
AURC0010	5324	518	1115	26	2	74	21	6	302	22	AURC0053	5768	1960	4220	53	39	48	66	162	875	27
AURC0010	5325	386	831	15	3	70	24	12	316	23	AURC0053	5767	2370	5103	70	48	75	109	244	1070	27
AURC0011	5326	114	245	43	17	15	58	27	851	30	AURC0053	5766	1770	3811	106	33	273	44	52	1230	35
AURC0011	5327	106	228	52	22	18	95	61	695	35	AURC0053	5765	882	1889	13	2	180	22	7	368	27
AURC0011	5328	128	276	32	15	29	62	47	566	26	AURC0053	5775	692	1490	67	20	237	23	30	676	29
AURC0011	5329	356	766	30	6	56	53	18	581	28	AURC0053	5769	1410	3036	63	68	64	104	203	1210	40
AURC0011	5330	346	745	62	11	74	42	35	732	26	AURC0054	5795	1060	2282	29	87	68	48	30	642	25
AURC0011	5331	444	956	34	3	70	29	26	514	27	AURC0054	5788	1240	2670	60	59	36	71	155	815	37
AURC0011	5332	444	956	69	11	120	38	53	748	31	AURC0054	5790	1580	3402	43	53	56	61	86	1070	34
AURC0011	5333	204	439	45	19	77	39	49	662	25	AURC0054	5791	2140	4607	31	39	35	50	75	666	31
AURC0011	5334	402	866	44	7	88	32	34	649	24	AURC0054	5792	1800	3875	50	40	58	75	146	1090	32
AURC0011	5336	424	913	82	16	115	63	62	873	29	AURC0054	5794	788	1697	64	67	52	60	58	894	34
AURC0011	5337	466	1003	51	2	111	27	12	488	23	AURC0054	5787	1500	3230	60	16	78	31	44	788	28
AURC0011	5338	330	710	8	2	70	21	8	306	23	AURC0054	5796	358	771	8	3	44	19	5	197	22
AURC0011	5339	302	650	24	4	60	25	14	372	26	AURC0054	5797	338	728	9	2	27	22	4	190	27
AURC0011	5341	72	155	76	22	40	68	34	959	37	AURC0054	5793	1260	2713	100	64	131	91	119	1310	39
AURC0011	5342	76	164	54	17	32	63	57	756	33	AURC0054	5777	266	573	8	1	92	14	5	227	24
AURC0011	5343	192	413	60	6	47	40	32	398	28	AURC0054	5789	1450	3122	29	51	50	59	79	1020	32
AURC0011	5344	186	400	77	45	44	36	54	422	25	AURC0054	5776	214	461	15	2	104	13	7	231	20
AURC0012	5345	172	370	13	3	37	32	20	518	20	AURC0054	5786	766	1649	14	2	175	17	11	348	27
AURC0012	5346	218	469	26	3	53	31	26	641	22	AURC0054	5778	276	594	9	1	34	12	11	394	17
AURC0012	5347	231	445	44	15	33	68	51	940	33	AURC0054	5779	806	1638	30	16	32	21	208	25	
AURC0012	5348	178	383	60	30	54	115	119	1250	55	AURC0054	5781	1190	2562	48	44	26	47	38	504	32
AURC0012	5349	454	977	94	20	89	122	106	1300	51	AURC0054	5782	1880	4048	74	37	41	52	128	785	38
AURC0012	5350	156	336	54	15	37	63	96	921	33	AURC0054	5783	1510	3251	145	50	183	49	54	1340	36
AURC0012	5351	194	418	66	13	55	66	61	929	33	AURC0054	5784	704	1516	23	3	50	22	19	659	31
AURC0012	5352	186	400	42	9	41	41	42	683	27	AURC0054	5785	732	1576	9	2	106	17	9	342	25
AURC0012	5353	252	543	14	3	40	28	22	591	24	AURC0055	5798	1870	4026	103	10	668	21	31	2060	31
AURC0012	5354	212	456	18	3	41	23	17	468	22	AURC0055	5811	478	1029	18	2	51	20	8	214	24
AURC0012	5355	330	710	19	2	64	26														

Hole	Sample	Li	Li ₂ O	Sn	Ta	Cs	Nb	Be	Rb	Ga	Hole	Sample	Li	Li ₂ O	Sn	Ta	Cs	Nb	Be	Rb	Ga
AURC0022	I5418	414	891	9	1	11	1	12	309	9	AURC0060	I5868	314	676	6	1	14	14	3	135	18
AURC0022	I5419	1450	3122	63	27	34	83	37	1240	39	AURC0060	I5867	478	1029	65	31	40	41	80	694	34
AURC0022	I5421	200	431	16	4	21	13	9	942	15	AURC0060	I5865	442	952	98	62	52	66	155	1350	47
AURC0022	I5422	216	465	7	1	24	11	8	677	17	AURC0060	I5863	456	982	7	1	21	13	5	209	22
AURC0023	I5423	262	564	61	29	32	57	105	760	27	AURC0060	I5862	480	1033	7	1	21	13	3	205	21
AURC0023	I5424	434	934	24	1	82	13	6	364	21	AURC0060	I5866	450	969	224	35	88	87	398	1920	69
AURC0023	I5425	608	1309	28	1	43	16	13	524	24	AURC0061	I5876	276	594	38	98	50	76	148	1060	32
AURC0023	I5426	424	913	63	21	24	54	64	630	29	AURC0061	I5870	298	642	6	1	16	13	4	133	16
AURC0023	I5427	412	887	48	24	17	60	46	583	25	AURC0061	I5879	366	788	9	1	46	11	3	203	15
AURC0023	I5428	618	1331	132	30	31	44	20	690	23	AURC0061	I5878	516	1111	10	2	43	18	5	298	21
AURC0023	I5429	574	1236	102	22	36	29	14	641	25	AURC0061	I5877	242	521	47	70	39	101	211	871	37
AURC0023	I5430	466	1003	50	2	26	17	12	442	22	AURC0061	I5875	258	555	40	20	29	35	53	501	19
AURC0023	I5431	530	1141	74	12	27	28	22	547	22	AURC0061	I5874	350	754	61	2	25	6	16	164	11
AURC0023	I5432	200	431	86	30	17	59	102	552	29	AURC0061	I5873	528	1137	45	1	33	13	6	191	17
AURC0023	I5433	162	349	85	26	19	63	133	538	30	AURC0061	I5871	162	349	34	18	18	23	54	566	24
AURC0023	I5434	222	478	51	49	21	55	109	449	28	AURC0061	I5881	446	960	12	2	52	18	5	250	23
AURC0023	I5435	242	521	23	4	48	21	15	383	25	AURC0061	I5872	310	667	21	14	15	22	41	208	24
AURC0025	I5436	246	530	34	4	34	15	7	276	23	AURC0062	I5889	698	1503	19	5	128	21	5	327	27
AURC0025	I5437	440	947	16	1	24	11	11	448	25	AURC0062	I5893	496	1068	26	5	64	21	8	347	26
AURC0025	I5438	862	1856	15	2	27	21	17	569	23	AURC0062	I5894	440	947	13	2	71	21	5	328	25
AURC0025	I5439	428	921	92	30	29	52	67	815	32	AURC0062	I5892	122	263	73	122	58	77	144	720	40
AURC0025	I5441	806	1735	80	50	36	56	56	843	30	AURC0062	I5891	222	478	90	112	97	46	102	1060	34
AURC0025	I5442	508	1094	42	2	43	17	34	732	25	AURC0062	I5890	604	1300	49	4	128	16	11	470	23
AURC0025	I5443	1050	2261	107	15	42	30	29	808	25	AURC0062	I5887	732	1576	64	13	129	17	11	652	19
AURC0025	I5444	810	1744	123	18	42	52	29	1040	33	AURC0062	I5886	226	487	62	31	16	52	149	801	37
AURC0025	I5445	958	2063	120	4	43	30	36	1000	24	AURC0062	I5885	174	375	45	18	20	45	109	829	35
AURC0025	I5446	1330	2863	97	16	58	19	29	1200	28	AURC0062	I5884	474	1021	92	45	82	32	32	533	31
AURC0025	I5447	972	2093	44	7	19	34	78	856	30	AURC0062	I5882	538	1158	41	1	90	17	6	507	23
AURC0025	I5448	688	1481	48	9	17	48	131	903	39	AURC0062	I5888	688	1481	47	1	118	12	6	523	16
AURC0025	I5449	990	2131	40	16	17	51	109	714	32	AURC0062	I5883	430	926	31	1	81	14	5	414	20
AURC0025	I5450	740	1593	124	53	45	76	30	1040	29	AURC0063	I5897	172	370	59	38	36	39	86	1010	32
AURC0025	I5451	664	1430	120	10	38	81	25	873	23	AURC0063	I5907	266	573	5	1	32	11	2	162	17
AURC0025	I5452	746	1606	44	6	23	24	14	527	23	AURC0063	I5906	318	685	4	2	36	14	3	174	21
AURC0025	I5453	798	1718	52	12	24	30	19	571	23	AURC0063	I5905	404	870	25	1	39	10	8	122	14
AURC0025	I5454	564	1214	46	10	25	34	113	1050	29	AURC0063	I5904	758	1632	31	4	75	19	7	285	22
AURC0025	I5455	402	866	55	4	22	31	137	891	31	AURC0063	I5903	616	1326	42	42	65	33	27	395	29
AURC0025	I5456	392	844	44	5	22	37	118	910	27	AURC0063	I5902	144	310	65	94	27	63	126	629	37
AURC0025	I5457	496	1068	49	13	29	50	109	926	29	AURC0063	I5901	126	271	39	32	25	46	123	887	37
AURC0025	I5458	510	1098	61	18	30	55	123	841	34	AURC0063	I5898	140	301	56	32	52	47	83	1980	39
AURC0025	I5459	464	999	64	19	34	50	84	999	33	AURC0063	I5896	646	1391	68	2	79	8	11	318	16
AURC0025	I5461	608	1309	59	23	26	56	97	831	31	AURC0063	I5895	458	986	22	1	62	11	4	261	17
AURC0025	I5462	170	366	86	24	47	64	111	1250	35	AURC0063	I5908	204	439	45	1	41	11	4	197	17
AURC0025	I5463	402	866	59	69	28	81	141	602	29	AURC0063	I5899	96	207	49	77	39	61	133	1210	35