

ASX Announcement
4 September 2023

KINGSROSE CONSOLIDATES BELT SCALE NICKEL-COPPER-PGE EXPLORATION PROJECT IN NORTHERN NORWAY

Kingsrose Mining Limited (ASX: KRM) (**Kingsrose** or **Company**) is pleased to announce that it has been granted 291 new exploration licences in Finnmark County, northern Norway, totalling 2,736 square kilometres of early-stage nickel-copper-cobalt-PGE prospective ground across two mineral belts (Figure 1). During the past six months, Kingsrose conducted a target generation exercise, which was fully funded by the BHP Xplor Program (see ASX announcement dated 18th January 2023). This exercise has identified a total of 81 targets within two project areas, the Karasjok Project and the Kautokeino Project (**Project** or **Projects**).

Highlights

- Kingsrose has been granted 291 new exploration licences in Finnmark County, Northern Norway, covering an area of 2,736km², following a rigorous target generation exercise by Kingsrose.
 - 118 exploration licences for 1,094km² covering a strike length of 90km in the Karasjok Greenstone Belt (**Karasjok Project**).
 - 173 exploration licences for 1,642km² covering a strike length of 120km in the Kautokeino Greenstone Belt (**Kautokeino Project**).
- Kingsrose is targeting magmatic nickel-copper-cobalt-PGE sulphide deposits in Palaeoproterozoic greenstone belts which are underexplored extensions of the Central Lapland Greenstone Belt in Finland, where Boliden's Kevitsa nickel-copper-PGE mine, Anglo American's Sakatti copper-nickel-PGE project, Agnico Eagle's Kittilä gold mine and Rupert Resources' recent Ikkari gold discovery are located.
- Kingsrose is in ongoing exclusive negotiations with BHP regarding future exploration of the Projects, and the Projects are subject to a Right of First Refusal in favour of BHP as described in Kingsrose ASX announcement dated 18th January 2023.
- The BHP Xplor funding enabled Kingsrose to generate these new targets through reprocessing and interpreting regional geophysical data, acquisition and compilation of over 25,000 historical, archived geochemical data points, and leveraging industry and academic expertise to develop geological models and a mineral systems framework.
- 81 targets have been generated and ranked, with work program design underway to systematically explore the region for magmatic nickel-copper-cobalt-PGE sulphide deposits.
- At the Virdnemuotki target, reconnaissance sampling returned high-grade copper, palladium, gold and silver from gabbro-hosted sulphide-quartz veins. Such a metal association hosted in a mafic intrusion may represent a late stage, fractionated magmatic sulphide or remobilisation of magmatic sulphide by hydrothermal fluids. Rock chip results include:
 - 6.48% Cu, 0.28 g/t Pd, 2.02 g/t Au, 63.3 g/t Ag (*Sample 003612*)
 - 1.41% Cu, 2.02 g/t Pd, 0.76 g/t Au, 5.5 g/t Ag (*Sample 003613*)
 - 8.48% Cu, 2.48 g/t Pd, 1.03 g/t Au, 19.2 g/t Ag (*Sample 003614*)

Andrew Tunningley, Kingsrose Head of Exploration, commented *“Whilst exploration in this region is at a very early stage, the geological setting is analogous and of a similar age to other significant nickel belts globally. Our work has shown that the region is an extension of the Central Lapland Greenstone Belt, and that our newly acquired exploration licences contain multiple known mineral occurrences in addition to an abundance of encouraging camp-scale targets at early stages of exploration. Work will now focus on reducing the scale of the exploration search areas to efficiently explore this large and prospective region, initially through non-invasive techniques and development of a prospectivity analysis mechanism.”*

Fabian Baker, Kingsrose Managing Director, adds *“Kingsrose recognises the rights of indigenous peoples and environmental values in Finnmark County and we are committed to carrying out exploration responsibly, in cooperation with our host communities and through the principal of free, prior and informed consent. Our initial exploration work will be of a low impact and designed to further understand the geological controls on mineralisation to recognise fertile intrusions and komatiites.”*

Achievements Under the BHP Xplor Program

The BHP Xplor program was introduced by BHP in August 2022 and was designed to provide participants with the opportunity to accelerate their growth and the potential to establish a long-term partnership with BHP and its global network of partners. Kingsrose received US\$500,000 in funding from BHP and access to a network of internal and external experts.

Kingsrose has used this funding as well as technical, commercial and stakeholder learnings from the BHP Xplor program to conduct a regional target generation program for magmatic nickel-copper sulphide deposits in Norway and Finland. The BHP Xplor program concluded at the end of June 2023, key achievements include:

- The granting of 291 new Exploration Licences at the Karasjok and Kautokeino Projects covering a total area of 2,736km².
- Engagement of Southern Geoscience Consultants Pty Ltd to reprocess and interpret historical airborne magnetic and ground gravity survey data.
 - Litho-structural interpretation, mapping and intrusion detection.
 - Generation of 63 targets.
- Compilation and interpretation of historical geochemical data, including over 25,000 data points comprising approximately 8,000 soil samples, 14,000 till samples, 1,500 stream samples and 1,800 rock chip samples.
- An ASTER and Sentinel-2 spectral remote sensing and gas emissivity exercise, completed by DiRT Exploration.
- Application of a holistic and science-based minerals systems framework to identify and map proxies for the critical processes required to form magmatic nickel-copper sulphide deposits.
- Development of a geological and stratigraphic model for the northern Fennoscandian Shield, leveraging the knowledge and expertise of local industry and academic experts.
- Mapping and analysis of crustal scale architectural structures, key pathways for the transfer of magma and metals through the lithosphere.
- Entry into a collaborative program with the Norwegian Geological Survey in which Kingsrose will part-fund a research project titled *‘Assessing the fertility and subsurface distribution of magmatic systems in the Karasjok Belt, Finnmark, Norway.’*

- Reconnaissance ground truthing of preliminary targets in Finnmark, including rock chip sampling of outcropping, gabbro-hosted sulphide-quartz veins at the Virdnemuotki target, returning high-grade copper-palladium-gold-silver results.
- Application of the mineral systems approach to rank 81 compelling targets and development of work programs and budgets designed to systematically test those targets.

Outcomes of work completed by Kingsrose in Finland under the BHP Xplor program will be announced in due course on completion of phase one data compilation, target identification and ranking, and mineral reservations staking.

Geology of the Projects

The Palaeoproterozoic Karasjok and Kautokeino belts developed during a protracted, multi-phase rifting event between 2.5-1.98 billion years ago (Ga) and comprise a supracrustal volcano-sedimentary stratigraphic pile metamorphosed to greenschist and amphibolite facies during the Svecofennian Orogeny. Geochronological work suggests the Karasjok and Kautokeino belts are an extension of the Central Lapland Greenstone Belt in Finland. Regionally, there are five major magmatic events occurring at 2.44 Ga, 2.20 Ga, 2.15 Ga, 2.05 Ga and 1.98 Ga, all of which are documented in Finnmark. Major magmatic sulphide systems are associated with three of these events in the northern Fennoscandian Shield:

- 2.44 Ga layered intrusions containing reef and contact-type PGE-nickel-copper deposits, such as at Penikat and Suhanko in Finland.
- 2.05 Ga mafic-ultramafic intrusions hosting magmatic nickel-copper-PGE deposits, such as Sakatti and Kevitsa. Two intrusions in the Karasjok Belt, Gallujavri and Porsvann, have been dated at 2.05 Ga and each contain disseminated PGE-copper-nickel bearing sulphide mineralisation.
- 1.98 Ga komatiites hosting magmatic nickel-copper deposits, such as the giant Pechenga camp in the Kola Peninsula of Russia.

Kingsrose's work program under the Xplor program has focused on detection of mafic-ultramafic intrusions with potential to host magmatic nickel-copper-cobalt-PGE deposits.




Figure 1: Overview map of Kingsrose Exploration Licences and Targets in the Karasjok and Kautokeino greenstone belts of Finnmark County, Northern Norway. Inset is a regional scale map showing extension of Palaeoproterozoic greenstone belts from Finland into Norway and selected magmatic nickel-copper and orogenic gold deposits (GA – Gallujavri, IK – Ikkari, KA – Karenhaugen, KE – Kevitsa, KI – Kittila, PO – Porsanger, RU – Ruossokero, SA – Sakatti).

- ENDS -

This announcement has been authorised for release to the ASX by the Board.

For further information regarding the Company and its projects please visit www.kingsrose.com

For more information please contact:

Fabian Baker
Managing Director
+61 8 9389 4494
info@kingsrose.com

About Kingsrose Mining Limited

Kingsrose Mining Limited is a leading sustainability-conscious and technically proficient mineral exploration company listed on the ASX. The Company has a discovery-focused strategy, targeting the acquisition and exploration of critical mineral deposits having Tier-1 potential. This has resulted in the acquisition of, or joint venture into, the Råna nickel-copper-cobalt, Penikat PGE and Porsanger PGE-nickel-copper projects in Finland and Norway. Additionally, Kingsrose was recently selected for the first cohort of the BHP Xplor exploration accelerator program which operated from January to June 2023.

Forward-looking statements

This announcement includes forward-looking statements, including forward-looking statements relating to the future operation of the Company. These forward-looking statements are based on the Company's expectations and beliefs concerning future events. Forward-looking statements are necessarily subject to risks, uncertainties and other factors, many of which are outside the control of the Company and which could cause actual results to differ materially from such statements. The Company makes no undertaking to subsequently update or revise the forward-looking statements made in this announcement to reflect the circumstances or events after the date of this announcement.

You are strongly cautioned not to place undue reliance on forward-looking statements.

Competent Person's statement

The information in this report that relates to Exploration Results is based on information compiled under the supervision of Andrew Tunningley, who is a Member and Chartered Professional (Geology) of the Australasian Institute of Mining and Metallurgy and is Head of Exploration for Kingsrose Mining Limited. Mr Tunningley has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the "Australasian Code for Reporting Exploration Results, Mineral Resources and Ore Reserves." Mr Tunningley consents to the inclusion in this report of the matters based on this information in the form and context in which it appears.

Appendices

Appendix 1 – JORC Code Table 1 for the Karasjok and Kautokeino Projects

Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections)

Criteria	JORC Code explanation	Commentary
Sampling techniques	<ul style="list-style-type: none"> Nature and quality of sampling (eg cut channels, random chips, or specific industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralization that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1m samples from which 3kg was pulverised to produce a 30g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information. 	<ul style="list-style-type: none"> Rock chip samples were collected using a geological hammer with a target weight of 1.5-2.5 kg, which was crushed and a 250g split pulverised to provide a charge for analysis. Where possible rock chip samples were taken as short chip-channels or panel samples of an outcrop to ensure representivity.
Drilling techniques	<ul style="list-style-type: none"> Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc). 	<ul style="list-style-type: none"> No drilling results reported
Drill sample recovery	<ul style="list-style-type: none"> Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure representative nature of the samples. Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. 	<ul style="list-style-type: none"> No drilling results reported
Logging	<ul style="list-style-type: none"> Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. 	<ul style="list-style-type: none"> Rock chip samples were geologically logged to include lithology, alteration and mineralisation.

Criteria	JORC Code explanation	Commentary
	<ul style="list-style-type: none"> Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. The total length and percentage of the relevant intersections logged. 	
Sub-sampling techniques and sample preparation	<ul style="list-style-type: none"> If core, whether cut or sawn and whether quarter, half or all core taken. If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. For all sample types, the nature, quality and appropriateness of the sample preparation technique. Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. Measures taken to ensure that the sampling is representative of the in situ material collected, incl. for instance results for field duplicate/second-half sampling. Whether sample sizes are appropriate to the grain size of the material being sampled. 	<ul style="list-style-type: none"> Rock chip samples were prepared using ALS code PREP-31Y, crushing entire sample to >70% passing 2mm and rotary split off 250g using a rotary splitter. Split was pulverised to >85% passing 75 micron.
Quality of assay data and laboratory tests	<ul style="list-style-type: none"> The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis incl. instrument make and model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established. 	<ul style="list-style-type: none"> Rockchip samples were analysed by lead fire assay with ICP-AES finish for Au, Pt and Pd (ALS code PGM-ICP24) as well as 48 element four acid total digestion (ME-MS61). ALS routinely insert certified reference and blank material as part of their internal quality control procedures and to ensure acceptable levels of accuracy and precision are achieved. These results have been reviewed by Kingsrose
Verification of sampling and assaying	<ul style="list-style-type: none"> The verification of significant intersections by either independent or alternative company personnel. The use of twinned holes. Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. Discuss any adjustment to assay data. 	<ul style="list-style-type: none"> No verification of rockchip sampling has been completed. No twinned holes. Rockchip location, logging and analytical data is entered manually into excel sheets. There has been no adjustment to assay data.
Location of data points	<ul style="list-style-type: none"> Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. Specification of the grid system used. Quality and adequacy of topographic control. 	<ul style="list-style-type: none"> The grid system used is UTM WGS84 Zone 35 Northern Hemisphere. Topographic control is by publicly available LIDAR mapping data and is considered adequate for reporting of Exploration Results.

Criteria	JORC Code explanation	Commentary
Data spacing and distribution	<ul style="list-style-type: none"> Data spacing for reporting of Exploration Results. Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. Whether sample compositing has been applied. 	<ul style="list-style-type: none"> No Mineral Resource or Ore Reserve estimations are being reported. No sample compositing has been applied.
Orientation of data in relation to geological structure	<ul style="list-style-type: none"> Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material. 	<ul style="list-style-type: none"> N/A
Sample security	<ul style="list-style-type: none"> The measures taken to ensure sample security. 	<ul style="list-style-type: none"> Samples were shipped by courier in sealed containers to the sample preparation laboratory. Samples are checked on arrival for signs of tampering before being accepted into the custody of the laboratory.
Audits or reviews	<ul style="list-style-type: none"> The results of any audits or reviews of sampling techniques and data. 	<ul style="list-style-type: none"> There have been no audits of sampling techniques and data.

Section 2 Reporting of Exploration Results

(Criteria in this section apply to all succeeding sections)

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	<ul style="list-style-type: none"> Type, reference name/number, location and ownership incl. agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historic sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area. 	<p>Karasjok Project</p> <ul style="list-style-type: none"> The Karasjok Project comprises 108 Exploration Licences for 1,032km² which are 100% held by Kingsrose Norge AS, a 100% owned subsidiary of Kingsrose Mining Ltd. Each licence name, number and expiry date is shown in Appendix 3. A 0.5% state royalty is payable to the Norwegian state. An additional 0.25% royalty is payable on licences in Finnmark County. The Project is subject to regional, national, and international legislation due to recognition of Sámi rights holders in the Finnmark Act, the Minerals Act, and the Norwegian Constitution, which is reflected by ratification of ILO Convention 169, which recognises Sámi as Indigenous Peoples. However, a clear process exists to receive permission to undertake exploration activities and gain a social license to operate, including escalation to relevant statutory bodies.

Criteria	JORC Code explanation	Commentary
		<ul style="list-style-type: none"> To improve management of these complexities, Kingrose actively engages with stakeholders (including Sami), undertakes cultural heritage surveys, completes biodiversity assessments, advances understanding of traditional land use, and develops/agrees impact and benefit sharing mechanisms as early as possible in the exploration program. <p>Kautokeino Project</p> <ul style="list-style-type: none"> The Kautokeino Project comprises 173 Exploration Licences for 1,642km² which are 100% held by Kingsrose Norge AS, a 100% owned subsidiary of Kingsrose Mining Ltd. Each licence name, number and expiry date is shown in Appendix 3. A 0.5% state royalty is payable to the Norwegian state. An additional 0.25% royalty is payable on licences in Finnmark County. The Project is subject to regional, national, and international legislation due to recognition of Sámi rights holders in the Finnmark Act, the Minerals Act, and the Norwegian Constitution, which is reflected by ratification of ILO Convention 169, which recognises Sámi as Indigenous Peoples. However, a clear process exists to receive permission to undertake exploration activities and gain a social license to operate, including escalation to relevant statutory bodies. To improve management of these complexities, Kingrose actively engages with stakeholders (including Sami), undertakes cultural heritage surveys, completes biodiversity assessments, advances understanding of traditional land use, and develops/agrees impact and benefit sharing mechanisms as early as possible in the exploration program. <p>Norseman Terms</p> <p>Licences [0278/2023, 0282/2023, 0283/2023, 0284/2023, 0285/2023, 0286/2023, 0287/2023, 0288/2023, 0289/2023, 0279/2023, 0280/2023, 0281/2023, 0290/2023, 0291/2023, 0292/2023, 0293/2023, 0294/2023, 0295/2023, 0296/2023, 0301/2023, 0297/2023, 0298/2023, 0299/2023, 0300/2023, 0377/2023, 0378/2023] are subject to an agreement with Norseman AS, whereby:</p> <p><u>First Completion (completed):</u></p> <ol style="list-style-type: none"> Condition Precedent: Norseman providing Kingsrose Sub with notice of relinquishment of the Existing Tenements by Norseman on or before the End Date and providing Kingsrose Sub evidence that 100% legal interest in the each of the Existing

Criteria	JORC Code explanation	Commentary
		<p>Tenements has been relinquished by Norseman ("Notice of Relinquishment").</p> <p>2. Completion: Norseman must deliver to Kingsrose Sub the relevant Existing Tenement Information; and Kingsrose Sub must pay Norseman the Completion Payment (CAD\$25,000) by wire transfer as directed by Norseman; and deliver to Norseman of a duly executed counterpart of the Royalty Agreement executed by Kingsrose Sub which requires execution by Norseman.</p> <p><u>Contingent Consideration:</u></p> <p>1. Upon any Kingsrose Group Member or their respective Representatives acquiring a legal or beneficial interest in any New Tenement within the Area of Interest, Kingsrose Sub will provide within five Business Days of acquiring such title, written notice to Norseman containing details of the name, location and number of each New Tenement (each "Notice of Acquisition").</p> <p>2. Upon the receipt by Norseman of a Notice of Acquisition, in respect of the New Tenements that are the subject of such Notice of Acquisition:</p> <p>a. Kingsrose Parent will pay to Norseman, subject to the satisfaction of the Mineral Resource Contingent Consideration Milestone, payment of the Mineral Resource Contingent Consideration Payment to Norseman on the Mineral Resource Deferred Consideration Payment Date on any such New Tenements set out in such Notice of Acquisition;</p> <p>b. Kingsrose Parent will pay to Norseman, subject to the satisfaction of the Feasibility Study Contingent Consideration Milestone payment of the Feasibility Study Contingent Consideration Payment to Norseman on the Feasibility Study Contingent Consideration Payment Date on any such New Tenements set out in such Notice of Acquisition; and</p> <p>c. Kingsrose Sub will be deemed to grant to Norseman the Royalty (2 % Net Smelter Return) over any such New Tenements set out in such Notice of Acquisition, and the Kingsrose Group must do all such things as Norseman may reasonably require to assist Norseman in filing or registering in the applicable registry, the Royalty Agreement against such New Tenements, or notice of the Norseman's interest in the Royalty, and to cause the such interest to be and remain filed on or registered in respect of the New Tenements.</p> <p>Definition – Contingent Consideration: means the Feasibility Study Contingent Consideration Payment;</p>

Criteria	JORC Code explanation	Commentary
		<p>the Mineral Resource Contingent Consideration Payment; and the Royalty.</p> <p>Definition – Feasibility Study Contingent Consideration Payment: means a payment of C\$1,000,000 after the announcement by Kingsrose of a JORC or 43-101 compliant Feasibility Study.</p> <p>Definition – Mineral Resource Contingent Consideration Payment: means a payment of C\$500,000 after the announcement by Kingsrose of a JORC or 43-101 compliant Mineral Resource.</p> <p>Definition – Royalty: means the 2% net smelter royalty payable by Kingsrose Sub.</p>
<p>Exploration done by other parties</p>	<ul style="list-style-type: none"> Acknowledgment and appraisal of exploration by other parties. 	<p>Karasjok Project:</p> <ul style="list-style-type: none"> Small-scale alluvial gold mining dates to the 19th Century. <p><i>1980-2008</i></p> <ul style="list-style-type: none"> Airborne geophysics flown by the Norwegian Geological Survey including airborne magnetics, radiometrics, frequency domain electromagnetics and very low frequency surveys across the Karasjok Belt (1980-1983). 1600 soil samples by Sydvaranger A/S (1979-1983). Limited drilling by Sydvaranger A/S, metres, locations and dates unknown. <p><i>2008-2013 (Store Norske Gull AS)</i></p> <ul style="list-style-type: none"> Airborne gravity survey flown by Fugro (2011). 670 surface C-horizon till samples. 295 heavy mineral samples. 410 rockchip samples. 3 drillholes at the Rivnjesvadda target. <p>Kautokeino Project:</p> <ul style="list-style-type: none"> Small-scale alluvial gold mining dates to the 19th Century, particularly around the town of Kautokeino.. Numerous prospect scale geophysical surveys have been undertaken from the 1960s through to the 1990s but Kingsrose does not have the details of these surveys. <p><i>1960-1993 (Bidjovagge Gruber A/S)</i></p> <ul style="list-style-type: none"> Drilling predominantly focused at Bidjovagge outside of Kingsrose tenure but also testing the Adjit, Ucca Vuodas and Mikkujavrit targets. <p><i>1972-1976 (Sulfidmalm A/S)</i></p> <ul style="list-style-type: none"> 6200 surface C-horizon till samples collected in the Masi, Suolovuopmi and Brakvann areas.

Criteria	JORC Code explanation	Commentary
		<ul style="list-style-type: none"> 438 stream samples in the Masi and Suolovuopmi areas. 22 rockchip samples collected in Braakvann and Suolovuopmi. <p><i>1976-1986 (Sydvaranger A/S)</i></p> <ul style="list-style-type: none"> 860 till samples collected near Kautokeino, Adjit, Bidjovagge. 340 stream samples collected in the Adjit and Ucca Vuodas areas. 120 rockchips samples collected near Bidjovagge. <p><i>1979-1983 (Norwegian Geological Survey)</i></p> <ul style="list-style-type: none"> Airborne geophysics flown by the Norwegian Geological Survey including airborne magnetics, radiometrics, frequency domain electromagnetics and very low frequency surveys across the Kautokeino Belt. <p><i>1984 (Folldal Verk)</i></p> <ul style="list-style-type: none"> Drilling of regional targets in the Masi and Suolovuopmi areas. <p><i>2011-2012 (Dalradian Gold)</i></p> <ul style="list-style-type: none"> 900 till samples. 70 rockchip samples throughout the belt.
Geology	<ul style="list-style-type: none"> Deposit type, geological setting and style of mineralisation. 	<ul style="list-style-type: none"> Kingsrose is exploring for mafic-ultramafic intrusion-hosted and komatiite type magmatic sulphide nickel-copper-PGE deposits. The Palaeoproterozoic Karasjok and Kautokeino belts developed during a protracted, multi-phase rifting event between 2.5-1.98 Ga and comprise a supracrustal volcano-sedimentary stratigraphic pile metamorphosed to greenschist and amphibolite facies during the Svecofennian Orogeny. Geochronological work suggests the Karasjok and Kautokeino belts are an extension of the Central Lapland Greenstone Belt in Finland. Regionally, there are five major magmatic events occurring at 2.44 billion years ago (Ga), 2.20 Ga, 2.15 Ga, 2.05 Ga and 1.98 Ga, all of which are documented in Finnmark. Major magmatic sulphide systems are associated with three of these events in the northern Fennoscandian Shield: 2.44 Ga layered intrusions containing reef and contact-type PGE-nickel-copper deposits, such as at Penikat and Suhanko in Finland; 2.05 Ga mafic-ultramafic intrusions hosting magmatic nickel-copper-PGE deposits, such as Sakatti and Kevitsa. Two intrusion in the Karasjok Belt, Gallujavri and Porsvann, have been dated at 2.05 Ga and each contain disseminated PGE-copper-nickel bearing sulphide mineralisation; and 1.98 Ga komatiites hosting magmatic nickel-copper deposits, such as the giant Pechenga camp in the Kola Peninsula of Russia.

Criteria	JORC Code explanation	Commentary
Drill hole Information	<ul style="list-style-type: none"> • A summary of all information material to the understanding of the exploration results incl. a tabulation of the following information for all Material drill holes: <ul style="list-style-type: none"> - easting and northing of the drill hole collar - elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar - dip and azimuth of the hole - down hole length and interception depth - hole length. • If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case. 	<ul style="list-style-type: none"> • Kingsrose has not completed any drilling at the property.
Data aggregation methods	<ul style="list-style-type: none"> • In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high-grades) and cut-off grades are usually Material and should be stated. • Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. • The assumptions used for any reporting of metal equivalent values should be clearly stated. 	<ul style="list-style-type: none"> • No weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high-grades) and cut-off grades have been used. • No aggregate intercepts are reported. • No metal equivalent values are reported.
Relationship between mineralisation widths and intercept lengths	<ul style="list-style-type: none"> • These relationships are particularly important in the reporting of Exploration Results. • If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. • If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known'). 	<ul style="list-style-type: none"> • No mineralised widths or intercept lengths are reported.
Diagrams	<ul style="list-style-type: none"> • Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views. 	<ul style="list-style-type: none"> • Maps and sections are provided in the body of the report.
Balanced reporting	<ul style="list-style-type: none"> • Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high-grades and/or widths should be practiced to 	<ul style="list-style-type: none"> • See Appendices.

Criteria	JORC Code explanation	Commentary
	avoid misleading reporting of Exploration Results.	
Other substantive exploration data	<ul style="list-style-type: none"> Other exploration data, if meaningful and material, should be reported incl. (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances. 	<ul style="list-style-type: none"> N/A
Further work	<ul style="list-style-type: none"> The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling). Diagrams clearly highlighting the areas of possible extensions, incl. the main geological interpretations and future drilling areas, provided this information is not commercially sensitive. 	<ul style="list-style-type: none"> Kingsrose intends to follow up high priority targets with an initial phase of non-invasive exploration techniques including airborne and ground based geophysical surveys (gravity, magnetic, electromagnetic and magnetotelluric), geological mapping, rockchip sampling and overburden sampling. Figure 1 shows the distribution of target areas.

Appendix 2 – Rockchip Data

Sample ID	East	North	Sample Type	Lithology	Au ppm	Ag ppm	Cu pct	Co pct	Ni pct	Pt ppm	Pd ppm
Kautokeino Project											
003601	363046	7729966	Outcrop	Quartzite	0.00	0.01	0.00	0.00	0.00	0.00	0.00
003602	363076	7729952	Float	Pyroxenite	0.00	0.02	0.12	0.01	0.01	0.00	0.01
003603	364453	7730475	Float	Amphibolite	0.00	0.02	0.00	0.01	0.01	0.03	0.02
003604	364027	7730587	Float	Pyroxenite	0.00	0.03	0.00	0.00	0.00	0.00	0.00
003605	363056	7729930	Subcrop	Pyroxenite	0.00	0.03	0.04	0.00	0.00	0.00	0.01
003606	365111	7705819	Outcrop	Gabbro	0.00	0.03	0.00	0.00	0.01	0.00	0.00
003607	364568	7705962	Outcrop	Oxidised breccia	0.00	0.02	0.02	0.00	0.00	0.00	0.00
003608	363796	7705778	Outcrop	Oxidised breccia	0.00	0.01	0.02	0.00	0.00	0.00	0.00
003609	363797	7705776	Outcrop	Meta-volcanic	0.00	0.01	0.00	0.00	0.01	0.00	0.00
003610	363618	7705504	Float	Graphite schist	0.02	0.16	0.04	0.00	0.06	0.01	0.03
003611	373054	7720202	Float	Olivine gabbro	0.01	0.03	0.01	0.00	0.01	0.01	0.03
003612	373148	7720225	Outcrop	Quartz-sulphide vein	2.02	63.30	6.48	0.00	0.02	0.02	0.28
003613	373172	7720224	Outcrop	Quartz-sulphide vein	0.76	5.48	1.41	0.00	0.00	0.01	2.02
003614	373130	7720166	Subcrop	Quartz-sulphide vein	1.03	19.15	8.48	0.00	0.00	0.00	2.48
003615	373358	7720187	Outcrop	Gabbro	0.01	0.08	0.02	0.01	0.01	0.01	0.03
003616	373057	7719800	Outcrop	Amphibole-chlorite schist	0.06	0.25	0.17	0.01	0.01	0.01	0.06
003617	373065	7719880	Float	Pyroxenite	0.01	0.06	0.02	0.00	0.01	0.01	0.03
003618	335561	7654976	Outcrop	Gabbro	0.00	0.35	0.01	0.00	0.01	0.02	0.03

Sample ID	East	North	Sample Type	Lithology	Au ppm	Ag ppm	Cu pct	Co pct	Ni pct	Pt ppm	Pd ppm
003619	349248	7663721	Float	Serpentinite	0.00	0.06	0.00	0.01	0.00	0.00	0.00
003620	349260	7663728	Outcrop	Magnetite Gabbro	0.00	0.85	0.03	0.01	0.00	0.00	0.00
003621	349262	7663734	Outcrop	Magnetite Gabbro	0.01	0.04	0.02	0.01	0.00	0.00	0.00
003622	352487	7661952	Outcrop	Komatiite	0.00	0.10	0.03	0.01	0.01	0.00	0.00
Karasjok Project											
003623	433753	7706964	Outcrop	Pyroxenite	0.00	0.03	0.02	0.01	0.14	0.02	0.01
003624	436470	7708284	Float	Pyroxenite	0.01	0.05	0.01	0.00	0.01	0.06	0.05
003625	443386	7709441	Outcrop	Komatiite	0.00	0.02	0.00	0.01	0.17	0.01	0.01
003626	437743	7718680	Outcrop	Magnetite Gabbro	0.00	0.04	0.01	0.01	0.01	0.00	0.00
003627	437444	7719027	Outcrop	Quartz Gabbro	0.00	0.01	0.00	0.00	0.00	0.00	0.00
003628	437444	7719026	Outcrop	Magnetite Gabbro	0.01	0.03	0.04	0.00	0.00	0.00	0.00
003629	432004	7736035	Float	Komatiite	0.01	0.04	0.00	0.01	0.34	0.00	0.00
003630	432015	7736067	Outcrop	Komatiite	0.01	0.02	0.00	0.01	0.32	0.00	0.00
003631	435361	7729076	Float	Pyroxenite	0.01	0.11	0.02	0.01	0.08	0.01	0.01
003632	435361	7729078	Outcrop	Ultramafic Volcanic	0.00	0.17	0.00	0.01	0.13	0.01	0.01
003633	430859	7774517	Outcrop	Pyroxenite	0.00	0.16	0.01	0.01	0.16	0.01	0.02
003634	437122	7725367	Outcrop	Pyroxenite	0.02	0.19	0.04	0.01	0.11	0.06	0.06
003635	437793	7724978	Outcrop	Gabbro	0.00	0.01	0.00	0.01	0.01	0.07	0.05
003636	437759	7724190	Boulder	Pyroxenite	0.01	0.04	0.01	0.01	0.07	0.04	0.03
003637	437691	7724186	Outcrop	Gabbro	0.01	0.05	0.01	0.01	0.01	0.04	0.05
003638	430728	7772428	Outcrop	Pyroxenite	0.00	0.01	0.01	0.01	0.10	0.01	0.01
003639	430721	7772423	Outcrop	Pyroxenite	0.00	0.02	0.01	0.01	0.09	0.01	0.01
003640	431875	7774733	Outcrop	Ultramafic Volcanic	0.00	0.02	0.00	0.01	0.17	0.01	0.00

Appendix 3 – Exploration Licence Details

Licence Name	Licence Number	Area (km ²)	Grant Date	Expiry Date
Kautokeino Project				
Adjit 1	0278/2023	10.02	28.04.2023	28.04.2030
Adjit 2	0282/2023	10.02	28.04.2023	28.04.2030
Adjit 3	0283/2023	10.02	28.04.2023	28.04.2030
Adjit 4	0284/2023	10.02	28.04.2023	28.04.2030
Adjit 5	0285/2023	10.02	28.04.2023	28.04.2030
Adjit 6	0286/2023	10.02	28.04.2023	28.04.2030
Adjit 7	0287/2023,	10.02	28.04.2023	28.04.2030
Adjit 8	0288/2023	10.02	28.04.2023	28.04.2030
Adjit 9	0289/2023	10.02	28.04.2023	28.04.2030
Adjit 10	0279/2023	10.02	28.04.2023	28.04.2030
Adjit 11	0280/2023	10.02	28.04.2023	28.04.2030
Adjit 12	0281/2023	10.02	28.04.2023	28.04.2030
Havggjavri	0290/2023	10.02	28.04.2023	28.04.2030
Stuorajavri 1	0291/2023	10.02	28.04.2023	28.04.2030
Stuorajavri 2	0292/2023	10.02	28.04.2023	28.04.2030
Stuorajavri 3	0293/2023	10.02	28.04.2023	28.04.2030
Stuorajavri 4	0294/2023	10.02	28.04.2023	28.04.2030
Stuorajavri 5	0295/2023	10.02	28.04.2023	28.04.2030
Stuorajavri 6	0296/2023	10.02	28.04.2023	28.04.2030
Ucca Vuodas 1	0301/2023	10.02	28.04.2023	28.04.2030
Ucca Vuodas 2	0297/2023	10.02	28.04.2023	28.04.2030

Licence Name	Licence Number	Area (km ²)	Grant Date	Expiry Date
Ucca Vuodas 3	0298/2023	10.02	28.04.2023	28.04.2030
Ucca Vuodas 4	0299/2023	10.02	28.04.2023	28.04.2030
Ucca Vuodas 5	0300/2023	10.02	28.04.2023	28.04.2030
Masi 1	0377/2023	10.02	28.06.2023	28.06.2030
Masi 2	0378/2023	10.02	28.06.2023	28.06.2030
Kautokeino North 1	0493/2023	10.02	04.07.2023	04.07.2030
Kautokeino North 2	0504/2023	10.02	04.07.2023	04.07.2030
Kautokeino North 3	0515/2023	10	04.07.2023	04.07.2030
Kautokeino North 4	0526/2023	7.02	04.07.2023	04.07.2030
Kautokeino North 5	0537/2023	7.02	04.07.2023	04.07.2030
Kautokeino North 6	0548/2023	10.02	04.07.2023	04.07.2030
Kautokeino North 7	0559/2023	4.51	04.07.2023	04.07.2030
Kautokeino North 8	0568/2023	10.02	04.07.2023	04.07.2030
Kautokeino North 9	0569/2023	10.02	04.07.2023	04.07.2030
Kautokeino North 10	0494/2023	10.02	04.07.2023	04.07.2030
Kautokeino North 11	0495/2023	10.02	04.07.2023	04.07.2030
Kautokeino North 12	0496/2023	5.01	04.07.2023	04.07.2030
Kautokeino North 13	0497/2023	5.01	04.07.2023	04.07.2030
Kautokeino North 14	0498/2023	10.03	04.07.2023	04.07.2030
Kautokeino North 15	0499/2023	10.03	04.07.2023	04.07.2030
Kautokeino North 16	0500/2023	10.03	04.07.2023	04.07.2030
Kautokeino North 17	0501/2023	10.03	04.07.2023	04.07.2030
Kautokeino North 18	0502/2023	10.03	04.07.2023	04.07.2030
Kautokeino North 19	0503/2023	10.03	04.07.2023	04.07.2030
Kautokeino North 20	0505/2023	10.03	04.07.2023	04.07.2030
Kautokeino North 21	0506/2023	10.03	04.07.2023	04.07.2030

Licence Name	Licence Number	Area (km ²)	Grant Date	Expiry Date
Kautokeino North 22	0507/2023	10.03	04.07.2023	04.07.2030
Kautokeino North 23	0508/2023	10.03	04.07.2023	04.07.2030
Kautokeino North 24	0509/2023	10.03	04.07.2023	04.07.2030
Kautokeino North 25	0510/2023	10.03	04.07.2023	04.07.2030
Kautokeino North 26	0511/2023	10.03	04.07.2023	04.07.2030
Kautokeino North 27	0512/2023	10.03	04.07.2023	04.07.2030
Kautokeino North 28	0513/2023	10.03	04.07.2023	04.07.2030
Kautokeino North 29	0514/2023	10.03	04.07.2023	04.07.2030
Kautokeino North 30	0516/2023	10.03	04.07.2023	04.07.2030
Kautokeino North 31	0516/2023	10.03	04.07.2023	04.07.2030
Kautokeino North 32	0518/2023	10.03	04.07.2023	04.07.2030
Kautokeino North 33	0519/2023	10.03	04.07.2023	04.07.2030
Kautokeino North 34	0520/2023	10.03	04.07.2023	04.07.2030
Kautokeino North 35	0521/2023	10.03	04.07.2023	04.07.2030
Kautokeino North 36	0522/2023	10.03	04.07.2023	04.07.2030
Kautokeino North 37	0523/2023	10.03	04.07.2023	04.07.2030
Kautokeino North 38	0524/2023	10.03	04.07.2023	04.07.2030
Kautokeino North 39	0525/2023	10.03	04.07.2023	04.07.2030
Kautokeino North 40	0527/2023	10.02	04.07.2023	04.07.2030
Kautokeino North 41	0528/2023	10.03	04.07.2023	04.07.2030
Kautokeino North 42	0529/2023	5.01	04.07.2023	04.07.2030
Kautokeino North 43	0530/2023	10.03	04.07.2023	04.07.2030
Kautokeino North 44	0531/2023	4.01	04.07.2023	04.07.2030
Kautokeino North 45	0532/2023	10.03	04.07.2023	04.07.2030
Kautokeino North 46	0533/2023	10.03	04.07.2023	04.07.2030
Kautokeino North 47	0534/2023	10.03	04.07.2023	04.07.2030

Licence Name	Licence Number	Area (km ²)	Grant Date	Expiry Date
Kautokeino North 48	0535/2023	10.03	04.07.2023	04.07.2030
Kautokeino North 49	0536/2023	10.03	04.07.2023	04.07.2030
Kautokeino North 50	0538/2023	8.02	04.07.2023	04.07.2030
Kautokeino North 51	0539/2023	8.02	04.07.2023	04.07.2030
Kautokeino North 52	0540/2023	8.02	04.07.2023	04.07.2030
Kautokeino North 53	0541/2023	8.02	04.07.2023	04.07.2030
Kautokeino North 54	0542/2023	10.03	04.07.2023	04.07.2030
Kautokeino North 55	0543/2023	10.03	04.07.2023	04.07.2030
Kautokeino North 56	0544/2023	10.03	04.07.2023	04.07.2030
Kautokeino North 57	0545/2023	10.03	04.07.2023	04.07.2030
Kautokeino North 58	0546/2023	10.03	04.07.2023	04.07.2030
Kautokeino North 59	0547/2023	10.03	04.07.2023	04.07.2030
Kautokeino North 60	0549/2023	10.02	04.07.2023	04.07.2030
Kautokeino North 61	0550/2023	10.03	04.07.2023	04.07.2030
Kautokeino North 62	0551/2023	10.03	04.07.2023	04.07.2030
Kautokeino North 63	0552/2023	9.03	04.07.2023	04.07.2030
Kautokeino North 64	0553/2023	9.03	04.07.2023	04.07.2030
Kautokeino North 65	0554/2023	6.02	04.07.2023	04.07.2030
Kautokeino North 66	0555/2023	10.02	04.07.2023	04.07.2030
Kautokeino North 67	0556/2023	10.02	04.07.2023	04.07.2030
Kautokeino North 68	0557/2023	10.02	04.07.2023	04.07.2030
Kautokeino North 69	0558/2023	10.02	04.07.2023	04.07.2030
Kautokeino North 70	0560/2023	10.02	04.07.2023	04.07.2030
Kautokeino North 71	0561/2023	10.02	04.07.2023	04.07.2030
Kautokeino North 72	0562/2023	10.02	04.07.2023	04.07.2030
Kautokeino North 73	0563/2023	10.02	04.07.2023	04.07.2030

Licence Name	Licence Number	Area (km ²)	Grant Date	Expiry Date
Kautokeino North 74	0564/2023	10.02	04.07.2023	04.07.2030
Kautokeino North 75	0565/2023	6.01	04.07.2023	04.07.2030
Kautokeino North 76	0566/2023	6.01	04.07.2023	04.07.2030
Kautokeino North 77	0567/2023	5.01	04.07.2023	04.07.2030
Kautokeino South 1	0593/2023	10.02	05.07.2023	05.07.2030
Kautokeino South 2	0604/2023	10.02	05.07.2023	05.07.2030
Kautokeino South 3	0615/2023	10.02	05.07.2023	05.07.2030
Kautokeino South 4	0626/2023	10.02	05.07.2023	05.07.2030
Kautokeino South 5	0635/2023	10.02	05.07.2023	05.07.2030
Kautokeino South 6	0636/2023	10.02	05.07.2023	05.07.2030
Kautokeino South 7	0637/2023	10.02	05.07.2023	05.07.2030
Kautokeino South 8	0638/2023	10.02	05.07.2023	05.07.2030
Kautokeino South 9	0639/2023	10.02	05.07.2023	05.07.2030
Kautokeino South 10	0594/2023	10.02	05.07.2023	05.07.2030
Kautokeino South 11	0595/2023	10.02	05.07.2023	05.07.2030
Kautokeino South 12	0596/2023	10.02	05.07.2023	05.07.2030
Kautokeino South 13	0597/2023	10.02	05.07.2023	05.07.2030
Kautokeino South 14	0598/2023	10.02	05.07.2023	05.07.2030
Kautokeino South 15	0599/2023	10.02	05.07.2023	05.07.2030
Kautokeino South 16	0600/2023	10.02	05.07.2023	05.07.2030
Kautokeino South 17	0601/2023	10.02	05.07.2023	05.07.2030
Kautokeino South 18	0602/2023	10.02	05.07.2023	05.07.2030
Kautokeino South 19	0603/2023	10.02	05.07.2023	05.07.2030
Kautokeino South 20	0605/2023	10.02	05.07.2023	05.07.2030
Kautokeino South 21	0606/2023	10.02	05.07.2023	05.07.2030
Kautokeino South 22	0607/2023	10.02	05.07.2023	05.07.2030

Licence Name	Licence Number	Area (km ²)	Grant Date	Expiry Date
Kautokeino South 23	0608/2023	10.02	05.07.2023	05.07.2030
Kautokeino South 24	0609/2023	10.02	05.07.2023	05.07.2030
Kautokeino South 25	0610/2023	10.02	05.07.2023	05.07.2030
Kautokeino South 26	0611/2023	10.02	05.07.2023	05.07.2030
Kautokeino South 27	0612/2023	10.02	05.07.2023	05.07.2030
Kautokeino South 28	0613/2023	10.02	05.07.2023	05.07.2030
Kautokeino South 29	0614/2023	10.02	05.07.2023	05.07.2030
Kautokeino South 30	0616/2023	10.02	05.07.2023	05.07.2030
Kautokeino South 31	0617/2023	10.02	05.07.2023	05.07.2030
Kautokeino South 32	0618/2023	10.02	05.07.2023	05.07.2030
Kautokeino South 33	0619/2023	10.02	05.07.2023	05.07.2030
Kautokeino South 34	0620/2023	10.02	05.07.2023	05.07.2030
Kautokeino South 35	0621/2023	10.02	05.07.2023	05.07.2030
Kautokeino South 36	0622/2023	10.02	05.07.2023	05.07.2030
Kautokeino South 37	0623/2023	10.02	05.07.2023	05.07.2030
Kautokeino South 38	0624/2023	10.02	05.07.2023	05.07.2030
Kautokeino South 39	0625/2023	10.02	05.07.2023	05.07.2030
Kautokeino South 40	0627/2023	10.02	05.07.2023	05.07.2030
Kautokeino South 41	0628/2023	10.02	05.07.2023	05.07.2030
Kautokeino South 42	0629/2023	10.02	05.07.2023	05.07.2030
Kautokeino South 43	0630/2023	10.02	05.07.2023	05.07.2030
Kautokeino South 44	0631/2023	10.02	05.07.2023	05.07.2030
Kautokeino South 45	0632/2023	10.02	05.07.2023	05.07.2030
Kautokeino South 46	0633/2023	10.02	05.07.2023	05.07.2030
Kautokeino South 47	0634/2023	10.02	05.07.2023	05.07.2030
Kautokeino Central A	0570/2023	10.02	05.07.2023	05.07.2030

Licence Name	Licence Number	Area (km ²)	Grant Date	Expiry Date
Kautokeino Central B	0571/2023	7.52	05.07.2023	05.07.2030
Kautokeino Central C	0572/2023	7.52	05.07.2023	05.07.2030
Kautokeino Central D	0573/2023	10.02	05.07.2023	05.07.2030
Kautokeino Central E	0574/2023	8.02	05.07.2023	05.07.2030
Kautokeino Central F	0575/2023	7.02	05.07.2023	05.07.2030
Kautokeino Central G	0576/2023	10.02	05.07.2023	05.07.2030
Kautokeino Central H	0577/2023	10.02	05.07.2023	05.07.2030
Kautokeino Central I	0578/2023	10.02	05.07.2023	05.07.2030
Kautokeino Central J	0579/2023	10.02	05.07.2023	05.07.2030
Kautokeino Central K	0580/2023	10.02	05.07.2023	05.07.2030
Kautokeino Central L	0581/2023	10.02	05.07.2023	05.07.2030
Kautokeino Central M	0582/2023	10.02	05.07.2023	05.07.2030
Kautokeino Central N	0583/2023	6.01	05.07.2023	05.07.2030
Kautokeino Central O	0584/2023	6.01	05.07.2023	05.07.2030
Kautokeino Central P	0585/2023	10.02	05.07.2023	05.07.2030
Kautokeino Central Q	0586/2023	10.02	05.07.2023	05.07.2030
Kautokeino Central R	0587/2023	10.02	05.07.2023	05.07.2030
Kautokeino Central S	0588/2023	8.02	05.07.2023	05.07.2030
Kautokeino Central T	0589/2023	8.02	05.07.2023	05.07.2030
Kautokeino Central U	0590/2023	10.02	05.07.2023	05.07.2030
Kautokeino Central V	0591/2023	10.02	05.07.2023	05.07.2030
Kautokeino Central W	0592/2023	10.02	05.07.2023	05.07.2030
Karasjok Project				
Karasjok North 1	0413/2023	10.04	28.06.2023	28.06.2030
Karasjok North 2	0424/2023	10.04	28.06.2023	28.06.2030
Karasjok North 3	0435/2023	10.04	28.06.2023	28.06.2030

Licence Name	Licence Number	Area (km ²)	Grant Date	Expiry Date
Karasjok North 4	0446/2023	10.04	28.06.2023	28.06.2030
Karasjok North 5	0457/2023	10.04	28.06.2023	28.06.2030
Karasjok North 6	0468/2023	10.04	28.06.2023	28.06.2030
Karasjok North 7	0479/2023	10.04	28.06.2023	28.06.2030
Karasjok North 8	0490/2023	10.04	28.06.2023	28.06.2030
Karasjok North 9	0491/2023	10.04	28.06.2023	28.06.2030
Karasjok North 10	0414/2023	10.04	28.06.2023	28.06.2030
Karasjok North 11	0415/2023	10.04	28.06.2023	28.06.2030
Karasjok North 12	0416/2023	10.04	28.06.2023	28.06.2030
Karasjok North 13	0417/2023	10.04	28.06.2023	28.06.2030
Karasjok North 14	0418/2023	10.04	28.06.2023	28.06.2030
Karasjok North 15	0418/2023	10.04	28.06.2023	28.06.2030
Karasjok North 16	0420/2023	10.04	28.06.2023	28.06.2030
Karasjok North 17	0421/2023	10.04	28.06.2023	28.06.2030
Karasjok North 18	0422/2023	9.03	28.06.2023	28.06.2030
Karasjok North 19	0423/2023	9.03	28.06.2023	28.06.2030
Karasjok North 20	0425/2023	9.03	28.06.2023	28.06.2030
Karasjok North 21	0426/2023	9.03	28.06.2023	28.06.2030
Karasjok North 22	0427/2023	6.02	28.06.2023	28.06.2030
Karasjok North 23	0428/2023	10.04	28.06.2023	28.06.2030
Karasjok North 24	0429/2023	10.04	28.06.2023	28.06.2030
Karasjok North 25	0430/2023	10.04	28.06.2023	28.06.2030
Karasjok North 26	0431/2023	10.04	28.06.2023	28.06.2030
Karasjok North 27	0432/2023	10.04	28.06.2023	28.06.2030
Karasjok North 28	0433/2023	10.04	28.06.2023	28.06.2030
Karasjok North 29	0434/2023	10.04	28.06.2023	28.06.2030

Licence Name	Licence Number	Area (km ²)	Grant Date	Expiry Date
Karasjok North 30	0436/2023	10.04	28.06.2023	28.06.2030
Karasjok North 31	0437/2023	10.04	28.06.2023	28.06.2030
Karasjok North 32	0438/2023	10.04	28.06.2023	28.06.2030
Karasjok North 33	0439/2023	10.04	28.06.2023	28.06.2030
Karasjok North 37	0443/2023	10.04	28.06.2023	28.06.2030
Karasjok North 40	0447/2023	10.04	28.06.2023	28.06.2030
Karasjok North 41	0448/2023	10.04	28.06.2023	28.06.2030
Karasjok North 43	0450/2023	10.04	28.06.2023	28.06.2030
Karasjok North 44	0451/2023	10.04	28.06.2023	28.06.2030
Karasjok North 45	0452/2023	10.04	28.06.2023	28.06.2030
Karasjok North 46	0453/2023	10.04	28.06.2023	28.06.2030
Karasjok North 47	0454/2023	10.04	28.06.2023	28.06.2030
Karasjok North 48	0455/2023	10.04	28.06.2023	28.06.2030
Karasjok North 49	0456/2023	10.04	28.06.2023	28.06.2030
Karasjok North 50	0458/2023	10.04	28.06.2023	28.06.2030
Karasjok North 51	0459/2023	10.04	28.06.2023	28.06.2030
Karasjok North 52	0460/2023	10.04	28.06.2023	28.06.2030
Karasjok North 53	0461/2023	10.04	28.06.2023	28.06.2030
Karasjok North 54	0462/2023	10.04	28.06.2023	28.06.2030
Karasjok North 55	0463/2023	10.04	28.06.2023	28.06.2030
Karasjok North 56	0464/2023	10.04	28.06.2023	28.06.2030
Karasjok North 57	0465/2023	10.04	28.06.2023	28.06.2030
Karasjok North 58	0466/2023	10.04	28.06.2023	28.06.2030
Karasjok North 59	0467/2023	10.04	28.06.2023	28.06.2030
Karasjok North 60	0469/2023	10.04	28.06.2023	28.06.2030
Karasjok North 61	0470/2023	10.04	28.06.2023	28.06.2030

Licence Name	Licence Number	Area (km ²)	Grant Date	Expiry Date
Karasjok North 62	0471/2023	10.04	28.06.2023	28.06.2030
Karasjok North 63	0472/2023	10.04	28.06.2023	28.06.2030
Karasjok North 64	0473/2023	10.04	28.06.2023	28.06.2030
Karasjok North 65	0474/2023	10.04	28.06.2023	28.06.2030
Karasjok North 66	0475/2023	10.04	28.06.2023	28.06.2030
Karasjok North 67	0476/2023	10.04	28.06.2023	28.06.2030
Karasjok North 68	0477/2023	10.04	28.06.2023	28.06.2030
Karasjok North 69	0478/2023	10.04	28.06.2023	28.06.2030
Karasjok North 70	0480/2023	10.04	28.06.2023	28.06.2030
Karasjok North 71	0481/2023	10.04	28.06.2023	28.06.2030
Karasjok North 72	0482/2023	5.02	28.06.2023	28.06.2030
Karasjok North 73	0483/2023	5.02	28.06.2023	28.06.2030
Karasjok North 74	0484/2023	10.03	28.06.2023	28.06.2030
Karasjok North 75	0485/2023	10.03	28.06.2023	28.06.2030
Karasjok North 76	0486/2023	9.03	28.06.2023	28.06.2030
Karasjok North 77	0487/2023	9.03	28.06.2023	28.06.2030
Karasjok North 78	0488/2023	6.02	28.06.2023	28.06.2030
Karasjok North 79	0489/2023	2.01	28.06.2023	28.06.2030
Karasjok South 1	0379/2023	10.04	28.06.2023	28.06.2030
Karasjok South 2	0390/2023	10.04	28.06.2023	28.06.2030
Karasjok South 3	0401/2023	10.04	28.06.2023	28.06.2030
Karasjok South 4	0407/2023	10.04	28.06.2023	28.06.2030
Karasjok South 5	0408/2023	10.04	28.06.2023	28.06.2030
Karasjok South 6	0409/2023	10.04	28.06.2023	28.06.2030
Karasjok South 7	0410/2023	10.04	28.06.2023	28.06.2030
Karasjok South 8	0411/2023	10.04	28.06.2023	28.06.2030

Licence Name	Licence Number	Area (km ²)	Grant Date	Expiry Date
Karasjok South 9	0412/2023	10.04	28.06.2023	28.06.2030
Karasjok South 10	0380/2023	10.04	28.06.2023	28.06.2030
Karasjok South 11	0381/2023	10.04	28.06.2023	28.06.2030
Karasjok South 12	0382/2023	10.04	28.06.2023	28.06.2030
Karasjok South 13	0383/2023	10.04	28.06.2023	28.06.2030
Karasjok South 14	0384/2023	10.04	28.06.2023	28.06.2030
Karasjok South 15	02385/2023	10.04	28.06.2023	28.06.2030
Karasjok South 16	0386/2023	10.04	28.06.2023	28.06.2030
Karasjok South 17	0387/2023	10.04	28.06.2023	28.06.2030
Karasjok South 18	0388/2023	10.04	28.06.2023	28.06.2030
Karasjok South 19	0389/2023	10.04	28.06.2023	28.06.2030
Karasjok South 20	0391/2023	10.04	28.06.2023	28.06.2030
Karasjok South 21	0392/2023	10.04	28.06.2023	28.06.2030
Karasjok South 22	0393/2023	10.04	28.06.2023	28.06.2030
Karasjok South 23	0394/2023	10.04	28.06.2023	28.06.2030
Karasjok South 24	0395/2023	10.04	28.06.2023	28.06.2030
Karasjok South 25	0396/2023	10.04	28.06.2023	28.06.2030
Karasjok South 26	0397/2023	10.04	28.06.2023	28.06.2030
Karasjok South 27	0398/2023	8.03	28.06.2023	28.06.2030
Karasjok South 28	0399/2023	10.04	28.06.2023	28.06.2030
Karasjok South 29	0400/2023	6.02	28.06.2023	28.06.2030
Karasjok South 30	0402/2023	6.02	28.06.2023	28.06.2030
Karasjok South 31	0403/2023	10.04	28.06.2023	28.06.2030
Karasjok South 32	0404/2023	10.04	28.06.2023	28.06.2030
Karasjok South 33	0405/2023	10.04	28.06.2023	28.06.2030
Karasjok South 34	0406/2023	10.04	28.06.2023	28.06.2030

Licence Name	Licence Number	Area (km ²)	Grant Date	Expiry Date
Haldevadda 1	0744/2023	10.04	23.08.2023	23.08.2030
Haldevadda 2	0745/2023	8.03	23.08.2023	23.08.2030
Haldevadda 3	0746/2023	5.02	23.08.2023	23.08.2030
Baisjohka 1	0739/2023	8.03	23.08.2023	23.08.2030
Baisjohka 2	0740/2023	6.01	23.08.2023	23.08.2030
Baisjohka 3	0741/2023	6.01	23.08.2023	23.08.2030
Baisjohka 4	0742/2023	8.03	23.08.2023	23.08.2030
Baisjohka 5	0743/2023	8.03	23.08.2023	23.08.2030
Skoganvarre 1	0737/2023	2.01	23.08.2023	23.08.2030
Skoganvarre 2	0738/2023	1.00	23.08.2023	23.08.2030