

5 September 2023

Tietto Produces 11,191oz Gold in August; Updated H2 Guidance and Production Schedule until 2030

- Tietto produced 11,191 oz gold at Abujar in August 2023, milling more than 400,000 dry tonnes at an average grade of 0.90g/t Au.
- Closing cash and bullion balance increased by more than A\$10M in August to A\$53.4M, prior to a scheduled debt repayment of US\$6.25M, representing 25% of the Coris Bank facility. Closing cash and bullion of A\$43.8M on 31 August 2023.
- H2 2023 gold production guidance adjusted to between 75,000 to 85,000 oz to reflect grade control drilling results received over July and August, lack of stockpiles, and Tietto's updated reserve model.
- Abujar is forecast to generate strong cash flows of US\$50M to US\$60M during H2 2023 with all in sustaining costs of \$1175-\$1350/oz.

West Africa's newest gold producer **Tietto Minerals (ASX: TIE)** is pleased to announce gold production of 11,191 oz gold in August 2023 as it continues to ramp up production at its Abujar Gold Mine in Cote d'Ivoire, West Africa.

Managing Director and CEO Matt Wilcox said: *"We produced free cashflow of more than A\$10 million in August following our first month of commercial production at Abujar in July.*

Detailed grade control results have confirmed a LOM update has resulted in the same amount of contained gold, but a 10% increase in tonnes mined. We have initiated a debottlenecking study with an aim to increase mill throughput by 15% to 5.5Mtpa, which would bring forward gold ounces and lower cash costs of production.

We will release a full LOM study by the end of September based on the current circuit, which we expect will result in average production of 172,000 oz gold over the first seven years of production at an expected all-in cost of approximately \$1,100/oz, producing very strong annual free cashflows."

Tietto completed more than 15,000m of grade control drilling during July and August at a close spaced pattern of 12.5m x 6.25m. These results permit an accurate forecast of the four months of mining and production at Abujar from 1 September 2023 to 31 December 2023.

Grade control drilling, confirmed by mine to mill reconciliation for August 2023, resulted in the same amount of contained metal, but contained within 10% more ore tonnes. Year-to-date production at the Abujar gold mine remains behind schedule due to non-recurring factors including the absence of normal pre-stripping, and wet ground conditions encountered at the AG Main core area, which is expected to contribute to a reduction in access to higher-grade ore in the second half of the year.”

Updated 2023 Reserve model

Abujar’s 2023 reserve model, which was generated using the April 2023 resource model update, shows approximately 10% increase in ore tonnes and 8.3% decreased grade, resulting in a 2% metal reduction compared to the 2022 reserve model used in the March 2023 forecast.

Mining Performance

Actual mining benches average 10m higher (180 mRL vs 170 mRL) than forecast in March 2023, delaying access to high-grade ore at lower benches as the pit gets deeper, mainly affected by difficult ground conditions with significant amount of water encountered. Mining occurred at lower productivity due to a saturated oxide layer which required significant work to access the working areas including sheeting (road-surfacing) with suitable laterite material prior to mining. This delayed exposing benches in fresh material. West Africa’s wet season transitions to dry weather in October and will enable higher productivity by the mining contractor EPSA.

Seven-Year Production Schedule update

Independent resource consultant RPMG has completed a 7-year production schedule update based on the updated 2023 resource model that forecasts production up to 2030.




Figure 1- Tietto Production Schedule Update to 2030

The updated production schedule shows a stable production profile for the seven years ending 2030 averaging ~172,000oz of gold production per year at an expected all-in sustaining cost basis under \$1100/oz. RPMG are currently working on a full life of mine schedule update and updated reserve statement (with associated financial model update) which is scheduled to be released later this month. Production under the full life of mine schedule is anticipated to extend for over 11 years.

This updated schedule reflects results for Abujar experienced over the past 3 months with reserve model grades dropping compared to declared ore mined which has been more than offset by an increase in ore tonnes for an overall positive metals reconciliation of 1%. The net effect is anticipated to be a longer mine life at a higher cost per ounce, but still producing very strong annual free cashflows.

Tietto is now focused on reducing these effects by:

- Increasing processing capacity through a combination of higher operational efficiencies, increased site crushing capacities, and an overall debottlenecking study to increase the plant throughput rates.
- Ensuring mining rates substantially exceed milling rates over the short and longer term, enabling selectivity in mill feed ranked by grade.

This announcement has been authorised for release by the Board of Tietto. For further information, contact:

Matt Wilcox
 CEO, Tietto Minerals
 Ph: 08 6331 6182
 Email: info@tietto.com

Nathan Ryan
 Investor Relations
 Ph: 0420 582 887

Abujar Gold Project, Côte d'Ivoire

The Abujar Gold Project is located approximately 30km from the major regional city of Daloa in central western Côte D'Ivoire. It is close to good regional and local infrastructure to facilitate exploration and development being only 15km from nearest tarred road and grid power.

The Abujar Gold Project is comprised of three contiguous exploration tenements, Middle, South and North tenement, with a total land area of 1,114km², of which less than 10% has been explored. It features an NNE-orientated gold corridor over 70km striking across three tenements.

In December 2020, a gold exploitation (mining) licence within the Abujar Middle exploration tenement was granted. The mining tenement covers an area of 120.36km².

Tietto is well placed to grow its resource inventory. It has substantially advanced the project since starting exploration in mid-2015 with the identification of 3.83 million ounces Measured, Indicated, and Inferred JORC 2012 Mineral Resources. Tietto recently completed construction of the Abujar Gold Plant and poured first gold on 14 January 2023.

Abujar Mineral Resources

Results of the Independent Mineral Resources estimate for the Project are tabulated in the Statement of Mineral Resources below, which are reported in line with the requirements of the 2012 JORC Code; as such the Statement of Mineral Resources is suitable for public reporting. The Statement of Mineral Resources shown in Table 1.

Within AG, the Mineral Resource is reported at a cut of grade of 0.25 g/t Au within a pit shell that used a gold price of 2,000 USD per troy ounce, and 1.1 g/t Au below the pit shell. The cut off grades were based on estimated mining and processing costs and recovery factors. It is highlighted that while a 2,000 USD per ounce pit shell was utilised the cut-off grades were estimated based on the gold price of 1,800 USD per troy ounce which is 1.25 times the consensus forecast as of February 2022.

Within APG, the Mineral Resource is reported at a cut of grade of 0.30 g/t Au within a pit shell that used a gold price of 2,000 USD per troy ounce, and 1.1 g/t Au below the pit shell. The cut off grades were based on estimated mining and processing costs and recovery factors and are detailed in JORC Table 1. It is highlighted that while a 2,000 USD per ounces pit shell was utilised the cut-off grades were estimated based on the gold price of 1,800 USD per troy ounce which is 1.25 times the consensus forecast as of February 2021.

South Gamina Resource is reported to a depth of 120m and not reported at depths below 120m.

Table 1: Statement of Mineral Resources by Deposit by Deposit as at 31st March 2023 Reported at 0.25 g/t Au cut off within pit shells; and 1.1 g/t Au cut off below the pit shells for AG; and 0.3 g/t Au cut off within pit shells, and 1.1 g/t Au cut off below the pit shells).

Resource Area	Indicated Resource			Measured Resource			Measured & Indicated Resource			Inferred Resource			Total Resource		
	Mt	Grade (Au g/t)	Au Oz	Mt	Grade (Au g/t)	Au Oz	Mt	Grade (Au g/t)	Au Oz	Mt	Grade (Au g/t)	Au Oz	Mt	Grade (Au g/t)	Au M Oz
AG	29.0	1.3	1.2	12.3	1.2	0.5	41.3		1.7	15.6	1.5	0.7	57	1.3	2.42
APG	9.5	0.8	0.2				9.5		0.2	30.8	0.7	0.7	40	0.7	0.93
SG										5.5	0.8	0.1	5	0.8	0.14
APG-ex										21.2	0.5	0.3	21	0.5	0.34
Total	39	1.2	1.45	12.3	1.2	0.49	50.9	1.2	1.94	73	0.8	1.90	124.0	1.0	3.83

Note: The Mineral Resources have been compiled under the supervision of Mr. Jeremy Clark who is a sub-consultant to RPM and a Registered Member of the Australian Institute of Mining and Metallurgy. Mr. Clark has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity that he has undertaken to qualify as a Competent Person as defined in the JORC Code.

- All Mineral Resources figures reported in the table above represent estimates at 1 March 2023. Mineral Resource estimates are not precise calculations, being dependent on the interpretation of limited information on the location, shape and continuity of the occurrence and on the available sampling results. The totals contained in the above table have been rounded to reflect the relative uncertainty of the estimate. Rounding may cause some computational discrepancies.*
- Mineral Resources are reported in accordance with the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves (The Joint Ore Reserves Committee Code – JORC 2012 Edition).*
- The Mineral Resources have been reported at a 100% equity stake and not factored for ownership proportions.*

The total resource at AG and APG is reported at varying cut-off grades are provided in Table 2 below. However, RPM recommends that the Mineral Resource be reported using the criteria shown in Table 1. It is highlighted that Table 2 is not a Statement of Mineral Resources and does not include the use of pit shells to report the quantities rather the application of various cut off grades. As such variations with Table 1 will occur and a direct comparison is not able to be completed.

Table 2: Abujar Mineral Resources at varying cut off grades

COG	AG Measured			AG Indicated			AG Inferred			APG Indicated			APG Inferred			Total		
	Tonnes (Mt)	Au (g/t)	Au (Moz)	Tonnes (Mt)	Au (g/t)	Au (Moz)	Tonnes (Mt)	Au (g/t)	Au (Moz)	Tonnes (Mt)	Au (g/t)	Au (Moz)	Tonnes (Mt)	Au (g/t)	Au (Moz)	Tonnes (Mt)	Au (g/t)	Au (Moz)
0.1	13.8	1.1	0.5	43.6	1.0	1.4	54.1	0.8	1.4	16.3	0.6	0.3	100.2	0.5	1.6	228.1	0.7	5.2
0.2	13.0	1.2	0.5	41.2	1.0	1.4	51.9	0.8	1.4	15.9	0.6	0.3	94.6	0.5	1.6	216.7	0.7	5.2
0.3	11.5	1.3	0.5	35.2	1.2	1.3	45.4	0.9	1.3	13.1	0.7	0.3	76.7	0.6	1.5	182.0	0.8	4.9
0.4	9.7	1.5	0.5	28.4	1.4	1.2	35.6	1.1	1.2	10.1	0.8	0.3	53.4	0.7	1.2	137.1	1.0	4.4
0.5	8.0	1.7	0.4	23.1	1.6	1.2	27.1	1.2	1.1	7.5	1.0	0.2	35.2	0.8	0.9	100.9	1.2	3.9
0.6	6.7	1.9	0.4	19.2	1.8	1.1	21.2	1.4	1.0	5.7	1.1	0.2	21.9	1.0	0.7	74.8	1.4	3.4
0.7	5.8	2.1	0.4	16.2	2.0	1.0	17.2	1.6	0.9	4.3	1.3	0.2	15.1	1.1	0.6	58.6	1.6	3.1
0.8	5.0	2.3	0.4	14.0	2.2	1.0	14.6	1.8	0.8	3.4	1.4	0.2	11.1	1.3	0.5	48.1	1.8	2.8
0.9	4.3	2.6	0.4	12.2	2.4	0.9	12.6	1.9	0.8	2.8	1.5	0.1	8.2	1.5	0.4	40.1	2.0	2.6
1	3.9	2.7	0.3	10.9	2.6	0.9	11.2	2.0	0.7	2.2	1.7	0.1	6.3	1.6	0.3	34.5	2.2	2.4
1.1	3.4	3.0	0.3	9.8	2.7	0.9	10.0	2.2	0.7	1.8	1.8	0.1	4.9	1.8	0.3	30.0	2.4	2.3
1.2	3.1	3.2	0.3	9.0	2.9	0.8	9.0	2.3	0.7	1.4	1.9	0.1	4.1	1.9	0.2	26.6	2.5	2.1
1.3	2.8	3.4	0.3	8.2	3.0	0.8	8.1	2.4	0.6	1.2	2.1	0.1	3.4	2.0	0.2	23.7	2.7	2.0
1.4	2.5	3.6	0.3	7.6	3.2	0.8	7.0	2.6	0.6	0.9	2.3	0.1	2.9	2.1	0.2	20.9	2.8	1.9
1.5	2.3	3.8	0.3	7.0	3.3	0.7	6.0	2.7	0.5	0.8	2.5	0.1	2.1	2.4	0.2	18.2	3.0	1.8
1.6	2.2	3.9	0.3	6.5	3.5	0.7	5.3	2.9	0.5	0.6	2.7	0.1	1.8	2.5	0.1	16.4	3.2	1.7
1.7	2.0	4.1	0.3	6.1	3.6	0.7	4.7	3.0	0.5	0.6	2.8	0.0	1.6	2.6	0.1	14.9	3.4	1.6
1.8	1.9	4.3	0.3	5.6	3.7	0.7	4.1	3.2	0.4	0.5	3.0	0.0	1.4	2.8	0.1	13.5	3.5	1.5
1.9	1.7	4.5	0.3	5.3	3.9	0.7	3.7	3.4	0.4	0.4	3.1	0.0	1.3	2.8	0.1	12.4	3.7	1.5
2	1.6	4.7	0.2	4.9	4.0	0.6	3.4	3.5	0.4	0.4	3.2	0.0	1.2	2.9	0.1	11.5	3.8	1.4
2.5	1.2	5.5	0.2	3.5	4.7	0.5	2.0	4.4	0.3	0.2	4.4	0.0	0.7	3.4	0.1	7.6	4.6	1.1
3	0.9	6.3	0.2	2.6	5.4	0.5	1.4	5.1	0.2	0.1	5.2	0.0	0.4	3.8	0.1	5.5	5.3	0.9

Abujar Ore Reserves

A total of 34.4 Mt of Open Cut Ore Reserves at 1.3 g/t Au grade for 1.45Moz were estimated as of 30 September 2021 by RPM, refer Table 3 (refer ASX release 5 October 2021). As no mining has taken place at the site, the reporting date reflects the completion of the technical work supporting the estimate.

Table 3: Open Cut Ore Reserve Estimate as at 30 September 2021

Deposit	Proved			Probable			Total		
	Quantity	Au	Au	Quantity	Au	Au	Quantity	Au	Au
	Mt	g/t	Moz	Mt	g/t	Moz	Mt	g/t	Moz
AG	0	0	0	31.3	1.4	1.38	31.3	1.4	1.38
APG	0	0	0	3.2	0.7	0.07	3.2	0.7	0.07
Total	0	0	0	34.4	1.3	1.45	34.4	1.3	1.45

Notes:

- The Ore Reserves has been compiled under the supervision of Mr. Igor Bojanic who is a full-time employee of RPM and a Fellow of the Australian Institute of Mining and Metallurgy. Mr. Bojanic has sufficient experience that is relevant to the style of mineralisation, type of deposit and mining method under consideration and to the activity, which he has undertaken, to qualify as a Competent Person as defined in the JORC Code.*
- The following marginal cut-off grades determined based on a US\$ 1,407 per troy ounce gold price, and costs and mining and metallurgical modifying factors estimated as part of the DFS.*
- Marginal cut-off grades for AG: Oxide 0.29 g/t Au, Transition 0.29 g/t Au and Fresh 0.30 g/t Au.*
- Marginal cut-off grades for APG: Oxide 0.32 g/t Au, Transition 0.32 g/t Au and Fresh 0.33 g/t Au (as greater haulage distance to AG ROM pad)*
- Ore Reserve estimates are not precise calculations, being dependent on the interpretation of limited information on the location, shape and continuity of the occurrence and on the available sampling results. The quantities contained in the above table have been rounded to three significant figures to reflect the relative uncertainty of the estimate. Rounding may cause values in the table to appear to have computational errors.*
- All Ore Reserve estimates are on a dry basis.*
- The Ore Reserves have been reported at a 100% equity stake and not factored for ownership proportions.*
- The Company first reported the production targets and forecast financial information derived from its production targets in accordance with Listing Rules 5.16 and 5.17 in its ASX announcement on 5 October 2021 titled "Tietto to Deliver 260,000 oz Gold in Abujar First Year". The Company confirms that all material assumptions underpinning the production targets and the forecast financial information derived from the production targets continue to apply and have not materially changed.*

Competent Persons' Statements

The information in this report that relates to Exploration Targets and Exploration Results is based on information compiled by Dr Paul Kitto, a Competent Person who is a Member of The Australasian Institute of Mining and Metallurgy. Dr Kitto is a non-executive director of the Company. Dr Kitto has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves". Dr Kitto consents to the inclusion in the announcement of the matters based on his information in the form and context in which it appears. Additionally, Dr Kitto confirms that the entity is not aware of any new information or data that materially affects the information contained in the ASX releases referred to in this report.

The information in this presentation that relates to Mineral Resources was prepared by RPM Global and released on the ASX platform on 11 April 2022. The Company confirms that it is not aware of any new information or data that materially affects the Minerals Resources in this publication. The Company confirms that all material assumptions and technical parameters underpinning the estimates continue to apply and have not materially changed. The Company confirms that the form and context in which the RPM Global's findings are presented have not been materially modified.

The information in this report that relates to Mineral Resources is based on information evaluated by Mr Jeremy Clark who is a Member of The Australasian Institute of Mining and Metallurgy (MAusIMM) and who has sufficient experience relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves". Mr Clark is an associate of RPM and he consents to the inclusion of the estimates in the report of the Mineral Resource in the form and context in which they appear.

The information in this report that relates to Ore Reserves was prepared by RPM and released on the ASX platform on 5 October 2021. The Company confirms that it is not aware of any new information or data that materially affects the Ore Reserves in this publication. The Company confirms that all material assumptions and technical parameters underpinning the estimates continue to apply and have not materially changed. The Company confirms that the form and context in which the RPM findings are presented have not been materially modified.

The information in the report that relates to Ore Reserves for the Abujar Gold Project is based on information compiled and reviewed by Mr. Igor Bojanic, who is a Fellow of the Australasian Institute of Mining and Metallurgy, and is an employee of RPM. Mr. Igor Bojanic has sufficient experience, which is relevant to the style of mineralisation and type of deposit under consideration and to the activity, which he has undertaken to qualify as a Competent Person, as defined in the 2012 Edition of the Australasian Code for the Reporting of Mineral Resources and Ore Reserves. Mr. Igor Bojanic is not aware of any potential for a conflict of interest in relation to this work for the Client. The estimates of Ore Reserves presented in this Statement have been carried out in accordance with the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves" (30 September, 2021).