

HIGH GRADE RARE EARTHS RESULTS UP TO 3,839PPM TREO AND UP TO 28% MREO EXTEND TWO SIGNIFICANT TARGETS AT MUKINBUDIN

SUMMARY

- Exceptional extensional soil sampling extends Gadolin target to +3.4km and remains open, with peak new values received including **3,839ppm TREO (14.0% MREO) & 3,671ppm TREO (18.0% MREO) in the south and 2,866ppm TREO (21.0% MREO) & 2,823ppm TREO (21.0% MREO) in the west**
- Follow-up soil sampling at Hadrian's has confirmed a +3.5km REO anomaly, with peak new values received including **2,833ppm TREO (19.9% MREO), 2,700ppm TREO (20.2% MREO) and 2,548ppm TREO (20.4% MREO)**
- Caprice is highly encouraged by the elevated levels of Magnet Rare Earth Oxides (MREO)
- A further 796 soils from Colosseum and Hadrian's are pending assay, following up on significant rock chips from Colosseum including **5,068ppm TREO (24.8% MREO)¹**
- TREO results confirm prospectivity for regional scale porphyritic granites and potentially clay-hosted targets, with c.15% of the tenure explored to date
- Approval processes progressing for maiden drilling of Gadolin, Hadrian's and Colosseum

Caprice Resources Ltd (ASX: **CRS**) ("Caprice" or "the Company") is pleased to advise that the Company continues exploration at the Mukinbudin Rare Earth Element Project ("Mukinbudin", "the Project"), located 25km northwest of Mukinbudin and 250km northeast from Perth in Western Australia.

Extensional sampling at Gadolin has extended the REO target by 2km. Strike is significantly improved by +2km (+3.4km overall strike and open) and +1.2km to width to date (1.8km overall width and open). Southern trend indicates high grade channel (>1,000ppm) of +2500ppm over 800m and remains open.

Follow up soil sampling at Hadrian's has also confirmed significant REO anomalism. Of significance, the anomalism at Hadrian's has been extended an additional 500m, and now stands at over 3.5km and remains open. The results from Hadrian's have highlighted a series of northwest trending anomalies within a broader north-south trend. Recent sampling had been undertaken to infill the higher-grade areas and extend laterally, with numerous results still pending.

Following receipt of outstanding soil samples across the Mukinbudin Project, the Company will continue to firm up targets ahead of a maiden drill program. The approval process is underway, and drilling is planned to test Gadolin, Hadrian's and Colosseum.

¹ CRS ASX Announcement 17 August 2023

Chairman, David Church, commented:

"Exploration at Mukinbudin continues to deliver outstanding results, with the Gadolin prospect building into what is a very high priority target. The pending soils from the Colosseum prospect are eagerly anticipated, as the prospect has recovered the highest-grade rock chips to date. Furthermore, the delineation of a +3.5km long anomaly at Hadrian's coinciding with the recent tenure acquisitions proximal to defined anomalism increases the positive outlook for the future. Mukinbudin is emerging as a very promising REE project, with prospectivity for both granite and clay-hosted mineralisation.

"The Company looks forward to further regional exploration, with applications advanced for RC drilling of our highest priority targets at Mukinbudin, we look forward to systematically testing our most significant anomalies delineated to date in this exciting project."

Mukinbudin Project

The Mukinbudin REE Project consists of one tenement, E70/5939, covering 384km² and two applications, E70/6519 and E70/6520, covering 198km². The Project is located approximately 25km northwest of the town of Mukinbudin, 250km northeast of Perth.

Gadolin

Caprice has made steps to extend the recently defined Gadolin prospect, specifically to the west and south, and is highly encouraged by the return. Recent assays indicate anomalism greatly increases stepping east and west away from the intercepted emplacement structure initially targeted² (see Figure 2). Protolith remains the widespread, regional fractionated porphyritic granite and steps will now be taken to delineate terrain that would suggest clay anomalism.

Gadolin's strike currently stands at +3.4km, and with a currently defined 1.8km overall width the exploration team remains encouraged that anomalism remains open in all directions. Of note, the southern trend indicates high grade channel of +2500ppm over 800m and remains open.

Sampling was completed over 380m spaced lines and 80m spaced samples in the west, and probative 800m spaced lines and 80m spaced samples in the south. Caprice intends to conduct follow up sampling and infill programs in the near future.

Colosseum

563 soils from the recently completed soil sampling program remain outstanding from Colosseum, targeting potential mineralisation between Colosseum and Gadolin.

Rock chip sampling of an outcrop of porphyritic, fractionated granite, located approximately 2km north of Gadolin, has delineated an area of consistently elevated REOs.

² CRS ASX Announcement 13 June 2023

This area, coined Colosseum, had 20 rock chip samples collected over a c.500m area. Of these, 13 returned values over 1,000ppm, with a peak value of 5,038ppm (0.5%) TREO³ and lowest value of 310ppm TREO.

Previous sampling successfully identified a series of northwest trending anomalies, with a peak value of 2,812ppm TREO, within a broader N-S trend.

The anomalism remains open, with initial probative regional sampling undertaken over 1120m spaced lines and 80m spaced samples. The pending infill sampling, extending in all directions, defined to 160m spaced lines and 80m spaced samples.

Hadrian's

Follow up sampling at Hadrian's has identified elevated levels of rare earths outside of the previously identified target targets, significantly expanding the known potential strike of mineralisation at the prospect. With a number of samples still outstanding, the Caprice team remains confident that Hadrian's will be elevated to a drill ready target alongside Gadolin and Colosseum in an upcoming drill program.

Follow up and infill soil sampling was undertaken to the north and south with, with anomalism defined over 160m spaced lines and 80m spaced samples, over a 3.5km north-south strike, primarily focussed around a prominent topographical feature.

The northwest trend is easily deduced in Figure 4. The quartz-aplite ridge crosscuts NW – SE anomalism trends and early mapping hypothesis suggests a NNE oriented shear.

³ CRS ASX Announcement 17 August 2023




Figure 1: Current sampling including regional neighbours. Excellent exploration scope to the north, and pending tenure applications




Figure 2: Gadolin Plan View featuring high grade channel (+1,000ppm interpretation)




Figure 3: Colosseum / Regional Plan View featuring high grade channel (+1,000ppm interpretation)




Figure 4: Hadrian's plan view featuring high grade channel (+1,000ppm interpretation)

Next steps

Positive results have now been received from Gadolin, Colosseum, Hadrian's and QC3, with drill-ready targets now identified on three of the four outstanding prospects, and excellent regional exploration prospects with recent tenement applications. Following receipt of the remaining outstanding samples outstanding from Colosseum and Hadrian's, an RC program to test the highest priority targets will be accelerated.

Further reconnaissance programs to extend known anomalism is underway to understand prospect wide basement depth to promote clay-hosted intercept potential.

This announcement has been authorised by the Board of Caprice.

For further information please contact:**David Church**

Chairman

info@capriceresources.com

Competent Person's Statement

The information in this report that relates to pegmatite hosted REE potential and exploration results has been compiled by Mr Jeremy Clark, the sole director of Lily Valley International which is engaged by Caprice Resources Ltd. Mr Clark is a Member of the Australian Institute of Geoscientists and has sufficient experience in the style of mineralisation and type of deposit under consideration and the activity being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the Australasian Code for Reporting of Exploration Results, Minerals Resources and Ore Reserves ("JORC Code"). Mr Clark consents to the inclusion in the report of the matters based on the information in the form and context in which it appears.

Table 1: REO* results from Soil Sampling at Mukinbudin

SampleID	Prospect	East	North	Sample Type	Total REE (ppm)	Total REO (ppm)	MREO (ppm)	% MREO
MKSL01026	Gadolin South	603760	6586660	SOIL	714	864	142	16.0%
MKSL01027	Gadolin South	603800	6586660	SOIL	874	1056	183	17.0%
MKSL01028	Gadolin South	603840	6586660	SOIL	1033	1246	222	18.0%
MKSL01029	Gadolin South	603880	6586660	SOIL	1768	2126	384	18.0%
MKSL01030	Gadolin South	603920	6586660	SOIL	2082	2519	379	15.0%
MKSL01031	Gadolin South	603960	6586660	SOIL	885	1066	203	19.0%
MKSL01032	Gadolin South	604000	6586660	SOIL	947	1143	204	18.0%
MKSL01033	Gadolin South	604040	6586660	SOIL	997	1203	242	20.0%
MKSL01034	Gadolin South	604080	6586660	SOIL	888	1070	217	20.0%
MKSL01035	Gadolin South	604120	6586660	SOIL	1948	2368	280	12.0%
MKSL01036	Gadolin South	604160	6586660	SOIL	1691	2046	328	16.0%
MKSL01037	Gadolin South	604200	6586660	SOIL	1308	1577	301	19.0%
MKSL01038	Gadolin South	604240	6586660	SOIL	2455	2950	623	21.0%
MKSL01039	Gadolin South	604280	6586660	SOIL	2030	2439	543	22.0%
MKSL01040	Gadolin South	604320	6586660	SOIL	1865	2244	502	22.0%
MKSL01041	Gadolin South	604360	6586660	SOIL	1989	2391	549	23.0%
MKSL01042	Gadolin South	604400	6586660	SOIL	1521	1830	429	23.0%
MKSL01043	Gadolin South	604440	6586660	SOIL	1247	1501	353	24.0%
MKSL01044	Gadolin South	604480	6586660	SOIL	1334	1608	348	22.0%
MKSL01045	Gadolin South	604520	6586660	SOIL	1220	1469	337	23.0%
MKSL01046	Gadolin South	604560	6586660	SOIL	809	974	201	21.0%
MKSL01047	Gadolin South	604600	6586660	SOIL	582	704	137	20.0%
MKSL01048	Gadolin South	604640	6586660	SOIL	598	723	139	19.0%
MKSL01049	Gadolin South	604680	6586660	SOIL	656	791	163	21.0%
MKSL01050	Gadolin South	604720	6586660	SOIL	487	587	100	17.0%
MKSL01051	Gadolin South	604760	6586660	SOIL	664	800	119	15.0%
MKSL01052	Gadolin South	604800	6586660	SOIL	1308	1573	295	19.0%
MKSL01053	Gadolin South	604840	6586660	SOIL	579	702	104	15.0%
MKSL01054	Gadolin South	604880	6586660	SOIL	291	353	55	16.0%
MKSL01055	Gadolin South	604920	6586660	SOIL	191	233	40	17.0%
MKSL01056	Gadolin South	604960	6586660	SOIL	1009	1212	239	20.0%

SampleID	Prospect	East	North	Sample Type	Total REE (ppm)	Total REO (ppm)	MREO (ppm)	% MREO
MKSL01057	Gadolin South	605000	6586660	SOIL	430	517	94	18.0%
MKSL01058	Gadolin South	605040	6586660	SOIL	508	612	112	18.0%
MKSL01059	Gadolin South	605080	6586660	SOIL	768	932	129	14.0%
MKSL01060	Gadolin South	605120	6586660	SOIL	346	418	73	17.0%
MKSL01061	Gadolin South	605160	6586660	SOIL	530	638	119	19.0%
MKSL01062	Gadolin South	605200	6586660	SOIL	622	750	129	17.0%
MKSL01063	Gadolin South	605240	6586660	SOIL	197	238	45	19.0%
MKSL01064	Gadolin South	605280	6586660	SOIL	303	364	65	18.0%
MKSL01065	Gadolin South	605320	6586660	SOIL	429	518	81	16.0%
MKSL01066	Gadolin South	605360	6586660	SOIL	425	513	99	19.0%
MKSL01067	Gadolin South	605400	6586660	SOIL	426	514	89	17.0%
MKSL01068	Gadolin South	605440	6586660	SOIL	199	241	41	17.0%
MKSL01069	Gadolin South	605480	6586660	SOIL	220	266	51	19.0%
MKSL01070	Gadolin South	605520	6586660	SOIL	210	254	46	18.0%
MKSL01071	Gadolin South	605560	6586660	SOIL	80	98	17	17.0%
MKSL01072	Gadolin South	605600	6586660	SOIL	75	92	15	16.0%
MKSL01073	Gadolin South	603920	6587460	SOIL	574	695	117	17.0%
MKSL01074	Gadolin South	603960	6587460	SOIL	836	1012	165	16.0%
MKSL01075	Gadolin South	604000	6587460	SOIL	1068	1288	250	19.0%
MKSL01076	Gadolin South	604040	6587460	SOIL	845	1018	211	21.0%
MKSL01077	Gadolin South	604080	6587460	SOIL	1743	2092	440	21.0%
MKSL01078	Gadolin South	604120	6587460	SOIL	2327	2799	537	19.0%
MKSL01079	Gadolin South	604160	6587460	SOIL	1586	1915	346	18.0%
MKSL01080	Gadolin South	604200	6587460	SOIL	966	1171	191	16.0%
MKSL01081	Gadolin South	604240	6587460	SOIL	1227	1488	216	14.0%
MKSL01082	Gadolin South	604280	6587460	SOIL	1465	1760	394	22.0%
MKSL01083	Gadolin South	604320	6587460	SOIL	1158	1395	306	22.0%
MKSL01084	Gadolin South	604360	6587460	SOIL	1091	1314	290	22.0%
MKSL01085	Gadolin South	604400	6587460	SOIL	765	924	200	22.0%
MKSL01086	Gadolin South	604427	6587465	SOIL	1128	1359	291	21.0%
MKSL01087	Gadolin South	604486	6587451	SOIL	896	1083	208	19.0%
MKSL01088	Gadolin South	604520	6587460	SOIL	802	964	228	24.0%
MKSL01089	Gadolin South	604560	6587460	SOIL	697	837	176	21.0%
MKSL01090	Gadolin South	604600	6587460	SOIL	493	596	106	18.0%
MKSL01091	Gadolin South	604640	6587460	SOIL	387	468	97	21.0%
MKSL01092	Gadolin South	604680	6587460	SOIL	340	412	70	17.0%
MKSL01093	Gadolin South	604720	6587460	SOIL	689	829	153	19.0%
MKSL01094	Gadolin South	604760	6587460	SOIL	329	396	74	19.0%
MKSL01095	Gadolin South	604800	6587460	SOIL	1704	2050	382	19.0%
MKSL01096	Gadolin South	604840	6587460	SOIL	568	686	115	17.0%
MKSL01097	Gadolin South	604880	6587460	SOIL	322	390	67	17.0%
MKSL01098	Gadolin South	604920	6587460	SOIL	493	596	116	19.0%
MKSL01099	Gadolin South	604960	6587460	SOIL	323	390	70	18.0%

SampleID	Prospect	East	North	Sample Type	Total REE (ppm)	Total REO (ppm)	MREO (ppm)	% MREO
MKSL01100	Gadolin South	605000	6587460	SOIL	975	1180	192	16.0%
MKSL01101	Gadolin South	605040	6587460	SOIL	512	620	115	19.0%
MKSL01102	Gadolin South	605080	6587460	SOIL	730	889	102	12.0%
MKSL01103	Gadolin South	605120	6587460	SOIL	970	1170	184	16.0%
MKSL01104	Gadolin South	605160	6587460	SOIL	995	1210	148	12.0%
MKSL01105	Gadolin South	605200	6587460	SOIL	562	686	60	9.0%
MKSL01106	Gadolin South	605240	6587460	SOIL	317	385	59	15.0%
MKSL01107	Gadolin South	605280	6587460	SOIL	250	303	46	15.0%
MKSL01108	Gadolin South	605320	6587460	SOIL	116	141	22	15.0%
MKSL01109	Gadolin South	605360	6587464	SOIL	199	245	20	8.0%
MKSL01110	Gadolin South	605406	6587464	SOIL	341	418	43	10.0%
MKSL01111	Gadolin South	605440	6587460	SOIL	344	423	28	7.0%
MKSL01112	Gadolin South	605480	6587460	SOIL	444	544	49	9.0%
MKSL01113	Gadolin South	604000	6588260	SOIL	511	617	95	15.0%
MKSL01114	Gadolin South	604040	6588260	SOIL	930	1122	173	15.0%
MKSL01115	Gadolin South	604080	6588260	SOIL	791	955	151	16.0%
MKSL01116	Gadolin South	604120	6588260	SOIL	733	884	153	17.0%
MKSL01117	Gadolin South	604160	6588260	SOIL	984	1184	206	17.0%
MKSL01118	Gadolin South	604200	6588260	SOIL	641	772	142	18.0%
MKSL01119	Gadolin South	604240	6588260	SOIL	383	462	78	17.0%
MKSL01120	Gadolin South	604280	6588260	SOIL	521	628	100	16.0%
MKSL01121	Gadolin South	604320	6588260	SOIL	1051	1266	193	15.0%
MKSL01122	Gadolin South	604360	6588260	SOIL	1104	1331	239	18.0%
MKSL01123	Gadolin South	604400	6588260	SOIL	1835	2207	398	18.0%
MKSL01124	Gadolin South	604440	6588260	SOIL	3055	3671	656	18.0%
MKSL01125	Gadolin South	604480	6588260	SOIL	3185	3839	552	14.0%
MKSL01126	Gadolin South	604520	6588260	SOIL	2204	2658	413	16.0%
MKSL01127	Gadolin South	604560	6588260	SOIL	1700	2046	366	18.0%
MKSL01128	Gadolin South	604600	6588260	SOIL	772	932	172	18.0%
MKSL01129	Gadolin South	604640	6588260	SOIL	1079	1306	228	17.0%
MKSL01130	Gadolin South	604680	6588260	SOIL	746	906	181	20.0%
MKSL01131	Gadolin South	604720	6588260	SOIL	736	895	170	19.0%
MKSL01132	Gadolin South	604760	6588260	SOIL	740	899	164	18.0%
MKSL01133	Gadolin South	604800	6588260	SOIL	536	649	126	19.0%
MKSL01134	Gadolin South	604840	6588260	SOIL	611	740	133	18.0%
MKSL01135	Gadolin South	604880	6588260	SOIL	645	781	140	18.0%
MKSL01136	Gadolin South	604920	6588260	SOIL	373	453	85	19.0%
MKSL01137	Gadolin South	604960	6588260	SOIL	321	387	75	19.0%
MKSL01138	Gadolin South	605000	6588260	SOIL	296	360	59	16.0%
MKSL01139	Gadolin South	605040	6588260	SOIL	223	271	54	20.0%
MKSL01140	Gadolin South	605080	6588260	SOIL	267	324	62	19.0%
MKSL01141	Gadolin South	605120	6588260	SOIL	384	468	65	14.0%
MKSL01142	Gadolin South	605160	6588260	SOIL	586	718	56	8.0%

SampleID	Prospect	East	North	Sample Type	Total REE (ppm)	Total REO (ppm)	MREO (ppm)	% MREO
MKSL01143	Gadolin South	605200	6588260	SOIL	262	318	54	17.0%
MKSL01144	Gadolin South	605240	6588260	SOIL	216	263	47	18.0%
MKSL01145	Gadolin South	605280	6588260	SOIL	255	311	39	13.0%
MKSL01146	Gadolin South	605320	6588260	SOIL	486	587	111	19.0%
MKSL01147	Gadolin South	605360	6588260	SOIL	308	373	68	18.0%
MKSL01148	Gadolin South	605400	6588260	SOIL	286	345	73	21.0%
MKSL01149	Gadolin South	605440	6588260	SOIL	416	500	105	21.0%
MKSL01150	Gadolin South	605480	6588260	SOIL	353	424	88	21.0%
MKSL01151	Gadolin South	603860	6588580	SOIL	450	550	113	20.0%
MKSL01152	Gadolin South	603900	6588580	SOIL	813	984	196	20.0%
MKSL01153	Gadolin South	603940	6588580	SOIL	418	512	88	17.0%
MKSL01154	Gadolin South	603980	6588580	SOIL	604	728	135	19.0%
MKSL01155	Gadolin South	604020	6588580	SOIL	1121	1346	268	20.0%
MKSL01156	Gadolin South	604060	6588580	SOIL	335	404	82	20.0%
MKSL01157	Gadolin South	604100	6588580	SOIL	121	147	24	16.0%
MKSL01158	Gadolin South	604140	6588580	SOIL	113	139	26	19.0%
MKSL01159	Gadolin South	604180	6588580	SOIL	175	216	25	12.0%
MKSL01160	Gadolin West	602730	6589240	SOIL	416	513	102	20.0%
MKSL01161	Gadolin West	602770	6589240	SOIL	263	323	75	23.0%
MKSL01162	Gadolin West	602810	6589240	SOIL	306	378	76	20.0%
MKSL01163	Gadolin West	602850	6589240	SOIL	507	620	142	23.0%
MKSL01164	Gadolin West	602890	6589240	SOIL	887	1075	204	19.0%
MKSL01165	Gadolin West	602930	6589240	SOIL	273	336	35	10.0%
MKSL01166	Gadolin West	602970	6589240	SOIL	241	296	35	12.0%
MKSL01168	Gadolin West	603050	6589240	SOIL	102	124	19	16.0%
MKSL01169	Gadolin West	603090	6589240	SOIL	782	944	185	20.0%
MKSL01170	Gadolin West	603130	6589240	SOIL	1190	1441	219	15.0%
MKSL01171	Gadolin West	603170	6589240	SOIL	1704	2053	416	20.0%
MKSL01172	Gadolin West	603210	6589240	SOIL	898	1083	235	22.0%
MKSL01173	Gadolin West	603250	6589240	SOIL	501	611	91	15.0%
MKSL01174	Gadolin West	603290	6589240	SOIL	571	691	138	20.0%
MKSL01175	Gadolin West	603330	6589240	SOIL	1154	1408	143	10.0%
MKSL01176	Gadolin West	603372	6589241	SOIL	2028	2469	257	10.0%
MKSL01177	Gadolin West	603410	6589240	SOIL	1281	1560	179	11.0%
MKSL01178	Gadolin West	603450	6589240	SOIL	2160	2597	509	20.0%
MKSL01179	Gadolin West	603490	6589240	SOIL	2385	2866	604	21.0%
MKSL01180	Gadolin West	603530	6589240	SOIL	2351	2823	602	21.0%
MKSL01181	Gadolin West	603570	6589240	SOIL	1546	1852	414	22.0%
MKSL01182	Gadolin West	603610	6589240	SOIL	406	493	102	21.0%
MKSL01183	Gadolin West	603650	6589240	SOIL	573	694	139	20.0%
MKSL01184	Gadolin West	603690	6589240	SOIL	429	525	65	12.0%
MKSL01185	Gadolin West	603730	6589240	SOIL	761	930	88	9.0%
MKSL01186	Gadolin West	602730	6589640	SOIL	872	1050	215	20.0%

SampleID	Prospect	East	North	Sample Type	Total REE (ppm)	Total REO (ppm)	MREO (ppm)	% MREO
MKSL01187	Gadolin West	602770	6589640	SOIL	921	1111	228	20.0%
MKSL01188	Gadolin West	602810	6589640	SOIL	1294	1561	292	19.0%
MKSL01189	Gadolin West	602850	6589640	SOIL	1434	1729	341	20.0%
MKSL01190	Gadolin West	602890	6589640	SOIL	678	815	187	23.0%
MKSL01191	Gadolin West	602930	6589640	SOIL	470	567	123	22.0%
MKSL01192	Gadolin West	602970	6589640	SOIL	1686	2029	377	19.0%
MKSL01193	Gadolin West	603010	6589640	SOIL	1220	1488	162	11.0%
MKSL01194	Gadolin West	603050	6589640	SOIL	920	1120	151	13.0%
MKSL01195	Gadolin West	603090	6589640	SOIL	1195	1461	132	9.0%
MKSL01196	Gadolin West	603130	6589640	SOIL	1215	1464	280	19.0%
MKSL01197	Gadolin West	603170	6589640	SOIL	1072	1294	223	17.0%
MKSL01198	Gadolin West	603210	6589640	SOIL	1240	1487	351	24.0%
MKSL01199	Gadolin West	603250	6589640	SOIL	826	1000	162	16.0%
MKSL01200	Gadolin West	603290	6589640	SOIL	1193	1434	275	19.0%
MKSL01201	Gadolin West	603330	6589640	SOIL	751	905	177	20.0%
MKSL01202	Gadolin West	603370	6589640	SOIL	471	575	71	12.0%
MKSL01203	Gadolin West	603410	6589640	SOIL	600	732	76	10.0%
MKSL01204	Gadolin West	603450	6589640	SOIL	1365	1663	160	10.0%
MKSL01205	Gadolin West	603490	6589640	SOIL	837	1022	98	10.0%
MKSL01206	Gadolin West	603530	6589640	SOIL	1180	1444	92	6.0%
MKSL01207	Gadolin West	603570	6589640	SOIL	1647	2006	184	9.0%
MKSL01208	Gadolin West	603610	6589640	SOIL	860	1051	71	7.0%
MKSL01209	Gadolin West	603650	6589640	SOIL	895	1076	193	18.0%
MKSL01210	Gadolin West	603690	6589640	SOIL	616	744	125	17.0%
MKSL01211	Gadolin West	603730	6589640	SOIL	989	1208	80	7.0%
MKSL01212	Gadolin West	603770	6589640	SOIL	713	870	80	9.0%
MKSL01213	Gadolin West	603810	6589640	SOIL	724	870	165	19.0%
MKSL01214	Gadolin West	603850	6589640	SOIL	766	920	181	20.0%
MKSL01215	Gadolin West	603890	6589640	SOIL	660	794	154	19.0%
MKSL01216	Gadolin West	602730	6590020	SOIL	860	1041	163	16.0%
MKSL01217	Gadolin West	602770	6590020	SOIL	399	481	92	19.0%
MKSL01218	Gadolin West	602810	6590020	SOIL	737	890	154	17.0%
MKSL01219	Gadolin West	602850	6590020	SOIL	1108	1332	286	21.0%
MKSL01220	Gadolin West	602890	6590020	SOIL	485	587	115	20.0%
MKSL01221	Gadolin West	602930	6590020	SOIL	388	471	82	17.0%
MKSL01222	Gadolin West	602970	6590020	SOIL	598	721	148	21.0%
MKSL01223	Gadolin West	603010	6590020	SOIL	1441	1738	299	17.0%
MKSL01224	Gadolin West	603050	6590020	SOIL	969	1165	243	21.0%
MKSL01227	Gadolin West	603170	6590020	SOIL	945	1147	145	13.0%
MKSL01228	Gadolin West	603210	6590020	SOIL	637	770	141	18.0%
MKSL01229	Gadolin West	603250	6590020	SOIL	505	610	112	18.0%
MKSL01230	Gadolin West	603290	6590020	SOIL	433	522	110	21.0%
MKSL01231	Gadolin West	603330	6590020	SOIL	739	890	186	21.0%

SampleID	Prospect	East	North	Sample Type	Total REE (ppm)	Total REO (ppm)	MREO (ppm)	% MREO
MKSL01232	Gadolin West	603370	6590020	SOIL	541	655	135	21.0%
MKSL01233	Gadolin West	603410	6590020	SOIL	696	840	168	20.0%
MKSL01234	Gadolin West	603450	6590020	SOIL	541	653	135	21.0%
MKSL01235	Gadolin West	603490	6590020	SOIL	781	943	189	20.0%
MKSL01236	Gadolin West	603530	6590020	SOIL	705	850	163	19.0%
MKSL01237	Gadolin West	603570	6590020	SOIL	899	1083	214	20.0%
MKSL01238	Gadolin West	603610	6590020	SOIL	793	959	181	19.0%
MKSL01239	Gadolin West	603650	6590020	SOIL	1045	1262	237	19.0%
MKSL01240	Gadolin West	603690	6590020	SOIL	846	1022	189	18.0%
MKSL01241	Gadolin West	603730	6590020	SOIL	1097	1324	222	17.0%
MKSL01242	Gadolin West	603770	6590020	SOIL	642	773	144	19.0%
MKSL01243	Gadolin West	603810	6590020	SOIL	492	592	101	17.0%
MKSL01244	Gadolin West	603850	6590020	SOIL	465	560	104	19.0%
MKSL01245	Gadolin West	603890	6590020	SOIL	93	114	20	18.0%
MKSL01246	Gadolin West	603930	6590020	SOIL	75	94	14	15.0%
MKSL01247	Gadolin West	603970	6590020	SOIL	551	677	27	4.0%
MKSL01248	Colosseum	605160	6590500	SOIL	1017	1248	51	4.0%
MKSL01249	Colosseum	605200	6590500	SOIL	1478	1797	218	12.0%
MKSL01250	Colosseum	605240	6590500	SOIL	2170	2629	372	14.0%
MKSL01251	Colosseum	605280	6590500	SOIL	2084	2529	386	15.0%
MKSL01252	Colosseum	605320	6590500	SOIL	1010	1232	156	13.0%
MKSL01253	Colosseum	605360	6590500	SOIL	1400	1717	92	5.0%
MKSL01254	Colosseum	605400	6590500	SOIL	911	1100	230	21.0%
MKSL01255	Colosseum	605440	6590500	SOIL	1115	1349	245	18.0%
MKSL01256	Colosseum	605480	6590500	SOIL	560	677	145	21.0%
MKSL01257	Colosseum	605520	6590500	SOIL	1832	2213	390	18.0%
MKSL01258	Colosseum	605560	6590500	SOIL	1267	1525	312	20.0%
MKSL01259	Colosseum	605600	6590500	SOIL	1803	2174	407	19.0%
MKSL01260	Colosseum	605640	6590500	SOIL	1561	1880	376	20.0%
MKSL01261	Colosseum	605680	6590500	SOIL	1179	1424	278	20.0%
MKSL01262	Colosseum	605720	6590500	SOIL	1227	1478	317	21.0%
MKSL01263	Colosseum	605760	6590500	SOIL	953	1148	268	23.0%
MKSL01264	Colosseum	605800	6590500	SOIL	1013	1221	276	23.0%
MKSL01265	Colosseum	605840	6590500	SOIL	1035	1255	227	18.0%
MKSL01266	Colosseum	605880	6590500	SOIL	182	224	44	19.0%
MKSL01267	Colosseum	605920	6590500	SOIL	216	268	25	9.0%
MKSL01268	Colosseum	605960	6590500	SOIL	315	390	19	5.0%
MKSL01269	Colosseum	606000	6590500	SOIL	111	138	24	17.0%
MKSL01270	Colosseum	606040	6590500	SOIL	420	513	68	13.0%
MKSL01271	Colosseum	606080	6590500	SOIL	542	663	69	10.0%
MKSL01272	Colosseum	606120	6590500	SOIL	1070	1299	183	14.0%
MKSL01273	Colosseum	606160	6590500	SOIL	890	1077	178	16.0%
MKSL01274	Colosseum	606200	6590500	SOIL	815	988	145	15.0%

SampleID	Prospect	East	North	Sample Type	Total REE (ppm)	Total REO (ppm)	MREO (ppm)	% MREO
MKSL01275	Colosseum	606240	6590500	SOIL	960	1165	164	14.0%
MKSL01276	Colosseum	606280	6590500	SOIL	1348	1635	231	14.0%
MKSL01277	Colosseum	606320	6590500	SOIL	482	584	111	19.0%
MKSL01278	Colosseum	606360	6590500	SOIL	934	1131	175	15.0%
MKSL01279	Colosseum	606400	6590500	SOIL	697	845	126	15.0%
MKSL01280	Colosseum	606440	6590500	SOIL	714	866	123	14.0%
MKSL01281	Colosseum	606480	6590500	SOIL	972	1173	205	17.0%
MKSL01282	Colosseum	606520	6590500	SOIL	1661	1998	418	21.0%
MKSL01283	Colosseum	606560	6590500	SOIL	710	858	153	18.0%
MKSL01284	Colosseum	606600	6590500	SOIL	744	899	165	18.0%
MKSL01285	Colosseum	606640	6590500	SOIL	864	1043	200	19.0%
MKSL01286	Colosseum	606680	6590500	SOIL	941	1135	199	18.0%
MKSL01287	Colosseum	606720	6590500	SOIL	606	733	132	18.0%
MKSL01288	Colosseum	606760	6590500	SOIL	602	728	134	18.0%
MKSL01289	Colosseum	606800	6590500	SOIL	411	498	91	18.0%
MKSL01290	Colosseum	606840	6590500	SOIL	254	309	48	15.0%
MKSL01291	Colosseum	606880	6590500	SOIL	481	587	65	11.0%
MKSL01292	Colosseum	606920	6590500	SOIL	297	360	64	18.0%
MKSL01293	Colosseum	606960	6590500	SOIL	307	372	67	18.0%
MKSL01294	Colosseum	607000	6590500	SOIL	408	494	95	19.0%
MKSL01295	Colosseum	607040	6590500	SOIL	957	1153	215	19.0%
MKSL01296	Colosseum	607080	6590500	SOIL	894	1079	191	18.0%
MKSL01297	Colosseum	607120	6590500	SOIL	1348	1626	293	18.0%
MKSL01298	Colosseum	607160	6590500	SOIL	1068	1291	220	17.0%
MKSL01299	Colosseum	607200	6590500	SOIL	910	1100	196	18.0%
MKSL01300	Colosseum	607240	6590500	SOIL	999	1209	196	16.0%
MKSL01301	Colosseum	607280	6590500	SOIL	1353	1634	279	17.0%
MKSL01302	Colosseum	607320	6590500	SOIL	901	1088	200	18.0%
MKSL01303	Colosseum	607360	6590500	SOIL	841	1015	189	19.0%
MKSL01304	Colosseum	607400	6590500	SOIL	734	889	138	16.0%
MKSL01305	Colosseum	607440	6590500	SOIL	1038	1253	218	17.0%
MKSL01306	Colosseum	607480	6590500	SOIL	524	633	124	20.0%
MKSL01307	Colosseum	607520	6590500	SOIL	1119	1351	237	18.0%
MKSL01308	Colosseum	607560	6590500	SOIL	845	1021	190	19.0%
MKSL01309	Colosseum	607600	6590500	SOIL	290	352	59	17.0%
MKSL01310	Regional	600640	6591620	SOIL	696	842	155	18.0%
MKSL01311	Regional	600680	6591620	SOIL	752	909	156	17.0%
MKSL01312	Regional	600720	6591620	SOIL	648	784	138	18.0%
MKSL01313	Regional	600760	6591620	SOIL	639	774	129	17.0%
MKSL01314	Regional	600800	6591620	SOIL	671	809	163	20.0%
MKSL01315	Regional	600840	6591620	SOIL	588	709	156	22.0%
MKSL01316	Regional	600880	6591620	SOIL	672	807	185	23.0%
MKSL01317	Regional	600920	6591620	SOIL	762	920	172	19.0%

SampleID	Prospect	East	North	Sample Type	Total REE (ppm)	Total REO (ppm)	MREO (ppm)	% MREO
MKSL01318	Regional	600960	6591620	SOIL	452	546	111	20.0%
MKSL01319	Regional	601000	6591620	SOIL	353	428	72	17.0%
MKSL01320	Regional	601040	6591620	SOIL	402	493	37	7.0%
MKSL01321	Regional	601080	6591620	SOIL	440	537	56	10.0%
MKSL01322	Regional	601120	6591620	SOIL	302	370	36	10.0%
MKSL01323	Regional	601160	6591620	SOIL	295	358	60	17.0%
MKSL01324	Regional	601200	6591620	SOIL	105	130	12	9.0%
MKSL01325	Regional	601240	6591620	SOIL	88	109	15	14.0%
MKSL01326	Regional	601280	6591620	SOIL	91	113	20	18.0%
MKSL01327	Regional	601320	6591620	SOIL	97	120	24	20.0%
MKSL01328	Regional	601360	6591620	SOIL	160	195	42	21.0%
MKSL01329	Regional	601400	6591620	SOIL	385	466	94	20.0%
MKSL01330	Regional	601440	6591620	SOIL	919	1114	163	15.0%
MKSL01331	Regional	601480	6591620	SOIL	604	733	120	16.0%
MKSL01332	Regional	601520	6591620	SOIL	1119	1352	234	17.0%
MKSL01333	Regional	601560	6591620	SOIL	336	408	75	18.0%
MKSL01334	Regional	601600	6591620	SOIL	339	412	69	17.0%
MKSL01335	Regional	601640	6591620	SOIL	452	546	104	19.0%
MKSL01336	Regional	601680	6591620	SOIL	351	424	81	19.0%
MKSL01337	Regional	601720	6591620	SOIL	679	819	163	20.0%
MKSL01338	Regional	601760	6591620	SOIL	793	964	129	13.0%
MKSL01339	Regional	601800	6591620	SOIL	978	1185	177	15.0%
MKSL01340	Regional	601840	6591620	SOIL	369	446	83	19.0%
MKSL01341	Regional	601880	6591620	SOIL	375	454	89	20.0%
MKSL01342	Regional	601920	6591620	SOIL	191	232	42	18.0%
MKSL01343	Regional	601960	6591620	SOIL	489	591	114	19.0%
MKSL01344	Regional	602000	6591620	SOIL	350	426	69	16.0%
MKSL01345	Regional	602040	6591620	SOIL	319	385	73	19.0%
MKSL01346	Regional	602080	6591620	SOIL	459	559	73	13.0%
MKSL01347	Regional	602120	6591620	SOIL	492	594	118	20.0%
MKSL01348	Regional	602160	6591620	SOIL	356	435	60	14.0%
MKSL01349	Regional	602200	6591620	SOIL	274	336	43	13.0%
MKSL01350	Regional	602240	6591620	SOIL	209	257	32	12.0%
MKSL01351	Regional	602280	6591620	SOIL	501	615	43	7.0%
MKSL01352	Regional	602320	6591620	SOIL	233	287	20	7.0%
MKSL01353	Regional	602360	6591620	SOIL	277	343	20	6.0%
MKSL01354	Regional	602400	6591620	SOIL	70	89	12	14.0%
MKSL01355	Regional	602440	6591620	SOIL	77	97	10	10.0%
MKSL01356	Colosseum	603480	6591620	SOIL	69	86	14	16.0%
MKSL01357	Colosseum	603520	6591620	SOIL	242	295	31	10.0%
MKSL01358	Colosseum	603560	6591620	SOIL	260	316	42	13.0%
MKSL01359	Colosseum	603600	6591620	SOIL	239	289	48	17.0%
MKSL01360	Colosseum	603640	6591620	SOIL	490	591	110	19.0%

SampleID	Prospect	East	North	Sample Type	Total REE (ppm)	Total REO (ppm)	MREO (ppm)	% MREO
MKSL01361	Colosseum	603680	6591620	SOIL	219	264	50	19.0%
MKSL01362	Colosseum	603720	6591620	SOIL	372	452	61	13.0%
MKSL01363	Colosseum	603760	6591620	SOIL	468	570	74	13.0%
MKSL01364	Colosseum	603800	6591620	SOIL	460	561	71	13.0%
MKSL01365	Colosseum	603840	6591620	SOIL	724	884	80	9.0%
MKSL01366	Colosseum	603880	6591620	SOIL	405	493	76	15.0%
MKSL01367	Colosseum	603920	6591620	SOIL	1074	1313	116	9.0%
MKSL01368	Colosseum	603960	6591620	SOIL	1161	1409	182	13.0%
MKSL01369	Colosseum	604000	6591620	SOIL	1282	1556	195	13.0%
MKSL01370	Colosseum	604040	6591620	SOIL	2293	2797	196	7.0%
MKSL01371	Colosseum	604080	6591620	SOIL	1037	1256	178	14.0%
MKSL01372	Colosseum	604120	6591620	SOIL	547	667	79	12.0%
MKSL01373	Colosseum	604160	6591620	SOIL	602	728	119	16.0%
MKSL01374	Colosseum	604200	6591620	SOIL	674	809	174	21.0%
MKSL01375	Colosseum	604240	6591620	SOIL	655	799	89	11.0%
MKSL01376	Colosseum	604280	6591620	SOIL	749	915	91	10.0%
MKSL01377	Colosseum	604320	6591620	SOIL	747	905	145	16.0%
MKSL01378	Colosseum	604360	6591620	SOIL	770	940	96	10.0%
MKSL01379	Colosseum	604400	6591620	SOIL	713	866	136	16.0%
MKSL01380	Colosseum	604440	6591620	SOIL	2620	3201	215	7.0%
MKSL01381	Colosseum	604480	6591620	SOIL	2964	3603	504	14.0%
MKSL01382	Colosseum	604520	6591620	SOIL	732	885	165	19.0%
MKSL01383	Colosseum	604560	6591620	SOIL	726	880	139	16.0%
MKSL01385	Colosseum	604640	6591620	SOIL	441	535	93	17.0%
MKSL01386	Colosseum	604680	6591620	SOIL	1212	1482	119	8.0%
MKSL01387	Colosseum	604720	6591620	SOIL	934	1138	110	10.0%
MKSL01388	Colosseum	604760	6591620	SOIL	305	367	89	24.0%
MKSL01389	Colosseum	604800	6591620	SOIL	1466	1773	280	16.0%
MKSL01390	Colosseum	604840	6591620	SOIL	2710	3282	487	15.0%
MKSL01391	Colosseum	604880	6591620	SOIL	1836	2234	267	12.0%
MKSL01392	Colosseum	604920	6591620	SOIL	1811	2193	359	16.0%
MKSL01393	Colosseum	604960	6591620	SOIL	1110	1350	161	12.0%
MKSL01394	Colosseum	605000	6591620	SOIL	1014	1235	145	12.0%
MKSL01395	Colosseum	605040	6591620	SOIL	684	826	153	18.0%
MKSL01396	Colosseum	605080	6591620	SOIL	896	1091	139	13.0%
MKSL01397	Colosseum	605120	6591620	SOIL	1153	1396	247	18.0%
MKSL01398	Colosseum	605160	6591620	SOIL	1262	1529	225	15.0%
MKSL01399	Colosseum	605200	6591620	SOIL	958	1154	221	19.0%
MKSL01400	Colosseum	605240	6591620	SOIL	1221	1481	197	13.0%
MKSL01401	Colosseum	605280	6591620	SOIL	836	1019	104	10.0%
MKSL01402	Colosseum	605320	6591620	SOIL	356	433	69	16.0%
MKSL01403	Colosseum	605360	6591620	SOIL	720	874	136	16.0%
MKSL01404	Colosseum	605400	6591620	SOIL	559	671	186	28.0%

SampleID	Prospect	East	North	Sample Type	Total REE (ppm)	Total REO (ppm)	MREO (ppm)	% MREO
MKSL01405	Colosseum	605440	6591620	SOIL	295	360	62	17.0%
MKSL01406	Colosseum	605480	6591620	SOIL	176	217	33	15.0%
MKSL01407	Colosseum	605520	6591620	SOIL	260	316	62	20.0%
MKSL01408	Colosseum	605560	6591620	SOIL	609	745	98	13.0%
MKSL01409	Colosseum	605600	6591620	SOIL	410	497	92	19.0%
MKSL01410	Colosseum	605640	6591620	SOIL	919	1113	194	17.0%
MKSL01411	Colosseum	605680	6591620	SOIL	508	613	121	20.0%
MKSL01412	Colosseum	605720	6591620	SOIL	1409	1702	340	20.0%
MKSL01413	Colosseum	605760	6591620	SOIL	1531	1859	234	13.0%
MKSL01414	Colosseum	605800	6591620	SOIL	1112	1341	267	20.0%
MKSL01415	Colosseum	605840	6591620	SOIL	1609	1933	424	22.0%
MKSL01416	Colosseum	605880	6591620	SOIL	967	1165	239	21.0%
MKSL01417	Colosseum	605920	6591620	SOIL	1187	1425	337	24.0%
MKSL01418	Colosseum	605960	6591620	SOIL	1220	1479	231	16.0%
MKSL01419	Colosseum	606000	6591620	SOIL	687	834	132	16.0%
MKSL01420	Colosseum	606040	6591620	SOIL	252	306	56	18.0%
MKSL01421	Colosseum	606080	6591620	SOIL	656	794	161	20.0%
MKSL01422	Colosseum	606120	6591620	SOIL	494	599	128	21.0%
MKSL01423	Colosseum	606160	6591620	SOIL	429	521	109	21.0%
MKSL01424	Colosseum	606200	6591620	SOIL	281	341	72	21.0%
MKSL01425	Colosseum	606240	6591620	SOIL	645	788	85	11.0%
MKSL01426	Colosseum	606280	6591620	SOIL	508	622	62	10.0%
MKSL01427	Colosseum	606320	6591620	SOIL	340	413	80	19.0%
MKSL01428	Colosseum	606360	6591620	SOIL	714	866	133	15.0%
MKSL01429	Colosseum	606400	6591620	SOIL	472	571	102	18.0%
MKSL01430	Colosseum	606440	6591620	SOIL	418	510	62	12.0%
MKSL01431	Regional	605960	6592420	SOIL	92	114	21	19.0%
MKSL01432	Regional	606000	6592420	SOIL	80	100	18	19.0%
MKSL01433	Regional	606040	6592420	SOIL	82	100	21	21.0%
MKSL01434	Regional	606080	6592420	SOIL	141	171	33	19.0%
MKSL01435	Regional	606120	6592420	SOIL	404	488	84	17.0%
MKSL01436	Regional	606160	6592420	SOIL	285	347	54	16.0%
MKSL01437	Regional	606200	6592420	SOIL	530	644	97	15.0%
MKSL01438	Regional	606240	6592420	SOIL	602	731	104	14.0%
MKSL01439	Regional	606280	6592420	SOIL	1004	1226	108	9.0%
MKSL01440	Regional	606320	6592420	SOIL	447	547	67	12.0%
MKSL01441	Regional	606360	6592420	SOIL	490	596	93	16.0%
MKSL01442	Regional	606400	6592420	SOIL	413	501	88	18.0%
MKSL01443	Regional	606440	6592420	SOIL	558	680	87	13.0%
MKSL01444	Regional	606480	6592420	SOIL	495	603	78	13.0%
MKSL01445	Regional	606520	6592420	SOIL	769	939	103	11.0%
MKSL01446	Regional	606560	6592420	SOIL	595	724	109	15.0%
MKSL01447	Regional	606600	6592420	SOIL	476	579	92	16.0%

SampleID	Prospect	East	North	Sample Type	Total REE (ppm)	Total REO (ppm)	MREO (ppm)	% MREO
MKSL01448	Regional	606640	6592420	SOIL	536	652	113	17.0%
MKSL01449	Regional	606680	6592420	SOIL	987	1196	176	15.0%
MKSL01450	Regional	606720	6592420	SOIL	1192	1442	253	18.0%
MKSL01451	Regional	606760	6592420	SOIL	555	672	127	19.0%
MKSL01452	Regional	606800	6592420	SOIL	520	630	133	21.0%
MKSL01453	Regional	606840	6592420	SOIL	854	1031	203	20.0%
MKSL01454	Regional	606880	6592420	SOIL	1392	1677	342	20.0%
MKSL01455	Regional	606920	6592420	SOIL	452	549	100	18.0%
MKSL01456	Regional	606960	6592420	SOIL	250	304	54	18.0%
MKSL01457	Regional	607000	6592420	SOIL	445	539	103	19.0%
MKSL01458	Regional	607040	6592420	SOIL	471	571	118	21.0%
MKSL01459	Regional	607080	6592420	SOIL	339	412	79	19.0%
MKSL01460	Regional	607120	6592420	SOIL	549	668	121	18.0%
MKSL01461	Regional	607160	6592420	SOIL	309	375	71	19.0%
MKSL01462	Regional	607200	6592420	SOIL	1106	1337	251	19.0%
MKSL01463	Regional	607240	6592420	SOIL	965	1167	210	18.0%
MKSL01464	Regional	607280	6592420	SOIL	1341	1618	295	18.0%
MKSL01465	Regional	607320	6592420	SOIL	1315	1585	309	20.0%
MKSL01466	Regional	607360	6592420	SOIL	742	900	147	16.0%
MKSL01467	Regional	607400	6592420	SOIL	1336	1618	250	15.0%
MKSL01468	Regional	607440	6592420	SOIL	896	1081	212	20.0%
MKSL01469	Regional	607480	6592420	SOIL	882	1065	202	19.0%
MKSL01470	Regional	607520	6592420	SOIL	637	770	144	19.0%
MKSL01471	Regional	607560	6592420	SOIL	795	962	158	16.0%
MKSL01472	Regional	607600	6592420	SOIL	659	800	128	16.0%
MKSL01473	Colosseum	601200	6592740	SOIL	795	961	184	19.0%
MKSL01474	Colosseum	601240	6592740	SOIL	526	637	117	18.0%
MKSL01475	Colosseum	601280	6592740	SOIL	237	289	55	19.0%
MKSL01476	Colosseum	601320	6592740	SOIL	177	217	42	20.0%
MKSL01477	Colosseum	601360	6592740	SOIL	879	1066	175	16.0%
MKSL01478	Colosseum	601400	6592740	SOIL	200	243	50	20.0%
MKSL01479	Colosseum	601440	6592740	SOIL	256	311	63	20.0%
MKSL01480	Colosseum	601480	6592740	SOIL	144	175	36	21.0%
MKSL01481	Colosseum	601520	6592740	SOIL	208	254	57	22.0%
MKSL01482	Colosseum	601560	6592740	SOIL	234	285	66	23.0%
MKSL01483	Colosseum	601600	6592740	SOIL	288	349	78	22.0%
MKSL01484	Colosseum	601640	6592740	SOIL	328	399	70	18.0%
MKSL01485	Colosseum	601680	6592740	SOIL	847	1023	211	21.0%
MKSL01486	Colosseum	601720	6592740	SOIL	425	515	106	21.0%
MKSL01487	Colosseum	601760	6592740	SOIL	240	292	64	22.0%
MKSL01488	Colosseum	601800	6592740	SOIL	112	138	31	22.0%
MKSL01489	Colosseum	601840	6592740	SOIL	141	173	39	22.0%
MKSL01490	Colosseum	601880	6592740	SOIL	214	261	53	20.0%

SampleID	Prospect	East	North	Sample Type	Total REE (ppm)	Total REO (ppm)	MREO (ppm)	% MREO
MKSL01491	Colosseum	601920	6592740	SOIL	270	329	70	21.0%
MKSL01492	Colosseum	601960	6592740	SOIL	513	624	87	14.0%
MKSL01493	Colosseum	602000	6592740	SOIL	565	686	120	18.0%
MKSL01494	Colosseum	602040	6592740	SOIL	699	846	171	20.0%
MKSL01495	Colosseum	602080	6592740	SOIL	655	794	134	17.0%
MKSL01496	Colosseum	602120	6592740	SOIL	642	778	137	18.0%
MKSL01497	Colosseum	602160	6592740	SOIL	215	263	50	19.0%
MKSL01498	Colosseum	602200	6592740	SOIL	180	219	48	22.0%
MKSL01499	Colosseum	602240	6592740	SOIL	200	243	49	20.0%
MKSL01500	Colosseum	602280	6592740	SOIL	173	211	38	18.0%
MKSL01501	Colosseum	602320	6592740	SOIL	171	209	41	20.0%
MKSL01502	Colosseum	602360	6592740	SOIL	345	420	63	15.0%
MKSL01503	Colosseum	602400	6592740	SOIL	188	230	48	21.0%
MKSL01504	Colosseum	602440	6592740	SOIL	379	459	95	21.0%
MKSL01505	Colosseum	602480	6592740	SOIL	478	578	117	20.0%
MKSL01506	Colosseum	602520	6592740	SOIL	805	974	159	16.0%
MKSL01507	Colosseum	602560	6592740	SOIL	760	922	136	15.0%
MKSL01508	Colosseum	602600	6592740	SOIL	494	600	92	15.0%
MKSL01509	Colosseum	602640	6592740	SOIL	479	579	103	18.0%
MKSL01510	Colosseum	602680	6592740	SOIL	809	981	143	15.0%
MKSL01511	Colosseum	602720	6592740	SOIL	1050	1273	179	14.0%
MKSL01512	Colosseum	602760	6592740	SOIL	587	709	137	19.0%
MKSL01513	Colosseum	602800	6592740	SOIL	245	297	53	18.0%
MKSL01514	Colosseum	602840	6592740	SOIL	241	292	60	20.0%
MKSL01515	Colosseum	602880	6592740	SOIL	274	332	64	19.0%
MKSL01516	Colosseum	602920	6592740	SOIL	133	163	26	16.0%
MKSL01517	Colosseum	602960	6592740	SOIL	90	111	17	15.0%
MKSL01518	Colosseum	603000	6592740	SOIL	138	169	21	12.0%
MKSL01519	Colosseum	603040	6592740	SOIL	426	524	26	5.0%
MKSL01520	Colosseum	603080	6592740	SOIL	254	308	46	15.0%
MKSL01521	Colosseum	603120	6592740	SOIL	651	788	120	15.0%
MKSL01522	Colosseum	603160	6592740	SOIL	720	879	78	9.0%
MKSL01523	Colosseum	603200	6592740	SOIL	833	1008	142	14.0%
MKSL01524	Colosseum	603240	6592740	SOIL	744	904	116	13.0%
MKSL01525	Colosseum	603280	6592740	SOIL	616	745	127	17.0%
MKSL01526	Colosseum	603320	6592740	SOIL	487	589	98	17.0%
MKSL01527	Colosseum	603360	6592740	SOIL	760	918	154	17.0%
MKSL01530	Colosseum	603488	6592727	SOIL	864	1049	118	11.0%
MKSL01531	Colosseum	603520	6592740	SOIL	953	1151	187	16.0%
MKSL01532	Colosseum	603560	6592740	SOIL	603	728	118	16.0%
MKSL01533	Colosseum	603600	6592740	SOIL	797	965	151	16.0%
MKSL01534	Colosseum	603640	6592740	SOIL	1402	1696	239	14.0%
MKSL01535	Colosseum	603680	6592740	SOIL	772	934	153	16.0%

SampleID	Prospect	East	North	Sample Type	Total REE (ppm)	Total REO (ppm)	MREO (ppm)	% MREO
MKSL01536	Colosseum	603720	6592740	SOIL	1435	1741	190	11.0%
MKSL01537	Colosseum	603760	6592740	SOIL	484	584	99	17.0%
MKSL01538	Colosseum	603800	6592740	SOIL	483	585	95	16.0%
MKSL01539	Colosseum	603840	6592740	SOIL	557	672	132	20.0%
MKSL01540	Colosseum	603880	6592740	SOIL	1326	1611	210	13.0%
MKSL01541	Colosseum	603920	6592740	SOIL	367	445	84	19.0%
MKSL01542	Colosseum	603960	6592740	SOIL	349	425	71	17.0%
MKSL01543	Colosseum	604000	6592740	SOIL	283	344	64	18.0%
MKSL01544	Colosseum	604040	6592740	SOIL	305	372	60	16.0%
MKSL01545	Colosseum	604080	6592740	SOIL	387	470	77	16.0%
MKSL01546	Colosseum	604120	6592740	SOIL	458	556	98	18.0%
MKSL01547	Colosseum	604160	6592740	SOIL	391	474	90	19.0%
MKSL01548	Colosseum	604200	6592740	SOIL	362	441	75	17.0%
MKSL01549	Colosseum	604240	6592740	SOIL	141	172	33	19.0%
MKSL01550	Hadrian's	607960	6586340	SOIL	191	232	40	17.0%
MKSL01551	Hadrian's	608040	6586340	SOIL	139	170	26	15.0%
MKSL01552	Hadrian's	608120	6586340	SOIL	222	268	50	19.0%
MKSL01553	Hadrian's	608200	6586340	SOIL	195	236	47	20.0%
MKSL01554	Hadrian's	608280	6586340	SOIL	471	578	37	6.0%
MKSL01555	Hadrian's	608360	6586340	SOIL	171	209	34	16.0%
MKSL01556	Hadrian's	608440	6586340	SOIL	218	268	26	10.0%
MKSL01557	Hadrian's	608520	6586340	SOIL	388	468	87	19.0%
MKSL01558	Hadrian's	608600	6586340	SOIL	212	258	34	13.0%
MKSL01559	Hadrian's	608680	6586340	SOIL	196	239	36	15.0%
MKSL01560	Hadrian's	608760	6586340	SOIL	252	308	42	14.0%
MKSL01561	Hadrian's	608840	6586340	SOIL	211	257	44	17.0%
MKSL01562	Hadrian's	608920	6586340	SOIL	285	348	44	13.0%
MKSL01563	Hadrian's	609000	6586340	SOIL	353	430	55	13.0%
MKSL01564	Hadrian's	609080	6586340	SOIL	218	264	49	18.0%
MKSL01565	Hadrian's	609160	6586340	SOIL	376	456	82	18.0%
MKSL01566	Hadrian's	610520	6586340	SOIL	734	894	101	11.0%
MKSL01567	Hadrian's	610600	6586340	SOIL	1125	1355	227	17.0%
MKSL01568	Hadrian's	610680	6586340	SOIL	525	633	114	18.0%
MKSL01569	Hadrian's	610760	6586340	SOIL	873	1052	199	19.0%
MKSL01570	Hadrian's	610840	6586340	SOIL	706	854	156	18.0%
MKSL01571	Hadrian's	610920	6586340	SOIL	700	856	110	13.0%
MKSL01572	Hadrian's	611000	6586340	SOIL	898	1101	108	10.0%
MKSL01573	Hadrian's	611080	6586340	SOIL	1046	1274	199	16.0%
MKSL01574	Hadrian's	611160	6586340	SOIL	677	823	148	18.0%
MKSL01575	Hadrian's	611240	6586340	SOIL	214	259	45	17.0%
MKSL01576	Hadrian's	611320	6586340	SOIL	176	216	39	18.0%
MKSL01577	Hadrian's	611400	6586340	SOIL	674	824	73	9.0%
MKSL01578	Hadrian's	611480	6586340	SOIL	1608	1934	368	19.0%

SampleID	Prospect	East	North	Sample Type	Total REE (ppm)	Total REO (ppm)	MREO (ppm)	% MREO
MKSL01579	Hadrian's	608920	6586180	SOIL	292	355	62	18.0%
MKSL01580	Hadrian's	609000	6586180	SOIL	292	356	33	9.0%
MKSL01581	Hadrian's	609080	6586180	SOIL	170	209	25	12.0%
MKSL01582	Hadrian's	609160	6586180	SOIL	282	346	34	10.0%
MKSL01583	Hadrian's	609240	6586180	SOIL	375	455	76	17.0%
MKSL01584	Hadrian's	609320	6586180	SOIL	569	691	114	16.0%
MKSL01585	Hadrian's	609400	6586180	SOIL	340	416	43	10.0%
MKSL01586	Hadrian's	609480	6586180	SOIL	212	258	44	17.0%
MKSL01587	Hadrian's	609560	6586180	SOIL	815	994	99	10.0%
MKSL01588	Hadrian's	609640	6586180	SOIL	528	639	114	18.0%
MKSL01589	Hadrian's	609720	6586180	SOIL	553	670	89	13.0%
MKSL01590	Hadrian's	609800	6586180	SOIL	978	1178	225	19.0%
MKSL01591	Hadrian's	609880	6586180	SOIL	1398	1685	277	16.0%
MKSL01592	Hadrian's	609960	6586180	SOIL	29	36	6	17.0%
MKSL01593	Hadrian's	610040	6586180	SOIL	83	101	17	16.0%
MKSL01594	Hadrian's	610120	6586180	SOIL	582	703	113	16.0%
MKSL01595	Hadrian's	607960	6586020	SOIL	150	183	30	16.0%
MKSL01596	Hadrian's	608040	6586020	SOIL	198	241	33	14.0%
MKSL01597	Hadrian's	608120	6586020	SOIL	203	249	30	12.0%
MKSL01598	Hadrian's	608200	6586020	SOIL	199	243	35	15.0%
MKSL01599	Hadrian's	608280	6586020	SOIL	337	414	35	9.0%
MKSL01600	Hadrian's	608360	6586020	SOIL	261	316	59	19.0%
MKSL01601	Hadrian's	608440	6586020	SOIL	441	539	42	8.0%
MKSL01602	Hadrian's	608520	6586020	SOIL	192	235	34	14.0%
MKSL01603	Hadrian's	608600	6586020	SOIL	170	207	34	16.0%
MKSL01604	Hadrian's	608680	6586020	SOIL	103	126	18	14.0%
MKSL01605	Hadrian's	608760	6586020	SOIL	270	331	36	11.0%
MKSL01606	Hadrian's	608840	6586020	SOIL	275	335	44	13.0%
MKSL01607	Hadrian's	608920	6586020	SOIL	193	235	30	13.0%
MKSL01608	Hadrian's	609000	6586020	SOIL	117	144	18	13.0%
MKSL01609	Hadrian's	609080	6586020	SOIL	207	254	28	11.0%
MKSL01610	Hadrian's	609160	6586020	SOIL	292	354	58	16.0%
MKSL01611	Hadrian's	610120	6586020	SOIL	365	440	82	19.0%
MKSL01612	Hadrian's	610200	6586020	SOIL	368	444	86	19.0%
MKSL01613	Hadrian's	610280	6586020	SOIL	686	832	113	14.0%
MKSL01614	Hadrian's	610360	6586020	SOIL	585	709	106	15.0%
MKSL01615	Hadrian's	610440	6586020	SOIL	1932	2321	472	20.0%
MKSL01616	Hadrian's	610520	6586020	SOIL	2359	2833	564	20.0%
MKSL01617	Hadrian's	610600	6586020	SOIL	2123	2548	521	20.0%
MKSL01618	Hadrian's	610680	6586020	SOIL	737	888	174	20.0%
MKSL01619	Hadrian's	610760	6586020	SOIL	960	1155	224	19.0%
MKSL01620	Hadrian's	610840	6586020	SOIL	1135	1365	274	20.0%
MKSL01621	Hadrian's	610920	6586020	SOIL	1242	1490	309	21.0%

SampleID	Prospect	East	North	Sample Type	Total REE (ppm)	Total REO (ppm)	MREO (ppm)	% MREO
MKSL01622	Hadrian's	611000	6586020	SOIL	800	961	189	20.0%
MKSL01623	Hadrian's	611080	6586020	SOIL	780	937	184	20.0%
MKSL01624	Hadrian's	611160	6586020	SOIL	967	1164	201	17.0%
MKSL01626	Hadrian's	611320	6586020	SOIL	1479	1795	222	12.0%
MKSL01627	Hadrian's	611400	6586020	SOIL	924	1128	89	8.0%
MKSL01628	Hadrian's	611480	6586020	SOIL	1167	1425	119	8.0%
MKSL01629 > MKSL01861 Pending								
MKSL01862	Hadrian's	608600	6584260	SOIL	227	274	49	18.0%
MKSL01863	Hadrian's	608680	6584260	SOIL	722	870	169	19.0%
MKSL01864	Hadrian's	608760	6584260	SOIL	194	234	45	19.0%
MKSL01865	Hadrian's	608840	6584260	SOIL	209	253	35	14.0%
MKSL01866	Hadrian's	608920	6584260	SOIL	139	171	19	11.0%
MKSL01867	Hadrian's	609000	6584260	SOIL	157	192	27	14.0%
MKSL01868	Hadrian's	609080	6584260	SOIL	287	350	43	12.0%
MKSL01869	Hadrian's	609160	6584260	SOIL	142	173	27	15.0%
MKSL01870	Hadrian's	609240	6584260	SOIL	323	391	68	17.0%
MKSL01871	Hadrian's	609320	6584260	SOIL	116	141	25	17.0%
MKSL01872	Hadrian's	609400	6584260	SOIL	196	236	43	18.0%
MKSL01873	Hadrian's	609480	6584260	SOIL	132	159	29	18.0%
MKSL01874	Hadrian's	609560	6584260	SOIL	248	299	56	19.0%
MKSL01875	Hadrian's	609640	6584260	SOIL	434	523	99	19.0%
MKSL01876	Hadrian's	609720	6584260	SOIL	1068	1286	264	21.0%
MKSL01877	Hadrian's	607960	6584100	SOIL	144	176	30	17.0%
MKSL01878	Hadrian's	608040	6584100	SOIL	391	474	77	16.0%
MKSL01879	Hadrian's	608120	6584100	SOIL	218	265	41	16.0%
MKSL01880	Hadrian's	608200	6584100	SOIL	232	283	31	11.0%
MKSL01881	Hadrian's	608280	6584100	SOIL	338	408	79	19.0%
MKSL01882	Hadrian's	608360	6584100	SOIL	437	528	101	19.0%
MKSL01883	Hadrian's	608440	6584100	SOIL	611	736	147	20.0%
MKSL01884	Hadrian's	608520	6584100	SOIL	552	665	123	19.0%
MKSL01885	Hadrian's	608600	6584100	SOIL	296	358	70	20.0%
MKSL01886	Hadrian's	608680	6584100	SOIL	349	423	77	18.0%
MKSL01887	Hadrian's	609960	6584100	SOIL	149	182	35	19.0%
MKSL01888	Hadrian's	610040	6584100	SOIL	269	330	33	10.0%
MKSL01889	Hadrian's	610120	6584100	SOIL	207	252	53	21.0%
MKSL01890	Hadrian's	610200	6584100	SOIL	171	209	38	18.0%
MKSL01891	Hadrian's	610280	6584100	SOIL	462	559	97	17.0%
MKSL01892	Hadrian's	610360	6584100	SOIL	275	335	46	14.0%
MKSL01893	Hadrian's	610440	6584100	SOIL	298	361	68	19.0%
MKSL01894	Hadrian's	610520	6584100	SOIL	433	523	97	19.0%
MKSL01895	Hadrian's	610600	6584100	SOIL	136	168	29	17.0%
MKSL01896	Hadrian's	610680	6584100	SOIL	113	138	26	19.0%
MKSL01897	Hadrian's	610760	6584100	SOIL	213	261	39	15.0%

SampleID	Prospect	East	North	Sample Type	Total REE (ppm)	Total REO (ppm)	MREO (ppm)	% MREO
MKSL01898	Hadrian's	610840	6584100	SOIL	184	223	42	19.0%
MKSL01899	Hadrian's	610920	6584100	SOIL	288	349	66	19.0%
MKSL01900	Hadrian's	611000	6584100	SOIL	529	645	78	12.0%
MKSL01901	Hadrian's	611080	6584100	SOIL	685	838	57	7.0%
MKSL01902	Hadrian's	611160	6584100	SOIL	575	698	97	14.0%
MKSL01903	Hadrian's	611240	6584100	SOIL	880	1075	89	8.0%
MKSL01904	Hadrian's	611320	6584100	SOIL	479	585	54	9.0%
MKSL01905	Hadrian's	611400	6584100	SOIL	876	1069	101	9.0%
MKSL01906	Hadrian's	611480	6584100	SOIL	414	505	63	13.0%
MKSL01907	Hadrian's	608680	6583940	SOIL	111	135	25	19.0%
MKSL01908	Hadrian's	608760	6583940	SOIL	206	252	40	16.0%
MKSL01909	Hadrian's	608840	6583940	SOIL	279	339	49	14.0%
MKSL01910	Hadrian's	608920	6583940	SOIL	277	332	55	17.0%
MKSL01911	Hadrian's	609000	6583940	SOIL	268	324	60	18.0%
MKSL01912	Hadrian's	609080	6583940	SOIL	1159	1395	254	18.0%
MKSL01913	Hadrian's	609160	6583940	SOIL	63	76	13	17.0%
MKSL01914	Hadrian's	609240	6583940	SOIL	197	238	46	19.0%
MKSL01915	Hadrian's	609320	6583940	SOIL	316	383	71	18.0%
MKSL01916	Hadrian's	609400	6583940	SOIL	1114	1341	247	18.0%
MKSL01917	Hadrian's	609480	6583940	SOIL	335	404	74	18.0%
MKSL01918	Hadrian's	609560	6583940	SOIL	410	500	58	12.0%
MKSL01919	Hadrian's	609640	6583940	SOIL	905	1088	204	19.0%
MKSL01920	Hadrian's	609720	6583940	SOIL	414	501	79	16.0%
MKSL01921	Hadrian's	609800	6583940	SOIL	191	232	41	18.0%
MKSL01922	Hadrian's	609880	6583940	SOIL	532	640	125	20.0%
MKSL01923	Hadrian's	609960	6583940	SOIL	158	191	32	17.0%
MKSL01924	Hadrian's	610040	6583940	SOIL	247	303	26	9.0%
MKSL01925	Hadrian's	610120	6583940	SOIL	188	228	46	20.0%
MKSL01926	Hadrian's	607960	6583780	SOIL	226	279	18	6.0%
MKSL01927	Hadrian's	608040	6583780	SOIL	157	193	21	11.0%
MKSL01928	Hadrian's	608120	6583780	SOIL	427	524	36	7.0%
MKSL01929	Hadrian's	608200	6583780	SOIL	328	398	68	17.0%
MKSL01930	Hadrian's	608280	6583780	SOIL	898	1081	197	18.0%
MKSL01931	Hadrian's	608360	6583780	SOIL	236	285	52	18.0%
MKSL01932	Hadrian's	608440	6583780	SOIL	212	257	46	18.0%
MKSL01933	Hadrian's	608520	6583780	SOIL	219	264	48	18.0%
MKSL01934	Hadrian's	608600	6583780	SOIL	213	258	53	20.0%
MKSL01935	Hadrian's	609960	6583780	SOIL	479	577	118	20.0%
MKSL01936	Hadrian's	610040	6583780	SOIL	151	184	30	16.0%
MKSL01937	Hadrian's	610120	6583780	SOIL	539	650	126	19.0%
MKSL01938	Hadrian's	610200	6583780	SOIL	156	190	32	17.0%
MKSL01939	Hadrian's	610280	6583780	SOIL	467	561	128	23.0%
MKSL01940	Hadrian's	610360	6583780	SOIL	232	282	40	14.0%

SampleID	Prospect	East	North	Sample Type	Total REE (ppm)	Total REO (ppm)	MREO (ppm)	% MREO
MKSL01941	Hadrian's	610440	6583780	SOIL	254	307	50	16.0%
MKSL01942	Hadrian's	610520	6583780	SOIL	345	419	72	17.0%
MKSL01943	Hadrian's	610600	6583780	SOIL	156	189	36	19.0%
MKSL01944	Hadrian's	610680	6583780	SOIL	297	360	53	15.0%
MKSL01945	Hadrian's	610760	6583780	SOIL	107	129	23	18.0%
MKSL01946	Hadrian's	610840	6583780	SOIL	157	190	32	17.0%
MKSL01947	Hadrian's	610920	6583780	SOIL	151	183	32	17.0%
MKSL01948	Hadrian's	611000	6583780	SOIL	139	169	33	20.0%
MKSL01949	Hadrian's	611080	6583780	SOIL	78	95	18	18.0%
MKSL01950	Hadrian's	611160	6583780	SOIL	173	210	40	19.0%
MKSL01951	Hadrian's	611240	6583780	SOIL	109	133	27	21.0%
MKSL01952	Hadrian's	611320	6583780	SOIL	327	395	72	18.0%
MKSL01953	Hadrian's	611400	6583780	SOIL	181	221	39	18.0%
MKSL01954	Hadrian's	611480	6583780	SOIL	129	159	25	16.0%
MKSL01955	Hadrian's	608920	6583620	SOIL	122	149	29	20.0%
MKSL01956	Hadrian's	609000	6583620	SOIL	60	73	12	16.0%
MKSL01957	Hadrian's	609080	6583620	SOIL	269	324	58	18.0%
MKSL01958	Hadrian's	609160	6583620	SOIL	696	836	178	21.0%
MKSL01959	Hadrian's	609240	6583620	SOIL	598	721	123	17.0%
MKSL01960	Hadrian's	609320	6583620	SOIL	190	230	38	17.0%
MKSL01961	Hadrian's	609400	6583620	SOIL	454	547	102	19.0%
MKSL01962	Hadrian's	609480	6583620	SOIL	1278	1536	315	21.0%
MKSL01963	Hadrian's	609560	6583620	SOIL	2247	2700	546	20.0%
MKSL01964	Hadrian's	609640	6583620	SOIL	1179	1422	253	18.0%
MKSL01965	Hadrian's	609720	6583620	SOIL	353	428	73	17.0%
MKSL01966	Hadrian's	609800	6583620	SOIL	507	610	136	22.0%
MKSL01967	Hadrian's	609880	6583620	SOIL	271	327	61	19.0%
MKSL01968	Hadrian's	609960	6583620	SOIL	670	815	94	11.0%
MKSL01969	Hadrian's	610040	6583620	SOIL	419	511	61	12.0%
MKSL01970	Hadrian's	610120	6583620	SOIL	219	267	39	14.0%
MKSL01971	Hadrian's	610200	6583620	SOIL	569	698	45	7.0%
MKSL01972	Hadrian's	610280	6583620	SOIL	141	173	29	17.0%
MKSL01973	Hadrian's	607960	6583460	SOIL	157	194	32	16.0%
MKSL01974	Hadrian's	608040	6583460	SOIL	187	228	43	19.0%
MKSL01975	Hadrian's	608120	6583460	SOIL	256	311	48	16.0%
MKSL01976	Hadrian's	608200	6583460	SOIL	136	166	24	14.0%
MKSL01977	Hadrian's	608280	6583460	SOIL	811	981	167	17.0%
MKSL01978	Hadrian's	608360	6583460	SOIL	575	700	78	11.0%
MKSL01979	Hadrian's	608440	6583460	SOIL	924	1122	144	13.0%
MKSL01980	Hadrian's	608520	6583460	SOIL	822	1002	97	10.0%
MKSL01981	Hadrian's	608600	6583460	SOIL	228	276	54	20.0%
MKSL01982	Hadrian's	609960	6583460	SOIL	340	411	88	21.0%
MKSL01983	Hadrian's	610040	6583460	SOIL	821	990	188	19.0%

SampleID	Prospect	East	North	Sample Type	Total REE (ppm)	Total REO (ppm)	MREO (ppm)	% MREO
MKSL01984	Hadrian's	610120	6583460	SOIL	167	204	34	17.0%
MKSL01985	Hadrian's	610200	6583460	SOIL	248	299	61	21.0%
MKSL01986	Hadrian's	610280	6583460	SOIL	234	282	55	19.0%
MKSL01987	Hadrian's	610360	6583460	SOIL	429	520	89	17.0%
MKSL01988	Hadrian's	610440	6583460	SOIL	186	226	42	19.0%
MKSL01989	Hadrian's	610520	6583460	SOIL	217	265	39	15.0%
MKSL01990	Hadrian's	610600	6583460	SOIL	789	949	199	21.0%
MKSL01991	Hadrian's	610680	6583460	SOIL	1767	2147	234	11.0%
MKSL01992	Hadrian's	610760	6583460	SOIL	189	229	40	17.0%
MKSL01993	Hadrian's	610840	6583460	SOIL	167	203	39	19.0%
MKSL01994	Hadrian's	610920	6583460	SOIL	298	360	70	19.0%
MKSL01995	Hadrian's	611000	6583460	SOIL	177	215	35	16.0%
MKSL01996	Hadrian's	611080	6583460	SOIL	163	198	33	17.0%
MKSL01997	Hadrian's	611160	6583460	SOIL	166	201	37	18.0%
MKSL01998	Hadrian's	611240	6583460	SOIL	131	158	32	20.0%
MKSL01999	Hadrian's	611320	6583460	SOIL	180	218	46	21.0%
MKSL02000	Hadrian's	611400	6583460	SOIL	90	110	23	21.0%
MKSL02001	Hadrian's	611480	6583460	SOIL	62	77	14	18.0%
MKSL02002	Hadrian's	609080	6583300	SOIL	351	423	81	19.0%
MKSL02003	Hadrian's	609160	6583300	SOIL	445	535	105	20.0%
MKSL02004	Hadrian's	609240	6583300	SOIL	429	517	92	18.0%
MKSL02005	Hadrian's	609320	6583300	SOIL	681	828	92	11.0%
MKSL02006	Hadrian's	609400	6583300	SOIL	459	553	94	17.0%
MKSL02007	Hadrian's	609480	6583300	SOIL	322	388	76	20.0%
MKSL02008	Hadrian's	609560	6583300	SOIL	763	919	172	19.0%
MKSL02009	Hadrian's	609640	6583300	SOIL	502	607	111	18.0%
MKSL02010	Hadrian's	609720	6583300	SOIL	457	552	101	18.0%
MKSL02011	Hadrian's	609800	6583300	SOIL	1315	1584	302	19.0%
MKSL02012	Hadrian's	609880	6583300	SOIL	347	421	68	16.0%
MKSL02013	Hadrian's	609960	6583300	SOIL	420	513	61	12.0%
MKSL02014	Hadrian's	610040	6583300	SOIL	603	725	156	22.0%
MKSL02015	Hadrian's	610120	6583300	SOIL	252	304	65	21.0%
MKSL02016	Hadrian's	610200	6583300	SOIL	655	789	158	20.0%
MKSL02017	Hadrian's	610280	6583300	SOIL	211	257	46	18.0%
MKSL02018	Hadrian's	610360	6583300	SOIL	273	333	43	13.0%
MKSL02019	Hadrian's	610440	6583300	SOIL	216	266	36	14.0%
MKSL02020	Hadrian's	609320	6583140	SOIL	297	357	67	19.0%
MKSL02021	Hadrian's	609400	6583140	SOIL	805	967	193	20.0%
MKSL02022	Hadrian's	609480	6583140	SOIL	730	881	161	18.0%
MKSL02023	Hadrian's	609560	6583140	SOIL	849	1022	198	19.0%
MKSL02024	Hadrian's	609640	6583140	SOIL	1270	1527	318	21.0%
MKSL02025	Hadrian's	609720	6583140	SOIL	740	894	155	17.0%
MKSL02026	Hadrian's	609800	6583140	SOIL	370	445	99	22.0%

SampleID	Prospect	East	North	Sample Type	Total REE (ppm)	Total REO (ppm)	MREO (ppm)	% MREO
MKSL02027	Hadrian's	609880	6583140	SOIL	477	582	58	10.0%
MKSL02028	Hadrian's	609960	6583140	SOIL	220	269	34	13.0%
MKSL02029	Hadrian's	610040	6583140	SOIL	426	517	70	14.0%
MKSL02030	Hadrian's	610120	6583140	SOIL	294	355	73	20.0%
MKSL02031	Hadrian's	610200	6583140	SOIL	406	498	35	7.0%
MKSL02032	Hadrian's	610280	6583140	SOIL	215	263	31	12.0%
MKSL02033	Hadrian's	610360	6583140	SOIL	165	203	26	13.0%
MKSL02034	Hadrian's	610440	6583140	SOIL	411	498	97	19.0%
MKSL02035	Hadrian's	610520	6583140	SOIL	816	983	187	19.0%
MKSL02036	Hadrian's	610600	6583140	SOIL	178	216	41	19.0%
MKSL02037	Hadrian's	610680	6583140	SOIL	228	276	48	18.0%
MKSL02038	Hadrian's	610760	6583140	SOIL	326	393	88	22.0%
MKSL02039	Hadrian's	610840	6583140	SOIL	988	1194	207	17.0%
MKSL02040	Hadrian's	610920	6583140	SOIL	785	947	175	19.0%
MKSL02041	Hadrian's	611000	6583140	SOIL	1096	1323	230	17.0%
MKSL02042	Hadrian's	611080	6583140	SOIL	840	1010	188	19.0%
MKSL02043	Hadrian's	611160	6583140	SOIL	141	170	33	19.0%
MKSL02044	Hadrian's	611240	6583140	SOIL	140	169	33	20.0%
MKSL02045	Hadrian's	611320	6583140	SOIL	150	181	35	19.0%
MKSL02046	Hadrian's	611400	6583140	SOIL	148	179	36	20.0%
MKSL02047	Hadrian's	611480	6583140	SOIL	165	200	34	17.0%
MKSL02048	Hadrian's	609240	6582980	SOIL	402	484	95	20.0%
MKSL02049	Hadrian's	609320	6582980	SOIL	1225	1477	254	17.0%
MKSL02050	Hadrian's	609400	6582980	SOIL	1568	1887	385	20.0%
MKSL02051	Hadrian's	609480	6582980	SOIL	641	773	164	21.0%
MKSL02052	Hadrian's	609560	6582980	SOIL	996	1199	238	20.0%
MKSL02053	Hadrian's	609640	6582980	SOIL	1315	1584	345	22.0%
MKSL02054	Hadrian's	609720	6582980	SOIL	991	1191	243	20.0%
MKSL02055	Hadrian's	609800	6582980	SOIL	730	879	171	19.0%
MKSL02056	Hadrian's	609880	6582980	SOIL	260	317	57	18.0%
MKSL02057	Hadrian's	609960	6582980	SOIL	548	662	132	20.0%
MKSL02058	Hadrian's	610040	6582980	SOIL	429	519	108	21.0%
MKSL02059	Hadrian's	610120	6582980	SOIL	173	210	40	19.0%
MKSL02060	Hadrian's	610200	6582980	SOIL	255	311	60	19.0%
MKSL02061	Hadrian's	610280	6582980	SOIL	339	410	86	21.0%
MKSL02062	Hadrian's	610360	6582980	SOIL	1054	1266	278	22.0%
MKSL02063	Hadrian's	610440	6582980	SOIL	310	376	74	20.0%
MKSL02064	Hadrian's	610520	6582980	SOIL	188	232	25	11.0%
MKSL02065	Hadrian's	610600	6582980	SOIL	243	296	53	18.0%
MKSL02066	Hadrian's	609320	6582820	SOIL	1128	1358	269	20.0%
MKSL02067	Hadrian's	609400	6582820	SOIL	889	1071	223	21.0%
MKSL02068	Hadrian's	609480	6582820	SOIL	236	286	60	21.0%
MKSL02069	Hadrian's	609560	6582820	SOIL	613	740	155	21.0%

SampleID	Prospect	East	North	Sample Type	Total REE (ppm)	Total REO (ppm)	MREO (ppm)	% MREO
MKSL02070	Hadrian's	609640	6582820	SOIL	252	304	63	21.0%
MKSL02071	Hadrian's	609720	6582820	SOIL	468	566	116	20.0%
MKSL02072	Hadrian's	609800	6582820	SOIL	228	277	62	22.0%
MKSL02073	Hadrian's	609880	6582820	SOIL	455	550	114	21.0%
MKSL02074	Hadrian's	609960	6582820	SOIL	116	139	28	20.0%
MKSL02075	Hadrian's	611080	6582820	SOIL	1082	1302	272	21.0%
MKSL02076	Hadrian's	611160	6582820	SOIL	630	764	122	16.0%
MKSL02077	Hadrian's	611240	6582820	SOIL	270	328	53	16.0%
MKSL02078	Hadrian's	611320	6582820	SOIL	132	160	32	20.0%
MKSL02079	Hadrian's	611400	6582820	SOIL	1180	1416	322	23.0%
MKSL02080	Hadrian's	611480	6582820	SOIL	1376	1651	383	23.0%
MKSL02081	Hadrian's	611080	6582340	SOIL	799	975	103	11.0%
MKSL02082	Hadrian's	611160	6582340	SOIL	243	297	47	16.0%
MKSL02083	Hadrian's	611240	6582340	SOIL	125	153	24	16.0%
MKSL02084	Hadrian's	611320	6582340	SOIL	94	114	22	19.0%
MKSL02085	Hadrian's	611400	6582340	SOIL	351	424	85	20.0%
MKSL02086	Hadrian's	611480	6582340	SOIL	383	462	100	22.0%
MKSL02087	Hadrian's	609960	6582020	SOIL	216	263	47	18.0%
MKSL02088	Hadrian's	610040	6582020	SOIL	252	309	37	12.0%
MKSL02089	Hadrian's	610120	6582020	SOIL	145	177	28	16.0%
MKSL02090	Hadrian's	610200	6582020	SOIL	185	226	31	14.0%
MKSL02091	Hadrian's	610280	6582020	SOIL	269	330	30	9.0%
MKSL02092	Hadrian's	610360	6582020	SOIL	433	525	87	17.0%
MKSL02093	Hadrian's	610440	6582020	SOIL	528	639	108	17.0%
MKSL02094	Hadrian's	610520	6582020	SOIL	219	267	45	17.0%
MKSL02095	Hadrian's	610600	6582020	SOIL	428	519	89	17.0%
MKSL02096	Hadrian's	610680	6582020	SOIL	555	681	48	7.0%
MKSL02097	Hadrian's	610760	6582020	SOIL	805	985	72	7.0%
MKSL02098	Hadrian's	610840	6582020	SOIL	367	448	53	12.0%
MKSL02099	Hadrian's	610920	6582020	SOIL	426	521	44	8.0%
MKSL02100	Hadrian's	611000	6582020	SOIL	655	803	48	6.0%
MKSL02101	Hadrian's	611080	6582020	SOIL	189	230	39	17.0%
MKSL02102	Hadrian's	611160	6582020	SOIL	113	139	23	17.0%
MKSL02103	Hadrian's	611240	6582020	SOIL	240	293	43	15.0%
MKSL02104	Hadrian's	611320	6582020	SOIL	111	135	25	19.0%
MKSL02105	Hadrian's	611400	6582020	SOIL	217	265	43	16.0%
MKSL02106	Hadrian's	611480	6582020	SOIL	443	540	71	13.0%
MKSL02107 > MKSL02669 Pending								

* TREO includes Yttrium

MREO consist of Dysprosium (Dy), Neodymium (Nd), Praseodymium (Pr), & Terbium (Tb)


About Caprice Resources

Caprice Resources Limited (ASX: CRS) holds a 100% interest in the Mukinbudin REE project, located in the wheatbelt of WA acquired in December 2022.

The Company also holds a 100% interest in the Northampton Project, a polymetallic brownfields project surrounding historical lead-silver and copper mines that were operational between 1850 and 1973. Caprice also holds a 100% interest in the Wild Horse Hill Gold Project located within the Pine Creek province of Northern Territory.

Caprice holds a 100% interest in the Island Gold Project, located in the Lake Austin gold mining centre in the Cue Goldfield. Caprice acquired the Project in October 2020.

Caprice has an 80% interest in the Cuddingwarra and Big Bell South Projects, located to the west and southwest of Cue in the Cue Goldfield. Caprice acquired the Projects in July 2021.



APPENDIX I

JORC Code, 2012 Edition:

Rock Chips

Section 1: Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code explanation	Commentary
Sampling techniques	- Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. - Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. - Aspects of the determination of mineralisation that are Material to the Public Report. - In cases where 'industry standard' work has been done, this would be relatively simple (e.g. 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g. submarine nodules) may warrant disclosure of detailed information.	Samples were collected on a 20 – 40 – 80m by 80 – 160 – 320 – 800m grid dependant on prospect sampling phase and interpreted prospect size. Samples planned typically perpendicular to the strike of the interpreted geological strike and outcrop. The samples were collected using a -2mm sieve at approx depth 10-30cm into B horizon.
Drilling techniques	Drill type (e.g. core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).	No new drilling data is included in this announcement.
Drill sample recovery	- Method of recording and assessing core and chip sample recoveries and results assessed. - Measures taken to maximise sample recovery and ensure representative nature of the samples. - Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.	No new drilling data is included in this announcement.
Logging	- Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. - Whether logging is qualitative or quantitative in nature. Core (or costean,	No new drilling data is included in this announcement. A soil sample register recorded the following information for each sample: Grid area name, sample line, site ID, sample number, easting and northing coordinates, QAQC, site topography, soil

Criteria	JORC Code explanation	Commentary
	<i>channel, etc) photography.</i> <i>The total length and percentage of the relevant intersections logged.</i>	description, comments
<i>Sub-sampling techniques and sample preparation</i>	<i>If core, whether cut or sawn and whether quarter, half or all core taken.</i> <i>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</i> <i>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</i> <i>Quality control procedures adopted for all sub-sampling stages to maximise samples representivity</i> <i>Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling.</i> <i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i>	No new sampling data is included in this announcement
<i>Quality of assay data and laboratory tests</i>	<i>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</i> <i>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</i> <i>Nature of quality control procedures adopted (e.g. standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.</i>	Samples were submitted to Labwest Minerals Analysis in Perth, Western Australia for a four-acid digest for a 48-element suite + additional 12 element REE suite (lab code UFF-PER) Future analysis methods will include a borate fusion during digestion so as to provide greater dissolution of more resistive / refractory minerals such as zircon, xenotime and rutile etc. Independent Standard were submitted on a 1:50 basis and Internal lab standards, blanks and repeats were applied. The analysis method used provides an acceptable level of accuracy and precision given the early stage of the project.
<i>Verification of sampling and assaying</i>	<i>The verification of significant intersections by either independent or alternative company personnel.</i> <i>The use of twinned holes.</i> <i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i> <i>Discuss any adjustment to assay data.</i>	All sample data is recorded in field notebooks, then transcribed into a digital format, validated, and entered into the company database. Photos of all rock chips are retained on file for review.
<i>Location of data points</i>	<i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i> <i>Specification of the grid system used.</i> <i>Quality and adequacy of topographic control.</i>	All sampling locations are surveyed using a hand-held GPS, accurate to within +/- 3m for easting and northings. All location data is relevant to UTM MGA 94, Zone 50s Topographic measurements were not obtained for grab sampling.
<i>Data spacing and distribution</i>	<i>Data spacing for reporting of Exploration Results.</i> <i>Whether the data spacing, and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i>	Samples were collected on a 20 – 40 – 80m by 80 – 160 – 320 – 800m grid dependant on prospect sampling phase and interpreted prospect size. Sampling grids are indicated within the main body of the report. The sample lines were orientated perpendicular to the strike of the prospect body (E > W). The sample spacing is not sufficient to establish

Criteria	JORC Code explanation	Commentary
		geological or grade continuity.
<i>Orientation of data in relation to geological structure</i>	- Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. - If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.	Samples were collected as part of a follow up sampling program to test for extensions to the pegmatite REE anomalous targets, all sample lines were orientated perpendicular to the strike of the various prospects' outcrops.
<i>Sample security</i>	The measures taken to ensure sample security.	All samples were collected by experienced CRS geologists and delivered directly to the lab for analysis.
<i>Audits or reviews</i>	The results of any audits or reviews of sampling techniques and data.	No audits or reviews were completed.

Section 2: Reporting of Exploration Results

Criteria	JORC Code explanation	Commentary
<i>Mineral tenement and land tenure status</i>	- Type, reference name/number, location and ownership including agreements or material - issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. - The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.	The Mukinbudin Project resides within a single tenement E 70/5939 and is located within the Bencubbin 1:250k Map Sheet SH50-11, directly northwest of the Western Australian farming town Mukinbudin. The project is located 250km northeast of Perth. Caprice Resources owns 100% of tenements E 70/5939. A majority of the tenement resides over freehold lots utilised for farming. Freehold landowners retain the mineral rights for all materials within the top 30m of land surface. Access agreements will need to be obtained with landowners in order to access ground for exploration and to transfer the mineral rights for material in the top 30m. A standard heritage agreement has been executed with the Marlinyu Ghoorlie Native Title Claimant Group (native title determination application WAD 647/2017). All tenements are in good standing
<i>Exploration done by other parties</i>	Acknowledgment and appraisal of exploration by other parties.	Earliest exploration in the region were focused on quartz and feldspar deposits associated with pegmatite bodies, all of these reside just outside of the project area. Limited investigations have been carried out by GSWA in the region, with the 1:250k explanatory note being the only major report covering the project area. A small amount of academic investigation has been carried out on pegmatites that have been actively quarried over the last 50 years. These studies primarily focussed on understanding rare accessory mineral phases, see Guidebook to the Pegmatites of Western Australia by Mark Ivan Jacobson. Main contributors to exploration within or adjacent to

Criteria	JORC Code explanation	Commentary
		the project are listed below, most of these were focussed on feldspar and quartz exploration: - 1970 to 1975, by Snowstone Pty Ltd on the Karloning pegmatite, this included mining, mapping, AC drilling / logging, and mineral resource estimation (see WAMEX reports A6141). - 1978 to 1979, by Universal Milling Company Pty Ltd on the Gillet's pegmatite, this included mapping, drilling, and K, Na, Fe analysis (see WAMEX reports A9550). - 1985 to 1986, by Monier on the Mukinbudin pegmatite, this included drilling, petrography, mapping, and multi-element analysis (including Li) (see WAMEX reports A20006). - 1987 to 1988, by Matlock Mining NL on the Mukinbudin pegmatite, this included RC drilling and mineral resource estimation (see WAMEX reports A25069). - 1989 to 1997, by Commercial Minerals Ltd on the Mukinbudin pegmatite, this included 1:500 mapping, RC and diamond drilling, data compilation, petrography, and resource estimation (see WAMEX reports A39088, A39798, A52066). - 1996 to 1997, by Commercial Minerals Ltd on the Gillet's pegmatite, this included mapping, drilling, and major element analysis (see WAMEX reports A52780). - 1995 to 1996, by Imdex Feldspar Pty Ltd on the Karloning pegmatite, this included an independent reconnaissance report by Ian R Campbell on the pegmatites exposed across the region (see WAMEX reports A49578). - 1997 to 1998, by Normandy Industrial Minerals Ltd on the Gillet's pegmatite, this included bulk sampling, RC drilling and results, and mineral resource estimation (see WAMEX reports A56506). - 1997 to 1998, by Astro Mining NL focussed on regional Exploration, this included aerial magnetics and soil multi-element analysis (see WAMEX reports A59228). - 2010 to 2013, by Kinloch Resources Pty Ltd on the Karloning pegmatite, this included soil geochemical studies, grab sampling, heavy mineral separation, and XRD analysis (see WAMEX reports A90233, A93670). - 2018 to 2019, by Errawarra Resources Ltd on the Mukinbudin / Karloning pegmatite, this included a LCT pegmatite review (see WAMEX reports A122385, A122386).
Geology	• <i>Deposit type, geological setting and style of mineralisation.</i>	Pegmatite hosted REE mineralisation is being targeted across the Mukinbudin Project. Regional Geology The Mukinbudin Project is situated within the Archaean Yilgarn Craton. Within the Yilgarn Craton, the project resides in a region dominated by late

Criteria	JORC Code explanation	Commentary
		granitoids that are intruding remnant gneiss and greenstone fragments. The only significant greenstone stratigraphy is the Bencubbin Greenstone Belt, a narrow westerly dipping sequence that strikes approximately north-south over 20km. This greenstone belt is located to the east of the project area. Biotite gneiss of quartz-monzonite, granodiorite and hornblende-diorite composition is variably exposed across the region. The project area almost entirely resides over late granitoid intrusions that are granite to quartz-monzonite in composition (Blight et al, 1984). The oldest intrusive is a fine to medium grained quartz monzonite this foliated in some areas. This has been intruded by several later intrusive bodies showing a range of compositions and textures including: - Homogenous medium to coarse, even grained intrusive granite to quartz-monzonite - Strongly foliated, fine grained quartz monzonite gneiss (deformed version of the above) - Fine to medium grained, allotriomorphic textured, granite and quartz monzonite - Medium to coarse grained, seriate quartz-monzonite, sometimes porphyritic with tabular feldspar phenocrysts, - Fluorite bearing quartz-monzonite, - Syenite also occurs within the region, associated with fluorite bearing quartz-monzonite, Discrete cross cutting relationships can be observed where there is good exposure, however, the relative age of specific intrusive bodies is poorly studied and constrained. The region is crosscut by greenstone (amphibolite + dolerite) dykes, predominantly occupying east to north-east trend. Project Geology The Mukinbudin Project is situated within the Bencubbin 1:250k Sheet SH50-11, directly north-west of the farming town Mukinbudin. Several large pegmatite bodies have been mapped and, in many instances, quarried for either quartz or feldspar; these include the Mukinbudin pegmatite, Karloning pegmatite, Gillet's (Couper's) pegmatite and Cosh's (Whyte's North) pegmatite. These pegmatites are all intruding a quartz-monzonite host. Detailed mapping and drilling of the Mukinbudin, Karloning and Gillet's pegmatites suggest these are zoned pegmatites which all display an external graphic textured outer zone, intermediate coarse feldspar dominant zone, and a quartz rich core. There has been very little examination of the granites and the pegmatites across the project area outside of work needed to estimate quartz of potash feldspar resources. Most whole rock analysis focuses on major elements, with only limited multi-element or REE analysis. Similarly, there has been

Criteria	JORC Code explanation	Commentary
		very little detailed investigation regarding the structural architecture of the region and intrusive geochemistry by GSWA. Structurally, the region is dominated by the large-scale lobate geometry of the granitoids, and several large-scale north-north-east striking faults are interpreted and mapped across the project area, the largest suggests dextral strike-slip displacement. The pegmatites of the region have been classified as rare element, rare earth, euxenite pegmatites based on Wise (1999) classification or as NYF pegmatites based on the earlier Cerny (1991) classification scheme by Jacobson (2003). <i>Blight, D., et al. 1984. 1 :250 000 Geological Series-Explanatory notes, Bencubbin Western Australia, Sheet SH/50-11. GSWA</i> <i>Cerný, P., 1991, Rare-element granitic pegmatites. Part I: Anatomy and internal evolution of pegmatite deposits: Geoscience Canada, v. 18, no. 2, p. 49-67.</i> <i>Jacobson, M. I., Rare earth Minerals of the Mukinbudin Pegmatite Field, Mukinbudin, Western Australia. Extended abstracts of the 26th annual conference of the States' Mineralogical Societies, p. 19-20.</i> <i>Wise, M.A., 1999, Characterization and classification of NYF-type pegmatites: Canadian Mineralogist, v. 37, p. 802-803.</i>
Drill hole Information	- A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: - easting and northing of the drill hole collar - elevation or RL (Reduced Level - elevation above sea level in metres) of the drill hole collar • dip and azimuth of the hole - down hole length and interception depth - hole length. - If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.	No new drilling information is included in this report.
Data aggregation methods	- In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated. - Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. The assumptions used for any reporting of metal equivalent values should be clearly stated.	No new drilling information is included in this report.

Criteria	JORC Code explanation	Commentary
<i>Relationship between mineralisation widths and intercept lengths</i>	- These relationships are particularly important in the reporting of Exploration Results. - If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. - If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known').	No new drilling information is included in this report.
<i>Diagrams</i>	Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.	See figures provided within the main body of the report.
<i>Balanced reporting</i>	Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.	No new drilling information is included in this report.
<i>Other substantive exploration data</i>	Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.	Previous exploration over the Mukinbudin Project include Chip samples obtained from pegmatite exposures or float material surrounding massive quartz outcrops displayed both graphic textured pegmatite and coarse feldspar-quartz intergrowth zones with a minor mineral phase (<2% modal proportion) of a preferentially weathered equant semi-opaque mineral phase. Limited previous sampling has been undertaken outside of the outcropping areas due to disturbance caused by farming.
<i>Further work</i>	- The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large-scale step-out drilling). - Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.	Future exploration activities across the Mukinbudin project include: - Additional samples on all prospects defined by CRS exploration - Regional samples of previously identified targets.

(Criteria listed in the preceding section also apply to this section.)