

ASX ANNOUNCEMENT 16 October 2023

100m Thick Rare Earth Intercepts from Yin - Mangaroon (100%)

HIGHLIGHTS

- Assays for 68 holes have been received from extensional and infill drilling at the Yin REE Ironstone Complex ("Yin"). The high-grade neodymium and praseodymium (" $\text{Nd}_2\text{O}_3 + \text{Pr}_6\text{O}_{11}$ " or "NdPr") results further demonstrate the global significance of the rare earths ("REE" or "TREO") at Mangaroon.
- Infill drilling at Yin includes the thickest and highest NdPr:TREO ratio (**up to 67%**) intercepts to date including:

YINRC426: 100m @ 3.01% TREO (19% NdPr:TREO) from 138m including:

25m @ 4.40% TREO (19% NdPr:TREO) from 138m.

YINRC402: 164m @ 1.08% TREO (27% NdPr:TREO) from 79m including:

29m @ 2.00% TREO (27% NdPr:TREO) from 83m.

YINRC397: 53m @ 1.62% TREO (24% NdPr:TREO) from 43m including:

4m @ 6.51% TREO (24% NdPr:TREO) from 46m.

YINRC394: 13m @ 4.07% TREO (37% NdPr:TREO) from 38m including:

6m @ 6.01% TREO (36% NdPr:TREO) from 40m.

YINRC371: 7m @ 1.16% TREO (42% NdPr:TREO) from surface including:

1m @ 2.73% TREO (67% NdPr:TREO) from 5m and:

37m @ 2.67% TREO (30% NdPr:TREO) from 69m including:

24m @ 3.29% TREO (30% NdPr:TREO) from 78m

YINRC369: 33m @ 2.01% TREO (28% NdPr:TREO) from 123m including:

10m @ 3.18% TREO (28% NdPr:TREO) from 129m.

YINRC433: 43m @ 0.93% TREO (36% NdPr:TREO) from 77m including:

13m @ 2.07% TREO (37% NdPr:TREO) from 81m.

YINRC367: 25m @ 1.54% TREO (28% NdPr:TREO) from 105m including:

9m @ 2.12% TREO (29% NdPr:TREO) from 113m.

YINRC399: 13m @ 1.88% TREO (30% NdPr:TREO) from 36m including:

6m @ 3.51% TREO (30% NdPr:TREO) from 40m.

- A Resource update for Yin remains on track for November 2023.

Dreadnought Resources Limited ("Dreadnought") is pleased to provide a drilling update from the 100% owned Mangaroon Project, located in the Gascoyne Region of Western Australia.

Dreadnought's Managing Director, Dean Tuck, commented: "The infill drilling along just 10% of the Yin Ironstone Complex continues to surprise with thicker, higher NdPr:TREO ratios, and higher grades than what was seen in first pass and initial Resource drilling. Significantly, the infill drilling has started identifying areas within the original Yin Resource that contain higher NdPr:TREO ratios and thicker intercepts, both of which will be welcomed inclusions in our Resource update which remains on track for November. Drill intercepts from YINRC426 and YINRC402 are two of the thickest and most significant intercepts to date and YINRC371 delivering the highest NdPr:TREO mineralisation to date highlighting that infill drilling has delivered on the upside."

SNAPSHOT – MANGAROON RARE EARTHS

Mangaroon is 100% Owned by Dreadnought

Genuine Scale Potential Already at Yin REE Ironstone Complex

- Independent Yin Inferred Resource of 20.06Mt @ 1.03% TREO (ASX 5 Jul 2023) covers only ~4km of ~43km of strike with the initial Indicated Resource of 5.52Mt @ 1.23% TREO covering only ~250m of strike.
- Exploration Target* of 50-100Mt at 0.9-1.3% TREO estimated for the top 150m of the Yin REE Ironstone Complex (ASX 13 Feb 2023).

**Cautionary Statement: The Exploration Target has been prepared and reported in accordance with the 2012 edition of the JORC Code. The potential quality and grade of the Exploration Target is conceptual in nature. There has been insufficient exploration to estimate a Resource for all target areas reported. It is uncertain if further exploration will result in the estimation of a Resource.*

Significant, Critical Minerals Potential at the Gifford Creek Carbonatite

- The Gifford Creek Carbonatite is considered to be the regional source of REE.
- In less than 12 months from discovery of the Gifford Creek Carbonatite, a large, independent Resource of 10.84Mt @ 1.00% TREO has been delivered (ASX 28 Aug 2023). The Resource contains a range of critical minerals including rare earths, niobium, phosphate, titanium and scandium.
- The initial Resource covers an area of only ~600m x 550m. With the Gifford Creek Carbonatite now expanding to >17kms x 1km under wide-spaced, first pass drilling, it is expected that the Resource will grow substantially with future drilling.

High-grade, Multi-Metal Potential Including REE (Neodymium, Praseodymium), Phosphate, Niobium, Titanium & Scandium

- The mineralisation at the Yin REE Ironstone Complex contains significantly higher NdPr as a fraction of the rare earth oxides (“NdPr:TREO” ratio) than most other REE deposits globally; over 50% higher than the global average.
- Partially completed, first pass, wide-spaced drilling over the Gifford Creek Carbonatite has identified significant critical metal potential with REE, P, Nb, Ti and Sc within the Gifford Creek Carbonatite.

Potentially Attractive Mining Proposition

- At Yin, broad zones of flat to moderate dipping mineralisation with parallel lodes and Resource intensity of ~4.8Mt/km make for a potentially attractive mining proposition.

Positive Metallurgy Results

- Metallurgical test work from Yin has performed well, achieving recoveries ranging from 85.9% to 92.8% at a concentrate grade of 10.76% to 15.31% Nd₂O₃+Pr₆O₁₁.
- REE at Yin is predominantly hosted in monazite which is amenable to commercial processing.
- Significant metallurgical studies ongoing – results expected throughout 2023.

Global Strategic Imperative Driving Rare Earth Growth & Prices

- Supply chain security and low carbon transition are imperatives against a backdrop of heightened geopolitical tension.
- Dreadnought is receiving increasing levels of interest from midstream and downstream industry participants in Mangaroon. While the current focus is on upstream options (mining, milling and concentrating) opportunities to collaborate with midstream and downstream industry participants may represent an opportunity.

Yin RC Drill Program (YINRC130-YINRC441, Y3RC039-Y3RC053)

So far in 2023, 430 RC holes (50,717m) and 19 diamond holes (2,444.95m) have been drilled testing portions of the ~43km long ironstone Exploration Target and extending and upgrading the current Yin Resource.

To date, ~18kms of the ~43km long ironstones have seen first pass drilling and have resulted in:

- confirmation of ~14kms of mineralised ironstones;
- discovery of high-grade NdPr mineralisation at Y2 and Yin North; and
- conversion of ~4kms of that drilling into a Resource of 20.06Mt @ 1.03% TREO (ASX 5 Jul 2023) of which 5.52Mt @ 1.23% TREO is Indicated.

The results achieved to date demonstrate: the effectiveness of Dreadnought's regional geology model; the likely conversion of the large-scale Exploration Target; and the Resource intensity of Yin.

Infill drilling is complete with all samples in for assay. Final results will be included in a Resource update in November 2023.

Recently, assays for 68 holes were received from extensional and infill drilling at Yin. The thick and high NdPr:TREO near surface results further demonstrate the global significance of the rare earths at Yin. This batch of results includes some of the thickest, highest-grade and highest NdPr:TREO ratio (up to 67%) intercepts at Yin to date:

| | | | |
|------------------|--------------------------|------------------------|----------------------|
| YINRC426: | 100m @ 3.01% TREO | (19% NdPr:TREO) | from 138m including: |
| | 25m @ 4.40% TREO | (19% NdPr:TREO) | from 138m. |
| YINRC402: | 164m @ 1.08% TREO | (27% NdPr:TREO) | from 79m including: |
| | 29m @ 2.00% TREO | (27% NdPr:TREO) | from 83m. |
| YINRC397: | 53m @ 1.62% TREO | (24% NdPr:TREO) | from 43m including: |
| | 4m @ 6.51% TREO | (24% NdPr:TREO) | from 46m. |

In addition, infill drilling has delivered the highest NdPr:TREO ratio to date at Yin with results including:

| | | | |
|------------------|-------------------------|------------------------|-------------------------|
| YINRC371: | 7m @ 1.16% TREO | (42% NdPr:TREO) | from surface including: |
| | 1m @ 2.73% TREO | (67% NdPr:TREO) | from 5m and: |
| | 37m @ 2.67% TREO | (30% NdPr:TREO) | from 69m including: |
| | 24m @ 3.29% TREO | (30% NdPr:TREO) | from 78m |

In addition, significant results from Resource drilling at Y2 and Yin North include:

| | | | |
|------------------|-------------------------|------------------------|---------------------|
| YINRC394: | 13m @ 4.07% TREO | (37% NdPr:TREO) | from 38m including: |
| | 6m @ 6.01% TREO | (36% NdPr:TREO) | from 40m and |
| | 14m @ 1.03% TREO | (36% NdPr:TREO) | from 59m including |
| | 3m @ 2.18% TREO | (36% NdPr:TREO) | from 62m. |
| YINRC433: | 43m @ 0.93% TREO | (36% NdPr:TREO) | from 77m including: |
| | 13m @ 2.07% TREO | (37% NdPr:TREO) | from 81m. |




Figure 1: Plan view of the recently completed drilling around the current Yin Resource (red dots – assays received, blue dots – assay pending) over an ortho-image. This drilling is expected to both extend the current Resource and to convert portions of the 43km long Exploration Target to Resource. The bold orange line represents the current Resource.




Figure 2: Cross section A-A' showing the steeply dipping ironstone and glimmerite blow out from Yin with hole YINRC426 ending in mineralisation.




Figure 3: Cross section B-B' showing part of the extension to the wide main lode horizon at Yin with ~100m of oxidation and moderately dipping to the east and remaining open at depth.

Drilling of the ironstones continues to show that the main lodes pinch, swell and change dip, plunge and orientation along strike and range in thickness from 1 to >100m. In addition, parallel lodes have been intersected above and below the main lodes and often exhibit a similar orientation as the main lodes with thicknesses ranging from 1m to >20m.

The mineralised ironstones consist of goethite and hematite dominated oxide zones near the surface (top ~60-120m) transitioning into a fresh ferrocarnatite dyke (fresh REE ironstone), comprised of ankerite and/or siderite below the base of oxidation. The ironstones are surrounded by a variable zone of fenitised country rock with the fenitised zone often including thin ironstone veins.

Both the ironstone and the fenite immediately surrounding the ironstone are mineralised, with each ironstone and ferrocarnatite containing at least one central interval of higher-grade mineralisation. Oxidised mineralisation contains REE bearing phosphate monazite-Ce and monazite-Nd, variable amounts of the hydrated REE phosphate rhabdophane and trace amounts of apatite which occasionally carries small amounts of REE. Fresh ferrocarnatite mineralisation contains monazite and variable amounts of apatite and REE fluorocarbonates such as bastnaesite.

In addition to the ironstone and fenite mineralisation typically seen at Yin, hole YINRC426 returned 100m @ 3.01% TREO with a significant component of that mineralisation hosted in a biotite, magnetite and monazite dominated glimmerite. This represents the most significant intercept and glimmerite occurrence to date from Yin. The control of that mineralisation is not yet fully understood; however, may be related to cross cutting structures which could lead to the potential to identify and target further areas along the Yin trend with similar blow outs.




Figure 4: Plan view of the Gifford Creek Carbonatite showing the location of the Yin ironstones in relation to the wider region.

Background on Mangaroon (E08/3274, E8/3178, E09/2384, E09/2433, E09/2473: First Quantum Minerals Earn-in) (E08/3275, E08/3439, E09/2290, E09/2359, E09/2370, E09/2405, E09/2448, E09/2449, E09/2450, E09/2467, E09/2478, E09/2531, E09/2535, E09/2616, M09/91, M09/146, M09/147, M09/174, M09/175: 100%)

Mangaroon (Figure 5) covers >5,200sq kms of the Mangaroon Zone in the Gascoyne Region of Western Australia and is comprised of:

- the ~45km long Money Intrusion (First Quantum Minerals earn-in) which contains high tenor magmatic Ni-Cu-PGE mineralisation;
- the >10km long Mangaroon Au Shear Zone (100%) where fractured, small scale ownership has limited previous gold exploration, with only ~200m of the >10km having been drilled, notwithstanding the high-grade, camp scale potential;
- the ~43km long Yin REE Ironstone Complex (100%) which already contains: an independent total Resource of 20.06Mt @ 1.03% TREO (ASX 5 Jul 2023) over only ~4km of the ~43km of ironstones including an initial Indicated Resource of 5.52Mt @ 1.23% TREO over only ~250m of strike (ASX 5 Jul 2023); and an Exploration Target of 50-100Mt at 0.9-1.3% TREO (ASX 13 Feb 2023) over 40 kms of strike.
- the >17km long REE-Nb-Ti-P-Sc Gifford Creek Carbonatite which contains an initial independent Inferred Resource of 10.84Mt @ 1.00% TREO (ASX 28 Aug 2023).




Figure 5: Plan view map of Mangaroon showing the location of the First Quantum Minerals Earn-in and 100% Dreadnought ground (Mangaroon Au Shear Zone, Yin REE Ironstone Complex and REE-Nb-Ti-P-Sc Gifford Creek Carbonatite) in relation to major structures, geology and roads.

For further information please refer to previous ASX announcements:

- 16 June 2022 *First Drilling at Yin Intersects High-Grade Rare Earths*
- 28 July 2022 *Assays Confirm Yin as a High-Grade Rare Earth Discovery*
- 5 September 2022 *Further Assays Confirm Yin as Significant REE Discovery*
- 5 September 2022 *Thick Rare Earth Ironstones Confirmed at Sabre (Y3) Discovery*
- 12 October 2022 *Broad, High-Grade Assays at Yin REE Discovery*
- 17 October 2022 *Mineralised Carbonatites Discovered at C3 and C4*
- 24 October 2022 *Broad, High-Grade Assays at Yin REE Discovery*
- 21 November 2022 *Broad, High-Grade Assays at Yin REE Discovery*
- 23 November 2022 *Multiple, Large Scale, REE-Nb-Ti-P Carbonatites*
- 28 December 2022 *Initial High-Grade, Independent Resource over 3kms at Yin*
- 24 January 2023 *Carbonatite Discovery Shaping up as Regional Rare Earth Source*
- 29 March 2023 *Yin Resource to Grow, Carbonatite Drilling Commenced*
- 3 April 2023 *Carbonatites Deliver Thick, Near Surface REE Results*
- 29 May 2023 *Metallurgical Test Work Supports High-Value Concentrate*
- 13 June 2023 *Yin Extended by 1km & 2.5km of High-Grade NdPr Discoveries*
- 5 July 2023 *40% Increase in Resource Tonnage at Yin*
- 10 July 2023 *High Grade Rare Earth & Niobium Zones at C3 & C5*
- 17 July 2023 *High Grade Rare Earth & Niobium Zones at C3 & C5*
- 7 August 2023 *Rare Earth Ironstone and Carbonatite Drilling Update*
- 17 August 2023 *Thick, High-Grade Rare Earths Continue at Yin*
- 28 August 2023 *Initial, Independent REE-Nb-P-Ti-Sc Resource at C3*
- 13 September 2023 *Highest Grades to date from Yin Infill Drilling*
- 2 October 2023 *Mangaroon Carbonatite now >17km – Higher Grade Zones Fingerprinted*

UPCOMING NEWSFLOW

October: Drilling results from completed drilling at Mangaroon REE (100%)

October: Results of geophysical and geochemical surveys at Central Yilgarn (100%)

October: DHEM and further assay results from the Money Intrusion (Mangaroon Ni-Cu-PGE Earn-in)

18-19 October: Presenting at the Southwest Connect ASX Showcase

October/November: REE Resource upgrade (Mangaroon 100%)

October/November: Further RC drilling at Mangaroon Ni-Cu-PGE (Earn-in) and Au, REEs (100%)

October: Quarterly Activities and Cashflow Report

November: Results from target generation and definition work at Bresnahan (100%)

November: Assays from drilling at Tarraji-Yampi (80%, 100%)

23 November: Annual General Meeting

November/December: Assay results from additional Au, Ni-Cu-PGE and REE drilling at Mangaroon.

~Ends~

For further information please contact:

Dean Tuck

Managing Director

Dreadnought Resources Limited

E: dtuck@dreres.com.au

Jessamyn Lyons

Company Secretary

Dreadnought Resources Limited

E: jlyons@dreres.com.au

This announcement is authorised for release to the ASX by the Board of Dreadnought.

Cautionary Statement

This announcement and information, opinions or conclusions expressed in the course of this announcement contains forecasts and forward-looking information. Such forecasts, projections and information are not a guarantee of future performance, involve unknown risks and uncertainties. Actual results and developments will almost certainly differ materially from those expressed or implied. There are a number of risks, both specific to Dreadnought, and of a general nature which may affect the future operating and financial performance of Dreadnought, and the value of an investment in Dreadnought including and not limited to title risk, renewal risk, economic conditions, stock market fluctuations, commodity demand and price movements, timing of access to infrastructure, timing of environmental approvals, regulatory risks, operational risks, reliance on key personnel, reserve estimations, native title risks, cultural heritage risks, foreign currency fluctuations, and mining development, construction and commissioning risk.

Competent Person's Statement – Mineral Resources

The information in this announcement that relates to Mineral Resources is based on information compiled by Mr. Lynn Widenbar, a Competent Person who is a Member of the Australasian Institute of Mining and Metallurgy. Mr. Widenbar is a full-time employee of Widenbar and Associates Pty Ltd. Mr. Widenbar has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity that is being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Minerals Resources and Ore Reserves'. Mr. Widenbar consents to the inclusion in the announcement of the matters based on his information in the form and context that the information appears.

Competent Person's Statement – Exploration Results

The information in this announcement that relates to geology, exploration results and planning, and exploration targets was compiled by Mr. Dean Tuck, who is a Member of the AIG, Managing Director, and shareholder of the Company. Mr. Tuck has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr. Tuck consents to the inclusion in the announcement of the matters based on the information in the form and context in which it appears.

The Company confirms that it is not aware of any new information or data that materially affects the information in the original reports, and that the forma and context in which the Competent Person's findings are presented have not been materially modified from the original reports.

Yin Resource Tables

Table 1: Summary of Yin Resources at 0.20% TREO Cut-off.

| Resource Classification | Geology | Tonnes (Mt) | TREO (%) | Nd ₂ O ₃ +Pr ₆ O ₁₁ (kg/t) | NdPr:TREO Ratio (%) | Contained TREO | Contained Nd ₂ O ₃ +Pr ₆ O ₁₁ |
|-------------------------|-----------------|--------------|-------------|--|---------------------|------------------|---|
| Indicated | Oxide | 3.01 | 1.25 | 3.5 | 28 | 37,700 t | 10,400 t |
| Indicated | Fresh | 2.52 | 1.21 | 3.4 | 28 | 30,400 t | 8,400 t |
| Indicated | Subtotal | 5.52 | 1.23 | 3.4 | 28 | 68,100 t | 18,800 t |
| Inferred | Oxide | 11.35 | 0.91 | 2.5 | 28 | 102,900 t | 28,900 t |
| Inferred | Fresh | 3.18 | 1.09 | 3.3 | 31 | 34,900 t | 10,600 t |
| Inferred | Subtotal | 14.56 | 0.95 | 2.7 | 29 | 137,800 t | 39,500 t |
| Total | Oxide | 14.36 | 0.98 | 2.7 | 28 | 140,600 t | 39,300 t |
| Total | Fresh | 5.70 | 1.14 | 3.3 | 29 | 65,300 t | 19,100 t |
| TOTAL | | 20.06 | 1.03 | 2.9 | 28 | 205,900 t | 58,400 t |

Table 2: Summary of Yin Resources at 0.40% TREO% Cut-off.

| Resource Classification | Geology | Tonnes (Mt) | TREO (%) | Nd ₂ O ₃ +Pr ₆ O ₁₁ (kg/t) | NdPr:TREO Ratio (%) | Contained TREO | Contained Nd ₂ O ₃ +Pr ₆ O ₁₁ |
|-------------------------|-----------------|--------------|-------------|--|---------------------|------------------|---|
| Indicated | Oxide | 2.19 | 1.61 | 4.5 | 28 | 35,100 t | 9,900 t |
| Indicated | Fresh | 1.87 | 1.53 | 4.3 | 28 | 28,500 t | 8,000 t |
| Indicated | Subtotal | 4.05 | 1.57 | 4.4 | 28 | 63,600 t | 17,900 t |
| Inferred | Oxide | 6.35 | 1.38 | 4.0 | 29 | 87,400 t | 25,500 t |
| Inferred | Fresh | 2.09 | 1.52 | 4.7 | 31 | 31,800 t | 9,900 t |
| Inferred | Subtotal | 8.44 | 1.41 | 4.2 | 30 | 119,200 t | 35,400 t |
| Total | Oxide | 8.53 | 1.44 | 4.1 | 29 | 122,500 t | 35,400 t |
| Total | Fresh | 3.96 | 1.52 | 4.5 | 30 | 60,300 t | 17,900 t |
| TOTAL | | 12.49 | 1.46 | 4.3 | 29 | 182,800 t | 53,300 t |

INVESTMENT HIGHLIGHTS

Kimberley Ni-Cu-Au Project (80/100%)

The project is located only 85kms from Derby in the West Kimberley region of WA and was locked up as a Defence Reserve since 1978.

The project has outcropping mineralisation and historic workings which have seen no modern exploration.

Results to date indicate that there may be a related, large scale, Proterozoic Cu-Au-Ag-Bi-Sb-Co system at Tarraji-Yampi, similar to Cloncurry/Mt Isa and Tennant Creek.

Mangaroon Ni-Cu-PGE JV & Au/REE 100% Project

Mangaroon covers ~5,200 kms and is located 250kms south-east of Exmouth in the Gascoyne Region of WA. At the Money Ni-Cu-PGE has been identified and is subject to an earn-in by First Quantum Minerals (up to 70%). Dreadnought also has areas of outcropping high-grade gold including the historic Star of Mangaroon and Diamonds gold mines. In addition, Mangaroon has emerged as a globally significant, rapidly growing, potential source of critical minerals. Highlights include:

- An Exploration Target of 50-100Mt at 0.9-1.3% TREO estimated for the top 150m of the ~43km long Yin REE Ironstone Complex (ASX 13 Feb 2023).
- An independent Resource for Yin Ironstones Complex of 20.06Mt @ 1.03% TREO over only ~4kms – including an Indicated Resource of 5.52Mt @ 1.23% TREO over just 250m strike (ASX 5 Jul 2023).
- Regional source of rare earths at the Gifford Creek Carbonatite totaling >17kms x ~1km (ASX 7 Aug 2023).
- A large, independent initial Resource of 10.84Mt @ 1.00% TREO, containing a range of critical minerals including rare earths, niobium, phosphate, titanium and scandium (ASX 28 Aug 2023).

Bresnahan HREE and Au Project (100%)

Bresnahan is located ~125km southwest of Newman in the Ashburton Basin. The project comprises ~3,700 sq kms covering over 200kms strike along the Bresnahan Basin / Wyloo Group unconformity. Bresnahan is prospective for unconformity related heavy rare earth (“HREE”) deposits similar to Browns Range HREE deposits and mesothermal lode gold similar to Paulsen’s Au-Ag-Sb deposits along strike.

Prior to consolidation by Dreadnought, the Bresnahan Basin had only been explored for unconformity uranium with limited exploration for mesothermal gold. Bresnahan is a first mover opportunity to explore for unconformity HREE.

Central Yilgarn Gold, Base Metals, Critical Minerals & Iron Ore Project (100%)

Central Yilgarn is located ~190km northwest of Kalgoorlie in the Yilgarn Craton. The project comprises ~1,600 sq kms covering ~150km of strike along the majority of the Illara, Yerilgee and Evanston greenstone belts. Central Yilgarn is prospective for typical Archean mesothermal lode gold deposits, VMS base metals, komatiite hosted nickel sulphides and critical metals including Lithium-Caesium-Tantalum.

Prior to consolidation by Dreadnought, the Central Yilgarn was predominantly held by iron ore explorers and remains highly prospective for iron ore.



Table 3: Significant Intersections >0.3% TREO with >2% TREO highlighted.

| Hole ID | From (m) | To (m) | Interval (m) | TREO (%) | Nd ₂ O ₃ +Pr ₆ O ₁₁ (%) | NdPr:TREO (%) | Prospect |
|----------|----------|--------|--------------|----------|---|---------------|----------|
| YINRC001 | 0 | 34 | 34 | 2.59 | 0.80 | 31 | Yin |
| | incl 11 | 21 | 10 | 6.05 | 1.89 | 31 | |
| YINRC002 | 24 | 55 | 31 | 1.73 | 0.49 | 28 | |
| | incl 29 | 36 | 7 | 3.47 | 1.06 | 31 | |
| YINRC003 | 23 | 25 | 2 | 0.99 | 0.25 | 25 | |
| | and 44 | 45 | 1 | 0.82 | 0.19 | 23 | |
| | and 50 | 75 | 21 | 2.01 | 0.62 | 31 | |
| | incl 58 | 69 | 11 | 3.11 | 0.97 | 31 | |
| YINRC004 | 60 | 65 | 5 | 0.55 | 0.12 | 22 | |
| | and 70 | 72 | 2 | 0.62 | 0.13 | 21 | |
| | and 80 | 99 | 19 | 1.57 | 0.46 | 29 | |
| | incl 85 | 93 | 8 | 2.01 | 0.60 | 30 | |
| YINRC005 | 18 | 32 | 14 | 0.91 | 0.24 | 26 | |
| | and 88 | 90 | 2 | 1.12 | 0.31 | 28 | |
| | and 94 | 129 | 35 | 2.75 | 0.80 | 29 | |
| | incl 105 | 120 | 15 | 4.08 | 1.21 | 30 | |
| YINRC006 | 85 | 104 | 19 | 1.00 | 0.30 | 30 | |
| | and 128 | 131 | 3 | 0.55 | 0.13 | 24 | |
| | and 139 | 165 | 26 | 1.00 | 0.25 | 25 | |
| | incl 157 | 164 | 7 | 1.91 | 0.45 | 24 | |
| YINRC007 | 0 | 20 | 20 | 0.75 | 0.22 | 29 | |
| | incl 2 | 11 | 9 | 1.25 | 0.36 | 29 | |
| | and 33 | 39 | 6 | 0.25 | 0.07 | 28 | |
| | and 43 | 44 | 1 | 0.23 | 0.04 | 17 | |
| YINRC008 | 0 | 6 | 6 | 0.28 | 0.09 | 32 | |
| | and 16 | 41 | 26 | 1.31 | 0.38 | 29 | |
| | incl 28 | 36 | 8 | 2.55 | 0.76 | 30 | |
| | and 47 | 48 | 1 | 0.47 | 0.14 | 30 | |
| YINRC009 | 5 | 7 | 2 | 0.34 | 0.02 | 6 | |
| | and 48 | 51 | 3 | 0.44 | 0.13 | 30 | |
| | and 55 | 79 | 24 | 0.83 | 0.24 | 29 | |
| | incl 70 | 77 | 7 | 2.04 | 0.63 | 31 | |
| | and 81 | 82 | 1 | 0.63 | 0.11 | 17 | |
| | and 89 | 90 | 1 | 0.57 | 0.13 | 23 | |
| YINRC011 | 106 | 123 | 17 | 1.14 | 0.35 | 31 | |
| | incl 110 | 120 | 10 | 1.54 | 0.49 | 32 | |
| YINRC012 | 151 | 159 | 8 | 1.44 | 0.44 | 31 | |
| | incl 154 | 157 | 3 | 2.28 | 0.69 | 30 | |
| YINRC014 | 0 | 8 | 8 | 1.39 | 0.44 | 32 | |
| | and 23 | 25 | 2 | 0.72 | 0.18 | 25 | |
| YINRC018 | 0 | 5 | 5 | 0.28 | 0.02 | 7 | |
| | and 12 | 15 | 3 | 0.24 | 0.06 | 25 | |
| | and 36 | 37 | 1 | 0.22 | 0.07 | 32 | |
| YINRC019 | 13 | 33 | 20 | 0.81 | 0.09 | 11 | |
| | incl 29 | 31 | 2 | 2.59 | 0.58 | 22 | |
| | and 36 | 37 | 1 | 0.38 | 0.09 | 24 | |
| | incl 39 | 40 | 1 | 0.41 | 0.12 | 29 | |
| | and 59 | 60 | 1 | 1.53 | 0.50 | 33 | |
| YINRC020 | 18 | 24 | 6 | 0.49 | 0.07 | 14 | |
| | and 38 | 39 | 1 | 0.66 | 0.19 | 29 | |
| | and 50 | 53 | 3 | 0.44 | 0.12 | 27 | |
| | and 70 | 75 | 2 | 1.02 | 0.33 | 32 | |

Table 3 (continued): Significant Intersections >0.3% TREO with >2% TREO highlighted.

| Hole ID | From (m) | To (m) | Interval (m) | TREO (%) | Nd ₂ O ₃ +Pr ₆ O ₁₁ (%) | NdPr:TREO (%) | Prospect |
|---|------------|------------|--------------|-------------|---|---------------|----------|
| YINRC021 and and and and | 21 | 22 | 1 | 0.29 | 0.01 | 3 | Yin |
| | 51 | 54 | 3 | 0.32 | 0.10 | 31 | |
| | 77 | 78 | 3 | 0.31 | 0.08 | 26 | |
| | 82 | 83 | 1 | 0.45 | 0.13 | 29 | |
| | 85 | 89 | 4 | 0.35 | 0.09 | 26 | |
| YINRC022 incl and and and incl | 98 | 103 | 5 | 0.75 | 0.21 | 28 | |
| | 100 | 101 | 1 | 2.02 | 0.59 | 29 | |
| | 107 | 111 | 4 | 1.03 | 0.30 | 29 | |
| | 118 | 120 | 2 | 0.27 | 0.06 | 22 | |
| | 132 | 140 | 8 | 0.52 | 0.11 | 21 | |
| 133 | 134 | 1 | 1.92 | 0.48 | 25 | | |
| YINRC023 incl | 0 | 17 | 17 | 0.75 | 0.24 | 32 | |
| | 8 | 11 | 3 | 2.24 | 0.75 | 33 | |
| YINRC024 and and incl incl and | 28 | 29 | 1 | 0.44 | 0.12 | 27 | |
| | 32 | 33 | 1 | 0.20 | 0.04 | 20 | |
| | 40 | 58 | 18 | 1.02 | 0.32 | 31 | |
| | 48 | 56 | 8 | 1.87 | 0.62 | 33 | |
| | 51 | 55 | 4 | 2.26 | 0.75 | 33 | |
| 67 | 70 | 3 | 0.37 | 0.10 | 27 | | |
| YINRC025 and incl and | 59 | 69 | 10 | 0.30 | 0.08 | 27 | |
| | 83 | 102 | 19 | 1.00 | 0.33 | 33 | |
| | 90 | 92 | 2 | 3.15 | 1.06 | 34 | |
| 111 | 120 | 9 | 0.31 | 0.08 | 26 | | |
| YINRC026 incl | 25 | 39 | 14 | 1.05 | 0.34 | 32 | |
| | 26 | 30 | 4 | 2.11 | 0.73 | 35 | |
| YINRC027 and and incl | 24 | 27 | 3 | 0.20 | 0.04 | 20 | |
| | 32 | 34 | 2 | 0.37 | 0.13 | 35 | |
| | 52 | 71 | 19 | 1.15 | 0.40 | 35 | |
| | 61 | 69 | 8 | 2.33 | 0.83 | 36 | |
| YINRC028 and incl | 59 | 63 | 4 | 0.34 | 0.10 | 29 | |
| | 72 | 122 | 50 | 0.72 | 0.23 | 32 | |
| | 98 | 103 | 5 | 2.81 | 0.85 | 30 | |
| YINRC029 | 49 | 51 | 2 | 0.31 | 0.09 | 29 | |
| YINRC030 | 107 | 108 | 1 | 0.25 | 0.07 | 28 | |
| YINRC031 | 155 | 156 | 1 | 0.34 | 0.09 | 26 | |
| YINRC032 | 27 | 30 | 3 | 0.63 | 0.20 | 32 | |
| YINRC033 incl | 59 | 67 | 8 | 1.07 | 0.36 | 34 | |
| | 61 | 65 | 4 | 1.58 | 0.54 | 34 | |
| YINRC034 incl | 110 | 116 | 6 | 1.37 | 0.43 | 31 | |
| | 111 | 115 | 4 | 1.88 | 0.60 | 32 | |
| YINRC035 incl | 13 | 21 | 8 | 1.90 | 0.67 | 35 | |
| | 15 | 20 | 5 | 2.80 | 0.99 | 35 | |
| YINRC036 incl | 49 | 62 | 13 | 1.53 | 0.50 | 33 | |
| | 52 | 60 | 8 | 2.06 | 0.67 | 33 | |
| YINRC037 incl | 93 | 104 | 11 | 1.32 | 0.44 | 33 | |
| | 94 | 100 | 6 | 2.07 | 0.69 | 33 | |
| YINRC038 | 13 | 15 | 2 | 1.47 | 0.58 | 39 | |
| YINRC039 | 61 | 63 | 2 | 0.39 | 0.13 | 33 | |
| YINRC040 incl | 11 | 18 | 7 | 2.84 | 1.01 | 36 | |
| | 12 | 18 | 8 | 3.24 | 1.15 | 35 | |
| YINRC041 incl | 60 | 68 | 8 | 1.09 | 0.40 | 37 | |
| | 61 | 67 | 6 | 1.32 | 0.49 | 37 | |

Table 3 (continued): Significant Intersections >0.2% TREO with >2% TREO highlighted.

| Hole ID | From (m) | To (m) | Interval (m) | TREO (%) | Nd ₂ O ₃ +Pr ₆ O ₁₁ (%) | NdPr:TREO (%) | Prospect |
|----------|------------|------------|--------------|-------------|---|---------------|----------|
| YINRC042 | 101 | 112 | 11 | 1.51 | 0.56 | 37 | Yin |
| incl | 102 | 108 | 6 | 2.43 | 0.92 | 38 | |
| YINRC043 | 6 | 27 | 21 | 0.22 | 0.05 | 23 | |
| YINRC044 | 43 | 44 | 1 | 0.26 | 0.06 | 23 | |
| and | 45 | 46 | 1 | 0.38 | 0.11 | 29 | |
| and | 48 | 61 | 13 | 0.38 | 0.12 | 32 | |
| YINRC045 | 5 | 7 | 2 | 1.00 | 0.40 | 40 | |
| and | 9 | 12 | 3 | 0.20 | 0.05 | 25 | |
| and | 78 | 81 | 3 | 1.10 | 0.33 | 30 | |
| and | 95 | 97 | 2 | 0.35 | 0.10 | 29 | |
| YINRC046 | 2 | 12 | 10 | 0.52 | 0.18 | 35 | |
| YINRC047 | 53 | 62 | 9 | 0.40 | 0.13 | 33 | |
| YINRC048 | 41 | 42 | 1 | 0.43 | 0.15 | 35 | |
| and | 59 | 60 | 1 | 0.66 | 0.27 | 41 | |
| and | 82 | 83 | 1 | 1.25 | 0.57 | 46 | |
| YINRC052 | 98 | 99 | 1 | 0.68 | 0.22 | 32 | |
| YINRC053 | 35 | 37 | 2 | 0.30 | 0.10 | 33 | |
| YINRC055 | 21 | 44 | 23 | 1.15 | 0.36 | 31 | |
| incl | 29 | 37 | 8 | 2.52 | 0.83 | 33 | |
| and | 52 | 53 | 1 | 0.82 | 0.20 | 24 | |
| YINRC056 | 67 | 76 | 8 | 2.50 | 0.85 | 34 | |
| incl | 69 | 75 | 6 | 3.19 | 1.10 | 34 | |
| YINRC057 | 19 | 20 | 1 | 0.36 | 0.09 | 25 | |
| and | 42 | 43 | 1 | 0.29 | 0.09 | 31 | |
| and | 45 | 54 | 9 | 0.89 | 0.29 | 33 | |
| YINRC058 | 29 | 31 | 2 | 0.72 | 0.28 | 39 | |
| and | 62 | 93 | 31 | 1.64 | 0.50 | 30 | |
| incl | 83 | 89 | 6 | 6.73 | 2.08 | 31 | |
| YINRC059 | 58 | 66 | 8 | 0.39 | 0.13 | 33 | |
| and | 68 | 69 | 1 | 0.22 | 0.06 | 27 | |
| and | 92 | 141 | 49 | 0.81 | 0.26 | 32 | |
| incl | 107 | 113 | 6 | 2.83 | 0.94 | 33 | |
| YINRC060 | 3 | 14 | 11 | 1.12 | 0.39 | 35 | |
| YINRC061 | 42 | 61 | 19 | 0.40 | 0.14 | 35 | |
| YINRC062 | 113 | 121 | 8 | 0.35 | 0.12 | 34 | |
| and | 125 | 126 | 1 | 0.24 | 0.07 | 29 | |
| YINRC063 | 6 | 10 | 4 | 0.40 | 0.12 | 30 | |
| and | 36 | 39 | 3 | 0.32 | 0.11 | 34 | |
| YINRC064 | 82 | 87 | 5 | 1.13 | 0.34 | 30 | |
| and | 96 | 110 | 14 | 0.52 | 0.16 | 31 | |
| YINRC065 | 135 | 146 | 11 | 0.70 | 0.23 | 33 | |
| and | 156 | 158 | 2 | 0.25 | 0.07 | 28 | |
| and | 165 | 170 | 5 | 0.31 | 0.10 | 32 | |
| and | 180 | 183 | 3 | 0.73 | 0.21 | 29 | |
| YINRC066 | 26 | 43 | 17 | 1.59 | 0.42 | 26 | |
| incl | 32 | 40 | 8 | 2.49 | 0.66 | 27 | |
| YINRC067 | 93 | 104 | 11 | 1.51 | 0.42 | 28 | |
| YINRC068 | 9 | 15 | 6 | 0.42 | 0.12 | 29 | |
| YINRC069 | 52 | 53 | 1 | 2.07 | 0.62 | 30 | |
| and | 86 | 87 | 1 | 0.59 | 0.17 | 29 | |
| YINRC070 | 23 | 26 | 3 | 0.27 | 0.06 | 22 | |
| and | 33 | 34 | 1 | 1.67 | 0.42 | 25 | |

Table 3 (continued): Significant Intersections >0.2% TREO with >2% TREO highlighted.

| Hole ID | From (m) | To (m) | Interval (m) | TREO (%) | Nd ₂ O ₃ +Pr ₆ O ₁₁ (%) | NdPr:TREO (%) | Prospect |
|---------------------------------------|------------|------------|--------------|-------------|---|---------------|----------|
| YINRC066 incl | 26 | 43 | 17 | 1.59 | 0.42 | 26 | Yin |
| | 32 | 40 | 8 | 2.49 | 0.66 | 27 | |
| YINRC067 | 93 | 104 | 11 | 1.51 | 0.42 | 28 | |
| YINRC068 | 9 | 15 | 6 | 0.42 | 0.12 | 29 | |
| YINRC069 and | 52 | 53 | 1 | 2.07 | 0.62 | 30 | |
| | 86 | 87 | 1 | 0.59 | 0.17 | 29 | |
| YINRC070 and | 23 | 26 | 3 | 0.27 | 0.06 | 22 | |
| | 33 | 34 | 1 | 1.67 | 0.42 | 25 | |
| YINRC072 | 19 | 38 | 19 | 0.46 | 0.08 | 17 | |
| YINRC073 | 87 | 89 | 2 | 1.01 | 0.33 | 33 | |
| YINRC074 incl | 31 | 39 | 8 | 1.70 | 0.59 | 35 | |
| | 34 | 39 | 5 | 2.54 | 0.88 | 35 | |
| YINRC075 incl and | 54 | 59 | 5 | 2.73 | 0.91 | 33 | |
| | 55 | 58 | 3 | 4.14 | 1.39 | 34 | |
| | 61 | 62 | 1 | 0.2 | 0.05 | 25 | |
| YINRC076 incl | 82 | 94 | 12 | 1.65 | 0.56 | 34 | |
| | 96 | 97 | 1 | 0.25 | 0.07 | 28 | |
| YINRC077 and | 10 | 11 | 1 | 0.33 | 0.10 | 30 | |
| | 14 | 22 | 8 | 1.09 | 0.39 | 36 | |
| YINRC078 | 51 | 55 | 4 | 1.07 | 0.36 | 34 | |
| YINRC079 | 84 | 87 | 3 | 3.47 | 1.26 | 36 | |
| YINRC080 | 37 | 40 | 3 | 2.52 | 0.84 | 33 | |
| YINRC081 and and | 59 | 60 | 1 | 0.33 | 0.10 | 30 | |
| | 65 | 66 | 1 | 0.21 | 0.06 | 29 | |
| | 67 | 84 | 17 | 0.61 | 0.20 | 33 | |
| YINRC082 and incl Incl | 5 | 6 | 1 | 1.03 | 0.38 | 37 | |
| | 94 | 118 | 24 | 1.17 | 0.43 | 37 | |
| | 95 | 99 | 4 | 4.11 | 1.59 | 39 | |
| | 115 | 117 | 2 | 3.68 | 1.37 | 37 | |
| YINRC083 incl | 0 | 24 | 24 | 2.57 | 0.73 | 28 | |
| | 8 | 19 | 11 | 4.50 | 1.27 | 28 | |
| YINRC085 incl and | 0 | 30 | 30 | 1.82 | 0.55 | 30 | |
| | 8 | 25 | 17 | 2.87 | 0.88 | 31 | |
| | 39 | 42 | 3 | 0.24 | 0.07 | 29 | |
| YINRC086 incl and | 6 | 49 | 43 | 0.93 | 0.26 | 28 | |
| | 33 | 46 | 13 | 2.11 | 0.64 | 30 | |
| | 52 | 54 | 2 | 0.65 | 0.22 | 34 | |
| YINRC087 and and incl | 0 | 6 | 6 | 0.58 | 0.20 | 34 | |
| | 30 | 31 | 1 | 0.73 | 0.19 | 26 | |
| | 48 | 86 | 38 | 1.84 | 0.57 | 31 | |
| | 57 | 80 | 23 | 2.70 | 0.83 | 31 | |
| YINRC088 and and and incl | 64 | 68 | 4 | 0.72 | 0.14 | 19 | |
| | 70 | 71 | 1 | 0.38 | 0.10 | 26 | |
| | 76 | 77 | 1 | 0.40 | 0.10 | 25 | |
| | 92 | 120 | 28 | 1.00 | 0.28 | 28 | |
| | 104 | 111 | 7 | 2.09 | 0.59 | 28 | |
| YINRC086MET incl | 24 | 79 | 54 | 2.07 | 0.62 | 30 | |
| | 41 | 58 | 17 | 4.10 | 1.22 | 30 | |
| YINRC089 and | 114 | 115 | 1 | 0.21 | 0.04 | 19 | |
| | 119 | 146 | 27 | 1.15 | 0.30 | 26 | |
| YINRC090 and | 184 | 193 | 9 | 2.22 | 0.66 | 30 | |
| | 194 | 195 | 1 | 0.22 | 0.07 | 32 | |

Table 3 (continued): Significant Intersections >0.2% TREO with >2% TREO highlighted.

| Hole ID | From (m) | To (m) | Interval (m) | TREO (%) | Nd ₂ O ₃ +Pr ₆ O ₁₁ (%) | NdPr:TREO (%) | Prospect |
|----------|------------|------------|--------------|-------------|---|---------------|----------|
| YINRC091 | 148 | 195 | 47 | 0.61 | 0.17 | 28 | Yin |
| | 188 | 192 | 4 | 2.27 | 0.70 | 31 | |
| YINRC092 | 0 | 13 | 13 | 0.43 | 0.14 | 33 | |
| | 39 | 57 | 18 | 1.33 | 0.32 | 24 | |
| | 40 | 50 | 10 | 2.15 | 0.51 | 24 | |
| | 45 | 49 | 4 | 3.07 | 0.71 | 23 | |
| YINRC093 | 45 | 83 | 38 | 0.81 | 0.24 | 30 | |
| | 47 | 60 | 13 | 1.40 | 0.42 | 30 | |
| YINRC094 | 3 | 10 | 7 | 0.56 | 0.10 | 18 | |
| | 76 | 112 | 36 | 1.02 | 0.28 | 27 | |
| | 92 | 94 | 2 | 2.60 | 0.79 | 30 | |
| | 106 | 109 | 3 | 2.65 | 0.55 | 21 | |
| YINRC095 | 8 | 25 | 17 | 0.75 | 0.08 | 11 | |
| | 93 | 135 | 42 | 1.00 | 0.26 | 26 | |
| | 117 | 124 | 7 | 1.97 | 0.51 | 26 | |
| YINRC096 | 12 | 14 | 2 | 0.66 | 0.08 | 12 | |
| | 87 | 89 | 2 | 1.02 | 0.22 | 22 | |
| | 105 | 107 | 2 | 0.75 | 0.21 | 28 | |
| | 132 | 152 | 20 | 1.53 | 0.45 | 29 | |
| | 142 | 146 | 4 | 2.64 | 0.73 | 28 | |
| YINRC097 | 70 | 71 | 1 | 0.41 | 0.10 | 24 | |
| | 99 | 101 | 2 | 0.53 | 0.14 | 26 | |
| | 133 | 135 | 2 | 0.59 | 0.16 | 27 | |
| | 142 | 143 | 1 | 0.55 | 0.12 | 22 | |
| | 152 | 177 | 25 | 1.32 | 0.39 | 30 | |
| | 155 | 166 | 11 | 2.02 | 0.58 | 29 | |
| | 155 | 158 | 3 | 3.45 | 0.99 | 29 | |
| YINRC098 | 179 | 193 | 14 | 2.15 | 0.67 | 31 | |
| | 184 | 190 | 6 | 3.31 | 1.05 | 32 | |
| YINRC099 | 114 | 117 | 3 | 0.53 | 0.16 | 30 | |
| YINRC100 | 31 | 38 | 7 | 0.37 | 0.06 | 16 | |
| YINRC101 | 55 | 63 | 8 | 1.52 | 0.50 | 33 | |
| | 57 | 61 | 4 | 2.00 | 0.68 | 34 | |
| YINRC102 | 52 | 53 | 1 | 1.59 | 0.57 | 36 | |
| | 96 | 98 | 2 | 1.13 | 0.34 | 30 | |
| YINRC103 | 114 | 120 | 6 | 0.60 | 0.16 | 27 | |
| | 153 | 154 | 1 | 0.53 | 0.13 | 25 | |
| | 187 | 204 | 17 | 1.23 | 0.38 | 31 | |
| | 193 | 195 | 2 | 2.07 | 0.7 | 34 | |
| YINRC104 | 37 | 50 | 13 | 1.58 | 0.48 | 30 | |
| | 39 | 45 | 6 | 2.38 | 0.74 | 31 | |
| YINRC105 | 77 | 88 | 11 | 1.13 | 0.29 | 26 | |
| YINRC106 | 29 | 30 | 1 | 0.40 | 0.14 | 35 | |
| | 80 | 82 | 2 | 0.38 | 0.11 | 29 | |
| | 88 | 98 | 10 | 0.66 | 0.21 | 32 | |
| | 91 | 93 | 2 | 1.48 | 0.46 | 31 | |
| | 108 | 110 | 2 | 0.47 | 0.14 | 30 | |
| YINRC108 | 144 | 154 | 10 | 0.42 | 0.14 | 33 | |
| YINRC109 | 124 | 126 | 2 | 0.57 | 0.2 | 35 | |
| | 163 | 166 | 3 | 0.86 | 0.26 | 30 | |
| YINRC113 | 53 | 55 | 2 | 0.29 | 0.1 | 34 | |
| YINRC114 | 69 | 72 | 3 | 2.64 | 0.91 | 34 | |

Table 3 (continued): Significant Intersections >0.2% TREO with >2% TREO highlighted.

| Hole ID | From (m) | To (m) | Interval (m) | TREO (%) | Nd ₂ O ₃ +Pr ₆ O ₁₁ (%) | NdPr:TREO (%) | Prospect |
|----------|------------|------------|--------------|-------------|---|---------------|----------|
| YINRC115 | 21 | 23 | 2 | 0.32 | 0.11 | 34 | Yin |
| YINRC116 | 78 | 81 | 3 | 1.04 | 0.42 | 40 | |
| YINRC117 | 151 | 153 | 2 | 0.21 | 0.07 | 33 | |
| YINRC118 | 9 | 24 | 15 | 0.50 | 0.08 | 16 | |
| incl | 12 | 15 | 3 | 1.50 | 0.23 | 15 | |
| and | 36 | 42 | 6 | 0.39 | 0.08 | 21 | |
| YINRC121 | 136 | 148 | 12 | 1.25 | 0.37 | 30 | |
| incl | 139 | 144 | 5 | 2.03 | 0.62 | 31 | |
| and | 155 | 158 | 3 | 1.26 | 0.29 | 23 | |
| YINRC122 | 69 | 74 | 5 | 0.41 | 0.12 | 30 | |
| and | 99 | 109 | 10 | 1.74 | 0.58 | 33 | |
| Incl. | 100 | 106 | 6 | 2.52 | 0.85 | 34 | |
| Incl. | 103 | 106 | 3 | 3.48 | 1.20 | 34 | |
| YINRC123 | 69 | 77 | 8 | 0.90 | 0.30 | 33 | |
| and | 115 | 138 | 23 | 1.28 | 0.40 | 31 | |
| incl | 120 | 131 | 11 | 2.28 | 0.73 | 32 | |
| incl | 121 | 126 | 5 | 3.54 | 1.14 | 32 | |
| YINRC124 | 126 | 173 | 47 | 0.70 | 0.22 | 31 | |
| incl | 126 | 142 | 16 | 1.19 | 0.39 | 33 | |
| YINRC125 | 115 | 121 | 6 | 2.78 | 0.86 | 31 | |
| and | 116 | 120 | 4 | 3.42 | 1.06 | 31 | |
| YINRC126 | 120 | 127 | 7 | 1.43 | 0.50 | 35 | |
| incl | 121 | 124 | 3 | 2.11 | 0.75 | 36 | |
| YINRC127 | 108 | 113 | 5 | 1.61 | 0.53 | 33 | |
| incl | 108 | 110 | 2 | 2.04 | 0.76 | 37 | |
| YINRC128 | 122 | 129 | 7 | 2.43 | 0.88 | 36 | |
| incl | 125 | 129 | 4 | 3.92 | 1.43 | 36 | |
| YINRC129 | 23 | 24 | 1 | 0.48 | 0.19 | 40 | |
| and | 141 | 146 | 5 | 1.31 | 0.46 | 35 | |
| incl | 142 | 144 | 2 | 2.15 | 0.77 | 36 | |
| YINRC131 | 30 | 43 | 13 | 0.58 | 0.155 | 27 | |
| incl | 30 | 32 | 2 | 1.53 | 0.4575 | 30 | |
| and | 38 | 39 | 1 | 1.05 | 0.3 | 28 | |
| and | 54 | 71 | 17 | 1.32 | 0.309 | 23 | |
| incl | 62 | 66 | 4 | 3.72 | 0.94 | 25 | |
| YINRC132 | 107 | 118 | 11 | 1.16 | 0.292 | 25 | |
| incl | 108 | 110 | 2 | 2.11 | 0.57 | 27 | |
| YINRC133 | 151 | 158 | 7 | 0.35 | 0.061 | 18 | |
| YINRC134 | 19 | 57 | 38 | 0.48 | 0.12 | 25 | |
| incl | 44 | 45 | 1 | 1.13 | 0.29 | 26 | |
| and | 50 | 53 | 3 | 1.17 | 0.31 | 27 | |
| YINRC135 | 68 | 73 | 5 | 0.35 | 0.10 | 28 | |
| YINRC136 | 39 | 42 | 3 | 0.34 | 0.08 | 25 | |
| YINRC137 | 36 | 45 | 9 | 2.15 | 0.57 | 26 | |
| incl | 37 | 40 | 3 | 5.80 | 1.56 | 27 | |
| YINRC138 | 79 | 85 | 6 | 0.67 | 0.16 | 23 | |
| incl | 82 | 83 | 1 | 1.46 | 0.37 | 25 | |
| YINRC139 | 17 | 24 | 7 | 0.35 | 0.03 | 7 | |
| and | 26 | 34 | 8 | 0.64 | 0.14 | 21 | |
| incl | 29 | 33 | 4 | 1.00 | 0.24 | 24 | |
| YINRC140 | 97 | 105 | 8 | 1.07 | 0.24 | 22 | |
| incl | 99 | 103 | 4 | 1.63 | 0.39 | 24 | |

Table 3 (continued): Significant Intersections >0.2% TREO with >2% TREO highlighted.

| Hole ID | From (m) | To (m) | Interval (m) | TREO (%) | Nd ₂ O ₃ +Pr ₆ O ₁₁ (%) | NdPr:TREO (%) | Prospect |
|----------|----------|--------|--------------|----------|---|---------------|----------|
| YINRC141 | 67 | 87 | 20 | 2.15 | 0.49 | 23 | Yin |
| | incl 68 | 76 | 8 | 4.85 | 1.15 | 24 | |
| YINRC142 | 124 | 132 | 8 | 0.55 | 0.12 | 22 | |
| | incl 128 | 129 | 1 | 1.76 | 0.46 | 26 | |
| YINRC143 | 109 | 112 | 3 | 0.35 | 0.08 | 24 | |
| YINRC144 | 129 | 135 | 6 | 0.53 | 0.14 | 25 | |
| YINRC147 | 181 | 182 | 1 | 0.66 | 0.23 | 35 | |
| YINRC150 | 67 | 68 | 1 | 0.46 | 0.14 | 31 | |
| YINRC152 | 20 | 37 | 17 | 0.85 | 0.34 | 40 | |
| | Incl. 34 | 36 | 2 | 3.12 | 1.34 | 43 | |
| | And 58 | 63 | 5 | 1.35 | 0.60 | 45 | |
| Incl. 60 | 62 | 2 | 2.40 | 1.10 | 46 | | |
| YINRC153 | 27 | 29 | 2 | 0.64 | 0.24 | 37 | |
| YINRC154 | 16 | 21 | 5 | 0.32 | 0.05 | 16 | |
| YINRC155 | 19 | 24 | 5 | 0.34 | 0.06 | 17 | |
| YINRC156 | 28 | 30 | 2 | 0.31 | 0.04 | 13 | |
| | And 46 | 48 | 2 | 0.32 | 0.03 | 9 | |
| YINRC157 | 46 | 55 | 9 | 0.30 | 0.04 | 14 | |
| YINRC159 | 54 | 61 | 7 | 0.33 | 0.08 | 24 | |
| YINRC162 | 53 | 63 | 10 | 0.35 | 0.10 | 30 | |
| | And 67 | 76 | 9 | 0.44 | 0.14 | 32 | |
| YINRC163 | 121 | 125 | 4 | 0.33 | 0.10 | 30 | |
| YINRC165 | 35 | 41 | 6 | 0.31 | 0.06 | 19 | |
| | And 96 | 98 | 2 | 0.34 | 0.12 | 34 | |
| YINRC166 | 52 | 54 | 2 | 0.74 | 0.29 | 38 | |
| YINRC168 | 86 | 93 | 7 | 0.70 | 0.27 | 39 | |
| | Incl. 89 | 90 | 1 | 1.24 | 0.52 | 42 | |
| YINRC169 | 144 | 148 | 4 | 0.36 | 0.12 | 32 | |
| YINRC170 | 36 | 39 | 3 | 0.35 | 0.12 | 33 | |
| YINRC171 | 0 | 15 | 15 | 1.61 | 0.48 | 30 | Y2 |
| | Incl. 7 | 13 | 6 | 3.26 | 0.97 | 30 | |
| YINRC172 | 0 | 22 | 22 | 2.01 | 0.77 | 38 | |
| | Incl. 6 | 18 | 12 | 3.10 | 1.20 | 39 | |
| YINRC173 | 45 | 54 | 9 | 0.44 | 0.14 | 31 | |
| | And 61 | 76 | 15 | 1.31 | 0.45 | 34 | |
| Incl. 68 | 75 | 7 | 2.23 | 0.78 | 35 | | |
| YINRC174 | 44 | 57 | 13 | 0.60 | 0.13 | 21 | Yin |
| | incl 44 | 47 | 3 | 1.30 | 0.29 | 23 | |
| YINRC175 | 103 | 108 | 5 | 1.06 | 0.26 | 24 | |
| | incl 103 | 104 | 1 | 4.10 | 1.06 | 26 | |
| | and 129 | 219 | 90 | 0.56 | 0.14 | 24 | |
| | incl 162 | 182 | 20 | 1.10 | 0.29 | 27 | |
| and 195 | 202 | 7 | 0.92 | 0.24 | 26 | | |
| YINRC176 | 82 | 93 | 11 | 0.42 | 0.08 | 20 | |
| YINRC177 | 80 | 95 | 15 | 0.50 | 0.10 | 20 | |
| | incl 88 | 89 | 1 | 1.41 | 0.34 | 24 | |
| | and 117 | 118 | 1 | 1.30 | 0.36 | 28 | |
| | and 134 | 138 | 4 | 0.26 | 0.05 | 19 | |
| YINRC178 | 74 | 105 | 31 | 1.01 | 0.17 | 17 | |
| | incl 73 | 78 | 5 | 2.47 | 0.30 | 12 | |
| | incl 74 | 76 | 2 | 5.25 | 0.65 | 12 | |
| | and 87 | 90 | 3 | 1.79 | 0.40 | 22 | |
| and 103 | 105 | 2 | 2.34 | 0.47 | 20 | | |

Table 3 (continued): Significant Intersections >0.2% TREO with >2% TREO highlighted.

| Hole ID | From (m) | To (m) | Interval (m) | TREO (%) | Nd ₂ O ₃ +Pr ₆ O ₁₁ (%) | NdPr:TREO (%) | Prospect |
|--|------------|------------|--------------|-------------|---|---------------|----------|
| YINRC179 incl and incl and | 119 | 129 | 10 | 1.33 | 0.32 | 24 | Yin |
| | 120 | 124 | 4 | 2.15 | 0.52 | 24 | |
| | 140 | 166 | 26 | 1.22 | 0.27 | 22 | |
| | 140 | 148 | 8 | 2.10 | 0.47 | 23 | |
| YINRC180 incl and | 52 | 72 | 20 | 0.6 | 0.13 | 22 | |
| | 67 | 69 | 2 | 2.01 | 0.55 | 27 | |
| YINRC195 incl and | 82 | 90 | 8 | 0.44 | 0.10 | 23 | |
| | 119 | 124 | 5 | 0.27 | 0.04 | 15 | |
| YINRC196 incl and | 55 | 84 | 29 | 0.71 | 0.12 | 17 | |
| | 76 | 80 | 4 | 3.16 | 0.58 | 18 | |
| YINRC197 incl and | 102 | 104 | 2 | 0.38 | 0.07 | 18 | |
| | 19 | 21 | 2 | 0.36 | 0.07 | 19 | |
| YINRC198 and and | 22 | 25 | 3 | 0.24 | 0.03 | 13 | |
| | 31 | 35 | 4 | 0.24 | 0.03 | 13 | |
| | 43 | 45 | 2 | 0.77 | 0.17 | 22 | |
| YINRC201 incl and | 57 | 68 | 11 | 0.96 | 0.18 | 19 | |
| | 62 | 66 | 4 | 1.88 | 0.36 | 17 | |
| YINRC202 incl and | 82 | 86 | 4 | 0.24 | 0.04 | 17 | |
| | 29 | 48 | 19 | 0.44 | 0.06 | 14 | |
| YINRC213 incl and | 129 | 136 | 7 | 0.65 | 0.13 | 20 | |
| | 173 | 174 | 1 | 0.31 | 0.05 | 16 | |
| YINRC214 and and | 178 | 182 | 4 | 0.85 | 0.16 | 19 | |
| | 94 | 98 | 4 | 0.87 | 0.16 | 18 | |
| YINRC216 and and | 117 | 118 | 1 | 0.30 | 0.05 | 17 | |
| | 68 | 69 | 1 | 0.62 | 0.12 | 19 | |
| YINRC217 incl and | 68 | 69 | 1 | 0.30 | 0.05 | 17 | |
| | 139 | 141 | 2 | 0.91 | 0.19 | 21 | |
| YINRC218 and and and | 100 | 101 | 1 | 0.32 | 0.07 | 22 | |
| | 117 | 118 | 1 | 0.32 | 0.06 | 19 | |
| | 122 | 129 | 7 | 0.37 | 0.07 | 18 | |
| YINRC219 and and | 55 | 56 | 1 | 0.33 | 0.06 | 18 | |
| | 58 | 60 | 2 | 1.15 | 0.20 | 17 | |
| YINRC220 and and and | 79 | 80 | 1 | 0.48 | 0.10 | 21 | |
| | 103 | 104 | 1 | 0.86 | 0.18 | 21 | |
| | 117 | 122 | 5 | 0.44 | 0.08 | 19 | |
| YINRC221 and and and | 93 | 97 | 4 | 1.24 | 0.21 | 17 | |
| | 105 | 107 | 2 | 0.76 | 0.13 | 16 | |
| | 110 | 111 | 1 | 0.39 | 0.06 | 15 | |
| YINRC222 incl and | 127 | 129 | 2 | 1.62 | 0.26 | 16 | |
| | 134 | 138 | 4 | 1.16 | 0.20 | 17 | |
| YINRC224 incl and | 28 | 31 | 3 | 0.55 | 0.09 | 16 | |
| | 67 | 70 | 3 | 2.80 | 0.49 | 18 | |
| YINRC226 incl and | 91 | 95 | 4 | 1.63 | 0.25 | 16 | |
| | 139 | 141 | 2 | 1.01 | 0.17 | 17 | |
| YINRC228 incl and | 151 | 153 | 2 | 0.43 | 0.08 | 18 | |
| | 35 | 36 | 1 | 1.15 | 0.22 | 19 | |
| YINRC230 incl and | 75 | 77 | 2 | 0.78 | 0.29 | 37 | |
| | 81 | 83 | 2 | 1.07 | 0.23 | 21 | |
| YINRC231 incl and and | 91 | 92 | 1 | 0.38 | 0.06 | 16 | |
| | 95 | 96 | 1 | 0.31 | 0.05 | 16 | |
| | 120 | 123 | 3 | 0.79 | 0.13 | 16 | |

Table 3 (continued): Significant Intersections >0.2% TREO with >2% TREO highlighted.

| Hole ID | From (m) | To (m) | Interval (m) | TREO (%) | Nd ₂ O ₃ +Pr ₆ O ₁₁ (%) | NdPr:TREO (%) | Prospect |
|---------------------------------------|------------|------------|--------------|-------------|---|---------------|----------|
| YINRC244 incl | 68 | 74 | 6 | 1.45 | 0.25 | 17 | Yin |
| | 68 | 70 | 2 | 3.60 | 0.64 | 18 | |
| YINRC246 | 112 | 115 | 3 | 1.73 | 0.28 | 16 | |
| YINRC248 | 155 | 156 | 1 | 0.31 | 0.04 | 13 | |
| YINRC250 | 59 | 62 | 3 | 1.38 | 0.23 | 17 | |
| YINRC252 incl | 96 | 101 | 5 | 1.29 | 0.24 | 19 | |
| | 96 | 98 | 2 | 2.12 | 0.40 | 19 | |
| YINRC254 and | 64 | 65 | 1 | 0.66 | 0.16 | 24 | |
| | 138 | 139 | 1 | 1.54 | 0.25 | 16 | |
| YINRC258 | 111 | 112 | 1 | 0.32 | 0.06 | 19 | |
| YINRC258 | 111 | 112 | 1 | 0.32 | 0.06 | 19 | |
| YINRC260 incl | 154 | 158 | 4 | 1.64 | 0.29 | 18 | |
| | 155 | 156 | 1 | 2.71 | 0.49 | 18 | |
| YINRC262 and incl and and | 81 | 86 | 5 | 0.67 | 0.14 | 20 | |
| | 106 | 130 | 24 | 1.14 | 0.23 | 20 | |
| | 106 | 111 | 5 | 2.06 | 0.42 | 21 | |
| | 140 | 142 | 2 | 0.69 | 0.16 | 23 | |
| YINRC264 and | 147 | 148 | 1 | 0.60 | 0.11 | 18 | |
| | 97 | 98 | 1 | 0.71 | 0.14 | 20 | |
| YINRC265 incl | 120 | 132 | 12 | 0.53 | 0.10 | 19 | |
| | 120 | 123 | 3 | 1.02 | 0.21 | 21 | |
| YINRC265 incl | 121 | 122 | 1 | 2.11 | 0.46 | 22 | |
| | YINRC266 | 148 | 155 | 7 | 0.38 | 0.06 | |
| YINRC267 incl and incl | 148 | 151 | 3 | 0.59 | 0.12 | 20 | |
| | 148 | 149 | 1 | 1.17 | 0.26 | 22 | |
| | 173 | 184 | 11 | 0.72 | 0.11 | 15 | |
| | 174 | 177 | 3 | 1.48 | 0.24 | 16 | |
| YINRC270 incl | 85 | 89 | 4 | 1.08 | 0.23 | 21 | |
| | 87 | 88 | 1 | 3.56 | 0.76 | 21 | |
| YINRC271 incl | 131 | 149 | 18 | 0.45 | 0.07 | 16 | |
| | 132 | 133 | 1 | 1.31 | 0.23 | 18 | |
| YINRC272 incl | 44 | 56 | 12 | 1.25 | 0.17 | 14 | |
| | 50 | 54 | 4 | 3.08 | 0.38 | 12 | |
| YINRC273 incl and incl | 102 | 106 | 4 | 0.61 | 0.12 | 20 | |
| | 102 | 103 | 1 | 1.38 | 0.28 | 20 | |
| | 112 | 118 | 6 | 0.44 | 0.08 | 18 | |
| | 113 | 114 | 1 | 1.23 | 0.26 | 21 | |
| YINRC274 incl | 151 | 154 | 3 | 1.19 | 0.23 | 19 | |
| | 151 | 152 | 1 | 2.23 | 0.43 | 19 | |
| YINRC278 | 65 | 67 | 2 | 0.23 | 0.05 | 22 | |
| YINRC279 and | 48 | 53 | 5 | 0.27 | 0.04 | 14 | |
| | 69 | 71 | 2 | 0.22 | 0.03 | 14 | |
| YINRC280 incl | 101 | 106 | 5 | 0.9 | 0.34 | 38 | |
| | 103 | 105 | 2 | 1.45 | 0.56 | 39 | |
| YINRC281 | 90 | 92 | 2 | 0.31 | 0.06 | 19 | |
| YINRC283 incl | 25 | 30 | 5 | 0.63 | 0.11 | 18 | |
| | 25 | 27 | 2 | 1.28 | 0.24 | 19 | |
| YINRC286 | 41 | 46 | 5 | 0.31 | 0.10 | 31 | |
| YINRC288 | 6 | 12 | 6 | 0.32 | 0.11 | 34 | |
| YINRC289 incl | 3 | 39 | 36 | 2.75 | 0.84 | 31 | |
| | 15 | 27 | 12 | 6.00 | 1.88 | 31 | |
| YINRC290 incl | 71 | 81 | 10 | 0.9 | 0.36 | 40 | |
| | 79 | 81 | 2 | 3.00 | 1.25 | 42 | |

Table 3 (continued): Significant Intersections >0.2% TREO with >2% TREO highlighted.

| Hole ID | From (m) | To (m) | Interval (m) | TREO (%) | Nd ₂ O ₃ +Pr ₆ O ₁₁ (%) | NdPr:TREO (%) | Prospect |
|--|-----------|-----------|--------------|-------------|---|---------------|----------|
| YINRC291 incl and incl | 7 | 13 | 6 | 0.65 | 0.15 | 23 | Yin |
| | 11 | 12 | 1 | 2.83 | 0.62 | 22 | |
| | 22 | 59 | 37 | 1.17 | 0.34 | 29 | |
| | 26 | 36 | 10 | 2.01 | 0.59 | 29 | |
| YINRC292 incl and incl | 8 | 38 | 30 | 1.19 | 0.41 | 34 | Y2 |
| | 12 | 18 | 6 | 3.18 | 1.15 | 36 | |
| | 43 | 49 | 6 | 0.70 | 0.22 | 31 | |
| YINRC293 and and and incl | 23 | 26 | 3 | 0.45 | 0.12 | 27 | Yin |
| | 36 | 39 | 3 | 0.40 | 0.09 | 23 | |
| | 42 | 47 | 5 | 0.34 | 0.08 | 24 | |
| | 60 | 82 | 22 | 2.04 | 0.53 | 26 | |
| YINRC294 and incl | 8 | 13 | 5 | 1.07 | 0.38 | 36 | Y2 |
| | 53 | 77 | 24 | 0.99 | 0.33 | 33 | |
| | 57 | 59 | 2 | 1.94 | 0.72 | 37 | |
| YINRC295 and incl | 0 | 4 | 4 | 0.42 | 0.11 | 26 | Yin |
| | 10 | 38 | 28 | 2.60 | 0.81 | 31 | |
| YINRC296 incl | 18 | 30 | 12 | 4.73 | 1.48 | 31 | Y2 |
| | 91 | 107 | 16 | 0.55 | 0.18 | 33 | |
| YINRC297 and incl incl and incl | 102 | 103 | 1 | 1.77 | 0.64 | 36 | Yin |
| | 23 | 25 | 2 | 0.50 | 0.12 | 24 | |
| | 30 | 49 | 19 | 3.37 | 1.02 | 30 | |
| | 36 | 46 | 10 | 4.79 | 1.48 | 31 | |
| | 36 | 42 | 6 | 6.05 | 1.88 | 31 | |
| | 62 | 75 | 13 | 0.62 | 0.18 | 29 | |
| YINRC298 incl | 69 | 70 | 1 | 1.20 | 0.36 | 30 | Y2 |
| | 123 | 136 | 13 | 0.55 | 0.18 | 33 | |
| YINRC299 incl and and incl | 128 | 129 | 1 | 1.26 | 0.45 | 36 | Yin |
| | 15 | 22 | 7 | 0.74 | 0.22 | 30 | |
| | 15 | 18 | 3 | 1.32 | 0.42 | 32 | |
| | 31 | 33 | 2 | 0.71 | 0.15 | 21 | |
| | 48 | 79 | 31 | 1.63 | 0.47 | 29 | |
| YINRC300 incl and and and incl and | 58 | 68 | 10 | 3.04 | 0.90 | 30 | Y2 |
| | 3 | 6 | 3 | 0.80 | 0.31 | 39 | |
| | 3 | 4 | 1 | 1.11 | 0.44 | 40 | |
| | 49 | 50 | 1 | 0.78 | 0.27 | 35 | |
| | 67 | 69 | 2 | 0.52 | 0.17 | 33 | |
| | 71 | 82 | 11 | 1.09 | 0.38 | 35 | |
| | 74 | 75 | 1 | 2.18 | 0.78 | 36 | |
| 86 | 87 | 1 | 2.72 | 0.78 | 29 | | |
| YINRC301 incl | 0 | 29 | 29 | 2.00 | 0.61 | 31 | Yin |
| | 9 | 24 | 15 | 2.70 | 0.83 | 31 | |
| YINRC302 and and | 15 | 16 | 1 | 0.60 | 0.22 | 37 | Y2 |
| | 36 | 37 | 1 | 0.56 | 0.21 | 38 | |
| | 97 | 103 | 6 | 0.44 | 0.14 | 32 | |
| YINRC303 and and and incl | 0 | 5 | 5 | 0.23 | 0.08 | 35 | Yin |
| | 9 | 12 | 3 | 0.36 | 0.07 | 20 | |
| | 21 | 23 | 2 | 0.53 | 0.13 | 24 | |
| | 27 | 75 | 48 | 1.50 | 0.44 | 29 | |
| | 47 | 59 | 12 | 2.82 | 0.86 | 30 | |
| YINRC304 and | 87 | 94 | 7 | 0.51 | 0.20 | 39 | Y2 |
| | 92 | 93 | 1 | 1.11 | 0.43 | 39 | |

Table 3 (continued): Significant Intersections >0.2% TREO with >2% TREO highlighted.

| Hole ID | From (m) | To (m) | Interval (m) | TREO (%) | Nd ₂ O ₃ +Pr ₆ O ₁₁ (%) | NdPr:TREO (%) | Prospect |
|---------------------------------|------------|------------|--------------|-------------|---|---------------|----------|
| YINRC305 incl and and | 46 | 111 | 65 | 1.85 | 0.47 | 25 | Yin |
| | 49 | 54 | 5 | 2.85 | 0.60 | 21 | |
| | 74 | 90 | 16 | 4.06 | 1.06 | 26 | |
| | 75 | 83 | 8 | 5.00 | 1.24 | 25 | |
| YINRC306 incl | 14 | 17 | 3 | 0.63 | 0.25 | 39 | Y2 |
| | 15 | 16 | 1 | 1.18 | 0.48 | 41 | |
| YINRC307 incl and | 1 | 11 | 10 | 1.27 | 0.38 | 30 | Yin |
| | 8 | 10 | 2 | 2.49 | 0.74 | 30 | |
| | 16 | 19 | 3 | 0.48 | 0.13 | 27 | |
| YINRC308 | 64 | 68 | 4 | 0.48 | 0.16 | 33 | Y2 |
| YINRC309 incl and incl | 30 | 37 | 7 | 1.10 | 0.31 | 28 | Yin |
| | 31 | 32 | 1 | 2.18 | 0.69 | 32 | |
| | 41 | 51 | 10 | 1.90 | 0.59 | 31 | |
| | 42 | 48 | 6 | 2.47 | 0.76 | 31 | |
| YINRC311 incl | 69 | 102 | 33 | 1.00 | 0.28 | 28 | Yin |
| | 77 | 81 | 4 | 2.06 | 0.60 | 29 | |
| YINRC313 and | 0 | 2 | 2 | 0.45 | 0.13 | 29 | Y2 |
| | 26 | 30 | 4 | 0.358 | 0.09 | 24 | |
| YINRC314 | 28 | 32 | 4 | 0.38 | 0.12 | 32 | Y2 |
| YINRC315 incl | 16 | 33 | 17 | 2.34 | 0.75 | 32 | Yin |
| | 21 | 27 | 6 | 5.31 | 1.75 | 33 | |
| YINRC316 | 77 | 82 | 5 | 0.30 | 0.11 | 37 | Y2 |
| YINRC317 incl | 54 | 66 | 12 | 2.24 | 0.74 | 33 | Yin |
| | 57 | 60 | 3 | 6.53 | 2.18 | 33 | |
| YINRC318 and | 87 | 89 | 2 | 0.33 | 0.10 | 29 | Y2 |
| | 109 | 111 | 2 | 0.24 | 0.08 | 34 | |
| YINRC319 incl | 31 | 35 | 4 | 1.32 | 0.44 | 33 | Yin |
| | 31 | 33 | 2 | 2.40 | 0.82 | 34 | |
| YINRC321 and incl | 55 | 57 | 2 | 0.60 | 0.16 | 27 | Yin |
| | 69 | 84 | 15 | 1.66 | 0.54 | 33 | |
| | 76 | 81 | 5 | 3.30 | 1.12 | 34 | |
| YINRC322 incl and | 4 | 8 | 4 | 0.64 | 0.19 | 30 | Y2 |
| | 4 | 5 | 1 | 1.38 | 0.45 | 33 | |
| | 71 | 74 | 3 | 0.34 | 0.11 | 32 | |
| YINRC323 incl | 103 | 122 | 19 | 1.11 | 0.36 | 32 | Yin |
| | 109 | 112 | 3 | 4.81 | 1.6 | 33 | |
| YINRC324 and | 95 | 98 | 3 | 0.26 | 0.06 | 23 | Y2 |
| | 105 | 106 | 1 | 0.53 | 0.19 | 36 | |
| YINRC325 and incl | 111 | 123 | 12 | 0.45 | 0.1 | 22 | Yin |
| | 135 | 163 | 28 | 1.80 | 0.57 | 32 | |
| | 135 | 146 | 11 | 3.12 | 0.99 | 32 | |
| YINRC326 and | 58 | 62 | 4 | 0.38 | 0.08 | 21 | Y2 |
| | 116 | 118 | 2 | 0.32 | 0.1 | 31 | |
| YINRC327 incl | 91 | 103 | 12 | 1.11 | 0.39 | 35 | Yin |
| | 96 | 99 | 3 | 1.80 | 0.87 | 48 | |
| YINRC328 and incl | 40 | 41 | 1 | 0.86 | 0.34 | 40 | Y2 |
| | 163 | 180 | 17 | 0.82 | 0.26 | 32 | |
| | 167 | 168 | 1 | 2.83 | 0.98 | 35 | |
| YINRC329 and incl | 138 | 141 | 3 | 1.98 | 0.53 | 27 | Yin |
| | 147 | 165 | 18 | 1.15 | 0.38 | 33 | |
| | 147 | 154 | 7 | 1.92 | 0.65 | 34 | |
| YINRC330 and | 5 | 6 | 1 | 0.66 | 0.22 | 33 | Y2 |
| | 47 | 49 | 2 | 0.88 | 0.29 | 33 | |

Table 3 (continued): Significant Intersections >0.2% TREO with >2% TREO highlighted.

| Hole ID | From (m) | To (m) | Interval (m) | TREO (%) | Nd ₂ O ₃ +Pr ₆ O ₁₁ (%) | NdPr:TREO (%) | Prospect |
|--|------------|------------|--------------|--------------|---|---------------|----------|
| YINRC331 and incl incl | 1 | 6 | 5 | 0.72 | 0.21 | 29% | Yin |
| | 18 | 33 | 15 | 4.22 | 1.42 | 34% | |
| | 22 | 31 | 9 | 6.59 | 2.24 | 34% | |
| | 23 | 25 | 2 | 19.75 | 6.83 | 35% | |
| YINRC332 and incl incl and | 20 | 22 | 2 | 0.57 | 0.2 | 35% | Y2 |
| | 31 | 42 | 11 | 0.51 | 0.16 | 31% | |
| | 31 | 34 | 3 | 0.66 | 0.22 | 33% | |
| | 41 | 42 | 1 | 1.44 | 0.55 | 38% | |
| | 58 | 62 | 4 | 0.42 | 0.13 | 31% | |
| YINRC333 incl incl | 43 | 69 | 26 | 2.16 | 0.69 | 32% | Yin |
| | 55 | 66 | 11 | 4.11 | 1.33 | 32% | |
| | 55 | 60 | 5 | 5.82 | 1.94 | 33% | |
| YINRC334 and incl | 11 | 12 | 1 | 0.64 | 0.25 | 39% | Y2 |
| | 59 | 68 | 9 | 0.55 | 0.18 | 33% | |
| | 60 | 62 | 2 | 1.09 | 0.38 | 35% | |
| YINRC335 incl and incl | 129 | 142 | 13 | 0.86 | 0.25 | 29% | Yin |
| | 129 | 133 | 4 | 1.58 | 0.48 | 30% | |
| | 159 | 190 | 31 | 1.97 | 0.63 | 32% | |
| | 172 | 176 | 4 | 5.20 | 1.69 | 33% | |
| YINRC336 and and and and | 3 | 4 | 1 | 0.66 | 0.23 | 35% | Y2 |
| | 34 | 36 | 2 | 0.41 | 0.16 | 39% | |
| | 52 | 54 | 2 | 1.32 | 0.41 | 31% | |
| | 97 | 99 | 2 | 1.32 | 0.39 | 30% | |
| | 116 | 129 | 13 | 0.58 | 0.20 | 34% | |
| YINRC337 incl incl and | 82 | 149 | 67 | 0.95 | 0.29 | 31% | Yin |
| | 82 | 94 | 12 | 2.50 | 0.81 | 32% | |
| | 86 | 93 | 7 | 3.82 | 1.25 | 33% | |
| | 102 | 105 | 3 | 3.26 | 0.88 | 27% | |
| YINRC338 incl | 23 | 37 | 14 | 1.42 | 0.62 | 44% | Yin |
| | 30 | 33 | 3 | 3.22 | 1.46 | 45% | |
| YINRC339 incl and incl | 4 | 10 | 6 | 0.56 | 0.14 | 25% | Yin |
| | 6 | 7 | 1 | 1.22 | 0.34 | 28% | |
| | 17 | 19 | 2 | 0.70 | 0.18 | 25% | |
| | 17 | 18 | 1 | 1.02 | 0.27 | 26% | |
| YINRC340 incl | 26 | 32 | 6 | 0.74 | 0.31 | 42% | Yin |
| | 27 | 29 | 2 | 1.46 | 0.63 | 43% | |
| YINRC341 incl | 30 | 40 | 10 | 1.00 | 0.30 | 30% | Yin |
| | 36 | 40 | 4 | 1.70 | 0.47 | 28% | |
| YINRC343 incl and incl | 71 | 79 | 8 | 1.12 | 0.35 | 31% | Yin |
| | 71 | 72 | 1 | 5.30 | 1.77 | 33% | |
| | 85 | 90 | 5 | 1.05 | 0.30 | 29% | |
| | 87 | 88 | 1 | 2.20 | 0.67 | 30% | |
| YINRC345 incl and | 127 | 148 | 21 | 0.82 | 0.26 | 32% | Yin |
| | 127 | 129 | 2 | 1.81 | 0.61 | 34% | |
| | 143 | 145 | 2 | 1.86 | 0.61 | 33% | |
| YINRC347 incl | 126 | 154 | 28 | 1.66 | 0.51 | 31% | Yin |
| | 128 | 138 | 10 | 3.21 | 0.99 | 31% | |
| YINRC349 incl | 206 | 225 | 19 | 1.78 | 0.60 | 34% | Yin |
| | 208 | 213 | 5 | 3.11 | 1.08 | 35% | |
| YINRC350 | 52 | 59 | 7 | 0.36 | 0.12 | 33% | Yin |
| YINRC351 | 29 | 31 | 2 | 0.51 | 0.17 | 33% | Yin |
| YINRC353 | 62 | 66 | 4 | 0.69 | 0.21 | 30% | Yin |

Table 3 (continued): Significant Intersections >0.2% TREO with >2% TREO highlighted.

| Hole ID | From (m) | To (m) | Interval (m) | TREO (%) | Nd ₂ O ₃ +Pr ₆ O ₁₁ (%) | NdPr:TREO (%) | Prospect |
|----------|----------|--------|--------------|----------|---|---------------|-----------|
| YINRC355 | 6 | 20 | 14 | 2.62 | 0.91 | 35 | Yin |
| | incl 7 | 17 | 10 | 3.56 | 1.24 | 35 | |
| | incl 11 | 15 | 4 | 5.51 | 1.92 | 35 | |
| YINRC356 | 48 | 52 | 4 | 0.90 | 0.27 | 30 | |
| | incl 49 | 50 | 1 | 2.02 | 0.6 | 30 | |
| YINRC357 | 37 | 49 | 12 | 1.67 | 0.57 | 34 | |
| | incl 38 | 47 | 9 | 2.04 | 0.70 | 34 | |
| YINRC359 | 20 | 28 | 8 | 2.06 | 0.71 | 35 | |
| | incl 21 | 25 | 4 | 3.66 | 1.29 | 35 | |
| | incl 23 | 25 | 2 | 4.98 | 1.76 | 35 | |
| YINRC361 | 58 | 68 | 10 | 1.22 | 0.40 | 33 | |
| | incl 64 | 66 | 2 | 3.21 | 1.06 | 33 | |
| YINRC363 | 100 | 106 | 6 | 1.06 | 0.36 | 34 | |
| | incl 103 | 105 | 2 | 2.05 | 0.68 | 32 | |
| YINRC364 | 45 | 53 | 8 | 0.55 | 0.11 | 20 | |
| YINRC365 | 8 | 13 | 5 | 0.64 | 0.05 | 8 | |
| | and 75 | 102 | 27 | 1.55 | 0.47 | 30 | |
| | incl 80 | 91 | 11 | 2.45 | 0.74 | 30 | |
| | incl 80 | 84 | 4 | 4.12 | 1.27 | 31 | |
| YINRC367 | 92 | 99 | 7 | 0.83 | 0.24 | 29% | |
| | incl 92 | 96 | 4 | 1.13 | 0.34 | 30% | |
| | and 105 | 130 | 25 | 1.54 | 0.43 | 28% | |
| | incl 113 | 122 | 9 | 2.12 | 0.61 | 29% | |
| YINRC368 | 43 | 45 | 2 | 1.53 | 0.66 | 43% | Yin North |
| | and 60 | 61 | 1 | 1.75 | 0.76 | 43% | |
| YINRC369 | 23 | 35 | 12 | 1.08 | 0.29 | 27% | Yin |
| | incl 31 | 33 | 2 | 3.23 | 0.94 | 29% | |
| | and 84 | 85 | 1 | 1.30 | 0.32 | 25% | |
| | and 112 | 115 | 3 | 1.09 | 0.28 | 26% | |
| | incl 123 | 156 | 33 | 2.01 | 0.57 | 28% | |
| YINRC370 | 79 | 84 | 5 | 0.40 | 0.15 | 38% | Y2 |
| | and 99 | 100 | 1 | 1.50 | 0.53 | 35% | |
| | and 108 | 112 | 4 | 1.50 | 0.60 | 40% | |
| | incl 108 | 110 | 2 | 2.30 | 0.91 | 40% | |
| | and 126 | 135 | 9 | 0.43 | 0.17 | 40% | |
| | and 140 | 146 | 6 | 0.46 | 0.17 | 37% | |
| YINRC371 | 0 | 13 | 13 | 0.82 | 0.36 | 44% | Yin |
| | incl 0 | 7 | 7 | 1.16 | 0.49 | 42% | |
| | incl 5 | 6 | 1 | 2.73 | 1.82 | 67% | |
| | and 69 | 106 | 37 | 2.67 | 0.80 | 30% | |
| | incl 78 | 102 | 24 | 3.29 | 0.99 | 30% | |
| YINRC372 | 175 | 186 | 11 | 0.54 | 0.19 | 35% | Y2 |
| | and 184 | 185 | 1 | 1.19 | 0.54 | 45% | |
| YINRC373 | 91 | 101 | 10 | 0.69 | 0.20 | 29% | Yin |
| | incl 97 | 99 | 2 | 1.18 | 0.27 | 23% | |
| | and 129 | 139 | 10 | 1.12 | 0.33 | 29% | |
| YINRC375 | 122 | 131 | 9 | 0.77 | 0.24 | 31% | |
| | incl 125 | 128 | 3 | 1.03 | 0.33 | 32% | |
| | and 135 | 166 | 31 | 0.63 | 0.17 | 27% | |
| | incl 146 | 150 | 4 | 1.40 | 0.40 | 29% | |
| | and 197 | 207 | 10 | 0.72 | 0.21 | 29% | |
| incl 201 | 203 | 2 | 1.91 | 0.56 | 29% | | |

Table 3 (continued): Significant Intersections >0.2% TREO with >2% TREO highlighted.

| Hole ID | From (m) | To (m) | Interval (m) | TREO (%) | Nd ₂ O ₃ +Pr ₆ O ₁₁ (%) | NdPr:TREO (%) | Prospect |
|----------|----------|--------|--------------|----------|---|---------------|----------|
| YINRC377 | 121 | 129 | 8 | 0.82 | 0.25 | 30% | Yin |
| | incl 123 | 125 | 2 | 1.42 | 0.42 | 30% | |
| YINRC379 | 5 | 12 | 7 | 2.91 | 1.08 | 37% | Yin |
| | incl 7 | 11 | 4 | 4.42 | 1.67 | 38% | |
| | incl 7 | 9 | 2 | 6.79 | 2.58 | 38% | |
| YINRC380 | 16 | 18 | 2 | 0.90 | 0.33 | 37% | Y2 |
| | and 22 | 24 | 2 | 0.58 | 0.24 | 41% | |
| YINRC381 | 34 | 38 | 4 | 1.43 | 0.53 | 37% | Yin |
| | incl 34 | 36 | 2 | 2.45 | 0.91 | 37% | |
| YINRC383 | 71 | 73 | 2 | 0.62 | 0.22 | 35% | |
| YINRC384 | 16 | 22 | 6 | 0.90 | 0.36 | 40% | Y2 |
| | incl 19 | 21 | 2 | 1.61 | 0.63 | 39% | |
| | and 44 | 53 | 9 | 0.53 | 0.21 | 40% | |
| | incl 46 | 47 | 1 | 1.30 | 0.47 | 36% | |
| YINRC385 | 27 | 33 | 6 | 1.26 | 0.47 | 37% | Yin |
| | incl 31 | 33 | 2 | 2.62 | 0.97 | 37% | |
| YINRC386 | 11 | 13 | 2 | 1.16 | 0.45 | 39% | Y2 |
| | and 26 | 45 | 19 | 0.99 | 0.35 | 35% | |
| | incl 27 | 28 | 1 | 3.01 | 0.92 | 31% | |
| | incl 37 | 44 | 7 | 1.61 | 0.56 | 35% | |
| YINRC387 | 76 | 80 | 4 | 0.69 | 0.27 | 39% | Yin |
| YINRC388 | 23 | 24 | 1 | 1.16 | 0.34 | 29% | Y2 |
| | and 40 | 43 | 3 | 0.65 | 0.24 | 37% | |
| | and 47 | 53 | 6 | 0.34 | 0.13 | 38% | |
| YINRC389 | 117 | 123 | 6 | 2.02 | 0.75 | 37% | Yin |
| | incl 117 | 119 | 2 | 3.46 | 1.29 | 37% | |
| YINRC390 | 52 | 54 | 2 | 0.58 | 0.25 | 43% | Y2 |
| YINRC391 | 51 | 61 | 10 | 1.07 | 0.33 | 31% | Yin |
| | incl 58 | 60 | 2 | 3.58 | 1.09 | 30% | |
| | and 68 | 71 | 3 | 1.20 | 0.47 | 39% | |
| YINRC392 | 85 | 88 | 3 | 1.04 | 0.43 | 41% | Y2 |
| YINRC393 | 97 | 102 | 5 | 0.74 | 0.22 | 30% | Yin |
| | incl 98 | 100 | 2 | 1.25 | 0.35 | 28% | |
| | and 114 | 124 | 10 | 0.60 | 0.21 | 35% | |
| | incl 119 | 121 | 2 | 1.20 | 0.40 | 33% | |
| YINRC394 | 25 | 28 | 3 | 1.76 | 0.52 | 30% | Y2 |
| | incl 25 | 27 | 2 | 2.53 | 0.75 | 30% | |
| | and 38 | 51 | 13 | 4.07 | 1.49 | 37% | |
| | incl 40 | 46 | 6 | 6.01 | 2.17 | 36% | |
| | and 59 | 73 | 14 | 1.03 | 0.37 | 36% | |
| | incl 62 | 65 | 3 | 2.18 | 0.78 | 36% | |
| YINRC395 | 59 | 62 | 3 | 0.81 | 0.17 | 21% | Yin |
| | and 140 | 161 | 21 | 1.08 | 0.31 | 29% | |
| | incl 158 | 161 | 3 | 3.25 | 0.99 | 30% | |
| YINRC396 | 50 | 52 | 2 | 0.61 | 0.23 | 38% | Y2 |
| | and 66 | 75 | 9 | 0.42 | 0.17 | 40% | |
| YINRC397 | 43 | 96 | 53 | 1.62 | 0.39 | 24% | Yin |
| | incl 46 | 50 | 4 | 6.51 | 1.53 | 24% | |
| YINRC398 | 55 | 58 | 3 | 0.63 | 0.21 | 33% | Y2 |
| | and 82 | 87 | 5 | 0.40 | 0.14 | 35% | |
| YINRC399 | 36 | 49 | 13 | 1.88 | 0.56 | 30% | Yin |
| | incl 40 | 46 | 6 | 3.51 | 1.05 | 30% | |

Table 3 (continued): Significant Intersections >0.2% TREO with >2% TREO highlighted.

| Hole ID | From (m) | To (m) | Interval (m) | TREO (%) | Nd ₂ O ₃ +Pr ₆ O ₁₁ (%) | NdPr:TREO (%) | Prospect |
|---------------------------------|------------|------------------|--------------|-------------|---|---------------|----------|
| YINRC400 and | 33 | 37 | 4 | 0.39 | 0.13 | 33% | Y2 |
| | 113 | 132 | 19 | 0.44 | 0.16 | 36% | |
| YINRC401 and | 90 | 103 | 13 | 1.39 | 0.38 | 27% | Yin |
| | 93 | 99 | 6 | 2.31 | 0.65 | 28% | |
| YINRC402 and and incl | 49 | 50 | 1 | 0.79 | 0.24 | 30% | |
| | 73 | 75 | 2 | 0.48 | 0.13 | 27% | |
| | 79 | 243 | 164 | 1.08 | 0.29 | 27% | |
| YINRC405 incl and | 83 | 112 | 29 | 2.00 | 0.54 | 27% | |
| | 59 | 64 | 5 | 0.50 | 0.12 | 24% | |
| | 62 | 63 | 1 | 1.27 | 0.27 | 21% | |
| YINRC406 | 81 | 83 | 2 | 0.58 | 0.18 | 31% | |
| | 63 | 65 | 2 | 1.68 | 0.30 | 18% | |
| YINRC407 incl | 12 | 22 | 10 | 2.05 | 0.54 | 26% | |
| | 15 | 18 | 3 | 3.61 | 0.94 | 26% | |
| YINRC408 incl incl | 76 | 104 | 28 | 0.65 | 0.13 | 20% | |
| | 78 | 94 | 16 | 1.01 | 0.20 | 20% | |
| | 81 | 84 | 3 | 2.04 | 0.40 | 20% | |
| YINRC409 incl | 64 | 73 | 9 | 2.36 | 0.61 | 26% | |
| | 68 | 69 | 3 | 4.40 | 1.16 | 26% | |
| YINRC410 and | 141 | 153 | 12 | 0.59 | 0.11 | 19% | |
| | 178 | 183 | 5 | 0.29 | 0.05 | 17% | |
| YINRC412 | 40 | 45 | 5 | 0.39 | 0.07 | 19% | |
| YINRC413 incl | 111 | 114 | 3 | 0.78 | 0.17 | 22% | |
| | 113 | 114 | 1 | 1.29 | 0.26 | 20% | |
| YINRC414 incl and | 60 | 69 | 9 | 1.34 | 0.29 | 22% | |
| | 64 | 68 | 4 | 2.13 | 0.46 | 22% | |
| | 76 | 78 | 2 | 1.25 | 0.23 | 18% | |
| YINRC415 incl | 24 | 38 | 14 | 1.01 | 0.24 | 24% | |
| | 30 | 33 | 3 | 2.25 | 0.54 | 24% | |
| YINRC416 incl | 124 | 213 | 89 | 0.58 | 0.11 | 19% | |
| | 125 | 142 | 17 | 1.07 | 0.22 | 20% | |
| YINRC418 | 12 | 24 | 12 | 0.78 | 0.30 | 39% | |
| YINRC419 incl and incl | 12 | 38 | 26 | 0.55 | 0.13 | 24% | |
| | 32 | 36 | 4 | 1.78 | 0.38 | 21% | |
| | 65 | 68 | 3 | 0.56 | 0.11 | 20% | |
| | 66 | 67 | 1 | 1.03 | 0.20 | 19% | |
| YINRC421 incl | 70 | 90 | 20 | 0.44 | 0.12 | 27% | |
| | 86 | 88 | 2 | 1.34 | 0.33 | 25% | |
| YINRC422 | 66 | 70 | 4 | 0.66 | 0.13 | 19% | |
| YINRC423 incl | 20 | 45 | 25 | 1.03 | 0.22 | 21% | |
| | 23 | 27 | 4 | 4.37 | 0.93 | 21% | |
| YINRC424 incl and incl | 45 | 55 | 10 | 1.20 | 0.21 | 17% | |
| | 49 | 52 | 3 | 2.91 | 0.47 | 16% | |
| | 102 | 109 | 7 | 1.63 | 0.35 | 22% | |
| | 103 | 105 | 2 | 4.40 | 0.95 | 22% | |
| YINRC425 incl | 78 | 84 | 6 | 0.91 | 0.21 | 23% | |
| | 79 | 83 | 4 | 1.19 | 0.27 | 23% | |
| YINRC426 and Incl incl | 59 | 66 | 7 | 0.21 | 0.03 | 15% | |
| | 135 | 240 (EOH) | 105 | 2.89 | 0.55 | 19% | |
| | 138 | 238 | 100 | 3.01 | 0.57 | 19% | |
| | 138 | 163 | 25 | 4.40 | 0.84 | 19% | |

Table 3 (continued): Significant Intersections >0.2% TREO with >2% TREO highlighted.

| Hole ID | From (m) | To (m) | Interval (m) | TREO (%) | Nd ₂ O ₃ +Pr ₆ O ₁₁ (%) | NdPr:TREO (%) | Prospect |
|-------------------------|-----------|-----------|--------------|-------------|---|---------------|----------|
| YINRC427 and and | 60 | 70 | 10 | 0.81 | 0.14 | 17% | Yin |
| | 87 | 108 | 21 | 0.52 | 0.11 | 21% | |
| | 111 | 124 | 13 | 0.49 | 0.12 | 25% | |
| YINRC428 and | 107 | 112 | 5 | 0.46 | 0.13 | 28% | Yin |
| | 131 | 139 | 8 | 0.56 | 0.13 | 23% | |
| YINRC430 and | 5 | 8 | 3 | 0.69 | 0.24 | 35% | Y2 |
| | 44 | 56 | 12 | 0.53 | 0.16 | 29% | |
| YINRC431 and | 5 | 8 | 3 | 1.47 | 0.45 | 31% | |
| | 38 | 49 | 11 | 0.48 | 0.16 | 33% | |
| YINRC433 and incl | 32 | 34 | 2 | 0.54 | 0.16 | 29% | |
| | 77 | 120 | 43 | 0.93 | 0.33 | 36% | |
| | 81 | 94 | 13 | 2.07 | 0.77 | 37% | |
| YINRC434 and and | 7 | 9 | 2 | 0.89 | 0.25 | 28% | |
| | 65 | 76 | 11 | 0.32 | 0.09 | 29% | |
| | 92 | 108 | 16 | 0.78 | 0.23 | 29% | |
| YINRC435 and and | 25 | 27 | 2 | 0.43 | 0.12 | 28% | |
| | 54 | 56 | 2 | 1.06 | 0.42 | 40% | |
| | 73 | 82 | 9 | 0.76 | 0.25 | 32% | |



Table 4: Drill Collar Data (GDA94 MGAz50)

| Hole ID | Easting | Northing | RL | Dip | Azimuth | EOH | Type | Prospect |
|----------|---------|----------|-----|-----|---------|-----|------|----------|
| YINRC001 | 401655 | 7350201 | 298 | -59 | 269 | 81 | RC | Yin |
| YINRC002 | 401695 | 7350201 | 299 | -59 | 275 | 123 | RC | |
| YINRC003 | 401736 | 7350201 | 299 | -58 | 269 | 100 | RC | |
| YINRC004 | 401776 | 7350202 | 298 | -58 | 273 | 117 | RC | |
| YINRC005 | 401815 | 7350202 | 298 | -58 | 275 | 141 | RC | |
| YINRC006 | 401855 | 7350201 | 297 | -59 | 270 | 183 | RC | |
| YINRC007 | 401701 | 7350303 | 300 | -58 | 270 | 51 | RC | |
| YINRC008 | 401738 | 7350301 | 299 | -58 | 274 | 75 | RC | |
| YINRC009 | 401779 | 7350301 | 299 | -57 | 273 | 99 | RC | |
| YINRC010 | 401536 | 7350100 | 296 | -59 | 277 | 81 | RC | |
| YINRC011 | 401823 | 7350302 | 298 | -58 | 277 | 135 | RC | |
| YINRC012 | 401860 | 7350300 | 297 | -59 | 268 | 177 | RC | |
| YINRC013 | 401576 | 7350100 | 297 | -59 | 269 | 81 | RC | |
| YINRC014 | 401722 | 7350401 | 299 | -58 | 268 | 33 | RC | |
| YINRC015 | 401615 | 7350102 | 297 | -59 | 274 | 81 | RC | |
| YINRC016 | 401657 | 7350103 | 298 | -59 | 276 | 81 | RC | |
| YINRC017 | 401695 | 7350101 | 298 | -59 | 273 | 81 | RC | |
| YINRC018 | 401734 | 7350101 | 298 | -57 | 273 | 81 | RC | |
| YINRC019 | 401773 | 7350100 | 297 | -57 | 273 | 84 | RC | |
| YINRC020 | 401815 | 7350101 | 296 | -58 | 270 | 81 | RC | |
| YINRC021 | 401855 | 7350101 | 295 | -57 | 271 | 111 | RC | |
| YINRC022 | 401894 | 7350103 | 295 | -58 | 265 | 153 | RC | |
| YINRC023 | 401720 | 7350503 | 301 | -58 | 271 | 39 | RC | |
| YINRC024 | 401759 | 7350501 | 300 | -59 | 272 | 87 | RC | |
| YINRC025 | 401799 | 7350502 | 300 | -58 | 272 | 123 | RC | |
| YINRC026 | 401754 | 7350703 | 303 | -58 | 270 | 51 | RC | |
| YINRC027 | 401793 | 7350701 | 302 | -58 | 271 | 87 | RC | |
| YINRC028 | 401833 | 7350702 | 301 | -58 | 276 | 123 | RC | |
| YINRC029 | 401748 | 7350899 | 304 | -58 | 273 | 81 | RC | |
| YINRC030 | 401788 | 7350899 | 303 | -58 | 275 | 129 | RC | |
| YINRC031 | 401829 | 7350900 | 303 | -59 | 273 | 177 | RC | |
| YINRC032 | 401751 | 7351080 | 299 | -59 | 308 | 45 | RC | |
| YINRC033 | 401784 | 7351058 | 299 | -59 | 311 | 87 | RC | |
| YINRC034 | 401819 | 7351032 | 300 | -59 | 310 | 129 | RC | |
| YINRC035 | 401893 | 7351224 | 300 | -58 | 273 | 39 | RC | |
| YINRC036 | 401933 | 7351224 | 300 | -59 | 272 | 81 | RC | |
| YINRC037 | 401973 | 7351224 | 300 | -59 | 270 | 123 | RC | |
| YINRC038 | 402076 | 7351238 | 300 | -58 | 270 | 33 | RC | |
| YINRC039 | 402117 | 7351239 | 300 | -59 | 269 | 69 | RC | |
| YINRC040 | 401993 | 7351425 | 299 | -58 | 277 | 39 | RC | |
| YINRC041 | 402035 | 7351425 | 298 | -59 | 274 | 87 | RC | |
| YINRC042 | 402074 | 7351413 | 298 | -58 | 274 | 123 | RC | |
| YINRC043 | 402036 | 7351578 | 300 | -59 | 266 | 45 | RC | |
| YINRC044 | 402074 | 7351578 | 301 | -58 | 268 | 87 | RC | |
| YINRC045 | 402116 | 7351580 | 301 | -58 | 270 | 123 | RC | |
| YINRC046 | 402085 | 7351725 | 302 | -58 | 271 | 45 | RC | |
| YINRC047 | 402125 | 7351726 | 303 | -58 | 269 | 81 | RC | |
| YINRC048 | 402165 | 7351727 | 303 | -58 | 269 | 129 | RC | |
| YINRC049 | 402100 | 7351925 | 300 | -57 | 270 | 39 | RC | |
| YINRC050 | 402140 | 7351926 | 300 | -60 | 267 | 87 | RC | |
| YINRC051 | 402180 | 7351926 | 301 | -58 | 270 | 129 | RC | |
| YINRC052 | 401861 | 7350002 | 295 | -59 | 260 | 123 | RC | |
| YINRC053 | 401902 | 7350001 | 294 | -59 | 272 | 153 | RC | |
| YINRC054 | 401943 | 7350001 | 294 | -59 | 273 | 93 | RC | |

Table 4: Drill Collar Data (GDA94 MGAz50)

| Hole ID | Easting | Northing | RL | Dip | Azimuth | EOH | Type | Prospect |
|-------------|---------|----------|-----|-----|---------|-----|------|----------|
| YINRC055 | 401759 | 7350401 | 299 | -60 | 271 | 63 | RC | Yin |
| YINRC056 | 401799 | 7350402 | 298 | -58 | 268 | 93 | RC | |
| YINRC057 | 401741 | 7350603 | 302 | -57 | 274 | 69 | RC | |
| YINRC058 | 401777 | 7350602 | 301 | -58 | 271 | 105 | RC | |
| YINRC059 | 401817 | 7350602 | 301 | -58 | 271 | 141 | RC | |
| YINRC060 | 401766 | 7350802 | 304 | -57 | 275 | 81 | RC | |
| YINRC061 | 401807 | 7350802 | 303 | -58 | 269 | 75 | RC | |
| YINRC062 | 401846 | 7350802 | 303 | -58 | 272 | 135 | RC | |
| YINRC063 | 401709 | 7351000 | 300 | -59 | 272 | 57 | RC | |
| YINRC064 | 401748 | 7351000 | 300 | -59 | 268 | 117 | RC | |
| YINRC065 | 401788 | 7350999 | 301 | -59 | 271 | 195 | RC | |
| YINRC066 | 401826 | 7349249 | 296 | -58 | 264 | 57 | RC | |
| YINRC067 | 401867 | 7349251 | 296 | -59 | 263 | 117 | RC | |
| YINRC068 | 401902 | 7349410 | 299 | -58 | 273 | 33 | RC | |
| YINRC069 | 401944 | 7349412 | 298 | -59 | 272 | 93 | RC | |
| YINRC070 | 402591 | 7349478 | 296 | -58 | 208 | 51 | RC | |
| YINRC071 | 402613 | 7349513 | 297 | -59 | 206 | 129 | RC | |
| YINRC072 | 402743 | 7349367 | 294 | -59 | 212 | 69 | RC | |
| YINRC073 | 402762 | 7349402 | 294 | -58 | 214 | 99 | RC | |
| YINRC074 | 401830 | 7351124 | 299 | -59 | 273 | 51 | RC | |
| YINRC075 | 401865 | 7351124 | 300 | -59 | 271 | 81 | RC | |
| YINRC076 | 401907 | 7351125 | 300 | -59 | 269 | 105 | RC | |
| YINRC077 | 401943 | 7351325 | 300 | -59 | 272 | 33 | RC | |
| YINRC078 | 401982 | 7351325 | 300 | -58 | 271 | 87 | RC | |
| YINRC079 | 402023 | 7351325 | 300 | -58 | 272 | 105 | RC | |
| YINRC080 | 402023 | 7351526 | 299 | -58 | 273 | 60 | RC | |
| YINRC081 | 402065 | 7351527 | 300 | -59 | 271 | 105 | RC | |
| YINRC082 | 402104 | 7351528 | 300 | -58 | 273 | 135 | RC | |
| YINRC083 | 401617 | 7350168 | 298 | -57 | 331 | 57 | RC | |
| YINRC084 | 401572 | 7350148 | 296 | -60 | 344 | 99 | RC | |
| YINRC085 | 401697 | 7350249 | 299 | -58 | 274 | 45 | RC | |
| YINRC086 | 401736 | 7350249 | 299 | -58 | 272 | 69 | RC | |
| YINRC086MET | 401737 | 7350247 | 299 | -90 | 0 | 80 | RC | |
| YINRC087 | 401776 | 7350248 | 299 | -57 | 276 | 93 | RC | |
| YINRC088 | 401815 | 7350247 | 298 | -58 | 274 | 129 | RC | |
| YINRC089 | 401854 | 7350249 | 297 | -57 | 268 | 159 | RC | |
| YINRC090 | 401893 | 7350250 | 296 | -58 | 272 | 207 | RC | |
| YINRC091 | 401894 | 7350202 | 295 | -58 | 270 | 219 | RC | |
| YINRC092 | 401648 | 7350147 | 298 | -58 | 271 | 75 | RC | |
| YINRC093 | 401694 | 7350149 | 298 | -59 | 273 | 93 | RC | |
| YINRC094 | 401734 | 7350149 | 298 | -58 | 266 | 141 | RC | |
| YINRC095 | 401776 | 7350150 | 297 | -58 | 270 | 183 | RC | |
| YINRC096 | 401816 | 7350150 | 296 | -58 | 270 | 183 | RC | |
| YINRC097 | 401855 | 7350150 | 296 | -58 | 272 | 183 | RC | |
| YINRC098 | 401898 | 7350298 | 296 | -59 | 271 | 207 | RC | |
| YINRC099 | 401840 | 7350402 | 298 | -58 | 270 | 135 | RC | |
| YINRC100 | 401741 | 7350000 | 296 | -58 | 272 | 75 | RC | |
| YINRC101 | 401779 | 7350001 | 295 | -58 | 273 | 81 | RC | |
| YINRC102 | 401822 | 7350000 | 295 | -59 | 272 | 117 | RC | |
| YINRC103 | 401894 | 7350150 | 295 | -58 | 271 | 219 | RC | |
| YINRC104 | 401865 | 7349332 | 297 | -59 | 272 | 63 | RC | |
| YINRC105 | 401902 | 7349333 | 297 | -59 | 270 | 105 | RC | |
| YINRC106 | 401871 | 7349540 | 300 | -59 | 271 | 117 | RC | |
| YINRC107 | 401821 | 7349640 | 296 | -58 | 272 | 111 | RC | |

Table 4: Drill Collar Data (GDA94 MGAz50)

| Hole ID | Easting | Northing | RL | Dip | Azimuth | EOH | Type | Prospect |
|----------|---------|----------|-----|-----|---------|-----|------|----------|
| YINRC108 | 401911 | 7349541 | 299 | -59 | 272 | 183 | RC | Yin |
| YINRC109 | 401860 | 7349642 | 296 | -59 | 270 | 177 | RC | |
| YINRC110 | 401799 | 7349738 | 294 | -59 | 270 | 63 | RC | |
| YINRC111 | 401839 | 7349742 | 294 | -58 | 272 | 117 | RC | |
| YINRC112 | 402060 | 7351624 | 301 | -57 | 273 | 39 | RC | |
| YINRC113 | 402098 | 7351625 | 302 | -58 | 271 | 81 | RC | |
| YINRC114 | 402138 | 7351625 | 302 | -58 | 272 | 123 | RC | |
| YINRC115 | 402101 | 7351824 | 302 | -58 | 270 | 39 | RC | |
| YINRC116 | 402140 | 7351825 | 301 | -59 | 270 | 93 | RC | |
| YINRC117 | 402180 | 7351825 | 301 | -58 | 269 | 165 | RC | |
| YINRC118 | 402069 | 7352025 | 298 | -59 | 270 | 45 | RC | |
| YINRC119 | 402114 | 7352034 | 298 | -59 | 270 | 99 | RC | |
| YINRC120 | 402148 | 7352026 | 299 | -60 | 278 | 129 | RC | |
| YINRC121 | 401842 | 7350403 | 298 | -75 | 272 | 165 | RC | |
| YINRC122 | 401800 | 7350504 | 301 | -77 | 273 | 141 | RC | |
| YINRC123 | 401818 | 7350604 | 301 | -76 | 275 | 153 | RC | |
| YINRC124 | 401838 | 7350704 | 301 | -75 | 270 | 177 | RC | |
| YINRC125 | 401911 | 7351127 | 301 | -82 | 272 | 135 | RC | |
| YINRC126 | 401975 | 7351227 | 301 | -76 | 276 | 147 | RC | |
| YINRC127 | 402026 | 7351327 | 300 | -79 | 271 | 129 | RC | |
| YINRC128 | 402077 | 7351414 | 299 | -73 | 281 | 153 | RC | |
| YINRC129 | 402113 | 7351529 | 300 | -76 | 263 | 165 | RC | |
| YINRC130 | 401792 | 7349041 | 294 | -58 | 274 | 117 | RC | |
| YINRC131 | 401776 | 7348950 | 295 | -59 | 282 | 93 | RC | |
| YINRC132 | 401814 | 7348939 | 294 | -58 | 285 | 153 | RC | |
| YINRC133 | 401834 | 7349038 | 294 | -54 | 274 | 183 | RC | |
| YINRC134 | 401778 | 7349928 | 295 | -58 | 268 | 81 | RC | |
| YINRC135 | 401813 | 7349930 | 295 | -59 | 269 | 138 | RC | |
| YINRC136 | 401781 | 7349639 | 296 | -58 | 270 | 141 | RC | |
| YINRC137 | 401798 | 7349160 | 294 | -58 | 277 | 81 | RC | |
| YINRC138 | 401830 | 7349158 | 294 | -58 | 275 | 123 | RC | |
| YINRC139 | 401731 | 7348851 | 296 | -58 | 301 | 93 | RC | |
| YINRC140 | 401765 | 7348834 | 296 | -58 | 301 | 165 | RC | |
| YINRC141 | 401630 | 7348719 | 297 | -58 | 305 | 123 | RC | |
| YINRC142 | 401662 | 7348696 | 297 | -58 | 301 | 195 | RC | |
| YINRC143 | 401434 | 7348415 | 296 | -58 | 300 | 177 | RC | |
| YINRC144 | 401468 | 7348396 | 296 | -56 | 299 | 165 | RC | |
| YINRC145 | 401812 | 7349852 | 294 | -57 | 270 | 153 | RC | |
| YINRC146 | 401841 | 7349854 | 294 | -69 | 272 | 117 | RC | |
| YINRC147 | 401781 | 7349853 | 294 | -59 | 270 | 189 | RC | |
| YINRC148 | 406219 | 7352555 | 309 | -90 | 0 | 90 | RC | |
| YINRC149 | 406067 | 7352656 | 309 | -90 | 0 | 90 | RC | |
| YINRC150 | 401593 | 7352484 | 297 | -59 | 209 | 117 | RC | |
| YINRC151 | 401614 | 7352516 | 298 | -59 | 212 | 183 | RC | |
| YINRC152 | 401250 | 7352686 | 299 | -59 | 214 | 93 | RC | |
| YINRC153 | 401271 | 7352717 | 300 | -59 | 215 | 153 | RC | |
| YINRC154 | 401074 | 7352787 | 299 | -57 | 208 | 123 | RC | |
| YINRC155 | 401089 | 7352819 | 299 | -58 | 207 | 189 | RC | |
| YINRC156 | 400722 | 7352990 | 301 | -58 | 214 | 183 | RC | |
| YINRC157 | 400698 | 7352957 | 301 | -58 | 212 | 183 | RC | |
| YINRC158 | 400423 | 7353214 | 305 | -58 | 244 | 183 | RC | |
| YINRC159 | 400459 | 7353232 | 305 | -59 | 244 | 96 | RC | |
| YINRC160 | 400367 | 7353627 | 306 | -58 | 271 | 183 | RC | |
| YINRC161 | 400405 | 7353624 | 306 | -59 | 267 | 87 | RC | |

Table 4: Drill Collar Data (GDA94 MGAz50)

| Hole ID | Easting | Northing | RL | Dip | Azimuth | EOH | Type | Prospect |
|----------|---------|----------|-----|-----|---------|-----|------|----------|
| YINRC162 | 400420 | 7353990 | 307 | -59 | 307 | 153 | RC | Yin |
| YINRC163 | 400449 | 7353967 | 307 | -60 | 302 | 138 | RC | |
| YINRC164 | 400682 | 7354296 | 308 | -60 | 295 | 135 | RC | |
| YINRC165 | 400718 | 7354277 | 308 | -60 | 296 | 165 | RC | |
| YINRC166 | 400908 | 7354593 | 308 | -58 | 340 | 123 | RC | |
| YINRC167 | 400922 | 7354557 | 308 | -58 | 340 | 159 | RC | |
| YINRC168 | 401290 | 7354655 | 308 | -59 | 1 | 135 | RC | |
| YINRC169 | 401289 | 7354640 | 308 | -59 | 359 | 183 | RC | |
| YINRC170 | 400992 | 7351884 | 286 | -59 | 213 | 111 | RC | |
| YINRC171 | 400854 | 7351916 | 290 | -60 | 211 | 75 | RC | Y2 |
| YINRC172 | 400875 | 7351948 | 289 | -60 | 213 | 163 | RC | |
| YINRC173 | 401012 | 7351921 | 287 | -59 | 210 | 117 | RC | |
| YINRC174 | 401678 | 7348786 | 296 | -61 | 306 | 183 | RC | Yin |
| YINRC175 | 401711 | 7348763 | 297 | -61 | 300 | 225 | RC | |
| YINRC176 | 401456 | 7348485 | 297 | -61 | 301 | 141 | RC | |
| YINRC177 | 401493 | 7348471 | 297 | -61 | 301 | 153 | RC | |
| YINRC178 | 401558 | 7348651 | 297 | -61 | 303 | 159 | RC | |
| YINRC179 | 401587 | 7348628 | 298 | -61 | 302 | 189 | RC | |
| YINRC180 | 401497 | 7348572 | 298 | -61 | 301 | 141 | RC | |
| YINRC181 | 401532 | 7348554 | 298 | -59 | 302 | 153 | RC | |
| YINRC182 | 401051 | 7351989 | 284 | -60 | 209 | 153 | RC | |
| YINRC183 | 400972 | 7351851 | 287 | -59 | 208 | 111 | RC | |
| YINRC184 | 400895 | 7351984 | 288 | -60 | 212 | 75 | RC | |
| YINRC185 | 400832 | 7351878 | 289 | -59 | 209 | 75 | RC | |
| YINRC186 | 400740 | 7351922 | 289 | -60 | 209 | 81 | RC | |
| YINRC187 | 400760 | 7351959 | 288 | -60 | 212 | 88 | RC | |
| YINRC188 | 400780 | 7351996 | 288 | -60 | 211 | 81 | RC | |
| YINRC189 | 400798 | 7352030 | 286 | -59 | 213 | 87 | RC | |
| YINRC190 | 400662 | 7351783 | 289 | -60 | 216 | 81 | RC | |
| YINRC191 | 400683 | 7351817 | 289 | -59 | 208 | 81 | RC | |
| YINRC192 | 400702 | 7351854 | 290 | -59 | 210 | 81 | RC | |
| YINRC193 | 400720 | 7351889 | 289 | -60 | 211 | 75 | RC | |
| YINRC194 | 401036 | 7351963 | 286 | -59 | 205 | 132 | RC | |
| YINRC195 | 401468 | 7348590 | 298 | -59 | 301 | 135 | RC | |
| YINRC196 | 401534 | 7348672 | 296 | -60 | 299 | 111 | RC | |
| YINRC197 | 401602 | 7348737 | 296 | -59 | 302 | 87 | RC | |
| YINRC198 | 401657 | 7348797 | 296 | -60 | 301 | 93 | RC | |
| YINRC199 | 401743 | 7348964 | 294 | -60 | 284 | 69 | RC | |
| YINRC200 | 401773 | 7349738 | 294 | -59 | 271 | 81 | RC | |
| YINRC201 | 401510 | 7348681 | 296 | -60 | 303 | 105 | RC | |
| YINRC202 | 401476 | 7348711 | 295 | -60 | 301 | 81 | RC | |
| YINRC203 | 398591 | 7348987 | 294 | -60 | 271 | 81 | RC | Wildcat |
| YINRC204 | 398627 | 7348990 | 294 | -60 | 272 | 81 | RC | |
| YINRC205 | 398671 | 7348987 | 294 | -60 | 275 | 81 | RC | |
| YINRC206 | 398709 | 7348989 | 294 | -61 | 268 | 81 | RC | |
| YINRC207 | 398752 | 7348990 | 295 | -60 | 267 | 81 | RC | |
| YINRC208 | 398791 | 7348990 | 294 | -61 | 267 | 81 | RC | |
| YINRC209 | 399062 | 7349143 | 296 | -60 | 270 | 81 | RC | |
| YINRC210 | 399105 | 7349146 | 296 | -60 | 269 | 81 | RC | |
| YINRC211 | 399458 | 7349225 | 297 | -60 | 220 | 81 | RC | |
| YINRC212 | 399484 | 7349258 | 297 | -60 | 230 | 81 | RC | |
| YINRC213 | 400480 | 7347487 | 290 | -60 | 228 | 165 | RC | Yin |
| YINRC214 | 400504 | 7347515 | 290 | -60 | 223 | 189 | RC | |
| YINRC215 | 400210 | 7347738 | 293 | -61 | 224 | 159 | RC | |

Table 4: Drill Collar Data (GDA94 MGAz50)

| Hole ID | Easting | Northing | RL | Dip | Azimuth | EOH | Type | Prospect |
|----------|---------|----------|-----|-----|---------|-----|------|----------|
| YINRC216 | 400239 | 7347768 | 294 | -60 | 225 | 183 | RC | Yin |
| YINRC217 | 399965 | 7348006 | 293 | -60 | 263 | 105 | RC | |
| YINRC218 | 400006 | 7348014 | 293 | -60 | 262 | 171 | RC | |
| YINRC219 | 400253 | 7348193 | 294 | -59 | 344 | 159 | RC | |
| YINRC220 | 398168 | 7343605 | 291 | -58 | 341 | 99 | RC | |
| YINRC221 | 400260 | 7348151 | 294 | -60 | 348 | 166 | RC | |
| YINRC222 | 398176 | 7343575 | 291 | -59 | 342 | 141 | RC | |
| YINRC223 | 400632 | 7348230 | 292 | -60 | 15 | 81 | RC | |
| YINRC224 | 398187 | 7343539 | 291 | -60 | 344 | 171 | RC | |
| YINRC225 | 400624 | 7348186 | 292 | -59 | 13 | 81 | RC | |
| YINRC226 | 398339 | 7343678 | 291 | -58 | 338 | 81 | RC | |
| YINRC227 | 400620 | 7348149 | 292 | -59 | 10 | 88 | RC | |
| YINRC228 | 398353 | 7343645 | 291 | -59 | 338 | 105 | RC | |
| YINRC229 | 400614 | 7348110 | 292 | -60 | 11 | 153 | RC | |
| YINRC230 | 398366 | 7343618 | 291 | -57 | 344 | 135 | RC | |
| YINRC231 | 400242 | 7348226 | 294 | -60 | 351 | 153 | RC | |
| YINRC232 | 398705 | 7343845 | 290 | -58 | 329 | 87 | RC | |
| YINRC233 | 400235 | 7348265 | 294 | -59 | 350 | 123 | RC | |
| YINRC234 | 398719 | 7343815 | 290 | -58 | 330 | 117 | RC | |
| YINRC235 | 399929 | 7348001 | 293 | -60 | 264 | 147 | RC | |
| YINRC236 | 398743 | 7343782 | 290 | -58 | 328 | 153 | RC | |
| YINRC237 | 399890 | 7348001 | 293 | -60 | 268 | 123 | RC | |
| YINRC238 | 398967 | 7344147 | 289 | -58 | 314 | 87 | RC | |
| YINRC239 | 400183 | 7347713 | 294 | -60 | 228 | 129 | RC | |
| YINRC240 | 398993 | 7344123 | 289 | -58 | 316 | 81 | RC | |
| YINRC241 | 400155 | 7347689 | 293 | -60 | 225 | 129 | RC | |
| YINRC242 | 399024 | 7344096 | 289 | -58 | 314 | 153 | RC | |
| YINRC243 | 400450 | 7347462 | 290 | -60 | 221 | 153 | RC | |
| YINRC244 | 399219 | 7344452 | 288 | -58 | 331 | 111 | RC | |
| YINRC245 | 400420 | 7347429 | 290 | -60 | 228 | 123 | RC | |
| YINRC246 | 399234 | 7344422 | 288 | -58 | 332 | 147 | RC | |
| YINRC247 | 400856 | 7351921 | 288 | -60 | 34 | 63 | RC | Y2 |
| YINRC248 | 399256 | 7344387 | 288 | -59 | 331 | 183 | RC | Yin |
| YINRC249 | 418751 | 7343901 | 316 | -60 | 44 | 81 | RC | C7 |
| YINRC250 | 399572 | 7344648 | 289 | -58 | 333 | 93 | RC | Yin |
| YINRC251 | 418724 | 7343860 | 315 | -60 | 45 | 81 | RC | C7 |
| YINRC252 | 399583 | 7344623 | 289 | -58 | 335 | 129 | RC | Yin |
| YINRC253 | 418700 | 7343837 | 316 | -60 | 50 | 99 | RC | C7 |
| YINRC254 | 399606 | 7344588 | 288 | -58 | 334 | 171 | RC | Yin |
| YINRC255 | 400803 | 7345637 | 288 | -59 | 294 | 183 | RC | |
| YINRC256 | 399915 | 7344851 | 289 | -59 | 332 | 165 | RC | |
| YINRC257 | 400834 | 7345626 | 288 | -58 | 292 | 129 | RC | |
| YINRC258 | 399931 | 7344818 | 289 | -57 | 332 | 147 | RC | |
| YINRC259 | 400860 | 7345615 | 288 | -58 | 293 | 129 | RC | |
| YINRC260 | 399950 | 7344786 | 289 | -58 | 336 | 189 | RC | |
| YINRC261 | 400932 | 7346024 | 290 | -59 | 275 | 111 | RC | |
| YINRC262 | 400250 | 7345074 | 290 | -58 | 320 | 156 | RC | |
| YINRC263 | 400970 | 7346028 | 290 | -58 | 277 | 159 | RC | |
| YINRC264 | 400271 | 7345047 | 290 | -58 | 321 | 183 | RC | |
| YINRC265 | 400543 | 7345338 | 290 | -58 | 318 | 153 | RC | |
| YINRC266 | 400573 | 7345306 | 290 | -57 | 320 | 171 | RC | |
| YINRC267 | 400601 | 7345280 | 290 | -58 | 319 | 189 | RC | |
| YINRC268 | 401006 | 7346034 | 290 | -58 | 277 | 57 | RC | |
| YINRC269 | 400916 | 7346426 | 290 | -59 | 258 | 141 | RC | |

Table 4: Drill Collar Data (GDA94 MGAz50)

| Hole ID | Easting | Northing | RL | Dip | Azimuth | EOH | Type | Prospect |
|----------|---------|----------|-----|-----|---------|-----|------|----------|
| YINRC270 | 400959 | 7346441 | 290 | -58 | 260 | 123 | RC | Yin |
| YINRC271 | 400996 | 7346446 | 290 | -59 | 260 | 165 | RC | |
| YINRC272 | 400843 | 7346688 | 289 | -57 | 250 | 129 | RC | |
| YINRC273 | 400882 | 7346701 | 289 | -58 | 251 | 147 | RC | |
| YINRC274 | 400912 | 7346711 | 290 | -58 | 248 | 183 | RC | |
| YINRC275 | 400892 | 7346024 | 300 | -57 | 273 | 111 | RC | |
| YINRC276 | 400445 | 7345425 | 289 | -58 | 317 | 87 | RC | |
| YINRC277 | 400485 | 7345400 | 289 | -59 | 317 | 93 | RC | |
| YINRC278 | 400440 | 7354908 | 308 | -59 | 239 | 99 | RC | |
| YINRC279 | 400192 | 7345137 | 289 | -58 | 311 | 117 | RC | |
| YINRC280 | 400471 | 7354934 | 309 | -61 | 233 | 141 | RC | |
| YINRC281 | 400225 | 7345106 | 289 | -57 | 316 | 153 | RC | |
| YINRC282 | 400501 | 7354964 | 308 | -60 | 234 | 183 | RC | |
| YINRC283 | 399554 | 7344675 | 289 | -58 | 332 | 63 | RC | |
| YINRC284 | 400536 | 7354739 | 308 | -60 | 234 | 81 | RC | |
| YINRC285 | 399198 | 7344487 | 288 | -58 | 332 | 51 | RC | |
| YINRC286 | 400569 | 7354771 | 308 | -60 | 234 | 81 | RC | |
| YINRC287 | 400509 | 7345370 | 289 | -57 | 313 | 129 | RC | |
| YINRC288 | 402368 | 7352742 | 298 | -60 | 221 | 81 | RC | |
| YINRC289 | 401649 | 7350179 | 299 | -59 | 316 | 45 | RC | |
| YINRC290 | 402400 | 7352769 | 298 | -60 | 228 | 129 | RC | |
| YINRC291 | 401675 | 7350175 | 299 | -58 | 272 | 69 | RC | |
| YINRC292 | 401061 | 7351807 | 284 | -59 | 208 | 81 | RC | Y2 |
| YINRC293 | 401716 | 7350174 | 299 | -58 | 271 | 99 | RC | Yin |
| YINRC294 | 401083 | 7351844 | 285 | -60 | 212 | 120 | RC | Y2 |
| YINRC295 | 401687 | 7350225 | 299 | -60 | 270 | 45 | RC | Yin |
| YINRC296 | 401099 | 7351879 | 284 | -60 | 207 | 144 | RC | Y2 |
| YINRC297 | 401717 | 7350227 | 300 | -58 | 272 | 75 | RC | Yin |
| YINRC298 | 401131 | 7351908 | 284 | -60 | 211 | 153 | RC | Y2 |
| YINRC299 | 401756 | 7350226 | 299 | -58 | 269 | 87 | RC | Yin |
| YINRC300 | 401162 | 7351991 | 285 | -60 | 212 | 147 | RC | Y2 |
| YINRC301 | 401716 | 7350274 | 300 | -59 | 270 | 45 | RC | Yin |
| YINRC302 | 401180 | 7352026 | 285 | -58 | 211 | 135 | RC | Y2 |
| YINRC303 | 401755 | 7350275 | 300 | -58 | 272 | 75 | RC | Yin |
| YINRC304 | 401203 | 7352064 | 285 | -60 | 209 | 153 | RC | Y2 |
| YINRC305 | 401794 | 7350276 | 299 | -59 | 271 | 111 | RC | Yin |
| YINRC306 | 400918 | 7352023 | 288 | -59 | 211 | 99 | RC | Y2 |
| YINRC307 | 401719 | 7350349 | 300 | -59 | 270 | 33 | RC | Yin |
| YINRC308 | 400935 | 7352053 | 288 | -59 | 210 | 99 | RC | Y2 |
| YINRC309 | 401758 | 7350350 | 300 | -58 | 270 | 63 | RC | Yin |
| YINRC310 | 400958 | 7352092 | 286 | -59 | 211 | 81 | RC | Y2 |
| YINRC311 | 401797 | 7350349 | 299 | -58 | 270 | 105 | RC | Yin |
| YINRC312 | 400979 | 7352122 | 286 | -60 | 209 | 81 | RC | Y2 |
| YINRC313 | 401729 | 7350449 | 300 | -58 | 272 | 39 | RC | Yin |
| YINRC314 | 400814 | 7352060 | 286 | -60 | 210 | 99 | RC | Y2 |
| YINRC315 | 401759 | 7350449 | 300 | -58 | 272 | 63 | RC | Yin |
| YINRC316 | 400833 | 7352095 | 287 | -60 | 213 | 111 | RC | Y2 |
| YINRC317 | 401798 | 7350449 | 299 | -59 | 270 | 99 | RC | Yin |
| YINRC318 | 400847 | 7352118 | 286 | -60 | 210 | 153 | RC | Y2 |
| YINRC319 | 401728 | 7350548 | 302 | -58 | 272 | 45 | RC | Yin |
| YINRC320 | 401139 | 7351762 | 283 | -59 | 208 | 81 | RC | Y2 |
| YINRC321 | 401770 | 7350549 | 302 | -58 | 270 | 93 | RC | Yin |
| YINRC322 | 401157 | 7351801 | 284 | -60 | 207 | 129 | RC | Y2 |
| YINRC323 | 401807 | 7350550 | 301 | -59 | 272 | 135 | RC | Yin |

Table 4: Drill Collar Data (GDA94 MGAz50)

| Hole ID | Easting | Northing | RL | Dip | Azimuth | EOH | Type | Prospect |
|----------|---------|----------|-----|-----|---------|-----|------|----------|
| YINRC324 | 401174 | 7351844 | 284 | -59 | 204 | 141 | RC | Y2 |
| YINRC325 | 401851 | 7350551 | 300 | -59 | 272 | 177 | RC | Yin |
| YINRC326 | 401197 | 7351876 | 284 | -60 | 207 | 153 | RC | Y2 |
| YINRC327 | 401840 | 7350450 | 299 | -58 | 272 | 147 | RC | Yin |
| YINRC328 | 401219 | 7351916 | 284 | -61 | 214 | 195 | RC | Y2 |
| YINRC329 | 401864 | 7350501 | 299 | -65 | 269 | 165 | RC | Yin |
| YINRC330 | 401239 | 7351951 | 283 | -60 | 209 | 81 | RC | Y2 |
| YINRC331 | 401738 | 7350650 | 302 | -59 | 274 | 51 | RC | Yin |
| YINRC332 | 401260 | 7351986 | 284 | -60 | 210 | 93 | RC | Y2 |
| YINRC333 | 401776 | 7350650 | 302 | -57 | 270 | 81 | RC | Yin |
| YINRC334 | 401278 | 7352021 | 284 | -60 | 208 | 102 | RC | Y2 |
| YINRC335 | 401880 | 7350602 | 300 | -65 | 276 | 201 | RC | Yin |
| YINRC336 | 401139 | 7351955 | 285 | -59 | 216 | 192 | RC | Y2 |
| YINRC337 | 401816 | 7350650 | 301 | -59 | 270 | 153 | RC | Yin |
| YINRC338 | 401333 | 7352642 | 300 | -59 | 213 | 72 | RC | |
| YINRC339 | 401751 | 7350750 | 303 | -58 | 270 | 33 | RC | |
| YINRC340 | 401354 | 7352677 | 300 | -60 | 212 | 150 | RC | |
| YINRC341 | 401788 | 7350751 | 303 | -58 | 274 | 75 | RC | |
| YINRC342 | 401184 | 7352744 | 298 | -60 | 210 | 96 | RC | |
| YINRC343 | 401829 | 7350751 | 302 | -58 | 274 | 129 | RC | |
| YINRC344 | 401202 | 7352773 | 299 | -59 | 213 | 114 | RC | |
| YINRC345 | 401868 | 7350751 | 302 | -59 | 273 | 183 | RC | |
| YINRC346 | 400344 | 7353918 | 306 | -60 | 316 | 84 | RC | |
| YINRC347 | 401858 | 7350649 | 301 | -59 | 270 | 171 | RC | |
| YINRC348 | 400371 | 7353894 | 307 | -60 | 317 | 153 | RC | |
| YINRC349 | 401902 | 7350702 | 301 | -67 | 273 | 225 | RC | |
| YINRC350 | 400408 | 7354026 | 307 | -59 | 314 | 102 | RC | |
| YINRC351 | 401764 | 7350853 | 304 | -58 | 272 | 51 | RC | |
| YINRC352 | 400473 | 7354074 | 307 | -59 | 319 | 84 | RC | |
| YINRC353 | 401793 | 7350851 | 304 | -58 | 273 | 87 | RC | |
| YINRC354 | 400506 | 7354046 | 307 | -60 | 321 | 150 | RC | |
| YINRC355 | 401864 | 7351176 | 300 | -59 | 272 | 45 | RC | |
| YINRC356 | 400778 | 7354521 | 316 | -60 | 319 | 90 | RC | |
| YINRC357 | 401900 | 7351177 | 301 | -58 | 270 | 81 | RC | |
| YINRC358 | 400806 | 7354491 | 384 | -59 | 317 | 96 | RC | |
| YINRC359 | 401924 | 7351277 | 301 | -59 | 270 | 33 | RC | |
| YINRC360 | 401190 | 7354683 | 318 | -60 | 3 | 84 | RC | |
| YINRC361 | 401963 | 7351278 | 301 | -59 | 273 | 81 | RC | |
| YINRC362 | 401191 | 7354644 | 305 | -60 | 2 | 153 | RC | |
| YINRC363 | 402003 | 7351277 | 301 | -58 | 273 | 123 | RC | |
| YINRC364 | 401290 | 7354687 | 302 | -61 | 2 | 87 | RC | |
| YINRC365 | 401755 | 7350175 | 298 | -59 | 271 | 120 | RC | |
| YINRC366 | 401401 | 7354655 | 309 | -60 | 357 | 87 | RC | |
| YINRC367 | 401798 | 7350175 | 298 | -58 | 271 | 153 | RC | |
| YINRC368 | 401399 | 7354614 | 312 | -60 | 4 | 128 | RC | |
| YINRC369 | 401836 | 7350177 | 297 | -58 | 272 | 183 | RC | |
| YINRC370 | 401073 | 7352024 | 284 | -60 | 211 | 177 | RC | |
| YINRC371 | 401793 | 7350227 | 299 | -59 | 269 | 123 | RC | Yin |
| YINRC372 | 401090 | 7352052 | 277 | -60 | 211 | 195 | RC | Y2 |
| YINRC373 | 401839 | 7350228 | 298 | -59 | 274 | 159 | RC | Yin |
| YINRC374 | 401113 | 7352091 | 285 | -60 | 211 | 117 | RC | Y2 |
| YINRC375 | 401832 | 7350278 | 298 | -59 | 272 | 219 | RC | Yin |
| YINRC376 | 400809 | 7351937 | 289 | -60 | 213 | 39 | RC | Y2 |
| YINRC377 | 401837 | 7350353 | 298 | -58 | 273 | 147 | RC | Yin |

Table 4: Drill Collar Data (GDA94 MGAz50)

| Hole ID | Easting | Northing | RL | Dip | Azimuth | EOH | Type | Prospect |
|----------|---------|----------|-----|-----|---------|-----|------|----------|
| YINRC378 | 400832 | 7351971 | 284 | -59 | 208 | 81 | RC | Y2 |
| YINRC379 | 401967 | 7351375 | 300 | -58 | 273 | 57 | RC | Yin |
| YINRC380 | 400853 | 7352009 | 285 | -59 | 209 | 51 | RC | Y2 |
| YINRC381 | 401997 | 7351377 | 300 | -59 | 272 | 69 | RC | Yin |
| YINRC382 | 400872 | 7352047 | 286 | -59 | 208 | 81 | RC | Y2 |
| YINRC383 | 402031 | 7351378 | 299 | -60 | 271 | 96 | RC | Yin |
| YINRC384 | 400891 | 7351892 | 287 | -59 | 211 | 69 | RC | Y2 |
| YINRC385 | 402012 | 7351477 | 298 | -60 | 271 | 57 | RC | Yin |
| YINRC386 | 400916 | 7351929 | 288 | -59 | 215 | 117 | RC | Y2 |
| YINRC387 | 402048 | 7351477 | 299 | -61 | 272 | 105 | RC | Yin |
| YINRC388 | 400936 | 7351966 | 286 | -59 | 211 | 141 | RC | Y2 |
| YINRC389 | 402089 | 7351477 | 299 | -59 | 269 | 129 | RC | Yin |
| YINRC390 | 400956 | 7352003 | 287 | -60 | 210 | 111 | RC | Y2 |
| YINRC391 | 401786 | 7350051 | 297 | -58 | 275 | 105 | RC | Yin |
| YINRC392 | 400979 | 7352043 | 284 | -60 | 216 | 153 | RC | Y2 |
| YINRC393 | 401825 | 7350055 | 296 | -59 | 271 | 129 | RC | Yin |
| YINRC394 | 400955 | 7351908 | 285 | -60 | 211 | 99 | RC | Y2 |
| YINRC395 | 401866 | 7350053 | 296 | -59 | 272 | 171 | RC | Yin |
| YINRC396 | 400978 | 7351944 | 286 | -59 | 210 | 117 | RC | Y2 |
| YINRC397 | 401780 | 7349969 | 295 | -59 | 269 | 99 | RC | Yin |
| YINRC398 | 400993 | 7351973 | 286 | -59 | 212 | 117 | RC | Y2 |
| YINRC399 | 401843 | 7349293 | 284 | -59 | 273 | 57 | RC | Yin |
| YINRC400 | 401015 | 7352020 | 298 | -60 | 207 | 147 | RC | Y2 |
| YINRC401 | 401884 | 7349291 | 284 | -59 | 275 | 111 | RC | Yin |
| YINRC402 | 401820 | 7349967 | 300 | -59 | 270 | 243 | RC | |
| YINRC403 | 401888 | 7349371 | 284 | -57 | 271 | 57 | RC | |
| YINRC404 | 401530 | 7348727 | 226 | -60 | 306 | 81 | RC | |
| YINRC405 | 401930 | 7349371 | 286 | -59 | 270 | 93 | RC | |
| YINRC406 | 401560 | 7348703 | 304 | -60 | 303 | 117 | RC | |
| YINRC407 | 401807 | 7349212 | 281 | -58 | 275 | 51 | RC | |
| YINRC408 | 401596 | 7348677 | 300 | -60 | 307 | 147 | RC | |
| YINRC409 | 401846 | 7349211 | 282 | -58 | 275 | 105 | RC | |
| YINRC410 | 401630 | 7348655 | 253 | -60 | 305 | 195 | RC | |
| YINRC411 | 401786 | 7349107 | 280 | -58 | 281 | 81 | RC | |
| YINRC412 | 401625 | 7348769 | 237 | -60 | 305 | 69 | RC | |
| YINRC413 | 401824 | 7349104 | 283 | -58 | 277 | 135 | RC | |
| YINRC414 | 401657 | 7348747 | 305 | -60 | 305 | 117 | RC | |
| YINRC415 | 401772 | 7348999 | 310 | -58 | 279 | 111 | RC | |
| YINRC416 | 401692 | 7348719 | 300 | -60 | 305 | 225 | RC | |
| YINRC417 | 401815 | 7348991 | 307 | -58 | 283 | 147 | RC | |
| YINRC418 | 401777 | 7349895 | 305 | -60 | 270 | 87 | RC | |
| YINRC419 | 401742 | 7348899 | 301 | -59 | 282 | 105 | RC | |
| YINRC420 | 401818 | 7349890 | 300 | -60 | 270 | 108 | RC | |
| YINRC421 | 401777 | 7348890 | 303 | -60 | 285 | 99 | RC | |
| YINRC422 | 401470 | 7348651 | 308 | -60 | 270 | 90 | RC | |
| YINRC423 | 401701 | 7348824 | 300 | -59 | 303 | 153 | RC | |
| YINRC424 | 401505 | 7348626 | 306 | -60 | 305 | 132 | RC | |
| YINRC425 | 401738 | 7348800 | 306 | -60 | 303 | 225 | RC | |
| YINRC426 | 401539 | 7348603 | 300 | -60 | 305 | 240 | RC | |
| YINRC427 | 401485 | 7348533 | 298 | -60 | 310 | 147 | RC | |
| YINRC428 | 401522 | 7348506 | 298 | -60 | 307 | 165 | RC | |
| YINRC429 | 401530 | 7348553 | 298 | -60 | 305 | 31 | RC | |
| YINRC430 | 400937 | 7351868 | 318 | -60 | 214 | 75 | RC | Y2 |
| YINRC431 | 401016 | 7351830 | 300 | -61 | 212 | 69 | RC | Y2 |

Table 4: Drill Collar Data (GDA94 MGAz50)

| Hole ID | Easting | Northing | RL | Dip | Azimuth | EOH | Type | Prospect |
|----------|----------|----------|-----|-----|---------|-------|------|----------|
| YINRC432 | 401041 | 7351868 | 292 | -60 | 214 | 99 | RC | Y2 |
| YINRC433 | 401064 | 7351909 | 303 | -60 | 215 | 135 | RC | |
| YINRC434 | 401081 | 7351939 | 300 | -58 | 209 | 159 | RC | |
| YINRC435 | 401098 | 7351982 | 309 | -59 | 213 | 153 | RC | |
| YINRC436 | 401118 | 7352017 | 309 | -59 | 214 | 193 | RC | |
| YINRC427 | 401484.9 | 7348533 | 298 | -60 | 310 | 147 | RC | |
| YINRC428 | 401521.7 | 7348506 | 298 | -60 | 307 | 165 | RC | |
| YINRC437 | 401140 | 7352050 | 311 | -59 | 212 | 183 | RC | |
| YINRC438 | 401098 | 7351786 | 300 | -59 | 208 | 57 | RC | |
| YINRC439 | 401122 | 7351825 | 305 | -59 | 212 | 99 | RC | |
| YINRC440 | 401144 | 7351864 | 304 | -61 | 207 | 123 | RC | |
| YINRC441 | 401163 | 7351906 | 304 | -60 | 207 | 165 | RC | |
| YINRC437 | 401140 | 7352050 | 311 | -59 | 212 | 183 | RC | |
| YINRC438 | 401098 | 7351786 | 300 | -59 | 208 | 57 | RC | |
| YINRC439 | 401122 | 7351825 | 305 | -59 | 212 | 99 | RC | |
| YINRC440 | 401144 | 7351864 | 304 | -61 | 207 | 123 | RC | |
| YINRC441 | 401163 | 7351906 | 304 | -60 | 207 | 165 | RC | |
| YINRC442 | 401179 | 7351937 | 296 | -60 | 205 | 81 | RC | |
| YINRC443 | 401198 | 7351974 | 296 | -60 | 212 | 87 | RC | |
| YINRC444 | 401217 | 7352008 | 296 | -61 | 203 | 99 | RC | |
| YINRC445 | 401237 | 7352041 | 296 | -61 | 207 | 99 | RC | |
| YINRC446 | 401578 | 7348582 | 304 | -59 | 314 | 249 | RC | |
| YINDD001 | 401615 | 7350168 | 298 | -57 | 329 | 36 | DD | Yin |
| YINDD002 | 401655 | 7350203 | 299 | -58 | 267 | 45 | DD | |
| YINDD003 | 401993 | 7351424 | 299 | -57 | 278 | 26.7 | DD | |
| YINDD004 | 401738 | 7350302 | 299 | -57 | 273 | 46.7 | DD | |
| YINDD005 | 401765 | 7350800 | 304 | -57 | 274 | 21 | DD | |
| YINDD006 | 401814 | 7350200 | 298 | -58 | 274 | 137.4 | DD | |
| YINDD007 | 402074 | 7351411 | 298 | -57 | 273 | 120.0 | DD | |
| YINDD008 | 402104 | 7351527 | 300 | -58 | 272 | 124.7 | DD | |
| YINDD009 | 402065 | 7351526 | 300 | -59 | 273 | 93 | DD | |
| YINDD010 | 401943 | 7351324 | 300 | -59 | 275 | 30 | DD | |
| YINDD011 | 401935 | 7351222 | 300 | -59 | 271 | 75 | DD | |
| YINDD012 | 401907 | 7351124 | 300 | -59 | 271 | 105 | DD | |
| YINDD013 | 401786 | 7351057 | 300 | -60 | 314 | 74.4 | DD | |
| YINDD014 | 401703 | 7350248 | 300 | -57 | 115 | 65.9 | DD | |
| YINDD015 | 401800 | 7350501 | 300 | -58 | 272 | 110 | DD | |
| YINDD016 | 401759 | 7350503 | 301 | -58 | 273 | 81 | DD | |
| YINDD017 | 401857 | 7350152 | 296 | -58 | 271 | 180.6 | DD | |
| YINDD018 | 401778 | 7350247 | 299 | -57 | 269 | 96.3 | DD | |
| YINDD019 | 401817 | 7350100 | 297 | -58 | 270 | 65.9 | DD | |
| YINDD020 | 401896 | 7350101 | 295 | -59 | 266 | 147 | DD | |
| YINDD021 | 401693 | 7350197 | 299 | -59 | 90 | 150.6 | DD | |
| YINDD024 | 401589 | 7348627 | 298 | -57 | 301 | 171.5 | DD | |
| YINDD025 | 401631 | 7348718 | 297 | -59 | 304 | 99.5 | DD | |
| YINDD027 | 401829 | 7349253 | 298 | -60 | 260 | 57 | DD | |
| YINDD028 | 401865 | 7349336 | 307 | -60 | 271 | 60.6 | DD | |
| YINDD020 | 401896 | 7350101 | 295 | -59 | 266 | 147 | DD | |
| YINDD021 | 401693 | 7350197 | 299 | -59 | 90 | 150.6 | DD | |
| YINDD024 | 401589 | 7348627 | 298 | -57 | 301 | 171.5 | DD | |
| YINDD025 | 401631 | 7348718 | 297 | -59 | 304 | 99.5 | DD | |
| YINDD027 | 401829 | 7349253 | 298 | -60 | 260 | 57 | DD | |
| YINDD028 | 401865 | 7349336 | 307 | -60 | 271 | 60.6 | DD | |

Table 4: Drill Collar Data (GDA94 MGAz50)

| Hole ID | Easting | Northing | RL | Dip | Azimuth | EOH | Type | Prospect |
|---------|---------|----------|-----|-----|---------|-----|------|----------|
| Y3RC001 | 410603 | 7344281 | 311 | -59 | 214 | 105 | RC | Sabre |
| Y3RC002 | 409300 | 7346158 | 302 | -58 | 99 | 63 | RC | |
| Y3RC003 | 409300 | 7346182 | 303 | -58 | 94 | 105 | RC | |
| Y3RC004 | 409201 | 7346168 | 302 | -57 | 97 | 177 | RC | |
| Y3RC005 | 409249 | 7346171 | 302 | -58 | 93 | 105 | RC | |
| Y3RC006 | 409345 | 7346180 | 302 | -58 | 270 | 75 | RC | |
| Y3RC007 | 409603 | 7346177 | 305 | -58 | 97 | 105 | RC | |
| Y3RC008 | 409549 | 7346175 | 305 | -58 | 92 | 105 | RC | |
| Y3RC009 | 409355 | 7346998 | 304 | -58 | 92 | 105 | RC | |
| Y3RC010 | 409302 | 7346994 | 304 | -58 | 93 | 183 | RC | |
| Y3RC011 | 409253 | 7347001 | 304 | -58 | 94 | 105 | RC | |
| Y3RC012 | 409203 | 7346999 | 304 | -57 | 91 | 105 | RC | |
| Y3RC013 | 409152 | 7346998 | 303 | -57 | 94 | 105 | RC | |
| Y3RC014 | 409406 | 7347244 | 303 | -59 | 91 | 105 | RC | |
| Y3RC015 | 409353 | 7347249 | 303 | -59 | 92 | 105 | RC | |
| Y3RC016 | 409300 | 7347252 | 303 | -58 | 94 | 105 | RC | |
| Y3RC017 | 409379 | 7346796 | 306 | -58 | 91 | 104 | RC | |
| Y3RC018 | 409327 | 7346793 | 305 | -57 | 91 | 105 | RC | |
| Y3RC019 | 409275 | 7346800 | 305 | -58 | 100 | 171 | RC | |
| Y3RC020 | 409229 | 7346797 | 304 | -58 | 92 | 105 | RC | |
| Y3RC021 | 409175 | 7346800 | 304 | -58 | 94 | 105 | RC | |
| Y3RC022 | 409351 | 7346495 | 305 | -58 | 92 | 105 | RC | |
| Y3RC023 | 409298 | 7346495 | 305 | -58 | 89 | 105 | RC | |
| Y3RC024 | 409252 | 7346501 | 304 | -54 | 94 | 165 | RC | |
| Y3RC025 | 409206 | 7346502 | 304 | -57 | 89 | 105 | RC | |
| Y3RC026 | 409659 | 7346398 | 306 | -58 | 85 | 105 | RC | |
| Y3RC027 | 409606 | 7346402 | 306 | -58 | 90 | 105 | RC | |
| Y3RC028 | 409425 | 7346401 | 305 | -58 | 92 | 105 | RC | |
| Y3RC029 | 409368 | 7346401 | 305 | -57 | 92 | 183 | RC | |
| Y3RC030 | 409507 | 7346178 | 304 | -59 | 88 | 105 | RC | |
| Y3RC031 | 409379 | 7346800 | 306 | -58 | 272 | 105 | RC | |
| Y3RC032 | 409199 | 7347003 | 304 | -58 | 275 | 105 | RC | |
| Y3RC033 | 409253 | 7347003 | 304 | -58 | 271 | 105 | RC | |
| Y3RC034 | 409674 | 7344859 | 307 | -58 | 228 | 81 | RC | |
| Y3RC035 | 409708 | 7344888 | 307 | -59 | 227 | 93 | RC | |
| Y3RC036 | 409739 | 7344918 | 307 | -59 | 227 | 177 | RC | |
| Y3RC037 | 410627 | 7344331 | 312 | -58 | 208 | 111 | RC | |
| Y3RC038 | 410566 | 7344678 | 312 | -58 | 132 | 38 | RC | |
| Y3RC039 | 410126 | 7344498 | 308 | -59 | 228 | 123 | RC | |
| Y3RC040 | 410155 | 7344531 | 308 | -60 | 228 | 93 | RC | |
| Y3RC041 | 410183 | 7344555 | 308 | -60 | 226 | 165 | RC | |
| Y3RC042 | 409991 | 7344642 | 307 | -60 | 226 | 63 | RC | |
| Y3RC043 | 410020 | 7344667 | 307 | -60 | 228 | 123 | RC | |
| Y3RC044 | 409836 | 7344773 | 308 | -60 | 227 | 75 | RC | |
| Y3RC045 | 409869 | 7344803 | 307 | -60 | 225 | 177 | RC | |
| Y3RC046 | 409442 | 7345044 | 307 | -60 | 216 | 135 | RC | |
| Y3RC047 | 409468 | 7345073 | 307 | -60 | 226 | 105 | RC | |
| Y3RC048 | 409493 | 7345101 | 307 | -59 | 227 | 183 | RC | |
| Y3RC049 | 409304 | 7345996 | 301 | -60 | 270 | 81 | RC | |
| Y3RC050 | 409346 | 7345995 | 302 | -60 | 274 | 87 | RC | |
| Y3RC051 | 409507 | 7347458 | 303 | -60 | 273 | 81 | RC | |
| Y3RC052 | 409543 | 7347460 | 303 | -60 | 275 | 123 | RC | |
| Y3RC053 | 409587 | 7347460 | 303 | -61 | 280 | 153 | RC | |
| Y3RC054 | 409363 | 7346605 | 309 | -71 | 274 | 102 | RC | |

Table 4: Drill Collar Data (GDA94 MGAz50)

| Hole ID | Easting | Northing | RL | Dip | Azimuth | EOH | Type | Prospect |
|---------|---------|----------|-----|-----|---------|-----|------|----------|
| Y3RC055 | 409362 | 7346606 | 310 | -52 | 274 | 60 | RC | Sabre |
| Y3RC056 | 409402 | 7346607 | 310 | -60 | 274 | 153 | RC | |
| Y3RC057 | 409363 | 7346708 | 309 | -71 | 270 | 99 | RC | |
| Y3RC058 | 409365 | 7346706 | 309 | -51 | 270 | 57 | RC | |
| Y3RC059 | 409400 | 7346708 | 309 | -60 | 272 | 159 | RC | |
| Y3RC060 | 409391 | 7346904 | 308 | -71 | 271 | 99 | RC | |
| Y3RC061 | 409389 | 7346903 | 308 | -50 | 268 | 63 | RC | |
| Y3RC062 | 409421 | 7346906 | 306 | -60 | 270 | 153 | RC | |
| Y3RC063 | 409413 | 7347082 | 308 | -71 | 271 | 93 | RC | |
| Y3RC064 | 409412 | 7347082 | 308 | -51 | 272 | 51 | RC | |
| Y3RC065 | 409454 | 7347080 | 307 | -60 | 269 | 153 | RC | |
| Y3RC066 | 409415 | 7347153 | 309 | -66 | 271 | 135 | RC | |
| Y3RC067 | 409414 | 7347153 | 308 | -51 | 272 | 81 | RC | |
| Y3RC068 | 409454 | 7347154 | 308 | -60 | 270 | 201 | RC | |

JORC Code, 2012 Edition – Table I Report Template Section I Sampling Techniques and Data (Criteria in this section apply to all succeeding sections.)

| Criteria | JORC Code explanation | Commentary |
|-----------------------|--|--|
| Sampling techniques | <ul style="list-style-type: none"> Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc.). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (e.g. 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g. submarine nodules) may warrant disclosure of detailed information. | <p>Reverse Circulation (RC) drilling was undertaken to produce samples for assaying.</p> <p>Laboratory Analysis Two sampling techniques were utilised for this program, 1m metre splits directly from the rig sampling system for each metre and 3m composite sampling from spoil piles. Samples submitted to the laboratory were determined by the site geologist.</p> <p>1m Splits From every metre drilled a 2-3kg sample (split) was sub-sampled into a calico bag via a Metzke cone splitter from each metre of drilling.</p> <p>3m Composites All remaining spoil from the sampling system was collected in buckets from the sampling system and neatly deposited in rows adjacent to the rig. An aluminium scoop was used to then sub-sample each spoil pile to create a 2-3kg 3m composite sample in a calico bag. A pXRF is used on site to determine mineralised samples. Mineralised intervals have the 1m split collected, while unmineralised samples have 3m composites collected. All samples are submitted to ALS Laboratories in Perth for determination of Rare Earth Oxides by Lithium Borate Fusion XRF (ALS Method ME-XRF30) and for 48 multi-elements via 4 acid digestion with MS/ICP finish (ALS Code ME-MS61).</p> |
| Drilling techniques | <ul style="list-style-type: none"> Drill type (e.g. core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc.) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc.). | <p>RC Drilling Ausdrill undertook the program utilising a Drill Rigs Australia truck mounted Schramm T685WS drill rig with additional air from an auxiliary compressor and booster. Bit size was 5¾".</p> |
| Drill sample recovery | <ul style="list-style-type: none"> Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure representative nature of the samples. Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. | <p>RC Drilling Drilling was undertaken using a 'best practice' approach to achieve maximum sample recovery and quality through the mineralised zones. Best practice sampling procedure included: suitable usage of dust suppression, suitable shroud, lifting off bottom between each metre, cleaning of sampling equipment, ensuring a dry sample and suitable supervision by the supervising geologist to ensure good sample quality. At this stage, no known bias occurs between sample recovery</p> |

| Criteria | JORC Code explanation | Commentary |
|--|---|---|
| Logging | <ul style="list-style-type: none"> Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc.) photography. The total length and percentage of the relevant intersections logged. | <p>and grade.</p> <p>RC chips were logged under supervision of a qualified senior geologist with sufficient experience in this geological terrane and relevant styles of mineralisation using an industry standard logging system which could eventually be utilised within a Mineral Resource Estimation.</p> <p>Lithology, mineralisation, alteration, veining, weathering and texture were all recorded digitally.</p> <p>Chips were washed each metre and stored in chip trays for preservation and future reference.</p> <p>RC pulp material is also analysed on the rig by pXRF and magnetic susceptibility meter to assist with logging and the identification of mineralisation.</p> <p>Logging is qualitative, quantitative or semi-quantitative in nature.</p> |
| Sub-sampling techniques and sample preparation | <ul style="list-style-type: none"> If core, whether cut or sawn and whether quarter, half or all core taken. If non-core, whether riffled, tube sampled, rotary split, etc. and whether sampled wet or dry. For all sample types, the nature, quality and appropriateness of the sample preparation technique. Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling. Whether sample sizes are appropriate to the grain size of the material being sampled. | <p>RC Drilling</p> <p>From every metre drilled, a 2-3kg sample (split) was sub-sampled into a calico bag via a Metzke cone splitter.</p> <p>QAQC in the form of duplicates and CRM's (OREAS Standards) were inserted through the ore zones at a rate of 1:50 samples. Additionally, within mineralised zones, a duplicate sample was taken and a blank inserted directly after.</p> <p>2-3kg samples are submitted to ALS laboratories (Perth), oven dried to 105°C and pulverised to 85% passing 75um to produce a 0.66g charge for determination of Rare Earth Oxides by Lithium Borate Fusion XRF (ALS Method ME-XRF30) and to produce a 0.25g charge for determination of 48 multi-elements via 4 acid digestion with MS/ICP finish (ALS Code ME-MS61).</p> <p>Standard laboratory QAQC is undertaken and monitored.</p> |
| Quality of assay data and laboratory tests | <ul style="list-style-type: none"> The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. For geophysical tools, spectrometers, handheld XRF instruments, etc., the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (e.g. standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established. | <p>Laboratory Analysis</p> <p>Lithium borate fusion is considered a total digest and Method ME-XRF30 is appropriate for REE, P₂O₅, TiO₂ determination. ME-MS61 is considered a near total digest and is appropriate for Sc determination.</p> <p>Standard laboratory QAQC is undertaken and monitored by the laboratory and by the company upon assay result receipt.</p> |
| Verification of sampling and assaying | <ul style="list-style-type: none"> The verification of significant intersections by either independent or alternative company personnel. The use of twinned holes. Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. Discuss any adjustment to assay data. | <p>Logging and Sampling</p> <p>Logging and sampling were recorded directly into a digital logging system, verified and eventually stored in an offsite database.</p> <p>Significant intersections are inspected by senior company personnel.</p> <p>Twinned holes have been drilled and found to correlate well with original RC drilling providing confidence in drilling and sampling methods.</p> <p>No adjustments to any assay data have been undertaken.</p> |
| Location of data points | <ul style="list-style-type: none"> Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. Specification of the grid system used. Quality and adequacy of topographic control. | <p>Collar position was recorded using a Emlid Reach RS2 RTK GPS system (+/- 0.2m x/y, +/-0.5m z).</p> <p>GDA94 Z50s is the grid format for all xyz data reported.</p> <p>Azimuth and dip of the drill hole was recorded after the completion of the hole using a Reflex Sprint IQ Gyro. A reading was undertaken every 30th metre with an accuracy of +/- 1° azimuth and +/-0.3° dip.</p> |
| Data spacing and distribution | <ul style="list-style-type: none"> Data spacing for reporting of Exploration Results. Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. Whether sample compositing has been applied. | <p>See table 3 and 4 for hole positions and sampling information.</p> <p>Infill drilling is suitable spacing for estimating inferred and indicated Mineral Resources.</p> |

| Criteria | JORC Code explanation | Commentary |
|---|--|---|
| Orientation of data in relation to geological structure | <ul style="list-style-type: none"> Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material. | <p>Drilling was undertaken at a near perpendicular angle to the interpreted strike and dip of the ironstone outcrops and modelled magnetic data.</p> <p>No sample bias is known at this time.</p> |
| Sample security | <ul style="list-style-type: none"> The measures taken to ensure sample security. | <p>All geochemical samples were collected, bagged, and sealed by Dreadnought staff and delivered to Exmouth Haulage in Exmouth or collected from site by Jarrahbar Contracting. Samples were delivered directly to ALS Laboratories Perth by Exmouth Haulage out of Exmouth and Jarrahbar Contracting out of Carnarvon.</p> |
| Audits or reviews | <ul style="list-style-type: none"> The results of any audits or reviews of sampling techniques and data. | <p>The program is continuously reviewed by senior company personnel.</p> |

Section 2 Reporting of Exploration Results (Criteria in this section apply to all succeeding sections.)

| Criteria | JORC Code explanation | Commentary |
|---|--|--|
| Mineral tenement and land tenure status | <ul style="list-style-type: none"> Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area. | <ul style="list-style-type: none"> The Mangaroon Project consists of 19 granted Exploration License (E08/3178, E08/3274, E08/3275, E08/3439, E09/2290, E09/2359, E09/2370, E09/2384, E09/2405, E09/2433, E09/2448, E09/2449, E09/2450, E09/2467, E09/2473, E09/2478, E09/2531, E09/2535, E09/2616) and 5 granted Mining Licenses (M09/91, M09/146, M09/147, M09/174, M09/175). All tenements are 100% owned by Dreadnought Resources. E08/3178, E08/3274, E09/2384, E09/2433, E09/2473 are subject to an option agreement with First Quantum Minerals over the base metal rights. E08/3178, E09/2370, E09/2384 and E09/2433 are subject to a 2% Gross Revenue Royalty held by Beau Resources. E08/3274, E08/3275, E09/2433, E09/2448, E09/2449, E09/2450 are subject to a 1% Gross Revenue Royalty held by Beau Resources. E09/2359 is subject to a 1% Gross Revenue Royalty held by Prager Pty Ltd. E09/2290, M09/146 and M09/147 are subject to a 1% Gross Revenue Royalty held by STEHN, Anthony Paterson and BROWN, Michael John Barry. M09/91 is subject to a 1% Gross Revenue Royalty held by DOREY, Robert Lionel. M09/174 is subject to a 0.5% Gross Revenue Royalty held by STEHN, Anthony Paterson. M09/175 is subject to a 0.5% Gross Revenue Royalty held by STEHN, Anthony Paterson and BROWN, Michael John Barry. The Mangaroon Project covers 4 Native Title Determinations including the Budina (WAD131/2004), Thudgari (WAD6212/1998), Gnulli Gnulli (WAD22/2019) and the Combined Thiin-Mah, Warriyangka, Tharrkari and Jiwarli (WAD464/2016). The Mangaroon Project is located over Lydon, Mangaroon, Gifford Creek, Maroonah, Minnie Creek, Edmund, Williambury and Towera Stations. |
| Exploration done by other parties | <ul style="list-style-type: none"> Acknowledgment and appraisal of exploration by other parties. | <p>Historical exploration of a sufficiently high standard was carried out by a few parties which have been outlined and detailed in this ASX announcement including:</p> <p>Regional Resources 1986-1988s: WAMEX Reports A23715, 23713 Peter Cullen 1986: WAMEX Report A36494 Carpentaria Exploration Company 1980: WAMEX Report A9332</p> |

| Criteria | JORC Code explanation | Commentary |
|--|---|---|
| | | Newmont 1991: WAMEX Report A32886 Hallmark Gold 1996: WAMEX Report A49576 Rodney Drage 2011: WAMEX Report A94155 Sandfire Resources 2005-2012: WAMEX Report 94826 |
| Geology | <ul style="list-style-type: none"> Deposit type, geological setting and style of mineralisation. | The Mangaroon Project is located within Mangaroon Zone of the Gascoyne Province. The Mangaroon Project is prospective for orogenic gold, orthomagmatic Ni-Cu-PGE mineralisation and carbonatite hosted REE-P-Nb-Ti-Sc mineralisation. |
| Drill hole information | <ul style="list-style-type: none"> A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: <ul style="list-style-type: none"> easting and northing of the drill hole collar elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar dip and azimuth of the hole down hole length and interception depth hole length. If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case. | An overview of the drilling program is given within the text and tables 3 and 4 within this document. |
| Data aggregation methods | <ul style="list-style-type: none"> In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated. Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. The assumptions used for any reporting of metal equivalent values should be clearly stated. | All results greater than 0.2% TREO have been reported. Significant intercepts are length weight averaged for all samples with TREO values >0.2% TREO with up to 3m of internal dilution (<0.3% TREO). No metal equivalents are reported. |
| Relationship between mineralisation widths and intercept lengths | <ul style="list-style-type: none"> These relationships are particularly important in the reporting of Exploration Results. If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known'). | Drilling is undertaken close to perpendicular to the dip and strike of the mineralisation. The true thickness of the mineralisation intersected in drill holes cannot currently be calculated. |
| Diagrams | <ul style="list-style-type: none"> Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views. | Refer to figures within this report. |
| Balanced reporting | <ul style="list-style-type: none"> Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results. | The accompanying document is a balanced report with a suitable cautionary note. |
| Other substantive exploration data | <ul style="list-style-type: none"> Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances. | Suitable commentary of the geology encountered are given within the text of this document. |
| Further work | <ul style="list-style-type: none"> The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large-scale step-out drilling). Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations | Additional RC drilling Diamond Drilling Metallurgical test work Additional Resource Modelling |



| Criteria | JORC Code explanation | Commentary |
|----------|--|------------|
| | <i>and future drilling areas, provided this information is not commercially sensitive.</i> | |