

13 November 2023

## ABOUT ADRIATIC METALS (ASX:ADT, LSE:ADT1, OTCQX:ADMLF)

Adriatic Metals Plc is focused on the development of the 100%-owned, Vares high-grade silver project in Bosnia & Herzegovina, and exploration at the Raska base & precious metals project in Serbia.

## DIRECTORS

Mr Michael Rawlinson  
NON-EXECUTIVE CHAIRMAN

Mr Paul Cronin  
MANAGING DIRECTOR & CEO

Mr Peter Bilbe  
NON-EXECUTIVE DIRECTOR

Mr Julian Barnes  
NON-EXECUTIVE DIRECTOR

Ms Sandra Bates  
NON-EXECUTIVE DIRECTOR

Ms Sanela Karic  
NON-EXECUTIVE DIRECTOR

[adriaticmetals.com](https://www.adriaticmetals.com)

## RUPICE NORTHWEST DEPOSIT EXPLORATION UPDATE

### HIGHLIGHTS

- **Exploration drilling** not included in the July 2023 Rupice Northwest ('RNW') Mineral Resource Estimate ('MRE') has successfully expanded the deposit westward.
- **Infill drilling** has continued converting mineralization from Inferred to Indicated levels of resource confidence, enhancing mineralization grades and widths on sections.
- A **higher drilling density** of ~25m between holes on sections with structural complexity improved the connectivity of high-grades and defined the Western Fault Zone ('WFZ').
- **RNW Lower Zone step-out drilling** west of the WFZ returned significant high-grade gold and copper intercepts e.g., **4.3m at 2,544g/t AgEq or 95.0% ZnEq** including **851g/t Ag, 32.5% Zn, 20.6% Pb, 9.1g/t Au, 1.8% Cu, 5% BaSO<sub>4</sub>, 0.3% Sb** in hole BR-38-23.
- **RNW Main Zone infill drilling** improved grades and widths in-between previously drilled holes e.g., **30m at 921g/t AgEq, 29.6% ZnEq** including **346g/t Ag, 9.3% Zn, 5.5% Pb, 1.0g/t Au, 0.5% Cu, 66% BaSO<sub>4</sub>, 0.1% Sb** in hole BR-53-23.
- **RNW Main Zone step-out drilling** kept delivering significant widths up to and along the WFZ e.g., **12.7m @ 867g/t AgEq or 27.9% ZnEq** including **285g/t Ag, 8.4% Zn, 6.5% Pb, 2.3g/t Au, 0.6% Cu, <1% BaSO<sub>4</sub>** in hole BR-39-23.
- **Significant high-grade mineralization** has been added on two drill sections only partially drilled at the time of the July 2023 RNW MRE.
- **The 2023 RNW exploration drilling program has been completed** with additional final drilling results to be reported in December ahead of an updated RNW MRE expected in Q1 2024.
- **RNW drill rigs (3)** have been reallocated to expand and infill drill the northern and southern extents of the Rupice deposit. Both areas are under-drilled and contain open-ended mineralization.
- **Regional exploration drilling** across the **Droskovac prospect** has been successful in defining a continuous **Fe-Pb-Zn-Ag sulphide zone** below siderite (FeCO<sub>3</sub>) mineralization. First returned assay results are awaiting QAQC validation.



**Paul Cronin, Adriatic's Managing Director and CEO, commented:**

*"2023 exploration drilling across the Rupice Northwest ('RNW') deposit has been successfully completed, marking an outstanding year of rapid resource growth.*

*RNW has expanded westward and to the southeast, bringing it closer to the Rupice deposit and access to underground mining. High silver, zinc and lead grades continue at mineable widths with elevated gold and copper grades.*

*Systematic infill drilling also reports thickening of the deposit between pre-existing holes with grades equivalent or better in areas drilled than in equivalent parts of the MRE. This material increase in resources is in addition to the July 2023 Rupice MRE inventory and showcases the robust nature of the deposit and scope for ongoing growth.*

*Regionally, exploration drilling has focussed on the Droskovac-Brezik prospect. Early drilling is confirming a base metals zone beneath historic iron ore mining. Five holes have intersected continuous iron, lead, zinc, silver rich massive sulphide mineralization. An exciting project that will be accelerated in 2024."*

Presented below are select significant assay results from 15 of 20 RNW exploration drill holes completed since the July 2023 Rupice MRE announcement and subsequent Exploration Update on 16 August 2023. Four (4) drill holes (BR-40-23, BR-43-23, BR-44-23 and BR-45-23) were abandoned and redrilled due to ground conditions and hole deviation. Hole BR-51-23 did not hit significant mineralization at the extremity of the mineralized system on the section. Details of all 19 holes are appended.

## **Drillhole Highlights**

### ***RNW Extension (New Mineralization)***

Drillhole **BR-39-23** is located 130m northwest of the Rupice Mineral Resource ('RMR') and drilled up-dip of the previously reported hole BR-36-23 (15.2m @ 1,502g/t AgEq, 48.3% ZnEq). Drilling intercepted:

- **BR-39-23 (RNW Main Zone) – 12.7m @ 867g/t AgEq, 27.9% ZnEq** (285g/t Ag, 8.4% Zn, 6.5% Pb, 2.3g/t Au, 0.6% Cu, <1.0% BaSO<sub>4</sub>, 0.3% Sb) from 164.0m;

Drillhole **BR-42-23** is located 130m northwest of the Rupice Mineral Resource ('RMR') and drilled up-dip of BR-39-23. The drill hole intercepted:

- **BR-42-23 (RNW Upper Zone) – 3.00m @ 348.0g/t AgEq, 11.19% ZnEq** (214.7g/t Ag, 1.17% Zn, 0.53% Pb, 0.24g/t Au, 0.75% Cu, <1.0% BaSO<sub>4</sub>, 0.50% Sb) from 111.3m.

Drillhole **BR-46-23** is located 55m northwest of the RMR and drilled up-dip of previously reported hole BR-34-23 (3.10m @ 530g/t AgEq, 17.0% ZnEq). The drill hole intercepted:

- **BR-46-23 (RNW Main Zone) – 9.30m @ 652.4g/t AgEq, 20.97% ZnEq** (262.3g/t Ag, 4.14% Zn, 2.54% Pb, 0.70g/t Au, 0.56% Cu, 61.2% BaSO<sub>4</sub>, 0.66% Sb) from 123.70m.

### ***RNW Lower Zone - Extension (New Mineralization)***

Drillhole **BR-37-23** is located 115m northwest of the Rupice Mineral Reserve ('RMR') and drilled down-dip of previously reported hole BR-30-23 (7.70m @ 596g/t AgEq, 19.2% ZnEq). The drill hole intercepted:



- **BR-37-23 (RNW Lower Zone) – 7.80m @ 843.9g/t AgEq, 27.13% ZnEq** (316.8g/t Ag, 6.13% Zn, 4.88% Pb, 2.44g/t Au, 1.11% Cu, 3.6% BaSO<sub>4</sub>, 0.19% Sb) from 275.20m –
  - including **3.70m @ 1,457.3g/t AgEq, 46.85% ZnEq** (552.9g/t Ag, 9.83% Zn, 8.66% Pb, 4.55g/t Au, 1.87% Cu, 4.0% BaSO<sub>4</sub>, 0.26% Sb) from 275.20m.

Drillhole **BR-38-23** is located within the GAP area, 55m northwest of the RMR and drilled down-dip of previously reported hole BR-34-23 (4.50m @ 745g/t AgEq, 23.9% ZnEq). The drill hole intercepted:

- **BR-38-23 (RNW Lower Zone) – 8.30m @ 1,625.5g/t AgEq, 52.26% ZnEq** (479.0g/t Ag, 17.76% Zn, 11.11% Pb, 4.86g/t Au, 1.08% Cu, 3.7% BaSO<sub>4</sub>, 0.17% Sb) from 222.70m –
  - including **4.30m @ 2,954.4g/t AgEq, 95.00% ZnEq** (851.0g/t Ag, 32.48% Zn, 20.58% Pb, 9.11g/t Au, 1.84% Cu, 5.3% BaSO<sub>4</sub>, 0.25% Sb) from 222.70m.

Drillhole **BR-39-23** is located 130m northwest of the RMR and drilled up-dip of previously reported hole BR-36-23 (15.20m @ 1,502g/t AgEq, 48.3% ZnEq). The drill hole intercepted:

- **BR-39-23 (RNW Lower Zone) – 10.70m @ 387.1g/t AgEq, 12.44% ZnEq** (111.8g/t Ag, 3.59% Zn, 4.53% Pb, 0.43g/t Au, 0.61% Cu, 1.9% BaSO<sub>4</sub>, 0.06% Sb) from 201.00m.

Drillhole **BR-42-23** is located 130m northwest of the RMR and drilled up-dip of previously reported hole BR-39-23 (10.70m @ 387.1g/t AgEq, 12.44% ZnEq). The drill hole intercepted:

- **BR-42-23 (RNW Lower Zone) – 4.60m @ 615.5g/t AgEq, 19.79% ZnEq** (198.0g/t Ag, 3.50% Zn, 2.52% Pb, 2.62g/t Au, 0.58% Cu, 28.8% BaSO<sub>4</sub>, 0.03% Sb) from 218.00m –
  - including **1.90m @ 1,363.0g/t AgEq, 43.82% ZnEq** (471.8g/t Ag, 8.29% Zn, 4.85% Pb, 5.76g/t Au, 1.36% Cu, 46.2% BaSO<sub>4</sub>, 0.07% Sb) from 220.70m.

Drillhole **BR-45A-23** is located 130m northwest of the RMR and drilled down-dip of currently reported hole BR-39-23 (10.70m @ 387.1g/t AgEq, 12.44% ZnEq). The drill hole intercepted:

- **BR-45A-23 (RNW Lower Zone) – 6.50m @ 573.4g/t AgEq, 18.43% ZnEq** (277.5g/t Ag, 2.71% Zn, 2.51% Pb, 1.45g/t Au, 0.82% Cu, 7.7% BaSO<sub>4</sub>, 0.18% Sb) from 235.50m.

### ***RNW - Infill (Resource Definition)***

Drillhole **BR-37-23** is located 115m northwest of the RMR. Drilling infilled between previously reported drill holes BR-30-23 (33.40m @ 1,197g/t AgEq, 38.5% ZnEq) and BR-27-22 (15.80m at 1,486.3g/t AgEq, 47.79% ZnEq) respectively. The drill hole intercepted: –

- **BR-37-23 (RNW Upper Zone) – 7.20m @ 191.5g/t AgEq, 6.15% ZnEq** (70.1g/t Ag, 1.40% Zn, 0.71% Pb, 0.49g/t Au, 0.10% Cu, 8.7% BaSO<sub>4</sub>, 0.20% Sb) from 116.40m;
- **BR-37-23 (RNW Main Zone) – 25.20m @ 1,281.2g/t AgEq, 41.19% ZnEq** (359.0g/t Ag, 14.41% Zn, 8.89% Pb, 2.75g/t Au, 1.77% Cu, 10.2% BaSO<sub>4</sub>, 0.14% Sb) from 217.90m –
  - including **12.15m @ 2,177.8g/t AgEq, 70.02% ZnEq** (666.4g/t Ag, 24.94% Zn, 14.43% Pb, 5.23g/t Au, 1.84% Cu, 18.2% BaSO<sub>4</sub>, 0.20% Sb) from 219.25m.
- **BR-37-23 (RNW Main Zone) – 10.00m @ 819.1g/t AgEq, 26.33% ZnEq** (309.2g/t Ag, 3.96% Zn, 4.87% Pb, 3.42g/t Au, 0.78% Cu, 6.0% BaSO<sub>4</sub>, 0.09% Sb) from 248.00m.

Drillhole **BR-38-23** is located within the GAP area, 55m northwest of the RMR. Drilling infilled between previously and currently reported drill holes BR-09-23 (16.60m at 327.1g/t AgEq, 10.52% ZnEq) and BR-41-22 (17.20m at 233.0 g/t AgEq, 7.49% ZnEq) respectively. Drilling intercepted:

- **BR-38-23 (RNW Main Zone) – 11.90m @ 458.8g/t AgEq, 14.75% ZnEq** (153.0g/t Ag, 4.21% Zn, 3.37% Pb, 0.86g/t Au, 0.45% Cu, 2.6% BaSO<sub>4</sub>, 0.38% Sb) from 153.80m.



- **BR-38-23 (RNW Main Zone) – 13.50m @ 1,040.1g/t AgEq, 33.45% ZnEq** (622.6g/t Ag, 5.65% Zn, 3.89% Pb, 1.97g/t Au, 0.83% Cu, 6.5% BaSO<sub>4</sub>, 0.27% Sb) from 191.50m.

Drillhole **BR-40A-23** is located 115m northwest of the RMR. Drilling infilled between previously reported drill holes BR-20-22 (30.30m at 932.0 g/t AgEq, 30.00% ZnEq) and BR-23-22 (28.90m at 695.0 g/t AgEq, 22.30% ZnEq) respectively. Drilling intercepted:

- **BR-40A-23 (RNW Upper Zone) – 12.10m @ 171.2g/t AgEq, 5.50% ZnEq** (79.1g/t Ag, 0.73% Zn, 1.00% Pb, 0.19g/t Au, 0.14% Cu, 7.0% BaSO<sub>4</sub>, 0.27% Sb) from 105.10m –
- **BR-40A-23 (RNW Main Zone) – 30.70m @ 908.1g/t AgEq, 29.23% ZnEq** (294.0g/t Ag, 9.41% Zn, 6.33% Pb, 1.20g/t Au, 0.43% Cu, 68.2% BaSO<sub>4</sub>, 0.07% Sb) from 223.00m –
  - including **6.00m @ 1,456.3g/t AgEq, 46.82% ZnEq** (930.3g/t Ag, 8.99% Zn, 5.31% Pb, 1.35g/t Au, 0.24% Cu, 75.8% BaSO<sub>4</sub>, 0.07% Sb) from 228.00m;
  - including **8.70m @ 1,077.1g/t AgEq, 34.63% ZnEq** (165.3g/t Ag, 14.93% Zn, 10.99% Pb, 1.44g/t Au, 0.97% Cu, 47.3% BaSO<sub>4</sub>, 0.13% Sb) from 245.00m.

Drillhole **BR-41-23** is located 115m northwest of the RMR. Drilling infilled between currently and previously reported drill holes BR-38-23 (13.50m @ 1,040.1g/t AgEq, 33.45% ZnEq) and BR-34-23 (4.50m @ 745g/t AgEq, 23.9% ZnEq) respectively. Drilling intercepted:

- **BR-41-23 (RNW Main Zone) – 17.20m @ 233.0g/t AgEq, 7.49% ZnEq** (78.1g/t Ag, 1.32% Zn, 1.16% Pb, 0.43g/t Au, 0.59% Cu, 7.1% BaSO<sub>4</sub>, 0.17% Sb) from 154.50m.

Drillhole **BR-43A-23** is located 115m northwest of the RMR. Drilling infilled between currently reported drill holes BR-38-23 (11.9m @ 458.8g/t AgEq, 14.75% ZnEq) and BR-09-23 (11.8m @ 1,212g/t AgEq, 39% ZnEq) respectively. Drilling intercepted:

- **BR-43A-23 (RNW Main Zone) – 11.10m @ 359.5g/t AgEq, 11.56% ZnEq** (207.2g/t Ag, 1.79% Zn, 1.46% Pb, 0.51g/t Au, 0.06% Cu, 5.4% BaSO<sub>4</sub>, 0.52% Sb) from 206.50m.

Drillhole **BR-44A-23** is located 115m northwest of the RMR. Drilling infilled between previously reported drill holes BR-20-22 (30.30m at 932.0 g/t AgEq, 30.00% ZnEq) and BR-09-22 (28.90m at 695.0 g/t AgEq, 22.30% ZnEq) respectively. Drilling intercepted:

- **BR-44A-23 (RNW Main Zone) – 21.60m @ 934.5g/t AgEq, 30.04% ZnEq** (194.6/t Ag, 13.47% Zn, 6.56% Pb, 1.35g/t Au, 0.76% Cu, 45.7% BaSO<sub>4</sub>, 0.06% Sb) from 208.40m –
  - including **8.10m @ 905.0g/t AgEq, 29.10% ZnEq** (264.4g/t Ag, 11.34% Zn, 5.50% Pb, 1.35g/t Au, 0.29% Cu, 61.3% BaSO<sub>4</sub>, 0.04% Sb) from 208.40m;
  - including **6.90m @ 1,331.1g/t AgEq, 42.80% ZnEq** (214.9g/t Ag, 21.39% Zn, 10.91% Pb, 1.88g/t Au, 1.33% Cu, 31.4% BaSO<sub>4</sub>, 0.11% Sb) from 220.50m.

Drillhole **BR-45A-23** is located 130m northwest of the RMR. Drilling infilled between currently and previously reported drill holes BR-39-23 (12.70m @ 866.6g/t AgEq, 27.86% ZnEq) and BR-36-23 (15.20m @ 1,502g/t AgEq, 48.3% ZnEq) respectively. Drilling intercepted:

- **BR-45A-23 (RNW Main Zone) – 21.10m @ 466.2g/t AgEq, 14.99% ZnEq** (204.1g/t Ag, 2.41% Zn, 2.17% Pb, 1.21g/t Au, 0.61% Cu, 9.2% BaSO<sub>4</sub>, 0.25% Sb) from 166.00m –
  - including **2.70m @ 2,243.5g/t AgEq, 72.14% ZnEq** (1201.4g/t Ag, 7.52% Zn, 10.07% Pb, 7.31g/t Au, 1.25% Cu, 49.2% BaSO<sub>4</sub>, 0.34% Sb) from 166.70m.
- **BR-45A-23 (RNW Main Zone) – 4.40m @ 502.8g/t AgEq, 16.16% ZnEq** (125.9g/t Ag, 6.46% Zn, 4.03% Pb, 0.85g/t Au, 0.66% Cu, 1.3% BaSO<sub>4</sub>, 0.07% Sb) from 221.90m.



Drillhole **BR-47-23** is located 115m northwest of the RMR. Drilling infilled between previously reported drill holes BR-23-22 (28.90m at 695.0 g/t AgEq, 22.30% ZnEq) and BR-26-22 (21.10m at 527.5 g/t AgEq, 16.96% ZnEq) respectively. Drilling intercepted:

- **BR-47-23 (RNW Main Zone) – 30.60m @ 843.1g/t AgEq, 27.11% ZnEq** (306.7g/t Ag, 8.35% Zn, 5.18% Pb, 0.93g/t Au, 0.45% Cu, 66.3% BaSO<sub>4</sub>, 0.07% Sb) from 243.20m –
  - including **9.60m @ 864.2g/t AgEq, 27.79% ZnEq** (513.1g/t Ag, 4.49% Zn, 3.60% Pb, 0.65g/t Au, 0.18% Cu, 78.2% BaSO<sub>4</sub>, 0.05% Sb) from 249.40m;
  - including **3.00m @ 1,106.2g/t AgEq, 35.57% ZnEq** (192.6g/t Ag, 15.34% Zn, 11.15% Pb, 1.60g/t Au, 0.73% Cu, 47.4% BaSO<sub>4</sub>, 0.06% Sb) from 263.80m;
  - including **3.40m @ 1,418.9g/t AgEq, 45.62% ZnEq** (215.1g/t Ag, 22.20% Zn, 11.90% Pb, 1.73g/t Au, 1.95% Cu, 29.5% BaSO<sub>4</sub>, 0.27% Sb) from 269.30m.

Drillhole **BR-48-23** is located 130m northwest of the RMR. Drilling infilled between previously reported drill holes BR-16-23 (8.20m @ 527.9g/t AgEq, 16.97% ZnEq) and BR-12-22 (12.3m at 797 g/t AgEq, 25.6% ZnEq) respectively. Drilling intercepted:

- **BR-48-23 (RNW Upper Zone) – 4.60m @ 149.9g/t AgEq, 4.82% ZnEq** (73.2g/t Ag, 0.40% Zn, 0.38% Pb, 0.29g/t Au, 0.24% Cu, 7.4% BaSO<sub>4</sub>, 0.17% Sb) from 80.20m;
- **BR-48-23 (RNW Main Zone) – 20.70m @ 848.9g/t AgEq, 27.29% ZnEq** (195.6g/t Ag, 10.75% Zn, 6.70% Pb, 1.52g/t Au, 0.94% Cu, 21.7% BaSO<sub>4</sub>, 0.08% Sb) from 180.50m –
  - Including **7.90m @ 1,329.9g/t AgEq, 42.76% ZnEq** (293.6g/t Ag, 18.92% Zn, 9.54% Pb, 2.60g/t Au, 0.79% Cu, 42.2% BaSO<sub>4</sub>, 0.08% Sb) from 182.50m;
  - including **6.30m @ 819.6g/t AgEq, 26.35% ZnEq** (202.3g/t Ag, 9.41% Zn, 6.97% Pb, 1.11g/t Au, 1.60% Cu, 6.3% BaSO<sub>4</sub>, 0.14% Sb) from 192.60m.

Drillhole **BR-49-23** is located within the GAP area, 55m northwest of the RMR. Drilling infilled between currently and previously reported drill holes BR-09-23 (4.80m @ 355.6g/t AgEq, 11.43% ZnEq) and BR-04-23 (2.90m @ 1,429.5g/t AgEq, 45.96% ZnEq) respectively. Drilling intercepted:

- **BR-49-23 (RNW Main Zone) – 6.30m @ 644.8g/t AgEq, 20.73% ZnEq** (269.4g/t Ag, 2.71% Zn, 3.12% Pb, 2.23g/t Au, 0.28% Cu, 40.7% BaSO<sub>4</sub>, 0.08% Sb) from 200.90m.

Drillhole **BR-53-23** is located 180m northwest of the RMR. Drilling infilled between previously reported drill holes BR-32-22 (23.00m @ 577.5 g/t AgEq, 18.57% ZnEq) and BR-29-22 (33.40m @ 662.7 g/t AgEq, 21.31% ZnEq) respectively. Drilling intercepted:

- **BR-53-23 (RNW Main Zone) – 10.00m @ 82.90g/t AgEq, 2.66% ZnEq** (37.7g/t Ag, 0.86% Zn, 0.36% Pb, 0.08g/t Au, 0.07% Cu, <1.0% BaSO<sub>4</sub>, 0.05% Sb) from 211.00m.
- **BR-53-23 (RNW Main Zone) – 18.20m @ 143.2g/t AgEq, 4.60% ZnEq** (77.1g/t Ag, 1.42% Zn, 0.39% Pb, <0.01g/t Au, <0.01% Cu, 8.5% BaSO<sub>4</sub>, 0.13% Sb) from 232.80m.
- **BR-53-23 (RNW Main Zone) – 6.00m @ 82.9g/t AgEq, 2.66% ZnEq** (55.1g/t Ag, 0.79% Zn, 0.18% Pb, <0.01g/t Au, <0.01% Cu, 2.6% BaSO<sub>4</sub>, 0.02% Sb) from 261.00m.
- **BR-53-23 (RNW Main Zone) – 30.00m @ 921.0g/t AgEq, 29.61% ZnEq** (346.3g/t Ag, 9.29% Zn, 5.51% Pb, 1.01g/t Au, 0.45% Cu, 65.9% BaSO<sub>4</sub>, 0.11% Sb) from 275.40m –
  - including **5.00m @ 1,925.1g/t AgEq, 61.90% ZnEq** (1615.0g/t Ag, 3.41% Zn, 3.34% Pb, 1.61g/t Au, 0.62% Cu, 77.2% BaSO<sub>4</sub>, 0.12% Sb) from 278.00m;
  - including **5.40m @ 1215.8g/t AgEq, 39.09% ZnEq** (138.5g/t Ag, 18.28% Zn, 13.93% Pb, 1.31g/t Au, 1.12% Cu, 41.5% BaSO<sub>4</sub>, 0.28% Sb) from 299.00m.





## RUPICE NORTHWEST EXPLORATION RESULTS

**Adriatic Metals PLC (ASX:ADT, LSE:ADT1, OTCQX:ADMLF)** ("Adriatic" or the "Company") is pleased to report on recent exploration results at the Company's flagship Vares Silver Project in Bosnia & Herzegovina.

As previously announced on the 16 August 2023, exploration drilling intersected high-grade mineralization in drill holes BR-30-23, BR-31B-23, BR-32-23, BR-33A-23, BR-34-23, BR-35-23 and BR-36-23 from across RNW. These holes were located 55m to 280m northwest of the existing RMR. Subsequently, the Company has focused exploration activities on further extending and infilling RNW with continued success.

Details within this announcement are from twenty (20) new drill holes **BR-37-23, BR-38-23, BR-39-23, BR-40-23, BR-40A-23, BR-41-23, BR-42-23, BR-43-23, BR-43A-23, BR-44-23, BR-44A-23, BR-45-23, BR-45A-23, BR-46-23, BR-47-23, BR-48-23, BR-49-23, BR-51-23, BR-53-23** and **BR-55-23**. Significant assay results are detailed from fifteen (15) of the drill holes - **BR-37-23, BR-38-23, BR-39-23, BR-40A-23, BR-41-23, BR-42-23, BR-43A-23, BR-44A-23, BR-45A-23, BR-46-23, BR-47-23, BR-48-23, BR-49-23, BR-53-23** and **BR-55-23**. Drill holes BR-40-23, BR-43-23, BR-44-23, BR-45-23 are abandoned and contain no significant assays. Hole BR-51-23 was completed without intercepting any significant mineralization.

Results represent drilling from four (4) drill sections being extended westward and infill drilled between existing holes to an Indicated resource level of confidence. Multiple mineralized bodies are intersected including RNW Upper Zone, Main Zone and Lower Zone. For clarity of reporting, significant assays are reported as being 'infill' (resource definition) or 'extension' (step-out). Infill holes include BR-37-23, BR-38-23, BR-40A-23, BR-41-23, BR-43A-23, BR-44A-23, BR-45A-23, BR-47-23, BR-48-23, BR-49-23 and BR-53-23. Extension holes include BR-39-23, BR-42-23, BR-46-23 and BR-55-23.

### ***Section NW4960 (RNW)***

Hole **BR-53-23** was successful in infilling between holes BR-29-22 and BR-32-22, confirming the mineralization spatial and grade continuity. Grades and thickness were higher than in adjacent holes. The hole confirmed a series of stacked base metal horizons on the hanging wall of the Main Zone previously defined in holes either side of BR-53-23. Outcomes support an Indicated resource level of confidence.

### ***Section NW4880 (RNW)***

Hole **BR-37-23** twinned hole BR-30-23, infilling between previously reported drillholes BR-30-23 and BR-27-23. The hole infilled the RNW Main Zone along with RNW Lower Zone, confirming that mineralization had been folded into an antiform abutting the Western Fault Zone ('WFZ') and offset to the west.

Holes **BR-40A-23, BR-44A-23** and **BR-47-23** infilled and confirmed mineralization continuity and high grade between previously drilled, widely spaced holes in the barite and sulphide rich 'Main Zone' of RNW. Mineralization is now at an Indicated resource level of confidence.

### ***Section NW4840 (RNW)***

Six (6) holes were completed on this key section since the last exploration announcement. Holes **BR-39-23** (step-out), **BR-42-23** (infill), **BR-45A-23** (infill), **BR-48-23** (infill) and **BR-55-23** (infill) confirmed mineralization continuity and high grade between previously drilled, widely spaced holes to an Indicated resource level of confidence.

Hole **BR-45A-23** twinned hole BR-39-23, infilling between currently and previously reported drillholes BR-39-23 and BR-36-23 respectively. The hole closed a gap in the RNW Main Zone along with RNW Lower Zone and confirmed that mineralization had been folded into an antiform abutting the Western Fault Zone ('WFZ').

Hole **BR-42-23** extended mineralization westward by 58m up-dip and to the southwest. Hole **BR-51-23** drilled 35m up dip from BR-42-23 without intersecting any significant mineralized interval. Mineralization in the



redominated Lower Zone narrows to only a few metres, is generally massive sulphide at significant grades e.g. BR-42-23 reporting 198.0g/t Ag, 3.50% Zn, 2.52% Pb, 2.62g/t Au, 0.58% Cu, 28.8% BaSO<sub>4</sub>, 0.03% Sb.


***Section NW4800 (RNW)***

This is the current best-drilled section closest to the RMR and is within the area referred to as the Rupice-RNW GAP. Rupice and RNW are interpreted to overlap across this area. Holes **BR-38-23** (infill), **BR-41-23** (infill), **BR-43A-23** (infill) and **BR-49-23** (infill) confirm mineralization continuity and high grade between previously drilled, widely spaced holes to an Indicated resource level of confidence. Close-spaced drilling confirms mineralization to have been folded into an antiform abutting the WFZ.

**Hole BR-46-23** extended RNW Upper Zone mineralization 28m up-dip from previously reported drillhole BR-34-23. The significant mineralization is interpreted to be associated with the WFZ and being stratabound.



Figure 1: Plan view of Rupice and location of drill collars from recent drilling activity



<p><b>BR-37-23 (RNW Upper Zone)</b> 7.20m @ 1,281.2g/t AgEq, 6.15% ZnEq (70.1g/t Ag, 1.40% Zn, 0.71% Pb, 0.49g/t Au, 0.10% Cu, 8.7% BaSO<sub>4</sub>, and 0.20% Sb) from 116.40m</p>	<p><b>BR-40A-23 (RNW Main Zone)</b> 12.10m @ 171.2g/t AgEq, 5.50% ZnEq (79.1g/t Ag, 0.73% Zn, 1.00% Pb, 0.11g/t Au, 0.14% Cu, 7.0% BaSO<sub>4</sub>, and 0.17% Sb) from 105.10m</p>	<p><b>BR-46-23 (RNW Upper Zone)</b> 9.30m @ 652.4g/t AgEq, 20.97% ZnEq (262.3g/t Ag, 4.14% Zn, 2.54% Pb, 0.70g/t Au, 0.56% Cu, 61.2% BaSO<sub>4</sub>, and 0.66% Sb) from 123.70m</p>
<p><b>BR-37-23 (RNW Main Zone)</b> 25.20m @ 1,281.2g/t AgEq, 41.19% ZnEq (359.0g/t Ag, 14.41% Zn, 8.89% Pb, 2.75g/t Au, 1.77% Cu, 10.2% BaSO<sub>4</sub>, and 0.14% Sb) from 217.90m</p>	<p><b>BR-40A-23 (RNW Main Zone)</b> 30.70m @ 908.1g/t AgEq, 29.23% ZnEq (294.0g/t Ag, 9.41% Zn, 6.33% Pb, 1.20g/t Au, 0.43% Cu, 68.2% BaSO<sub>4</sub>, and 0.07% Sb) from 223.00m</p>	<p><b>BR-47-23 (RNW Main Zone)</b> 30.60m @ 843.1g/t AgEq, 27.11% ZnEq (306.7g/t Ag, 8.35% Zn, 5.18% Pb, 0.93g/t Au, 0.45% Cu, 66.3% BaSO<sub>4</sub>, and 0.07% Sb) from 243.20m</p>
<p><b>BR-37-23 (RNW Main Zone)</b> 10.00m @ 819.1g/t AgEq, 26.33% ZnEq (309.2g/t Ag, 3.96% Zn, 4.87% Pb, 3.42g/t Au, 0.78% Cu, 6.0% BaSO<sub>4</sub>, and 0.09% Sb) from 248.00m</p>	<p><b>BR-41-23 (RNW Main Zone)</b> 17.20m @ 233.0g/t AgEq, 7.49% ZnEq (78.1g/t Ag, 1.32% Zn, 1.16% Pb, 0.43g/t Au, 0.59% Cu, 7.1% BaSO<sub>4</sub>, and 0.17% Sb) from 154.50m</p>	<p><b>BR-48-23 (RNW Main Zone)</b> 4.60m @ 149.9g/t AgEq, 4.82% ZnEq (73.2g/t Ag, 0.40% Zn, 0.38% Pb, 0.29g/t Au, 0.24% Cu, 7.4% BaSO<sub>4</sub>, and 0.17% Sb) from 80.20m</p>
<p><b>BR-37-23 (RNW Lower Zone)</b> 7.80m @ 843.9g/t AgEq, 27.13% ZnEq (316.8g/t Ag, 6.13% Zn, 4.88% Pb, 2.44g/t Au, 1.11% Cu, 3.6% BaSO<sub>4</sub>, and 0.19% Sb) from 275.20m</p>	<p><b>BR-42-23 (RNW Main Zone)</b> 3.00m @ 348.0g/t AgEq, 11.19% ZnEq (214.7g/t Ag, 1.17% Zn, 0.53% Pb, 0.24g/t Au, 0.75% Cu, &lt;1.0% BaSO<sub>4</sub>, and 0.50% Sb) from 111.30m</p>	<p><b>BR-48-23 (RNW Main Zone)</b> 20.70m @ 848.9g/t AgEq, 27.29% ZnEq (195.6g/t Ag, 10.75% Zn, 6.70% Pb, 1.52g/t Au, 0.94% Cu, 21.7% BaSO<sub>4</sub>, and 0.08% Sb) from 180.50m</p>
<p><b>BR-38-23 (RNW Main Zone)</b> 11.90m @ 458.8g/t AgEq, 14.75% ZnEq (153.0g/t Ag, 4.21% Zn, 3.37% Pb, 0.86g/t Au, 0.45% Cu, 2.6% BaSO<sub>4</sub>, and 0.38% Sb) from 153.80m</p>	<p><b>BR-42-23 (RNW Lower Zone)</b> 4.60m @ 615.5g/t AgEq, 19.79% ZnEq (198.0g/t Ag, 3.50% Zn, 2.52% Pb, 2.62g/t Au, 0.58% Cu, 28.8% BaSO<sub>4</sub>, and 0.03% Sb) from 218.00m</p>	<p><b>BR-49-23 (RNW Main Zone)</b> 6.30m @ 644.8g/t AgEq, 20.73% ZnEq (269.4g/t Ag, 2.71% Zn, 3.12% Pb, 2.23g/t Au, 0.28% Cu, 40.7% BaSO<sub>4</sub>, and 0.08% Sb) from 200.90m</p>
<p><b>BR-38-23 (RNW Main Zone)</b> 13.50m @ 1,040.1g/t AgEq, 33.45% ZnEq (622.6g/t Ag, 5.65% Zn, 3.89% Pb, 1.97g/t Au, 0.83% Cu, 6.5% BaSO<sub>4</sub>, and 0.27% Sb) from 191.50m</p>	<p><b>BR-43A-23 (RNW Main Zone)</b> 11.10m @ 359.5g/t AgEq, 11.56% ZnEq (207.2g/t Ag, 1.79% Zn, 1.46% Pb, 0.51g/t Au, 0.06% Cu, 5.4% BaSO<sub>4</sub>, and 0.52% Sb) from 147.70m</p>	<p><b>BR-53-23 (RNW Main Zone)</b> 10.00m @ 82.9g/t AgEq, 2.66% ZnEq (37.7g/t Ag, 0.86% Zn, 0.36% Pb, 0.08g/t Au, 0.07% Cu, 0.5% BaSO<sub>4</sub>, 0.05% Sb) from 211.00m</p>
<p><b>BR-38-23 (RNW Lower Zone)</b> 8.30m @ 1,625.5g/t AgEq, 52.26% ZnEq (479.0g/t Ag, 17.76% Zn, 11.11% Pb, 4.86g/t Au, 1.08% Cu, 3.7% BaSO<sub>4</sub>, and 0.17% Sb) from 222.70m</p>	<p><b>BR-44A-23 (RNW Main Zone)</b> 21.60m @ 934.5g/t AgEq, 30.04% ZnEq (194.6g/t Ag, 13.47% Zn, 6.56% Pb, 1.35g/t Au, 0.76% Cu, 45.7% BaSO<sub>4</sub>, and 0.06% Sb) from 208.40m</p>	<p><b>BR-53-23 (RNW Main Zone)</b> 18.20m @ 143.2g/t AgEq, 4.60% ZnEq (77.1g/t Ag, 1.42% Zn, 0.39% Pb, &lt;0.01g/t Au, &lt;0.01% Cu, 8.5% BaSO<sub>4</sub>, and 0.13% Sb) from 232.80m</p>
<p><b>BR-39-23 (RNW Main Zone)</b> 12.70m @ 866.6g/t AgEq, 27.86% ZnEq (284.9g/t Ag, 8.39% Zn, 6.54% Pb, 2.26g/t Au, 0.63% Cu, &lt;1.0% BaSO<sub>4</sub>, and 0.25% Sb) from 164.00m</p>	<p><b>BR-45A-23 (RNW Main Zone)</b> 21.10m @ 466.2g/t AgEq, 14.99% ZnEq (204.1g/t Ag, 2.41% Zn, 2.17% Pb, 1.21g/t Au, 0.61% Cu, 9.2% BaSO<sub>4</sub>, and 0.25% Sb) from 166.00m</p>	<p><b>BR-53-23 (RNW Main Zone)</b> 6.00m @ 82.9g/t AgEq, 2.66% ZnEq (55.1g/t Ag, 0.79% Zn, 0.18% Pb, &lt;0.01g/t Au, &lt;0.01% Cu, 2.6% BaSO<sub>4</sub>, and 0.02% Sb) from 261.00m</p>
<p><b>BR-39-23 (RNW Main Zone)</b> 21.00m @ 84.5g/t AgEq, 2.71% ZnEq (32.6g/t Ag, 0.84% Zn, 0.62% Pb, 0.09g/t Au, 0.11% Cu, &lt;1.0% BaSO<sub>4</sub>, and 0.02% Sb) from 179.00m</p>	<p><b>BR-45A-23 (RNW Main Zone)</b> 4.40m @ 502.8g/t AgEq, 16.16% ZnEq (125.9g/t Ag, 6.46% Zn, 4.03% Pb, 0.85g/t Au, 0.66% Cu, 1.3% BaSO<sub>4</sub>, and 0.07% Sb) from 221.90m</p>	<p><b>BR-53-23 (RNW Main Zone)</b> 30.00m @ 921.0g/t AgEq, 29.61% ZnEq (346.3g/t Ag, 9.29% Zn, 5.51% Pb, 1.01g/t Au, 0.45% Cu, 65.9% BaSO<sub>4</sub>, and 0.11% Sb) from 275.40m</p>
<p><b>BR-39-23 (RNW Lower Zone)</b> 10.70m @ 387.1g/t AgEq, 12.44% ZnEq (111.8g/t Ag, 3.59% Zn, 4.53% Pb, 0.43g/t Au, 0.61% Cu, 1.90% BaSO<sub>4</sub>, and 0.06% Sb) from 201.00m</p>	<p><b>BR-45A-23 (RNW Lower Zone)</b> 6.50m @ 573.4g/t AgEq, 18.43% ZnEq (277.5g/t Ag, 2.71% Zn, 2.51% Pb, 1.45g/t Au, 0.82% Cu, 7.7% BaSO<sub>4</sub>, and 0.18% Sb) from 235.50m</p>	<p><b>BR-55-23 (RNW Main Zone)</b> 3.00m @ 91.2g/t AgEq, 2.93% ZnEq (22.6g/t Ag, 0.41% Zn, 0.21% Pb, 0.27g/t Au, 0.23% Cu, 7.3% BaSO<sub>4</sub>, and 0.07% Sb) from 93.00m</p>

Note 1: Sections A-A', B-B', C-C' and D-D' offset to southeast of section lines to not obscure drill holes traces.





## 2023 Exploration Works

Currently reported assays will be included in an updated 2023 Rupice resource estimate which is expected in Q1 2024. Final assays from 2023 RNW drilling to be included in MRE update will be reported in December 2023.

Focus in Q4 2023 has been to complete the 2023 drilling campaign at RNW. This has been achieved with successful addition of a further section of drilling added at the southeastern end of RNW (*waiting on assay return*) bringing RNW further into overlap with Rupice. Definition of the WFZ and the splitting of mineralization into coherent RNW Main (*east of WFZ*) and Lower Zones (*west of WFZ*) has been achieved. Outcomes from the improved structural definition will translate into a more continuous distribution of mineralization, greater tonnage and grade consistency in the next update of the RNW MRE.

Conversion of the majority of RNW mineralization from an Inferred to Indicated level of risk has been achieved, improving on an already high percentage of Indicated level mineralization reported in the July 2023 Rupice MRE. A minor percentage of Inferred level mineralization remains at the peripheries of RNW and in areas where due to unavailability of suitable drilling platforms, windows of Inferred mineralization will remain for future conversion.

As of November, three (3) diamond drill rigs are focused on Rupice Main into 2024. Drilling on Rupice Main is focussed on the northern and southern extremities of mineralization remaining to be infilled and extended. Areas being drilled are dominantly Inferred resource in the July 2023 Rupice MRE with opportunity for extension up-dip and down-dip. Diamond drilling aims to achieve a nominal 40m x 30m mineralized intercept spacing between holes. The same disciplined and systematic drilling methodology successfully adopted at RNW will be continued across Rupice. Early results from drilling suggest greater mineralization and grade continuity in areas drilled, with stratigraphic and structural controls being better defined.

Diamond drilling across the Droskovac prospect was commenced in August, continued through Q3 and into Q4 with one drill rig. Five drill holes have been completed. The drilling has been successful in intersecting a zone of pyrite hosted base and precious metals below the historic Droskovac siderite iron orebody. pXRF results confirm significant results for Fe, Ag, Pb, Zn and Cu. First external assay results have been received and are being validated. Detailed outcomes from Droskovac will be released once all assays have been received, validated, interpreted and placed into geological context. The opportunity of Droskovac being revived as both an underground iron, base and precious metals project is being reviewed. Significant thicknesses of high-grade iron occurring as siderite ( $\text{FeCO}_3$ ) have been intersected above the base and precious metals zone intersected in Adriatic Metals drill holes.

Extensive planning for 2024 was in progress in Q3 and continues through Q4. The major focus in the Vares district for 2024 remain the expansion RNW, Rupice and developing the Droskovac project to a first resource estimate stage. Greenfields project advancement is also planned at Brezik (extension of Droskovac) and Vares East. A return for further follow-up of 2023 exploration outcomes at Rupice West and Semizova Ponikva is also planned.

Supporting all work is the current active involvement of technical specialists in the understanding and definition of litho geochemistry, structural, geophysical and basin-analysis (sedimentology) research. The work is commissioned to pull together a detailed knowledge of mine-scale and regional scale controls on mineralization working together with the Adriatic Metals Exploration team. Scott Halley (MinMap) is retained for ongoing litho geochemical modelling; Elizabeth Thompson (Transition Elements) for structural synthesis; David McInnes (Montana Geoscience) for geophysics; and Petrostrat (UK) has completed a scope of work for defining the Rupice regional sedimentary basin model. Specialist knowledge growth is also supported through partnerships with regional Universities providing MSc students focused on characterizing mineralization styles and controls at the mine-scale.

Moving into 2024, the Exploration team are gearing up to implement hyperspectral logging, linked to AI processed spectral, lidar and litho geochemical analysis, coupled with onsite digital ore microscopy. A merging of technologies to interpret faster bigger, more complex data sets to drive the discovery of new opportunities.



Figure 2: Regional geology & tenement map of current and future exploration areas






Figure 3: Cross-section (A-A') through BR-53-23






Figure 4: Cross-section (B-B') through BR-37-23, BR-40A-23, BR-44-23 and BR-47-23








Figure 5: Cross-section (C-C') through BR-39-23, BR-42-23, BR-45A-23, BR-48-23, BR-51-23 and BR-55-23






Figure 6: Cross-section (D-D') through BR-38-23, BR-41-23, BR-43A-23, BR-46-23 and BR-49-23









Figure 7: Long-section of Rupice looking southwest.



-ends-



## MARKET ABUSE REGULATION DISCLOSURE

The information contained within this announcement is deemed by the Company (LEI: 549300OHAH2GL1DP0L61) to constitute inside information for the purposes of Article 7 of the Market Abuse Regulation (EU) No 596/2014 as it forms part of UK domestic law by virtue of the European Union (Withdrawal) Act 2018 as amended ("UK MAR"), and Article 7 of the Market Abuse Regulation (EU) No. 596/2014 ("EU MAR"). The person responsible for arranging and authorising the release of this announcement on behalf of the Company is Paul Cronin, Managing Director and CEO.

## Authorised by Paul Cronin, Managing Director & CEO

For further information please visit: [www.adriaticmetals.com](http://www.adriaticmetals.com); email: [info@adriaticmetals.com](mailto:info@adriaticmetals.com), [@AdriaticMetals](https://twitter.com/AdriaticMetals) on Twitter; or contact:

### **Adriatic Metals PLC**

Paul Cronin / Klara Kaczmarek

Via Buchanan

### **Buchanan**

Bobby Morse / Oonagh Reidy

Tel: +44 (0) 20 7466 5000

[adriatic@buchanan.uk.com](mailto:adriatic@buchanan.uk.com)

### **Morgans Corporate Limited**

Rob Douglas / Sam Warriner / Mitch Duffy

Tel: +61 7 3334 4888

### **RBC Capital Markets**

James Agnew / Jamil Miah

Tel: +44 (0) 20 7653 4000

### **Stifel Nicolaus Europe Limited**

Ashton Clanfield / Callum Stewart / Varun Talwar

Tel: +44 (0) 20 7710 7600

### **Citadel Magnus**

Cameron Gilenko

Tel: +61 2 8234 0100

## COMPETENT PERSONS REPORT

The information in this report which relates to exploration results is based on and fairly represents information and supporting documentation compiled by Mr Sergei Smolonogov, who is a member of the Australian Institute of Geoscientists (AIG). Mr Smolonogov is an employee of Adriatic Metals PLC and has sufficient experience relevant to the style of mineralization and type of deposit under consideration and to the activity he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the "Australian Code of Reporting of Exploration Results, Mineral Resources and Ore Reserves". Mr Smolonogov consents to the inclusion in this report of the matters based on that information in the form and context in which it appears.

## ABOUT ADRIATIC METALS





Adriatic Metals PLC (ASX:ADT, LSE:ADT1, OTCQX:ADMLF) is a precious and base metals developer that is advancing the world-class Vares Silver Project in Bosnia & Herzegovina, as well as the Raska Zinc-Silver Project in Serbia.

The Vares Silver Project is fully funded to production, which is expected in January 2023. The 2021 Project Definitive Feasibility Study shows robust economics of US\$1,062 million post-tax NPV<sub>8</sub>, 134% IRR and a capex of US\$168 million. Concurrent with ongoing construction activities, the Company continues to explore across its highly prospective 44km<sup>2</sup> concession package.

The Mineral Resource estimate for the Rupice underground deposit comprising part of the Vares Silver Project was updated in accordance with ASX Listing Rule 5.8 on 27 July 2023. The Company confirms that it is not aware of any new information or data that materially affects the information included in the previous announcement and that all material assumptions and technical parameters underpinning the estimate in the previous announcement continue to apply and have not materially changed.

The Ore Reserve estimate for the Rupice deposit comprising part of the Vares Silver Project was announced in accordance with ASX Listing Rule 5.9 on 19 August 2021. The Company confirms that it is not aware of any new information or data that materially affects the information included in the previous announcement and that all material assumptions and technical parameters underpinning the estimate in the previous announcement continue to apply and have not materially changed.

In accordance with ASX Listing Rule 5.19, the Company confirms that the production targets and forecast financial information for the Vares Project were first disclosed in accordance with ASX Listing Rules 5.16 and 5.17 in the Company's announcement dated 19 August 2021. The Company confirms that all the material assumptions underpinning the production target and the forecast financial information in the previous announcement continue to apply and have not materially changed.

## DISCLAIMER

Forward-looking statements are statements that are not historical facts. Words such as "expect(s)", "feel(s)", "believe(s)", "will", "may", "anticipate(s)", "potential(s)" and similar expressions are intended to identify forward-looking statements. These statements include, but are not limited to statements regarding future production, resources or reserves and exploration results. All of such statements are subject to certain risks and uncertainties, many of which are difficult to predict and generally beyond the control of the Company, that could cause actual results to differ materially from those expressed in, or implied or projected by, the forward-looking information and statements. These risks and uncertainties include, but are not limited to: (i) those relating to the interpretation of drill results, the geology, grade and continuity of mineral deposits and conclusions of economic evaluations, (ii) risks relating to possible variations in reserves, grade, planned mining dilution and ore loss, or recovery rates and changes in project parameters as plans continue to be refined, (iii) the potential for delays in exploration or development activities or the completion of feasibility studies, (iv) risks related to commodity price and foreign exchange rate fluctuations, (v) risks related to failure to obtain adequate financing on a timely basis and on acceptable terms or delays in obtaining governmental approvals or in the completion of development or construction activities, and (vi) other risks and uncertainties related to the Company's prospects, properties and business strategy. Our audience is cautioned not to place undue reliance on these forward-looking statements that speak only as of the date hereof, and we do not undertake any obligation to revise and disseminate forward-looking statements to reflect events or circumstances after the date hereof, or to reflect the occurrence of or non-occurrence of any events.



## APPENDIX 1- ASSAY TABLES

**Table 1 – Rupice Northwest – Upper & Main Zones - Extension (step-out) drilling significant intercepts for reported drill holes.**

Hole ID	From	To	Interval	AgEq	ZnEq	Ag	Zn	Pb	Au	Cu	BaSO <sub>4</sub>	Sb
	(m)	(m)	(m)	(g/t)	(%)	(g/t)	(%)	(%)	(g/t)	(%)	(%)	(%)
BR-39-23	164.00	176.70	12.70	<b>866.6</b>	<b>27.86</b>	284.9	8.39	6.54	2.26	0.63	<1.0	0.25
BR-39-23	179.00	200.00	21.00	<b>84.5</b>	<b>2.71</b>	32.6	0.84	0.62	0.08	0.11	<1.0	0.02
BR-42-23	111.30	114.30	3.00	<b>348.0</b>	<b>11.19</b>	214.7	1.17	0.53	0.24	0.75	<1.0	0.50
BR-46-23	123.70	133.00	9.30	<b>652.4</b>	<b>20.97</b>	262.3	4.14	2.54	0.70	0.56	61.2	0.66
BR-55-23	93.00	96.00	3.00	<b>91.2</b>	<b>2.93</b>	22.6	0.41	0.21	0.27	0.23	7.3	0.07

**Notes**

1. Significant intervals are estimated using a 50g/t AgEq cut off, 2m minimum interval and 5 metres consecutive internal dilution. Higher grade intervals have a 600g/t AgEq cut off.
2. AgEq & ZnEq grades are based on the following metal prices used in the Rupice 2021 MRE: \$2,000/oz gold, \$25/oz silver, \$2,500/t zinc, \$2,000/t lead, \$6,500/t copper, \$150/t BaSO<sub>4</sub> & \$6,500/t antimony.
3. 90% metal recovery, as per the Rupice 2021 MRE, has been applied for all metals.
4. 100% availability was assumed for all metals.
5. The silver equivalent calculation is as follows: AgEq = (Au grade g/t \* 72.000) + (Ag grade g/t \* 0.900) + (Pb grade % \* 22.392) + (Zn grade % \* 27.990) + (Cu grade % \* 72.783) + (BaSO<sub>4</sub> grade % \* 1.683) + (Sb grade % \* 72.783), per 2021 MRE.
6. The zinc equivalent calculation is as follows: ZnEq = AgEq / 31.1, per 2021 MRE.
7. It is the opinion of Adriatic Metals that all elements and products included in the metal equivalent formula have a reasonable potential to be recovered and sold.

**Table 2 – Rupice Northwest – Lower Zone – Extension (Step-Out) drilling significant intercepts for reported drill holes**

Hole ID	From	To	Interval	AgEq	ZnEq	Ag	Zn	Pb	Au	Cu	BaSO <sub>4</sub>	Sb
	(m)	(m)	(m)	(g/t)	(%)	(g/t)	(%)	(%)	(g/t)	(%)	(%)	(%)
BR-37-23	275.20	283.00	7.80	<b>843.9</b>	<b>27.13</b>	316.8	6.13	4.88	2.44	1.11	3.6	0.19
<i>Including</i>	<i>275.20</i>	<i>278.90</i>	<i>3.70</i>	<i><b>1,457.3</b></i>	<i><b>46.85</b></i>	<i>552.9</i>	<i>9.83</i>	<i>8.66</i>	<i>4.55</i>	<i>1.87</i>	<i>4.0</i>	<i>0.26</i>
BR-38-23	222.70	231.00	8.30	<b>1,625.5</b>	<b>52.26</b>	479.0	17.76	11.11	4.86	1.08	3.7	0.17
<i>Including</i>	<i>222.70</i>	<i>227.00</i>	<i>4.30</i>	<i><b>2,954.4</b></i>	<i><b>95.00</b></i>	<i>851.0</i>	<i>32.48</i>	<i>20.58</i>	<i>9.11</i>	<i>1.84</i>	<i>5.3</i>	<i>0.25</i>
BR-39-23	201.00	211.70	10.70	<b>387.1</b>	<b>12.44</b>	111.8	3.59	4.53	0.43	0.61	1.9	0.06
BR-42-23	218.00	222.60	4.60	<b>615.5</b>	<b>19.79</b>	198.0	3.50	2.52	2.62	0.58	28.8	0.03
<i>Including</i>	<i>220.70</i>	<i>222.60</i>	<i>1.90</i>	<i><b>1,363.0</b></i>	<i><b>43.82</b></i>	<i>471.8</i>	<i>8.29</i>	<i>4.85</i>	<i>5.76</i>	<i>1.36</i>	<i>46.2</i>	<i>0.07</i>
BR-45A-23	235.50	242.00	6.50	<b>573.4</b>	<b>18.43</b>	277.5	2.71	2.51	1.45	0.82	7.7	0.18

**Notes**

1. Significant intervals are estimated using a 50g/t AgEq cut off, 2m minimum interval and 5 metres consecutive internal dilution. Higher grade intervals have a 600g/t AgEq cut off.
2. AgEq & ZnEq grades are based on the following metal prices used in the Rupice 2021 MRE: \$2,000/oz gold, \$25/oz silver, \$2,500/t zinc, \$2,000/t lead, \$6,500/t copper, \$150/t BaSO<sub>4</sub> & \$6,500/t antimony.
3. 90% metal recovery, as per the Rupice 2021 MRE, has been applied for all metals.
4. 100% availability was assumed for all metals.
5. The silver equivalent calculation is as follows: AgEq = (Au grade g/t \* 72.000) + (Ag grade g/t \* 0.900) + (Pb grade % \* 22.392) + (Zn grade % \* 27.990) + (Cu grade % \* 72.783) + (BaSO<sub>4</sub> grade % \* 1.683) + (Sb grade % \* 72.783), per 2021 MRE.
6. The zinc equivalent calculation is as follows: ZnEq = AgEq / 31.1, per 2021 MRE.
7. It is the opinion of Adriatic Metals that all elements and products included in the metal equivalent formula have a reasonable potential to be recovered and sold.
8. Zn% results capped at 40% for BR-38-23. Higher Zn% results are pending.

**Table 3 – Rupice Northwest - All Zones - Infill drilling significant intercepts for reported drill holes.**

Hole ID	From	To	Interval	AgEq	ZnEq	Ag	Zn	Pb	Au	Cu	BaSO <sub>4</sub>	Sb
	(m)	(m)	(m)	(g/t)	(%)	(g/t)	(%)	(%)	(g/t)	(%)	(%)	(%)
BR-37-23	116.40	123.60	7.20	<b>191.5</b>	<b>6.15</b>	70.1	1.40	0.71	0.49	0.10	8.7	0.20
BR-37-23	217.90	243.10	25.20	<b>1,281.2</b>	<b>41.19</b>	359.0	14.41	8.89	2.75	1.77	10.2	0.14
<i>Including</i>	<i>219.25</i>	<i>231.4</i>	<i>12.15</i>	<i><b>2,177.8</b></i>	<i><b>70.02</b></i>	<i>666.4</i>	<i>24.94</i>	<i>14.43</i>	<i>5.23</i>	<i>1.84</i>	<i>18.2</i>	<i>0.20</i>
BR-37-23	248.00	258.00	10.00	<b>819.1</b>	<b>26.33</b>	309.2	3.96	4.87	3.42	0.78	6.0	0.09
BR-38-23	153.80	165.70	11.90	<b>458.8</b>	<b>14.75</b>	153.0	4.21	3.37	0.86	0.45	2.6	0.38
BR-38-23	191.50	205.00	13.50	<b>1,040.1</b>	<b>33.45</b>	622.6	5.65	3.89	1.97	0.83	6.5	0.27
BR-40A-23	105.10	117.20	12.10	<b>171.2</b>	<b>5.50</b>	79.1	0.73	1.00	0.19	0.14	7.0	0.27



Hole ID	From	To	Interval	AgEq	ZnEq	Ag	Zn	Pb	Au	Cu	BaSO <sub>4</sub>	Sb
BR-40A-23	223.00	253.70	30.70	<b>908.1</b>	<b>29.23</b>	294.0	9.41	6.33	1.20	0.43	68.2	0.07
<i>Including</i>	<i>228.00</i>	<i>234.00</i>	<i>6.00</i>	<b>1,456.3</b>	<b>46.82</b>	<i>930.3</i>	<i>8.99</i>	<i>5.31</i>	<i>1.35</i>	<i>0.24</i>	<i>75.8</i>	<i>0.07</i>
<i>Including</i>	<i>245.00</i>	<i>253.70</i>	<i>8.70</i>	<b>1,077.1</b>	<b>34.63</b>	<i>165.3</i>	<i>14.93</i>	<i>10.99</i>	<i>1.44</i>	<i>0.97</i>	<i>47.3</i>	<i>0.13</i>
BR-41-23	154.50	171.70	17.20	<b>233.0</b>	<b>7.49</b>	78.1	1.32	1.16	0.43	0.59	7.1	0.17
BR-43A-23	147.70	158.80	11.10	<b>359.5</b>	<b>11.56</b>	207.2	1.79	1.46	0.51	0.06	5.4	0.52
BR-44A-23	208.40	230.00	21.60	<b>934.5</b>	<b>30.04</b>	194.6	13.47	6.56	1.35	0.76	45.7	0.06
<i>Including</i>	<i>208.40</i>	<i>216.50</i>	<i>8.10</i>	<b>905.0</b>	<b>29.10</b>	<i>264.4</i>	<i>11.34</i>	<i>5.50</i>	<i>1.35</i>	<i>0.29</i>	<i>61.3</i>	<i>0.04</i>
<i>Including</i>	<i>220.50</i>	<i>227.40</i>	<i>6.90</i>	<b>1,331.1</b>	<b>42.80</b>	<i>214.9</i>	<i>21.39</i>	<i>10.91</i>	<i>1.88</i>	<i>1.33</i>	<i>31.4</i>	<i>0.11</i>
BR-45A-23	166.00	187.10	21.10	<b>466.2</b>	<b>14.99</b>	204.1	2.41	2.17	1.21	0.61	9.2	0.25
<i>Including</i>	<i>166.70</i>	<i>169.40</i>	<i>2.70</i>	<b>2,243.5</b>	<b>72.14</b>	<i>1201.4</i>	<i>7.52</i>	<i>10.07</i>	<i>7.31</i>	<i>1.25</i>	<i>49.2</i>	<i>0.34</i>
BR-45A-23	221.90	226.30	4.40	<b>502.8</b>	<b>16.16</b>	125.9	6.46	4.03	0.85	0.66	1.3	0.07
BR-47-23	243.20	273.80	30.60	<b>843.1</b>	<b>27.11</b>	306.7	8.35	5.18	0.93	0.45	66.3	0.07
<i>Including</i>	<i>249.40</i>	<i>259.00</i>	<i>9.60</i>	<b>864.2</b>	<b>27.79</b>	<i>513.1</i>	<i>4.49</i>	<i>3.60</i>	<i>0.65</i>	<i>0.18</i>	<i>78.2</i>	<i>0.05</i>
<i>Including</i>	<i>263.80</i>	<i>266.80</i>	<i>3.00</i>	<b>1,106.2</b>	<b>35.57</b>	<i>192.6</i>	<i>15.34</i>	<i>11.15</i>	<i>1.60</i>	<i>0.73</i>	<i>47.4</i>	<i>0.06</i>
<i>Including</i>	<i>269.30</i>	<i>272.70</i>	<i>3.40</i>	<b>1,418.9</b>	<b>45.62</b>	<i>215.1</i>	<i>22.20</i>	<i>11.90</i>	<i>1.73</i>	<i>1.95</i>	<i>29.5</i>	<i>0.27</i>
BR-48-23	80.20	84.80	4.60	<b>149.9</b>	<b>4.82</b>	73.2	0.40	0.38	0.29	0.24	7.4	0.17
BR-48-23	180.50	201.20	20.70	<b>848.9</b>	<b>27.29</b>	195.6	10.75	6.70	1.52	0.94	21.7	0.08
<i>Including</i>	<i>182.50</i>	<i>190.40</i>	<i>7.90</i>	<b>1,329.9</b>	<b>42.76</b>	<i>293.6</i>	<i>18.92</i>	<i>9.54</i>	<i>2.60</i>	<i>0.79</i>	<i>42.2</i>	<i>0.08</i>
<i>Including</i>	<i>192.60</i>	<i>198.90</i>	<i>6.30</i>	<b>819.6</b>	<b>26.35</b>	<i>202.3</i>	<i>9.41</i>	<i>6.97</i>	<i>1.11</i>	<i>1.60</i>	<i>6.3</i>	<i>0.14</i>
BR-49-23	200.90	207.20	6.30	<b>644.8</b>	<b>20.73</b>	269.4	2.71	3.12	2.23	0.28	40.7	0.08
BR-53-23	232.80	251.00	18.20	<b>143.2</b>	<b>4.60</b>	77.1	1.42	0.39	<0.01	<0.01	8.5	0.13
BR-53-23	261.00	267.00	6.00	<b>82.9</b>	<b>2.66</b>	55.1	0.79	0.18	<0.01	<0.01	2.6	0.02
BR-53-23	275.40	305.40	30.00	<b>921.0</b>	<b>29.61</b>	346.3	9.29	5.51	1.01	0.45	65.9	0.11
<i>Including</i>	<i>278.00</i>	<i>283.00</i>	<i>5.00</i>	<b>1,925.1</b>	<b>61.90</b>	<i>1615.0</i>	<i>3.41</i>	<i>3.34</i>	<i>1.61</i>	<i>0.62</i>	<i>77.2</i>	<i>0.12</i>
<i>Including</i>	<i>299.00</i>	<i>304.40</i>	<i>5.40</i>	<b>1,215.8</b>	<b>39.09</b>	<i>138.5</i>	<i>18.28</i>	<i>13.93</i>	<i>1.31</i>	<i>1.12</i>	<i>41.5</i>	<i>0.28</i>

**Notes**

1. Significant intervals are estimated using a 50g/t AgEq cut off, 2m minimum interval and 5 metres consecutive internal dilution. Higher grade intervals have a 600g/t AgEq cut off.
2. AgEq & ZnEq grades are based on the following metal prices used in the Rupice 2021 MRE: \$2,000/oz gold, \$25/oz silver, \$2,500/t zinc, \$2,000/t lead, \$6,500/t copper, \$150/t BaSO<sub>4</sub> & \$6,500/t antimony.
3. 90% metal recovery, as per the Rupice 2021 MRE, has been applied for all metals.
4. 100% availability was assumed for all metals.
5. The silver equivalent calculation is as follows: AgEq = (Au grade g/t \* 72.000) + (Ag grade g/t \* 0.900) + (Pb grade % \* 22.392) + (Zn grade % \* 27.990) + (Cu grade % \* 72.783) + (BaSO<sub>4</sub> grade % \* 1.683) + (Sb grade % \* 72.783), per 2021 MRE.
6. The zinc equivalent calculation is as follows: ZnEq = AgEq / 31.1, per 2021 MRE.
7. It is the opinion of Adriatic Metals that all elements and products included in the metal equivalent formula have a reasonable potential to be recovered and sold.
8. BaSO<sub>4</sub> results capped at 84.94% for BR-37-23, BR-40A-23, BR-41-23, BR-47-23 and BR-53-23. Higher range BaSO<sub>4</sub> results are pending.
9. Zn% results capped at 40% for BR-37-23 and BR-38-23. Higher Zn% results are pending.

**Table 4 – Collar information for reported drill holes**

Hole ID	Easting (m) <sup>1</sup>	Northing (m) <sup>1</sup>	Elevation (m)	Depth (m)	Azimuth	Inclination
BR-37-23	6518970	4895094	1030	338.70	224	-45.3
BR-38-23	6518962	4894961	1053	250.80	234	-68.1
BR-39-23	6518957	4894988	1045	295.70	244	-61.8
BR-40-23 <sup>2</sup>	6518971	4895095	1030	41.90	219	-75.0
BR-40A-23	6518970	4895095	1030	281.10	216	-75.7
BR-41-23	6518962	4894961	1053	242.50	232	-62.7
BR-42-23	6518958	4894988	1045	274.30	239	-56.6
BR-43-23 <sup>2</sup>	6518962	4894961	1053	41.40	237	-76.8
BR-43A-23	6518961	4894960	1053	257.40	234	-77.1
BR-44-23 <sup>2</sup>	6518969	4895094	1030	62.80	222	-68.7
BR-44A-23	6518970	4895094	1030	272.30	221	-68.6
BR-45-23 <sup>2</sup>	6518957	4894988	1045	84.50	249	-65.9
BR-45A-23	6518958	4894988	1045	280.80	245	-65.6
BR-46-23	6518961	4894960	1053	254.20	230	-47.4
BR-47-23	6518971	4895096	1030	301.90	213	-82.6



Hole ID	Easting (m) <sup>1</sup>	Northing (m) <sup>1</sup>	Elevation (m)	Depth (m)	Azimuth	Inclination
BR-48-23	6518957	4894989	1045	212.20	285	-80.6
BR-49-23	6519035	4895061	1046	350.00	219	-48.3
BR-51-23	6518956	4894990	1045	254.10	236	-45.3
BR-53-23	6518971	4895191	1008	337.80	229	-69.2
BR-55-23	6518957	4894990	1045	139.30	31.7	-75.9

**Notes**

- <sup>1</sup>Coordinates are shown using Gauss Kruger MGI Balkan Zone 6.
- <sup>2</sup>Abandoned drill hole due to bad ground conditions, equipment failure and or hole deviations.

**Table 5 – Assay data for reported drill holes**

Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)		
BR-37-23	0.00	88.50	88.50	Interval not sampled								
BR-37-23	88.50	90.00	1.50	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-37-23	90.00	91.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-37-23	91.20	92.60	1.40	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-37-23	92.60	93.90	1.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-37-23	93.90	95.10	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-37-23	95.10	96.30	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-37-23	96.30	97.70	1.40	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-37-23	97.70	98.80	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-37-23	98.80	99.90	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-37-23	99.90	101.20	1.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-37-23	101.20	102.50	1.30	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	<0.01		
BR-37-23	102.50	103.60	1.10	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	<0.01		
BR-37-23	103.60	104.80	1.20	<1.0	0.02	0.06	<0.01	<0.01	<1.0	<0.01		
BR-37-23	104.80	106.00	1.20	<1.0	0.02	0.02	<0.01	<0.01	<1.0	<0.01		
BR-37-23	106.00	107.10	1.10	<1.0	<0.01	0.02	<0.01	<0.01	<1.0	0.01		
BR-37-23	107.10	108.30	1.20	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	0.01		
BR-37-23	108.30	109.30	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01		
BR-37-23	109.30	110.40	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01		
BR-37-23	110.40	111.50	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-37-23	111.50	112.70	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.02		
BR-37-23	112.70	114.00	1.30	<1.0	<0.01	0.01	<0.01	0.01	<1.0	0.02		
BR-37-23	114.00	115.20	1.20	<1.0	0.01	0.06	<0.01	0.01	<1.0	0.03		
BR-37-23	115.20	116.40	1.20	<1.0	0.08	0.07	<0.01	0.01	<1.0	0.02		
BR-37-23	116.40	117.00	0.60	267.0	3.79	3.03	1.36	0.26	24.2	0.62		
BR-37-23	117.00	118.00	1.00	36.0	0.49	0.51	0.41	0.04	2.1	0.04		
BR-37-23	118.00	118.90	0.90	67.0	0.70	0.32	0.36	0.22	3.1	0.14		
BR-37-23	118.90	119.50	0.60	65.0	0.50	0.21	0.50	0.07	4.6	0.11		
BR-37-23	119.50	120.50	1.00	50.0	1.71	0.57	0.44	0.07	14.0	0.10		
BR-37-23	120.50	121.50	1.00	81.0	2.77	0.77	0.63	0.07	16.4	0.33		
BR-37-23	121.50	122.50	1.00	50.0	1.18	0.67	0.55	0.11	3.4	0.28		
BR-37-23	122.50	123.60	1.10	26.0	0.65	0.32	0.08	0.05	5.9	0.13		
BR-37-23	123.60	124.50	0.90	<1.0	0.04	0.02	0.01	<0.01	1.2	0.02		
BR-37-23	124.50	125.50	1.00	<1.0	0.04	0.01	0.06	<0.01	<1.0	0.01		
BR-37-23	125.50	126.70	1.20	<1.0	0.06	0.01	0.02	<0.01	<1.0	<0.01		
BR-37-23	126.70	127.90	1.20	<1.0	0.01	<0.01	0.02	<0.01	<1.0	<0.01		
BR-37-23	127.90	129.00	1.10	<1.0	<0.01	<0.01	0.04	<0.01	<1.0	0.01		
BR-37-23	129.00	130.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01		
BR-37-23	130.00	131.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01		
BR-37-23	131.00	132.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01		
BR-37-23	132.00	133.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01		
BR-37-23	133.00	134.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01		
BR-37-23	134.00	135.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01		
BR-37-23	135.00	136.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01		
BR-37-23	136.00	137.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01		





Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)
BR-37-23	137.00	138.00	1.00	<1.0	<0.01	0.08	<0.01	<0.01	<1.0	0.01
BR-37-23	138.00	139.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-37-23	139.00	139.90	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-37-23	139.90	141.00	1.10	3.0	0.06	0.02	<0.01	<0.01	<1.0	<0.01
BR-37-23	141.00	142.20	1.20	<1.0	<0.01	0.05	<0.01	<0.01	<1.0	<0.01
BR-37-23	142.20	143.40	1.20	<1.0	0.01	0.03	<0.01	<0.01	<1.0	0.02
BR-37-23	143.40	144.30	0.90	<1.0	0.03	0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	144.30	145.50	1.20	<1.0	0.13	0.04	<0.01	<0.01	<1.0	<0.01
BR-37-23	145.50	146.70	1.20	<1.0	0.02	<0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	146.70	147.80	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	147.80	149.00	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	149.00	150.00	1.00	2.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	150.00	151.00	1.00	<1.0	0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	151.00	152.00	1.00	<1.0	0.01	0.03	<0.01	<0.01	<1.0	<0.01
BR-37-23	152.00	153.00	1.00	<1.0	0.02	0.03	<0.01	<0.01	<1.0	<0.01
BR-37-23	153.00	154.00	1.00	<1.0	0.01	0.02	<0.01	<0.01	<1.0	<0.01
BR-37-23	154.00	155.00	1.00	<1.0	0.03	0.03	<0.01	<0.01	<1.0	<0.01
BR-37-23	155.00	156.00	1.00	<1.0	0.03	<0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	156.00	157.00	1.00	<1.0	0.04	<0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	157.00	158.00	1.00	<1.0	0.06	0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	158.00	159.00	1.00	<1.0	0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	159.00	160.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	160.00	161.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	161.00	162.00	1.00	<1.0	0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-37-23	162.00	163.20	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	163.20	164.40	1.20	3.0	0.09	0.02	<0.01	<0.01	<1.0	<0.01
BR-37-23	164.40	165.60	1.20	3.0	0.11	0.02	<0.01	<0.01	<1.0	<0.01
BR-37-23	165.60	166.80	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	166.80	168.00	1.20	14.0	0.19	0.08	<0.01	<0.01	<1.0	<0.01
BR-37-23	168.00	169.00	1.00	5.0	0.06	0.05	<0.01	<0.01	<1.0	<0.01
BR-37-23	169.00	170.00	1.00	26.0	0.79	0.30	<0.01	0.01	<1.0	<0.01
BR-37-23	170.00	170.90	0.90	7.0	0.23	0.14	<0.01	<0.01	1.4	<0.01
BR-37-23	170.90	172.00	1.10	3.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	172.00	173.00	1.00	9.0	0.04	0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	173.00	174.20	1.20	7.0	0.02	0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	174.20	175.40	1.20	10.0	0.54	0.21	0.02	0.02	<1.0	0.01
BR-37-23	175.40	176.60	1.20	3.0	0.02	0.01	0.03	<0.01	<1.0	<0.01
BR-37-23	176.60	178.40	1.80	5.0	0.01	0.01	0.06	0.01	<1.0	0.01
BR-37-23	178.40	179.60	1.20	<1.0	<0.01	0.01	0.02	<0.01	<1.0	0.01
BR-37-23	179.60	181.20	1.60	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	181.20	182.60	1.40	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	182.60	183.80	1.20	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-37-23	183.80	185.00	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	185.00	186.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	186.20	187.40	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	187.40	188.60	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	188.60	189.80	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	189.80	190.60	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	190.60	191.60	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	191.60	193.00	1.40	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	193.00	194.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	194.20	195.30	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	195.30	196.40	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	196.40	197.60	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	197.60	198.80	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	198.80	200.00	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)
BR-37-23	200.00	201.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	201.00	202.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	202.20	203.40	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	203.40	204.60	1.20	<1.0	0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-37-23	204.60	205.80	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	205.80	209.40	3.60	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-37-23	209.40	211.00	1.60	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	211.00	212.30	1.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	212.30	213.70	1.40	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	213.70	214.90	1.20	<1.0	0.06	0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	214.90	215.90	1.00	18.0	0.20	0.45	0.06	0.01	<1.0	0.01
BR-37-23	215.90	216.50	0.60	<1.0	0.02	<0.01	0.03	0.05	8.5	0.02
BR-37-23	216.50	217.20	0.70	<1.0	<0.01	<0.01	<0.01	<0.01	77.5	<0.01
BR-37-23	217.20	217.90	0.70	5.0	0.07	0.03	0.02	<0.01	80.1	<0.01
BR-37-23	217.90	218.90	1.00	43.0	0.25	0.72	0.21	0.05	3.5	0.01
BR-37-23	218.90	219.25	0.35	52.0	0.19	2.50	1.50	0.02	76.5	<0.01
BR-37-23	219.25	220.20	0.95	1,841.0	29.85	27.51	11.70	1.73	12.2	0.28
BR-37-23	220.20	221.10	0.90	2,142.0	37.95	23.76	11.90	1.43	7.1	0.23
BR-37-23	221.10	222.10	1.00	469.0	40.00	25.05	7.96	1.48	2.8	0.10
BR-37-23	222.10	223.10	1.00	186.0	19.39	11.84	3.69	0.68	40.2	0.04
BR-37-23	223.10	224.00	0.90	21.0	2.03	0.80	0.75	0.09	84.9	<0.01
BR-37-23	224.00	224.50	0.50	63.0	4.49	4.18	1.08	0.21	81.3	<0.01
BR-37-23	224.50	225.30	0.80	670.0	20.79	17.66	10.90	3.27	23.9	0.08
BR-37-23	225.30	226.00	0.70	460.0	36.81	17.29	4.49	2.28	14.2	0.14
BR-37-23	226.00	226.80	0.80	1,098.0	38.08	16.12	6.58	6.15	3.5	0.53
BR-37-23	226.80	227.60	0.80	705.0	40.00	18.97	7.40	2.28	8.2	0.52
BR-37-23	227.60	228.50	0.90	505.0	15.68	8.19	4.05	2.43	4.3	0.43
BR-37-23	228.50	229.20	0.70	806.0	20.34	9.48	1.61	2.30	<1.0	0.45
BR-37-23	229.20	229.80	0.60	410.0	38.94	18.09	0.75	2.68	<1.0	0.12
BR-37-23	229.80	230.40	0.60	97.0	5.04	1.83	0.45	0.17	<1.0	0.02
BR-37-23	230.40	231.40	1.00	92.0	17.50	7.95	0.32	0.64	<1.0	0.03
BR-37-23	231.40	232.00	0.60	118.0	3.42	5.26	0.37	6.96	<1.0	0.08
BR-37-23	232.00	232.70	0.70	43.0	1.97	1.66	0.29	1.77	<1.0	0.05
BR-37-23	232.70	233.50	0.80	42.0	2.44	1.74	0.44	1.81	<1.0	0.06
BR-37-23	233.50	234.40	0.90	21.0	0.65	0.43	0.19	0.88	<1.0	0.03
BR-37-23	234.40	235.40	1.00	19.0	2.03	1.35	0.16	1.04	<1.0	0.06
BR-37-23	235.40	236.30	0.90	33.0	2.42	1.50	0.20	0.89	<1.0	0.04
BR-37-23	236.30	237.30	1.00	114.0	2.31	2.39	0.53	4.65	1.5	0.11
BR-37-23	237.30	237.90	0.60	101.0	0.57	0.83	0.23	4.70	1.2	0.05
BR-37-23	237.90	238.70	0.80	105.0	16.30	8.72	0.87	2.59	1.0	0.06
BR-37-23	238.70	239.50	0.80	16.0	0.64	0.98	0.29	0.66	<1.0	0.04
BR-37-23	239.50	240.10	0.60	47.0	2.54	2.64	0.34	0.46	<1.0	0.13
BR-37-23	240.10	241.10	1.00	266.0	22.67	20.55	0.25	1.30	<1.0	0.38
BR-37-23	241.10	242.00	0.90	105.0	8.30	4.61	1.23	1.09	<1.0	0.20
BR-37-23	242.00	243.10	1.10	24.0	1.63	1.17	0.58	0.17	<1.0	0.03
BR-37-23	243.10	244.10	1.00	11.0	0.08	0.85	0.10	0.13	<1.0	0.03
BR-37-23	244.10	245.00	0.90	3.0	0.06	0.06	0.10	0.07	<1.0	0.03
BR-37-23	245.00	246.00	1.00	2.0	0.02	0.03	0.21	0.02	<1.0	0.01
BR-37-23	246.00	247.00	1.00	<1.0	0.11	0.02	0.07	<0.01	<1.0	<0.01
BR-37-23	247.00	248.00	1.00	4.0	0.38	0.25	0.09	0.07	<1.0	0.01
BR-37-23	248.00	248.80	0.80	36.0	2.49	5.25	0.51	1.17	<1.0	0.13
BR-37-23	248.80	249.50	0.70	23.0	1.74	2.63	0.21	1.07	<1.0	0.06
BR-37-23	249.50	250.00	0.50	36.0	1.43	0.51	0.20	1.85	<1.0	0.23
BR-37-23	250.00	250.50	0.50	<1.0	0.12	0.04	0.07	0.03	<1.0	<0.01
BR-37-23	250.50	251.00	0.50	151.0	13.46	10.98	1.67	3.31	<1.0	0.21
BR-37-23	251.00	251.60	0.60	117.0	7.64	3.36	0.43	0.26	<1.0	0.04



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)
BR-37-23	251.60	252.30	0.70	83.0	6.12	2.60	0.99	0.70	1.4	0.06
BR-37-23	252.30	253.00	0.70	77.0	1.28	0.93	0.79	0.12	1.1	0.03
BR-37-23	253.00	253.80	0.80	132.0	0.95	1.58	1.09	0.19	6.1	0.03
BR-37-23	253.80	255.00	1.20	110.0	0.73	0.91	1.84	0.18	<1.0	0.01
BR-37-23	255.00	256.20	1.20	114.0	2.61	1.75	0.77	0.23	<1.0	0.06
BR-37-23	256.20	257.20	1.00	2,339.0	14.20	26.31	23.20	2.16	2.4	0.31
BR-37-23	257.20	258.00	0.80	72.0	0.20	2.07	4.97	0.06	61.6	0.02
BR-37-23	258.00	259.00	1.00	4.0	0.06	0.04	0.04	<0.01	84.9	<0.01
BR-37-23	259.00	260.00	1.00	<1.0	0.05	0.01	0.01	<0.01	84.9	<0.01
BR-37-23	260.00	260.60	0.60	<1.0	<0.01	<0.01	0.01	<0.01	79.2	<0.01
BR-37-23	260.60	261.80	1.20	<1.0	<0.01	<0.01	<0.01	0.01	1.2	<0.01
BR-37-23	261.80	263.00	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	263.00	264.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	264.00	265.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	265.00	266.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	266.00	266.90	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	266.90	267.80	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	79.8	<0.01
BR-37-23	267.80	268.40	0.60	<1.0	<0.01	<0.01	<0.01	<0.01	58.0	<0.01
BR-37-23	268.40	269.40	1.00	<1.0	<0.01	0.09	<0.01	<0.01	6.8	<0.01
BR-37-23	269.40	270.00	0.60	<1.0	<0.01	<0.01	<0.01	<0.01	84.9	<0.01
BR-37-23	270.00	271.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	83.3	<0.01
BR-37-23	271.00	272.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	84.9	<0.01
BR-37-23	272.00	273.00	1.00	<1.0	<0.01	<0.01	0.03	<0.01	84.9	<0.01
BR-37-23	273.00	274.00	1.00	<1.0	<0.01	<0.01	0.02	<0.01	84.5	<0.01
BR-37-23	274.00	275.20	1.20	<1.0	0.02	<0.01	0.01	<0.01	84.9	<0.01
BR-37-23	275.20	276.60	1.40	982.0	14.93	14.44	8.47	3.48	1.3	0.40
BR-37-23	276.60	278.00	1.40	131.0	5.73	3.30	1.24	0.55	<1.0	0.17
BR-37-23	278.00	278.90	0.90	542.0	8.28	8.02	3.62	1.42	12.9	0.20
BR-37-23	278.90	280.00	1.10	70.0	1.74	1.41	0.44	0.31	8.2	0.13
BR-37-23	280.00	281.20	1.20	175.0	4.91	2.45	0.87	0.89	3.2	0.24
BR-37-23	281.20	282.00	0.80	129.0	3.96	1.57	0.57	0.22	<1.0	0.07
BR-37-23	282.00	283.00	1.00	35.0	0.53	0.32	0.25	0.13	<1.0	0.03
BR-37-23	283.00	284.00	1.00	11.0	0.59	0.14	0.12	0.05	<1.0	0.02
BR-37-23	284.00	285.00	1.00	4.0	0.62	0.13	0.05	0.01	<1.0	<0.01
BR-37-23	285.00	286.00	1.00	23.0	0.61	0.31	0.08	0.05	<1.0	0.02
BR-37-23	286.00	287.00	1.00	7.0	0.02	<0.01	0.02	<0.01	<1.0	<0.01
BR-37-23	287.00	288.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	288.00	289.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	289.00	290.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	290.00	291.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	291.20	292.40	1.20	2.0	0.01	0.01	0.03	<0.01	1.2	<0.01
BR-37-23	292.40	293.40	1.00	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-37-23	293.40	294.30	0.90	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-37-23	294.30	295.50	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	295.50	296.60	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	296.60	297.80	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	297.80	299.00	1.20	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-37-23	299.00	300.00	1.00	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-37-23	300.00	301.00	1.00	12.0	1.09	0.47	0.03	0.11	1.1	0.03
BR-37-23	301.00	302.00	1.00	<1.0	0.01	0.01	0.03	<0.01	<1.0	<0.01
BR-37-23	302.00	303.00	1.00	4.0	0.77	0.33	0.04	0.04	<1.0	0.01
BR-37-23	303.00	304.00	1.00	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-37-23	304.00	305.00	1.00	<1.0	0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-37-23	305.00	306.20	1.20	<1.0	0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-37-23	306.20	307.40	1.20	<1.0	0.02	0.01	0.04	<0.01	<1.0	<0.01
BR-37-23	307.40	308.60	1.20	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)
BR-37-23	308.60	309.80	1.20	<1.0	0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-37-23	309.80	311.00	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	311.00	312.00	1.00	<1.0	<0.01	<0.01	0.07	<0.01	<1.0	<0.01
BR-37-23	312.00	313.00	1.00	<1.0	<0.01	<0.01	0.14	<0.01	<1.0	<0.01
BR-37-23	313.00	314.00	1.00	<1.0	<0.01	<0.01	0.08	<0.01	<1.0	<0.01
BR-37-23	314.00	315.00	1.00	<1.0	0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-37-23	315.00	316.00	1.00	<1.0	<0.01	<0.01	0.04	<0.01	<1.0	<0.01
BR-37-23	316.00	317.00	1.00	<1.0	0.01	0.10	0.30	0.01	<1.0	<0.01
BR-37-23	317.00	318.00	1.00	<1.0	<0.01	<0.01	0.04	<0.01	<1.0	<0.01
BR-37-23	318.00	319.00	1.00	<1.0	<0.01	<0.01	0.05	<0.01	<1.0	<0.01
BR-37-23	319.00	320.00	1.00	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-37-23	320.00	321.00	1.00	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-37-23	321.00	322.00	1.00	<1.0	0.02	<0.01	0.14	0.02	2.9	<0.01
BR-37-23	322.00	323.00	1.00	<1.0	<0.01	<0.01	0.07	<0.01	<1.0	<0.01
BR-37-23	323.00	324.00	1.00	<1.0	<0.01	<0.01	0.08	<0.01	<1.0	<0.01
BR-37-23	324.00	325.00	1.00	<1.0	<0.01	<0.01	0.08	<0.01	<1.0	<0.01
BR-37-23	325.00	326.00	1.00	<1.0	<0.01	<0.01	0.05	<0.01	<1.0	<0.01
BR-37-23	326.00	327.00	1.00	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-37-23	327.00	328.00	1.00	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-37-23	328.00	329.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	329.00	330.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	330.00	331.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	331.00	332.00	1.00	<1.0	<0.01	<0.01	0.19	<0.01	<1.0	<0.01
BR-37-23	332.00	333.00	1.00	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-37-23	333.00	334.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	334.00	335.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-37-23	335.20	336.40	1.20	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-37-23	336.40	337.60	1.20	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-37-23	337.60	338.70	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	0.00	35.00	35.00	Interval not sampled						
BR-38-23	35.00	37.00	2.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	37.00	38.50	1.50	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	38.50	39.70	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	39.70	40.90	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	40.90	42.00	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	42.00	43.20	1.20	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-38-23	43.20	44.30	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	44.30	45.50	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	45.50	47.30	1.80	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-38-23	47.30	48.50	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	48.50	49.70	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	49.70	50.90	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	50.90	51.90	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	51.90	53.00	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	53.00	54.60	1.60	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	54.60	55.80	1.20	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	55.80	57.00	1.20	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-38-23	57.00	58.20	1.20	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-38-23	58.20	59.30	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	59.30	60.50	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	60.50	61.70	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	61.70	62.80	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	62.80	63.80	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	63.80	65.00	1.20	<1.0	<0.01	0.02	<0.01	<0.01	<1.0	<0.01
BR-38-23	65.00	66.70	1.70	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	66.70	67.90	1.20	<1.0	<0.01	0.02	<0.01	<0.01	<1.0	0.01





Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)
BR-38-23	67.90	68.90	1.00	<1.0	<0.01	0.03	<0.01	0.01	<1.0	0.01
BR-38-23	68.90	70.00	1.10	<1.0	<0.01	0.08	0.01	0.01	<1.0	0.01
BR-38-23	70.00	71.20	1.20	<1.0	0.01	0.02	0.01	<0.01	<1.0	0.01
BR-38-23	71.20	72.40	1.20	<1.0	<0.01	0.01	0.03	0.01	<1.0	0.02
BR-38-23	72.40	73.40	1.00	<1.0	0.01	0.01	0.01	<0.01	<1.0	0.02
BR-38-23	73.40	74.40	1.00	<1.0	<0.01	0.04	<0.01	0.01	<1.0	0.02
BR-38-23	74.40	75.00	0.60	<1.0	0.01	0.02	<0.01	<0.01	<1.0	0.08
BR-38-23	75.00	75.60	0.60	4.0	0.10	0.12	0.08	0.02	<1.0	0.03
BR-38-23	75.60	76.50	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.02
BR-38-23	76.50	77.10	0.60	<1.0	0.02	<0.01	<0.01	<0.01	<1.0	0.02
BR-38-23	77.10	77.90	0.80	<1.0	0.10	0.03	<0.01	<0.01	1.5	0.02
BR-38-23	77.90	79.00	1.10	<1.0	0.01	0.05	<0.01	0.01	1.1	0.03
BR-38-23	79.00	80.00	1.00	<1.0	0.02	0.14	0.07	0.02	1.6	0.05
BR-38-23	80.00	80.80	0.80	<1.0	<0.01	0.03	0.01	0.01	<1.0	0.08
BR-38-23	80.80	81.60	0.80	<1.0	0.04	0.03	0.01	0.01	<1.0	0.12
BR-38-23	81.60	82.20	0.60	236.0	2.49	0.96	1.25	0.07	36.3	0.86
BR-38-23	82.20	83.10	0.90	4.0	0.06	0.04	0.03	<0.01	7.0	0.06
BR-38-23	83.10	83.70	0.60	<1.0	0.13	0.12	0.02	0.03	<1.0	0.04
BR-38-23	83.70	84.50	0.80	<1.0	0.05	0.15	0.02	0.02	<1.0	0.03
BR-38-23	84.50	85.40	0.90	<1.0	0.06	0.08	0.02	0.01	<1.0	0.01
BR-38-23	85.40	86.90	1.50	2.0	0.03	0.06	0.01	<0.01	<1.0	0.03
BR-38-23	86.90	87.80	0.90	4.0	0.11	0.15	0.02	0.01	<1.0	0.02
BR-38-23	87.80	88.50	0.70	6.0	0.24	0.36	<0.01	0.04	<1.0	0.02
BR-38-23	88.50	89.40	0.90	4.0	0.07	0.25	0.01	0.02	<1.0	0.02
BR-38-23	89.40	90.20	0.80	<1.0	0.01	0.01	<0.01	<0.01	<1.0	0.02
BR-38-23	90.20	90.70	0.50	5.0	0.29	0.16	0.03	0.02	<1.0	0.03
BR-38-23	90.70	91.40	0.70	30.0	0.51	1.34	0.19	0.27	3.4	0.13
BR-38-23	91.40	92.30	0.90	17.0	0.22	0.47	0.37	0.08	1.2	0.10
BR-38-23	92.30	93.50	1.20	<1.0	0.01	0.01	0.07	<0.01	<1.0	<0.01
BR-38-23	93.50	94.70	1.20	46.0	1.45	0.80	0.35	0.21	8.2	0.20
BR-38-23	94.70	95.80	1.10	10.0	0.03	0.02	0.08	0.01	1.2	0.02
BR-38-23	95.80	97.00	1.20	<1.0	0.09	0.02	0.04	<0.01	<1.0	0.01
BR-38-23	97.00	98.00	1.00	2.0	0.24	0.07	0.04	<0.01	<1.0	0.02
BR-38-23	98.00	99.00	1.00	<1.0	0.05	0.02	0.01	<0.01	<1.0	0.01
BR-38-23	99.00	100.10	1.10	2.0	0.05	<0.01	0.01	<0.01	<1.0	<0.01
BR-38-23	100.10	101.30	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-38-23	101.30	102.30	1.00	<1.0	0.01	0.01	<0.01	<0.01	<1.0	0.01
BR-38-23	102.30	103.30	1.00	<1.0	0.02	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	103.30	104.30	1.00	<1.0	0.05	0.01	0.02	<0.01	<1.0	0.01
BR-38-23	104.30	105.40	1.10	6.0	0.05	0.02	0.18	0.01	1.0	0.01
BR-38-23	105.40	106.00	0.60	16.0	0.09	0.04	<0.01	0.28	20.0	0.07
BR-38-23	106.00	107.00	1.00	55.0	0.13	0.04	0.25	0.33	20.7	0.09
BR-38-23	107.00	108.00	1.00	143.0	1.68	0.76	0.33	0.32	9.4	0.27
BR-38-23	108.00	108.90	0.90	10.0	0.12	0.05	0.19	0.11	<1.0	0.05
BR-38-23	108.90	110.00	1.10	<1.0	<0.01	0.02	0.17	<0.01	<1.0	0.01
BR-38-23	110.00	111.00	1.00	<1.0	0.04	0.04	0.09	0.01	3.3	0.01
BR-38-23	111.00	112.20	1.20	<1.0	0.14	0.05	0.01	<0.01	<1.0	<0.01
BR-38-23	112.20	113.30	1.10	<1.0	0.02	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	113.30	114.40	1.10	<1.0	0.03	0.01	<0.01	<0.01	<1.0	0.01
BR-38-23	114.40	115.60	1.20	<1.0	0.02	<0.01	<0.01	<0.01	<1.0	0.01
BR-38-23	115.60	116.80	1.20	<1.0	0.02	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	116.80	118.00	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	118.00	119.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	119.00	120.00	1.00	<1.0	0.03	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	120.00	121.20	1.20	<1.0	0.03	0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	121.20	122.40	1.20	<1.0	0.04	0.01	<0.01	<0.01	<1.0	<0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)
BR-38-23	122.40	123.60	1.20	<1.0	0.04	0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	123.60	124.80	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-38-23	124.80	126.00	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-38-23	126.00	127.30	1.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-38-23	127.30	128.30	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-38-23	128.30	129.30	1.00	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-38-23	129.30	130.50	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	130.50	131.70	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	131.70	133.00	1.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	133.00	134.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	134.20	135.40	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	135.40	136.60	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	136.60	137.80	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	137.80	139.00	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	139.00	140.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	140.00	141.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	141.00	142.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	142.00	143.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	143.00	144.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	144.00	145.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	145.00	146.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	146.00	147.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	147.20	148.40	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	148.40	149.60	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	149.60	150.60	1.00	<1.0	0.01	<0.01	<0.01	<0.01	1.1	0.01
BR-38-23	150.60	151.50	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	73.4	<0.01
BR-38-23	151.50	152.50	1.00	<1.0	<0.01	<0.01	0.01	<0.01	84.9	<0.01
BR-38-23	152.50	153.10	0.60	7.0	<0.01	<0.01	<0.01	<0.01	84.9	<0.01
BR-38-23	153.10	153.80	0.70	<1.0	0.06	0.20	0.11	0.02	33.0	0.01
BR-38-23	153.80	154.40	0.60	399.0	2.38	14.17	4.73	0.31	29.5	0.09
BR-38-23	154.40	155.00	0.60	291.0	13.60	7.45	1.55	0.70	5.4	0.62
BR-38-23	155.00	155.90	0.90	55.0	1.56	0.78	0.52	0.24	<1.0	0.13
BR-38-23	155.90	156.90	1.00	188.0	3.22	1.56	0.76	0.27	<1.0	0.21
BR-38-23	156.90	158.00	1.10	48.0	2.23	1.18	0.34	0.13	<1.0	0.13
BR-38-23	158.00	159.00	1.00	62.0	3.47	2.58	0.70	0.29	<1.0	0.32
BR-38-23	159.00	160.00	1.00	20.0	1.04	0.76	0.15	0.05	1.9	0.05
BR-38-23	160.00	161.00	1.00	48.0	1.43	1.30	0.84	0.18	<1.0	0.17
BR-38-23	161.00	162.00	1.00	745.0	22.56	15.29	1.38	2.90	<1.0	2.72
BR-38-23	162.00	163.00	1.00	72.0	1.97	2.00	0.75	0.37	<1.0	0.18
BR-38-23	163.00	164.00	1.00	33.0	0.63	0.48	0.46	0.12	<1.0	0.07
BR-38-23	164.00	164.80	0.80	38.0	1.25	0.81	0.42	0.14	<1.0	0.08
BR-38-23	164.80	165.70	0.90	118.0	1.53	0.64	0.33	0.08	5.4	0.04
BR-38-23	165.70	166.80	1.10	10.0	0.46	0.19	0.22	0.05	2.8	0.03
BR-38-23	166.80	168.00	1.20	4.0	0.05	0.01	0.03	0.02	1.2	0.01
BR-38-23	168.00	169.00	1.00	21.0	0.10	0.02	0.02	0.02	1.3	0.02
BR-38-23	169.00	170.00	1.00	8.0	0.03	0.02	<0.01	0.01	<1.0	0.01
BR-38-23	170.00	171.00	1.00	6.0	0.04	0.01	0.02	0.01	<1.0	0.01
BR-38-23	171.00	172.00	1.00	3.0	0.04	0.01	0.02	0.01	2.2	0.01
BR-38-23	172.00	173.00	1.00	3.0	0.08	0.02	0.02	0.02	<1.0	0.01
BR-38-23	173.00	174.00	1.00	3.0	0.04	0.01	0.02	0.02	2.6	0.02
BR-38-23	174.00	175.00	1.00	5.0	0.05	0.06	0.04	0.05	1.7	0.03
BR-38-23	175.00	176.00	1.00	6.0	0.39	0.16	0.11	0.02	1.6	0.01
BR-38-23	176.00	177.00	1.00	6.0	0.35	0.16	0.09	0.02	3.2	0.02
BR-38-23	177.00	178.00	1.00	4.0	0.39	0.12	0.11	0.01	<1.0	0.01
BR-38-23	178.00	179.00	1.00	5.0	0.33	0.15	0.05	0.01	<1.0	0.01
BR-38-23	179.00	180.00	1.00	24.0	1.78	0.68	0.29	0.09	<1.0	0.03



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)
BR-38-23	180.00	181.00	1.00	31.0	1.84	1.01	0.19	0.16	<1.0	0.06
BR-38-23	181.00	182.20	1.20	14.0	0.80	0.42	0.19	0.05	<1.0	0.02
BR-38-23	182.20	183.40	1.20	10.0	1.02	0.37	0.23	0.03	1.1	0.02
BR-38-23	183.40	184.50	1.10	2.0	0.08	0.05	0.11	0.01	<1.0	0.01
BR-38-23	184.50	185.60	1.10	<1.0	0.01	0.03	0.05	0.01	2.1	0.01
BR-38-23	185.60	186.60	1.00	<1.0	<0.01	<0.01	0.04	<0.01	1.5	<0.01
BR-38-23	186.60	187.80	1.20	<1.0	0.02	0.01	0.06	<0.01	<1.0	<0.01
BR-38-23	187.80	188.80	1.00	2.0	0.03	0.03	0.09	0.01	3.5	0.01
BR-38-23	188.80	189.40	0.60	<1.0	<0.01	<0.01	0.05	<0.01	<1.0	<0.01
BR-38-23	189.40	190.60	1.20	<1.0	0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-38-23	190.60	191.50	0.90	<1.0	0.02	0.02	0.03	<0.01	<1.0	<0.01
BR-38-23	191.50	191.80	0.30	41.0	6.07	3.06	0.23	0.38	<1.0	0.13
BR-38-23	191.80	192.25	0.45	206.0	11.97	4.75	0.45	0.46	7.3	0.11
BR-38-23	192.25	193.00	0.75	356.0	23.27	10.34	0.85	3.12	1.0	0.57
BR-38-23	193.00	194.00	1.00	46.0	1.63	1.02	0.33	0.26	28.8	0.10
BR-38-23	194.00	195.00	1.00	48.0	1.56	0.81	0.77	0.56	2.1	0.13
BR-38-23	195.00	196.00	1.00	23.0	0.91	0.46	0.22	0.05	<1.0	0.01
BR-38-23	196.00	196.70	0.70	95.0	1.27	0.61	0.15	0.09	<1.0	0.06
BR-38-23	196.70	197.70	1.00	77.0	3.05	1.26	0.41	0.45	3.6	0.16
BR-38-23	197.70	198.50	0.80	12.0	0.49	0.15	0.19	0.01	3.9	<0.01
BR-38-23	198.50	199.50	1.00	5,568.0	26.67	22.96	8.57	5.73	3.0	2.43
BR-38-23	199.50	200.20	0.70	2,538.0	14.80	13.16	12.30	1.47	2.9	0.14
BR-38-23	200.20	201.00	0.80	51.0	0.68	0.40	0.36	0.03	6.4	0.02
BR-38-23	201.00	202.00	1.00	40.0	1.30	0.49	0.34	0.03	1.9	0.01
BR-38-23	202.00	203.10	1.10	59.0	0.69	0.60	0.60	0.05	8.8	0.03
BR-38-23	203.10	204.20	1.10	40.0	0.63	0.46	0.50	0.03	6.0	0.02
BR-38-23	204.20	205.00	0.80	286.0	3.67	4.37	5.94	0.34	21.3	0.15
BR-38-23	205.00	206.00	1.00	3.0	0.03	0.09	0.05	0.05	<1.0	0.01
BR-38-23	206.00	206.60	0.60	4.0	0.02	0.06	0.02	0.05	<1.0	<0.01
BR-38-23	206.60	207.30	0.70	<1.0	0.05	0.11	0.02	0.01	<1.0	<0.01
BR-38-23	207.30	208.50	1.20	<1.0	0.05	0.07	0.04	0.01	4.0	<0.01
BR-38-23	208.50	209.50	1.00	<1.0	<0.01	0.01	0.02	<0.01	84.9	<0.01
BR-38-23	209.50	210.50	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	84.9	<0.01
BR-38-23	210.50	211.50	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	83.0	<0.01
BR-38-23	211.50	212.50	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	83.3	<0.01
BR-38-23	212.50	213.50	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	83.4	<0.01
BR-38-23	213.50	214.50	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	84.9	<0.01
BR-38-23	214.50	215.50	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	84.9	<0.01
BR-38-23	215.50	216.50	1.00	<1.0	<0.01	<0.01	0.02	<0.01	73.4	<0.01
BR-38-23	216.50	217.50	1.00	<1.0	<0.01	<0.01	0.02	<0.01	84.9	<0.01
BR-38-23	217.50	218.50	1.00	2.0	<0.01	<0.01	0.02	<0.01	84.9	<0.01
BR-38-23	218.50	219.60	1.10	<1.0	<0.01	<0.01	0.01	<0.01	84.9	<0.01
BR-38-23	219.60	220.60	1.00	<1.0	0.03	0.04	0.03	0.01	24.3	<0.01
BR-38-23	220.60	221.90	1.30	2.0	0.08	0.88	0.53	0.01	<1.0	<0.01
BR-38-23	221.90	222.70	0.80	5.0	0.04	0.35	0.59	0.01	11.2	<0.01
BR-38-23	222.70	223.50	0.80	709.0	22.27	24.36	9.73	1.89	7.1	0.16
BR-38-23	223.50	224.30	0.80	833.0	40.00	21.88	10.60	1.78	<1.0	0.21
BR-38-23	224.30	225.70	1.40	865.0	40.00	21.88	6.81	2.03	<1.0	0.28
BR-38-23	225.70	226.30	0.60	830.0	19.78	12.65	9.85	1.08	21.5	0.23
BR-38-23	226.30	227.00	0.70	1,024.0	31.46	19.01	10.70	2.14	3.8	0.38
BR-38-23	227.00	227.90	0.90	101.0	0.99	0.53	0.41	0.30	8.0	0.07
BR-38-23	227.90	229.10	1.20	101.0	1.76	0.86	0.20	0.26	<1.0	0.07
BR-38-23	229.10	229.80	0.70	19.0	0.28	0.13	0.10	0.03	<1.0	0.01
BR-38-23	229.80	231.00	1.20	76.0	3.77	1.80	0.43	0.37	<1.0	0.13
BR-38-23	231.00	232.00	1.00	3.0	0.02	0.01	0.06	<0.01	<1.0	<0.01
BR-38-23	232.00	233.20	1.20	5.0	0.07	0.01	0.06	<0.01	1.9	<0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)
BR-38-23	233.20	234.40	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	234.40	235.60	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	235.60	236.80	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	236.80	238.00	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	1.8	<0.01
BR-38-23	238.00	239.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	239.00	240.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	240.00	240.70	0.70	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	240.70	241.80	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	241.80	243.00	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	243.00	244.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	244.00	244.90	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	244.90	245.80	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	245.80	246.80	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	246.80	247.60	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	247.60	248.80	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-38-23	248.80	250.00	1.20	<1.0	0.06	0.01	0.02	<0.01	<1.0	<0.01
BR-38-23	250.00	250.80	0.80	<1.0	0.37	0.03	0.04	<0.01	<1.0	<0.01
BR-39-23	0.00	44.50	44.50	Interval not sampled						
BR-39-23	44.50	45.30	0.80	<1.0	<0.01	<0.01	0.13	<0.01	<1.0	<0.01
BR-39-23	45.30	46.20	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-39-23	46.20	47.20	1.00	<1.0	<0.01	<0.01	0.26	<0.01	<1.0	<0.01
BR-39-23	47.20	48.20	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-39-23	48.20	48.80	0.60	<1.0	<0.01	<0.01	0.19	<0.01	<1.0	<0.01
BR-39-23	48.80	49.80	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-39-23	49.80	50.50	0.70	<1.0	<0.01	<0.01	0.13	<0.01	<1.0	<0.01
BR-39-23	50.50	51.30	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-39-23	51.30	52.40	1.10	<1.0	<0.01	<0.01	0.16	<0.01	<1.0	<0.01
BR-39-23	52.40	53.50	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-39-23	53.50	54.80	1.30	<1.0	<0.01	<0.01	0.10	<0.01	<1.0	<0.01
BR-39-23	54.80	56.00	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-39-23	56.00	57.00	1.00	<1.0	<0.01	<0.01	0.11	<0.01	<1.0	<0.01
BR-39-23	57.00	58.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-39-23	58.00	59.00	1.00	<1.0	<0.01	<0.01	0.08	<0.01	<1.0	<0.01
BR-39-23	59.00	60.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-39-23	60.00	61.00	1.00	2.0	<0.01	<0.01	0.07	<0.01	<1.0	0.01
BR-39-23	61.00	62.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-39-23	62.00	63.00	1.00	<1.0	<0.01	0.02	0.08	<0.01	<1.0	<0.01
BR-39-23	63.00	64.00	1.00	<1.0	<0.01	0.02	<0.01	<0.01	<1.0	<0.01
BR-39-23	64.00	65.00	1.00	<1.0	<0.01	<0.01	0.09	<0.01	<1.0	<0.01
BR-39-23	65.30	66.90	1.60	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-39-23	66.90	68.30	1.40	<1.0	<0.01	0.01	0.12	<0.01	<1.0	<0.01
BR-39-23	68.30	69.40	1.10	<1.0	0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-39-23	69.40	70.60	1.20	<1.0	<0.01	<0.01	0.10	<0.01	<1.0	<0.01
BR-39-23	70.60	72.00	1.40	<1.0	0.02	0.02	<0.01	0.01	<1.0	<0.01
BR-39-23	72.00	74.30	2.30	<1.0	0.02	0.02	0.07	0.01	<1.0	0.01
BR-39-23	74.30	75.30	1.00	<1.0	0.01	0.09	<0.01	<0.01	<1.0	0.02
BR-39-23	75.30	76.60	1.30	<1.0	0.01	0.01	0.05	<0.01	<1.0	0.01
BR-39-23	76.60	77.30	0.70	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.02
BR-39-23	77.30	78.60	1.30	<1.0	0.01	0.05	0.08	0.01	1.3	0.01
BR-39-23	78.60	79.30	0.70	<1.0	0.02	0.15	0.12	0.02	<1.0	0.03
BR-39-23	79.30	80.30	1.00	<1.0	<0.01	0.01	0.19	<0.01	<1.0	<0.01
BR-39-23	80.30	81.30	1.00	<1.0	0.01	0.06	0.02	0.01	<1.0	0.04
BR-39-23	81.30	82.50	1.20	<1.0	0.13	0.12	0.04	0.03	<1.0	0.02
BR-39-23	82.50	83.70	1.20	2.0	0.02	0.03	0.03	<0.01	<1.0	0.01
BR-39-23	83.70	85.00	1.30	3.0	0.04	0.02	0.14	0.08	<1.0	0.02
BR-39-23	85.00	86.20	1.20	<1.0	0.03	0.04	0.03	<0.01	<1.0	0.01





Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)
BR-39-23	86.20	87.80	1.60	<1.0	2.12	0.47	0.03	0.01	<1.0	0.30
BR-39-23	87.80	88.90	1.10	4.0	1.56	0.85	0.15	0.01	<1.0	0.37
BR-39-23	88.90	90.10	1.20	<1.0	0.70	0.38	0.01	0.01	<1.0	0.23
BR-39-23	90.10	91.00	0.90	<1.0	0.21	0.07	0.02	<0.01	<1.0	0.05
BR-39-23	91.00	92.00	1.00	<1.0	0.01	0.03	<0.01	<0.01	<1.0	0.02
BR-39-23	92.00	93.00	1.00	<1.0	0.02	0.04	0.04	0.01	<1.0	0.02
BR-39-23	93.00	94.20	1.20	<1.0	0.07	0.33	<0.01	0.01	<1.0	0.05
BR-39-23	94.20	95.00	0.80	<1.0	0.03	0.04	0.04	<0.01	<1.0	0.04
BR-39-23	95.00	96.20	1.20	<1.0	0.01	0.02	<0.01	<0.01	<1.0	0.06
BR-39-23	96.20	97.80	1.60	<1.0	0.01	0.03	0.02	<0.01	<1.0	0.10
BR-39-23	97.80	98.60	0.80	<1.0	0.01	0.02	<0.01	<0.01	<1.0	0.04
BR-39-23	98.60	99.70	1.10	<1.0	<0.01	0.02	0.04	<0.01	<1.0	0.03
BR-39-23	99.70	100.70	1.00	<1.0	0.05	0.04	0.01	0.02	<1.0	0.01
BR-39-23	100.70	101.90	1.20	3.0	<0.01	0.07	0.21	0.02	<1.0	0.05
BR-39-23	101.90	103.00	1.10	9.0	0.23	0.01	0.21	1.37	1.2	0.53
BR-39-23	103.00	104.00	1.00	<1.0	<0.01	<0.01	0.04	<0.01	<1.0	0.01
BR-39-23	104.00	105.00	1.00	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-39-23	105.00	106.00	1.00	6.0	0.02	<0.01	0.07	0.11	3.5	0.08
BR-39-23	106.00	107.00	1.00	5.0	0.02	<0.01	0.02	0.09	5.9	0.06
BR-39-23	107.00	108.00	1.00	7.0	0.03	0.07	0.06	0.16	2.9	0.10
BR-39-23	108.00	109.20	1.20	2.0	0.02	0.01	0.08	<0.01	<1.0	0.01
BR-39-23	109.20	110.30	1.10	2.0	0.07	0.03	0.05	<0.01	<1.0	0.01
BR-39-23	110.30	111.50	1.20	<1.0	0.14	0.02	0.03	<0.01	<1.0	0.01
BR-39-23	111.50	112.70	1.20	2.0	0.15	0.03	<0.01	<0.01	<1.0	0.01
BR-39-23	112.70	113.90	1.20	<1.0	0.10	0.03	0.02	<0.01	<1.0	<0.01
BR-39-23	113.90	115.00	1.10	<1.0	0.10	<0.01	<0.01	<0.01	<1.0	<0.01
BR-39-23	115.00	116.00	1.00	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	0.01
BR-39-23	116.00	117.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-39-23	117.00	118.00	1.00	<1.0	0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-39-23	118.00	119.00	1.00	<1.0	0.06	<0.01	<0.01	<0.01	1.0	<0.01
BR-39-23	119.00	120.00	1.00	<1.0	0.51	0.01	0.02	<0.01	1.6	<0.01
BR-39-23	120.00	121.00	1.00	<1.0	0.02	0.08	<0.01	<0.01	<1.0	<0.01
BR-39-23	121.00	122.00	1.00	<1.0	0.08	0.03	0.03	<0.01	1.2	<0.01
BR-39-23	122.00	123.00	1.00	<1.0	0.07	0.02	0.04	<0.01	<1.0	<0.01
BR-39-23	123.00	124.00	1.00	<1.0	0.05	0.01	0.02	<0.01	<1.0	<0.01
BR-39-23	124.00	125.00	1.00	<1.0	0.11	0.03	<0.01	<0.01	<1.0	<0.01
BR-39-23	125.00	126.20	1.20	<1.0	0.03	0.01	0.01	<0.01	<1.0	<0.01
BR-39-23	126.20	127.40	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-39-23	127.40	128.60	1.20	<1.0	0.10	0.03	0.02	<0.01	<1.0	<0.01
BR-39-23	128.60	129.80	1.20	3.0	0.06	0.01	<0.01	<0.01	<1.0	<0.01
BR-39-23	129.80	130.80	1.00	3.0	0.03	0.01	0.03	<0.01	<1.0	<0.01
BR-39-23	130.80	131.30	0.50	<1.0	0.01	0.01	<0.01	<0.01	<1.0	0.02
BR-39-23	131.30	134.20	2.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-39-23	134.20	137.10	2.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-39-23	137.10	138.70	1.60	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-39-23	138.70	140.00	1.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-39-23	140.00	141.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-39-23	141.00	142.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-39-23	142.00	143.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-39-23	143.00	144.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-39-23	144.00	145.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-39-23	145.00	146.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-39-23	146.00	147.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-39-23	147.00	148.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-39-23	148.00	149.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-39-23	149.00	150.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)
BR-39-23	150.00	151.10	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-39-23	151.10	152.30	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-39-23	152.30	153.50	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-39-23	153.50	155.30	1.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-39-23	155.30	156.80	1.50	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-39-23	156.80	157.40	0.60	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-39-23	157.40	158.30	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-39-23	158.30	159.00	0.70	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-39-23	159.00	159.90	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-39-23	159.90	160.70	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-39-23	160.70	161.70	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-39-23	161.70	162.50	0.80	<1.0	0.01	<0.01	<0.01	<0.01	70.0	<0.01
BR-39-23	162.50	163.00	0.50	3.0	0.02	0.02	0.02	<0.01	84.9	<0.01
BR-39-23	163.00	164.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	82.8	<0.01
BR-39-23	164.00	165.00	1.00	1,314.0	27.89	33.86	9.14	1.05	2.5	0.50
BR-39-23	165.00	166.00	1.00	1,279.0	31.66	24.10	11.50	1.31	<1.0	0.60
BR-39-23	166.00	167.00	1.00	168.0	3.54	1.88	1.12	0.25	<1.0	0.13
BR-39-23	167.00	168.00	1.00	120.0	4.17	2.08	0.88	0.37	<1.0	0.15
BR-39-23	168.00	168.80	0.80	27.0	1.44	0.70	0.49	0.16	1.0	0.05
BR-39-23	168.80	170.00	1.20	71.0	1.62	0.99	0.84	0.25	1.0	0.06
BR-39-23	170.00	171.00	1.00	115.0	5.44	2.34	1.43	0.50	<1.0	0.11
BR-39-23	171.00	171.80	0.80	195.0	22.70	11.38	2.09	1.02	<1.0	0.17
BR-39-23	171.80	172.40	0.60	121.0	3.38	1.10	0.76	0.56	<1.0	0.27
BR-39-23	172.40	173.00	0.60	120.0	3.42	3.03	0.42	1.54	<1.0	0.67
BR-39-23	173.00	173.90	0.90	27.0	1.28	0.56	0.13	0.17	<1.0	0.06
BR-39-23	173.90	174.70	0.80	55.0	4.92	2.70	0.14	0.86	1.9	0.28
BR-39-23	174.70	175.20	0.50	67.0	3.66	2.25	0.24	0.56	<1.0	0.30
BR-39-23	175.20	176.00	0.80	63.0	1.03	0.79	0.28	0.29	<1.0	0.14
BR-39-23	176.00	176.70	0.70	91.0	1.21	1.54	0.49	0.90	<1.0	0.41
BR-39-23	176.70	177.80	1.10	13.0	0.70	0.34	0.12	0.05	<1.0	0.02
BR-39-23	177.80	179.00	1.20	8.0	0.21	0.12	0.07	0.02	<1.0	0.01
BR-39-23	179.00	180.10	1.10	34.0	0.81	0.30	0.09	0.05	1.8	0.04
BR-39-23	180.10	180.90	0.80	17.0	0.94	0.67	0.14	0.22	<1.0	0.13
BR-39-23	180.90	182.00	1.10	19.0	1.15	0.25	0.12	0.06	<1.0	0.04
BR-39-23	182.00	183.00	1.00	25.0	0.43	0.24	0.12	0.04	<1.0	0.02
BR-39-23	183.00	184.00	1.00	33.0	0.47	0.22	0.17	0.04	<1.0	0.01
BR-39-23	184.00	185.00	1.00	56.0	1.11	0.42	0.14	0.04	<1.0	0.02
BR-39-23	185.00	186.00	1.00	16.0	0.23	0.09	0.08	0.01	<1.0	<0.01
BR-39-23	186.00	187.00	1.00	97.0	1.33	0.72	0.13	0.09	<1.0	0.04
BR-39-23	187.00	188.00	1.00	19.0	0.37	0.21	0.05	0.03	<1.0	0.01
BR-39-23	188.00	189.00	1.00	12.0	0.29	0.12	0.09	0.02	<1.0	<0.01
BR-39-23	189.00	190.00	1.00	33.0	0.70	0.31	0.08	0.05	1.2	0.02
BR-39-23	190.00	191.00	1.00	19.0	0.23	0.10	0.05	0.02	<1.0	0.01
BR-39-23	191.00	192.10	1.10	42.0	0.82	0.40	0.09	0.05	<1.0	0.02
BR-39-23	192.10	193.00	0.90	57.0	0.51	0.22	0.07	0.05	<1.0	0.01
BR-39-23	193.00	194.20	1.20	32.0	0.55	0.21	0.05	0.05	<1.0	0.01
BR-39-23	194.20	194.80	0.60	109.0	4.42	7.74	0.10	0.49	<1.0	0.11
BR-39-23	194.80	196.00	1.20	5.0	0.10	0.05	0.04	0.02	<1.0	<0.01
BR-39-23	196.00	196.90	0.90	4.0	0.20	0.14	0.04	0.03	<1.0	<0.01
BR-39-23	196.90	198.00	1.10	31.0	2.15	1.43	0.06	0.21	<1.0	0.04
BR-39-23	198.00	198.90	0.90	14.0	1.02	0.63	0.05	0.21	<1.0	0.01
BR-39-23	198.90	200.00	1.10	42.0	1.29	1.47	0.09	0.64	<1.0	0.04
BR-39-23	200.00	201.00	1.00	4.0	0.26	0.19	0.03	0.05	<1.0	<0.01
BR-39-23	201.00	202.20	1.20	77.0	2.87	4.07	0.19	1.05	<1.0	0.10
BR-39-23	202.20	203.30	1.10	52.0	3.13	3.59	0.19	1.56	<1.0	0.04
BR-39-23	203.30	204.00	0.70	9.0	1.10	0.68	0.06	0.13	<1.0	<0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)
BR-39-23	204.00	205.00	1.00	29.0	1.78	2.18	0.16	0.25	<1.0	0.02
BR-39-23	205.00	206.00	1.00	80.0	3.84	4.79	0.25	0.78	<1.0	0.09
BR-39-23	206.00	207.00	1.00	91.0	3.59	5.83	0.56	0.45	<1.0	0.03
BR-39-23	207.00	207.50	0.50	183.0	7.38	10.98	0.61	0.48	1.7	0.05
BR-39-23	207.50	208.30	0.80	551.0	11.25	20.02	1.42	1.50	<1.0	0.28
BR-39-23	208.30	209.30	1.00	133.0	4.48	1.98	0.80	0.42	<1.0	0.06
BR-39-23	209.30	210.00	0.70	61.0	3.22	1.73	0.32	0.07	1.0	0.02
BR-39-23	210.00	211.00	1.00	50.0	1.50	1.07	0.45	0.04	1.7	0.01
BR-39-23	211.00	211.70	0.70	118.0	1.04	0.88	0.45	0.08	21.2	0.02
BR-39-23	211.70	212.50	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	84.9	<0.01
BR-39-23	212.50	213.00	0.50	<1.0	<0.01	<0.01	0.02	<0.01	84.9	<0.01
BR-39-23	213.00	214.00	1.00	<1.0	0.01	<0.01	0.03	<0.01	84.9	<0.01
BR-39-23	214.00	215.00	1.00	<1.0	<0.01	<0.01	0.01	<0.01	84.9	<0.01
BR-39-23	215.00	216.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	84.9	<0.01
BR-39-23	216.00	217.00	1.00	<1.0	0.02	<0.01	0.01	<0.01	81.9	<0.01
BR-39-23	217.00	217.90	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	68.5	<0.01
BR-39-23	217.90	218.60	0.70	<1.0	<0.01	<0.01	<0.01	<0.01	67.7	<0.01
BR-39-23	218.60	219.40	0.80	<1.0	<0.01	<0.01	0.01	<0.01	78.4	<0.01
BR-39-23	219.40	220.00	0.60	<1.0	<0.01	<0.01	<0.01	<0.01	69.0	<0.01
BR-39-23	220.00	221.00	1.00	<1.0	<0.01	<0.01	0.03	<0.01	36.4	<0.01
BR-39-23	221.00	222.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-39-23	222.00	223.00	1.00	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-39-23	223.00	224.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-39-23	224.00	225.00	1.00	<1.0	<0.01	<0.01	0.02	0.01	<1.0	<0.01
BR-39-23	225.00	226.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-39-23	226.00	226.60	0.60	<1.0	<0.01	0.04	<0.01	<0.01	<1.0	<0.01
BR-39-23	226.60	227.50	0.90	<1.0	<0.01	0.02	<0.01	<0.01	1.2	<0.01
BR-39-23	227.50	228.00	0.50	<1.0	<0.01	<0.01	0.04	<0.01	69.1	<0.01
BR-39-23	228.00	229.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	81.3	<0.01
BR-39-23	229.00	230.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	84.9	<0.01
BR-39-23	230.00	231.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	84.9	<0.01
BR-39-23	231.00	232.10	1.10	<1.0	0.02	<0.01	0.05	<0.01	84.9	<0.01
BR-39-23	232.10	233.30	1.20	<1.0	0.16	0.08	0.03	0.03	1.0	<0.01
BR-39-23	233.30	235.90	2.60	6.0	0.19	0.24	0.05	0.08	<1.0	0.01
BR-39-23	235.90	237.00	1.10	28.0	0.67	0.38	0.05	0.13	<1.0	0.03
BR-39-23	237.00	238.00	1.00	48.0	3.52	1.86	0.21	0.43	5.9	0.10
BR-39-23	238.00	239.00	1.00	74.0	1.96	1.14	0.81	0.35	2.4	0.15
BR-39-23	239.00	240.00	1.00	5.0	0.01	0.01	0.09	<0.01	1.0	<0.01
BR-39-23	240.00	241.00	1.00	3.0	0.01	<0.01	0.04	<0.01	<1.0	<0.01
BR-39-23	241.00	242.00	1.00	<1.0	<0.01	<0.01	0.08	<0.01	<1.0	<0.01
BR-39-23	242.00	243.00	1.00	4.0	0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-39-23	243.00	244.00	1.00	7.0	0.07	0.07	0.09	<0.01	<1.0	<0.01
BR-39-23	244.00	245.00	1.00	14.0	0.55	0.74	0.07	0.09	<1.0	0.03
BR-39-23	245.00	246.00	1.00	<1.0	<0.01	0.07	0.02	<0.01	<1.0	<0.01
BR-39-23	246.00	246.60	0.60	<1.0	<0.01	<0.01	0.02	<0.01	1.2	<0.01
BR-39-23	246.60	247.40	0.80	<1.0	<0.01	<0.01	0.23	<0.01	2.8	<0.01
BR-39-23	247.40	248.00	0.60	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-39-23	248.00	249.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-39-23	249.00	250.00	1.00	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-39-23	250.00	251.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-39-23	251.00	252.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-39-23	252.00	253.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-39-23	253.20	254.00	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-39-23	254.00	255.00	1.00	<1.0	<0.01	<0.01	0.01	<0.01	2.5	<0.01
BR-39-23	255.00	256.00	1.00	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-39-23	256.00	257.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)		
BR-39-23	257.00	258.00	1.00	<1.0	0.01	<0.01	0.01	<0.01	<1.0	<0.01		
BR-39-23	258.00	259.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-39-23	259.00	260.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-39-23	260.00	261.00	1.00	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01		
BR-39-23	261.00	262.00	1.00	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	<0.01		
BR-39-23	262.00	263.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-39-23	263.00	264.00	1.00	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01		
BR-39-23	264.00	265.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	1.2	<0.01		
BR-39-23	265.00	266.00	1.00	<1.0	0.01	0.03	0.02	0.01	<1.0	0.01		
BR-39-23	266.00	267.00	1.00	<1.0	0.01	<0.01	0.02	<0.01	<1.0	<0.01		
BR-39-23	267.00	268.00	1.00	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01		
BR-39-23	268.00	269.00	1.00	<1.0	0.01	<0.01	0.01	<0.01	<1.0	<0.01		
BR-39-23	269.00	270.00	1.00	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01		
BR-39-23	270.00	271.00	1.00	<1.0	<0.01	0.01	0.06	<0.01	<1.0	<0.01		
BR-39-23	271.00	272.00	1.00	<1.0	<0.01	<0.01	0.05	<0.01	<1.0	<0.01		
BR-39-23	272.00	273.00	1.00	<1.0	0.01	<0.01	0.12	<0.01	1.6	<0.01		
BR-39-23	273.00	274.00	1.00	<1.0	0.01	<0.01	0.03	<0.01	<1.0	<0.01		
BR-39-23	274.00	275.00	1.00	<1.0	0.01	<0.01	0.04	<0.01	<1.0	<0.01		
BR-39-23	275.00	276.00	1.00	<1.0	0.01	<0.01	0.06	<0.01	<1.0	<0.01		
BR-39-23	276.00	277.00	1.00	<1.0	0.03	0.02	0.08	<0.01	<1.0	<0.01		
BR-39-23	277.00	278.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-39-23	278.00	279.00	1.00	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01		
BR-39-23	279.00	280.20	1.20	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	<0.01		
BR-39-23	280.20	281.00	0.80	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01		
BR-39-23	281.00	282.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-39-23	282.00	283.00	1.00	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01		
BR-39-23	283.00	284.00	1.00	<1.0	<0.01	<0.01	0.19	<0.01	<1.0	<0.01		
BR-39-23	284.00	284.50	0.50	<1.0	0.01	<0.01	0.05	0.01	<1.0	<0.01		
BR-39-23	284.50	285.00	0.50	<1.0	0.01	<0.01	0.04	<0.01	<1.0	<0.01		
BR-39-23	285.00	285.80	0.80	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	<0.01		
BR-39-23	285.80	286.40	0.60	<1.0	<0.01	<0.01	0.09	<0.01	<1.0	<0.01		
BR-39-23	286.40	287.00	0.60	<1.0	<0.01	<0.01	0.04	<0.01	<1.0	<0.01		
BR-39-23	287.00	288.00	1.00	<1.0	<0.01	<0.01	0.05	<0.01	<1.0	<0.01		
BR-39-23	288.00	289.00	1.00	<1.0	0.03	<0.01	0.06	<0.01	<1.0	<0.01		
BR-39-23	289.00	290.00	1.00	<1.0	<0.01	<0.01	0.04	<0.01	<1.0	<0.01		
BR-39-23	290.00	291.00	1.00	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01		
BR-39-23	291.00	292.20	1.20	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01		
BR-39-23	292.20	293.40	1.20	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01		
BR-39-23	293.40	294.60	1.20	<1.0	<0.01	<0.01	0.03	0.01	<1.0	0.01		
BR-39-23	294.60	295.70	1.10	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01		
BR-40-23	Abandoned drillhole – Not sampled											
BR-40A-23	0.00	74.90	74.90	Interval not sampled								
BR-40A-23	79.40	80.00	0.60	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-40A-23	80.00	81.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-40A-23	81.00	82.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-40A-23	82.00	83.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-40A-23	83.00	84.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-40A-23	84.00	85.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-40A-23	85.00	86.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-40A-23	86.00	87.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-40A-23	87.00	88.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-40A-23	88.00	88.90	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-40A-23	88.90	89.90	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-40A-23	89.90	91.30	1.40	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-40A-23	91.30	92.30	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-40A-23	92.30	93.60	1.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		





Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)
BR-40A-23	93.60	95.30	1.70	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	95.30	96.50	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	96.50	98.30	1.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	98.80	102.00	3.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	102.00	103.30	1.30	<1.0	<0.01	0.02	<0.01	<0.01	<1.0	0.01
BR-40A-23	103.30	104.30	1.00	<1.0	0.01	0.01	<0.01	<0.01	<1.0	0.01
BR-40A-23	104.30	105.10	0.80	<1.0	0.19	0.10	0.02	0.02	<1.0	0.08
BR-40A-23	105.10	106.10	1.00	80.0	3.25	1.35	0.44	0.06	18.8	0.68
BR-40A-23	106.10	107.00	0.90	457.0	2.04	3.91	0.53	0.49	16.2	0.90
BR-40A-23	107.00	108.00	1.00	179.0	1.04	2.64	0.18	0.28	5.3	0.50
BR-40A-23	108.00	109.00	1.00	68.0	0.53	0.71	0.09	0.05	2.7	0.23
BR-40A-23	109.00	110.00	1.00	51.0	0.51	0.85	0.07	0.10	2.5	0.28
BR-40A-23	110.00	111.00	1.00	36.0	0.23	1.06	0.07	0.07	1.6	0.13
BR-40A-23	111.00	112.00	1.00	16.0	0.22	0.36	0.02	0.02	1.5	0.09
BR-40A-23	112.00	113.00	1.00	26.0	0.38	0.54	0.10	0.09	1.1	0.17
BR-40A-23	113.00	114.00	1.00	7.0	0.05	0.10	0.18	0.02	1.9	0.04
BR-40A-23	114.00	114.80	0.80	20.0	0.74	0.73	0.07	0.07	6.1	0.15
BR-40A-23	114.80	115.80	1.00	11.0	0.10	0.13	0.45	0.03	2.1	0.06
BR-40A-23	115.80	117.20	1.40	40.0	0.10	0.20	0.19	0.34	19.8	0.15
BR-40A-23	117.20	119.30	2.10	15.0	0.11	0.13	0.15	0.18	4.9	0.10
BR-40A-23	119.30	121.70	2.40	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	121.70	123.00	1.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-40A-23	123.00	124.10	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	124.10	125.00	0.90	<1.0	0.03	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	125.00	125.70	0.70	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	125.70	126.60	0.90	<1.0	0.02	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	126.60	127.50	0.90	<1.0	0.02	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	127.50	128.30	0.80	<1.0	0.03	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	128.30	129.30	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	129.30	130.00	0.70	<1.0	0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-40A-23	130.00	131.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	131.00	132.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	132.20	133.60	1.40	<1.0	0.06	<0.01	<0.01	<0.01	<1.0	0.01
BR-40A-23	133.60	134.60	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	134.60	135.80	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	135.80	137.00	1.20	<1.0	0.04	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	137.00	138.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	138.00	139.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	139.00	139.50	0.50	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	139.50	140.30	0.80	<1.0	0.03	0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	140.30	141.20	0.90	<1.0	0.01	0.02	<0.01	<0.01	<1.0	<0.01
BR-40A-23	141.20	142.00	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	142.00	143.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	1.1	<0.01
BR-40A-23	143.00	144.00	1.00	<1.0	0.02	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	144.00	144.80	0.80	<1.0	0.03	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	144.80	146.90	2.10	<1.0	0.05	0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	146.90	148.00	1.10	13.0	0.02	0.03	<0.01	<0.01	<1.0	0.01
BR-40A-23	148.00	149.00	1.00	8.0	0.06	0.02	<0.01	<0.01	<1.0	<0.01
BR-40A-23	149.00	150.20	1.20	9.0	0.24	0.03	<0.01	<0.01	<1.0	<0.01
BR-40A-23	150.20	151.00	0.80	3.0	0.01	<0.01	<0.01	<0.01	1.7	<0.01
BR-40A-23	151.00	152.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	152.00	153.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	153.00	153.90	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	153.90	155.00	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	155.00	156.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	156.00	157.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)
BR-40A-23	157.00	158.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	158.00	159.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	159.00	160.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	160.00	161.00	1.00	3.0	0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	161.00	162.00	1.00	2.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	162.00	163.00	1.00	10.0	0.01	0.03	0.01	<0.01	<1.0	<0.01
BR-40A-23	163.00	163.80	0.80	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-40A-23	163.80	165.00	1.20	<1.0	<0.01	<0.01	<0.01	0.01	<1.0	0.02
BR-40A-23	165.00	166.30	1.30	<1.0	<0.01	<0.01	<0.01	0.02	<1.0	0.02
BR-40A-23	166.30	167.60	1.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	167.60	168.60	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-40A-23	168.60	169.80	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	169.80	171.00	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	171.00	172.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	172.00	172.70	0.70	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	172.70	173.70	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	173.70	174.90	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	174.90	176.00	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	176.00	177.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	177.00	178.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	178.00	179.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	179.00	180.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	180.00	181.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	181.00	182.00	1.00	<1.0	<0.01	<0.01	<0.01	0.01	<1.0	<0.01
BR-40A-23	182.00	183.30	1.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	183.30	185.30	2.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	185.30	186.00	0.70	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	186.00	187.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	187.00	188.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	188.00	189.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	189.00	190.00	1.00	<1.0	<0.01	<0.01	<0.01	0.01	<1.0	<0.01
BR-40A-23	190.00	191.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	191.00	192.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	192.00	193.00	1.00	<1.0	<0.01	<0.01	<0.01	0.01	<1.0	<0.01
BR-40A-23	193.00	194.00	1.00	<1.0	<0.01	<0.01	<0.01	0.01	<1.0	<0.01
BR-40A-23	194.00	195.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	195.00	196.60	1.60	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	196.60	197.30	0.70	<1.0	<0.01	<0.01	<0.01	0.02	<1.0	<0.01
BR-40A-23	197.30	198.70	1.40	<1.0	<0.01	<0.01	<0.01	0.01	<1.0	<0.01
BR-40A-23	198.70	199.70	1.00	<1.0	<0.01	<0.01	<0.01	0.01	<1.0	<0.01
BR-40A-23	199.70	200.50	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	200.50	201.30	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	201.30	202.00	0.70	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	202.00	203.40	1.40	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	203.40	205.10	1.70	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	205.10	206.00	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	206.00	207.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	207.00	207.70	0.70	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-40A-23	207.70	208.90	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	208.90	210.00	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	210.00	212.00	2.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	212.00	213.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	213.00	214.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	214.00	215.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	215.00	216.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	216.00	217.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)
BR-40A-23	217.20	218.10	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-40A-23	218.10	219.00	0.90	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-40A-23	219.00	220.00	1.00	<1.0	0.04	0.04	<0.01	0.03	18.9	0.01
BR-40A-23	220.00	221.20	1.20	<1.0	0.02	0.07	<0.01	0.01	<1.0	<0.01
BR-40A-23	221.20	222.00	0.80	3.0	0.01	0.82	0.16	0.01	84.9	0.01
BR-40A-23	222.00	223.00	1.00	9.0	0.04	0.29	0.28	0.01	84.9	<0.01
BR-40A-23	223.00	224.00	1.00	25.0	0.02	2.40	0.25	0.02	84.9	0.01
BR-40A-23	224.00	225.00	1.00	62.0	0.10	2.06	0.29	0.04	84.9	<0.01
BR-40A-23	225.00	226.00	1.00	292.0	3.49	4.02	0.44	0.14	84.0	0.03
BR-40A-23	226.00	227.00	1.00	278.0	6.23	4.71	0.49	0.14	80.6	0.04
BR-40A-23	227.00	228.00	1.00	227.0	2.36	3.81	0.25	0.08	83.6	0.03
BR-40A-23	228.00	229.00	1.00	875.0	8.39	7.21	1.21	0.27	84.9	0.10
BR-40A-23	229.00	230.00	1.00	685.0	9.13	5.08	1.31	0.16	66.6	0.06
BR-40A-23	230.00	231.00	1.00	1,291.0	5.86	2.73	1.52	0.29	73.5	<0.01
BR-40A-23	231.00	232.00	1.00	770.0	10.24	5.23	1.19	0.21	80.9	0.09
BR-40A-23	232.00	233.30	1.30	1,327.0	9.85	6.14	1.55	0.30	76.6	0.09
BR-40A-23	233.30	234.00	0.70	337.0	10.74	5.25	1.25	0.20	70.1	0.04
BR-40A-23	234.00	235.00	1.00	120.0	10.60	4.18	1.04	0.13	73.8	0.03
BR-40A-23	235.00	236.00	1.00	85.0	9.31	3.67	1.40	0.17	75.9	0.02
BR-40A-23	236.00	237.00	1.00	63.0	8.59	2.75	1.01	0.16	73.8	0.02
BR-40A-23	237.00	238.00	1.00	61.0	6.00	2.45	0.85	0.14	82.0	0.02
BR-40A-23	238.00	239.00	1.00	82.0	8.46	3.87	1.24	0.19	75.6	0.02
BR-40A-23	239.00	240.00	1.00	94.0	7.46	4.53	1.29	0.26	76.6	0.02
BR-40A-23	240.00	241.00	1.00	128.0	7.30	4.96	1.72	0.30	74.1	0.03
BR-40A-23	241.00	242.00	1.00	101.0	7.57	3.97	1.23	0.25	77.8	0.01
BR-40A-23	242.00	243.10	1.10	123.0	7.58	6.29	1.71	0.45	69.6	0.04
BR-40A-23	243.10	244.00	0.90	146.0	8.95	6.93	1.84	0.58	66.4	0.08
BR-40A-23	244.00	245.00	1.00	124.0	11.36	6.32	1.42	0.41	63.4	0.08
BR-40A-23	245.00	245.90	0.90	241.0	12.52	11.02	1.83	0.83	51.7	0.18
BR-40A-23	245.90	247.00	1.10	147.0	9.39	10.98	1.09	0.75	57.6	0.12
BR-40A-23	247.00	248.00	1.00	140.0	9.81	9.61	1.25	0.89	58.5	0.10
BR-40A-23	248.00	249.00	1.00	62.0	8.86	4.85	0.64	0.29	68.6	0.05
BR-40A-23	249.00	250.00	1.00	157.0	13.42	12.00	0.91	1.06	44.3	0.13
BR-40A-23	250.00	251.00	1.00	149.0	16.60	9.80	1.68	0.91	45.3	0.11
BR-40A-23	251.00	252.00	1.00	216.0	20.78	18.10	1.59	1.55	25.2	0.18
BR-40A-23	252.00	253.00	1.00	143.0	18.57	9.03	2.07	0.96	43.0	0.12
BR-40A-23	253.00	253.70	0.70	276.0	28.94	14.63	2.24	1.72	24.1	0.20
BR-40A-23	253.70	254.30	0.60	8.0	0.45	0.26	0.10	0.03	1.6	0.01
BR-40A-23	254.30	255.00	0.70	5.0	0.03	0.02	0.04	<0.01	2.2	<0.01
BR-40A-23	255.00	256.00	1.00	2.0	0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-40A-23	256.00	257.00	1.00	<1.0	0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-40A-23	257.00	258.00	1.00	<1.0	0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-40A-23	258.00	259.00	1.00	<1.0	0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-40A-23	259.00	260.00	1.00	<1.0	<0.01	0.02	0.01	<0.01	<1.0	<0.01
BR-40A-23	260.00	261.20	1.20	<1.0	0.04	0.02	0.02	0.01	<1.0	0.01
BR-40A-23	261.20	262.00	0.80	17.0	0.45	1.56	0.07	0.26	<1.0	0.07
BR-40A-23	262.00	263.00	1.00	<1.0	0.09	0.04	0.12	<0.01	<1.0	<0.01
BR-40A-23	263.00	264.20	1.20	<1.0	0.06	0.03	0.08	<0.01	<1.0	<0.01
BR-40A-23	264.20	265.40	1.20	8.0	0.52	0.11	0.09	0.03	<1.0	0.01
BR-40A-23	265.40	266.60	1.20	9.0	0.57	0.12	0.06	0.03	3.2	0.02
BR-40A-23	266.60	267.80	1.20	<1.0	0.07	0.04	0.08	<0.01	<1.0	<0.01
BR-40A-23	267.80	269.00	1.20	<1.0	0.09	0.05	0.08	<0.01	<1.0	<0.01
BR-40A-23	269.00	270.00	1.00	<1.0	0.11	0.05	0.09	<0.01	<1.0	<0.01
BR-40A-23	270.00	271.00	1.00	<1.0	0.04	0.01	0.08	<0.01	<1.0	<0.01
BR-40A-23	271.00	272.00	1.00	<1.0	<0.01	<0.01	0.17	<0.01	<1.0	<0.01
BR-40A-23	272.00	273.00	1.00	<1.0	<0.01	<0.01	0.05	<0.01	1.1	<0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)		
BR-40A-23	273.00	274.00	1.00	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	<0.01		
BR-40A-23	274.00	275.00	1.00	<1.0	<0.01	<0.01	0.04	<0.01	<1.0	<0.01		
BR-40A-23	275.00	276.00	1.00	<1.0	0.07	<0.01	0.06	<0.01	<1.0	<0.01		
BR-40A-23	276.00	277.00	1.00	<1.0	<0.01	<0.01	0.06	<0.01	<1.0	<0.01		
BR-40A-23	277.00	278.00	1.00	3.0	0.02	0.02	0.03	<0.01	<1.0	<0.01		
BR-40A-23	278.00	279.00	1.00	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01		
BR-40A-23	279.00	280.00	1.00	<1.0	0.02	<0.01	0.02	<0.01	<1.0	<0.01		
BR-40A-23	280.00	281.10	1.10	<1.0	0.06	0.04	0.03	<0.01	<1.0	<0.01		
BR-41-23	0.00	37.70	37.70	Interval not sampled								
BR-41-23	37.70	38.90	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-41-23	38.90	40.30	1.40	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-41-23	40.30	41.50	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-41-23	41.50	42.80	1.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-41-23	42.80	44.20	1.40	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-41-23	44.20	45.50	1.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-41-23	45.50	46.70	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-41-23	46.70	48.00	1.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-41-23	48.00	49.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-41-23	49.00	50.20	1.20	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01		
BR-41-23	50.20	51.40	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-41-23	51.40	52.60	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-41-23	52.60	53.50	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-41-23	53.50	54.60	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-41-23	54.60	55.80	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-41-23	55.80	57.00	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-41-23	57.00	58.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-41-23	58.00	59.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-41-23	59.00	60.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-41-23	60.20	61.40	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-41-23	61.40	62.60	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-41-23	62.60	64.30	1.70	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01		
BR-41-23	64.30	65.50	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-41-23	65.50	67.10	1.60	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01		
BR-41-23	67.10	68.00	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01		
BR-41-23	68.00	69.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01		
BR-41-23	69.00	69.70	0.70	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01		
BR-41-23	69.70	70.90	1.20	<1.0	<0.01	0.02	<0.01	<0.01	<1.0	0.01		
BR-41-23	70.90	72.00	1.10	<1.0	<0.01	<0.01	<0.01	0.01	<1.0	0.01		
BR-41-23	72.00	73.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	0.01		
BR-41-23	73.00	74.00	1.00	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	0.01		
BR-41-23	74.00	74.90	0.90	<1.0	<0.01	0.04	<0.01	0.01	<1.0	0.01		
BR-41-23	74.90	75.80	0.90	21.0	0.81	0.39	0.21	0.08	4.3	0.07		
BR-41-23	75.80	77.10	1.30	11.0	0.38	0.12	0.13	0.01	1.7	0.04		
BR-41-23	77.10	77.70	0.60	<1.0	0.19	0.29	0.02	0.03	1.2	0.05		
BR-41-23	77.70	78.60	0.90	<1.0	0.01	0.03	0.02	0.01	3.0	0.01		
BR-41-23	78.60	79.70	1.10	<1.0	0.01	0.01	0.02	<0.01	<1.0	0.01		
BR-41-23	79.70	80.70	1.00	<1.0	<0.01	0.02	<0.01	0.01	<1.0	0.02		
BR-41-23	80.70	81.90	1.20	<1.0	<0.01	0.02	<0.01	0.01	<1.0	0.03		
BR-41-23	81.90	83.00	1.10	<1.0	0.01	0.06	0.03	0.01	<1.0	0.02		
BR-41-23	83.00	84.00	1.00	<1.0	0.02	0.09	0.05	0.02	<1.0	0.07		
BR-41-23	84.00	85.20	1.20	<1.0	0.02	0.07	0.03	0.01	<1.0	0.02		
BR-41-23	85.20	86.20	1.00	<1.0	0.01	0.08	<0.01	<0.01	<1.0	0.02		
BR-41-23	86.20	87.40	1.20	<1.0	0.05	0.03	<0.01	<0.01	<1.0	0.03		
BR-41-23	87.40	88.30	0.90	<1.0	0.01	0.01	0.01	<0.01	<1.0	0.03		
BR-41-23	88.30	89.30	1.00	<1.0	0.04	0.07	<0.01	0.01	<1.0	0.01		
BR-41-23	89.30	90.00	0.70	<1.0	0.12	0.02	<0.01	<0.01	<1.0	0.02		





Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)
BR-41-23	90.00	90.40	0.40	113.0	3.32	2.60	0.19	0.19	1.9	0.23
BR-41-23	90.40	91.30	0.90	6.0	0.16	0.11	0.12	0.03	2.3	0.02
BR-41-23	91.30	92.50	1.20	2.0	0.05	0.01	0.13	<0.01	<1.0	0.01
BR-41-23	92.50	92.90	0.40	16.0	1.46	0.60	0.30	0.04	15.9	7.85
BR-41-23	92.90	94.00	1.10	2.0	0.04	0.01	0.12	<0.01	<1.0	0.01
BR-41-23	94.00	95.00	1.00	3.0	0.01	0.01	0.12	<0.01	1.1	0.01
BR-41-23	95.00	96.00	1.00	4.0	<0.01	<0.01	0.03	<0.01	1.0	0.01
BR-41-23	96.00	97.00	1.00	<1.0	0.01	<0.01	0.03	<0.01	<1.0	0.01
BR-41-23	97.00	98.00	1.00	3.0	0.04	0.01	0.08	<0.01	2.9	0.01
BR-41-23	98.00	99.00	1.00	14.0	<0.01	0.01	0.10	0.03	6.5	0.02
BR-41-23	99.00	99.80	0.80	10.0	0.03	0.05	0.09	0.01	4.8	0.02
BR-41-23	99.80	100.60	0.80	12.0	0.12	0.03	0.22	0.02	9.2	0.01
BR-41-23	100.60	101.50	0.90	13.0	0.17	0.05	0.43	0.01	12.2	0.03
BR-41-23	101.50	102.00	0.50	21.0	0.15	0.08	0.29	0.02	27.6	0.06
BR-41-23	102.00	102.70	0.70	34.0	1.24	0.30	0.27	0.03	7.2	0.06
BR-41-23	102.70	103.80	1.10	3.0	0.01	<0.01	0.10	<0.01	<1.0	0.01
BR-41-23	103.80	105.00	1.20	4.0	0.05	0.01	0.02	<0.01	<1.0	0.02
BR-41-23	105.00	106.20	1.20	<1.0	0.04	<0.01	<0.01	<0.01	<1.0	0.01
BR-41-23	106.20	107.40	1.20	<1.0	0.03	<0.01	<0.01	<0.01	<1.0	0.01
BR-41-23	107.40	108.60	1.20	<1.0	0.03	<0.01	<0.01	<0.01	<1.0	0.01
BR-41-23	108.60	109.80	1.20	<1.0	0.05	0.01	<0.01	<0.01	<1.0	0.01
BR-41-23	109.80	111.00	1.20	<1.0	0.02	0.03	<0.01	<0.01	<1.0	<0.01
BR-41-23	111.00	112.00	1.00	<1.0	0.09	0.10	<0.01	<0.01	2.0	0.01
BR-41-23	112.00	113.00	1.00	<1.0	0.03	0.02	<0.01	<0.01	<1.0	0.01
BR-41-23	113.00	114.00	1.00	<1.0	0.02	0.02	<0.01	<0.01	1.2	0.01
BR-41-23	114.00	115.00	1.00	<1.0	0.03	0.02	<0.01	<0.01	<1.0	<0.01
BR-41-23	115.00	116.00	1.00	<1.0	0.05	0.02	<0.01	<0.01	<1.0	0.01
BR-41-23	116.00	117.00	1.00	<1.0	0.07	0.01	<0.01	<0.01	1.3	<0.01
BR-41-23	117.00	118.00	1.00	<1.0	0.07	0.01	<0.01	<0.01	<1.0	0.01
BR-41-23	118.00	119.00	1.00	<1.0	0.08	0.02	<0.01	<0.01	<1.0	<0.01
BR-41-23	119.00	120.00	1.00	<1.0	0.10	<0.01	<0.01	<0.01	<1.0	<0.01
BR-41-23	120.00	121.00	1.00	<1.0	0.08	<0.01	<0.01	<0.01	<1.0	0.01
BR-41-23	121.00	122.00	1.00	<1.0	0.08	0.01	<0.01	<0.01	<1.0	0.01
BR-41-23	122.00	123.00	1.00	<1.0	0.04	0.01	<0.01	<0.01	1.2	0.01
BR-41-23	123.00	124.00	1.00	<1.0	0.01	0.01	<0.01	<0.01	<1.0	0.01
BR-41-23	124.00	125.00	1.00	<1.0	0.06	0.02	<0.01	<0.01	<1.0	0.01
BR-41-23	125.00	126.10	1.10	11.0	0.38	0.04	0.21	<0.01	<1.0	<0.01
BR-41-23	126.10	127.30	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.02
BR-41-23	127.30	128.50	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.02
BR-41-23	128.50	129.70	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-41-23	129.70	130.90	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-41-23	130.90	132.10	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-41-23	132.10	133.00	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-41-23	133.00	133.70	0.70	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-41-23	133.70	134.80	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-41-23	134.80	136.00	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-41-23	136.00	137.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-41-23	137.00	138.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-41-23	138.20	139.40	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-41-23	139.40	140.60	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-41-23	140.60	141.60	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-41-23	141.60	143.00	1.40	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-41-23	143.00	144.60	1.60	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-41-23	144.60	145.60	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-41-23	145.60	146.50	0.90	<1.0	<0.01	<0.01	0.04	<0.01	<1.0	<0.01
BR-41-23	146.50	147.70	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)
BR-41-23	147.70	148.60	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-41-23	148.60	149.60	1.00	<1.0	<0.01	<0.01	<0.01	0.01	<1.0	<0.01
BR-41-23	149.60	150.60	1.00	<1.0	0.01	0.01	0.01	<0.01	76.4	<0.01
BR-41-23	150.60	151.60	1.00	<1.0	<0.01	<0.01	0.02	<0.01	84.9	<0.01
BR-41-23	151.60	152.60	1.00	<1.0	<0.01	<0.01	0.10	<0.01	84.9	<0.01
BR-41-23	152.60	153.60	1.00	<1.0	<0.01	<0.01	0.01	<0.01	84.9	<0.01
BR-41-23	153.60	154.50	0.90	<1.0	0.02	0.05	<0.01	0.02	1.6	0.01
BR-41-23	154.50	155.40	0.90	401.0	3.68	4.76	2.32	0.17	11.4	0.14
BR-41-23	155.40	156.40	1.00	49.0	0.01	0.04	0.15	0.01	<1.0	0.03
BR-41-23	156.40	157.00	0.60	3.0	0.07	0.05	0.22	<0.01	<1.0	<0.01
BR-41-23	157.00	157.90	0.90	8.0	0.35	0.25	0.26	0.03	<1.0	0.01
BR-41-23	157.90	159.00	1.10	6.0	0.29	0.12	0.20	0.07	3.2	0.02
BR-41-23	159.00	159.50	0.50	43.0	2.15	1.86	0.13	0.70	2.5	0.23
BR-41-23	159.50	160.40	0.90	61.0	2.64	2.51	0.33	0.91	4.4	0.25
BR-41-23	160.40	160.80	0.40	93.0	12.03	7.23	1.26	0.80	2.9	0.26
BR-41-23	160.80	161.80	1.00	52.0	1.52	0.75	0.38	0.79	3.6	0.36
BR-41-23	161.80	162.70	0.90	73.0	1.43	1.38	0.36	0.67	<1.0	0.18
BR-41-23	162.70	163.40	0.70	186.0	1.76	0.83	0.31	1.33	<1.0	0.45
BR-41-23	163.40	164.40	1.00	110.0	0.98	0.76	0.36	1.26	<1.0	0.40
BR-41-23	164.40	165.30	0.90	53.0	0.87	0.58	0.12	0.65	<1.0	0.12
BR-41-23	165.30	166.00	0.70	119.0	1.28	0.83	0.29	1.04	<1.0	0.24
BR-41-23	166.00	167.00	1.00	49.0	0.11	0.17	0.09	0.23	<1.0	0.06
BR-41-23	167.00	167.90	0.90	49.0	0.14	0.28	0.52	0.35	1.8	0.12
BR-41-23	167.90	168.90	1.00	123.0	1.10	1.16	0.41	1.47	8.0	0.42
BR-41-23	168.90	169.90	1.00	24.0	0.79	0.64	0.16	0.31	1.1	0.08
BR-41-23	169.90	170.80	0.90	84.0	1.87	1.70	0.46	1.35	8.6	0.19
BR-41-23	170.80	171.70	0.90	<1.0	0.01	1.06	0.71	<0.01	84.9	<0.01
BR-41-23	171.70	172.20	0.50	<1.0	0.12	0.28	0.02	0.04	1.6	<0.01
BR-41-23	172.20	173.00	0.80	<1.0	<0.01	<0.01	0.02	<0.01	84.9	<0.01
BR-41-23	173.00	173.50	0.50	<1.0	<0.01	<0.01	<0.01	<0.01	84.9	<0.01
BR-41-23	173.50	174.50	1.00	<1.0	<0.01	<0.01	0.02	<0.01	67.2	<0.01
BR-41-23	174.50	175.50	1.00	<1.0	0.01	<0.01	<0.01	<0.01	75.9	<0.01
BR-41-23	175.50	176.50	1.00	<1.0	0.01	<0.01	0.01	<0.01	84.9	<0.01
BR-41-23	176.50	177.10	0.60	<1.0	<0.01	<0.01	<0.01	<0.01	73.4	<0.01
BR-41-23	177.10	178.00	0.90	<1.0	0.05	0.01	<0.01	0.01	45.7	<0.01
BR-41-23	178.00	178.80	0.80	2.0	<0.01	0.03	0.09	0.01	18.6	<0.01
BR-41-23	178.80	179.50	0.70	<1.0	<0.01	0.01	0.02	<0.01	19.7	<0.01
BR-41-23	179.50	180.50	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-41-23	180.50	181.20	0.70	<1.0	0.02	0.01	0.02	<0.01	26.6	<0.01
BR-41-23	181.20	182.20	1.00	<1.0	0.01	<0.01	<0.01	<0.01	61.9	<0.01
BR-41-23	182.20	183.20	1.00	<1.0	0.02	<0.01	<0.01	0.01	32.0	<0.01
BR-41-23	183.20	184.20	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	84.0	<0.01
BR-41-23	184.20	185.20	1.00	<1.0	0.01	<0.01	0.02	<0.01	31.5	0.01
BR-41-23	185.20	185.90	0.70	<1.0	<0.01	<0.01	<0.01	<0.01	71.1	<0.01
BR-41-23	185.90	186.50	0.60	<1.0	<0.01	<0.01	<0.01	<0.01	56.6	<0.01
BR-41-23	186.50	187.20	0.70	<1.0	0.01	<0.01	<0.01	<0.01	80.7	<0.01
BR-41-23	187.20	188.00	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	84.9	<0.01
BR-41-23	188.00	188.60	0.60	<1.0	0.04	<0.01	<0.01	<0.01	84.9	<0.01
BR-41-23	188.60	189.20	0.60	<1.0	<0.01	<0.01	<0.01	<0.01	66.5	<0.01
BR-41-23	189.20	190.00	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	40.3	<0.01
BR-41-23	190.00	190.80	0.80	<1.0	<0.01	0.01	0.02	<0.01	23.7	<0.01
BR-41-23	190.80	191.80	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-41-23	191.80	192.80	1.00	<1.0	<0.01	0.03	<0.01	<0.01	<1.0	<0.01
BR-41-23	192.80	193.60	0.80	<1.0	<0.01	0.01	0.02	<0.01	8.3	<0.01
BR-41-23	193.60	194.50	0.90	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-41-23	194.50	195.80	1.30	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	<0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)
BR-41-23	195.80	197.00	1.20	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-41-23	197.00	198.20	1.20	<1.0	<0.01	<0.01	<0.01	0.01	<1.0	<0.01
BR-41-23	198.20	199.30	1.10	<1.0	0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-41-23	199.30	200.30	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-41-23	200.30	201.20	0.90	<1.0	0.01	0.02	<0.01	<0.01	<1.0	<0.01
BR-41-23	201.20	201.80	0.60	<1.0	0.01	0.02	0.02	<0.01	5.9	<0.01
BR-41-23	201.80	202.50	0.70	<1.0	0.01	<0.01	<0.01	<0.01	83.0	<0.01
BR-41-23	202.50	203.40	0.90	<1.0	0.01	<0.01	<0.01	<0.01	68.8	<0.01
BR-41-23	203.40	204.10	0.70	<1.0	<0.01	<0.01	0.02	<0.01	79.5	<0.01
BR-41-23	204.10	204.80	0.70	<1.0	0.02	0.04	0.02	0.01	2.4	<0.01
BR-41-23	204.80	205.70	0.90	<1.0	0.12	0.13	0.08	0.01	1.0	<0.01
BR-41-23	205.70	206.50	0.80	6.0	0.02	0.01	0.03	0.01	2.8	0.02
BR-41-23	206.50	207.30	0.80	17.0	0.12	0.06	<0.01	0.02	3.2	0.02
BR-41-23	207.30	208.20	0.90	15.0	0.22	0.06	0.04	<0.01	1.7	<0.01
BR-41-23	208.20	209.20	1.00	12.0	0.15	0.04	<0.01	<0.01	1.9	<0.01
BR-41-23	209.20	210.00	0.80	3.0	0.06	0.01	0.04	<0.01	<1.0	<0.01
BR-41-23	210.00	211.20	1.20	8.0	0.03	0.01	<0.01	<0.01	<1.0	<0.01
BR-41-23	211.20	212.40	1.20	4.0	0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-41-23	212.40	213.60	1.20	3.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-41-23	213.60	214.80	1.20	5.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-41-23	214.80	216.00	1.20	5.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-41-23	216.00	217.00	1.00	8.0	0.02	0.04	0.03	<0.01	<1.0	<0.01
BR-41-23	217.00	217.90	0.90	7.0	<0.01	0.02	0.18	<0.01	2.7	<0.01
BR-41-23	217.90	219.00	1.10	<1.0	0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-41-23	219.00	220.20	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-41-23	220.20	221.40	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-41-23	221.40	222.60	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-41-23	222.60	223.60	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-41-23	223.60	224.80	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-41-23	224.80	226.00	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-41-23	226.00	227.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-41-23	227.00	228.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-41-23	228.00	229.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-41-23	229.00	230.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-41-23	230.20	231.40	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-41-23	231.40	232.60	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-41-23	232.60	233.80	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-41-23	233.80	235.00	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-41-23	235.00	236.00	1.00	3.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-41-23	236.00	237.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-41-23	237.00	238.00	1.00	2.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-41-23	238.00	239.00	1.00	4.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-41-23	239.00	240.20	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-41-23	240.20	241.40	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-41-23	241.40	242.50	1.10	5.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	0.00	44.50	44.50	Interval not sampled						
BR-42-23	44.50	45.60	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	45.60	46.60	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	46.60	47.90	1.30	<1.0	<0.01	0.06	<0.01	<0.01	<1.0	<0.01
BR-42-23	47.90	49.40	1.50	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	49.40	50.90	1.50	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	50.90	52.00	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	52.00	53.10	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	53.10	54.00	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	54.00	56.10	2.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	56.10	57.70	1.60	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)
BR-42-23	57.70	59.10	1.40	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	59.10	60.50	1.40	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	60.50	61.70	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	61.70	63.10	1.40	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	63.10	64.50	1.40	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	64.50	65.70	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	65.70	66.90	1.20	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	66.90	69.20	2.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	69.20	70.40	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	70.40	72.00	1.60	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	0.01
BR-42-23	72.00	73.90	1.90	<1.0	0.01	0.01	0.01	0.01	<1.0	0.01
BR-42-23	73.90	75.90	2.00	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	0.01
BR-42-23	75.90	77.10	1.20	<1.0	0.02	0.12	0.07	0.02	<1.0	0.03
BR-42-23	77.10	78.00	0.90	<1.0	0.01	0.05	0.04	0.01	<1.0	0.02
BR-42-23	78.00	78.90	0.90	<1.0	0.01	0.07	0.02	0.01	<1.0	0.04
BR-42-23	78.90	79.50	0.60	<1.0	0.03	0.06	<0.01	<0.01	1.3	0.02
BR-42-23	79.50	80.50	1.00	6.0	<0.01	0.07	<0.01	0.01	<1.0	0.03
BR-42-23	80.50	81.50	1.00	9.0	0.01	0.25	<0.01	0.01	<1.0	0.03
BR-42-23	81.50	82.50	1.00	<1.0	0.01	0.07	0.04	0.01	<1.0	0.03
BR-42-23	82.50	83.90	1.40	<1.0	0.01	0.05	0.05	0.04	3.9	0.03
BR-42-23	83.90	84.50	0.60	5.0	0.02	0.26	0.07	0.04	7.5	0.03
BR-42-23	84.50	85.70	1.20	<1.0	<0.01	0.06	<0.01	0.01	<1.0	0.04
BR-42-23	85.70	86.80	1.10	<1.0	<0.01	0.05	<0.01	0.01	<1.0	0.03
BR-42-23	86.80	87.80	1.00	<1.0	<0.01	0.05	<0.01	<0.01	<1.0	0.01
BR-42-23	87.80	89.00	1.20	<1.0	0.01	0.03	<0.01	<0.01	<1.0	0.02
BR-42-23	89.00	90.00	1.00	<1.0	0.01	0.05	<0.01	0.01	<1.0	0.03
BR-42-23	90.00	91.30	1.30	3.0	0.05	0.09	0.02	0.03	<1.0	0.03
BR-42-23	91.30	92.00	0.70	<1.0	<0.01	0.02	<0.01	<0.01	<1.0	0.02
BR-42-23	92.00	93.00	1.00	<1.0	0.04	0.13	<0.01	0.01	<1.0	0.04
BR-42-23	93.00	94.10	1.10	<1.0	0.08	0.03	<0.01	<0.01	<1.0	0.02
BR-42-23	94.10	95.30	1.20	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	0.01
BR-42-23	95.30	96.10	0.80	<1.0	0.02	0.01	0.12	<0.01	<1.0	0.02
BR-42-23	96.10	97.20	1.10	3.0	0.03	0.01	0.05	0.11	<1.0	0.05
BR-42-23	97.20	98.40	1.20	<1.0	<0.01	<0.01	0.09	0.06	<1.0	0.05
BR-42-23	98.40	99.60	1.20	<1.0	<0.01	<0.01	0.04	0.01	<1.0	0.01
BR-42-23	99.60	100.80	1.20	<1.0	0.01	<0.01	0.06	<0.01	<1.0	0.01
BR-42-23	100.80	101.60	0.80	<1.0	<0.01	<0.01	0.04	<0.01	<1.0	<0.01
BR-42-23	101.60	102.50	0.90	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-42-23	102.50	103.50	1.00	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	0.01
BR-42-23	103.50	104.50	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-42-23	104.50	105.50	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-42-23	105.50	106.50	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.02
BR-42-23	106.50	107.50	1.00	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	0.01
BR-42-23	107.50	108.50	1.00	<1.0	0.01	<0.01	0.03	<0.01	<1.0	0.03
BR-42-23	108.50	109.50	1.00	<1.0	0.04	<0.01	0.02	<0.01	1.1	0.15
BR-42-23	109.50	110.50	1.00	<1.0	<0.01	<0.01	0.08	<0.01	<1.0	0.06
BR-42-23	110.50	111.30	0.80	<1.0	<0.01	0.02	0.18	<0.01	<1.0	0.06
BR-42-23	111.30	112.10	0.80	283.0	2.43	0.99	0.31	0.49	<1.0	0.94
BR-42-23	112.10	112.90	0.80	375.0	0.55	0.42	0.22	0.70	<1.0	0.22
BR-42-23	112.90	113.50	0.60	55.0	0.10	0.14	0.12	0.23	<1.0	0.15
BR-42-23	113.50	114.30	0.80	106.0	1.33	0.47	0.29	1.46	<1.0	0.62
BR-42-23	114.30	115.50	1.20	<1.0	0.03	0.01	0.04	<0.01	<1.0	0.01
BR-42-23	115.50	116.70	1.20	<1.0	0.04	0.01	<0.01	<0.01	<1.0	0.01
BR-42-23	116.70	117.80	1.10	<1.0	0.07	0.01	<0.01	<0.01	<1.0	0.01
BR-42-23	117.80	119.00	1.20	<1.0	0.07	<0.01	<0.01	<0.01	<1.0	0.01
BR-42-23	119.00	120.20	1.20	<1.0	0.04	0.01	<0.01	<0.01	1.3	<0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)
BR-42-23	120.20	121.00	0.80	<1.0	0.03	0.02	<0.01	<0.01	1.3	<0.01
BR-42-23	121.00	122.00	1.00	<1.0	0.06	0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	122.00	123.00	1.00	<1.0	0.03	0.01	<0.01	<0.01	1.0	0.01
BR-42-23	123.00	124.00	1.00	<1.0	0.10	<0.01	<0.01	<0.01	1.4	0.01
BR-42-23	124.00	125.20	1.20	<1.0	0.03	0.01	<0.01	<0.01	<1.0	0.01
BR-42-23	125.20	126.40	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-42-23	126.40	127.40	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-42-23	127.40	128.60	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-42-23	128.60	129.80	1.20	<1.0	0.02	0.01	<0.01	<0.01	<1.0	0.01
BR-42-23	129.80	131.00	1.20	<1.0	0.06	0.03	<0.01	<0.01	<1.0	<0.01
BR-42-23	131.00	132.00	1.00	19.0	1.05	0.24	0.02	0.02	<1.0	0.01
BR-42-23	132.00	133.00	1.00	<1.0	0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-42-23	133.00	134.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.02
BR-42-23	134.20	135.00	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-42-23	135.00	136.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	136.00	137.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-42-23	137.00	138.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	138.20	139.20	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	139.20	140.40	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	140.40	141.60	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	141.60	142.90	1.30	<1.0	<0.01	0.02	<0.01	<0.01	<1.0	<0.01
BR-42-23	142.90	145.00	2.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	145.00	146.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	146.20	147.40	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	147.40	148.50	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	148.50	149.70	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	149.70	150.90	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	150.90	152.10	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	152.10	153.40	1.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	153.40	154.90	1.50	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	154.90	155.80	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	155.80	157.20	1.40	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	157.20	158.40	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	158.40	159.60	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	159.60	160.80	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	160.80	162.00	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	162.00	163.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	163.00	164.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	164.00	165.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	165.00	166.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	166.00	167.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	167.00	168.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	168.00	169.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	169.00	170.10	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	170.10	171.00	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	171.00	171.90	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	171.90	172.30	0.40	<1.0	0.03	0.08	0.01	0.01	7.0	<0.01
BR-42-23	172.30	173.00	0.70	<1.0	0.01	0.01	<0.01	<0.01	82.4	<0.01
BR-42-23	173.00	174.00	1.00	<1.0	0.01	<0.01	0.03	<0.01	84.9	<0.01
BR-42-23	174.00	175.00	1.00	3.0	0.02	0.03	0.06	<0.01	84.4	<0.01
BR-42-23	175.00	176.00	1.00	<1.0	<0.01	<0.01	0.01	<0.01	84.9	<0.01
BR-42-23	176.00	177.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	84.9	<0.01
BR-42-23	177.00	178.00	1.00	<1.0	<0.01	<0.01	0.02	<0.01	84.9	<0.01
BR-42-23	178.00	179.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	84.9	<0.01
BR-42-23	179.00	179.80	0.80	4.0	0.03	0.12	0.13	0.01	78.4	<0.01
BR-42-23	179.80	180.30	0.50	2.0	0.02	0.03	0.04	<0.01	84.9	<0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)
BR-42-23	180.30	181.10	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	84.9	<0.01
BR-42-23	181.10	182.00	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	84.1	<0.01
BR-42-23	182.00	183.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	84.9	<0.01
BR-42-23	183.00	184.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	84.9	<0.01
BR-42-23	184.00	185.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	84.9	<0.01
BR-42-23	185.00	186.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	84.9	<0.01
BR-42-23	186.00	186.90	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	83.9	<0.01
BR-42-23	186.90	187.70	0.80	<1.0	0.01	<0.01	<0.01	<0.01	4.9	0.01
BR-42-23	187.70	188.50	0.80	<1.0	0.01	<0.01	<0.01	<0.01	5.9	0.01
BR-42-23	188.50	189.10	0.60	<1.0	<0.01	<0.01	<0.01	<0.01	58.1	<0.01
BR-42-23	189.10	189.80	0.70	<1.0	<0.01	<0.01	<0.01	<0.01	65.7	<0.01
BR-42-23	189.80	190.80	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	78.1	<0.01
BR-42-23	190.80	191.80	1.00	<1.0	<0.01	0.01	0.05	<0.01	69.6	<0.01
BR-42-23	191.80	192.60	0.80	<1.0	<0.01	0.01	0.04	0.01	<1.0	<0.01
BR-42-23	192.60	193.40	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	193.40	194.20	0.80	<1.0	<0.01	0.02	<0.01	<0.01	<1.0	<0.01
BR-42-23	194.20	195.40	1.20	<1.0	<0.01	<0.01	<0.01	0.01	<1.0	<0.01
BR-42-23	195.40	196.60	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	196.60	197.80	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	197.80	199.00	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	199.00	200.10	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	200.10	201.20	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	201.20	202.40	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	202.40	203.60	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	203.60	204.80	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	204.80	206.00	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	206.00	207.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	207.00	208.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	208.00	209.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	209.00	210.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	210.00	211.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	211.00	212.10	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	212.10	213.30	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	213.30	215.30	2.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	215.30	217.00	1.70	<1.0	0.01	<0.01	<0.01	<0.01	76.5	<0.01
BR-42-23	217.00	218.00	1.00	<1.0	0.03	<0.01	0.01	<0.01	77.2	<0.01
BR-42-23	218.00	218.70	0.70	12.0	0.16	2.62	0.98	0.02	55.3	0.01
BR-42-23	218.70	220.70	2.00	3.0	0.13	0.28	0.21	0.03	3.0	0.01
BR-42-23	220.70	221.30	0.60	321.0	3.05	4.00	5.20	1.30	62.0	0.06
BR-42-23	221.30	222.00	0.70	404.0	7.23	4.91	5.60	1.30	34.7	0.04
BR-42-23	222.00	222.60	0.60	702.0	14.77	5.65	6.53	1.50	43.9	0.10
BR-42-23	222.60	223.20	0.60	15.0	0.12	0.07	0.07	0.01	2.5	0.01
BR-42-23	223.20	224.20	1.00	2.0	0.07	0.02	0.01	<0.01	<1.0	<0.01
BR-42-23	224.20	225.00	0.80	<1.0	0.03	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	225.00	226.10	1.10	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	226.10	227.00	0.90	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-42-23	227.00	228.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	228.00	229.00	1.00	3.0	0.02	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	229.00	230.00	1.00	3.0	0.04	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	230.00	231.00	1.00	5.0	<0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	231.00	232.00	1.00	5.0	0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	232.00	233.20	1.20	32.0	0.15	0.08	<0.01	<0.01	1.8	<0.01
BR-42-23	233.20	234.40	1.20	7.0	0.06	0.02	<0.01	<0.01	<1.0	<0.01
BR-42-23	234.40	235.60	1.20	22.0	0.13	0.05	0.01	<0.01	1.5	<0.01
BR-42-23	235.60	236.80	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-42-23	236.80	238.00	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01





Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)		
BR-42-23	238.00	239.10	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-42-23	239.10	240.30	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-42-23	240.30	241.50	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-42-23	241.50	242.70	1.20	<1.0	<0.01	<0.01	0.04	<0.01	<1.0	<0.01		
BR-42-23	242.70	243.90	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-42-23	243.90	245.10	1.20	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01		
BR-42-23	245.10	246.30	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-42-23	246.30	247.50	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-42-23	247.50	248.70	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-42-23	248.70	249.50	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	1.7	<0.01		
BR-42-23	249.50	250.70	1.20	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01		
BR-42-23	250.70	251.80	1.10	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-42-23	251.80	252.80	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-42-23	252.80	253.80	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-42-23	253.80	254.50	0.70	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-42-23	254.50	255.30	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-42-23	255.30	256.50	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-42-23	256.50	257.70	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	2.4	<0.01		
BR-42-23	257.70	258.80	1.10	<1.0	<0.01	0.02	<0.01	<0.01	<1.0	<0.01		
BR-42-23	258.80	260.00	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-42-23	260.00	261.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-42-23	261.00	262.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-42-23	262.00	263.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-42-23	263.00	264.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-42-23	264.20	265.40	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-42-23	265.40	266.30	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-42-23	266.30	267.30	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-42-23	267.30	268.50	1.20	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	<0.01		
BR-42-23	268.50	269.70	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-42-23	269.70	270.70	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-42-23	270.70	271.90	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-42-23	271.90	273.10	1.20	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01		
BR-42-23	273.10	274.30	1.20	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	<0.01		
BR-43-23	Abandoned drillhole – Not sampled											
BR-43A-23	0.00	38.50	38.50	Interval not sampled								
BR-43A-23	38.50	39.30	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-43A-23	39.30	40.00	0.70	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01		
BR-43A-23	40.00	41.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-43A-23	41.00	42.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-43A-23	42.00	43.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-43A-23	43.00	44.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-43A-23	44.00	45.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-43A-23	45.00	46.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-43A-23	46.00	47.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-43A-23	47.00	47.50	0.50	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-43A-23	47.50	48.80	1.30	2.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-43A-23	48.80	50.00	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-43A-23	50.00	51.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-43A-23	51.00	52.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-43A-23	52.00	53.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-43A-23	53.00	54.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-43A-23	54.00	55.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-43A-23	55.00	56.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-43A-23	56.00	57.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-43A-23	57.00	58.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-43A-23	58.00	59.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)
BR-43A-23	59.00	60.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-43A-23	60.00	61.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-43A-23	61.00	62.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-43A-23	62.00	63.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-43A-23	63.00	64.00	1.00	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-43A-23	64.00	65.00	1.00	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-43A-23	65.00	66.00	1.00	<1.0	<0.01	<0.01	<0.01	0.01	<1.0	<0.01
BR-43A-23	66.00	67.00	1.00	<1.0	<0.01	0.01	<0.01	0.01	<1.0	<0.01
BR-43A-23	67.00	68.30	1.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-43A-23	68.30	70.00	1.70	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	0.01
BR-43A-23	70.00	71.10	1.10	<1.0	0.01	0.01	<0.01	0.01	<1.0	0.01
BR-43A-23	71.10	72.00	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-43A-23	72.00	72.80	0.80	<1.0	<0.01	0.03	<0.01	0.01	<1.0	0.02
BR-43A-23	72.80	73.60	0.80	3.0	<0.01	0.03	<0.01	<0.01	<1.0	<0.01
BR-43A-23	73.60	74.10	0.50	<1.0	0.01	0.04	<0.01	0.01	<1.0	<0.01
BR-43A-23	74.10	75.00	0.90	10.0	0.09	0.25	<0.01	0.02	<1.0	0.02
BR-43A-23	75.00	76.00	1.00	2.0	0.02	<0.01	<0.01	<0.01	<1.0	0.02
BR-43A-23	76.00	76.90	0.90	<1.0	0.01	0.03	<0.01	<0.01	<1.0	0.03
BR-43A-23	76.90	77.40	0.50	<1.0	0.01	0.02	0.01	<0.01	1.4	0.01
BR-43A-23	77.40	78.00	0.60	3.0	0.11	0.06	0.04	0.01	<1.0	<0.01
BR-43A-23	78.00	79.00	1.00	5.0	0.12	0.03	0.04	0.09	7.6	0.03
BR-43A-23	79.00	80.00	1.00	5.0	0.13	0.02	0.03	<0.01	1.7	<0.01
BR-43A-23	80.00	81.00	1.00	<1.0	0.04	0.07	0.04	0.02	<1.0	0.04
BR-43A-23	81.00	82.10	1.10	<1.0	<0.01	0.02	0.04	0.01	<1.0	0.01
BR-43A-23	82.10	83.00	0.90	<1.0	0.06	0.06	0.06	0.01	<1.0	0.04
BR-43A-23	83.00	84.20	1.20	<1.0	0.19	0.15	<0.01	<0.01	1.0	0.02
BR-43A-23	84.20	85.30	1.10	<1.0	0.07	0.23	<0.01	0.01	3.6	0.02
BR-43A-23	85.30	86.30	1.00	2.0	0.02	0.02	<0.01	<0.01	<1.0	0.03
BR-43A-23	86.30	87.00	0.70	4.0	0.09	0.12	0.01	<0.01	<1.0	0.01
BR-43A-23	87.00	88.00	1.00	2.0	0.02	0.03	<0.01	0.01	<1.0	0.01
BR-43A-23	88.00	88.60	0.60	3.0	0.01	0.03	<0.01	<0.01	<1.0	0.01
BR-43A-23	88.60	89.40	0.80	4.0	0.06	0.17	<0.01	0.02	<1.0	0.01
BR-43A-23	89.40	90.30	0.90	2.0	0.02	0.03	<0.01	0.07	<1.0	0.02
BR-43A-23	90.30	91.10	0.80	2.0	0.01	0.11	0.04	0.01	<1.0	<0.01
BR-43A-23	91.10	91.60	0.50	<1.0	<0.01	0.01	0.03	<0.01	<1.0	<0.01
BR-43A-23	91.60	92.40	0.80	9.0	0.06	0.04	0.45	0.38	10.9	0.22
BR-43A-23	92.40	93.20	0.80	<1.0	<0.01	<0.01	0.24	<0.01	<1.0	<0.01
BR-43A-23	93.20	94.00	0.80	<1.0	<0.01	<0.01	0.07	<0.01	<1.0	<0.01
BR-43A-23	94.00	95.00	1.00	<1.0	<0.01	<0.01	0.12	<0.01	<1.0	<0.01
BR-43A-23	95.00	96.00	1.00	3.0	<0.01	0.02	0.17	0.01	<1.0	0.01
BR-43A-23	96.00	97.00	1.00	5.0	<0.01	0.06	0.16	0.02	4.8	0.03
BR-43A-23	97.00	98.00	1.00	2.0	0.03	<0.01	0.10	<0.01	1.0	0.01
BR-43A-23	98.00	98.80	0.80	<1.0	0.01	<0.01	0.04	<0.01	<1.0	<0.01
BR-43A-23	98.80	100.00	1.20	2.0	0.03	0.01	0.01	<0.01	<1.0	0.01
BR-43A-23	100.00	101.00	1.00	<1.0	0.02	0.01	<0.01	<0.01	<1.0	0.01
BR-43A-23	101.00	102.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-43A-23	102.00	103.00	1.00	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-43A-23	103.00	104.00	1.00	<1.0	0.05	0.01	0.01	<0.01	<1.0	<0.01
BR-43A-23	104.00	105.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-43A-23	105.00	106.00	1.00	<1.0	0.02	0.02	<0.01	<0.01	<1.0	<0.01
BR-43A-23	106.00	107.00	1.00	4.0	0.09	0.12	0.01	<0.01	<1.0	<0.01
BR-43A-23	107.00	108.00	1.00	2.0	0.03	0.01	<0.01	<0.01	<1.0	<0.01
BR-43A-23	108.00	109.00	1.00	4.0	0.07	0.04	<0.01	<0.01	<1.0	<0.01
BR-43A-23	109.00	110.00	1.00	5.0	0.08	0.05	<0.01	<0.01	<1.0	<0.01
BR-43A-23	110.00	111.00	1.00	7.0	0.05	0.10	<0.01	<0.01	<1.0	<0.01
BR-43A-23	111.00	112.00	1.00	3.0	0.06	0.02	<0.01	<0.01	<1.0	<0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)
BR-43A-23	112.00	113.00	1.00	2.0	0.04	<0.01	<0.01	<0.01	<1.0	<0.01
BR-43A-23	113.00	114.00	1.00	<1.0	0.03	<0.01	<0.01	<0.01	<1.0	<0.01
BR-43A-23	114.00	115.00	1.00	<1.0	0.05	<0.01	<0.01	<0.01	<1.0	<0.01
BR-43A-23	115.00	116.00	1.00	<1.0	0.04	0.01	<0.01	<0.01	<1.0	<0.01
BR-43A-23	116.00	117.00	1.00	<1.0	0.02	0.02	<0.01	<0.01	<1.0	<0.01
BR-43A-23	117.00	118.00	1.00	3.0	0.05	0.05	<0.01	<0.01	<1.0	<0.01
BR-43A-23	118.00	119.00	1.00	<1.0	0.12	0.03	<0.01	<0.01	<1.0	<0.01
BR-43A-23	119.00	120.00	1.00	<1.0	0.02	0.01	<0.01	<0.01	<1.0	<0.01
BR-43A-23	120.00	121.20	1.20	<1.0	0.09	0.01	<0.01	<0.01	<1.0	<0.01
BR-43A-23	121.20	122.40	1.20	<1.0	0.04	0.01	<0.01	<0.01	<1.0	<0.01
BR-43A-23	122.40	123.40	1.00	<1.0	0.05	0.01	0.07	<0.01	<1.0	<0.01
BR-43A-23	123.40	124.30	0.90	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-43A-23	124.30	125.60	1.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-43A-23	125.60	127.20	1.60	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-43A-23	127.20	128.20	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-43A-23	128.20	129.00	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-43A-23	129.00	130.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-43A-23	130.00	131.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-43A-23	131.00	132.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-43A-23	132.00	133.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-43A-23	133.00	134.00	1.00	<1.0	<0.01	0.02	<0.01	<0.01	<1.0	<0.01
BR-43A-23	134.00	135.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-43A-23	135.00	136.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-43A-23	136.00	137.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-43A-23	137.00	138.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-43A-23	138.00	139.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-43A-23	139.00	140.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-43A-23	140.00	141.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-43A-23	141.00	142.10	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-43A-23	142.10	143.40	1.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-43A-23	143.40	144.40	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-43A-23	144.40	145.50	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-43A-23	145.50	146.50	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	84.9	<0.01
BR-43A-23	146.50	147.70	1.20	<1.0	<0.01	<0.01	0.01	<0.01	84.9	<0.01
BR-43A-23	147.70	148.70	1.00	65.0	0.65	0.15	0.17	0.01	15.9	0.17
BR-43A-23	148.70	149.80	1.10	83.0	0.91	0.32	0.31	0.01	<1.0	0.18
BR-43A-23	149.80	150.80	1.00	1,708.0	13.53	11.96	4.03	0.53	<1.0	4.44
BR-43A-23	150.80	152.00	1.20	68.0	0.51	0.25	0.14	0.01	<1.0	0.17
BR-43A-23	152.00	152.80	0.80	26.0	0.36	0.13	0.19	<0.01	2.1	0.05
BR-43A-23	152.80	153.70	0.90	73.0	0.84	1.70	0.34	0.08	19.9	0.46
BR-43A-23	153.70	154.70	1.00	33.0	0.26	0.32	0.16	0.02	3.8	0.10
BR-43A-23	154.70	155.10	0.40	111.0	0.78	2.05	0.36	0.14	15.4	0.47
BR-43A-23	155.10	155.70	0.60	8.0	0.17	0.05	0.08	<0.01	<1.0	0.04
BR-43A-23	155.70	156.80	1.10	4.0	0.01	0.01	0.03	<0.01	1.5	0.02
BR-43A-23	156.80	158.00	1.20	10.0	0.36	0.14	0.06	<0.01	<1.0	0.01
BR-43A-23	158.00	158.80	0.80	212.0	2.45	0.63	0.12	0.02	13.8	0.03
BR-43A-23	158.80	159.90	1.10	3.0	0.01	<0.01	0.03	0.01	<1.0	0.01
BR-43A-23	159.90	160.80	0.90	4.0	0.02	0.02	0.10	0.03	<1.0	0.02
BR-43A-23	160.80	162.00	1.20	<1.0	0.07	<0.01	0.03	<0.01	<1.0	<0.01
BR-43A-23	162.00	163.20	1.20	4.0	0.01	<0.01	0.04	<0.01	<1.0	0.01
BR-43A-23	163.20	164.40	1.20	<1.0	0.03	<0.01	0.02	0.01	<1.0	0.01
BR-43A-23	164.40	165.60	1.20	4.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-43A-23	165.60	166.80	1.20	10.0	0.01	0.01	0.04	<0.01	<1.0	<0.01
BR-43A-23	166.80	168.00	1.20	45.0	0.17	0.03	0.04	<0.01	1.1	0.01
BR-43A-23	168.00	169.20	1.20	44.0	0.14	0.02	0.04	<0.01	<1.0	0.01
BR-43A-23	169.20	170.40	1.20	19.0	0.03	0.01	0.06	<0.01	<1.0	<0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)
BR-43A-23	170.40	171.60	1.20	25.0	0.08	0.02	0.16	<0.01	<1.0	0.01
BR-43A-23	171.60	172.80	1.20	6.0	0.03	0.01	0.06	<0.01	<1.0	<0.01
BR-43A-23	172.80	174.00	1.20	57.0	0.38	0.18	0.44	0.08	<1.0	0.07
BR-43A-23	174.00	174.90	0.90	21.0	0.70	0.21	0.06	0.04	1.9	0.03
BR-43A-23	174.90	176.10	1.20	11.0	0.89	0.46	0.08	0.04	<1.0	0.03
BR-43A-23	176.10	177.20	1.10	15.0	0.41	0.24	0.10	0.04	1.9	0.03
BR-43A-23	177.20	178.20	1.00	9.0	0.02	<0.01	0.11	0.03	<1.0	0.03
BR-43A-23	178.20	179.40	1.20	5.0	0.43	0.16	0.09	0.02	<1.0	0.02
BR-43A-23	179.40	180.40	1.00	149.0	5.94	4.71	0.12	0.69	<1.0	0.36
BR-43A-23	180.40	181.50	1.10	56.0	3.34	0.80	0.15	0.19	3.4	0.10
BR-43A-23	181.50	182.70	1.20	8.0	0.28	0.20	0.10	0.02	<1.0	0.02
BR-43A-23	182.70	183.90	1.20	8.0	0.84	0.13	0.15	0.01	<1.0	0.01
BR-43A-23	183.90	184.90	1.00	8.0	0.75	0.39	0.05	0.02	1.6	0.01
BR-43A-23	184.90	185.80	0.90	4.0	0.04	0.01	0.05	0.02	<1.0	0.01
BR-43A-23	185.80	186.40	0.60	3.0	0.03	0.04	0.04	<0.01	<1.0	<0.01
BR-43A-23	186.40	187.20	0.80	2.0	<0.01	0.13	0.02	<0.01	<1.0	<0.01
BR-43A-23	187.20	188.30	1.10	<1.0	0.18	0.03	0.05	<0.01	<1.0	<0.01
BR-43A-23	188.30	189.20	0.90	2.0	0.01	<0.01	0.04	0.04	<1.0	0.03
BR-43A-23	189.20	190.20	1.00	8.0	0.18	0.54	0.04	0.03	<1.0	0.01
BR-43A-23	190.20	191.00	0.80	4.0	0.06	0.10	0.06	0.03	1.2	0.01
BR-43A-23	191.00	192.00	1.00	2.0	0.10	0.14	0.08	<0.01	<1.0	<0.01
BR-43A-23	192.00	193.00	1.00	7.0	0.31	0.88	0.12	<0.01	<1.0	0.01
BR-43A-23	193.00	194.00	1.00	3.0	0.18	0.26	0.06	0.01	2.6	0.01
BR-43A-23	194.00	195.10	1.10	<1.0	0.12	0.08	0.07	<0.01	<1.0	<0.01
BR-43A-23	195.10	196.30	1.20	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-43A-23	196.30	197.50	1.20	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-43A-23	197.50	198.70	1.20	6.0	0.35	0.14	0.15	0.01	2.3	0.02
BR-43A-23	198.70	199.70	1.00	51.0	4.55	2.72	0.17	0.26	<1.0	0.16
BR-43A-23	199.70	200.60	0.90	6.0	0.40	0.29	0.06	0.01	<1.0	0.01
BR-43A-23	200.60	201.80	1.20	<1.0	0.16	0.05	0.03	<0.01	2.1	<0.01
BR-43A-23	201.80	203.00	1.20	20.0	2.25	0.99	0.05	0.10	<1.0	0.06
BR-43A-23	203.00	204.00	1.00	3.0	0.33	0.12	0.03	0.04	<1.0	0.02
BR-43A-23	204.00	205.20	1.20	5.0	0.60	0.22	0.06	0.06	<1.0	0.02
BR-43A-23	205.20	206.40	1.20	<1.0	0.04	0.04	0.05	<0.01	<1.0	<0.01
BR-43A-23	206.40	207.60	1.20	13.0	0.87	0.41	0.14	0.08	<1.0	0.02
BR-43A-23	207.60	208.80	1.20	35.0	2.14	0.65	0.09	1.33	1.8	0.29
BR-43A-23	208.80	210.00	1.20	5.0	0.66	0.18	0.08	0.05	<1.0	0.01
BR-43A-23	210.00	211.00	1.00	4.0	0.28	0.20	0.06	0.03	<1.0	0.01
BR-43A-23	211.00	212.00	1.00	<1.0	0.19	0.03	0.04	0.02	<1.0	0.01
BR-43A-23	212.00	212.80	0.80	7.0	0.41	0.09	0.08	0.22	1.1	0.04
BR-43A-23	212.80	213.50	0.70	60.0	5.46	1.67	0.16	0.56	<1.0	0.28
BR-43A-23	213.50	214.50	1.00	7.0	0.21	0.05	0.06	0.09	<1.0	0.04
BR-43A-23	214.50	215.40	0.90	9.0	0.47	0.39	0.05	0.03	<1.0	0.02
BR-43A-23	215.40	216.30	0.90	3.0	0.27	0.11	0.03	0.02	<1.0	0.01
BR-43A-23	216.30	217.30	1.00	<1.0	0.13	0.03	0.06	<0.01	<1.0	<0.01
BR-43A-23	217.30	218.10	0.80	6.0	0.93	0.52	0.23	0.07	2.3	0.01
BR-43A-23	218.10	219.20	1.10	3.0	0.37	0.13	0.07	0.05	<1.0	0.01
BR-43A-23	219.20	220.40	1.20	<1.0	0.14	0.02	0.05	0.02	<1.0	<0.01
BR-43A-23	220.40	221.60	1.20	<1.0	0.01	0.02	0.03	<0.01	<1.0	<0.01
BR-43A-23	221.60	222.80	1.20	10.0	1.99	1.57	0.08	0.26	<1.0	0.06
BR-43A-23	222.80	223.80	1.00	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-43A-23	223.80	225.00	1.20	2.0	0.25	0.16	0.03	0.01	<1.0	0.01
BR-43A-23	225.00	226.10	1.10	7.0	0.18	0.35	0.15	0.02	<1.0	<0.01
BR-43A-23	226.10	227.20	1.10	2.0	0.34	0.08	0.13	0.01	<1.0	<0.01
BR-43A-23	227.20	228.40	1.20	<1.0	0.06	0.03	0.14	<0.01	<1.0	<0.01
BR-43A-23	228.40	229.60	1.20	<1.0	<0.01	<0.01	0.05	<0.01	<1.0	<0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)
BR-43A-23	229.60	230.80	1.20	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-43A-23	230.80	232.00	1.20	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-43A-23	232.00	233.00	1.00	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-43A-23	233.00	234.00	1.00	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-43A-23	234.00	235.00	1.00	<1.0	<0.01	<0.01	0.05	<0.01	<1.0	<0.01
BR-43A-23	235.00	236.00	1.00	<1.0	<0.01	<0.01	0.12	<0.01	<1.0	<0.01
BR-43A-23	236.00	237.20	1.20	<1.0	<0.01	<0.01	0.06	<0.01	<1.0	<0.01
BR-43A-23	237.20	238.40	1.20	<1.0	<0.01	<0.01	0.05	<0.01	<1.0	<0.01
BR-43A-23	238.40	239.60	1.20	<1.0	0.38	0.08	0.12	<0.01	<1.0	<0.01
BR-43A-23	239.60	240.80	1.20	<1.0	0.01	0.01	0.05	<0.01	<1.0	<0.01
BR-43A-23	240.80	242.00	1.20	4.0	0.28	0.09	0.23	0.01	<1.0	0.01
BR-43A-23	242.00	243.00	1.00	<1.0	<0.01	<0.01	0.07	<0.01	<1.0	<0.01
BR-43A-23	243.00	244.00	1.00	<1.0	0.01	0.06	0.07	<0.01	<1.0	<0.01
BR-43A-23	244.00	245.20	1.20	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-43A-23	245.20	246.40	1.20	2.0	<0.01	0.01	0.06	<0.01	1.4	<0.01
BR-43A-23	246.40	247.60	1.20	<1.0	<0.01	<0.01	0.05	<0.01	<1.0	<0.01
BR-43A-23	247.60	248.80	1.20	<1.0	<0.01	<0.01	0.06	<0.01	<1.0	<0.01
BR-43A-23	248.80	250.00	1.20	<1.0	<0.01	<0.01	0.10	<0.01	<1.0	<0.01
BR-43A-23	250.00	251.00	1.00	<1.0	0.01	<0.01	0.05	<0.01	<1.0	<0.01
BR-43A-23	251.00	252.00	1.00	<1.0	0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-43A-23	252.00	253.00	1.00	<1.0	0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-43A-23	253.00	254.00	1.00	<1.0	0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-43A-23	254.00	255.00	1.00	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-43A-23	255.00	256.20	1.20	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-43A-23	256.20	257.40	1.20	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-44-23	Abandoned drillhole - Not sampled									
BR-44A-23	0.00	78.30	78.30	Interval not sampled						
BR-44A-23	78.30	79.50	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	79.50	80.70	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	80.70	81.80	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	81.80	83.00	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	83.00	84.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	84.20	85.60	1.40	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	85.60	86.80	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	86.80	88.60	1.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	88.60	89.50	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	89.50	90.30	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	90.30	92.00	1.70	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	92.00	94.80	2.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	94.80	97.10	2.30	<1.0	<0.01	0.02	<0.01	<0.01	<1.0	<0.01
BR-44A-23	97.10	98.20	1.10	<1.0	<0.01	0.02	<0.01	<0.01	<1.0	<0.01
BR-44A-23	98.20	99.90	1.70	<1.0	0.01	0.01	<0.01	<0.01	<1.0	0.01
BR-44A-23	99.90	101.30	1.40	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	0.01
BR-44A-23	101.30	102.20	0.90	3.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-44A-23	102.20	103.50	1.30	3.0	0.07	0.10	0.07	0.01	2.8	0.04
BR-44A-23	103.50	104.00	0.50	6.0	0.21	0.10	0.02	0.06	<1.0	0.07
BR-44A-23	104.00	105.50	1.50	8.0	0.07	0.11	0.05	0.05	<1.0	0.06
BR-44A-23	105.50	106.30	0.80	42.0	0.47	0.20	0.05	0.04	<1.0	0.05
BR-44A-23	106.30	106.80	0.50	12.0	0.54	0.68	0.10	0.11	1.5	0.16
BR-44A-23	106.80	107.60	0.80	<1.0	<0.01	<0.01	0.05	<0.01	<1.0	<0.01
BR-44A-23	107.60	108.50	0.90	<1.0	0.01	0.01	0.05	<0.01	<1.0	0.01
BR-44A-23	108.50	109.40	0.90	3.0	0.03	0.02	0.12	0.12	2.4	0.08
BR-44A-23	109.40	110.20	0.80	6.0	0.02	0.08	0.06	0.09	19.0	0.10
BR-44A-23	110.20	111.00	0.80	5.0	0.04	0.02	0.03	0.02	1.4	0.02
BR-44A-23	111.00	112.00	1.00	<1.0	0.02	0.01	0.02	<0.01	<1.0	0.01
BR-44A-23	112.00	113.10	1.10	2.0	0.06	0.03	0.03	<0.01	<1.0	0.02



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)
BR-44A-23	113.10	114.20	1.10	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	0.01
BR-44A-23	114.20	115.40	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	115.40	116.30	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	116.30	117.40	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	117.40	118.00	0.60	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	118.00	119.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	119.00	120.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	120.00	121.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	121.00	122.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	122.20	123.20	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	123.20	124.30	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	124.30	125.10	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	125.10	125.90	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	125.90	126.80	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-44A-23	126.80	127.60	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	127.60	128.60	1.00	<1.0	0.03	<0.01	<0.01	<0.01	<1.0	0.01
BR-44A-23	128.60	129.80	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-44A-23	129.80	130.70	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	130.70	131.40	0.70	<1.0	0.05	0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	131.40	132.50	1.10	<1.0	0.03	0.01	<0.01	<0.01	<1.0	0.01
BR-44A-23	132.50	133.70	1.20	<1.0	0.05	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	133.70	134.80	1.10	<1.0	0.06	0.01	<0.01	<0.01	<1.0	0.01
BR-44A-23	134.80	136.00	1.20	<1.0	0.03	0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	136.00	137.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	137.00	138.20	1.20	<1.0	0.02	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	138.20	139.40	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	139.40	140.60	1.20	<1.0	0.45	0.13	0.03	0.02	<1.0	0.01
BR-44A-23	140.60	141.80	1.20	<1.0	0.02	0.01	0.09	<0.01	<1.0	<0.01
BR-44A-23	141.80	143.00	1.20	<1.0	0.03	0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	143.00	144.00	1.00	<1.0	0.02	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	144.00	145.00	1.00	2.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	145.00	146.00	1.00	5.0	0.04	0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	146.00	147.00	1.00	8.0	0.02	0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	147.00	148.00	1.00	4.0	0.02	0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	148.00	149.00	1.00	6.0	0.02	0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	149.00	150.00	1.00	<1.0	<0.01	<0.01	0.04	<0.01	<1.0	<0.01
BR-44A-23	150.00	151.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	151.00	152.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	152.00	152.90	0.90	3.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	152.90	153.40	0.50	4.0	0.08	0.03	0.05	<0.01	<1.0	<0.01
BR-44A-23	153.40	154.30	0.90	<1.0	0.02	0.01	<0.01	<0.01	<1.0	0.01
BR-44A-23	154.30	155.30	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-44A-23	155.30	156.30	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-44A-23	156.30	157.50	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	157.50	158.70	1.20	<1.0	<0.01	<0.01	0.21	<0.01	<1.0	<0.01
BR-44A-23	158.70	159.80	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	159.80	160.60	0.80	<1.0	<0.01	<0.01	<0.01	0.01	<1.0	<0.01
BR-44A-23	160.60	161.80	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	161.80	162.80	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	162.80	163.70	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	163.70	164.90	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	164.90	166.00	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	166.00	167.30	1.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	167.30	168.50	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	168.50	169.70	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	169.70	171.00	1.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01





Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)
BR-44A-23	171.00	172.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	172.00	173.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	173.00	174.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	174.00	175.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	175.00	176.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	176.00	177.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	177.00	178.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	178.00	179.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	179.00	180.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	180.00	181.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	181.00	182.00	1.00	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-44A-23	182.00	183.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	183.00	184.00	1.00	<1.0	0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	184.00	185.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	185.20	186.30	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	186.30	187.40	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	187.40	188.50	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	188.50	189.60	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	189.60	190.80	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	190.80	192.50	1.70	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	192.50	193.70	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	193.70	194.70	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	194.70	195.70	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	195.70	196.80	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	196.80	198.00	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	198.00	199.00	1.00	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-44A-23	199.00	200.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	200.00	201.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	201.20	202.40	1.20	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-44A-23	202.40	203.60	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	203.60	204.80	1.20	<1.0	<0.01	<0.01	<0.01	0.01	<1.0	<0.01
BR-44A-23	204.80	205.40	0.60	<1.0	0.03	0.04	<0.01	0.02	33.9	<0.01
BR-44A-23	205.40	206.40	1.00	<1.0	0.01	0.03	<0.01	0.01	22.2	<0.01
BR-44A-23	206.40	207.30	0.90	<1.0	0.01	0.03	<0.01	0.02	4.7	<0.01
BR-44A-23	207.30	207.80	0.50	<1.0	<0.01	<0.01	0.02	0.01	4.6	<0.01
BR-44A-23	207.80	208.40	0.60	3.0	0.01	0.06	0.02	0.05	35.4	<0.01
BR-44A-23	208.40	208.90	0.50	1,651.0	4.80	9.70	2.23	0.45	16.1	0.07
BR-44A-23	208.90	209.50	0.60	126.0	0.99	4.76	2.33	0.06	75.1	0.02
BR-44A-23	209.50	210.50	1.00	248.0	15.14	8.41	1.28	0.50	49.6	0.07
BR-44A-23	210.50	211.50	1.00	124.0	10.91	5.30	0.79	0.28	65.0	0.03
BR-44A-23	211.50	212.50	1.00	113.0	10.70	4.49	0.73	0.23	69.1	0.03
BR-44A-23	212.50	213.50	1.00	173.0	12.21	5.06	1.11	0.28	66.9	0.04
BR-44A-23	213.50	214.50	1.00	175.0	11.28	4.11	1.32	0.23	68.7	0.04
BR-44A-23	214.50	215.50	1.00	176.0	13.83	4.69	1.40	0.30	64.6	0.04
BR-44A-23	215.50	216.50	1.00	232.0	14.84	4.83	1.85	0.29	59.4	0.04
BR-44A-23	216.50	217.50	1.00	89.0	9.48	3.86	0.90	0.21	72.3	0.03
BR-44A-23	217.50	218.50	1.00	99.0	10.26	3.57	0.82	0.20	66.5	0.03
BR-44A-23	218.50	219.50	1.00	130.0	13.06	5.05	1.10	0.27	64.4	0.05
BR-44A-23	219.50	220.50	1.00	137.0	11.77	4.70	1.38	0.27	67.5	0.05
BR-44A-23	220.50	221.50	1.00	156.0	15.73	6.68	1.66	0.43	52.3	0.06
BR-44A-23	221.50	222.50	1.00	168.0	17.20	7.47	1.85	0.50	49.2	0.08
BR-44A-23	222.50	223.50	1.00	120.0	17.49	7.78	1.75	0.59	47.9	0.07
BR-44A-23	223.50	224.50	1.00	233.0	21.62	10.47	1.89	0.97	33.4	0.11
BR-44A-23	224.50	225.00	0.50	292.0	31.56	18.50	2.60	2.40	9.5	0.23
BR-44A-23	225.00	225.70	0.70	279.0	29.59	16.60	1.94	2.06	14.5	0.18
BR-44A-23	225.70	226.70	1.00	369.0	31.01	16.15	2.29	2.61	16.8	0.16



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)
BR-44A-23	226.70	227.40	0.70	137.0	11.56	8.41	1.30	2.10	2.9	0.05
BR-44A-23	227.40	228.40	1.00	104.0	4.07	4.37	0.75	3.47	<1.0	0.04
BR-44A-23	228.40	229.10	0.70	21.0	0.65	0.42	0.20	0.60	1.9	0.03
BR-44A-23	229.10	230.00	0.90	7.0	2.80	0.10	0.08	0.08	<1.0	0.02
BR-44A-23	230.00	231.00	1.00	3.0	0.22	0.04	0.04	0.02	<1.0	<0.01
BR-44A-23	231.00	231.90	0.90	2.0	0.09	0.01	0.04	0.02	<1.0	<0.01
BR-44A-23	231.90	233.10	1.20	<1.0	0.04	0.02	0.04	<0.01	<1.0	<0.01
BR-44A-23	233.10	233.70	0.60	3.0	0.08	0.03	0.04	0.22	<1.0	0.04
BR-44A-23	233.70	234.70	1.00	<1.0	0.01	0.02	0.05	<0.01	<1.0	<0.01
BR-44A-23	234.70	235.20	0.50	38.0	0.31	3.52	0.09	0.84	1.1	0.28
BR-44A-23	235.20	236.00	0.80	14.0	0.04	1.39	0.08	0.13	<1.0	0.04
BR-44A-23	236.00	237.00	1.00	11.0	0.46	0.18	0.12	0.24	1.5	0.08
BR-44A-23	237.00	238.00	1.00	5.0	0.16	0.07	0.09	0.06	<1.0	0.03
BR-44A-23	238.00	239.20	1.20	<1.0	0.07	0.01	0.06	<0.01	<1.0	<0.01
BR-44A-23	239.20	239.80	0.60	7.0	0.32	0.14	0.09	0.10	1.6	0.05
BR-44A-23	239.80	240.30	0.50	39.0	0.60	0.27	0.13	0.59	2.0	0.23
BR-44A-23	240.30	241.20	0.90	206.0	0.82	0.62	0.29	2.39	5.2	0.89
BR-44A-23	241.20	242.00	0.80	25.0	0.90	0.34	0.14	0.04	6.0	0.02
BR-44A-23	242.00	242.70	0.70	54.0	2.00	0.55	0.20	0.09	14.3	0.05
BR-44A-23	242.70	243.60	0.90	5.0	0.36	0.11	0.32	<0.01	4.5	<0.01
BR-44A-23	243.60	244.50	0.90	46.0	2.02	0.57	0.37	0.08	9.3	0.04
BR-44A-23	244.50	245.50	1.00	3.0	0.21	0.16	0.20	<0.01	<1.0	<0.01
BR-44A-23	245.50	246.60	1.10	<1.0	0.06	0.01	0.06	<0.01	<1.0	<0.01
BR-44A-23	246.60	247.50	0.90	<1.0	0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-44A-23	247.50	248.40	0.90	<1.0	0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-44A-23	248.40	249.50	1.10	3.0	0.09	0.01	0.10	<0.01	1.3	<0.01
BR-44A-23	249.50	250.50	1.00	22.0	0.19	0.17	0.06	0.13	1.5	0.08
BR-44A-23	250.50	251.30	0.80	35.0	0.07	0.16	0.04	0.08	<1.0	0.05
BR-44A-23	251.30	252.50	1.20	<1.0	<0.01	0.03	0.01	<0.01	<1.0	0.01
BR-44A-23	252.50	253.70	1.20	3.0	0.05	0.01	0.03	<0.01	<1.0	<0.01
BR-44A-23	253.70	254.80	1.10	<1.0	0.04	0.01	0.03	<0.01	<1.0	<0.01
BR-44A-23	254.80	256.00	1.20	4.0	0.05	0.01	0.03	0.04	<1.0	0.03
BR-44A-23	256.00	257.00	1.00	<1.0	0.11	0.04	0.02	<0.01	<1.0	<0.01
BR-44A-23	257.00	258.00	1.00	<1.0	0.01	0.02	0.03	<0.01	<1.0	<0.01
BR-44A-23	258.00	259.00	1.00	3.0	0.07	0.11	0.03	<0.01	<1.0	0.01
BR-44A-23	259.00	260.00	1.00	<1.0	0.01	0.01	0.07	<0.01	<1.0	<0.01
BR-44A-23	260.00	261.00	1.00	<1.0	0.01	0.01	0.05	<0.01	<1.0	<0.01
BR-44A-23	261.00	262.00	1.00	<1.0	0.16	0.03	0.04	<0.01	<1.0	<0.01
BR-44A-23	262.00	262.60	0.60	<1.0	0.11	0.02	0.04	<0.01	<1.0	<0.01
BR-44A-23	262.60	264.00	1.40	<1.0	0.02	0.03	0.02	<0.01	<1.0	<0.01
BR-44A-23	264.00	265.00	1.00	<1.0	0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-44A-23	265.00	266.00	1.00	<1.0	0.03	<0.01	0.03	<0.01	<1.0	<0.01
BR-44A-23	266.00	267.00	1.00	<1.0	0.01	0.03	0.02	<0.01	<1.0	<0.01
BR-44A-23	267.00	268.00	1.00	<1.0	<0.01	0.04	0.01	<0.01	<1.0	<0.01
BR-44A-23	268.00	269.00	1.00	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-44A-23	269.00	270.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-44A-23	270.00	271.10	1.10	<1.0	<0.01	<0.01	0.06	<0.01	<1.0	<0.01
BR-44A-23	271.10	272.30	1.20	<1.0	0.02	0.01	<0.01	<0.01	<1.0	0.01
BR-45-23	Abandoned drillhole – Not sampled									
BR-45A-23	0.00	44.20	44.20	Interval not sampled						
BR-45A-23	44.20	46.00	1.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-45A-23	46.00	47.40	1.40	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-45A-23	47.40	48.60	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-45A-23	48.60	50.70	2.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-45A-23	50.70	52.00	1.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-45A-23	52.00	53.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)
BR-45A-23	53.20	54.40	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-45A-23	54.40	55.60	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-45A-23	55.60	56.80	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-45A-23	56.80	58.00	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-45A-23	58.00	59.10	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-45A-23	59.10	60.50	1.40	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-45A-23	60.50	62.10	1.60	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-45A-23	62.10	63.30	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-45A-23	63.30	64.50	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-45A-23	64.50	65.90	1.40	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-45A-23	65.90	67.50	1.60	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-45A-23	67.50	71.80	4.30	<1.0	0.01	0.04	<0.01	<0.01	<1.0	0.01
BR-45A-23	71.80	73.00	1.20	<1.0	0.01	0.02	<0.01	<0.01	<1.0	0.01
BR-45A-23	73.00	74.20	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-45A-23	74.20	75.40	1.20	<1.0	0.01	0.01	<0.01	<0.01	<1.0	0.01
BR-45A-23	75.40	76.40	1.00	<1.0	0.01	0.02	<0.01	0.01	<1.0	0.02
BR-45A-23	76.40	77.30	0.90	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	0.02
BR-45A-23	77.30	78.50	1.20	<1.0	0.01	0.08	0.05	0.02	2.0	0.02
BR-45A-23	78.50	79.50	1.00	<1.0	0.01	0.08	0.06	0.01	<1.0	0.04
BR-45A-23	79.50	80.20	0.70	<1.0	0.01	0.06	0.01	0.01	<1.0	0.04
BR-45A-23	80.20	81.00	0.80	<1.0	0.05	0.03	<0.01	0.01	1.5	0.02
BR-45A-23	81.00	81.80	0.80	<1.0	0.02	0.07	0.02	0.01	<1.0	0.01
BR-45A-23	81.80	82.50	0.70	2.0	0.08	0.10	0.01	0.01	<1.0	0.01
BR-45A-23	82.50	83.10	0.60	<1.0	<0.01	<0.01	0.06	<0.01	<1.0	<0.01
BR-45A-23	83.10	84.30	1.20	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-45A-23	84.30	85.50	1.20	<1.0	<0.01	<0.01	0.09	<0.01	<1.0	<0.01
BR-45A-23	85.50	86.70	1.20	<1.0	<0.01	0.01	0.04	<0.01	<1.0	<0.01
BR-45A-23	86.70	87.60	0.90	<1.0	<0.01	0.03	0.04	<0.01	<1.0	<0.01
BR-45A-23	87.60	88.50	0.90	5.0	0.03	0.18	0.16	0.07	6.0	0.06
BR-45A-23	88.50	89.30	0.80	18.0	0.04	0.49	0.31	0.41	16.1	0.22
BR-45A-23	89.30	90.10	0.80	33.0	0.07	1.36	0.25	0.13	11.3	0.09
BR-45A-23	90.10	90.70	0.60	4.0	0.01	0.08	0.22	<0.01	<1.0	0.01
BR-45A-23	90.70	91.70	1.00	8.0	0.04	0.09	0.41	0.06	4.0	0.06
BR-45A-23	91.70	92.80	1.10	<1.0	0.01	0.01	0.13	0.02	2.7	0.01
BR-45A-23	92.80	94.00	1.20	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	0.01
BR-45A-23	94.00	95.00	1.00	<1.0	<0.01	0.01	0.01	<0.01	<1.0	0.01
BR-45A-23	95.00	96.00	1.00	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	0.01
BR-45A-23	96.00	96.70	0.70	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-45A-23	96.70	97.70	1.00	<1.0	<0.01	0.01	0.05	<0.01	<1.0	<0.01
BR-45A-23	97.70	98.60	0.90	5.0	<0.01	0.08	0.23	0.01	2.4	0.04
BR-45A-23	98.60	99.50	0.90	26.0	0.10	0.46	0.42	0.20	9.4	0.14
BR-45A-23	99.50	100.10	0.60	20.0	0.72	0.31	0.44	0.25	5.1	0.11
BR-45A-23	100.10	100.70	0.60	4.0	0.01	0.02	0.41	<0.01	1.0	<0.01
BR-45A-23	100.70	101.20	0.50	15.0	0.18	0.16	0.22	0.07	3.6	0.08
BR-45A-23	101.20	102.40	1.20	14.0	0.18	0.28	0.18	0.05	4.3	0.10
BR-45A-23	102.40	103.00	0.60	14.0	0.50	0.26	0.31	0.07	<1.0	0.07
BR-45A-23	103.00	103.90	0.90	3.0	0.05	0.06	0.10	0.01	<1.0	0.02
BR-45A-23	103.90	104.50	0.60	3.0	0.02	0.28	<0.01	0.02	<1.0	0.03
BR-45A-23	104.50	105.00	0.50	4.0	0.02	0.30	0.02	0.04	<1.0	0.06
BR-45A-23	105.00	105.90	0.90	4.0	0.09	0.06	0.04	0.01	<1.0	0.01
BR-45A-23	105.90	107.00	1.10	<1.0	<0.01	<0.01	0.04	<0.01	<1.0	0.01
BR-45A-23	107.00	107.90	0.90	5.0	<0.01	0.01	0.08	<0.01	<1.0	0.01
BR-45A-23	107.90	109.00	1.10	3.0	0.02	0.01	0.06	0.01	3.8	0.01
BR-45A-23	109.00	110.00	1.00	<1.0	0.08	<0.01	0.02	<0.01	<1.0	<0.01
BR-45A-23	110.00	110.90	0.90	<1.0	0.03	<0.01	0.04	<0.01	<1.0	<0.01
BR-45A-23	110.90	111.90	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)
BR-45A-23	111.90	112.70	0.80	<1.0	0.06	0.01	<0.01	<0.01	<1.0	<0.01
BR-45A-23	112.70	113.50	0.80	<1.0	0.05	0.01	<0.01	<0.01	<1.0	<0.01
BR-45A-23	113.50	114.70	1.20	<1.0	0.03	<0.01	<0.01	<0.01	<1.0	<0.01
BR-45A-23	114.70	115.70	1.00	<1.0	0.03	0.01	<0.01	<0.01	<1.0	<0.01
BR-45A-23	115.70	116.80	1.10	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-45A-23	116.80	118.00	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-45A-23	118.00	119.00	1.00	<1.0	0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-45A-23	119.00	120.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-45A-23	120.00	121.00	1.00	<1.0	0.07	0.01	<0.01	<0.01	<1.0	0.01
BR-45A-23	121.00	122.20	1.20	<1.0	0.05	0.01	<0.01	<0.01	<1.0	0.01
BR-45A-23	122.20	123.30	1.10	<1.0	0.02	<0.01	<0.01	<0.01	<1.0	<0.01
BR-45A-23	123.30	124.50	1.20	<1.0	0.02	0.01	<0.01	<0.01	<1.0	<0.01
BR-45A-23	124.50	125.70	1.20	<1.0	0.03	0.01	<0.01	<0.01	<1.0	<0.01
BR-45A-23	125.70	126.90	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-45A-23	126.90	127.80	0.90	<1.0	0.03	0.02	0.01	<0.01	<1.0	0.01
BR-45A-23	127.80	128.70	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.02
BR-45A-23	128.70	129.90	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-45A-23	129.90	131.00	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-45A-23	131.00	131.80	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-45A-23	131.80	133.10	1.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-45A-23	133.10	134.20	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-45A-23	134.20	137.20	3.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-45A-23	137.20	139.10	1.90	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-45A-23	139.10	140.30	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-45A-23	140.30	141.50	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-45A-23	141.50	142.70	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-45A-23	142.70	144.40	1.70	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-45A-23	144.40	145.60	1.20	2.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-45A-23	145.60	146.70	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-45A-23	146.70	147.50	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-45A-23	147.50	148.80	1.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-45A-23	148.80	149.90	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-45A-23	149.90	151.50	1.60	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-45A-23	151.50	152.70	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-45A-23	152.70	153.80	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-45A-23	153.80	155.00	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-45A-23	155.00	156.10	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-45A-23	156.10	157.00	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-45A-23	157.00	158.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-45A-23	158.00	159.00	1.00	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-45A-23	159.00	160.00	1.00	<1.0	0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-45A-23	160.00	161.20	1.20	<1.0	0.01	0.05	0.05	0.02	7.6	<0.01
BR-45A-23	161.20	162.00	0.80	<1.0	0.02	0.01	0.01	0.01	62.1	<0.01
BR-45A-23	162.00	163.00	1.00	<1.0	0.01	0.01	<0.01	0.01	73.9	<0.01
BR-45A-23	163.00	164.00	1.00	3.0	0.01	0.01	0.02	<0.01	84.9	<0.01
BR-45A-23	164.00	165.00	1.00	<1.0	<0.01	<0.01	0.02	<0.01	84.9	<0.01
BR-45A-23	165.00	166.00	1.00	<1.0	<0.01	<0.01	0.02	<0.01	84.9	<0.01
BR-45A-23	166.00	166.70	0.70	234.0	1.46	3.64	1.84	0.17	36.9	0.04
BR-45A-23	166.70	167.30	0.60	627.0	5.87	9.38	4.00	0.70	59.3	0.08
BR-45A-23	167.30	168.00	0.70	1,230.0	16.64	17.92	7.68	1.87	14.0	0.31
BR-45A-23	168.00	168.80	0.80	1,462.0	2.50	5.87	9.42	1.14	64.9	0.29
BR-45A-23	168.80	169.40	0.60	1,395.0	5.25	7.21	7.41	1.25	59.1	0.69
BR-45A-23	169.40	170.20	0.80	81.0	0.79	0.25	0.21	0.03	3.2	0.04
BR-45A-23	170.20	171.00	0.80	142.0	4.42	2.77	0.90	1.81	12.1	0.33
BR-45A-23	171.00	171.60	0.60	44.0	0.53	0.33	0.27	0.23	1.7	0.08
BR-45A-23	171.60	172.10	0.50	72.0	0.98	0.55	0.11	0.56	<1.0	0.15



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)
BR-45A-23	172.10	172.70	0.60	308.0	16.46	8.35	1.55	8.07	7.1	3.76
BR-45A-23	172.70	173.80	1.10	30.0	1.69	0.85	0.31	0.37	7.2	0.11
BR-45A-23	173.80	174.80	1.00	33.0	1.95	0.91	0.31	0.26	3.1	0.07
BR-45A-23	174.80	175.50	0.70	14.0	0.79	0.40	0.42	0.13	2.6	0.06
BR-45A-23	175.50	176.10	0.60	12.0	0.32	0.76	0.31	0.09	1.1	0.05
BR-45A-23	176.10	177.00	0.90	<1.0	0.02	<0.01	0.13	<0.01	<1.0	<0.01
BR-45A-23	177.00	178.00	1.00	6.0	0.06	0.02	0.15	0.01	<1.0	0.01
BR-45A-23	178.00	179.00	1.00	27.0	0.76	0.46	0.11	0.03	<1.0	0.02
BR-45A-23	179.00	180.00	1.00	8.0	0.21	0.13	0.06	0.02	<1.0	0.02
BR-45A-23	180.00	180.90	0.90	10.0	0.21	0.09	0.06	0.01	<1.0	0.02
BR-45A-23	180.90	181.50	0.60	319.0	6.15	2.39	0.45	2.03	<1.0	1.61
BR-45A-23	181.50	182.20	0.70	12.0	0.35	0.16	0.13	0.03	<1.0	0.03
BR-45A-23	182.20	183.00	0.80	19.0	1.28	1.12	0.14	0.31	<1.0	0.28
BR-45A-23	183.00	184.00	1.00	10.0	0.31	0.14	0.12	0.01	<1.0	0.01
BR-45A-23	184.00	185.00	1.00	47.0	0.74	0.27	0.02	0.09	1.3	0.07
BR-45A-23	185.00	186.00	1.00	25.0	0.91	0.38	0.08	0.06	<1.0	0.04
BR-45A-23	186.00	187.10	1.10	40.0	1.82	1.50	0.15	0.10	<1.0	0.06
BR-45A-23	187.10	188.20	1.10	5.0	0.11	0.05	0.11	<0.01	<1.0	<0.01
BR-45A-23	188.20	189.00	0.80	3.0	0.14	0.04	0.12	<0.01	<1.0	<0.01
BR-45A-23	189.00	190.00	1.00	<1.0	0.07	0.04	0.04	<0.01	<1.0	<0.01
BR-45A-23	190.00	191.00	1.00	<1.0	0.13	0.04	0.14	<0.01	<1.0	<0.01
BR-45A-23	191.00	192.00	1.00	<1.0	<0.01	<0.01	0.06	<0.01	<1.0	0.01
BR-45A-23	192.00	193.00	1.00	4.0	0.28	0.20	0.09	0.02	<1.0	0.01
BR-45A-23	193.00	194.00	1.00	4.0	0.58	0.22	0.07	0.01	1.1	0.01
BR-45A-23	194.00	195.00	1.00	<1.0	0.06	0.01	0.12	<0.01	<1.0	<0.01
BR-45A-23	195.00	196.00	1.00	4.0	0.45	0.16	0.05	0.03	1.1	0.02
BR-45A-23	196.00	197.00	1.00	2.0	0.31	0.07	0.05	0.02	<1.0	0.02
BR-45A-23	197.00	198.00	1.00	<1.0	0.08	0.06	0.03	<0.01	<1.0	<0.01
BR-45A-23	198.00	199.00	1.00	<1.0	0.05	<0.01	0.03	<0.01	<1.0	<0.01
BR-45A-23	199.00	200.00	1.00	<1.0	0.03	<0.01	0.12	<0.01	<1.0	<0.01
BR-45A-23	200.00	201.20	1.20	<1.0	<0.01	<0.01	0.13	<0.01	<1.0	<0.01
BR-45A-23	201.20	202.00	0.80	3.0	0.14	0.02	0.09	<0.01	<1.0	<0.01
BR-45A-23	202.00	202.70	0.70	<1.0	0.04	0.01	0.08	<0.01	<1.0	<0.01
BR-45A-23	202.70	203.40	0.70	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-45A-23	203.40	204.00	0.60	<1.0	0.01	<0.01	0.04	<0.01	<1.0	<0.01
BR-45A-23	204.00	205.00	1.00	<1.0	0.01	0.03	0.06	0.01	<1.0	0.01
BR-45A-23	205.00	206.00	1.00	<1.0	0.05	0.03	0.07	<0.01	<1.0	<0.01
BR-45A-23	206.00	207.00	1.00	2.0	0.04	0.03	0.04	0.03	<1.0	0.01
BR-45A-23	207.00	208.00	1.00	6.0	0.80	0.38	0.07	0.05	<1.0	0.02
BR-45A-23	208.00	209.00	1.00	<1.0	0.05	0.01	0.06	0.01	<1.0	<0.01
BR-45A-23	209.00	210.00	1.00	6.0	0.28	0.08	0.04	0.26	<1.0	0.09
BR-45A-23	210.00	210.80	0.80	6.0	0.30	0.16	0.07	0.14	<1.0	0.03
BR-45A-23	210.80	211.40	0.60	8.0	0.21	0.08	0.02	0.31	<1.0	0.05
BR-45A-23	211.40	212.00	0.60	<1.0	0.09	<0.01	0.05	<0.01	<1.0	<0.01
BR-45A-23	212.00	213.00	1.00	<1.0	<0.01	<0.01	0.06	0.02	<1.0	<0.01
BR-45A-23	213.00	214.00	1.00	19.0	1.38	0.56	0.72	1.11	<1.0	0.19
BR-45A-23	214.00	215.00	1.00	6.0	0.63	0.35	0.06	0.20	<1.0	0.02
BR-45A-23	215.00	216.00	1.00	6.0	0.40	0.27	0.09	0.05	<1.0	0.01
BR-45A-23	216.00	217.00	1.00	2.0	0.25	0.14	0.06	0.01	<1.0	<0.01
BR-45A-23	217.00	218.20	1.20	8.0	1.51	0.60	0.05	0.05	<1.0	0.02
BR-45A-23	218.20	219.00	0.80	<1.0	0.01	<0.01	0.07	0.01	<1.0	<0.01
BR-45A-23	219.00	220.00	1.00	<1.0	0.01	<0.01	0.06	0.02	<1.0	<0.01
BR-45A-23	220.00	221.20	1.20	<1.0	0.02	0.01	0.16	<0.01	1.0	<0.01
BR-45A-23	221.20	221.90	0.70	6.0	0.15	0.09	0.06	0.05	<1.0	<0.01
BR-45A-23	221.90	223.00	1.10	38.0	2.07	2.74	0.24	0.56	<1.0	0.03
BR-45A-23	223.00	223.50	0.50	171.0	7.51	7.27	0.54	1.18	<1.0	0.10



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)
BR-45A-23	223.50	224.30	0.80	122.0	24.50	9.20	0.62	0.61	<1.0	0.07
BR-45A-23	224.30	225.00	0.70	12.0	0.53	0.30	0.11	0.12	<1.0	0.01
BR-45A-23	225.00	225.70	0.70	71.0	0.70	0.60	0.41	0.15	2.0	0.02
BR-45A-23	225.70	226.30	0.60	452.0	3.23	5.15	3.96	1.73	7.2	0.26
BR-45A-23	226.30	227.00	0.70	7.0	0.21	0.53	0.06	0.09	<1.0	0.03
BR-45A-23	227.00	228.00	1.00	4.0	0.22	0.63	0.07	0.14	<1.0	0.02
BR-45A-23	228.00	229.00	1.00	2.0	0.21	0.61	0.14	0.02	<1.0	0.02
BR-45A-23	229.00	229.70	0.70	<1.0	0.05	0.56	0.01	0.04	<1.0	<0.01
BR-45A-23	229.70	230.20	0.50	<1.0	0.12	1.46	0.02	0.09	1.0	<0.01
BR-45A-23	230.20	231.10	0.90	<1.0	0.01	0.01	<0.01	<0.01	77.9	<0.01
BR-45A-23	231.10	232.20	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	84.9	<0.01
BR-45A-23	232.20	233.10	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	84.9	<0.01
BR-45A-23	233.10	234.10	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	84.9	<0.01
BR-45A-23	234.10	234.80	0.70	<1.0	<0.01	<0.01	<0.01	<0.01	84.1	<0.01
BR-45A-23	234.80	235.50	0.70	<1.0	0.02	0.10	0.06	0.02	16.8	<0.01
BR-45A-23	235.50	236.20	0.70	38.0	0.16	3.83	0.63	0.24	6.5	0.03
BR-45A-23	236.20	237.20	1.00	453.0	0.45	2.37	4.09	1.42	41.2	0.14
BR-45A-23	237.20	237.90	0.70	491.0	12.54	8.53	3.94	1.58	2.7	0.56
BR-45A-23	237.90	239.00	1.10	49.0	1.67	0.72	0.24	0.73	1.4	0.12
BR-45A-23	239.00	240.00	1.00	65.0	0.70	0.56	0.33	0.48	<1.0	0.06
BR-45A-23	240.00	241.00	1.00	708.0	3.79	2.80	1.05	1.05	<1.0	0.30
BR-45A-23	241.00	242.00	1.00	154.0	2.00	1.18	0.54	0.30	<1.0	0.10
BR-45A-23	242.00	243.00	1.00	16.0	0.20	0.05	0.15	0.02	<1.0	0.01
BR-45A-23	243.00	244.00	1.00	44.0	0.94	0.32	0.15	0.04	4.4	0.02
BR-45A-23	244.00	245.00	1.00	15.0	0.67	0.15	0.17	0.01	<1.0	0.01
BR-45A-23	245.00	246.00	1.00	9.0	0.31	0.07	0.14	0.01	1.0	<0.01
BR-45A-23	246.00	247.00	1.00	133.0	1.90	0.49	0.25	0.10	<1.0	0.03
BR-45A-23	247.00	247.50	0.50	19.0	0.43	0.17	0.11	0.06	<1.0	0.02
BR-45A-23	247.50	248.00	0.50	<1.0	0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-45A-23	248.00	249.00	1.00	<1.0	0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-45A-23	249.00	250.00	1.00	3.0	0.06	0.29	0.11	<0.01	<1.0	<0.01
BR-45A-23	250.00	251.00	1.00	<1.0	0.01	0.07	0.05	<0.01	1.1	<0.01
BR-45A-23	251.00	252.00	1.00	<1.0	0.03	0.06	0.06	<0.01	<1.0	<0.01
BR-45A-23	252.00	253.00	1.00	2.0	0.09	0.04	0.09	<0.01	3.3	<0.01
BR-45A-23	253.00	254.00	1.00	<1.0	0.06	0.05	0.09	<0.01	2.5	<0.01
BR-45A-23	254.00	255.00	1.00	2.0	<0.01	0.01	0.08	0.01	1.1	<0.01
BR-45A-23	255.00	256.00	1.00	<1.0	<0.01	<0.01	0.06	<0.01	<1.0	<0.01
BR-45A-23	256.00	257.00	1.00	<1.0	<0.01	<0.01	0.07	<0.01	1.1	<0.01
BR-45A-23	257.00	258.00	1.00	<1.0	<0.01	<0.01	0.29	<0.01	1.7	<0.01
BR-45A-23	258.00	259.00	1.00	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-45A-23	259.00	260.00	1.00	<1.0	<0.01	<0.01	0.04	<0.01	<1.0	<0.01
BR-45A-23	260.00	261.00	1.00	<1.0	0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-45A-23	261.00	262.10	1.10	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-45A-23	262.10	263.00	0.90	<1.0	0.02	<0.01	0.02	<0.01	<1.0	<0.01
BR-45A-23	263.00	264.00	1.00	<1.0	0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-45A-23	264.00	265.20	1.20	<1.0	0.03	0.01	0.02	<0.01	<1.0	<0.01
BR-45A-23	265.20	266.20	1.00	<1.0	0.06	0.06	0.04	0.01	<1.0	<0.01
BR-45A-23	266.20	267.30	1.10	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-45A-23	267.30	268.10	0.80	<1.0	0.01	<0.01	0.04	<0.01	<1.0	<0.01
BR-45A-23	268.10	269.00	0.90	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-45A-23	269.00	270.00	1.00	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-45A-23	270.00	271.00	1.00	<1.0	0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-45A-23	271.00	272.00	1.00	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-45A-23	272.00	273.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-45A-23	273.00	274.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-45A-23	274.00	275.00	1.00	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01





Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)		
BR-45A-23	275.00	276.00	1.00	<1.0	0.03	0.02	0.01	<0.01	<1.0	<0.01		
BR-45A-23	276.00	277.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-45A-23	277.00	278.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-45A-23	278.00	279.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-45A-23	279.00	280.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-45A-23	280.00	280.80	0.80	24.0	0.10	0.12	0.03	0.88	<1.0	0.12		
BR-46-23	0.00	36.20	36.20	Interval not sampled								
BR-46-23	36.20	37.70	1.50	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-46-23	37.70	39.70	2.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-46-23	39.70	40.90	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-46-23	40.90	41.90	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-46-23	41.90	43.30	1.40	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-46-23	43.30	44.50	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-46-23	44.50	45.70	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-46-23	45.70	46.90	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-46-23	46.90	48.30	1.40	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-46-23	48.30	49.60	1.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-46-23	49.60	50.80	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-46-23	50.80	52.10	1.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-46-23	52.10	53.70	1.60	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-46-23	53.70	54.90	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-46-23	54.90	56.20	1.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-46-23	56.20	57.40	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-46-23	57.40	58.50	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-46-23	58.50	60.30	1.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-46-23	60.30	62.10	1.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-46-23	62.10	63.70	1.60	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-46-23	63.70	65.10	1.40	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-46-23	65.10	66.60	1.50	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-46-23	66.60	68.20	1.60	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-46-23	68.20	69.10	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-46-23	69.10	70.30	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-46-23	70.30	72.00	1.70	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-46-23	72.00	73.30	1.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-46-23	73.30	76.00	2.70	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-46-23	76.00	77.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-46-23	77.20	78.30	1.10	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	0.01		
BR-46-23	78.30	79.50	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01		
BR-46-23	79.50	80.60	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01		
BR-46-23	80.60	81.70	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.02		
BR-46-23	81.70	83.00	1.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.02		
BR-46-23	83.00	84.10	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01		
BR-46-23	84.10	85.30	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01		
BR-46-23	85.30	86.50	1.20	<1.0	<0.01	<0.01	0.03	0.02	<1.0	0.02		
BR-46-23	86.50	87.70	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01		
BR-46-23	87.70	88.70	1.00	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	0.01		
BR-46-23	88.70	90.00	1.30	<1.0	<0.01	0.03	<0.01	<0.01	<1.0	0.01		
BR-46-23	90.00	91.10	1.10	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	0.02		
BR-46-23	91.10	92.70	1.60	<1.0	0.01	0.04	<0.01	0.01	<1.0	0.02		
BR-46-23	92.70	93.70	1.00	<1.0	0.01	0.03	<0.01	0.01	<1.0	0.03		
BR-46-23	93.70	95.20	1.50	<1.0	0.01	0.03	<0.01	<0.01	<1.0	0.03		
BR-46-23	95.20	96.80	1.60	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.02		
BR-46-23	96.80	98.20	1.40	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	0.02		
BR-46-23	98.20	99.40	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01		
BR-46-23	99.40	100.50	1.10	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	0.02		
BR-46-23	100.50	101.70	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01		



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)
BR-46-23	101.70	102.80	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-46-23	102.80	104.00	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.02
BR-46-23	104.00	105.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.02
BR-46-23	105.20	106.50	1.30	<1.0	0.03	0.05	0.02	0.01	<1.0	0.02
BR-46-23	106.50	107.50	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.02
BR-46-23	107.50	108.60	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.02
BR-46-23	108.60	110.70	2.10	<1.0	0.01	0.04	0.03	<0.01	<1.0	0.01
BR-46-23	110.70	112.40	1.70	<1.0	0.02	0.04	0.01	0.01	<1.0	0.03
BR-46-23	112.40	113.80	1.40	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.03
BR-46-23	113.80	116.10	2.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.03
BR-46-23	116.10	117.20	1.10	<1.0	0.02	0.04	0.01	0.01	<1.0	0.04
BR-46-23	117.20	118.80	1.60	<1.0	0.03	0.02	<0.01	<0.01	<1.0	0.03
BR-46-23	118.80	119.80	1.00	<1.0	0.06	0.02	<0.01	<0.01	<1.0	0.02
BR-46-23	119.80	121.10	1.30	<1.0	0.02	0.02	<0.01	<0.01	<1.0	0.01
BR-46-23	121.10	122.40	1.30	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-46-23	122.40	123.70	1.30	<1.0	0.01	<0.01	<0.01	<0.01	1.3	0.01
BR-46-23	123.70	124.40	0.70	332.0	12.36	3.07	1.62	0.23	59.0	0.52
BR-46-23	124.40	125.40	1.00	199.0	2.68	3.87	0.81	0.35	80.9	0.72
BR-46-23	125.40	126.40	1.00	201.0	2.95	1.77	0.68	0.38	79.3	0.65
BR-46-23	126.40	127.40	1.00	289.0	4.63	3.56	1.34	0.76	76.1	0.88
BR-46-23	127.40	128.10	0.70	258.0	3.16	3.08	0.70	0.61	80.1	0.68
BR-46-23	128.10	129.10	1.00	237.0	4.04	2.15	0.39	0.72	78.8	0.79
BR-46-23	129.10	130.10	1.00	266.0	4.22	1.76	0.51	0.70	73.5	0.64
BR-46-23	130.10	131.10	1.00	546.0	7.22	4.05	0.76	0.81	53.0	0.85
BR-46-23	131.10	132.10	1.00	148.0	0.81	0.88	0.20	0.40	22.1	0.34
BR-46-23	132.10	133.00	0.90	156.0	1.25	1.43	0.32	0.55	8.4	0.46
BR-46-23	133.00	134.20	1.20	3.0	0.03	0.01	<0.01	<0.01	<1.0	0.01
BR-46-23	134.20	136.20	2.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-46-23	136.20	137.20	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	137.20	138.10	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	138.10	139.20	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-46-23	139.20	140.80	1.60	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-46-23	140.80	142.00	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-46-23	142.00	143.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	143.20	145.00	1.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	145.00	146.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	146.20	147.40	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	147.40	148.50	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	148.50	149.70	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	149.70	151.00	1.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	151.00	152.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	152.00	153.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	153.00	154.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	154.00	155.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	155.00	156.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	156.00	157.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	157.00	158.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	158.20	159.40	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	159.40	160.40	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	160.40	161.40	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	161.40	162.60	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	162.60	163.50	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	163.50	164.50	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	164.50	165.30	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	165.30	166.50	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	166.50	167.70	1.20	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)
BR-46-23	167.70	168.80	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	168.80	170.00	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	170.00	171.00	1.00	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-46-23	171.00	172.00	1.00	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-46-23	172.00	173.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	173.00	173.80	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	173.80	174.60	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	174.60	175.80	1.20	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-46-23	175.80	177.80	2.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	177.80	179.00	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	179.00	180.60	1.60	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	180.60	181.80	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	181.80	183.60	1.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	183.60	186.20	2.60	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	186.20	187.10	0.90	<1.0	<0.01	<0.01	<0.01	0.03	<1.0	<0.01
BR-46-23	187.10	188.20	1.10	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	188.20	188.90	0.70	<1.0	0.02	0.03	0.02	0.01	9.0	<0.01
BR-46-23	188.90	189.90	1.00	<1.0	0.02	0.02	0.01	0.01	28.3	0.01
BR-46-23	189.90	191.10	1.20	<1.0	0.01	0.05	0.01	0.01	13.7	<0.01
BR-46-23	191.10	193.00	1.90	4.0	0.11	0.24	<0.01	0.02	1.5	0.02
BR-46-23	193.00	194.20	1.20	<1.0	0.02	0.03	0.11	<0.01	1.5	0.04
BR-46-23	194.20	195.30	1.10	<1.0	0.04	0.09	0.02	<0.01	<1.0	0.04
BR-46-23	195.30	196.00	0.70	<1.0	0.02	0.04	<0.01	<0.01	<1.0	0.01
BR-46-23	196.00	197.00	1.00	<1.0	0.01	0.04	<0.01	<0.01	<1.0	<0.01
BR-46-23	197.00	198.00	1.00	<1.0	0.03	0.02	<0.01	<0.01	<1.0	<0.01
BR-46-23	198.00	198.80	0.80	<1.0	0.01	0.05	<0.01	<0.01	<1.0	<0.01
BR-46-23	198.80	200.00	1.20	<1.0	0.02	0.06	<0.01	<0.01	<1.0	<0.01
BR-46-23	200.00	201.00	1.00	<1.0	0.02	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	201.00	202.00	1.00	<1.0	0.02	0.04	0.02	<0.01	<1.0	<0.01
BR-46-23	202.00	203.10	1.10	<1.0	0.01	0.06	<0.01	<0.01	<1.0	<0.01
BR-46-23	203.10	204.00	0.90	<1.0	0.01	0.15	0.03	<0.01	<1.0	<0.01
BR-46-23	204.00	205.00	1.00	<1.0	0.01	0.02	<0.01	<0.01	<1.0	<0.01
BR-46-23	205.00	206.20	1.20	<1.0	0.03	0.23	<0.01	<0.01	<1.0	<0.01
BR-46-23	206.20	207.10	0.90	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	207.10	208.30	1.20	<1.0	0.01	0.03	<0.01	<0.01	<1.0	<0.01
BR-46-23	208.30	208.90	0.60	<1.0	0.01	0.20	<0.01	<0.01	<1.0	<0.01
BR-46-23	208.90	210.00	1.10	<1.0	0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	210.00	210.80	0.80	<1.0	0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	210.80	212.00	1.20	<1.0	<0.01	0.07	<0.01	<0.01	<1.0	<0.01
BR-46-23	212.00	213.20	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	213.20	214.40	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	214.40	215.00	0.60	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	215.00	216.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	216.00	217.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	217.00	218.20	1.20	5.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	218.20	219.00	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	219.00	220.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	220.00	221.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	221.00	222.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	222.00	222.80	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	222.80	223.80	1.00	6.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	223.80	224.80	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	224.80	225.80	1.00	2.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	225.80	226.70	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	226.70	227.80	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	227.80	228.70	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)
BR-46-23	228.70	229.90	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	229.90	230.50	0.60	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	230.50	231.50	1.00	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-46-23	231.50	232.50	1.00	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-46-23	232.50	233.50	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	233.50	234.50	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	234.50	235.60	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	235.60	236.60	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	236.60	237.70	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	237.70	238.50	0.80	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	238.50	239.50	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	239.50	240.50	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	240.50	241.10	0.60	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	241.10	242.00	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	242.00	242.70	0.70	<1.0	0.01	0.01	0.16	<0.01	<1.0	<0.01
BR-46-23	242.70	243.50	0.80	<1.0	0.02	0.02	0.35	<0.01	<1.0	<0.01
BR-46-23	243.50	244.00	0.50	<1.0	0.02	<0.01	0.11	<0.01	<1.0	<0.01
BR-46-23	244.00	245.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	245.20	246.00	0.80	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-46-23	246.00	247.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	247.00	248.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	248.00	249.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	249.00	250.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	250.00	251.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	251.00	252.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	252.00	253.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-46-23	253.00	254.20	1.20	<1.0	<0.01	0.01	<0.01	0.01	<1.0	0.01
BR-47-23	0.00	83.50	Interval not sampled							
BR-47-23	83.50	84.40	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-47-23	84.40	85.50	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-47-23	85.50	86.20	0.70	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-47-23	86.20	87.00	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-47-23	87.00	88.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-47-23	88.00	89.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-47-23	89.00	90.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-47-23	90.00	91.10	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-47-23	91.10	92.10	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-47-23	92.10	94.30	2.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-47-23	94.30	95.40	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-47-23	95.40	96.60	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-47-23	96.60	98.40	1.80	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-47-23	98.40	99.10	0.70	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-47-23	99.10	100.00	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-47-23	100.00	100.60	0.60	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-47-23	100.60	101.60	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-47-23	101.60	102.70	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-47-23	102.70	103.60	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-47-23	103.60	110.40	6.80	<1.0	0.01	0.01	0.01	0.00	<1.0	<0.01
BR-47-23	110.40	111.20	0.80	<1.0	<0.01	<0.01	0.06	<0.01	<1.0	<0.01
BR-47-23	111.20	111.90	0.70	<1.0	<0.01	0.02	<0.01	<0.01	<1.0	<0.01
BR-47-23	111.90	113.20	1.30	<1.0	0.04	0.09	0.08	0.02	<1.0	0.06
BR-47-23	113.20	114.00	0.80	<1.0	0.13	0.42	0.03	0.02	<1.0	0.09
BR-47-23	114.00	114.60	0.60	<1.0	0.08	0.66	0.03	0.02	<1.0	0.07
BR-47-23	114.60	115.60	1.00	<1.0	0.03	0.57	0.03	0.02	<1.0	0.05
BR-47-23	115.60	116.30	0.70	<1.0	0.02	0.07	<0.01	0.01	1.5	0.03
BR-47-23	116.30	117.00	0.70	7.0	0.30	0.32	0.03	0.02	<1.0	0.05



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)
BR-47-23	117.00	117.50	0.50	8.0	0.09	0.19	0.08	0.03	3.4	0.07
BR-47-23	117.50	118.30	0.80	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	0.01
BR-47-23	118.30	119.00	0.70	<1.0	0.01	<0.01	0.02	<0.01	<1.0	0.01
BR-47-23	119.00	120.00	1.00	<1.0	0.03	0.01	0.06	<0.01	<1.0	0.01
BR-47-23	120.00	121.00	1.00	<1.0	0.06	0.01	0.05	<0.01	<1.0	0.18
BR-47-23	121.00	122.00	1.00	<1.0	0.01	<0.01	0.03	<0.01	2.2	0.01
BR-47-23	122.00	123.00	1.00	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-47-23	123.00	123.90	0.90	<1.0	0.02	<0.01	0.02	<0.01	<1.0	<0.01
BR-47-23	123.90	125.00	1.10	<1.0	<0.01	<0.01	0.03	<0.01	1.1	0.01
BR-47-23	125.00	126.00	1.00	<1.0	0.02	0.01	0.03	<0.01	4.1	<0.01
BR-47-23	126.00	127.00	1.00	<1.0	0.01	0.01	0.03	<0.01	<1.0	0.01
BR-47-23	127.00	128.00	1.00	<1.0	0.01	0.01	0.01	<0.01	<1.0	<0.01
BR-47-23	128.00	129.20	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-47-23	129.20	130.00	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-47-23	130.00	131.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-47-23	131.20	132.10	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-47-23	132.10	133.00	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-47-23	133.00	134.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-47-23	134.00	135.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-47-23	135.00	136.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-47-23	136.00	137.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-47-23	137.00	138.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-47-23	138.00	139.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-47-23	139.00	140.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-47-23	140.00	141.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-47-23	141.00	142.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-47-23	142.00	143.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-47-23	143.00	144.00	1.00	<1.0	0.02	<0.01	<0.01	<0.01	<1.0	0.01
BR-47-23	144.00	144.70	0.70	<1.0	0.04	<0.01	<0.01	<0.01	<1.0	<0.01
BR-47-23	144.70	145.90	1.20	<1.0	0.00	<0.01	<0.01	<0.01	<1.0	<0.01
BR-47-23	145.90	147.00	1.10	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-47-23	147.00	148.00	1.00	<1.0	0.04	<0.01	<0.01	<0.01	<1.0	<0.01
BR-47-23	148.00	149.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-47-23	149.00	150.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-47-23	150.00	151.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-47-23	151.00	152.00	1.00	<1.0	0.01	0.02	<0.01	<0.01	<1.0	<0.01
BR-47-23	152.00	153.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-47-23	153.00	154.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-47-23	154.00	155.00	1.00	<1.0	0.02	0.01	<0.01	<0.01	<1.0	<0.01
BR-47-23	155.00	156.00	1.00	2.0	0.08	0.02	<0.01	<0.01	<1.0	<0.01
BR-47-23	156.00	157.00	1.00	4.0	0.11	0.02	<0.01	<0.01	<1.0	<0.01
BR-47-23	157.00	158.00	1.00	4.0	0.02	0.02	<0.01	<0.01	<1.0	<0.01
BR-47-23	158.00	159.00	1.00	4.0	0.10	0.03	<0.01	<0.01	<1.0	<0.01
BR-47-23	159.00	160.00	1.00	5.0	0.10	0.02	<0.01	<0.01	<1.0	<0.01
BR-47-23	160.00	161.00	1.00	7.0	0.11	0.14	<0.01	<0.01	<1.0	<0.01
BR-47-23	161.00	162.00	1.00	4.0	0.02	0.02	<0.01	<0.01	<1.0	<0.01
BR-47-23	162.00	163.00	1.00	9.0	0.06	0.04	<0.01	<0.01	1.0	<0.01
BR-47-23	163.00	164.00	1.00	5.0	0.03	0.02	<0.01	<0.01	<1.0	<0.01
BR-47-23	164.00	165.00	1.00	8.0	0.26	0.05	0.08	<0.01	2.4	<0.01
BR-47-23	165.00	166.00	1.00	36.0	0.76	0.64	0.25	0.03	3.6	0.02
BR-47-23	166.00	167.00	1.00	9.0	0.37	0.10	0.15	<0.01	<1.0	<0.01
BR-47-23	167.00	168.00	1.00	4.0	0.01	0.02	0.03	<0.01	<1.0	<0.01
BR-47-23	168.00	169.00	1.00	<1.0	0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-47-23	169.00	170.00	1.00	<1.0	0.13	<0.01	0.05	<0.01	<1.0	<0.01
BR-47-23	170.00	171.00	1.00	<1.0	0.01	0.01	0.02	<0.01	4.6	<0.01
BR-47-23	171.00	172.00	1.00	<1.0	0.08	<0.01	0.03	<0.01	2.5	<0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)
BR-47-23	172.00	173.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-47-23	173.00	174.00	1.00	<1.0	0.00	<0.01	<0.01	<0.01	<1.0	<0.01
BR-47-23	174.00	175.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-47-23	175.00	175.70	0.70	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-47-23	175.70	176.90	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.03
BR-47-23	176.90	178.00	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.02
BR-47-23	178.00	179.90	1.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.02
BR-47-23	179.90	181.10	1.20	<1.0	<0.01	<0.01	<0.01	0.01	<1.0	0.03
BR-47-23	181.10	184.30	3.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-47-23	184.30	185.20	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-47-23	185.20	186.20	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-47-23	186.20	187.20	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-47-23	187.20	188.40	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-47-23	188.40	189.50	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-47-23	189.50	190.70	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-47-23	190.70	191.80	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-47-23	191.80	192.90	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-47-23	192.90	194.00	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-47-23	194.00	195.50	1.50	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-47-23	195.50	196.50	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-47-23	196.50	198.00	1.50	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-47-23	198.00	199.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-47-23	199.00	200.00	1.00	<1.0	<0.01	<0.01	0.04	<0.01	<1.0	0.01
BR-47-23	200.00	201.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-47-23	201.00	202.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-47-23	202.00	203.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-47-23	203.00	204.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-47-23	204.00	205.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-47-23	205.00	206.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.02
BR-47-23	206.00	207.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.02
BR-47-23	207.00	208.90	1.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.02
BR-47-23	208.90	209.80	0.90	<1.0	0.01	0.01	<0.01	<0.01	<1.0	0.03
BR-47-23	209.80	211.00	1.20	<1.0	0.01	0.03	0.02	0.01	<1.0	0.04
BR-47-23	211.00	211.80	0.80	<1.0	<0.01	0.02	<0.01	<0.01	<1.0	0.02
BR-47-23	211.80	212.60	0.80	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	0.03
BR-47-23	212.60	213.80	1.20	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	0.02
BR-47-23	213.80	214.80	1.00	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	0.02
BR-47-23	214.80	215.40	0.60	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	0.02
BR-47-23	215.40	216.50	1.10	<1.0	<0.01	<0.01	0.04	<0.01	<1.0	0.02
BR-47-23	216.50	217.70	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.02
BR-47-23	217.70	218.90	1.20	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	0.03
BR-47-23	218.90	220.00	1.10	<1.0	<0.01	0.06	<0.01	0.02	<1.0	0.04
BR-47-23	220.00	221.00	1.00	<1.0	0.01	0.07	0.03	0.01	<1.0	0.08
BR-47-23	221.00	222.00	1.00	<1.0	<0.01	0.03	<0.01	0.00	<1.0	0.04
BR-47-23	222.00	222.80	0.80	<1.0	0.00	0.04	<0.01	0.01	<1.0	0.03
BR-47-23	222.80	223.70	0.90	<1.0	2.01	0.12	<0.01	0.01	5.8	0.10
BR-47-23	223.70	224.70	1.00	<1.0	0.51	0.15	0.01	0.02	6.7	0.08
BR-47-23	224.70	225.40	0.70	<1.0	0.06	0.06	<0.01	0.01	8.8	0.11
BR-47-23	225.40	226.40	1.00	<1.0	0.02	0.01	<0.01	0.00	1.6	0.06
BR-47-23	226.40	227.40	1.00	<1.0	0.01	0.04	0.02	0.01	1.8	0.05
BR-47-23	227.40	228.20	0.80	<1.0	0.02	0.01	0.00	<0.01	36.7	0.01
BR-47-23	228.20	228.80	0.60	<1.0	0.02	0.05	0.09	0.01	13.7	0.03
BR-47-23	228.80	229.80	1.00	<1.0	<0.01	0.03	0.01	0.00	1.8	0.06
BR-47-23	229.80	230.40	0.60	<1.0	0.04	0.08	<0.01	0.01	<1.0	0.04
BR-47-23	230.40	231.20	0.80	<1.0	0.02	0.14	<0.01	0.01	1.6	0.03
BR-47-23	231.20	232.00	0.80	<1.0	<0.01	<0.01	<0.01	0.01	<1.0	0.02





Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)
BR-47-23	232.00	233.00	1.00	<1.0	<0.01	<0.01	<0.01	0.01	<1.0	0.01
BR-47-23	233.00	234.00	1.00	<1.0	<0.01	<0.01	0.01	0.04	<1.0	0.02
BR-47-23	234.00	235.00	1.00	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	0.01
BR-47-23	235.00	236.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-47-23	236.00	237.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-47-23	237.00	238.00	1.00	<1.0	<0.01	<0.01	<0.01	0.01	<1.0	0.01
BR-47-23	238.00	239.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-47-23	239.00	240.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-47-23	240.00	241.10	1.10	<1.0	0.01	<0.01	<0.01	0.01	<1.0	0.01
BR-47-23	241.10	243.20	2.10	4.0	0.02	0.09	0.05	0.02	11.0	0.01
BR-47-23	243.20	244.10	0.90	140.0	2.11	1.46	0.44	0.06	84.9	0.03
BR-47-23	244.10	245.00	0.90	1,140.0	2.60	5.06	0.97	0.61	72.4	0.11
BR-47-23	245.00	246.00	1.00	344.0	3.49	2.33	0.57	0.17	82.3	<0.01
BR-47-23	246.00	247.00	1.00	166.0	7.48	2.96	0.54	0.14	78.0	0.05
BR-47-23	247.00	247.90	0.90	237.0	4.10	2.15	0.44	0.13	84.9	0.03
BR-47-23	247.90	248.60	0.70	211.0	1.11	1.81	0.24	0.09	84.9	0.01
BR-47-23	248.60	249.40	0.80	372.0	2.93	4.92	0.67	0.16	78.4	0.04
BR-47-23	249.40	250.10	0.70	680.0	5.84	6.33	0.74	0.14	72.1	0.09
BR-47-23	250.10	250.80	0.70	389.0	1.80	2.26	0.16	0.07	75.8	<0.01
BR-47-23	250.80	251.80	1.00	33.0	0.08	0.03	0.04	0.00	84.9	<0.01
BR-47-23	251.80	252.40	0.60	492.0	2.42	2.15	0.21	0.10	84.9	0.02
BR-47-23	252.40	253.00	0.60	734.0	10.36	5.20	0.85	0.18	67.8	0.07
BR-47-23	253.00	254.00	1.00	468.0	9.34	4.55	0.80	0.13	70.9	0.05
BR-47-23	254.00	255.00	1.00	530.0	3.56	4.29	0.42	0.23	79.0	0.07
BR-47-23	255.00	256.00	1.00	927.0	2.51	2.91	0.79	0.25	84.9	0.02
BR-47-23	256.00	257.00	1.00	263.0	3.57	3.99	0.95	0.28	80.2	0.01
BR-47-23	257.00	258.00	1.00	601.0	3.16	2.92	0.91	0.23	84.0	0.08
BR-47-23	258.00	259.00	1.00	620.0	7.95	5.46	1.08	0.30	71.5	0.10
BR-47-23	259.00	260.00	1.00	141.0	8.85	4.64	1.16	0.21	74.8	0.03
BR-47-23	260.00	261.00	1.00	111.0	8.40	2.98	1.02	0.16	79.1	0.03
BR-47-23	261.00	262.00	1.00	85.0	8.65	3.64	0.96	0.19	75.8	0.02
BR-47-23	262.00	263.00	1.00	129.0	9.48	4.65	1.15	0.26	68.1	0.04
BR-47-23	263.00	263.80	0.80	114.0	9.34	5.06	0.85	0.23	70.7	0.05
BR-47-23	263.80	264.80	1.00	266.0	21.75	17.81	1.80	1.13	25.5	0.10
BR-47-23	264.80	265.80	1.00	103.0	7.60	4.19	1.59	0.33	70.9	0.04
BR-47-23	265.80	266.80	1.00	209.0	16.67	11.45	1.41	0.74	45.9	0.06
BR-47-23	266.80	267.80	1.00	85.0	10.64	4.44	1.27	0.21	73.6	0.03
BR-47-23	267.80	268.70	0.90	87.0	10.78	4.77	1.05	0.24	67.2	0.03
BR-47-23	268.70	269.30	0.60	154.0	7.36	4.80	1.22	0.35	73.9	0.01
BR-47-23	269.30	270.00	0.70	234.0	11.86	12.90	4.20	0.70	47.4	0.03
BR-47-23	270.00	270.70	0.70	195.0	15.39	7.83	1.66	0.57	53.5	0.16
BR-47-23	270.70	271.10	0.40	89.0	7.03	5.40	0.66	0.73	13.8	0.13
BR-47-23	271.10	272.00	0.90	277.0	30.19	16.13	1.10	3.88	15.8	0.37
BR-47-23	272.00	272.70	0.70	209.0	37.77	13.27	0.79	2.81	14.1	0.58
BR-47-23	272.70	273.80	1.10	16.0	1.24	0.39	0.10	0.25	1.1	0.10
BR-47-23	273.80	274.80	1.00	<1.0	0.04	<0.01	0.00	<0.01	<1.0	<0.01
BR-47-23	274.80	275.70	0.90	<1.0	0.01	<0.01	0.00	<0.01	<1.0	<0.01
BR-47-23	275.70	276.80	1.10	<1.0	0.02	<0.01	0.04	<0.01	<1.0	<0.01
BR-47-23	276.80	277.50	0.70	2.0	0.02	0.02	0.05	<0.01	<1.0	<0.01
BR-47-23	277.50	278.50	1.00	7.0	0.11	0.28	0.02	0.04	1.2	0.01
BR-47-23	278.50	279.50	1.00	14.0	0.23	1.65	0.03	0.07	<1.0	0.02
BR-47-23	279.50	280.50	1.00	35.0	2.80	0.42	0.05	0.55	1.1	0.25
BR-47-23	280.50	281.80	1.30	128.0	2.33	2.15	0.26	1.36	1.4	0.64
BR-47-23	281.80	282.80	1.00	1.0	0.06	0.02	0.05	0.00	1.1	0.00
BR-47-23	282.80	284.00	1.20	85.0	0.86	0.35	0.09	0.91	8.5	0.39
BR-47-23	284.00	285.00	1.00	3.0	0.02	0.01	0.05	0.02	2.8	<0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)
BR-47-23	285.00	286.00	1.00	5.0	0.44	0.07	0.09	0.01	1.0	<0.01
BR-47-23	286.00	287.00	1.00	<1.0	0.00	<0.01	0.02	<0.01	<1.0	<0.01
BR-47-23	287.00	288.00	1.00	<1.0	<0.01	<0.01	0.01	<0.01	1.0	<0.01
BR-47-23	288.00	289.00	1.00	<1.0	0.04	0.01	0.04	<0.01	<1.0	<0.01
BR-47-23	289.00	290.00	1.00	2.0	0.15	0.07	0.04	<0.01	1.1	<0.01
BR-47-23	290.00	291.00	1.00	<1.0	0.03	<0.01	0.04	<0.01	<1.0	<0.01
BR-47-23	291.00	292.00	1.00	<1.0	0.04	0.01	0.06	<0.01	<1.0	<0.01
BR-47-23	292.00	293.00	1.00	<1.0	0.07	0.01	0.05	<0.01	<1.0	<0.01
BR-47-23	293.00	294.00	1.00	<1.0	0.06	<0.01	0.04	<0.01	<1.0	0.01
BR-47-23	294.00	295.00	1.00	<1.0	0.15	0.02	0.04	<0.01	<1.0	<0.01
BR-47-23	295.00	296.00	1.00	<1.0	0.00	0.00	0.02	<0.01	<1.0	<0.01
BR-47-23	296.00	297.00	1.00	3.0	0.20	0.05	0.04	<0.01	2.1	<0.01
BR-47-23	297.00	298.00	1.00	2.0	0.05	0.04	0.03	<0.01	<1.0	<0.01
BR-47-23	298.00	299.00	1.00	<1.0	0.14	0.02	0.05	<0.01	2.3	<0.01
BR-47-23	299.00	300.00	1.00	2.0	0.06	0.02	0.06	<0.01	<1.0	<0.01
BR-47-23	300.00	300.60	0.60	<1.0	0.02	<0.01	0.04	0.01	<1.0	<0.01
BR-47-23	300.60	301.30	0.70	164.0	1.68	0.79	0.14	5.29	7.7	4.46
BR-47-23	301.30	301.90	0.60	<1.0	0.08	0.04	0.06	0.01	<1.0	<0.01
BR-48-23	0.00	39.00	39.00	Interval not sampled						
BR-48-23	38.00	39.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	39.00	40.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	40.00	41.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	41.00	42.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	42.00	42.70	0.70	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	42.70	43.40	0.70	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	43.40	45.50	2.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	45.50	46.80	1.30	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	46.80	48.00	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	48.00	48.80	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	48.80	50.00	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	50.00	51.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	51.20	52.40	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	52.40	53.80	1.40	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	53.80	55.40	1.60	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	55.40	56.40	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	56.40	57.60	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	57.60	58.70	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	58.70	59.80	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	59.80	61.00	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	61.00	62.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	62.20	63.10	0.90	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	63.10	64.20	1.10	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	64.20	65.30	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	65.30	67.30	2.00	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	67.30	68.20	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	68.20	72.20	4.00	<1.0	0.01	0.04	<0.01	<0.01	<1.0	0.01
BR-48-23	72.20	73.20	1.00	Interval not sampled						
BR-48-23	73.20	75.80	2.60	<1.0	0.07	0.09	0.01	0.01	<1.0	0.02
BR-48-23	75.80	77.50	1.70	<1.0	0.02	0.06	<0.01	<0.01	5.9	0.02
BR-48-23	77.50	79.20	1.70	<1.0	0.02	0.03	0.02	<0.01	84.9	0.07
BR-48-23	79.20	80.20	1.00	4.0	0.05	0.12	0.18	0.02	2.2	0.01
BR-48-23	80.20	80.90	0.70	17.0	0.37	1.57	0.28	0.05	6.4	0.04
BR-48-23	80.90	81.60	0.70	60.0	0.36	0.13	0.30	0.08	6.6	0.08
BR-48-23	81.60	82.20	0.60	139.0	0.39	0.19	0.24	0.50	<1.0	0.3
BR-48-23	82.20	83.20	1.00	87.0	0.44	0.19	0.33	0.13	3.3	0.11
BR-48-23	83.20	83.80	0.60	46.0	0.39	0.16	0.36	0.50	20.2	0.33



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)
BR-48-23	83.80	84.80	1.00	85.0	0.40	0.15	0.24	0.28	8.9	0.23
BR-48-23	84.80	86.10	1.30	3.0	0.07	0.07	0.02	<0.01	1.5	0.01
BR-48-23	86.10	86.90	0.80	<1.0	0.02	<0.01	<0.01	<0.01	1.5	<0.01
BR-48-23	86.90	88.10	1.20	<1.0	<0.01	0.01	0.03	<0.01	<1.0	0.01
BR-48-23	88.10	89.10	1.00	<1.0	<0.01	<0.01	0.06	<0.01	1.6	<0.01
BR-48-23	89.10	89.70	0.60	<1.0	<0.01	<0.01	<0.01	<0.01	1.4	<0.01
BR-48-23	89.70	90.50	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	90.50	91.70	1.20	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-48-23	91.70	92.80	1.10	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	0.01
BR-48-23	92.80	94.00	1.20	<1.0	<0.01	<0.01	0.14	<0.01	<1.0	<0.01
BR-48-23	94.00	95.10	1.10	<1.0	<0.01	<0.01	0.11	<0.01	<1.0	<0.01
BR-48-23	95.10	96.00	0.90	<1.0	<0.01	<0.01	0.13	<0.01	1.3	<0.01
BR-48-23	96.00	96.80	0.80	<1.0	0.01	<0.01	0.14	0.20	40.9	0.09
BR-48-23	96.80	97.70	0.90	<1.0	<0.01	<0.01	0.08	0.03	2.7	0.02
BR-48-23	97.70	98.60	0.90	<1.0	0.01	<0.01	0.07	0.15	5.4	0.09
BR-48-23	98.60	99.80	1.20	<1.0	<0.01	<0.01	0.02	0.01	1.7	0.01
BR-48-23	99.80	101.00	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	101.00	102.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	102.00	102.70	0.70	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	102.70	103.80	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	103.80	105.00	1.20	<1.0	0.03	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	105.00	105.90	0.90	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	105.90	107.00	1.10	<1.0	0.02	<0.01	0.01	<0.01	<1.0	<0.01
BR-48-23	107.00	108.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	108.00	109.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	109.00	110.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	110.00	111.00	1.00	<1.0	0.02	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	111.00	112.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	112.00	113.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	113.00	114.00	1.00	17.0	0.35	0.09	<0.01	<0.01	<1.0	0.01
BR-48-23	114.00	114.70	0.70	3.0	0.03	0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	114.70	115.50	0.80	<1.0	0.09	0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	115.50	116.20	0.70	<1.0	0.03	0.02	<0.01	<0.01	<1.0	<0.01
BR-48-23	116.20	117.00	0.80	<1.0	0.06	0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	117.00	118.10	1.10	<1.0	0.16	0.02	<0.01	<0.01	<1.0	<0.01
BR-48-23	118.10	119.30	1.20	<1.0	0.13	0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	119.30	120.40	1.10	<1.0	0.12	0.02	<0.01	<0.01	<1.0	<0.01
BR-48-23	120.40	121.00	0.60	3.0	0.11	0.02	0.01	<0.01	<1.0	<0.01
BR-48-23	121.00	122.00	1.00	4.0	0.03	0.01	0.03	<0.01	<1.0	<0.01
BR-48-23	122.00	123.00	1.00	3.0	0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-48-23	123.00	124.00	1.00	35.0	2.02	0.39	0.16	0.01	<1.0	0.01
BR-48-23	124.00	124.90	0.90	<1.0	0.08	0.14	0.04	<0.01	1.2	<0.01
BR-48-23	124.90	125.70	0.80	<1.0	0.02	<0.01	<0.01	<0.01	<1.0	0.01
BR-48-23	125.70	126.40	0.70	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-48-23	126.40	127.60	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-48-23	127.60	128.60	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	128.60	129.50	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-48-23	129.50	130.50	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	130.50	131.30	0.80	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-48-23	131.30	132.40	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	132.40	133.50	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	133.50	134.50	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-48-23	134.50	135.50	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-48-23	135.50	137.00	1.50	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	137.00	138.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	138.00	139.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)
BR-48-23	139.00	140.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	140.00	141.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	141.00	142.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	142.00	143.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	143.00	144.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	144.00	145.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	145.20	146.30	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	146.30	147.00	0.70	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	147.00	148.00	1.00	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-48-23	148.00	149.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	149.00	150.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	150.00	151.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	151.00	152.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	152.20	153.00	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	153.00	154.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	154.00	155.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	155.00	156.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	156.00	157.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	157.00	158.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	158.00	159.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	159.00	160.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	160.00	161.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	161.00	162.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	162.00	163.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	163.20	164.10	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	164.10	165.10	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	165.10	166.20	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	166.20	167.60	1.40	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	167.60	168.60	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	168.60	169.80	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	169.80	171.00	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	171.00	172.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	172.00	173.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	173.20	174.10	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	174.10	175.20	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	175.20	176.20	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	176.20	177.00	0.80	2.0	<0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-48-23	177.00	178.00	1.00	<1.0	<0.01	<0.01	0.05	<0.01	2.6	<0.01
BR-48-23	178.00	179.00	1.00	<1.0	<0.01	<0.01	0.02	<0.01	76.1	<0.01
BR-48-23	179.00	180.00	1.00	<1.0	<0.01	0.01	0.02	<0.01	84.9	<0.01
BR-48-23	180.00	180.50	0.50	<1.0	<0.01	<0.01	0.02	<0.01	79.2	<0.01
BR-48-23	180.50	181.50	1.00	25.0	0.21	1.78	0.35	0.04	6.5	0.01
BR-48-23	181.50	182.50	1.00	211.0	0.27	7.40	2.02	0.07	62.8	0.01
BR-48-23	182.50	183.50	1.00	393.0	18.28	13.27	5.26	0.78	35.0	0.02
BR-48-23	183.50	184.50	1.00	261.0	18.52	9.21	2.99	0.61	44.6	0.06
BR-48-23	184.50	185.50	1.00	295.0	27.32	12.24	2.69	0.76	29.6	0.08
BR-48-23	185.50	186.50	1.00	156.0	16.27	8.94	1.54	0.75	49.6	0.05
BR-48-23	186.50	187.50	1.00	324.0	24.17	10.54	3.53	1.20	33.6	0.06
BR-48-23	187.50	188.50	1.00	215.0	12.95	5.31	1.36	0.47	62.9	0.06
BR-48-23	188.50	189.30	0.80	475.0	21.09	8.77	2.48	0.85	47.0	0.13
BR-48-23	189.30	189.90	0.60	217.0	10.57	5.54	1.33	0.45	61.8	0.06
BR-48-23	189.90	190.40	0.50	331.0	17.51	11.06	0.78	1.47	7.2	0.32
BR-48-23	190.40	190.80	0.40	89.0	10.84	5.30	0.24	0.42	5.6	0.09
BR-48-23	190.80	191.60	0.80	40.0	2.07	3.00	0.27	0.3	<1.0	0.03
BR-48-23	191.60	192.60	1.00	60.0	2.97	2.65	0.33	0.22	2.6	0.04
BR-48-23	192.60	193.50	0.90	410.0	14.53	19.17	0.60	4.41	<1.0	0.36



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)
BR-48-23	193.50	193.90	0.40	671.0	5.89	13.76	0.54	9.20	<1.0	0.58
BR-48-23	193.90	194.50	0.60	80.0	2.66	1.89	0.71	0.46	10.3	0.07
BR-48-23	194.50	195.50	1.00	66.0	3.03	1.38	0.55	0.22	14.2	0.04
BR-48-23	195.50	196.40	0.90	410.0	20.45	7.33	1.28	0.41	14.2	0.13
BR-48-23	196.40	197.40	1.00	28.0	2.06	0.76	0.43	0.09	4.5	0.02
BR-48-23	197.40	198.20	0.80	86.0	13.06	6.09	1.47	0.71	<1.0	0.06
BR-48-23	198.20	198.90	0.70	82.0	11.88	9.18	3.59	1.34	<1.0	0.07
BR-48-23	198.90	199.40	0.50	100.0	1.36	2.51	0.38	4.07	<1.0	0.14
BR-48-23	199.40	200.10	0.70	21.0	2.39	1.30	0.97	0.39	<1.0	0.03
BR-48-23	200.10	200.80	0.70	9.0	0.48	0.15	0.09	0.04	<1.0	0.01
BR-48-23	200.80	201.20	0.40	52.0	4.21	2.09	0.37	0.11	1.8	0.04
BR-48-23	201.20	202.00	0.80	6.0	0.94	0.04	0.04	0.01	<1.0	<0.01
BR-48-23	202.00	203.00	1.00	4.0	1.22	0.07	0.04	0.04	<1.0	0.01
BR-48-23	203.00	203.70	0.70	<1.0	0.37	0.01	0.03	0.03	<1.0	0.02
BR-48-23	203.70	204.80	1.10	3.0	0.06	<0.01	0.04	0.01	<1.0	0.01
BR-48-23	204.80	206.00	1.20	4.0	0.01	0.01	0.06	0.01	<1.0	0.01
BR-48-23	206.00	207.00	1.00	<1.0	0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-48-23	207.00	208.00	1.00	<1.0	<0.01	<0.01	0.02	<0.01	1.1	<0.01
BR-48-23	208.00	209.00	1.00	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-48-23	209.00	210.00	1.00	<1.0	0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-48-23	210.00	211.00	1.00	<1.0	0.06	0.03	0.06	<0.01	1.5	<0.01
BR-48-23	211.00	212.20	1.20	2.0	0.01	0.02	0.09	0.02	<1.0	0.02
BR-49-23	0.00	88.20	88.20	Interval not sampled						
BR-49-23	88.20	89.00	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	89.00	90.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	90.00	91.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	91.00	93.00	2.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	93.00	94.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	94.00	95.10	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	95.10	96.40	1.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	96.40	97.50	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	97.50	98.50	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	98.50	99.50	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	99.50	100.70	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	100.70	102.80	2.10	<1.0	0.02	0.04	<0.01	0.04	<1.0	0.02
BR-49-23	102.80	104.00	1.20	<1.0	0.18	0.37	<0.01	0.01	<1.0	0.01
BR-49-23	104.00	105.00	1.00	<1.0	0.04	0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	105.00	106.30	1.30	<1.0	0.43	0.47	<0.01	0.02	<1.0	0.01
BR-49-23	106.30	107.20	0.90	<1.0	0.02	0.63	<0.01	0.03	<1.0	0.03
BR-49-23	107.20	109.30	2.10	<1.0	0.02	0.02	<0.01	0.03	<1.0	0.04
BR-49-23	109.30	110.70	1.40	<1.0	0.02	0.04	<0.01	0.01	<1.0	0.02
BR-49-23	110.70	111.90	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	111.90	112.50	0.60	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	112.50	113.50	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	113.50	114.30	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	114.30	115.30	1.00	5.0	0.12	0.11	0.04	0.01	<1.0	0.01
BR-49-23	115.30	116.20	0.90	12.0	0.10	0.07	0.22	0.11	4.2	0.09
BR-49-23	116.20	117.20	1.00	12.0	0.11	0.12	0.16	0.31	48.4	0.18
BR-49-23	117.20	118.10	0.90	70.0	1.79	2.34	0.36	0.57	13.9	0.63
BR-49-23	118.10	119.00	0.90	8.0	0.15	0.14	0.06	0.09	1.3	0.1
BR-49-23	119.00	120.00	1.00	<1.0	0.07	0.02	0.01	0.01	<1.0	0.01
BR-49-23	120.00	121.00	1.00	<1.0	0.05	0.05	0.01	0.01	<1.0	0.01
BR-49-23	121.00	122.00	1.00	<1.0	0.02	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	122.00	123.00	1.00	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	123.00	124.00	1.00	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	124.00	125.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)
BR-49-23	125.00	125.90	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	125.90	126.50	0.60	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	126.50	127.50	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	127.50	128.50	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	128.50	129.50	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	129.50	130.50	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	130.50	131.50	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	131.50	132.50	1.00	<1.0	0.03	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	132.50	133.70	1.20	<1.0	0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	133.70	134.80	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	134.80	136.00	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	136.00	137.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	137.00	137.80	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.02
BR-49-23	137.80	139.00	1.20	<1.0	0.02	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	139.00	140.20	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	140.20	140.80	0.60	<1.0	0.06	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	140.80	142.00	1.20	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	142.00	143.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	143.00	144.00	1.00	<1.0	0.03	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	144.00	145.00	1.00	<1.0	0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	145.00	146.00	1.00	<1.0	0.03	0.02	<0.01	<0.01	<1.0	<0.01
BR-49-23	146.00	147.00	1.00	<1.0	0.02	0.02	<0.01	<0.01	<1.0	<0.01
BR-49-23	147.00	148.00	1.00	<1.0	0.02	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	148.00	148.60	0.60	2.0	0.04	0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	148.60	149.80	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	149.80	150.80	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	150.80	151.80	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	151.80	153.70	1.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	153.70	155.00	1.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	155.00	157.40	2.40	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	157.40	159.90	2.50	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	159.90	161.20	1.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	161.20	162.70	1.50	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	162.70	164.90	2.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	164.90	165.70	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	165.70	166.50	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	166.50	167.70	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	167.70	168.80	1.10	<1.0	<0.01	<0.01	<0.01	0.01	<1.0	<0.01
BR-49-23	168.80	170.00	1.20	<1.0	<0.01	<0.01	<0.01	0.01	<1.0	<0.01
BR-49-23	170.00	171.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	171.00	172.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	172.00	173.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	173.00	174.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	174.00	175.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	175.00	176.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	176.00	177.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	177.00	178.00	1.00	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-49-23	178.00	179.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	179.00	180.00	1.00	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-49-23	180.00	181.10	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-49-23	181.10	182.40	1.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	182.40	184.20	1.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	184.20	185.20	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	185.20	186.20	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	186.20	187.00	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	187.00	188.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)
BR-49-23	188.00	189.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	189.00	190.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	190.00	191.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	191.20	192.40	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	192.40	193.60	1.20	<1.0	<0.01	<0.01	<0.01	0.01	<1.0	0.01
BR-49-23	193.60	194.50	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	63.3	<0.01
BR-49-23	194.50	195.20	0.70	<1.0	<0.01	<0.01	<0.01	<0.01	74.4	<0.01
BR-49-23	195.20	196.20	1.00	<1.0	<0.01	0.02	<0.01	<0.01	69.4	<0.01
BR-49-23	196.20	197.00	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	78.9	<0.01
BR-49-23	197.00	198.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	84.9	<0.01
BR-49-23	198.00	198.80	0.80	<1.0	<0.01	0.01	0.01	<0.01	83.0	<0.01
BR-49-23	198.80	199.60	0.80	<1.0	<0.01	0.03	0.04	<0.01	84.2	<0.01
BR-49-23	199.60	200.40	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	84.9	<0.01
BR-49-23	200.40	200.90	0.50	3.0	0.09	0.41	0.07	0.02	15.0	0.01
BR-49-23	200.90	201.60	0.70	7.0	0.23	4.55	0.46	0.03	74.8	0.01
BR-49-23	201.60	202.30	0.70	123.0	0.24	6.88	4.86	0.10	72.6	0.02
BR-49-23	202.30	203.00	0.70	1,560.0	11.88	9.52	8.33	1.87	44.3	0.3
BR-49-23	203.00	203.70	0.70	349.0	6.21	3.82	3.26	0.29	65.7	0.11
BR-49-23	203.70	204.70	1.00	164.0	2.90	1.81	2.09	0.16	67.7	0.12
BR-49-23	204.70	205.70	1.00	3.0	0.03	0.04	<0.01	<0.01	3.7	0.02
BR-49-23	205.70	206.30	0.60	27.0	0.70	0.20	0.12	<0.01	<1.0	0.06
BR-49-23	206.30	207.20	0.90	97.0	0.82	0.40	0.07	0.01	4.6	0.03
BR-49-23	207.20	207.80	0.60	<1.0	0.03	0.01	<0.01	<0.01	<1.0	0.01
BR-49-23	207.80	209.00	1.20	<1.0	0.06	<0.01	0.02	<0.01	<1.0	0.02
BR-49-23	209.00	209.80	0.80	3.0	0.12	0.06	0.05	<0.01	<1.0	0.01
BR-49-23	209.80	210.60	0.80	9.0	0.25	0.07	0.10	0.03	1.1	0.03
BR-49-23	210.60	211.30	0.70	8.0	0.26	0.15	0.09	0.01	2.0	0.01
BR-49-23	211.30	212.10	0.80	4.0	0.04	0.05	0.05	<0.01	<1.0	0.01
BR-49-23	212.10	212.90	0.80	5.0	0.21	0.05	0.09	<0.01	2.1	0.01
BR-49-23	212.90	214.00	1.10	<1.0	0.03	0.01	0.05	<0.01	1.5	0.01
BR-49-23	214.00	215.00	1.00	4.0	0.04	0.03	0.02	0.03	4.0	0.03
BR-49-23	215.00	216.00	1.00	<1.0	0.03	0.02	0.01	0.01	<1.0	0.01
BR-49-23	216.00	217.00	1.00	<1.0	0.04	0.01	0.01	<0.01	<1.0	<0.01
BR-49-23	217.00	217.60	0.60	9.0	0.05	0.04	0.02	0.06	<1.0	0.05
BR-49-23	217.60	218.40	0.80	62.0	0.10	0.06	0.09	0.04	<1.0	0.03
BR-49-23	218.40	219.60	1.20	34.0	0.11	0.03	0.06	0.01	1.7	0.01
BR-49-23	219.60	220.80	1.20	160.0	0.07	0.03	0.06	0.02	<1.0	0.03
BR-49-23	220.80	222.00	1.20	8.0	0.04	0.01	0.04	<0.01	<1.0	<0.01
BR-49-23	222.00	223.00	1.00	20.0	0.07	0.05	0.09	<0.01	7.7	<0.01
BR-49-23	223.00	224.00	1.00	8.0	0.05	0.05	0.09	<0.01	<1.0	<0.01
BR-49-23	224.00	224.60	0.60	6.0	0.38	0.09	0.12	<0.01	3.3	<0.01
BR-49-23	224.60	225.60	1.00	23.0	0.81	0.26	0.12	0.02	2.8	0.01
BR-49-23	225.60	226.20	0.60	10.0	0.68	0.17	0.19	<0.01	7.9	<0.01
BR-49-23	226.20	227.00	0.80	7.0	0.16	0.08	0.05	0.01	<1.0	0.01
BR-49-23	227.00	227.80	0.80	4.0	0.17	0.07	0.05	<0.01	<1.0	<0.01
BR-49-23	227.80	228.40	0.60	262.0	12.8	4.77	0.13	0.51	2.2	0.34
BR-49-23	228.40	229.10	0.70	124.0	2.13	0.87	0.24	0.20	7.2	0.13
BR-49-23	229.10	230.00	0.90	6.0	0.05	0.03	0.07	0.01	<1.0	0.01
BR-49-23	230.00	231.00	1.00	3.0	0.07	0.08	0.03	<0.01	<1.0	<0.01
BR-49-23	231.00	232.10	1.10	150.0	5.73	0.93	0.09	0.51	1.5	0.38
BR-49-23	232.10	233.20	1.10	16.0	1.54	0.69	0.06	0.06	1.3	0.04
BR-49-23	233.20	233.90	0.70	<1.0	0.04	0.07	0.07	<0.01	<1.0	<0.01
BR-49-23	233.90	235.00	1.10	3.0	0.25	0.05	0.05	0.01	<1.0	0.01
BR-49-23	235.00	236.00	1.00	7.0	0.08	0.07	0.04	0.02	<1.0	0.02
BR-49-23	236.00	237.00	1.00	2.0	<0.01	<0.01	0.07	<0.01	<1.0	<0.01
BR-49-23	237.00	238.00	1.00	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01





Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)
BR-49-23	238.00	239.00	1.00	<1.0	<0.01	<0.01	0.04	<0.01	<1.0	<0.01
BR-49-23	239.00	240.00	1.00	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-49-23	240.00	241.00	1.00	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-49-23	241.00	242.00	1.00	<1.0	<0.01	<0.01	0.05	0.01	<1.0	0.01
BR-49-23	242.00	243.00	1.00	2.0	0.24	0.20	0.13	0.02	<1.0	0.01
BR-49-23	243.00	244.00	1.00	5.0	0.14	0.08	0.03	0.02	<1.0	0.01
BR-49-23	244.00	245.00	1.00	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-49-23	245.00	246.00	1.00	<1.0	<0.01	0.03	0.04	<0.01	<1.0	<0.01
BR-49-23	246.00	247.00	1.00	5.0	0.42	0.33	0.23	0.02	1.3	<0.01
BR-49-23	247.00	248.00	1.00	<1.0	<0.01	<0.01	0.12	<0.01	<1.0	<0.01
BR-49-23	248.00	249.00	1.00	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	0.01
BR-49-23	249.00	250.00	1.00	<1.0	0.01	<0.01	0.03	0.01	<1.0	<0.01
BR-49-23	250.00	251.00	1.00	<1.0	0.01	0.01	0.04	<0.01	<1.0	<0.01
BR-49-23	251.00	252.00	1.00	69.0	0.84	0.94	0.10	0.13	1.1	0.02
BR-49-23	252.00	253.00	1.00	<1.0	0.01	0.01	0.05	<0.01	<1.0	<0.01
BR-49-23	253.00	254.00	1.00	3.0	0.29	0.09	0.1	0.01	<1.0	<0.01
BR-49-23	254.00	255.00	1.00	5.0	0.34	0.19	0.06	0.02	2.2	0.02
BR-49-23	255.00	256.00	1.00	3.0	0.17	0.05	0.05	0.01	<1.0	0.01
BR-49-23	256.00	257.00	1.00	4.0	0.18	0.10	0.04	0.05	<1.0	0.02
BR-49-23	257.00	258.00	1.00	5.0	0.59	0.19	0.05	0.04	1.3	0.02
BR-49-23	258.00	258.70	0.70	6.0	0.37	0.23	0.11	0.06	<1.0	0.03
BR-49-23	258.70	259.80	1.10	<1.0	0.09	0.08	0.04	<0.01	<1.0	<0.01
BR-49-23	259.80	261.00	1.20	7.0	0.45	0.48	0.02	0.01	<1.0	0.01
BR-49-23	261.00	262.00	1.00	14.0	0.42	0.21	0.06	0.07	1.2	0.04
BR-49-23	262.00	263.00	1.00	79.0	2.88	1.46	0.14	0.39	2.9	0.17
BR-49-23	263.00	264.00	1.00	4.0	0.09	0.05	0.06	<0.01	<1.0	<0.01
BR-49-23	264.00	265.00	1.00	9.0	0.72	0.30	0.15	0.02	<1.0	0.01
BR-49-23	265.00	266.00	1.00	<1.0	0.04	0.09	0.03	<0.01	<1.0	<0.01
BR-49-23	266.00	267.00	1.00	<1.0	0.03	0.01	0.03	<0.01	<1.0	<0.01
BR-49-23	267.00	268.00	1.00	<1.0	0.30	0.04	0.10	<0.01	<1.0	<0.01
BR-49-23	268.00	268.90	0.90	3.0	0.28	0.17	0.09	<0.01	<1.0	<0.01
BR-49-23	268.90	270.00	1.10	<1.0	0.02	0.02	0.02	<0.01	<1.0	<0.01
BR-49-23	270.00	271.00	1.00	<1.0	0.11	0.04	0.15	<0.01	<1.0	<0.01
BR-49-23	271.00	272.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	272.00	273.00	1.00	<1.0	<0.01	0.01	0.05	<0.01	<1.0	<0.01
BR-49-23	273.00	274.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	274.00	275.00	1.00	<1.0	<0.01	<0.01	0.05	<0.01	1.2	<0.01
BR-49-23	275.00	276.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	276.00	277.00	1.00	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-49-23	277.00	278.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	278.00	279.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	279.00	280.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	280.00	281.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	281.00	282.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	282.00	283.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	283.00	284.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	284.00	285.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	285.00	286.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	286.00	287.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	287.00	288.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	288.00	289.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	289.00	290.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	290.00	291.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	291.00	292.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	292.00	293.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-49-23	293.00	294.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)		
BR-49-23	294.00	295.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-49-23	295.00	296.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-49-23	296.00	297.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-49-23	297.00	298.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-49-23	298.00	299.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-49-23	299.20	300.40	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	1.4	<0.01		
BR-49-23	300.40	301.50	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-49-23	301.50	302.50	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-49-23	302.50	303.50	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	1.1	<0.01		
BR-49-23	303.50	304.50	1.00	<1.0	<0.01	<0.01	0.04	<0.01	1.3	<0.01		
BR-49-23	304.50	305.40	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-49-23	305.40	306.60	1.20	2.0	0.08	0.04	0.07	<0.01	<1.0	<0.01		
BR-49-23	306.60	307.80	1.20	<1.0	0.15	0.05	0.03	<0.01	<1.0	<0.01		
BR-49-23	307.80	309.00	1.20	<1.0	<0.01	<0.01	0.02	<0.01	4.0	<0.01		
BR-49-23	309.00	310.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-49-23	310.00	310.80	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-49-23	310.80	311.60	0.80	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01		
BR-49-23	311.60	312.30	0.70	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01		
BR-49-23	312.30	313.00	0.70	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01		
BR-49-23	313.00	314.00	1.00	<1.0	0.01	<0.01	0.02	<0.01	1.2	<0.01		
BR-49-23	314.00	315.00	1.00	<1.0	<0.01	0.01	0.03	<0.01	<1.0	<0.01		
BR-49-23	315.00	315.90	0.90	2.0	<0.01	0.01	0.03	<0.01	<1.0	<0.01		
BR-49-23	315.90	317.00	1.10	<1.0	0.01	<0.01	0.01	<0.01	<1.0	<0.01		
BR-49-23	317.00	318.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-49-23	318.00	319.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-49-23	319.00	320.00	1.00	<1.0	<0.01	0.03	0.04	0.01	<1.0	<0.01		
BR-49-23	320.00	321.00	1.00	5.0	<0.01	0.89	0.09	<0.01	<1.0	<0.01		
BR-49-23	321.00	321.80	0.80	<1.0	<0.01	0.01	0.12	<0.01	<1.0	<0.01		
BR-49-23	321.80	323.00	1.20	<1.0	<0.01	<0.01	0.06	<0.01	<1.0	<0.01		
BR-49-23	323.00	324.00	1.00	<1.0	0.44	0.10	0.09	<0.01	<1.0	<0.01		
BR-49-23	324.00	325.00	1.00	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01		
BR-49-23	325.00	326.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-49-23	326.00	327.00	1.00	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01		
BR-49-23	327.00	328.00	1.00	<1.0	<0.01	<0.01	0.08	<0.01	<1.0	<0.01		
BR-49-23	328.00	329.20	1.20	<1.0	<0.01	<0.01	0.05	<0.01	<1.0	<0.01		
BR-49-23	329.20	330.40	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-49-23	330.40	331.50	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-49-23	331.50	332.60	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-49-23	332.60	333.80	1.20	<1.0	0.01	<0.01	0.08	<0.01	<1.0	<0.01		
BR-49-23	333.80	335.00	1.20	<1.0	<0.01	<0.01	0.09	<0.01	<1.0	<0.01		
BR-49-23	335.00	336.00	1.00	<1.0	<0.01	<0.01	0.09	<0.01	<1.0	<0.01		
BR-49-23	336.00	337.00	1.00	<1.0	<0.01	<0.01	0.04	<0.01	<1.0	<0.01		
BR-49-23	337.00	338.00	1.00	<1.0	<0.01	<0.01	0.05	<0.01	<1.0	<0.01		
BR-49-23	338.00	339.00	1.00	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	<0.01		
BR-49-23	339.00	340.00	1.00	<1.0	0.02	<0.01	0.04	<0.01	<1.0	0.02		
BR-49-23	340.00	341.00	1.00	<1.0	0.09	0.02	0.03	<0.01	<1.0	0.01		
BR-49-23	341.00	342.00	1.00	<1.0	<0.01	<0.01	0.04	<0.01	<1.0	<0.01		
BR-49-23	342.00	343.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-49-23	343.00	344.00	1.00	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01		
BR-49-23	344.00	345.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-49-23	345.00	346.00	1.00	<1.0	0.06	<0.01	<0.01	0.01	<1.0	<0.01		
BR-49-23	346.00	347.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-49-23	347.00	348.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-49-23	348.00	349.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-49-23	349.00	350.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-51-23	0.00	46.60	46.60	Interval not sampled								



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)
BR-51-23	46.60	47.50	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	47.50	48.50	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	48.50	49.70	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	49.70	50.90	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	50.90	52.00	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	52.00	53.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	53.00	54.10	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	54.10	55.70	1.60	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	55.70	56.80	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	56.80	58.40	1.60	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	58.40	59.50	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	59.50	61.00	1.50	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	61.00	62.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	62.20	63.90	1.70	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	63.90	65.10	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	65.10	66.00	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	66.00	67.10	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	67.10	69.60	2.50	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	69.60	71.60	2.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	71.60	73.10	1.50	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	73.10	74.10	1.00	<1.0	0.01	<0.01	<0.01	<0.01	2.6	<0.01
BR-51-23	74.10	75.00	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	75.00	76.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	76.00	77.10	1.10	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-51-23	77.10	78.40	1.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-51-23	78.40	79.70	1.30	<1.0	0.01	0.07	<0.01	0.01	<1.0	0.01
BR-51-23	79.70	81.60	1.90	<1.0	0.01	0.07	<0.01	0.01	<1.0	0.02
BR-51-23	81.60	84.30	2.70	<1.0	0.01	0.04	<0.01	0.01	<1.0	0.02
BR-51-23	84.30	87.50	3.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-51-23	87.50	88.80	1.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-51-23	88.80	90.00	1.20	<1.0	<0.01	0.02	0.02	<0.01	<1.0	0.01
BR-51-23	90.00	91.30	1.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	91.30	92.70	1.40	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-51-23	92.70	93.80	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	93.80	95.10	1.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-51-23	95.10	96.40	1.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-51-23	96.40	97.50	1.10	<1.0	0.01	0.04	<0.01	0.01	<1.0	0.02
BR-51-23	97.50	98.10	0.60	<1.0	0.01	0.05	<0.01	0.01	<1.0	0.02
BR-51-23	98.10	100.40	2.30	<1.0	0.01	0.01	0.05	<0.01	<1.0	0.03
BR-51-23	100.40	102.00	1.60	<1.0	0.01	0.03	<0.01	0.01	<1.0	0.02
BR-51-23	102.00	103.00	1.00	<1.0	0.01	0.01	<0.01	<0.01	<1.0	0.03
BR-51-23	103.00	104.00	1.00	<1.0	0.01	0.01	<0.01	<0.01	<1.0	0.03
BR-51-23	104.00	105.00	1.00	<1.0	0.01	0.06	<0.01	0.01	<1.0	0.03
BR-51-23	105.00	105.80	0.80	<1.0	0.01	0.03	<0.01	0.01	<1.0	0.03
BR-51-23	105.80	106.30	0.50	<1.0	<0.01	<0.01	0.03	<0.01	<1.0	0.02
BR-51-23	106.30	107.60	1.30	<1.0	<0.01	0.07	<0.01	0.01	<1.0	0.02
BR-51-23	107.60	108.80	1.20	<1.0	0.01	0.03	<0.01	0.01	<1.0	0.03
BR-51-23	108.80	110.10	1.30	<1.0	0.01	0.02	<0.01	<0.01	<1.0	0.03
BR-51-23	110.10	111.60	1.50	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	0.03
BR-51-23	111.60	113.10	1.50	<1.0	0.01	0.03	<0.01	0.01	<1.0	0.03
BR-51-23	113.10	114.20	1.10	<1.0	0.03	0.06	<0.01	0.01	<1.0	0.03
BR-51-23	114.20	115.00	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-51-23	115.00	116.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-51-23	116.00	117.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-51-23	117.00	118.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.02
BR-51-23	118.00	119.00	1.00	<1.0	0.02	0.03	0.01	0.01	<1.0	0.03



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)
BR-51-23	119.00	120.00	1.00	<1.0	0.01	0.05	<0.01	0.01	<1.0	0.03
BR-51-23	120.00	120.80	0.80	<1.0	0.01	0.03	<0.01	<0.01	<1.0	0.02
BR-51-23	120.80	122.40	1.60	<1.0	0.01	0.04	<0.01	0.01	<1.0	0.03
BR-51-23	122.40	123.80	1.40	<1.0	<0.01	<0.01	<0.01	0.01	<1.0	0.02
BR-51-23	123.80	125.00	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-51-23	125.00	126.10	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.02
BR-51-23	126.10	127.30	1.20	<1.0	<0.01	0.02	<0.01	<0.01	<1.0	0.03
BR-51-23	127.30	128.00	0.70	<1.0	0.05	0.02	0.01	0.01	<1.0	0.05
BR-51-23	128.00	128.50	0.50	<1.0	0.10	0.05	<0.01	<0.01	<1.0	0.09
BR-51-23	128.50	129.00	0.50	<1.0	0.09	0.03	<0.01	<0.01	<1.0	0.08
BR-51-23	129.00	129.70	0.70	<1.0	0.02	0.06	0.02	0.01	<1.0	0.23
BR-51-23	129.70	130.30	0.60	<1.0	0.40	0.05	0.03	0.01	<1.0	0.05
BR-51-23	130.30	130.80	0.50	<1.0	<0.01	0.01	<0.01	0.01	<1.0	0.03
BR-51-23	130.80	131.50	0.70	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	0.02
BR-51-23	131.50	132.60	1.10	<1.0	0.04	0.01	<0.01	<0.01	<1.0	0.01
BR-51-23	132.60	133.50	0.90	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	0.01
BR-51-23	133.50	134.50	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-51-23	134.50	135.30	0.80	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	135.30	136.30	1.00	<1.0	0.03	<0.01	<0.01	<0.01	<1.0	0.01
BR-51-23	136.30	137.10	0.80	<1.0	0.02	<0.01	<0.01	<0.01	1.6	<0.01
BR-51-23	137.10	139.00	1.90	2.0	0.07	0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	139.00	140.00	1.00	6.0	0.08	0.02	<0.01	<0.01	<1.0	<0.01
BR-51-23	140.00	140.50	0.50	6.0	0.08	0.06	0.01	<0.01	<1.0	<0.01
BR-51-23	140.50	141.50	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	141.50	143.00	1.50	3.0	0.02	0.03	0.02	<0.01	<1.0	<0.01
BR-51-23	143.00	146.10	3.10	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-51-23	146.10	147.50	1.40	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	147.50	149.00	1.50	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	149.00	150.90	1.90	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-51-23	150.90	153.00	2.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	153.00	155.00	2.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	155.00	157.60	2.60	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	157.60	160.00	2.40	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	160.00	161.20	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	161.20	162.20	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	162.20	163.00	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	163.00	164.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	164.00	165.50	1.50	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	165.50	167.10	1.60	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	167.10	169.10	2.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	169.10	170.70	1.60	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	170.70	172.20	1.50	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	172.20	174.00	1.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	174.00	175.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	175.00	176.10	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	176.10	178.20	2.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	178.20	179.10	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	179.10	181.10	2.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	181.10	182.00	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	182.00	185.00	3.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	185.00	188.10	3.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	188.10	190.30	2.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	190.30	191.90	1.60	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	191.90	193.30	1.40	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	193.30	194.60	1.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-51-23	194.60	195.00	0.40						Interval not sampled	



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)		
BR-51-23	195.00	198.60	3.60	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-51-23	198.60	200.10	1.50	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-51-23	200.10	201.80	1.70	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-51-23	201.80	203.00	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-51-23	203.00	203.80	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-51-23	203.80	206.10	2.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-51-23	206.10	207.80	1.70	Interval not sampled							<1.0	<0.01
BR-51-23	207.80	212.10	4.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-51-23	212.10	212.40	0.30	<1.0	0.01	0.01	<0.01	<0.01	51.4	<0.01		
BR-51-23	212.40	216.30	3.90	<1.0	0.08	0.07	0.03	0.01	<1.0	0.01		
BR-51-23	216.30	218.00	1.70	3.0	0.12	0.08	0.02	<0.01	1.2	0.06		
BR-51-23	218.00	219.40	1.40	<1.0	0.01	0.01	<0.01	<0.01	<1.0	0.01		
BR-51-23	219.40	221.10	1.70	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-51-23	221.10	222.00	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-51-23	222.00	223.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-51-23	223.00	224.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-51-23	224.00	225.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-51-23	225.00	226.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-51-23	226.00	227.00	1.00	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01		
BR-51-23	227.00	228.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-51-23	228.00	229.00	1.00	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	<0.01		
BR-51-23	229.00	230.00	1.00	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	<0.01		
BR-51-23	230.00	231.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-51-23	231.00	232.00	1.00	<1.0	<0.01	0.02	<0.01	<0.01	<1.0	<0.01		
BR-51-23	232.00	233.00	1.00	<1.0	0.01	0.01	<0.01	<0.01	<1.0	<0.01		
BR-51-23	233.00	234.00	1.00	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	<0.01		
BR-51-23	234.00	235.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-51-23	235.00	236.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-51-23	236.00	237.00	1.00	5.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-51-23	237.00	238.00	1.00	9.0	0.01	<0.01	<0.01	0.01	<1.0	0.01		
BR-51-23	238.00	239.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-51-23	239.00	240.00	1.00	8.0	0.01	<0.01	<0.01	0.01	<1.0	0.01		
BR-51-23	240.00	241.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-51-23	241.00	242.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-51-23	242.00	243.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-51-23	243.00	244.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-51-23	244.00	245.00	1.00	5.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-51-23	245.00	246.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-51-23	246.00	247.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-51-23	247.00	248.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-51-23	248.00	249.20	1.20	<1.0	<0.01	<0.01	0.05	<0.01	<1.0	<0.01		
BR-51-23	249.20	250.00	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-51-23	250.00	251.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-51-23	251.00	252.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-51-23	252.00	253.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-51-23	253.00	254.10	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-53-23	0.00	120.60	120.60	Interval not sampled							<1.0	<0.01
BR-53-23	120.60	121.60	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-53-23	121.60	122.60	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-53-23	122.60	123.60	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-53-23	123.60	124.20	0.60	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-53-23	124.20	125.20	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-53-23	125.20	126.10	0.90	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-53-23	126.10	126.90	0.80	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-53-23	126.90	128.00	1.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		
BR-53-23	128.00	129.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01		



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)
BR-53-23	129.00	130.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-53-23	130.00	131.00	1.00	<1.0	<0.01	<0.01	<0.01	0.01	<1.0	<0.01
BR-53-23	131.00	132.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-53-23	132.00	133.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-53-23	133.00	134.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-53-23	134.00	135.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-53-23	135.00	136.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-53-23	136.00	137.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-53-23	137.00	138.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-53-23	138.00	139.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-53-23	139.00	140.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-53-23	140.00	142.00	2.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-53-23	142.00	143.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-53-23	143.00	144.40	1.40	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-53-23	144.40	145.50	1.10	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-53-23	145.50	147.20	1.70	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-53-23	147.20	149.40	2.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-53-23	149.40	152.40	3.00	<1.0	0.01	0.03	<0.01	<0.01	<1.0	<0.01
BR-53-23	152.40	153.80	1.40	<1.0	0.03	0.07	0.02	0.04	<1.0	0.04
BR-53-23	153.80	155.10	1.30	<1.0	<0.01	0.02	<0.01	<0.01	<1.0	0.01
BR-53-23	155.10	156.00	0.90	<1.0	0.01	0.09	0.02	0.01	<1.0	0.02
BR-53-23	156.00	157.00	1.00	<1.0	0.01	0.03	<0.01	0.01	<1.0	0.01
BR-53-23	157.00	158.00	1.00	<1.0	0.01	0.01	<0.01	<0.01	<1.0	0.01
BR-53-23	158.00	159.30	1.30	<1.0	0.01	0.01	<0.01	<0.01	<1.0	0.01
BR-53-23	159.30	160.00	0.70	<1.0	0.01	0.02	<0.01	<0.01	<1.0	0.01
BR-53-23	160.00	161.00	1.00	<1.0	0.01	0.03	<0.01	<0.01	<1.0	0.01
BR-53-23	161.00	162.00	1.00	<1.0	0.01	0.05	<0.01	0.01	<1.0	0.02
BR-53-23	162.00	163.00	1.00	<1.0	<0.01	0.06	<0.01	0.01	<1.0	0.01
BR-53-23	163.00	164.00	1.00	<1.0	0.01	0.02	<0.01	0.01	<1.0	0.03
BR-53-23	164.00	165.00	1.00	<1.0	<0.01	0.03	<0.01	0.01	<1.0	0.03
BR-53-23	165.00	166.40	1.40	<1.0	0.01	0.02	<0.01	0.01	<1.0	0.04
BR-53-23	166.40	167.40	1.00	<1.0	0.01	0.14	<0.01	0.01	<1.0	0.02
BR-53-23	167.40	168.90	1.50	<1.0	0.06	0.13	0.03	0.01	<1.0	0.01
BR-53-23	168.90	170.80	1.90	14.0	0.19	0.15	0.11	0.07	1.6	0.05
BR-53-23	170.80	173.40	2.60	20.0	2.04	1.12	0.19	0.15	9.7	0.17
BR-53-23	173.40	175.80	2.40	9.0	0.73	0.48	0.14	0.05	2.7	0.07
BR-53-23	175.80	177.20	1.40	3.0	0.13	0.24	0.01	<0.01	<1.0	<0.01
BR-53-23	177.20	178.20	1.00	<1.0	0.02	0.07	<0.01	<0.01	<1.0	<0.01
BR-53-23	178.20	179.50	1.30	4.0	0.20	0.22	0.04	<0.01	<1.0	0.01
BR-53-23	179.50	180.50	1.00	<1.0	0.06	0.11	0.01	<0.01	<1.0	<0.01
BR-53-23	180.50	181.70	1.20	<1.0	<0.01	0.02	<0.01	<0.01	<1.0	<0.01
BR-53-23	181.70	182.60	0.90	<1.0	<0.01	0.06	<0.01	<0.01	<1.0	0.01
BR-53-23	182.60	183.50	0.90	<1.0	<0.01	0.09	<0.01	<0.01	<1.0	0.01
BR-53-23	183.50	184.20	0.70	<1.0	<0.01	0.06	0.02	<0.01	<1.0	0.01
BR-53-23	184.20	185.30	1.10	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-53-23	185.30	186.60	1.30	<1.0	<0.01	0.01	<0.01	<0.01	<1.0	0.01
BR-53-23	186.60	187.50	0.90	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-53-23	187.50	188.40	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-53-23	188.40	189.40	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-53-23	189.40	190.40	1.00	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-53-23	190.40	191.40	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-53-23	191.40	192.40	1.00	<1.0	0.04	<0.01	<0.01	<0.01	<1.0	<0.01
BR-53-23	192.40	193.40	1.00	<1.0	0.02	<0.01	<0.01	<0.01	<1.0	0.01
BR-53-23	193.40	194.40	1.00	<1.0	0.03	<0.01	<0.01	<0.01	<1.0	<0.01
BR-53-23	194.40	195.00	0.60	<1.0	0.09	<0.01	<0.01	<0.01	<1.0	<0.01
BR-53-23	195.00	196.00	1.00	<1.0	0.02	<0.01	<0.01	<0.01	<1.0	<0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)
BR-53-23	196.00	197.00	1.00	<1.0	0.02	<0.01	0.01	<0.01	<1.0	<0.01
BR-53-23	197.00	198.00	1.00	<1.0	0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-53-23	198.00	199.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-53-23	199.00	199.80	0.80	<1.0	0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-53-23	199.80	200.50	0.70	<1.0	0.01	0.03	<0.01	<0.01	<1.0	<0.01
BR-53-23	200.50	201.20	0.70	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-53-23	201.20	201.90	0.70	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-53-23	201.90	203.00	1.10	<1.0	0.02	<0.01	<0.01	<0.01	<1.0	<0.01
BR-53-23	203.00	204.00	1.00	11.0	0.01	<0.01	<0.01	<0.01	<1.0	0.01
BR-53-23	204.00	205.00	1.00	17.0	0.04	<0.01	<0.01	<0.01	1.3	<0.01
BR-53-23	205.00	206.00	1.00	9.0	0.05	0.03	<0.01	<0.01	<1.0	0.01
BR-53-23	206.00	207.00	1.00	10.0	0.11	0.01	<0.01	<0.01	<1.0	<0.01
BR-53-23	207.00	208.00	1.00	4.0	0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-53-23	208.00	209.00	1.00	2.0	0.19	0.02	0.03	<0.01	<1.0	<0.01
BR-53-23	209.00	210.00	1.00	7.0	0.71	0.32	0.22	0.02	3.1	0.02
BR-53-23	210.00	211.00	1.00	2.0	0.27	0.11	0.11	<0.01	3.8	<0.01
BR-53-23	211.00	212.00	1.00	24.0	1.85	1.86	0.27	0.35	<1.0	0.28
BR-53-23	212.00	213.00	1.00	<1.0	0.31	0.04	0.08	<0.01	<1.0	<0.01
BR-53-23	213.00	214.00	1.00	<1.0	0.07	0.02	0.12	<0.01	1.3	<0.01
BR-53-23	214.00	215.00	1.00	<1.0	0.12	0.02	0.02	<0.01	<1.0	<0.01
BR-53-23	215.00	216.00	1.00	54.0	0.11	0.08	0.05	0.16	<1.0	0.09
BR-53-23	216.00	217.00	1.00	172.0	0.21	0.17	0.08	0.15	<1.0	0.07
BR-53-23	217.00	218.00	1.00	49.0	0.35	0.18	0.04	0.04	<1.0	0.02
BR-53-23	218.00	219.00	1.00	<1.0	0.01	<0.01	0.03	<0.01	<1.0	<0.01
BR-53-23	219.00	220.00	1.00	24.0	0.17	0.08	0.08	0.01	<1.0	0.01
BR-53-23	220.00	221.00	1.00	50.0	5.40	1.19	0.09	0.01	<1.0	0.01
BR-53-23	221.00	222.00	1.00	18.0	0.52	0.29	0.05	<0.01	2.7	<0.01
BR-53-23	222.00	223.00	1.00	3.0	0.15	0.03	0.05	<0.01	<1.0	<0.01
BR-53-23	223.00	224.00	1.00	3.0	0.10	0.04	0.03	<0.01	<1.0	<0.01
BR-53-23	224.00	225.00	1.00	3.0	0.10	0.05	0.05	0.01	<1.0	0.01
BR-53-23	225.00	226.00	1.00	5.0	0.62	0.28	3.26	0.02	<1.0	0.02
BR-53-23	226.00	227.00	1.00	<1.0	0.03	0.03	0.06	0.01	<1.0	0.01
BR-53-23	227.00	228.00	1.00	<1.0	0.01	0.01	0.06	<0.01	<1.0	<0.01
BR-53-23	228.00	229.00	1.00	6.0	0.16	0.46	0.23	0.12	1.5	0.08
BR-53-23	229.00	229.70	0.70	<1.0	0.03	<0.01	0.06	<0.01	<1.0	<0.01
BR-53-23	229.70	230.90	1.20	5.0	0.61	0.43	0.04	0.02	<1.0	0.02
BR-53-23	230.90	232.00	1.10	1.0	0.02	<0.01	0.02	<0.01	<1.0	<0.01
BR-53-23	232.00	232.80	0.80	6.0	0.05	0.05	0.04	<0.01	<1.0	<0.01
BR-53-23	232.80	233.40	0.60	144.0	1.51	0.43	<0.01	0.02	9.6	0.01
BR-53-23	233.40	233.80	0.40	231.0	3.11	1.85	<0.01	0.02	24.4	0.03
BR-53-23	233.80	234.70	0.90	172.0	0.9	0.43	0.01	<0.01	5.2	0.02
BR-53-23	234.70	235.40	0.70	5.0	0.07	0.06	<0.01	0.01	6.1	0.01
BR-53-23	235.40	236.40	1.00	29.0	4.82	0.56	0.02	<0.01	27.6	0.18
BR-53-23	236.40	237.10	0.70	<1.0	0.17	0.05	<0.01	<0.01	1.6	0.04
BR-53-23	237.10	238.10	1.00	<1.0	0.81	0.30	0.01	0.01	<1.0	0.13
BR-53-23	238.10	238.80	0.70	49.0	0.99	0.23	<0.01	<0.01	1.9	0.03
BR-53-23	238.80	239.30	0.50	274.0	1.79	1.42	<0.01	0.02	22.2	0.06
BR-53-23	239.30	240.30	1.00	30.0	0.96	0.41	<0.01	<0.01	10.7	0.17
BR-53-23	240.30	241.00	0.70	8.0	0.18	0.28	<0.01	<0.01	7.2	0.14
BR-53-23	241.00	242.00	1.00	3.0	0.50	0.18	<0.01	<0.01	6.1	0.13
BR-53-23	242.00	242.80	0.80	21.0	0.46	0.13	<0.01	<0.01	8.0	0.11
BR-53-23	242.80	243.30	0.50	278.0	4.88	0.78	0.01	0.01	21.8	0.78
BR-53-23	243.30	244.20	0.90	276.0	3.68	0.53	0.02	0.01	15.2	0.95
BR-53-23	244.20	245.20	1.00	<1.0	0.09	0.02	<0.01	<0.01	1.9	0.04
BR-53-23	245.20	246.20	1.00	<1.0	0.13	0.01	<0.01	<0.01	1.5	0.02
BR-53-23	246.20	247.20	1.00	<1.0	0.12	0.03	<0.01	<0.01	<1.0	0.03





Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)
BR-53-23	247.20	248.00	0.80	148.0	1.74	0.87	<0.01	<0.01	8.2	0.02
BR-53-23	248.00	248.80	0.80	27.0	0.83	0.08	<0.01	<0.01	9.0	0.02
BR-53-23	248.80	250.00	1.20	194.0	2.97	0.78	<0.01	0.01	14.0	0.04
BR-53-23	250.00	251.00	1.00	47.0	1.80	0.34	<0.01	<0.01	2.0	0.01
BR-53-23	251.00	252.00	1.00	11.0	0.25	0.04	<0.01	<0.01	<1.0	0.01
BR-53-23	252.00	253.00	1.00	6.0	0.08	0.02	<0.01	<0.01	<1.0	<0.01
BR-53-23	253.00	253.70	0.70	5.0	0.15	0.01	<0.01	<0.01	<1.0	0.01
BR-53-23	253.70	254.30	0.60	7.0	0.02	0.03	<0.01	<0.01	<1.0	0.01
BR-53-23	254.30	255.00	0.70	9.0	0.07	0.05	<0.01	<0.01	<1.0	0.01
BR-53-23	255.00	256.00	1.00	34.0	0.09	0.30	<0.01	<0.01	3.2	0.01
BR-53-23	256.00	257.00	1.00	4.0	0.24	0.01	<0.01	<0.01	<1.0	<0.01
BR-53-23	257.00	257.90	0.90	7.0	0.07	0.06	<0.01	<0.01	<1.0	0.01
BR-53-23	257.90	258.80	0.90	26.0	0.85	0.12	<0.01	<0.01	1.9	0.01
BR-53-23	258.80	260.00	1.20	21.0	0.29	0.07	<0.01	<0.01	1.3	0.01
BR-53-23	260.00	261.00	1.00	21.0	0.10	0.15	<0.01	<0.01	1.1	0.01
BR-53-23	261.00	261.60	0.60	34.0	0.70	0.32	<0.01	<0.01	<1.0	0.01
BR-53-23	261.60	262.40	0.80	22.0	1.34	0.13	<0.01	<0.01	2.0	0.01
BR-53-23	262.40	263.00	0.60	16.0	0.20	0.14	<0.01	<0.01	1.8	0.01
BR-53-23	263.00	264.00	1.00	61.0	0.32	0.14	<0.01	<0.01	3.1	0.01
BR-53-23	264.00	265.00	1.00	12.0	0.30	0.01	<0.01	<0.01	2.9	0.01
BR-53-23	265.00	266.20	1.20	42.0	0.87	0.29	<0.01	<0.01	4.5	0.03
BR-53-23	266.20	267.00	0.80	200.0	1.83	0.24	<0.01	<0.01	1.2	0.05
BR-53-23	267.00	268.20	1.20	24.0	0.50	0.25	0.03	0.01	4.2	0.13
BR-53-23	268.20	269.20	1.00	23.0	0.43	0.07	0.01	<0.01	6.2	0.04
BR-53-23	269.20	269.80	0.60	22.0	0.58	0.14	0.01	0.01	30.4	0.05
BR-53-23	269.80	270.60	0.80	<1.0	<0.01	0.01	0.02	<0.01	<1.0	0.04
BR-53-23	270.60	271.20	0.60	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.03
BR-53-23	271.20	272.00	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.03
BR-53-23	272.00	273.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.03
BR-53-23	273.00	274.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	0.02
BR-53-23	274.00	274.60	0.60	<1.0	<0.01	<0.01	<0.01	0.01	1.2	0.03
BR-53-23	274.60	275.40	0.80	3.0	0.01	0.02	0.02	0.01	49.5	0.01
BR-53-23	275.40	276.20	0.80	22.0	0.08	1.04	0.51	0.01	78.5	0.01
BR-53-23	276.20	276.90	0.70	9.0	0.03	1.32	0.32	<0.01	82.5	<0.01
BR-53-23	276.90	278.00	1.10	38.0	0.14	2.24	0.65	0.01	84.9	<0.01
BR-53-23	278.00	279.00	1.00	566.0	7.46	7.01	1.13	0.24	62.9	0.09
BR-53-23	279.00	280.00	1.00	3,164.0	2.25	1.94	0.85	1.17	81.0	0.21
BR-53-23	280.00	281.00	1.00	1,313.0	0.32	0.44	3.26	0.51	84.9	0.09
BR-53-23	281.00	282.00	1.00	1,095.0	4.36	4.33	1.71	0.36	78.1	0.10
BR-53-23	282.00	283.00	1.00	1,937.0	2.68	3.00	1.14	0.82	78.9	0.11
BR-53-23	283.00	284.00	1.00	408.0	1.80	1.02	1.16	0.21	79.1	0.04
BR-53-23	284.00	284.70	0.70	87.0	2.78	1.57	1.25	0.13	74.8	0.01
BR-53-23	284.70	285.80	1.10	118.0	9.54	6.17	1.02	0.12	70.1	0.05
BR-53-23	285.80	286.90	1.10	99.0	11.05	3.97	0.93	0.13	71.0	0.05
BR-53-23	286.90	288.00	1.10	92.0	10.89	4.17	1.07	0.14	71.0	0.06
BR-53-23	288.00	289.00	1.00	80.0	8.59	4.03	1.08	0.20	72.1	0.05
BR-53-23	289.00	290.00	1.00	57.0	9.31	3.21	0.63	0.17	77.1	0.04
BR-53-23	290.00	291.00	1.00	53.0	11.03	3.76	0.65	0.15	75.7	0.04
BR-53-23	291.00	292.00	1.00	56.0	12.31	4.54	0.54	0.17	71.8	0.03
BR-53-23	292.00	293.00	1.00	57.0	10.55	5.19	0.64	0.20	67.7	0.03
BR-53-23	293.00	294.00	1.00	55.0	11.89	4.13	1.45	0.12	59.6	0.03
BR-53-23	294.00	295.00	1.00	56.0	12.87	5.17	0.70	0.16	68.3	0.04
BR-53-23	295.00	296.00	1.00	50.0	9.82	3.68	0.55	0.14	72.7	0.03
BR-53-23	296.00	297.00	1.00	51.0	10.28	3.98	0.51	0.16	74.7	0.03
BR-53-23	297.00	298.00	1.00	50.0	11.84	4.37	0.47	0.13	70.1	0.03
BR-53-23	298.00	299.00	1.00	46.0	12.14	4.52	0.43	0.17	68.7	0.04



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)
BR-53-23	299.00	300.00	1.00	74.0	14.39	6.84	0.77	0.34	61.0	0.08
BR-53-23	300.00	301.00	1.00	91.0	14.89	8.59	0.86	0.32	54.7	0.11
BR-53-23	301.00	302.00	1.00	100.0	13.48	12.05	0.85	0.61	49.1	0.20
BR-53-23	302.00	302.80	0.80	145.0	14.03	16.91	1.07	1.05	39.4	0.24
BR-53-23	302.80	303.80	1.00	244.0	25.21	22.76	2.77	2.17	17.5	0.54
BR-53-23	303.80	304.40	0.60	205.0	32.54	19.15	1.67	2.98	17.1	0.64
BR-53-23	304.40	305.40	1.00	81.0	3.68	4.88	0.96	1.90	8.7	0.51
BR-53-23	305.40	306.00	0.60	4.0	0.10	0.02	0.19	<0.01	3.1	<0.01
BR-53-23	306.00	307.00	1.00	10.0	0.76	0.11	0.18	0.01	1.8	<0.01
BR-53-23	307.00	308.00	1.00	4.0	0.16	0.05	0.12	0.03	2.1	0.01
BR-53-23	308.00	309.00	1.00	4.0	0.06	0.10	0.03	0.05	<1.0	0.04
BR-53-23	309.00	310.00	1.00	33.0	0.61	0.28	0.18	0.30	4.4	0.07
BR-53-23	310.00	311.00	1.00	55.0	0.96	0.93	0.24	0.25	3.7	0.08
BR-53-23	311.00	312.00	1.00	18.0	0.64	0.14	0.08	0.03	<1.0	0.01
BR-53-23	312.00	313.20	1.20	4.0	0.05	0.03	0.06	0.01	<1.0	0.01
BR-53-23	313.20	314.20	1.00	<1.0	0.10	0.01	0.03	0.01	1.2	0.01
BR-53-23	314.20	315.00	0.80	<1.0	0.02	<0.01	0.02	<0.01	<1.0	<0.01
BR-53-23	315.00	316.00	1.00	<1.0	<0.01	<0.01	0.04	<0.01	<1.0	<0.01
BR-53-23	316.00	317.00	1.00	<1.0	0.02	0.01	0.04	<0.01	<1.0	<0.01
BR-53-23	317.00	318.00	1.00	<1.0	0.05	<0.01	0.06	<0.01	<1.0	<0.01
BR-53-23	318.00	319.00	1.00	<1.0	0.05	0.01	0.04	<0.01	<1.0	<0.01
BR-53-23	319.00	320.00	1.00	<1.0	0.03	0.01	0.05	<0.01	<1.0	<0.01
BR-53-23	320.00	321.00	1.00	<1.0	0.03	0.01	0.02	<0.01	<1.0	<0.01
BR-53-23	321.00	322.00	1.00	<1.0	0.01	0.01	0.01	<0.01	<1.0	<0.01
BR-53-23	322.00	323.00	1.00	<1.0	0.06	0.01	0.03	<0.01	<1.0	<0.01
BR-53-23	323.00	324.00	1.00	<1.0	0.12	<0.01	0.03	<0.01	<1.0	<0.01
BR-53-23	324.00	325.00	1.00	5.0	0.09	0.05	0.02	0.01	<1.0	0.01
BR-53-23	325.00	326.00	1.00	2.0	0.22	0.03	0.02	<0.01	<1.0	<0.01
BR-53-23	326.00	327.00	1.00	2.0	0.05	0.02	0.02	<0.01	<1.0	<0.01
BR-53-23	327.00	328.00	1.00	2.0	0.06	0.02	0.01	<0.01	<1.0	<0.01
BR-53-23	328.00	329.00	1.00	11.0	0.07	0.04	0.09	0.01	<1.0	0.01
BR-53-23	329.00	330.00	1.00	10.0	0.17	0.09	0.02	<0.01	<1.0	<0.01
BR-53-23	330.00	331.00	1.00	10.0	0.30	0.07	0.01	<0.01	1.5	<0.01
BR-53-23	331.00	332.00	1.00	8.0	0.19	0.05	0.02	<0.01	<1.0	<0.01
BR-53-23	332.00	333.00	1.00	12.0	0.12	0.10	0.02	<0.01	<1.0	<0.01
BR-53-23	333.00	334.00	1.00	5.0	0.11	0.04	0.03	<0.01	<1.0	<0.01
BR-53-23	334.00	335.00	1.00	7.0	0.28	0.12	0.07	<0.01	<1.0	<0.01
BR-53-23	335.00	336.00	1.00	3.0	0.19	0.04	0.01	<0.01	<1.0	<0.01
BR-53-23	336.00	337.00	1.00	<1.0	0.02	0.01	<0.01	<0.01	<1.0	<0.01
BR-53-23	337.00	337.80	0.80	<1.0	0.05	0.05	<0.01	<0.01	<1.0	<0.01
BR-55-23	0.00	51.70	51.70	Interval not sampled						
BR-55-23	51.70	53.30	1.60	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-55-23	53.30	54.50	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-55-23	54.50	55.50	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-55-23	55.50	56.50	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-55-23	56.50	57.80	1.30	<1.0	<0.01	<0.01	0.02	<0.01	<1.0	<0.01
BR-55-23	57.80	60.00	2.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-55-23	60.00	60.90	0.90	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-55-23	60.90	62.10	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-55-23	62.10	64.80	2.70	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-55-23	64.80	65.30	0.50	Interval not sampled						
BR-55-23	65.30	67.60	2.30	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-55-23	67.60	70.70	3.10	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-55-23	70.70	71.70	1.00	<1.0	0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-55-23	71.70	72.80	1.10	<1.0	0.01	0.05	<0.01	0.01	<1.0	<0.01
BR-55-23	72.80	73.50	0.70	<1.0	0.01	0.03	<0.01	<0.01	<1.0	<0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)
BR-55-23	73.50	74.20	0.70	<1.0	0.02	0.26	<0.01	0.03	<1.0	0.01
BR-55-23	74.20	76.10	1.90	<1.0	0.01	0.01	<0.01	<0.01	<1.0	<0.01
BR-55-23	76.10	80.10	4.00	<1.0	0.02	0.02	0.02	0.01	<1.0	0.01
BR-55-23	80.10	81.00	0.90	<1.0	0.07	0.02	0.02	0.01	<1.0	0.01
BR-55-23	81.00	82.00	1.00	<1.0	0.11	0.07	0.03	0.02	<1.0	0.01
BR-55-23	82.00	82.90	0.90	<1.0	0.06	0.40	0.01	0.02	<1.0	0.03
BR-55-23	82.90	84.10	1.20	<1.0	0.03	0.07	<0.01	0.02	<1.0	0.02
BR-55-23	84.10	84.90	0.80	<1.0	0.02	0.07	<0.01	0.01	<1.0	0.02
BR-55-23	84.90	85.70	0.80	7.0	0.61	0.23	0.12	0.02	<1.0	0.02
BR-55-23	85.70	86.50	0.80	<1.0	0.09	0.04	0.03	<0.01	<1.0	0.01
BR-55-23	86.50	87.40	0.90	14.0	0.14	0.28	0.13	0.05	<1.0	0.05
BR-55-23	87.40	88.00	0.60	3.0	0.07	0.21	<0.01	0.01	<1.0	0.02
BR-55-23	88.00	89.00	1.00	<1.0	0.03	0.17	<0.01	0.01	<1.0	0.02
BR-55-23	89.00	90.00	1.00	<1.0	0.07	0.06	<0.01	<0.01	4.4	0.02
BR-55-23	90.00	91.00	1.00	3.0	0.18	0.14	0.01	0.01	<1.0	0.02
BR-55-23	91.00	92.00	1.00	3.0	0.15	0.10	<0.01	<0.01	<1.0	0.02
BR-55-23	92.00	93.00	1.00	4.0	0.21	0.10	0.08	<0.01	<1.0	0.01
BR-55-23	93.00	94.00	1.00	36.0	0.78	0.26	0.29	0.02	4.2	0.01
BR-55-23	94.00	95.00	1.00	12.0	0.26	0.11	0.18	0.03	2.2	0.01
BR-55-23	95.00	96.00	1.00	20.0	0.21	0.26	0.35	0.63	15.7	0.18
BR-55-23	96.00	97.00	1.00	15.0	0.06	0.15	0.36	0.21	10.9	0.03
BR-55-23	97.00	98.00	1.00	16.0	0.25	0.12	0.45	0.01	10.8	0.01
BR-55-23	98.00	99.00	1.00	7.0	0.15	0.12	0.34	<0.01	6.2	0.02
BR-55-23	99.00	100.00	1.00	<1.0	0.07	0.05	0.10	<0.01	<1.0	<0.01
BR-55-23	100.00	101.00	1.00	<1.0	0.01	0.04	0.07	<0.01	<1.0	0.01
BR-55-23	101.00	102.00	1.00	7.0	0.21	0.05	0.04	0.03	1.9	0.03
BR-55-23	102.00	103.00	1.00	<1.0	0.05	0.01	<0.01	<0.01	<1.0	0.01
BR-55-23	103.00	104.00	1.00	<1.0	0.02	<0.01	<0.01	<0.01	<1.0	<0.01
BR-55-23	104.00	105.00	1.00	<1.0	0.02	<0.01	<0.01	<0.01	<1.0	<0.01
BR-55-23	105.00	106.00	1.00	<1.0	0.02	<0.01	<0.01	<0.01	<1.0	<0.01
BR-55-23	106.00	106.80	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-55-23	106.80	107.60	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-55-23	107.60	108.40	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-55-23	108.40	109.20	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-55-23	109.20	110.00	0.80	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-55-23	110.00	111.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-55-23	111.00	112.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-55-23	112.00	113.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-55-23	113.00	114.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-55-23	114.00	115.00	1.00	<1.0	<0.01	<0.01	0.01	<0.01	<1.0	<0.01
BR-55-23	115.00	116.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-55-23	116.00	117.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-55-23	117.00	118.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-55-23	118.00	119.00	1.00	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-55-23	119.00	120.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-55-23	120.00	121.00	1.00	<1.0	0.02	<0.01	<0.01	<0.01	<1.0	<0.01
BR-55-23	121.00	122.00	1.00	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-55-23	122.00	122.90	0.90	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-55-23	122.90	123.80	0.90	<1.0	0.01	<0.01	<0.01	<0.01	<1.0	<0.01
BR-55-23	123.80	125.00	1.20	<1.0	0.04	<0.01	<0.01	<0.01	<1.0	<0.01
BR-55-23	125.00	126.00	1.00	3.0	0.08	0.02	<0.01	<0.01	<1.0	<0.01
BR-55-23	126.00	127.00	1.00	26.0	0.12	0.13	0.02	<0.01	<1.0	<0.01
BR-55-23	127.00	128.00	1.00	9.0	0.09	0.04	0.03	<0.01	<1.0	0.01
BR-55-23	128.00	129.00	1.00	10.0	0.10	0.02	<0.01	<0.01	<1.0	<0.01
BR-55-23	129.00	130.00	1.00	6.0	0.05	0.02	<0.01	<0.01	<1.0	<0.01
BR-55-23	130.00	130.70	0.70	6.0	0.03	0.01	<0.01	<0.01	<1.0	<0.01



Hole ID	From (m)	To (m)	Interval (m)	Ag (g/t)	Zn (%)	Pb (%)	Au (g/t)	Cu (%)	BaSO <sub>4</sub> (%)	Sb (%)
BR-55-23	130.70	131.40	0.70	4.0	0.03	0.01	<0.01	<0.01	<1.0	<0.01
BR-55-23	131.40	132.40	1.00	<1.0	0.06	0.01	<0.01	<0.01	<1.0	<0.01
BR-55-23	132.40	133.40	1.00	<1.0	0.06	<0.01	<0.01	<0.01	<1.0	<0.01
BR-55-23	133.40	134.30	0.90	5.0	0.19	0.02	<0.01	<0.01	<1.0	<0.01
BR-55-23	134.30	135.20	0.90	<1.0	0.08	0.03	<0.01	<0.01	<1.0	<0.01
BR-55-23	135.20	136.10	0.90	3.0	0.10	0.03	<0.01	<0.01	<1.0	<0.01
BR-55-23	136.10	137.10	1.00	2.0	0.02	<0.01	<0.01	<0.01	<1.0	<0.01
BR-55-23	137.10	138.10	1.00	<1.0	0.02	<0.01	<0.01	0.01	<1.0	<0.01
BR-55-23	138.10	139.30	1.20	<1.0	<0.01	<0.01	<0.01	<0.01	<1.0	<0.01

## APPENDIX 2: JORC TABLES

### Section 1 Sampling Techniques and Data (Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code Explanation	Commentary
Sampling techniques	<i>Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</i>	<p>Drill core samples were collected from half cut PQ3 and HQ3 diameter core, where the core was sawn exactly in half along a pre-defined cutting line. The half core samples, typically weighing between 4-12kg, were placed into labelled and tagged sample bags prior to dispatch to the SGS Ankara laboratory in Turkey.</p> <p>Sample intervals were determined by the geologist, routinely at nominal 1m intervals unless selectively sampled on narrower intervals where geological boundaries exist to a minimum length of 0.2 m. A maximum sample size of 1.2 m is used when sampling geological contacts.</p> <p>Portable XRF is used to confirm sulphides and barite quantities in core. pXRF results are used for indicative purposes only and not as final assay.</p>
	<i>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</i>	<p>Sample intervals were selected by the logging geologist based on geological criteria or using a nominal 1m sample length in homogenous massive sulphide ore. A minimum sample length of 0.2 m is employed where necessary. Sampling is based on visually mineralized intervals, with a calibrated portable XRF device used only as a guide. pXRF is calibrated using standards daily when in use.</p>
	<i>Aspects of the determination of mineralization that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (e.g., 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases, more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralization types (e.g. submarine nodules) may warrant disclosure of detailed information.</i>	<p>For drill hole analyses, diamond drilling was used to obtain 4 to 12kg samples, crushed, pulverized and split for Fire Assay (30g charge), ICP-AES and ICP-MS, AAS, XRF and 4-acid digest using external laboratories and certified laboratory methods.</p> <p>Prior to October 2022, samples were dispatched by dedicated road transport to ALS Bor in Serbia for sample prep, splitting and analysis across several ALS labs (Ireland and Romania).</p> <p>From October 2022 core samples were sent to SGS Ankara, Turkey by truck for sample preparation (SGS Code PRP89), gold analysis by 30-gram fire assay with AA finish (SGS code FAA303), base and precious metal as well as multi-element analyses using a 4-Acid Digest with ICP-AES finish (code ICM40B). AAS was used for over-detection limit analysis of base metals.</p> <p>Barite was assayed using lithium borate fusion prior to acid dissolution and ICP-MS analysis (SGS code ICP95A). Overlimit Barium (&gt;10%) results were analysed using portable pXRF (SGS code pXRF73C27) and the results above detection limit (50%) sent to SGS Lakefield, Canada by air freight for whole-rock XRF analysis (SGS Code GC_XR76V).</p>
Drilling techniques	<i>Drill type (e.g. core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</i>	<p>All drill holes were drilled using PQ3 and HQ3 diameter core.</p> <p>All drill holes were drilled by drilling contractor Drillex BH d.o.o., a division of Drillex International.</p> <p>PQ3 and HQ3 core was held in a core barrel by a stainless steel "split" inner tube. The use of the inner tube ensured that all core maintained its orientation prior to removal into the core trays. Drill core was stored in suitable core boxes and stacked on the premises of the secure exploration facility in Vares.</p> <p>All drill holes were surveyed at 9 m and every 30 m thereafter by a Reflex "Ezy-Track" digital down-hole survey tool to end of 2022. As of 2023, all holes have been surveyed using the Reflex 'Sprint IQ' and 'Omni' on the fly north</p>



**Section 1 Sampling Techniques and Data**  
(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code Explanation	Commentary
		<p>seeking non-magnetic gyroscopic tools at 5 m intervals in and 10 m out of holes. No significant deviation or drilling problems have been identified.</p> <p>Representatives from Reflex have been to drill rigs to calibrate, check and train on correct usage of tools.</p>
<b>Drill sample recovery</b>	<i>Method of recording and assessing core and chip sample recoveries and results assessed.</i>	All core was geotechnically logged to verify drillers blocks, record run length, recovered length, core recovery (%) and RQD.
	<i>Measures taken to maximise sample recovery and ensure representative nature of the samples.</i>	There is no observed relationship between sample recovery and grade, and no significant loss of core. No sample bias has been identified. Core recoveries are generally >90%
	<i>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</i>	
<b>Logging</b>	<i>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</i>	Diamond drill core samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. Not all drill holes penetrated the massive sulphide mineralization, but all were used to guide the geological interpretations supporting the Mineral Resource estimates.
	<i>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</i>	All core is photographed. Core logging is both qualitative and quantitative. Logging records lithology, alteration, structures, veining, sulphide minerals and percentages.
	<i>The total length and percentage of the relevant intersections logged.</i>	100% of drill core is logged.
<b>Sub-sampling techniques and sample preparation</b>	<i>If core, whether cut or sawn and whether quarter, half or all core taken.</i>	Drill core was cut in half using an Almonte automatic diamond core saw. Nominally 1 in 30 samples were cut in quarters, and both halves analysed (for purposes of field duplicates).
	<i>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</i>	Not applicable, as all samples are core.
	<i>For all sample types, the nature, quality, and appropriateness of the sample preparation technique.</i>	<p>Collection of around 4-12kg of HQ and PQ half core material with subsequent pulverisation of the total charge provided an appropriate and representative sample for analysis. Generally 4-6kg for HQ core and 6-12kg for PQ.</p> <p>Prior to October 2022, sample preparation was undertaken at the ALS laboratory in Bor, Serbia to industry best practice.</p> <p>From October 2022, sample preparation was undertaken at the SGS Laboratory in Ankara, Turkey to industry best practice.</p>
	<i>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</i>	Whole rock blanks and certified standards (~1 in 15) were introduced to the sample stream as a QAQC check on laboratory processes. Industry best practice was adopted by ALS and SGS for laboratory sub-sampling and the avoidance of any cross contamination. ALS + SGS inserted internal controls and cleaned all sampling equipment with a barren quartz rock every 20 samples. All sample preparation stations and equipment were compressed air cleaned after every sample. A QAQC inspection of ALS (Bor) and SGS (Ankara) facilities was completed in October 2022 by Adriatic Metals (S. Smolonogov) with practices found to be in line with industry best practice.
	<i>Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling.</i>	The half-core sampling is considered a reasonable representation of the in-situ material. Nominally 1 in 30 samples were cut in quarters, and both halves analysed (for purposes of field duplicates). All field duplicate, coarse duplicate and pulp duplicates are reviewed and compared. Standards and Blanks are investigated if over 2SD (2 Standard Deviations) from certified mean and re-assay initiated if over 3SD or as required when over 2SD to validate materials either side of poorly performing blanks or standards. QAQC outcomes are checked on assay receipt by Adriatic Metals and before acceptance into the Database. A dedicated Data Geologist with support from consultants gDAT monitor all received QAQC data as it arrives.
	<i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i>	Sample size of around 4-12kg is appropriate and found to reasonably represent the material being tested. There is acceptable repeatability of multiple economic elements. 4-6kg for HQ and 6-12kg for PQ.



**Section 1 Sampling Techniques and Data**  
(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code Explanation	Commentary
<b>Quality of assay data and laboratory tests</b>	<i>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</i>	<p>Prior to October 2022, primary analysis was completed through ALS Laboratories. With Sample preparation as ALS Bor, Serbia with splitting and sending pulps to Loughrea, Ireland and Rosa Montana, Romania.</p> <p>From October 2022, primary sample preparation and analysis was completed by SGS Laboratory in Ankara, Turkey</p> <p>All facilities are industry best practice and ISO certified. Multi elements were assayed by an ICP-AES technique following a four-acid digest. Gold was determined using a fire assay on nominal 30g charges. Barite was determined from a lithium meta-borate fusion followed by dissolution and ICP-AES analysis. Total carbon and sulphur were determined by a Leco analyser.</p> <p>All techniques were appropriate for the elements being determined. Use of a 4-Acid digest is a near-total digestion of all minerals present.</p> <p>Additional pXRF and whole rock XRF analysis is required to determine accurate concentrations of barium as part of reported assays. Whole rock XRF analysis is completed at Lakefield Canada.</p> <p>Initiation of a gravimetric finish was initiated at start of Q2 2023. Gold results <math>\geq 3.00</math> g/t are re-assayed by fire assay with gravimetric finish at SGS Ankara laboratory.</p>
	<i>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</i>	<p>There was no reliance on determination of analysis by geophysical tools. All analyses as reported and used in any calculations are by ISO certified laboratories, (ALS – Bor, Loughrea, Rosa Montana; SGS Ankara), using calibrated, industry standard and recognized methods, QAQC and equipment.</p> <p>A Hitachi X-Met 8000 hand-held pXRF analyser is used to rapidly define metal and barite abundance during logging, field mapping and sampling. Results are not used in resource estimates or publicly reported.</p>
	<i>Nature of quality control procedures adopted (e.g. standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.</i>	<p>Certified Reference Materials (“CRM’s”), certified blanks, quarter core replicates were used and considered to be appropriate for the elements being analysed. CRM’s, blanks, and replicates were added at a rate better than 1 in 15. All results reported by SGS on the CRMs and blanks were within 3 standard deviations (3SD). Where deviations greater than 2SD were noted, investigations were completed and where necessary samples above and below queried Standards and Blanks were re-assayed. To date returned results are considered to be representative of material sampled. A program of 5% of assay pulps are submitted for Umpire lab re-assay. The program is continuous and ongoing as part of QAQC controls in addition to measures already in place.</p> <p>ACME Laboratory (Bureau Veritas) in Ankara, Turkey is used as the current independent Umpire Laboratory replicating 5% of pulp duplicate results for QAQC. ACME commenced QAQC work on exploration drilling samples as of 2023. Prior to 2023, the SGS Bor, Serbia assay laboratory has been used as the independent Umpire laboratory for primary samples returned from ALS Bor, Serbia. ALS previously completed primary analysis using multiple facilities with sample preparation at ALS Bor, Serbia; base metals analysis at ALS Loughrea Ireland; gold at ALS Rosa Montana Romania.</p>
<b>Verification of sampling and assaying</b>	<i>The verification of significant intersections by either independent or alternative company personnel.</i>	<p>Significant mineralization is reviewed internally by multiple Senior geological staff, the Vares Project Exploration Manager, and Head of Exploration. Significant intercepts are visually verified daily as core is brought in for logging, included in summary logs, and then cross-checked during detailed logging. Tenor and confirmation of mineralization and barite content is checked by portable XRF (Hitachi X-Met 8000).</p> <p>Mineralized intervals are regularly viewed and verified by geosciences qualified and certified investors and analysts. Recent drill core is presented in fully marked-out core boxes and with full assay data provided for correlation with drilled intercepts.</p> <p>Independent relogging of select mineralized and non-mineralized drill core has been completed by multiple consultants involved in technical studies including Elizabeth Thompson (Structural Consultant – Transition Elements), Joe Crummy (ARD Consultant – JC Consulting), Joe Burke (Geotechnical Consultant – Avoca Geotechnical) and others.</p>



**Section 1 Sampling Techniques and Data**  
(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code Explanation	Commentary
	<i>The use of twinned holes.</i>	<p>Several <b>twinned holes</b> have been completed, with separation between holes reduced to within 15 m.</p> <p>Several <b>cross-holes</b> have also been drilled from adjacent drill platforms, passing through the trace of previous holes and at near right angle cutting previously intercepted mineralization. Confirming position, grade, and thickness.</p> <p>In general, holes completed are part of tight 'drill fans' with separation of holes between fans of 25 m to 30 m with respect to targeted ore zones. Separation distances are &lt;25 m between holes closer to surface and the collars of fan holes drilled from the same drill platform.</p> <p>In 2023 in areas referred to as the Rupice Northwest Western Zone, and Rupice Northwest Lower Zone, hole spacings have been reduced to nominally &lt;20 m between mineralized intercepts. This is due to the increased folding and faulting seen in these areas requiring closer spaced drilling to resolve geology.</p>
	<i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i>	Data are stored in a Cloud Server with server back-ups at various locations including Vares, Bosnia & Herzegovina and Cheltenham, UK. The data and databases are managed by consultants gDat Data Solutions in an acquire database. The acquire database is regularly backed-up. There is a dedicated Data Geologist and a Junior Data Geologist within Exploration managing and ensuring the QAQC of all daily geological inputs and outputs from the database and various software (downhole survey, surface survey, audits, drilling data, logging, sampling, sample dispatch, assaying and assay QAQC). gDat interfaces daily with the site Data Geologists.
	<i>Discuss any adjustment to assay data.</i>	No adjustments were necessary.
<b>Location of data points</b>	<i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i>	<p>Sampling sites were surveyed using Total Station to better than 0.05 m accuracy in the local BiH coordinate system.</p> <p>A Reflex TN4 north seeking, gyroscopic rig alignment tool was used as of 2023 for precision alignment of holes at the collar. The TN14 is mounted on the rod string with preset mast dip and hole azimuth referenced to grid north converted from UTM. Mast and rig are moved till TN14 reads that the rod string is aligned to set dip and direction. The TN14 can also be used in place of the Total Station or as a check of the Total Station collar set-up survey accuracy.</p>
	<i>Specification of the grid system used.</i>	The grid system used MGI 1901 / Balkans Zone 6.
	<i>Quality and adequacy of topographic control.</i>	The topographic surface of the immediate area was generated from a LiDAR survey to an accuracy of approximately 0.05 m. It is considered sufficiently accurate for the Company's current activities. All drill collars have been compared to the LiDAR surface and physically validated where discrepancies in elevation or position were noted. Validation has been periodically required in mountainous terrain where holes post-date LiDAR and earthworks have been completed to establish drill pads.
<b>Data spacing and distribution</b>	<i>Data spacing for reporting of Exploration Results.</i>	Drill hole spacing does not exceed 50 m which is considered acceptable for reporting exploration results. The nominal drill spacing is on 40 m spaced sections. The primary method of drilling is to complete holes from a single drill platform in mountainous terrain. Holes are drilled as part of a 'fan' of holes. Design of holes aims to achieve a nominal 25 m to 30 m separation between mineralized zones to achieve either an Inferred or Indicated level of exploration confidence.
	<i>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i>	<p>Drill hole spacing is deemed sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource classification to be applied. The data spacing is suitable for a stratabound, continuous style of polymetallic mineralization with minimal structural disturbance or remobilisation.</p> <p>Where structural complexity is noted (RNW Western and Lower Zones), drill hole spacing is reduced to <math>\leq 20</math> m.</p>
	<i>Whether sample compositing has been applied.</i>	Sample compositing was not applied. Currently reported results are on a nominal 1m spacing unless samples have been character sampled or extended to visual contacts. Minimum sample size is 0.2 m and maximum is 1.2 m unless there has been low sample recovery.





**Section 1 Sampling Techniques and Data**  
(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code Explanation	Commentary
<b>Orientation of data in relation to geological structure</b>	<i>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</i>	Drill holes have been drilled at dips of between -45 to -90° from surface. The mineralized body is generally shallow dipping to the NE and plunging to the NW at angles of 30 to 40 degrees. Current drilling intersects mineralization at generally a high oblique angle.  New drilling in the RNW Lower Zone has seen mineralization approach subvertical angles. Drilling in these areas has been at right angles to steep mineralization and from 45 to 60 degrees allowing multiple holes to transect steeper mineralization over a vertical elevation spread of holes.
	<i>If the relationship between the drilling orientation and the orientation of key mineralized structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i>	It is not considered that the drilling orientation has introduced a sampling bias, as the drilling is considered to be orthogonal to the stratabound mineralization, or close to it.
<b>Sample security</b>	<i>The measures taken to ensure sample security.</i>	Chain of Custody of digital data is managed by the Company. Physical material was stored on site and, when necessary, delivered to the assay laboratory. Thereafter laboratory samples were controlled by the nominated laboratory. All sample collection was controlled by digital sample control file(s) and hard-copy ticket books.  Transfer of samples to laboratories is by a dedicated enclosed commercial truck. No other freight is included with shipments. Weigh-bills are used as are multiple customs declarations. Dispatched samples have sample tickets included, are referenced to a pre-dispatch sample submission sheet, and are cross-checked on receipt at laboratory. To date no discrepancies, sample loss or tampering with samples has been recorded.
<b>Audits or reviews</b>	<i>The results of any audits or reviews of sampling techniques and data.</i>	Laboratory reviews of SGS Ankara, Turkey; ALS Bor Serbia; SGS Bor, Serbia; ACME (Bureau Veritas) Ankara, Turkey were completed by Sergei Smolonogov (MAIG, RPGeo), Head of Exploration of Adriatic Metals, in October 2022 and SGS + ACME Lab in Ankara in February 2023. There were no material issues found. Items for laboratory improvement were noted but were not considered material to sample QAQC outcomes.  As a result of Adriatic Metals audit, SGS Ankara has renovated and installed vacuum dust extraction enclosed workstations (crushers, pulverisers, splitters) to reduce sample contamination risks in sample preparation. Changes effective as of February 2023.

**Section 2 Reporting of Exploration Results**  
(Criteria in this section apply to all succeeding sections)

Criteria	JORC Code explanation	Commentary
<b>Mineral tenement and land tenure status</b>	<i>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</i>	The Rupice deposit is located within the Company's 100% owned Concession, No. 04-18-21389-1/13, located 13km west of Vares in Bosnia. There are no known material issues with any third party other than royalties due to the State.
	<i>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</i>	The Concession is in good standing with the governing authority and there is no known impediment to the Concession remaining in force until 2038 (25 years), subject to meeting all necessary reporting requirements.
<b>Exploration done by other parties</b>	<i>Acknowledgment and appraisal of exploration by other parties.</i>	Modern exploration commenced with the work of Energoinvest in the late 1960s. During 1968-1969 underground development of 455m of drives and cross cuts were made, and 11 surface trenches dug for a total length of 93.5m. Between 1980 and 1989, 49 holes were drilled for an advance of 5,690.8m. Sample material from all of these programs was routinely analysed for lead, zinc, and barite, and on occasion silver and gold. The deposit was the subject of a number of reserve estimates in the 1980s. This work is documented in many reports which are certified by those geoscientists and Institutes that undertook the work.  The work is considered to be of a standard equal to that found within today's exploration industry.



## Section 2 Reporting of Exploration Results

(Criteria in this section apply to all succeeding sections)

Criteria	JORC Code explanation	Commentary
Geology	<i>Deposit type, geological setting and style of mineralization.</i>	<p>The host rocks at Rupice comprise Middle Triassic limestone, dolostone, calcareous and dolomitic marl, and a range of mostly fine-grained siliciclastic rocks including cherty mudstone, mudstone, siltstone and fine-grained sandstone. The main mineralized horizon is a brecciated dolomitic unit that dips at around 50° to the northeast and has been preferentially mineralized with base, precious and transitional metals. The Triassic and Jurassic sequences have been deformed by early-stage ductile shearing and late stage brittle faulting.</p> <p>The Rupice polymetallic mineralization consists of sphalerite, galena, barite and chalcopyrite with gold, silver, tetrahedrite, boulangerite and bournonite, with pyrite. The majority of the high-grade mineralization is hosted within a brecciated dolomitic unit, which is interpreted to be cross-cut by northwest striking, westerly dipping syn-post mineral faulting. Thickening of the central portion of the orebody occurs in an area of structural complexity. Mineralized widths of up to 65m true thickness are seen in the central portion of the orebody.</p> <p>To date, the massive sulphide mineralization at Rupice has a defined strike length of 650m, with an average true-width thickness of around 20m. However, recent drilling northwest of Rupice has intercepted a massive sulphide body referred to as Rupice Northwest (RNW). RNW is not connected to Rupice mineralization. RNW is at a stratigraphically lower level (<i>footwall of Lower GYD unit</i>) than Rupice (<i>hangingwall of Lower GYD unit</i>) and is interpreted to overlap but not connect with Rupice through the area referred to as the 'Gap'.</p> <p>RNW currently has a strike extent of approximately 250m with mineralization remaining open in most directions. The RNW mineralization appears mostly not impacted by deformation at the scale of drilling and compared to Rupice is a continuous tabular stratabound mineralized body. Multiple mineralized intercepts at RNW have true thicknesses of over 40m along the center axis of mineralization. Mineralization away from the central NW-SE strike axis tapers away at the margins to &lt;1.00m true thickness. This can be 60m to 80m away and either side from the strike axis center line. The up-dip extent of RNW has not as yet been closed-off, therefore a true SW-NE width of mineralization cannot be stated. The strike extent is similarly open. To the NW, the RNW mineralization appears to be thickening and widening on the last sections drilled. To the SE and closest to Rupice, mineralization is still continuous, and has a thickness of up to 20m. On the sections drilled to date, RNW is only closed on the NE side where it rapidly tapers out with the absence of the overlying GYD unit.</p> <p>Rupice NW mineralization is strongly associated with barite forming matrix to sulphides. Barite can be up 80% of mineralized zones. Galena, sphalerite, pyrite and chalcopyrite are the most visible and identifiable sulphides during logging. The footwall zone below massive and semi-massive sulphides is pervasively silica-sericite altered with fine disseminated sulphides throughout and crosscut by base metal stringer zones and mineralized faults / shears. This alteration zone can extend 20m to 30m below massive and semi-massive sulphides. Overall, the footwall zone appears enriched in zinc.</p> <p>On the hanging wall of Rupice NW there is a pyrite rich, low barite, high base metal content horizon of mineralization referred to as the Upper Zone. It is approximately 90m to 100m vertically above Rupice NW. It appears to be a mineralized zone occurring as matrix within a dolomite / limestone breccia. The mineralized Upper Zone marks the transition from Jurassic into mineralized Triassic sediments and generally occurs at the base of a major thrust zone and what is locally referred to as the Upper GYD unit.</p>



## Section 2 Reporting of Exploration Results

(Criteria in this section apply to all succeeding sections)

Criteria	JORC Code explanation	Commentary
<b>Drill hole information</b>	<p><i>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:</i></p> <ul style="list-style-type: none"> <li>o <i>easting and northing of the drill hole collar</i></li> <li>o <i>elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar</i></li> <li>o <i>dip and azimuth of the hole</i></li> <li>o <i>downhole length and interception depth</i></li> <li>o <i>hole length.</i></li> </ul> <p><i>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</i></p>	<p>Drilling data for the reported drill holes is included in Tables 1-5 of Appendix 1.</p>
<b>Data aggregation methods</b>	<p><i>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated.</i></p>	<p>Significant intercepts were calculated by applying a lower cut-off grade of 50g/t AgEq (<i>see notes in Table 1 for assumptions for AgEq &amp; ZnEq calculations</i>),</p> <p>Grade recoveries of 90% and commodity prices as used for the Rupice updated MRE from 2020 were applied, since no metallurgical test work has been conducted on the RNW extension area.</p> <p>1m minimum interval and maximum internal dilution of 5m. A top-cut was not applied. Significant intercepts were reported as weighted averages.</p>
	<p><i>Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</i></p>	<p>Short lengths of significant high-grade results were defined as &gt; 600 g/t AgEq, having a minimum 1m interval and maximum internal dilution of 5m. Results are shown in Table 1 of the main reporting document.</p>
	<p><i>The assumptions used for any reporting of metal equivalent values should be clearly stated.</i></p>	<p>Equivalent explanations are described in the body of the text.</p>
<b>Relationship between mineralization widths and intercept lengths</b>	<p><i>These relationships are particularly important in the reporting of Exploration Results.</i></p>	<p>Only downhole interval lengths are reported.</p>
	<p><i>If the geometry of the mineralization with respect to the drill hole angle is known, its nature should be reported.</i></p>	<p>The majority of the high-grade Rupice mineralization is hosted within a brecciated dolomitic unit. Thickening of the central portion of the orebody occurs in an area of interpreted local folding and deformation. Mineralized widths up to 65m true thickness are seen in the central portion of the orebody.</p> <p>To date, the massive sulphide mineralization at Rupice has a defined strike length of 650m with an average true-width thickness of around 20m. However, mineralization at Rupice still remains open along strike to the NW, SE, up-dip and down-dip.</p> <p>Recent drilling by Adriatic Metals BH was mostly inclined at between -55° and -67° to the south, perpendicular to the deposit strike, and intersected the mineralization reasonably orthogonally.</p> <p>Similarly for Rupice NW. Drilling at -45 to -90 degrees has intersected mineralization at a high angle to mineralization dipping to the NE and plunging to the NW from 30 to 40 degrees.</p>
	<p><i>If it is not known and only the downhole lengths are reported,</i></p>	<p>Only downhole lengths are reported.</p>



## Section 2 Reporting of Exploration Results

(Criteria in this section apply to all succeeding sections)

Criteria	JORC Code explanation	Commentary
	<i>there should be a clear statement to this effect (e.g. 'downhole length, true width not known').</i>	
<b>Diagrams</b>	<i>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</i>	Relevant maps and diagrams are included in the body of the report.
<b>Balanced reporting</b>	<i>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high-grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</i>	All assay tables for all reported holes are included in the main reporting document.
<b>Other substantive exploration data</b>	<i>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</i>	No substantive exploration data not already mentioned in the announcement or in this table have been used.
<b>Further work</b>	<p><i>The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large-scale step-out drilling).</i></p> <p><i>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i></p>	<p>Further drilling will be undertaken in 2023 and 2024 for mineralization along strike, and up and down dip. dependent on exploration success and funding.</p> <p>Adriatic Metals has committed to fully defining Rupice NW within its exploration tenement. to continue updating the Rupice and Rupice NW MRE. Drilling will be on a 40m section spacing, with mineralization pierce points nominally 30m between hole intercepts. Fan drilling from a single drill platform per section will be used to intersect the majority of mineralization on sections. Additional drill platforms will be constructed where a single fan cannot fully drill out a section.</p> <p>Specific focus was placed on resolving whether Rupice NW can be connected to the main body of Rupice mineralization. Drilling and geological modelling have resolved that Rupice and Rupice NW are stratigraphically separate but slightly (for now) overlapping mineralized bodies connected to the same mineralizing event.</p> <p>Further work on Rupice NW will focus on infill drilling to an Indicated level of resource risk, extending mineralization south-westward, south-eastward and once land access is secured, to the northwest beyond the current Rupice Exploitation License.</p>