NEW LCT PEGMATITE DISCOVERY ANDOVER WEST 4.4KM STRIKE LITHIUM SOIL ANOMALY IDENTIFIED

HIGHLIGHTS

- N**ew LCT pegmatite** discovered at **Andover West 600m east of high-grade Raiden LCT Pegmatite**
  - **Peak assay value of 0.9% Li_2O** from initial reconnaissance sample
  - Coincident Li soil anomaly**, peak assay value of 197ppm Li (424ppm Li_2O) extends pegmatite trend 800m to the east** within soil covered terrain
- Regional reconnaissance soil sampling identifies **new lithium target areas** within the soil covered terrain along the southern margin of the Andover Mafic Intrusion, including
  - Major lithium linear anomalous zone with 4.4km strike, with several high grade centres
  - Discrete isolated 400m strike lithium anomaly peak 116ppm Li (250 ppm Li_2O) in south of area
- Follow-up sampling is underway

Errawarra Resources Ltd (ASX:**ERW**) (**Errawarra** or the **Company**) is pleased to provide this exploration update to stakeholders following the receipt of reconnaissance rock chip and soil samples taken from within its Andover West project tenement.

Executive Chairman Thomas Reddicliffe commented: *"We are very pleased that our methodical reconnaissance sampling in the southern Andover lithium pegmatite zone is beginning to pay dividends. The prospectivity of this southern Andover corridor was recently demonstrated by the excellent results reported by Raiden in their adjoining tenement. Theirs was a very exciting discovery as it suggested a new discrete lithium pegmatite corridor along the southern margin of the Andover Mafic Intrusion, and which added considerable significance to Errawarra's lithium anomalous pegmatites located along strike and to the west of the Raiden discovery. Our new lithium pegmatite discovery is confirmation that this lithium mineralised corridor extends into the eastern portion of our tenement, and we consider this to be further evidence of a discrete southern Andover lithium pegmatite zone. Accordingly, we will continue to focus our prospecting and sampling on this area along the southern margin of the Andover Mafic Intrusion".*

ANDOVER WEST

Ground reconnaissance is continuing at the Andover West project as the Company expands its investigation along the southern periphery of the Andover Mafic Intrusion. This Andover Intrusion is not only host to the lithium pegmatite discoveries made by Azure but also the more recent lithium pegmatite discovery announced by Raiden Resources. The Raiden discovery is of particular significance as it has opened up a new avenue of exploration by highlighting the southern portion of the Andover Intrusion as being prospective for lithium pegmatite. The Raiden discovery, where rock chip samples returned a high of **2.73% Li2O**[1], is ~2km east of the lithium anomalous pegmatites recently reported by Errawarra. This close association makes the Errawarra results highly encouraging and in conjunction with Raiden's discovery suggests a separate lithium pegmatite corridor that is potentially distinct from the Azure discovery which is located some 8km to the northeast.



Figure 1. Andover West project location

New LCT Pegmatite

Errawarra's new LCT pegmatite discovery is located 600m along strike and to the east of the LCT pegmatites recently reported by Raiden Resources. Two reconnaissance rockchip samples from the pegmatite outcrop reported significant lithium mineralisation and clearly identified this pegmatite as lithium bearing. The discovery samples were:

- **0.9% Li_2O** in sample 23EW9-105, and
- **0.39% Li_2O** in sample 23EW9-073

This discovery and surrounding areas are now the focus of follow-up detailed sampling and mapping.

1 Refer to Raiden Resources Ltd ASX Announcement dated 10 October 2023.

Li Anomalous Soil Samples

The assay results from 242 soil samples taken to test the southern margin of the Andover Mafic Intrusion has provided exciting results with 17 samples reporting greater than 50ppm Li (107ppm Li_2O) and with a peak assay of **197ppm (424ppm Li_2O)**. Not only did the soil sample results imply the potential eastern continuation of the newly discovered LCT pegmatite where it encounters a broad braided drainage system, but 3 new additional anomalous areas were also identified. Of particular significance is a broad **4.4km east west trending zone of lithium anomalous soils** which suggests that there is potential for LCT pegmatites beyond the southern boundary of the Andover Mafic Intrusion.

The Company is very encouraged by these latest results which by their linear nature and general east west trend is highly suggestive of representing **soil obscured pegmatites**. The Company will be continuing with this exploration approach in those areas that are obscured by soils. As can be seen from the recent results reported by TG Metals[2,3], high grade lithium in soil samples has the potential to reflect soil obscured lithium bearing pegmatites.

Li Anomalous Pegmatites

Errawarra has previously reported the occurrence of lithium anomalous pegmatites located approximately 2km to the west and along strike from the Raiden LCT pegmatite discovery. Further lithium anomalous pegmatites have also been identified in the current samples being reported and highlights the persistent nature of the pegmatites present in this restricted area within the southern Andover Pegmatite Zone. The Company will continue to investigate these occurrences to determine the potential prospectivity.



Figure 2. Location of Lithium in soil Anomalies

2 Refer to TG Metals Ltd ASX Announcement dated 4 October 2022.
3 Refer to TG Metals Ltd ASX Announcement dated 30 October 2023.

Future Plans

Based on the interpretation of exploration results to date, the company will be continuing with its campaign of rock chip and soil sampling to test this new expanded prospective southern Andover lithium pegmatite zone. The exploration activities are aided by satellite imagery, drone photography and the use of portable XRF analysers.



Figure 3. New Li Pegmatite Discovered



Figure 4. Oblique View of South Andover Lithium Zone

-ENDS-

This ASX announcement has been authorised for release by Thomas Reddicliffe, Executive Chairman on behalf of the Board of Directors.

For further information, please contact:

Tom Reddicliffe
Executive Chairman
Errawarra Resources Ltd
E: info@errawarra.com

Competent Person Statement

Thomas Reddicliffe, BSc (Hons), MSc, a Director and Shareholder of the Company, is a Fellow of the AUSIMM, and has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration to qualify as a Competent Person as defined in the 2012 edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Thomas Reddicliffe consents to the inclusion in the report of the information in the form and context in which it appears.

APPENDIX 1

Table 1. Significant Rock chip Samples with Li >= 100 ppm

Sample Id	Easting_ m	Northing m	Type	Li ppm	Li2O%	Cs ppm	Rb ppm	Sn ppm	Nb2O5	Ta2O5
23EW9-105	513916	7692389	Rock	4197	0.904	36.7	188	82	108	41
23EW9-073	514016	7692414	Rock	1824	0.393	32.4	226	49	100	52
23EW9-040	510336	7691851	Rock	431	0.093	21.1	2261	120	140	13
23EW9-054	510400	7692026	Rock	158	0.034	22.2	179	121	151	20
23EW9-052	510387	7691884	Rock	150	0.032	17.2	176	67	114	20
23EW9-020	509576	7692111	Rock	148	0.032	16.5	1032	26	159	22
23EW9-048	516398	7694304	Rock	120	0.026	2.8	41	5	7	6
23EW9-025	509809	7692256	Rock	117	0.025	24.2	2049	143	173	21
23EW9-094	514009	7692524	Rock	104	0.022	62.5	316	212	96	43

Sample Locations GDA94z50

Table 2. Significant Soil Samples with Li2O >= 60 ppm

Sample Id	East-ing	North-ing	Type	Li ppm	Li2O ppm	Li2O %	Cs ppm	Rb ppm	Sn ppm	Nb2O5	Ta205
23EW10-183	514003	7692595	soil	197.00	424	0.042	6.48	211	2.02	13.85	1.84
23EW10-181	513997	7692404	soil	183.50	395	0.040	7.470	250	6.83	31.04	13.74
23EW10-121	511600	7689801	soil	116.00	250	0.025	3.320	61.2	1.08	7.12	0.57
23EW10-182	514017	7692502	soil	97.40	210	0.021	6.180	188.5	2.79	17.81	2.81
23EW10-132	511999	7689902	soil	90.40	195	0.019	2.360	57.8	1.17	7.27	0.55
23EW10-198	514400	7692596	soil	83.20	179	0.018	6.560	193	4.84	15.66	4.63
23EW10-006	508801	7690199	soil	71.00	153	0.015	4.990	137.5	1.91	18.45	1.72
23EW10-156	512798	7690601	soil	67.30	145	0.014	4.020	144.5	4.67	16.88	2.36
23EW10-157	512801	7690702	soil	64.70	139	0.014	3.970	136	3.38	19.10	3.17
23EW10-180	513999	7692300	soil	60.90	131	0.013	7.380	255	4.55	18.45	7.39
23EW10-197	514397	7692496	soil	60.00	129	0.013	5.040	143.5	2.79	12.76	1.55
23EW10-163	513199	7690700	soil	56.00	121	0.012	3.210	106.5	4.81	19.88	3.63
23EW10-177	514000	7691999	soil	54.10	116	0.012	4.530	112.5	2.47	12.39	2.08
23EW10-074	510001	7691203	soil	54.00	116	0.012	6.080	202	3.43	26.68	7.02
23EW10-196	514391	7692391	soil	52.70	113	0.011	4.450	118.5	2.33	11.92	1.48
23EW10-227	515998	7694406	soil	51.40	111	0.011	4.270	92.3	2.21	9.43	3.35
23EW10-195	514400	7692300	soil	49.80	107	0.011	4.010	104	2.05	11.39	1.58
23EW10-093	510402	7691198	soil	48.90	105	0.011	5.340	157.5	2.88	19.67	3.16
23EW10-092	510401	7691101	soil	48.80	105	0.011	5.130	142.5	2.81	19.24	6.39
23EW10-069	509997	7690700	soil	48.40	104	0.010	6.090	204	3.42	27.75	5.76
23EW10-017	508819	7691298	soil	46.30	100	0.010	6.080	216	3.53	23.68	3.64
23EW10-094	510401	7691301	soil	45.00	97	0.010	5.070	169	3.23	25.25	3.88
23EW10-178	513999	7692095	soil	44.00	95	0.009	4.220	126	2.24	10.77	1.93
23EW10-073	509999	7691103	soil	43.90	95	0.009	5.650	188	3.52	31.47	5.97

Sample Id	East-ing	North-ing	Type	Li ppm	Li2O ppm	Li2O %	Cs ppm	Rb ppm	Sn ppm	Nb2O5	Ta205
23EW10-176	513999	7691898	soil	43.50	94	0.009	4.240	111	2.37	11.62	1.88
23EW10-075	510003	7691301	soil	42.50	92	0.009	5.410	246	3.42	33.47	6.35
23EW10-028	509203	7690299	soil	41.30	89	0.009	5.650	189	2.91	19.31	2.32
23EW10-034	509200	7690907	soil	40.20	87	0.009	5.780	169.5	2.61	20.39	3.37
23EW10-225	515997	7694201	soil	40.20	87	0.009	3.840	76.4	1.87	8.96	1.78
23EW10-040	509202	7691500	soil	40.00	86	0.009	6.100	242	4.81	39.91	6.18
23EW10-052	509599	7690701	soil	40.00	86	0.009	5.300	175	3.16	17.60	2.72
23EW10-175	513998	7691799	soil	39.50	85	0.009	4.110	100.5	2.19	11.53	1.54
23EW10-088	510406	7690701	soil	39.40	85	0.008	4.380	129	2.36	14.88	1.87
23EW10-179	513996	7692200	soil	39.40	85	0.008	5.070	187.5	2.83	10.61	2.25
23EW10-054	509599	7690905	soil	39.30	85	0.008	7.240	238	3.74	31.47	5.46
23EW10-090	510396	7690904	soil	39.10	84	0.008	4.350	132	2.51	17.60	2.43
23EW10-001	508798	7689699	soil	38.50	83	0.008	4.330	168	2.07	19.24	2.59
23EW10-005	508797	7690107	soil	38.30	82	0.008	4.110	169	2.3	21.39	3.97
23EW10-226	515996	7694306	soil	38.30	82	0.008	3.420	85.4	1.81	7.30	1.20
23EW10-020	508810	7691606	soil	38.10	82	0.008	5.750	165.5	2.61	26.54	9.01
23EW10-087	510400	7690601	soil	37.70	81	0.008	3.920	118	2.23	16.09	2.45
23EW10-066	510001	7690402	soil	37.30	80	0.008	4.660	141	2.79	18.45	2.30
23EW10-051	509599	7690600	soil	37.20	80	0.008	5.110	176	2.77	20.46	5.63
23EW10-129	511603	7690600	soil	37.10	80	0.008	4.240	103.5	2.04	11.90	1.18
23EW10-089	510399	7690798	soil	36.90	79	0.008	4.080	127	2.34	15.45	6.53
23EW10-029	509204	7690399	soil	36.80	79	0.008	4.950	180	2.54	18.67	3.81
23EW10-018	508812	7691405	soil	36.30	78	0.008	5.530	211	2.72	21.46	3.97
23EW10-236	516400	7694302	soil	36.20	78	0.008	4.070	84.2	1.61	9.36	1.03
23EW10-237	516398	7694398	soil	36.00	78	0.008	3.390	80.8	1.53	7.27	1.05
23EW10-091	510399	7691001	soil	35.80	77	0.008	4.370	132.5	2.39	20.17	3.74
23EW10-147	512400	7690504	soil	35.70	77	0.008	4.630	111	1.98	13.26	1.21
23EW10-002	508801	7689797	soil	35.60	77	0.008	4.950	198	2.29	19.24	2.44
23EW10-027	509204	7690200	soil	35.40	76	0.008	5.060	173	2.7	17.09	1.64
23EW10-139	512000	7690601	soil	35.30	76	0.008	4.250	95.3	2.02	13.18	1.22
23EW10-209	514799	7692601	soil	35.10	76	0.008	4.030	124	2.2	14.05	1.43
23EW10-210	515202	7692295	soil	34.80	75	0.007	3.800	95.5	1.9	11.04	0.94
23EW10-058	509596	7691304	soil	34.50	74	0.007	5.960	203	3.74	32.76	5.56
23EW10-072	509999	7691004	soil	34.20	74	0.007	4.710	189.5	2.73	27.18	8.35
23EW10-012	508800	7690806	soil	34.00	73	0.007	5.200	221	2.35	24.53	3.39
23EW10-068	509998	7690601	soil	33.70	73	0.007	4.700	170	2.75	31.61	9.10
23EW10-205	514802	7692203	soil	33.50	72	0.007	3.330	88.4	1.64	9.66	0.77
23EW10-086	510398	7690501	soil	33.40	72	0.007	3.950	125	2.11	21.31	3.83
23EW10-116	511200	7690398	soil	33.40	72	0.007	4.260	117	1.83	12.89	1.49
23EW10-162	513202	7690612	soil	33.40	72	0.007	3.960	94.4	1.99	11.72	1.04
23EW10-222	516005	7693902	soil	33.40	72	0.007	4.060	72.1	1.49	9.23	0.78
23EW10-140	512002	7690700	soil	33.10	71	0.007	4.100	88.5	1.94	12.90	1.25
23EW10-207	514798	7692401	soil	33.10	71	0.007	3.430	90	1.77	10.37	0.85
23EW10-032	509192	7690703	soil	33.00	71	0.007	4.750	216	2.2	17.31	3.86
23EW10-138	512001	7690499	soil	32.80	71	0.007	3.980	99.1	1.97	13.06	1.25
23EW10-107	510799	7690703	soil	32.70	70	0.007	4.250	129.5	2.22	16.17	2.80
23EW10-118	511200	7690598	soil	32.70	70	0.007	4.300	117	2.01	12.87	3.26
23EW10-223	516006	7694002	soil	32.60	70	0.007	3.080	66	1.43	7.88	1.00
23EW10-070	510003	7690800	soil	32.50	70	0.007	4.920	147	2.42	17.60	3.00
23EW10-240	516801	7694199	soil	32.50	70	0.007	3.610	76.4	1.62	9.64	0.77

Sample Id	East-ing	North-ing	Type	Li ppm	Li2O ppm	Li2O %	Cs ppm	Rb ppm	Sn ppm	Nb2O5	Ta205
23EW10-208	514803	7692501	soil	32.40	70	0.007	3.520	104.5	1.78	9.78	0.88
23EW10-105	510798	7690500	soil	32.30	70	0.007	3.940	119.5	1.98	13.42	1.33
23EW10-038	509200	7691301	soil	32.20	69	0.007	5.900	253	2.94	34.76	6.53
23EW10-194	514396	7692201	soil	32.00	69	0.007	3.400	102	1.72	9.00	1.12
23EW10-036	509199	7691099	soil	31.90	69	0.007	5.310	226	2.78	23.82	3.71
23EW10-128	511596	7690499	soil	31.90	69	0.007	3.830	102	2.76	14.31	3.41
23EW10-174	514000	7691701	soil	31.80	68	0.007	3.740	93.2	1.81	11.23	1.34
23EW10-119	511201	7690700	soil	31.70	68	0.007	4.420	125	1.81	11.80	1.18
23EW10-026	509202	7690099	soil	31.50	68	0.007	4.430	161.5	2.18	16.17	1.67
23EW10-234	516393	7694096	soil	31.40	68	0.007	3.210	73.7	1.4	7.60	0.63
23EW10-053	509602	7690800	soil	31.30	67	0.007	5.600	243	2.79	24.68	4.21
23EW10-117	511200	7690497	soil	31.10	67	0.007	4.070	105.5	2.06	11.40	1.23
23EW10-137	512000	7690399	soil	30.80	66	0.007	3.500	89.6	2.03	12.23	1.11
23EW10-055	509595	7691007	soil	30.70	66	0.007	5.450	225	3.26	32.47	4.87
23EW10-085	510405	7690401	soil	30.70	66	0.007	4.370	177.5	2.33	12.37	1.48
23EW10-192	514401	7691998	soil	30.60	66	0.007	3.760	104	1.86	11.00	1.32
23EW10-039	509199	7691405	soil	30.40	65	0.007	6.210	267	2.88	25.11	3.79
23EW10-184	514406	7691202	soil	30.40	65	0.007	3.450	83.9	1.76	14.23	3.69
23EW10-019	508813	7691502	soil	30.20	65	0.007	5.160	186.5	2.6	24.82	8.67
23EW10-056	509601	7691104	soil	30.00	65	0.006	5.340	210	2.9	34.48	5.52
23EW10-131	511998	7689802	soil	29.40	63	0.006	2.780	82.3	1.23	7.71	1.14
23EW10-021	508813	7691702	soil	29.30	63	0.006	8.860	142	2.49	21.39	6.00
23EW10-049	509602	7690399	soil	29.20	63	0.006	4.350	151.5	2.41	17.24	2.26
23EW10-130	511602	7690703	soil	29.20	63	0.006	3.740	107.5	2.07	11.96	1.43
23EW10-167	514003	7691002	soil	29.20	63	0.006	3.360	78.1	1.76	11.09	1.00
23EW10-003	508800	7689900	soil	29.00	62	0.006	5.250	265	1.87	14.23	1.22
23EW10-235	516393	7694213	soil	29.00	62	0.006	3.520	85.1	1.38	7.68	0.74
23EW10-065	510000	7690299	soil	28.80	62	0.006	3.960	107.5	2.21	14.02	1.34
23EW10-219	516002	7693602	soil	28.20	61	0.006	3.400	78.5	1.26	7.70	0.66
23EW10-047	509601	7690200	soil	28.10	60	0.006	4.180	117	2.26	14.73	1.45
23EW10-106	510797	7690601	soil	28.10	60	0.006	3.980	134	1.95	13.60	2.72
23EW10-031	509199	7690602	soil	28.00	60	0.006	5.130	227	5.02	18.53	2.61
23EW10-241	516796	7694299	soil	27.90	60	0.006	3.100	73.8	1.33	8.86	0.73
23EW10-057	509603	7691204	soil	27.80	60	0.006	5.410	235	3.09	34.76	9.13

JORC CODE, 2012 EDITION – TABLE 1 REPORT

Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code explanation	Commentary
Sampling techniques	• *Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.* • *Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.* • *Aspects of the determination of mineralisation that are Material to the Public Report.* • *In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.*	• Reconnaissance style rock chip sampling taken opportunistically from pegmatite outcrop. • This announcement discusses the findings of reconnaissance and follow-up sampling and mapping with a view to determining the lithium potential of the Company's tenements and which included the collection of rock chip samples. • Pegmatite was identified in outcrop. • The rock chip samples were restricted to outcrop of pegmatite rocks. • Samples were dispatched to ALS Global Laboratories in Perth for analysis. • Soil samples were collected on a 100m x 400m NS orientated grid. • Samples were taken from a depth of 20cm and sieved to collect the -1mm size fraction • The samples sent to ALS Global laboratories in Perth to undergo a 4 acid digest using their ME-MS61L 60 element technique
Drilling techniques	• *Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).*	• Not applicable. • This announcement does not relate to drilling carried out by Errawarra Resources Ltd. • No mention is made in this announcement of exploration results including drilling conducted by other companies on nearby tenements.
Drill sample recovery	• *Method of recording and assessing core and chip sample recoveries and results assessed.* • *Measures taken to maximise sample recovery and ensure representative nature of the samples.* • *Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.*	• Not applicable as no details on any drilling carried out by Errawarra Resources are included in this announcement.
Logging	• *Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate*	• Not applicable due to the reconnaissance nature of the sampling.

Criteria	JORC Code explanation	Commentary
	Mineral Resource estimation, mining studies and metallurgical studies. • *Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.* • *The total length and percentage of the relevant intersections logged.*	
Sub-sampling techniques and sample preparation	• *If core, whether cut or sawn and whether quarter, half or all core taken.* • *If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.* • *For all sample types, the nature, quality and appropriateness of the sample preparation technique.* • *Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.* • *Measures taken to ensure that the sampling is representative of the insitu material collected, including for instance results for field duplicate/second-half sampling.* • *Whether sample sizes are appropriate to the grain size of the material being sampled.*	• Rock chip samples were dispatched to ALS Global Laboratories in Perth for analysis using their GE_IMS92A50 46 element technique. • The laboratory reported the use of standards and blanks as part of the analyses for QA/QC. • The samples were opportunistic in nature and taken from insitu outcrop. • Samples were approximately 0.5kg to 1kg in weight. • The samples were considered generally representative of the outcrop being sampled.
Quality of assay data and laboratory tests	• *The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.* • *For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.* • *Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.*	• Rock chip samples were dispatched to ALS Global Laboratories in Perth for analysis using their GE_IMS92A50 46 element technique. • The laboratory reported the use of standards and blanks as part of the analyses for QA/QC. • No standards or blanks were submitted by the company. • Soil samples were dispatched to ALS Global Laboratories in Perth for analysis using their ME-MS61L 60 element technique. • The laboratory reported the use of standards and blanks as part of the analyses for QA/QC. • No standards or blanks were submitted by the company
Verification of sampling and assaying	• *The verification of significant intersections by either independent or alternative company personnel.* • *The use of twinned holes.* • *Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.* • *Discuss any adjustment to assay data.*	• No verification of sample results for rock chips or soil samples has been undertaken.
Location of data points	• *Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.* • *Specification of the grid system used.*	• Sample points were determined by hand held GPS which is considered appropriate for the reconnaissance nature of the sampling.

Criteria	JORC Code explanation	Commentary
	• *Quality and adequacy of topographic control.*	
Data spacing and distribution	• *Data spacing for reporting of Exploration Results.* • *Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.* • *Whether sample compositing has been applied.*	• Not applicable due to the reconnaissance nature of the sampling. • No attempt has been made to demonstrate geological or grade continuity between sample points. • Soil samples were collected on a 100m x 400m NS orientated grid
Orientation of data in relation to geological structure	• *Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.* • *If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.*	• Not applicable
Sample security	• *The measures taken to ensure sample security.*	• Sample security is by way of chain of custody.
Audits or reviews	• *The results of any audits or reviews of sampling techniques and data.*	• No review of the sampling techniques has been undertaken.

Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	• *Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.* • *The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.*	• The Andover West project tenement covers an area of 100km^2 and comprises granted tenements: 47/4352. • The tenement is owned 100% by Western Exploration subsidiary company owned 80% by Errawarra Resources Ltd • The tenements are in good standing with DMIRS and there are no known impediments for exploration on these tenements.
Exploration done by other parties	• *Acknowledgment and appraisal of exploration by other parties.*	• Numerous exploration parties have held the area covered by the current Errawarra tenure previously. There is no reported previous exploration for lithium bearing pegmatites on the tenements. • No other exploration companies generated data was used in this release. • Regional RTP aeromagnetics and geology from Geological Survey of WA.

Criteria	JORC Code explanation	Commentary
Geology	• *Deposit type, geological setting and style of mineralisation.*	• The pegmatite zone trends WNW-ESE and is hosted by the Andover Mafic Intrusion. • The pegmatites occur as intermittent deformed lenses in the Andover Mafic Intrusion. • The pegmatites are moderately dipping and up to 5m wide. • The project area is underlain by the Archean Pilbara Craton, specifically the West Pilbara Superterrane (WPST) of Hickman (2016). The 3280-3070 Ma WPST comprises numerous tectonostratigraphic packages (Sholl, Regal and Karratha Terranes and the Whundo and Nickol River Basins) and igneous complexes that have been variously affected by several tectonic events. The easterly to east-north easterly trending Sholl Shear Zone (SSZ) is a boundary for the regional rock packages. Metamorphic grade is higher to the north of the SSZ, suggesting the present-day surface shows a slightly deeper crustal level on the north side.

Drill hole Information	• *A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:*
	  ○ *easting and northing of the drill hole collar*
	  ○ *elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar*
	  ○ *dip and azimuth of the hole*
	  ○ *down hole length and interception depth*
	  ○ *hole length.*
	• *If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.*
		• Not applicable as drilling is not being reported.

Data aggregation methods	• *In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated.* • *Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.* • *The assumptions used for any reporting of metal equivalent values should be clearly stated.*	• Not applicable

Criteria	JORC Code explanation	Commentary
Relationship between mineralisation widths and intercept lengths	• *These relationships are particularly important in the reporting of Exploration Results.* • *If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.* • *If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known').*	• Not applicable as surface sampling is reconnaissance in nature.
Diagrams	• *Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.*	• All the appropriate maps are provided in the body of this announcement.
Balanced reporting	• *Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.*	• This announcement discusses the findings of recent reconnaissance sampling and associated assays.
Other substantive exploration data	• *Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.*	• All the meaningful exploration data has been included in the body of this announcement.
Further work	• *The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling).* • *Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.*	• Errawarra plans to conduct further ground reconnaissance and sampling in the short term to determine the surface extent both laterally and along strike. Drilling will also be undertaken if warranted.