

ASX Announcement

13 May 2024

COLINA RESOURCE DRILLING PROGRAM COMPLETE

JORC Mineral Resource Estimate update underway.

Latest exploration drilling at Planalto displays Colina resemblance .

HIGHLIGHTS

- Resource Definition Drilling Program at the Colina Deposit (“Resource Drilling Program”) is now complete.
- The latest high-grade results have continued to confirm the continuity of thickness, consistency, and quality of the Colina Deposit lithium mineralisation.
- Upgrade of the Colina Deposit Mineral Resource Estimate (“MRE”) (current MRE: 63.5Mt @ 1.3% Li₂O¹) is expected for a May 2024 delivery, following completion and receipt of all assay results from the Resource Drilling Program.
- May 2024 MRE upgrade is to be based on 304 holes for 93,909m, an increase of 106 holes and 28,864m since the December 2023 MRE.
- May 2024 MRE upgrade to provide the basis for the Colina Definitive Feasibility Study (“DFS”), planned for a Q3 2024 release.
- Further results now received from 6 holes as part of the Planalto Drilling program, with coarse grained spodumene being visually identified across all three drill sections, demonstrating strong mineralisation characteristics consistent with the Colina Deposit.
- Significant intercepts returned from the latest Resource Drilling Program at Colina. Highlights include:
 - SADD218: 29.13m @ 1.65% Li₂O from 241.00m
 - SADD235: 17.72m @ 1.39% Li₂O from 344.21m
 - SADD249: 21.22m @ 1.29% Li₂O from 326.78m
 - SADD250: 14.54m @ 1.79% Li₂O from 233.23m
 - SADD251: 28.41m @ 1.52% Li₂O from 291.50m
 - SADD266: 20.85m @ 1.59% Li₂O from 361.25m
 - SADD266: 26.06m @ 1.27% Li₂O from 427.57m
 - SADD270: 16.36m @ 1.26% Li₂O from 361.40m
 - SADD275: 33.92m @ 1.93% Li₂O from 275.49m
 - SADD286: 15.06m @ 1.51% Li₂O from 182.94m
 - SADD288: 26.43m @ 1.75% Li₂O from 244.00m
 - SADD295: 14.32m @ 1.24% Li₂O from 355.02m

**The Company draws attention to uncertainty in reporting visual results. Visual estimates of mineral abundance should never be considered a proxy or substitute for laboratory analyses where concentrations or grades are the factor of principal economic interest. Visual estimates also potentially provide no information regarding impurities or deleterious physical properties relevant to valuations. Assay results are expected to be available in approximately 4- 6 weeks.*

¹ Refer to LRS’s ASX Announcement dated 6 December 2023, entitled “56% Increase in Global Resource Salinas Lithium Project JORC MRE Now - 70.3Mt @1.27% Li₂O”.

Latin Resources Limited (ASX: LRS) (“Latin” or “the Company”) is pleased to provide an update on the Colina Deposit resource definition drilling program at the Company’s 100% owned Salinas Lithium Project (“Salinas Project”) in Brazil.

Latin Resources’ Vice President of Operations - Americas, Tony Greenaway, commented:

“With all the assay results from the extensive infill drilling program now received, the updating of the MRE for our world class Colina Deposit is underway. Results for the infill campaign have confirmed that Colina is a very consistent deposit, with new results showing very similar pegmatite thicknesses and grades to the existing models. In addition, the geometry of the extensive Colina pegmatite swarm has proven to be equally as consistent, with new results matching very closely with the previously modelled resource. Our independent resource consultants, SGS have been provided with the updated drilling database, and pegmatite wireframes, and the mineral estimation process is now underway. We are expecting the MRE update to be completed soon and released to the market this month.

The focus of drilling activities on site has now returned to exploration, with 4 rigs moving to the high-priority Planalto Prospect area. Early indication from the 5 new holes completed so far, are that the previously intersected high-grade pegmatites continue up dip to the west. The mineralisation intersected at Planalto is very similar to the Colina deposit, comprising very coarse grained spodumene crystals within a clean quartz and feldspar pegmatite system. We are extremely encouraged by what we are seeing at Planalto including the close similarities to the Colina mineralisation and are eagerly awaiting more assay results from this emerging target. Planalto is a very high priority target for us given the close proximity to the Colina Deposit and proposed processing infrastructure. Any additional minable pegmatites this close to Colina could have a significant benefit in both scale and operational optionality to the proposed mine.”




Figure 1: Plan view of the Salinas Project, showing location of the Colina Deposit, Planalto Prospect and Fog’s Block Deposit.

COLINA DEPOSIT RESOURCE DEFINITION DRILLING PROGRAM- COMPLETE

The Company has now completed drilling and received all assay results from the latest diamond resource definition drilling program at the Colina Deposit (“**Resource Drilling Program**”), which will be used in the upcoming Colina Mineral Resource Estimate (“**Colina MRE**”).

The current Salinas MRE stands at a global MRE of 70.3Mt @1.27% Li₂O, comprising now at 63.5Mt @ 1.3% Li₂O¹ at Colina MRE and 6.8Mt @ 0.9% Li₂O¹ at Fog’s Block.

The Colina MRE released to the market on 6 December 2023 was based on 198 holes for 64,769m of diamond drill core.

Since the December 2023 Colina MRE release, the Company has now completed a further 106 holes for 28,864m of drilling at the Colina Deposit, bringing the total drill holes to 304 for approximately 93,909m of drill core.

The latest assay results from the Resource Drilling Program which commenced in December 2023 with 16 diamond drill rigs undertaking the program. The Resource Drilling Program primarily concentrated on infill drilling, with some limited extensional and deep drilling programs across the Colina Deposit with the main goal of improving JORC resource categories of the Colina MRE. The expected improvements in resource categories will directly support the declaration of Mining Reserves as part of the Colina DFS, expected for release in Q3 2024.

Since the Company’s announcement dated 26 March 2024, complete assay results have been received for a further 45 holes. These 45 new collars have collectively intercepted approximately 1,116m of significant lithium mineralisation (>0.5% cutoff).

Collars SADD001 to SADD304 are expected to comprise the upcoming Colina MRE update.

The latest results now complete the planned Salinas Resource Drilling Program.

A technical discussion is included below with significant drill intercepts included in **Appendix C**.

The Company continues to undertake the following drilling programs at the Salinas Project:

- 4 rigs undertaking drilling at the Planalto Prospect;
- 8 rigs undertaking sterilisation drilling as part of the Colina DFS;
- 2 rigs undertaking geotechnical drilling as part of the Colina DFS; and
- 1 rig undertaking regional exploration drilling at the southern tenements.

EXPLORATION DRILLING RESUMES AT THE HIGH-PRIORITY PLANALTO PROSEPECT

Four drilling rigs have relocated back to the high-priority Planalto Prospect (“**Planalto**”), where previous drilling intersected thick high-grade spodumene pegmatites at depth. Previously reported intersections in hole SADD223² include:

- **SADD223: 9.25m @ 1.21% Li₂O from 395.29m**
- **SADD223: 16.14m @ 1.29% Li₂O from 425.00m**
Including 7.14m @ 1.63% Li₂O from 434.00m

The focus of the current drilling at Planalto is to extend these intersections up-dip to the west as well as along strike to the north and south. Four additional holes have been completed at Planalto, with the emerging Planalto pegmatite swarm intersected in all holes, (**Figure 2, Figure 3 and Figure 4**).

² Refer to LRS’s ASX Announcement dated 31 January 2024, entitled “NEW ASSAYS CONFIRM PLANALTO DISCOVERY”




Figure 2: Plan view of the Planalto exploration drilling program showing completed, on-going and planned drill collars, as well as drill section locations. Refer to Appendix B and D for further details.




Figure 3: Planalto drill section ('A- A') showing completed and planned drill holes, and logged pegmatites. Refer to Appendix B and D for further details.




Figure 4: Planalto drill section ('B- B') showing completed and planned drill holes, and logged pegmatites. Refer to Appendix B and D for further details.




Figure 5: Planalto drill section ('C- C') showing completed and planned drill holes, and logged pegmatites. Refer to Appendix B and D for further details.

Spodumene pegmatite mineralisation intersected on all three of the current drill sections shows strong similarities to the Colina Deposit, with coarse grained euhedral spodumene crystals within a clean quartz and feldspar pegmatite. Lithium minerals are also dominated by spodumene at Planalto, with logging indicating only traces of other lithium bearing minerals similar to the Colina Deposit.

Assays are yet to be received for the new drilling at Planalto, however logging has shown the development of a broad system of stacked shallow dipping pegmatites, with zones of spodumene in high abundance.

Refer to **Appendix B and D**, which details the collar information and logged pegmatites intersected to date.




Figure 6: SADD308- diamond drill core showing pegmatites with coarse grained spodumene mineralisation from 253.75m – 276.27m. Refer to Appendix B and D for further details.

Drilling is ongoing at Planalto, aimed at testing the full up-dip extent of the pegmatites to the west, with the current interpretation indicating that the high-grade mineralisation intersected at depth in hole SADD223, extends to the near surface as indicated in the cross sections above. An initial program of 6,000m has been planned and approved for completion.

**The Company draws attention to uncertainty in reporting visual results. Visual estimates of mineral abundance should never be considered a proxy or substitute for laboratory analyses where concentrations or grades are the factor of principal economic interest. Visual estimates also potentially provide no information regarding impurities or deleterious physical properties relevant to valuations. Assay results are expected to be available in approximately 4- 6 weeks.*

Infill Drilling Program Technical Discussion

The latest assay results in this release relate to 45 new diamond drill holes, which were carried out as part of the Resource Drilling Program that has now been completed.

As it stands, the Colina Deposit contains a MRE of 63.5Mt @ 1.3% Li₂O¹, based on 198 drill holes for 64,769m.

The Colina Deposit is a SW- NE striking system, with approximate dimensions of ~2.70km long and ~0.90km at the widest (**Figure 7**). The Resource Drilling Program was undertaken on a predominately 50m x 50m grid across the Colina Deposit with the focus on achieving a drill hole spacing sufficient to enable a resource conversion from Inferred to Indicated and Measured JORC resource categories. Further, the close spaced drilling allowed the technical team to increase the refinement of the Colina pegmatite system model and gain a more comprehensive understanding of the grade variability across the ore body. The results of the Resource Drilling Program will further support technical studies and the open pit mining plan.

The mineralised pegmatite system that comprises the Colina Deposit is primarily composed of spodumene, feldspar, and quartz, and is located within a structural corridor that extends over an extensive strike length ~2.7km from northeast to southwest. As evidenced by **Figure 7**, the latest collars fall predominately within the southwest part of the Colina MRE area with the assay results delivering both grade consistency and pegmatite continuity.

Given the remarkably consistent nature of the lithium mineralisation experienced at the Colina Deposit, it is reasonably assumed, based on the Mineral Resource conversions already achieved in previous MRE updates, that a considerable portion of the current 22.47Mt at 1.21% Li₂O¹ Inferred Mineral Resource is likely to convert to Indicated and Measured material. These indicated and measured resources form the basis for conversion into probable and proven mining reserves as part of the DFS.

SGS Geological Services (“**SGS**”) in Canada has again been appointed to undertake the independent update of the Colina MRE, which will be the fourth MRE update for the Company since the commencement of drilling in early 2023.




Figure 7: Plan view of the Resource Drilling Program at the Colina Deposit, indicating new assays and section locations. Refer to Appendix B and C for further details.

The Company notes that the latest results bring a completion to the Resource Drilling Program which has been incredibly successful in delivering increased resource tonnage and confidence at Colina.

As noted above, the Company is continuing other exploration and development programs to improve the Global Salinas Project tonnage and to identify new exploration targets.

Two section lines 'A - A' and 'B - B', drilled approximately 100m apart and a long section illustrate the continuity of the intersected mineralisation (refer to **Figure 8**, **Figure 9** and **Figure 10** respectively).

For the complete collar and assay details from the latest round of drilling at Colina, refer to **Appendix B** and **C**.




Figure 8: Sectional view ('A - A') through the Colina Deposit with Resource Drill Program collars indicating multiple stacked pegmatites and grade (new collars in bold), overlaid with the December 2024 MRE blocks. Refer to Appendix B and C for further details.




Figure 9: Sectional view ('B-B') through the Colina Deposit with Resource Drill Program collars indicating multiple stacked pegmatites and grade (new collars in bold), overlaid with the December 2024 MRE blocks. Refer to Appendix B and C for further details.




Figure 10: Long Sectional view ('C- C') running NE- SW through the Colina Deposit indicating multiple stacked pegmatites, mineralisation continuity and grade (new collars in bold), overlaid with the December 2024 MRE blocks. Refer to Appendix B and C for further details.

Ends

This Announcement has been authorised for release to ASX by the Board of Latin Resources

For further information please contact:

Chris Gale Managing Director Latin Resources Limited +61 8 6117 4798	Fiona Marshall Senior Communications Advisor White Noise Communications +61 400 512 109	Jane Morgan Director Jane Morgan Management + 61 405 555 618
--	---	--

info@latinresources.com.au
www.latinresources.com.au

fiona@whitenoisecomms.com

jm@janemorganmanagement.com.au

About Latin Resources

Latin Resources Limited (ASX: LRS) is an Australian-based mineral exploration company, with projects in South America and Australia, that is developing mineral projects in commodities that progress global efforts towards Net Zero emissions.

The Company is focused on its flagship Salinas Lithium Project in the pro-mining district of Minas Gerais Brazil, where the Company has defined a Global Mineral Resource Estimate at its Colina Lithium Deposit* of 70.3Mt @ 1.3% Li₂O, reported above a cut-off of 0.5% Li₂O.

The classification of this JORC MRE includes:

- Colina MRE- **63.5Mt @ 1.3% Li₂O** (1.73Mt @ 1.47% Li₂O Measured + 39.29Mt @ 1.36% Li₂O Indicated) + 22.47Mt @ 1.21% Li₂O Inferred.
- Fog's Block MRE- **6.8Mt @ 0.9% Li₂O** Inferred.

The Company recently defined a Preliminary Economic Assessment (PEA)** which contemplates a proposed 3.6Mtpa standalone mining and processing operation over two phases. where the economics show after-tax NPV8% of A\$3.6 billion (US\$2.5 billion) and combined after-tax IRR of 132%.

Latin also holds the Catamarca Lithium Project in Argentina and through developing these assets, aims to become one of the key lithium players to feed the world's insatiable appetite for battery metals.

*For full details of the Colina Lithium Deposit MRE, please refer to ASX Announcement dated 6 December 2023.

**For full details of the Colina Lithium Project PEA, please refer to ASX Announcement dated 28 September 2023.

Salinas Project- Mineral Resources

Table 1: Global MRE for the Salinas Lithium Project (reported above a 0.50% Li₂O cut-off grade).

Deposit	Resource Category	Tonnes (Mt)	Grade (Li ₂ O %)	Li ₂ O (Kt)	Contained LCE (Kt)
Colina	Measured	1.73	1.47	25.8	62.8
	Indicated	39.29	1.36	534.0	1,320.6
	Measured + Indicated	41.02	1.36	559.4	1,383.4
	Inferred	22.47	1.21	271.8	672.1
	Total	63.49	1.31	831.2	2,055.6
Fog's Block	Inferred	6.79	0.87	57.3	141.7
	Total	6.79	0.87	57.3	141.7
GLOBAL MRE TOTAL		70.28	1.27	888.5	2,197.3

Table 2: Fog's Block independent Exploration Target Range.

Deposit	Lower Range (Mt)	Upper Range (Mt)	Grade Range (Li ₂ O %)
Fog's Block	7.0	18.0	0.8 – 1.1

**The potential quantity and grade of the Fog's Block Exploration Target is conceptual in nature, that there has been insufficient exploration to estimate a Mineral Resource and that it is uncertain if further exploration will result in the estimation of a Mineral Resource.*

Competent Person Statements – Salinas Lithium Project

The information in this report that relates to Geological Data and Exploration Results for the Salinas Lithium Project is based on information compiled by Mr Anthony Greenaway, who is a Member of the Australian Institute of Mining and Metallurgy. Mr Greenaway sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr Greenaway consents to the inclusion in this report of the matters based on his information, and information presented to him, in the form and context in which it appears.

The information in this report that relates to the Mineral Resource Estimate for the Salinas Lithium Project is based on the information compiled by Mr Marc-Antoine Laporte M.Sc., P.Geol, who is an employee of SGS Canada Ltd and a member of the L'Ordre des Géologues du Québec. He is a Senior Geologist for the SGS Geological Services Group and as more than 15 years of experience in industrial mineral, base and precious metals exploration as well as Mineral Resource evaluation and reporting. Mr Laporte sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to quality as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'.

The information in this report that relates to the Exploration Target for the Salinas Lithium Project is based on the information compiled by Mr Marc-Antoine Laporte M.Sc., P.Geol, who is an employee of SGS Canada Ltd and a member of the L'Ordre des Géologues du Québec. He is a Senior Geologist for the SGS Geological Services Group and as more than 15 years of experience in industrial mineral, base and precious metals exploration as well as Mineral Resource evaluation and reporting. Mr Laporte sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to quality as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'.

Confirmation Statement – Colina Project Preliminary Economic Assessment

The production targets and forecast financial information disclosed in this Announcement is extracted from the Company's ASX announcement entitled "Robust Results for Colina Lithium Project Preliminary Economic Assessment (PEA)", dated 28 September 2023. The Company confirms all material assumptions underpinning the production targets and forecast financial information derived from the production targets in the initial announcement continue to apply and have not materially changed.

Forward-Looking Statement

This ASX announcement may include forward-looking statements. These forward-looking statements are not historical facts but rather are based on Latin Resources Ltd.'s current expectations, estimates and assumptions about the industry in which Latin Resources Ltd operates, and beliefs and assumptions regarding Latin Resources Ltd.'s future performance. Words such as "anticipates", "expects", "intends", "plans", "believes", "seeks", "estimates", "potential" and similar expressions are intended to identify forward-looking statements. Forward-looking statements are only predictions and are not guaranteed, and they are subject to known and unknown risks, uncertainties and assumptions, some of which are outside the control of Latin Resources Ltd. Past performance is not necessarily a guide to future performance and no representation or warranty is made as to the likelihood of achievement or reasonableness of any forward-looking statements or other forecast.

Actual values, results or events may be materially different to those expressed or implied in this ASX announcement. Given these uncertainties, recipients are cautioned not to place reliance on forward looking statements. Any forward-looking statements in this announcement speak only at the date of issue of this announcement. Subject to any continuing obligations under applicable law and the ASX Listing Rules, Latin Resources Ltd does not undertake any obligation to update or revise any information or any of the forward-looking statements in this announcement or any changes in events, conditions or circumstances on which any such forward looking statement is based.

Exploration Announcements – Referenced


The information in this announcement that relates to previously reported results has been extracted from the following ASX announcements:

1. *“56% Increase in Global Resource Salinas Lithium Project JORC MRE Now -70.3Mt @1.27% Li₂O”, dated 6 December 2023.*
2. *“NEW ASSAYS CONFIRM PLANALTO DISCOVERY”, dated 31 January 2024.*

These above-mentioned announcements are available on the Company’s website.

The Company confirms that it is not aware of any new information or data that materially affects the information included in the above market announcements, and that the form and context in which the Competent Persons findings are presented have not been materially modified from the original market announcement.

APPENDIX A: SALINAS LITHIUM PROJECT TENURE



APPENDIX B: SALINAS PROJECT- DIAMOND DRILL COLLAR DETAILS

Hole ID	Easting (m)	Northing (m)	RL (m)	Azi (deg)	Dip (deg)	Depth (m)	Target	Hole Status	Latest Collars	MRE Date
SADD001	807784.5	8214950.0	722.8	240	-84	120.7	Colina	Complete	No	Dec-22
SADD002	807787.8	8214951.9	722.6	60	-65	170.4	Colina	Complete	No	Dec-22
SADD003	807836.5	8214789.7	770.3	240	-65	157.3	Colina	Complete	No	Dec-22
SADD004	807902.6	8214821.7	766.1	240	-65	170.0	Colina	Complete	No	Dec-22
SADD005	807911.3	8214611.0	783.2	240	-80	201.6	Colina	Complete	No	Dec-22
SADD006	807844.3	8214447.7	813.0	240	-84	265.9	Colina	Complete	No	Dec-22
SADD007	808002.1	8215501.6	581.6	240	-80	173.9	Colina	Complete	No	Dec-22
SADD008	807954.4	8215455.5	584.8	230	-80	62.8	Colina	Complete	No	Dec-22
SADD009	807999.8	8215400.7	599.5	230	-80	59.8	Colina	Complete	No	Dec-22
SADD010	807920.5	8215565.7	563.7	230	-80	81.1	Colina	Complete	No	Dec-22
SADD011	807943.2	8215136.5	690.8	290	-84	26.2	Colina	Complete	No	Dec-22
SADD011A	807943.5	8215136.4	690.9	290	-80	160.4	Colina	Complete	No	Dec-22
SADD012	808001.3	8215154.0	688.8	230	-80	134.5	Colina	Complete	No	Dec-22
SADD013	808001.5	8215283.4	627.6	230	-65	131.5	Colina	Complete	No	Dec-22
SADD014	807804.9	8214497.4	800.2	320	-75	169.4	Colina	Complete	No	Dec-22
SADD015	807782.3	8214374.0	801.5	320	-65	216.3	Colina	Complete	No	Dec-22
SADD016	807900.4	8214705.8	772.7	240	-80	300.7	Colina	Complete	No	Dec-22
SADD017	807975.8	8214719.7	781.9	260	-70	229.1	Colina	Complete	No	Dec-22
SADD018	808012.0	8214821.1	778.4	260	-70	271.7	Colina	Complete	No	Dec-22
SADD019	808004.6	8214978.6	767.4	260	-70	275.6	Colina	Complete	No	Dec-22
SADD020	807881.9	8214963.6	738.9	260	-80	261.1	Colina	Complete	No	Dec-22
SADD021	807922.8	8214862.5	753.9	260	-69.54	267.6	Colina	Complete	No	Dec-22
SADD022	807881.8	8214694.6	769.8	260	-65	141.7	Colina	Complete	No	Dec-22
SADD023	807901.5	8214706.5	772.6	240	-80	133.1	Colina	Complete	No	Dec-22
SADD024	807841.9	8214292.5	827.7	260	-70	331.9	Colina	Complete	No	Dec-22
SADD025	807747.3	8214274.9	827.3	260	-70	284.0	Colina	Complete	No	Dec-22
SADD026	808106.6	8214739.4	789.4	260	-68	360.4	Colina	Complete	No	Dec-22
SADD027	807880.3	8214392.7	822.0	260	-70	325.9	Colina	Complete	No	Dec-22
SADD028	807766.0	8214376.8	796.9	260	-70	198.6	Colina	Complete	No	Dec-22
SADD029	807799.5	8214482.5	801.1	260	-70	233.6	Colina	Complete	No	Dec-22
SADD030	808053.0	8214881.6	784.5	257	-69	348.4	Colina	Complete	No	Dec-22
SADD031	807901.1	8214499.4	794.3	260	-70	321.9	Colina	Complete	No	Dec-22
SADD032	807830.5	8214588.1	770.5	260	-70	120.0	Colina	Complete	No	Dec-22
SADD033	807506.8	8214728.2	806.7	260	-70	429.2	Colina	Complete	No	Dec-22
SADD034	807831.3	8214588.2	770.4	260	-70	45.0	Colina	Complete	No	Dec-22
SADD035	807764.1	8214674.9	760.2	260	-80	127.0	Colina	Complete	No	Dec-22
SADD036	808114.0	8214834.8	779.5	260	-70	399.4	Colina	Complete	No	Dec-22
SADD037	807884.0	8215066.5	715.5	260	-75	255.2	Colina	Complete	No	Dec-22
SADD038	807823.4	8214845.6	759.2	260	-70	183.2	Colina	Complete	No	Dec-22
SADD039	808102.5	8214991.6	750.4	260	-70	306.4	Colina	Complete	No	Dec-22
SADD040	808010.7	8215085.8	731.9	260	-70	305.3	Colina	Complete	No	Dec-22
SADD041	807688.3	8215022.4	730.4	260	-70	100.7	Colina	Complete	No	Dec-22
SADD042	808052.0	8214620.6	791.6	260	-70	400.9	Colina	Complete	No	Dec-22
SADD043	807999.1	8214515.0	799.6	260	-70	351.4	Colina	Complete	No	Dec-22
SADD044	807704.3	8214820.9	760.3	260	-70	147.4	Colina	Complete	No	Dec-22
SADD045	808015.7	8215184.9	678.2	260	-70	300.8	Colina	Complete	No	Dec-22
SADD046	807975.7	8214415.5	819.3	260	-70	366.5	Colina	Complete	No	Dec-22
SADD047	807786.0	8214780.1	755.4	260	-68	104.0	Colina	Complete	No	Dec-22
SADD048	808076.2	8214427.0	804.7	260	-70	463.8	Colina	Complete	No	Dec-22
SADD049	807643.7	8214255.1	827.9	260	-80	132.5	Colina	Complete	No	Dec-22
SADD050	807914.5	8215168.8	672.2	260	-68	210.4	Colina	Complete	No	Dec-22
SADD051	808041.5	8214324.2	821.3	260	-54	435.1	Colina	Complete	No	Dec-22
SADD052	807668.2	8214357.0	797.4	260	-70	450.4	Colina	Complete	No	Dec-22
SADD053	807690.9	8214462.6	782.3	260	-75	321.3	Colina	Complete	No	Dec-22
SADD054	808097.8	8214534.0	774.3	260	-70	451.9	Colina	Complete	No	Dec-22
SADD055	807730.1	8214568.2	769.6	260	-65	499.1	Colina	Complete	No	Dec-22
SADD056	807889.5	8213891.2	832.9	260	-60	432.2	Colina	Complete	No	Dec-22
SADD057	807946.3	8214803.6	760.9	260	-74	270.4	Colina	Complete	No	Dec-22
SADD058	807658.5	8213556.5	834.4	260	-60	448.7	Colina	Complete	No	Dec-22
SADD059	807868.9	8214856.0	765.8	260	-74	265.9	Colina	Complete	No	Dec-22
SADD060	807612.1	8214755.0	789.7	260	-72	460.9	Colina	Complete	No	Dec-22
SADD061	807989.3	8214873.2	767.4	262	-70	280.7	Colina	Complete	No	Dec-22

SADD062	807795.9	8214280.5	828.1	260	-73	281.4	Colina	Complete	No	Dec-22
SADD063	807421.1	8214713.0	786.4	260	-66	450.2	Colina	Complete	No	Dec-22
SADD064	807816.9	8214083.1	831.3	260	-60	450.1	Colina	Complete	No	Dec-22
SADD065	807223.2	8214678.3	752.1	260	-72	450.3	Colina	Complete	No	Dec-22
SADD066	807691.1	8214264.8	827.3	260	-77	270.7	Colina	Complete	No	Jun-23
SADD067	807823.9	8214845.7	759.2	260	-50	22.3	Colina	Complete	No	Jun-23
SADD068	807894.9	8214297.3	827.8	260	-71	270.1	Colina	Complete	No	Jun-23
SADD069	807595.9	8214245.3	828.1	260	-70	450.4	Colina	Complete	No	Jun-23
SADD070	807614.6	8214348.5	815.6	260	-62	454.7	Colina	Complete	No	Jun-23
SADD071	807717.8	8214366.8	794.2	260	-72	268.9	Colina	Complete	No	Jun-23
SADD072	807614.0	8214652.6	791.0	260	-70	454.8	Colina	Complete	No	Jun-23
SADD073	807617.9	8214857.0	783.2	260	-70	450.4	Colina	Complete	No	Jun-23
SADD074	808108.6	8214997.5	749.2	260	-84	450.4	Colina	Complete	No	Jun-23
SADD075	808099.0	8214897.5	772.1	260	-79	450.4	Colina	Complete	No	Jun-23
SADD076	807516.7	8214630.9	802.8	260	-70	448.9	Colina	Complete	No	Jun-23
SADD077	807615.7	8214546.1	794.4	260	-67	449.9	Colina	Complete	No	Jun-23
SADD078	807615.0	8214446.4	800.5	260	-70	450.4	Colina	Complete	No	Jun-23
SADD079	807517.5	8214841.3	797.6	260	-70	448.8	Colina	Complete	No	Jun-23
SADD080	807444.0	8214219.0	826.8	260	-70	459.4	Colina	Complete	No	Jun-23
SADD081	807420.1	8214314.8	804.4	260	-62	459.3	Colina	Complete	No	Jun-23
SADD082	808094.7	8215100.6	719.7	260	-72	450.4	Colina	Complete	No	Jun-23
SADD083	807416.0	8214624.4	775.0	260	-65	450.2	Colina	Complete	No	Jun-23
SADD084	807518.1	8214530.1	797.9	260	-65	451.6	Colina	Complete	No	Jun-23
SADD085	807422.4	8214821.1	797.3	260	-68	450.4	Colina	Complete	No	Jun-23
SADD086	807518.2	8214429.9	803.6	260	-68	451.7	Colina	Complete	No	Jun-23
SADD087	807353.4	8214201.2	824.6	260	-70	465.4	Colina	Complete	No	Jun-23
SADD088	807518.1	8214330.3	818.1	260	-62	450.2	Colina	Complete	No	Jun-23
SADD089	807321.0	8214297.3	795.8	260	-64	448.9	Colina	Complete	No	Jun-23
SADD090	807318.4	8214593.3	753.0	260	-62	364.8	Colina	Complete	No	Jun-23
SADD091	807420.5	8214508.0	772.7	260	-60	334.9	Colina	Complete	No	Jun-23
SADD092	807294.8	8214385.4	783.5	260	-65	385.9	Colina	Complete	No	Jun-23
SADD093	807416.1	8214411.8	790.6	260	-65	354.8	Colina	Complete	No	Jun-23
SADD094	807237.4	8214181.9	823.4	260	-72	298.8	Colina	Complete	No	Jun-23
SADD095	807134.5	8214165.1	822.4	260	-71	351.4	Colina	Complete	No	Jun-23
SADD096	807216.5	8214278.3	809.9	260	-65	322.8	Colina	Complete	No	Jun-23
SADD097	807909.0	8214765.3	768.9	260	-70	150.4	Colina	Complete	No	Jun-23
SADD098	807080.3	8214347.2	792.6	260	-66	304.9	Colina	Complete	No	Jun-23
SADD099	807098.0	8214258.9	806.7	260	-65	300.3	Colina	Complete	No	Jun-23
SADD100	807292.1	8214489.9	765.5	260	-61	316.8	Colina	Complete	No	Jun-23
SADD101	807034.1	8214144.6	822.0	260	-71	309.3	Colina	Complete	No	Jun-23
SADD102	807320.7	8214812.6	775.5	260	-65	256.7	Colina	Complete	No	Jun-23
SADD103	807825.1	8214716.1	763.7	260	-70	114.4	Colina	Complete	No	Jun-23
SADD104	807192.6	8214574.1	777.2	260	-66	309.4	Colina	Complete	No	Jun-23
SADD105	807188.3	8214373.7	790.7	260	-65	316.8	Colina	Complete	No	Jun-23
SADD106	806995.7	8214242.0	816.6	260	-65	324.3	Colina	Complete	No	Jun-23
SADD107	807861.2	8214644.3	763.9	260	-70	457.9	Colina	Complete	No	Jun-23
SADD108	807170.1	8214469.6	776.1	260	-66	300.2	Colina	Complete	No	Jun-23
SADD109	806925.6	8214133.0	822.7	260	-70	229.7	Colina	Complete	No	Jun-23
SADD110	807242.8	8214804.5	759.3	250	-58	237.3	Colina	Complete	No	Jun-23
SADD111	807076.0	8214562.0	766.3	260	-66	241.7	Colina	Complete	No	Jun-23
SADD112	806976.7	8214340.5	800.9	260	-64	313.8	Colina	Complete	No	Jun-23
SADD113	806825.1	8214114.9	818.9	260	-70	45.4	Colina	Complete	No	Jun-23
SADD114	806880.0	8214216.4	815.6	260	-67	231.1	Colina	Complete	No	Jun-23
SADD115	807058.9	8214450.9	784.7	260	-69	280.8	Colina	Complete	No	Jun-23
SADD116	807853.2	8214910.5	752.8	260	-72	237.4	Colina	Complete	No	Jun-23
SADD117	806952.5	8214431.9	784.0	260	-69	249.5	Colina	Complete	No	Jun-23
SADD118	807123.9	8214661.0	767.5	260	-72	223.8	Colina	Complete	No	Jun-23
SADD119	807922.9	8214922.7	744.9	260	-70	235.8	Colina	Complete	No	Jun-23
SADD120	806777.6	8214204.9	810.2	260	-65	280.7	Colina	Complete	No	Jun-23
SADD121	806874.1	8214320.4	793.4	260	-66	282.4	Colina	Complete	No	Jun-23
SADD122	806825.5	8214115.0	818.8	260	-70	86.8	Colina	Complete	No	Jun-23
SADD123	806767.2	8214297.1	797.2	260	-66	301.7	Colina	Complete	No	Jun-23
SADD124	806710.7	8214099.5	786.2	260	-70	171.3	Colina	Complete	No	Jun-23
SADD125	807986.2	8214930.2	766.4	260	-70	261.2	Colina	Complete	No	Jun-23
SADD126	806654.1	8214180.7	777.5	260	-65	180.2	Colina	Complete	No	Jun-23
SADD127	807935.3	8215029.4	737.1	260	-65	251.9	Colina	Complete	No	Jun-23
SADD128	806597.8	8214072.1	780.4	260	-75	169.8	Colina	Complete	No	Jun-23

SADD129	806549.8	8214167.2	771.9	255	-65	130.6	Colina	Complete	No	Jun-23
SADD130	806639.4	8214280.5	778.0	260	-69	181.9	Colina	Complete	No	Jun-23
SADD131	806525.8	8214265.9	757.3	260	-70	141.4	Colina	Complete	No	Jun-23
SADD132	806537.4	8213552.8	823.3	260	-65	658.3	Colina	Complete	No	Jun-23
SADD133	806826.3	8214115.0	818.9	260	-70	201.3	Colina	Complete	No	Jun-23
SADD134	808067.0	8215049.6	745.4	260	-65	317.1	Colina	Complete	No	Jun-23
SADD135	806539.7	8214062.8	774.5	260	-55	109.9	Colina	Complete	No	Jun-23
SADD136	806597.3	8213771.7	816.6	260	-65	601.6	Colina	Complete	No	Dec-23
SADD137	806733.0	8213587.3	825.4	260	-65	608.7	Colina	Complete	No	Dec-23
SADD138	806797.3	8213801.8	822.5	260	-65	123.1	Colina	Abandoned	No	Dec-23
SADD139	807823.3	8214386.1	817.7	260	-71	450.2	Colina	Complete	No	Dec-23
SADD140	807926.2	8214406.1	821.7	260	-71	300.5	Colina	Complete	No	Dec-23
SADD141	806582.9	8213966.6	783.2	260	-70	271.9	Colina	Complete	No	Dec-23
SADD142	806796.3	8213801.7	822.5	260	-65	381.4	Colina	Complete	No	Dec-23
SADD143	808017.2	8214422.8	812.1	260	-70	369.3	Colina	Complete	No	Dec-23
SADD144	807859.8	8214493.1	791.8	260	-69	450.3	Colina	Complete	No	Dec-23
SADD145	805876.0	8213844.2	814.0	260	-65	450.3	Colina	Complete	No	Dec-23
SADD146	806142.5	8213482.9	823.6	260	-65	450.6	Colina	Complete	No	Dec-23
SADD147	807946.4	8214972.9	758.6	260	-73	282.4	Colina	Complete	No	Dec-23
SADD148	808068.4	8214828.8	789.4	260	-70	370.9	Colina	Complete	No	Dec-23
SADD149	808047.4	8214725.0	794.3	260	-68	370.7	Colina	Complete	No	Dec-23
SADD150	806404.1	8213732.3	816.2	260	-65	459.3	Colina	Complete	No	Dec-23
SADD151	806880.5	8214019.2	822.2	260	-70	403.9	Colina	Complete	No	Dec-23
SADD152	806994.1	8213836.4	827.1	260	-65	450.4	Colina	Complete	No	Dec-23
SADD153	808056.0	8214997.4	759.5	250	-70	300.5	Colina	Complete	No	Dec-23
SADD154	807991.2	8214611.1	799.9	260	-74	336.6	Colina	Complete	No	Dec-23
SADD155	807880.2	8214596.2	772.6	260	-73	165.5	Colina	Complete	No	Dec-23
SADD156	807821.3	8214685.7	754.6	260	-70	102.3	Colina	Complete	No	Dec-23
SADD157	807077.3	8214053.9	824.9	260	-70	450.2	Colina	Complete	No	Dec-23
SADD158	807690.4	8214664.6	769.4	260	-72	523.9	Colina	Complete	No	Dec-23
SADD159	807749.3	8214833.4	745.5	260	-70	201.3	Colina	Complete	No	Dec-23
SADD160	806337.9	8213520.7	823.3	260	-65	517.8	Colina	Complete	No	Dec-23
SADD161	807274.3	8214088.5	828.0	260	-70	451.6	Colina	Complete	No	Dec-23
SADD162	806979.0	8214036.5	823.5	260	-70	455.0	Colina	Complete	No	Dec-23
SADD163	806637.9	8213867.4	812.1	260	-70	271.9	Colina	Complete	No	Dec-23
SADD164	807192.3	8213871.3	829.7	260	-65	450.1	Colina	Complete	No	Dec-23
SADD165	804974.2	8211478.0	815.3	265	-55	500.8	Colina	Complete	No	Dec-23
SADD166	807175.8	8214071.3	826.6	260	-71	459.4	Colina	Complete	No	Dec-23
SADD167	806743.7	8213891.8	818.3	260	-71	450.3	Colina	Complete	No	Dec-23
SADD168	807375.8	8214110.0	829.0	260	-72	450.4	Colina	Complete	No	Dec-23
SADD169	806844.0	8213910.0	822.5	260	-70	466.8	Colina	Complete	No	Dec-23
SADD170	807707.5	8214768.4	758.9	260	-70	522.4	Colina	Complete	No	Dec-23
SADD171	807093.7	8213857.5	828.6	258	-65	450.3	Colina	Complete	No	Dec-23
SADD172	804177.7	8211401.0	798.2	265	-55	450.1	Colina	Complete	No	Dec-23
SADD173	807471.7	8214123.3	829.5	260	-70	429.3	Colina	Complete	No	Dec-23
SADD174	806681.5	8213982.1	792.9	260	-70	271.8	Colina	Complete	No	Dec-23
SADD175	806945.3	8213927.6	824.4	260	-70	450.2	Colina	Complete	No	Dec-23
SADD176	807041.6	8213944.7	826.0	260	-71	453.3	Colina	Complete	No	Dec-23
SADD177	806777.9	8214001.6	805.7	260	-70	391.6	Colina	Complete	No	Dec-23
SADD178	807756.8	8214716.5	746.0	260	-72	508.9	Colina	Complete	No	Dec-23
SADD179	806890.2	8213817.6	824.7	260	-65	360.3	Colina	Complete	No	Dec-23
SADD180	807127.9	8213958.1	827.2	260	-75	440.4	Colina	Complete	No	Dec-23
SADD181	808115.3	8215098.7	718.8	260	-84	320.1	Colina	Complete	No	Dec-23
SADD182	807444.1	8214015.9	830.8	260	-75	400.9	Colina	Complete	No	Dec-23
SADD183	806699.4	8213784.5	819.3	260	-65	345.2	Colina	Complete	No	Dec-23
SADD184	807950.5	8214753.8	772.0	260	-75	600.3	Colina	Complete	No	Dec-23
SADD185	807705.2	8214880.0	759.2	260	-73	504.5	Colina	Complete	No	Dec-23
SADD186	807241.6	8213979.8	828.5	260	-72	358.7	Colina	Complete	No	Dec-23
SADD187	807966.3	8214672.0	788.3	253	-69	550.4	Colina	Complete	No	Dec-23
SADD188	808113.8	8214735.5	789.9	260	-81	450.4	Colina	Complete	No	Dec-23
SADD189	808116.0	8215206.1	696.5	260	-75	399.3	Colina	Complete	No	Dec-23
SADD190	806956.1	8213728.1	827.8	260	-68	351.2	Colina	Complete	No	Dec-23
SADD191	807341.4	8213997.8	830.0	260	-73	400.9	Colina	Complete	No	Dec-23
SADD192	807056.4	8213747.3	829.4	260	-65	360.3	Colina	Complete	No	Dec-23
SADD193	806856.7	8213710.7	825.8	260	-65	310.8	Colina	Complete	No	Dec-23
SADD194	807842.3	8214819.6	769.7	258	-67	550.7	Colina	Complete	No	Dec-23
SADD195	807867.8	8214757.7	767.7	255	-69	550.9	Colina	Complete	No	Dec-23

SADD196	808114.9	8214834.9	779.3	260	-84	450.4	Colina	Complete	No	Dec-23
SADD197	808066.4	8215501.8	588.7	260	-70	451.7	Colina	Complete	No	Dec-23
SADD198	806752.3	8213693.2	823.3	260	-65	300.2	Colina	Complete	No	Dec-23
SADD199	808048.7	8215188.0	686.0	260	-78	261.3	Colina	Complete	No	~May-24
SADD200	808085.0	8214891.0	777.6	260	-72	450.5	Colina	Complete	No	~May-24
SADD201	808073.0	8214678.8	792.8	260	-70	370.2	Colina	Complete	No	~May-24
SADD202	808109.8	8214996.7	749.1	260	-78	340.9	Colina	Complete	No	~May-24
SADD203	802900.8	8213433.0	795.6	260	-55	199.7	Colina	Complete	No	~May-24
SADD204	807819.6	8214894.2	756.2	260	-65	250.7	Colina	Complete	No	~May-24
SADD205	807939.3	8215074.7	717.0	260	-75	250.6	Colina	Complete	No	~May-24
SADD206	808092.7	8214942.6	760.8	260	-72	330.4	Colina	Complete	No	~May-24
SADD207	803448.9	8213629.1	798.1	260	-55	202.7	Colina	Complete	No	~May-24
SADD208	803149.3	8212647.0	787.4	260	-55	199.7	Colina	Complete	No	~May-24
SADD209	808013.4	8214666.9	794.0	260	-70	299.4	Colina	Complete	No	~May-24
SADD210	807863.6	8215000.8	725.0	260	-63	250.7	Colina	Complete	No	~May-24
SADD211	807773.2	8214520.0	789.6	260	-70	415.8	Colina	Complete	No	~May-24
SADD212	807957.0	8215177.0	666.2	260	-68	223.7	Colina	Complete	No	~May-24
SADD213	807915.0	8214650.2	779.6	260	-69	431.6	Colina	Complete	No	~May-24
SADD214	808058.6	8215093.0	730.9	260	-70	310.9	Colina	Complete	No	~May-24
SADD215	802592.3	8211780.9	804.0	260	-55	216.1	Colina	Complete	No	~May-24
SADD216	809542.7	8213398.8	837.2	260	-55	223.7	Colina	Complete	Yes	~May-24
SADD217	808023.2	8214929.9	776.3	260	-75	310.3	Colina	Complete	Yes	~May-24
SADD218	808107.9	8215049.0	733.8	260	-65	318.5	Colina	Complete	Yes	~May-24
SADD219	807907.7	8215013.5	741.9	260	-65	280.8	Colina	Complete	No	~May-24
SADD220	807871.9	8215113.2	690.3	260	-70	204.4	Colina	Complete	No	~May-24
SADD221	808064.5	8214777.2	794.8	260	-70	351.1	Colina	Complete	No	~May-24
SADD222	808033.1	8215117.6	721.5	275	-70	268.7	Colina	Complete	No	~May-24
SADD223	805744.7	8212357.6	823.2	260	-55	500.7	Planalto	Complete	No	-
SADD224	807650.5	8214706.1	781.0	260	-68	291.3	Colina	Complete	No	~May-24
SADD225	807568.9	8214541.0	806.2	260	-67	290.1	Colina	Complete	No	~May-24
SADD226	807965.9	8215022.3	747.2	260	-65	291.4	Colina	Complete	No	~May-24
SADD227	808016.7	8215031.2	755.9	260	-65	310.8	Colina	Complete	No	~May-24
SADD228	808639.8	8213411.9	840.0	310	-55	201.4	Colina	Complete	No	~May-24
SADD229	807923.0	8215126.7	687.8	260	-70	220.7	Colina	Complete	No	~May-24
SADD230	807569.5	8214438.2	812.3	260	-70	286.1	Colina	Complete	No	~May-24
SADD231	808060.9	8215144.9	709.4	260	-73	280.7	Colina	Complete	No	~May-24
SADD232	807612.5	8214701.5	790.8	260	-68	324.4	Colina	Complete	No	~May-24
SADD233	807588.8	8214595.2	799.3	265	-63	450.3	Colina	Complete	No	~May-24
SADD234	807569.8	8214340.5	820.6	260	-61	401.5	Colina	Complete	No	~May-24
SADD235	807571.2	8214495.9	806.1	259	-66	409.8	Colina	Complete	Yes	~May-24
SADD236	808010.5	8214765.9	780.6	260	-70	330.3	Colina	Complete	No	~May-24
SADD237	807972.8	8215109.7	711.9	275	-70	250.2	Colina	Complete	No	~May-24
SADD238	807585.3	8214386.2	816.0	263	-59	404.7	Colina	Complete	No	~May-24
SADD239	807691.3	8214611.8	763.5	260	-72	424.4	Colina	Complete	No	~May-24
SADD240	807664.3	8214502.0	783.7	260	-70	415.8	Colina	Complete	No	~May-24
SADD241	807570.2	8214691.7	801.9	260	-64	450.3	Colina	Complete	No	~May-24
SADD242	807476.4	8214676.1	799.1	260	-65	450.1	Colina	Complete	No	~May-24
SADD243	807470.9	8214573.4	781.6	260	-60	379.6	Colina	Complete	No	~May-24
SADD244	807476.7	8214372.5	807.0	260	-60	381.2	Colina	Complete	No	~May-24
SADD245	807472.6	8214471.5	791.4	258	-67	390.3	Colina	Complete	No	~May-24
SADD246	807664.0	8214609.6	776.4	265	-65	430.8	Colina	Complete	No	~May-24
SADD247	807354.3	8214549.1	768.0	260	-60	151.7	Colina	Complete	No	~May-24
SADD248	807358.8	8214657.4	758.5	260	-63	88.8	Colina	Complete	No	~May-24
SADD249	807644.6	8214402.6	794.6	260	-63	70.7	Colina	Complete	Yes	~May-24
SADD250	807377.4	8214350.5	792.5	260	60	44.8	Colina	Complete	Yes	~May-24
SADD251	807508.5	8214274.9	825.4	260	-68	17.8	Colina	Complete	Yes	~May-24
SADD252	807365.0	8214450.9	779.0	260	-61	297.4	Colina	Complete	No	~May-24
SADD253	807550.6	8214796.3	799.3	260	-70	252.4	Colina	Complete	No	~May-24
SADD254	806653.8	8213721.1	819.8	260	-67	205.7	Colina	Complete	No	~May-24
SADD255	806731.4	8213837.4	819.7	260	-70	264.0	Colina	Complete	No	~May-24
SADD256	806826.6	8213954.7	821.6	260	-70	133.1	Colina	Complete	No	~May-24
SADD257	807263.2	8214629.5	751.7	260	-63	127.9	Colina	Complete	No	~May-24
SADD258	807253.3	8214534.6	761.4	260	60	22.6	Colina	Complete	No	~May-24
SADD259	807276.8	8214331.5	794.5	260	-60	75.3	Colina	Complete	No	~May-24
SADD260	806753.2	8213739.2	822.1	260	-67	98.8	Colina	Complete	No	~May-24
SADD261	807254.8	8214432.9	779.3	260	-61	121.7	Colina	Complete	No	~May-24
SADD262	807699.2	8214714.9	764.8	260	69	24.0	Colina	Complete	No	~May-24

SADD263	807644.2	8214813.8	779.6	260	72	235.7	Colina	Complete	No	~May-24
SADD264	807613.1	8214295.1	825.5	260	67	193.9	Colina	Complete	No	~May-24
SADD265	807154.6	8214517.2	783.4	260	60	207.3	Colina	Complete	No	~May-24
SADD266	807783.9	8214576.0	782.7	260	70	49.4	Colina	Complete	No	~May-24
SADD267	807411.6	8214257.8	822.6	260	-68	235.5	Colina	Complete	Yes	~May-24
SADD268	807418.8	8214163.2	828.3	260	-70	139.7	Colina	Complete	Yes	~May-24
SADD269	807175.1	8214313.9	806.2	260	-60	73.9	Colina	Complete	Yes	~May-24
SADD270	807791.0	8214630.4	770.8	260	-69	475.9	Colina	Complete	Yes	~May-24
SADD271	806926.5	8213972.6	823.5	260	-70	363.9	Colina	Complete	Yes	~May-24
SADD272	807306.7	8214238.3	815.5	260	-68	420.3	Colina	Complete	Yes	~May-24
SADD273	806816.2	8214056.8	819.2	260	-70	360.1	Colina	Complete	Yes	~May-24
SADD274	807205.3	8214221.2	819.1	260	-68	390.2	Colina	Complete	Yes	~May-24
SADD275	808109.2	8214944.7	758.7	260	-82	327.3	Colina	Complete	Yes	~May-24
SADD276	807357.6	8214761.3	768.6	260	-55	279.3	Colina	Complete	Yes	~May-24
SADD277	807452.2	8214778.0	800.2	260	-70	350.0	Colina	Complete	Yes	~May-24
SADD278	807318.7	8214145.4	829.1	260	70	328.8	Colina	Complete	Yes	~May-24
SADD279	806828.5	8214253.2	810.2	260	-62	256.8	Colina	Complete	Yes	~May-24
SADD280	806916.9	8214074.7	821.8	260	-70	196.9	Colina	Complete	Yes	~May-24
SADD281	807217.3	8214128.0	825.6	260	-70	185.0	Colina	Complete	Yes	~May-24
SADD282	807098.1	8214202.9	818.1	260	-68	175.8	Colina	Complete	Yes	~May-24
SADD283	807027.7	8213989.8	824.9	260	-70	79.2	Colina	Complete	Yes	~May-24
SADD284	806993.4	8214185.4	819.7	260	-68	87.0	Colina	Complete	Yes	~May-24
SADD285	807357.6	8214761.3	768.6	260	-70	161.8	Colina	Complete	Yes	~May-24
SADD286	807114.7	8214109.7	824.3	260	-70	450.4	Colina	Complete	Yes	~May-24
SADD287	807016.0	8214092.6	823.1	260	-70	420.3	Colina	Complete	Yes	~May-24
SADD288	808107.9	8215049.0	733.8	260	-81	317.1	Colina	Complete	Yes	~May-24
SADD289	806830.3	8213855.0	822.8	260	-70	329.4	Colina	Complete	Yes	~May-24
SADD290	807068.3	8214297.9	799.5	260	-60	339.3	Colina	Complete	Yes	~May-24
SADD291	806891.6	8214167.5	818.9	260	-68	292.8	Colina	Complete	Yes	~May-24
SADD292	806952.1	8214276.5	809.1	260	-60	310.7	Colina	Complete	Yes	~May-24
SADD293	806845.5	8213755.6	824.7	260	-67	289.8	Colina	Complete	Yes	~May-24
SADD294	807126.8	8214007.2	826.7	260	-70	445.8	Colina	Complete	Yes	~May-24
SADD295	806930.9	8213872.6	825.2	260	-70	371.6	Colina	Complete	Yes	~May-24
SADD296	806792.3	8214149.4	808.0	260	-68	229.9	Colina	Complete	Yes	~May-24
SADD297	807134.5	8214411.0	784.5	260	-61	361.5	Colina	Complete	Yes	~May-24
SADD298	807035.6	8214394.5	794.2	260	-61	343.8	Colina	Complete	Yes	~May-24
SADD299	807030.0	8213890.3	826.9	260	-70	302.5	Colina	Complete	Yes	~May-24
SADD300	807128.9	8213907.7	828.3	260	-70	330.2	Colina	Complete	Yes	~May-24
SADD301	806930.1	8213770.3	826.8	260	-70	229.8	Colina	Complete	Yes	~May-24
SADD302	807226.0	8214024.0	828.4	260	-70	261.3	Colina	Complete	Yes	~May-24
SADD303	807029.3	8213787.7	828.5	260	-70	189.2	Colina	Complete	Yes	~May-24
SADD304	807325.4	8214040.3	829.6	260	-70	271.8	Colina	Complete	Yes	~May-24
SADD223	805745.4	8212357.8	824.2	260	-55	450.0	Planalto	Complete	No	-
SADD305	805645.5	8212340.2	822.8	260	-55	450.0	Planalto	Complete	Yes	-
SADD306	805449.7	8212305.6	820.8	260	-55	450.2	Planalto	Complete	Yes	-
SADD307	805581.7	8212430.1	822.3	260	-55	450.1	Planalto	Complete	Yes	-
SADD308	805417.1	8212198.3	819.7	260	-55	401.4	Planalto	Complete	Yes	-
SADD309	805253.1	8212271.3	818.2	260	-55	398.9	Planalto	Complete	Yes	-
SADD310	805315.8	8212486.2	819.8	260	-55	237.0	Planalto	In progress	Yes	-
SADD311	805383.6	8212395.4	820.3	260	-55	66.0	Planalto	In progress	Yes	-

APPENDIX C: SALINAS PROJECT SIGNIFICANT INTERSECTIONS

Hole ID	From (m)	To (m)	Interval (m)	Li ₂ O (%)	Target	New Results
SADD001 - 135	<i>Refer to LRS announcement dated 7 June 2023</i>					
SADD136 - 204	<i>Refer to LRS announcement dated 30 November 2023</i>					
SADD205 - 215	<i>Refer to LRS announcement dated 31 January 2024</i>					
SADD219 - 232	<i>Refer to LRS announcement dated 31 January 2024</i>					
SADD233 - 234	<i>Refer to LRS announcement dated 26 March 2024</i>					
SADD236 - 248	<i>Refer to LRS announcement dated 26 March 2024</i>					
SADD252 - 265	<i>Refer to LRS announcement dated 26 March 2024</i>					
SADD205	134.82	135.87	1.05	0.69	Colina	No
SADD205	150.60	157.28	6.68	1.29	Colina	No
<i>Including:</i>	152.45	156.45	4.00	1.56	Colina	No
SADD205	202.73	209.13	6.40	1.75	Colina	No
<i>Including:</i>	202.73	208.00	5.27	1.88	Colina	No
SADD206	142.33	153.40	11.07	1.36	Colina	No
<i>Including:</i>	149.50	153.40	3.90	1.85	Colina	No
SADD206	201.50	204.30	2.80	0.69	Colina	No
SADD206	260.15	277.99	17.84	1.58	Colina	No
<i>Including:</i>	260.15	269.00	8.85	1.88	Colina	No
SADD206	281.61	288.61	7.00	1.44	Colina	No
<i>Including:</i>	281.61	284.61	3.00	2.05	Colina	No
SADD206	296.28	299.34	3.06	0.75	Colina	No
SADD207	<i>No significant results</i>				Colina	No
SADD208	<i>No significant results</i>				Colina	No
SADD209	231.00	243.12	12.12	1.27	Colina	No
<i>Including:</i>	238.00	242.00	4.00	1.71	Colina	No
SADD209	258.00	262.00	4.00	0.92	Colina	No
SADD210	80.60	84.14	3.54	1.44	Colina	No
<i>Including:</i>	81.40	83.14	1.74	2.05	Colina	No
SADD210	128.10	131.20	3.10	1.66	Colina	No
SADD211	244.52	246.40	1.88	0.92	Colina	No
SADD211	308.00	313.00	5.00	2.18	Colina	No
SADD211	352.50	367.78	15.28	1.05	Colina	No
<i>Including:</i>	357.50	362.50	5.00	1.50	Colina	No
SADD212	30.86	33.00	2.14	1.89	Colina	No
SADD212	175.58	176.58	1.00	0.67	Colina	No
SADD212	182.96	183.99	1.03	1.35	Colina	No
SADD213	102.91	118.00	15.09	1.53	Colina	No
<i>Including:</i>	108.00	117.00	9.00	1.98	Colina	No
SADD213	181.26	183.06	1.80	0.49	Colina	No
SADD213	373.75	385.06	11.31	1.19	Colina	No
<i>Including:</i>	378.00	382.94	4.94	1.46	Colina	No
SADD214	95.03	95.71	0.68	0.64	Colina	No
SADD214	239.74	255.39	15.65	1.60	Colina	No
<i>Including:</i>	246.00	251.00	5.00	2.05	Colina	No
And:	239.74	251.00	11.26	1.79	Colina	No
SADD214	150.32	163.76	13.44	1.52	Colina	No
<i>Including:</i>	150.32	154.00	3.68	2.26	Colina	No
SADD214	228.00	235.13	7.13	1.51	Colina	No
<i>Including:</i>	228.00	231.00	3.00	2.38	Colina	No
SADD215	<i>No significant results</i>				Colina	No
SADD216	<i>No significant results</i>				Colina	Yes
SADD217	133.46	135.49	2.03	0.95	Colina	Yes
SADD217	176.00	190.28	14.28	1.19	Colina	Yes
<i>Including:</i>	182.00	187.00	5.00	1.86	Colina	Yes
SADD217	240.00	255.00	15.00	1.47	Colina	Yes
<i>Including:</i>	240.00	248.00	8.00	2.31	Colina	Yes

SADD218	172.05	185.00	12.95	1.62	Colina	Yes
<i>Including:</i>	174.00	179.00	5.00	2.27	Colina	Yes
SADD218	241.00	270.13	29.13	1.65	Colina	Yes
<i>Including:</i>	241.00	264.00	23.00	1.78	Colina	Yes
And:	241.00	246.00	5.00	2.29	Colina	Yes
SADD219	93.45	94.45	1.00	1.68	Colina	No
SADD219	124.75	126.13	1.38	0.86	Colina	No
SADD219	148.82	151.60	2.78	1.44	Colina	No
SADD220	191.00	192.40	1.40	1.01	Colina	No
SADD221	185.45	188.39	2.94	1.00	Colina	No
<i>Including:</i>	186.54	187.51	0.97	2.38	Colina	No
SADD221	262.00	277.00	15.00	1.56	Colina	No
<i>Including:</i>	262.00	264.00	2.00	1.62	Colina	No
And:	265.00	272.00	7.00	1.81	Colina	No
SADD222	95.62	100.77	5.15	1.56	Colina	No
<i>Including:</i>	96.62	99.80	3.18	2.07	Colina	No
SADD222	111.87	112.67	0.80	0.67	Colina	No
SADD222	145.00	146.81	1.81	0.90	Colina	No
SADD222	147.67	148.11	0.44	2.33	Colina	No
SADD222	224.15	225.00	0.85	1.91	Colina	No
SADD222	245.09	250.70	5.61	1.68	Colina	No
<i>Including:</i>	245.09	249.00	3.91	1.96	Colina	No
SADD223	237.81	241.24	3.43	0.79	Planalto	No
SADD223	293.59	294.63	1.04	0.96	Planalto	No
SADD223	298.00	299.00	1.00	0.80	Planalto	No
SADD223	362.00	366.12	4.12	1.02	Planalto	No
SADD223	395.29	404.54	9.25	1.21	Planalto	No
SADD223	425.00	441.14	16.14	1.29	Planalto	No
<i>Including:</i>	434.00	441.14	7.14	1.63	Planalto	No
SADD224	81.30	83.28	1.98	1.53	Colina	No
SADD224	170.60	171.61	1.01	1.06	Colina	No
SADD224	185.59	186.72	1.13	0.96	Colina	No
SADD224	197.47	206.50	9.03	1.48	Colina	No
<i>Including:</i>	202.50	205.50	3.00	2.51	Colina	No
SADD224	235.29	235.63	0.34	1.27	Colina	No
SADD224	237.65	241.02	3.37	1.50	Colina	No
SADD224	243.33	243.80	0.47	0.89	Colina	No
SADD224	245.04	245.84	0.80	1.18	Colina	No
SADD224	246.41	252.92	6.51	1.61	Colina	No
<i>Including:</i>	249.00	251.00	2.00	2.13	Colina	No
SADD224	259.98	261.02	1.04	1.13	Colina	No
SADD224	270.53	273.88	3.35	1.47	Colina	No
<i>Including:</i>	270.53	273.00	2.47	1.76	Colina	No
SADD224	320.73	335.46	14.73	1.70	Colina	No
<i>Including:</i>	322.00	330.20	8.20	2.15	Colina	No
And:	322.00	333.78	11.78	1.96	Colina	No
SADD224	345.82	355.70	9.88	1.22	Colina	No
<i>Including:</i>	347.00	350.00	3.00	1.69	Colina	No
And:	352.00	354.82	2.82	1.75	Colina	No
SADD224	380.61	383.21	2.60	1.43	Colina	No
SADD224	414.17	417.00	2.83	1.91	Colina	No
SADD225	127.30	131.11	3.81	1.62	Colina	No
SADD225	143.02	145.58	2.56	1.09	Colina	No
SADD225	146.48	154.00	7.52	1.10	Colina	No
<i>Including:</i>	146.48	150.00	3.52	1.50	Colina	No
SADD225	170.60	179.10	8.50	1.28	Colina	No
<i>Including:</i>	170.60	175.60	5.00	1.59	Colina	No
SADD225	190.05	190.95	0.90	1.14	Colina	No
SADD225	242.80	245.00	2.20	1.30	Colina	No
SADD225	258.69	262.85	4.16	0.83	Colina	No

SADD225	280.53	281.32	0.79	0.64	Colina	No
SADD226	123.72	125.55	1.83	0.55	Colina	No
SADD226	162.61	163.46	0.85	0.74	Colina	No
SADD226	169.00	176.10	7.10	1.31	Colina	No
<i>Including:</i>	173.00	175.00	2.00	1.67	Colina	No
SADD226	184.37	185.29	0.92	0.79	Colina	No
SADD226	259.16	264.00	4.84	1.49	Colina	No
SADD227	109.37	111.00	1.63	1.36	Colina	No
SADD227	151.00	153.86	2.86	0.75	Colina	No
SADD227	178.49	180.00	1.51	1.02	Colina	No
SADD227	200.98	215.27	14.29	1.12	Colina	No
<i>Including:</i>	202.99	208.00	5.01	1.79	Colina	No
SADD228	<i>No significant results</i>				Colina	No
SADD229	43.05	47.58	4.53	1.36	Colina	No
SADD229	193.03	195.00	1.97	1.54	Colina	No
SADD230	118.34	118.75	0.41	0.83	Colina	No
SADD230	122.29	123.36	1.07	0.41	Colina	No
SADD230	134.97	143.55	8.58	1.14	Colina	No
<i>Including:</i>	134.97	137.00	2.03	1.71	Colina	No
And:	140.00	143.55	3.55	1.68	Colina	No
SADD230	158.77	160.07	1.30	2.12	Colina	No
SADD230	169.21	175.92	6.71	1.21	Colina	No
<i>Including:</i>	169.21	171.00	1.79	2.31	Colina	No
SADD230	237.05	239.14	2.09	1.26	Colina	No
SADD230	246.66	251.56	4.90	2.26	Colina	No
<i>Including:</i>	248.66	251.56	2.90	2.62	Colina	No
SADD230	261.60	263.51	1.91	1.21	Colina	No
SADD230	268.08	271.64	3.56	1.05	Colina	No
<i>Including:</i>	270.00	271.64	1.64	1.56	Colina	No
SADD231	103.40	108.71	5.31	1.16	Colina	No
<i>Including:</i>	105.42	107.61	2.19	1.60	Colina	No
SADD231	132.00	137.00	5.00	1.61	Colina	No
<i>Including:</i>	132.00	135.00	3.00	2.28	Colina	No
SADD231	234.00	241.24	7.24	1.44	Colina	No
<i>Including:</i>	237.00	240.12	3.12	1.74	Colina	No
SADD231	242.88	245.43	2.55	2.28	Colina	No
SADD232	186.20	194.25	8.05	1.28	Colina	No
<i>Including:</i>	190.00	193.20	3.20	1.48	Colina	No
SADD232	219.13	222.96	3.83	1.52	Colina	No
<i>Including:</i>	220.00	222.00	2.00	2.07	Colina	No
SADD232	228.96	234.52	5.56	1.09	Colina	No
<i>Including:</i>	232.93	234.52	1.59	1.64	Colina	No
SADD232	235.23	236.86	1.63	1.69	Colina	No
SADD232	247.27	247.98	0.71	0.73	Colina	No
SADD232	254.44	256.94	2.50	1.28	Colina	No
SADD232	304.16	305.21	1.05	0.88	Colina	No
SADD233	147.27	148.54	1.27	0.73	Colina	No
SADD233	148.94	152.79	3.85	1.70	Colina	No
SADD233	155.14	159.80	4.66	1.18	Colina	No
<i>Including:</i>	156.00	158.00	2.00	1.41	Colina	No
SADD233	172.00	175.71	3.71	1.36	Colina	No
<i>Including:</i>	174.00	175.71	1.71	1.74	Colina	No
SADD233	197.37	198.85	1.48	1.24	Colina	No
SADD233	201.73	210.76	9.03	1.75	Colina	No
<i>Including:</i>	201.73	208.77	7.04	2.02	Colina	No
SADD233	267.20	268.91	1.71	1.27	Colina	No
SADD233	269.99	270.98	0.99	1.29	Colina	No
SADD233	271.55	273.60	2.05	1.34	Colina	No
SADD233	348.35	350.25	1.90	0.88	Colina	No
SADD233	355.19	380.00	24.81	1.53	Colina	No

<i>Including:</i>	356.00	374.00	18.00	1.75	Colina	No
And:	356.00	363.00	7.00	1.97	Colina	No
SADD234	122.00	123.00	1.00	1.18	Colina	No
SADD234	129.27	130.08	0.81	1.62	Colina	No
SADD234	164.29	165.32	1.03	0.78	Colina	No
SADD234	180.65	182.63	1.98	1.49	Colina	No
SADD234	183.08	186.00	2.92	1.50	Colina	No
SADD234	254.46	255.27	0.81	1.07	Colina	No
SADD234	284.75	288.08	3.33	2.17	Colina	No
SADD234	299.03	319.82	20.79	1.49	Colina	No
<i>Including:</i>	311.00	316.00	5.00	2.01	Colina	No
SADD234	348.53	364.00	15.47	1.20	Colina	No
<i>Including:</i>	349.30	353.00	3.70	2.23	Colina	No
And:	355.00	359.00	4.00	1.48	Colina	No
SADD235	116.20	117.71	1.51	1.84	Colina	Yes
SADD235	125.60	126.70	1.10	1.22	Colina	Yes
SADD235	129.91	136.70	6.79	1.78	Colina	Yes
<i>Including:</i>	131.00	133.00	2.00	2.19	Colina	Yes
SADD235	149.80	150.96	1.16	0.86	Colina	Yes
SADD235	228.80	230.38	1.58	1.34	Colina	Yes
SADD235	234.33	235.02	0.69	1.46	Colina	Yes
SADD235	254.28	259.00	4.72	1.57	Colina	Yes
SADD235	267.82	268.42	0.60	1.20	Colina	Yes
SADD235	269.79	270.48	0.69	0.44	Colina	Yes
SADD235	284.62	285.38	0.76	1.27	Colina	Yes
SADD235	286.34	288.28	1.94	1.23	Colina	Yes
SADD235	312.68	318.59	5.91	1.36	Colina	Yes
<i>Including:</i>	312.68	316.00	3.32	1.72	Colina	Yes
SADD235	331.00	338.83	7.83	1.42	Colina	Yes
<i>Including:</i>	331.00	337.00	6.00	1.60	Colina	Yes
SADD235	344.21	361.93	17.72	1.39	Colina	Yes
<i>Including:</i>	344.21	346.00	1.79	3.12	Colina	Yes
SADD235	381.31	384.69	3.38	1.72	Colina	Yes
SADD236	144.00	150.75	6.75	1.64	Colina	No
<i>Including:</i>	145.00	147.00	2.00	2.54	Colina	No
And:	148.00	150.00	2.00	1.82	Colina	No
SADD236	188.00	202.20	14.20	1.38	Colina	No
<i>Including:</i>	189.00	193.00	4.00	2.02	Colina	No
And:	199.00	202.20	3.20	1.78	Colina	No
SADD237	230.00	232.18	2.18	0.83	Colina	No
SADD238	129.88	133.00	3.12	1.13	Colina	No
<i>Including:</i>	131.00	132.00	1.00	2.33	Colina	No
SADD238	135.00	136.17	1.17	0.97	Colina	No
SADD238	137.07	137.97	0.90	1.36	Colina	No
SADD238	148.13	149.50	1.37	0.92	Colina	No
SADD238	169.23	170.56	1.33	3.23	Colina	No
SADD238	177.53	181.37	3.84	1.19	Colina	No
<i>Including:</i>	177.53	179.45	1.92	1.56	Colina	No
SADD238	195.40	198.67	3.27	0.65	Colina	No
SADD238	240.32	242.76	2.44	1.06	Colina	No
SADD238	256.15	257.78	1.63	2.27	Colina	No
SADD238	278.41	279.11	0.70	0.72	Colina	No
SADD238	282.37	283.58	1.21	1.62	Colina	No
SADD238	285.43	287.00	1.57	2.39	Colina	No
SADD238	315.45	316.05	0.60	1.22	Colina	No
SADD238	321.00	346.32	25.32	1.61	Colina	No
<i>Including:</i>	326.00	331.00	5.00	2.11	Colina	No
And:	336.00	341.00	5.00	3.03	Colina	No
SADD238	363.27	364.12	0.85	1.21	Colina	No
SADD238	364.91	372.50	7.59	1.19	Colina	No

<i>Including:</i>	366.00	369.00	3.00	1.52	Colina	No
SADD238	386.36	388.86	2.50	1.28	Colina	No
SADD239	136.30	138.33	2.03	1.31	Colina	No
SADD239	184.89	186.76	1.87	1.72	Colina	No
SADD239	188.92	190.10	1.18	0.74	Colina	No
SADD239	196.00	209.00	13.00	1.23	Colina	No
<i>Including:</i>	199.00	203.00	4.00	1.59	Colina	No
SADD239	217.00	226.42	9.42	1.38	Colina	No
<i>Including:</i>	221.00	226.42	5.42	1.69	Colina	No
SADD239	242.00	243.15	1.15	0.44	Colina	No
SADD239	257.43	258.30	0.87	0.68	Colina	No
SADD239	294.74	316.40	21.66	1.47	Colina	No
<i>Including:</i>	294.74	305.00	10.26	1.60	Colina	No
And:	309.00	315.20	6.20	1.71	Colina	No
SADD239	330.24	347.06	16.82	1.26	Colina	No
<i>Including:</i>	330.24	334.00	3.76	1.61	Colina	No
SADD239	386.08	388.73	2.65	1.16	Colina	No
SADD239	390.33	395.84	5.51	1.14	Colina	No
SADD239	397.60	400.61	3.01	1.30	Colina	No
SADD239	401.66	402.28	0.62	1.25	Colina	No
SADD239	404.12	405.13	1.01	1.01	Colina	No
SADD240	106.00	107.49	1.49	0.66	Colina	No
SADD240	165.00	165.83	0.83	0.66	Colina	No
SADD240	171.24	178.78	7.54	1.86	Colina	No
SADD240	181.59	193.00	11.41	1.94	Colina	No
SADD240	262.20	264.15	1.95	1.56	Colina	No
SADD240	272.69	281.85	9.16	1.29	Colina	No
<i>Including:</i>	273.69	279.00	5.31	1.59	Colina	No
SADD240	317.59	334.70	17.11	1.59	Colina	No
<i>Including:</i>	318.30	325.00	6.70	2.07	Colina	No
And:	329.00	332.00	3.00	2.27	Colina	No
SADD240	337.51	345.66	8.15	1.37	Colina	No
<i>Including:</i>	337.51	342.50	4.99	1.72	Colina	No
SADD240	347.49	348.33	0.84	1.97	Colina	No
SADD240	353.01	358.74	5.73	0.73	Colina	No
SADD240	371.47	378.53	7.06	1.09	Colina	No
<i>Including:</i>	371.47	374.50	3.03	1.74	Colina	No
SADD240	387.33	395.04	7.71	1.32	Colina	No
<i>Including:</i>	388.15	391.00	2.85	1.86	Colina	No
SADD241	150.70	151.10	0.40	1.05	Colina	No
SADD241	152.83	153.20	0.37	1.58	Colina	No
SADD241	155.03	155.93	0.90	0.70	Colina	No
SADD241	165.92	166.41	0.49	0.76	Colina	No
SADD241	171.27	173.30	2.03	1.74	Colina	No
SADD241	175.90	176.33	0.43	1.49	Colina	No
SADD241	182.81	185.06	2.25	1.50	Colina	No
SADD241	203.65	206.00	2.35	0.84	Colina	No
SADD241	213.94	217.40	3.46	1.26	Colina	No
SADD241	220.49	222.27	1.78	1.07	Colina	No
SADD241	237.00	239.38	2.38	1.29	Colina	No
SADD241	290.17	293.46	3.29	1.38	Colina	No
SADD241	332.12	352.36	20.24	1.41	Colina	No
<i>Including:</i>	333.00	339.00	6.00	1.73	Colina	No
And:	343.00	345.00	2.00	1.86	Colina	No
And:	346.00	350.68	4.68	1.78	Colina	No
SADD242	124.10	127.08	2.98	1.73	Colina	No
SADD242	148.85	151.43	2.58	1.33	Colina	No
SADD242	155.01	155.83	0.82	0.66	Colina	No
SADD242	164.13	166.31	2.18	1.18	Colina	No
SADD242	218.83	219.89	1.06	0.67	Colina	No

SADD242	220.75	221.00	0.25	0.60	Colina	No
SADD242	236.93	239.37	2.44	1.24	Colina	No
SADD242	287.42	293.28	5.86	0.85	Colina	No
SADD242	297.82	305.00	7.18	0.82	Colina	No
<i>Including</i>	297.82	302.00	4.18	1.12	Colina	No
SADD243	65.00	66.00	1.00	1.22	Colina	No
SADD243	86.46	91.06	4.60	1.58	Colina	No
SADD243	96.41	97.57	1.16	0.46	Colina	No
SADD243	106.27	110.65	4.38	0.89	Colina	No
SADD243	182.30	184.10	1.80	1.94	Colina	No
SADD243	240.40	241.41	1.01	1.26	Colina	No
SADD243	242.25	246.10	3.85	1.17	Colina	No
SADD243	254.00	258.10	4.10	1.36	Colina	No
SADD243	291.36	294.00	2.64	1.58	Colina	No
SADD243	327.88	338.00	10.12	1.30	Colina	No
<i>Including</i>	330.00	336.00	6.00	1.54	Colina	No
SADD244	127.43	132.17	4.74	1.15	Colina	No
SADD244	158.29	159.56	1.27	1.64	Colina	No
SADD244	243.54	250.48	6.94	1.49	Colina	No
SADD244	268.58	281.50	12.92	1.55	Colina	No
<i>Including</i>	275.50	280.50	5.00	1.88	Colina	No
SADD244	298.09	299.53	1.44	1.07	Colina	No
SADD244	317.86	324.15	6.29	1.81	Colina	No
<i>Including</i>	320.00	323.00	3.00	2.49	Colina	No
SADD244	346.89	353.00	6.11	1.78	Colina	No
<i>Including</i>	348.00	351.00	3.00	2.88	Colina	No
SADD245	113.67	116.64	2.97	0.91	Colina	No
SADD245	123.70	127.31	3.61	1.11	Colina	No
SADD245	180.34	182.13	1.79	1.30	Colina	No
SADD245	231.03	237.53	6.50	1.32	Colina	No
<i>Including</i>	234.00	237.00	3.00	1.66	Colina	No
SADD245	246.35	253.18	6.83	0.85	Colina	No
<i>Including</i>	250.30	252.30	2.00	1.65	Colina	No
SADD245	298.24	316.89	18.65	1.60	Colina	No
<i>Including</i>	301.00	305.00	4.00	2.13	Colina	No
And:	307.00	310.00	3.00	1.94	Colina	No
SADD245	329.66	332.85	3.19	1.21	Colina	No
SADD246	140.78	145.67	4.89	1.79	Colina	No
SADD246	172.75	175.78	3.03	1.30	Colina	No
SADD246	177.65	177.92	0.27	1.63	Colina	No
SADD246	179.40	180.59	1.19	0.70	Colina	No
SADD246	188.37	197.26	8.89	1.43	Colina	No
SADD246	201.87	209.00	7.13	1.12	Colina	No
<i>Including</i>	201.87	204.57	2.70	1.51	Colina	No
SADD246	218.27	226.53	8.26	1.52	Colina	No
SADD246	231.26	235.24	3.98	1.03	Colina	No
SADD246	292.68	297.34	4.66	1.42	Colina	No
SADD246	325.19	358.11	32.92	1.62	Colina	No
<i>Including</i>	325.19	353.00	27.81	1.80	Colina	No
And:	335.00	349.00	14.00	2.05	Colina	No
SADD246	363.12	365.80	2.68	1.26	Colina	No
SADD246	371.38	374.22	2.84	1.40	Colina	No
SADD246	437.00	440.20	3.20	1.18	Colina	No
SADD247	92.73	93.88	1.15	1.02	Colina	No
SADD247	161.04	163.00	1.96	1.70	Colina	No
SADD247	205.48	207.45	1.97	1.78	Colina	No
SADD247	307.00	311.71	4.71	1.48	Colina	No
<i>Including</i>	307.00	310.00	3.00	2.05	Colina	No
SADD248	51.40	53.38	1.98	0.47	Colina	No
SADD248	117.03	118.05	1.02	0.68	Colina	No

SADD248	124.59	127.63	3.04	1.62	Colina	No
SADD248	202.00	209.61	7.61	1.35	Colina	No
SADD249	141.00	143.95	2.95	1.77	Colina	Yes
SADD249	176.25	182.57	6.32	1.15	Colina	Yes
<i>Including</i>	179.00	182.00	3.00	1.67	Colina	Yes
SADD249	234.26	236.93	2.67	0.91	Colina	Yes
SADD249	261.00	272.69	11.69	0.96	Colina	Yes
SADD249	276.00	278.00	2.00	1.05	Colina	Yes
SADD249	299.58	300.69	1.11	1.34	Colina	Yes
SADD249	326.78	348.00	21.22	1.29	Colina	Yes
<i>Including</i>	327.90	334.00	6.10	2.52	Colina	Yes
SADD249	365.33	368.00	2.67	0.79	Colina	Yes
SADD249	373.93	380.26	6.33	2.84	Colina	Yes
SADD250	151.47	153.24	1.77	1.27	Colina	Yes
SADD250	172.50	175.07	2.57	1.20	Colina	Yes
SADD250	211.65	214.36	2.71	0.98	Colina	Yes
SADD250	233.23	247.77	14.54	1.79	Colina	Yes
<i>Including</i>	234.00	240.00	6.00	2.16	Colina	Yes
SADD250	304.00	307.12	3.12	1.28	Colina	Yes
SADD250	324.12	335.67	11.55	1.17	Colina	Yes
<i>Including</i>	324.12	330.00	5.88	1.52	Colina	Yes
SADD250	404.37	408.00	3.63	1.59	Colina	Yes
SADD250	420.10	423.49	3.39	1.14	Colina	Yes
SADD251	163.00	165.00	2.00	0.63	Colina	Yes
SADD251	239.00	242.26	3.26	0.51	Colina	Yes
SADD251	291.50	319.91	28.41	1.52	Colina	Yes
<i>Including</i>	291.50	305.00	13.50	2.01	Colina	Yes
SADD251	356.39	361.91	5.52	1.39	Colina	Yes
<i>Including</i>	357.20	360.00	2.80	1.84	Colina	Yes
SADD252	69.08	71.05	1.97	1.15	Colina	No
SADD252	148.58	149.26	0.68	1.14	Colina	No
SADD252	174.73	178.44	3.71	1.40	Colina	No
SADD252	204.34	205.62	1.28	0.80	Colina	No
SADD252	225.81	233.78	7.97	1.27	Colina	No
SADD252	295.00	302.00	7.00	1.31	Colina	No
SADD253	157.35	159.51	2.16	1.11	Colina	No
SADD253	221.48	224.83	3.35	1.51	Colina	No
SADD253	232.60	237.08	4.48	1.18	Colina	No
SADD253	240.80	244.16	3.36	1.48	Colina	No
SADD253	323.56	329.00	5.44	1.83	Colina	No
<i>Including</i>	326.00	329.00	3.00	2.27	Colina	No
SADD254	174.53	177.49	2.96	0.70	Colina	No
SADD255	136.65	137.64	0.99	0.60	Colina	No
SADD255	247.00	249.79	2.79	1.88	Colina	No
SADD256	129.80	134.65	4.85	1.20	Colina	No
SADD256	223.86	226.09	2.23	0.70	Colina	No
SADD256	326.23	329.82	3.59	1.40	Colina	No
SADD257	62.78	63.94	1.16	1.78	Colina	No
SADD257	180.38	180.95	0.57	0.55	Colina	No
SADD258	29.80	33.42	3.62	0.78	Colina	No
SADD258	106.76	110.20	3.44	1.57	Colina	No
SADD258	195.22	201.00	5.78	1.61	Colina	No
<i>Including</i>	197.00	200.00	3.00	2.22	Colina	No
SADD259	99.77	100.73	0.96	1.78	Colina	No
SADD259	124.82	127.41	2.59	1.10	Colina	No
SADD259	182.33	183.12	0.79	0.46	Colina	No
SADD259	217.60	232.85	15.25	1.51	Colina	No
<i>Including</i>	217.60	220.00	2.40	2.77	Colina	No
SADD259	293.35	304.00	10.65	1.57	Colina	No
<i>Including</i>	294.20	299.00	4.80	1.92	Colina	No

SADD259	329.00	329.90	0.90	0.43	Colina	No
SADD259	382.77	383.84	1.07	0.58	Colina	No
SADD259	394.43	396.10	1.67	0.60	Colina	No
SADD259	402.76	411.00	8.24	1.66	Colina	No
<i>Including</i>	403.80	409.00	5.20	1.83	Colina	No
SADD260	224.90	225.97	1.07	0.46	Colina	No
SADD261	100.30	102.19	1.89	1.20	Colina	No
SADD261	105.48	106.34	0.86	1.62	Colina	No
SADD261	120.97	121.77	0.80	0.85	Colina	No
SADD261	172.90	175.76	2.86	0.88	Colina	No
SADD261	207.81	215.00	7.19	2.71	Colina	No
SADD261	299.63	306.62	6.99	1.28	Colina	No
SADD262	54.79	58.71	3.92	1.12	Colina	No
SADD262	60.37	63.20	2.83	1.38	Colina	No
SADD262	160.30	162.96	2.66	1.49	Colina	No
SADD262	216.19	225.00	8.81	1.39	Colina	No
<i>Including</i>	221.00	225.00	4.00	1.76	Colina	No
SADD262	244.80	247.00	2.20	1.15	Colina	No
SADD262	255.83	262.27	6.44	1.65	Colina	No
<i>Including</i>	257.00	261.52	4.52	1.80	Colina	No
SADD262	266.75	269.68	2.93	1.42	Colina	No
SADD262	279.09	280.00	0.91	1.20	Colina	No
SADD262	280.54	283.12	2.58	1.22	Colina	No
SADD262	302.26	302.94	0.68	1.14	Colina	No
SADD262	310.82	317.96	7.14	1.34	Colina	No
<i>Including</i>	310.82	314.00	3.18	2.09	Colina	No
SADD262	339.57	357.32	17.75	1.78	Colina	No
<i>Including</i>	339.57	350.00	10.43	2.19	Colina	No
SADD262	398.03	401.53	3.50	1.95	Colina	No
SADD262	412.46	414.82	2.36	1.13	Colina	No
SADD262	417.84	424.72	6.88	1.67	Colina	No
<i>Including</i>	421.00	424.72	3.72	2.32	Colina	No
SADD263	66.41	67.62	1.21	1.25	Colina	No
SADD263	194.24	195.29	1.05	0.84	Colina	No
SADD263	210.53	212.55	2.02	1.10	Colina	No
SADD263	249.86	254.41	4.55	1.92	Colina	No
SADD263	287.36	293.00	5.64	1.29	Colina	No
SADD263	357.44	367.25	9.81	1.35	Colina	No
SADD263	400.00	405.14	5.14	1.68	Colina	No
<i>Including</i>	401.00	404.00	3.00	2.43	Colina	No
SADD264	203.54	212.15	8.61	1.26	Colina	No
<i>Including</i>	203.54	209.00	5.46	1.46	Colina	No
SADD264	348.00	361.40	13.40	1.03	Colina	No
<i>Including</i>	348.00	351.00	3.00	1.61	Colina	No
SADD265	82.20	84.93	2.73	1.11	Colina	No
SADD265	233.13	233.78	0.65	0.46	Colina	No
SADD266	214.00	215.00	1.00	0.63	Colina	Yes
SADD266	253.02	266.86	13.84	1.18	Colina	Yes
<i>Including</i>	255.00	260.00	5.00	1.54	Colina	Yes
SADD266	278.75	283.80	5.05	1.10	Colina	Yes
SADD266	311.64	314.64	3.00	1.99	Colina	Yes
SADD266	361.25	382.10	20.85	1.59	Colina	Yes
<i>Including</i>	367.00	375.00	8.00	2.06	Colina	Yes
SADD266	427.57	453.63	26.06	1.27	Colina	Yes
<i>Including</i>	431.00	436.00	5.00	1.57	Colina	Yes
And:	448.00	451.80	3.80	1.63	Colina	Yes
SADD267	135.26	137.28	2.02	2.68	Colina	Yes
SADD267	139.18	140.19	1.01	0.45	Colina	Yes
SADD267	164.66	165.37	0.71	0.78	Colina	Yes
SADD267	214.50	220.21	5.71	1.70	Colina	Yes

SADD267	258.66	272.98	14.32	1.23	Colina	Yes
<i>Including</i>	258.66	264.00	5.34	1.65	Colina	Yes
SADD267	310.37	319.00	8.63	1.07	Colina	Yes
<i>Including</i>	314.00	318.00	4.00	1.58	Colina	Yes
SADD268	148.92	156.00	7.08	1.92	Colina	Yes
<i>Including</i>	150.00	155.00	5.00	2.34	Colina	Yes
SADD268	250.44	261.00	10.56	1.43	Colina	Yes
<i>Including</i>	250.44	254.00	3.56	1.53	Colina	Yes
And:	255.00	259.00	4.00	1.74	Colina	Yes
SADD269	62.12	63.71	1.59	0.76	Colina	Yes
SADD269	135.53	137.35	1.82	1.07	Colina	Yes
SADD269	227.04	235.75	8.71	1.42	Colina	Yes
<i>Including</i>	229.00	235.75	6.75	1.64	Colina	Yes
SADD269	259.55	260.45	0.90	0.72	Colina	Yes
SADD269	261.65	262.37	0.72	0.83	Colina	Yes
SADD269	272.24	272.90	0.66	2.34	Colina	Yes
SADD269	283.00	284.00	1.00	1.34	Colina	Yes
SADD269	361.32	365.72	4.40	1.40	Colina	Yes
<i>Including</i>	362.00	364.00	2.00	1.92	Colina	Yes
SADD270	18.00	19.00	1.00	0.47	Colina	Yes
SADD270	168.10	168.70	0.60	0.63	Colina	Yes
SADD270	219.23	221.74	2.51	1.83	Colina	Yes
SADD270	242.93	246.11	3.18	1.01	Colina	Yes
<i>Including</i>	244.00	245.00	1.00	1.32	Colina	Yes
SADD270	250.63	267.01	16.38	1.56	Colina	Yes
<i>Including</i>	255.00	261.00	6.00	2.02	Colina	Yes
SADD270	287.18	293.52	6.34	1.50	Colina	Yes
<i>Including</i>	287.18	290.40	3.22	1.87	Colina	Yes
SADD270	303.68	310.30	6.62	1.51	Colina	Yes
<i>Including</i>	303.68	308.00	4.32	1.82	Colina	Yes
SADD270	319.40	321.39	1.99	1.16	Colina	Yes
SADD270	339.91	350.61	10.70	1.25	Colina	Yes
<i>Including</i>	342.00	347.00	5.00	1.70	Colina	Yes
SADD270	361.40	377.76	16.36	1.26	Colina	Yes
<i>Including</i>	361.40	367.00	5.60	1.74	Colina	Yes
And:	373.00	376.00	3.00	1.70	Colina	Yes
SADD270	385.72	388.34	2.62	0.89	Colina	Yes
SADD270	402.15	404.15	2.00	0.63	Colina	Yes
SADD270	444.40	465.93	21.53	0.98	Colina	Yes
<i>Including</i>	444.40	447.00	2.60	2.08	Colina	Yes
And:	459.00	462.00	3.00	1.73	Colina	Yes
SADD271	133.71	136.00	2.29	0.97	Colina	Yes
SADD271	157.55	161.71	4.16	1.88	Colina	Yes
<i>Including</i>	158.00	160.00	2.00	2.49	Colina	Yes
SADD271	209.33	210.94	1.61	1.07	Colina	Yes
SADD272	114.12	118.28	4.16	1.00	Colina	Yes
<i>Including</i>	114.12	116.00	1.88	1.33	Colina	Yes
SADD272	140.40	141.07	0.67	0.44	Colina	Yes
SADD272	200.09	200.98	0.89	0.94	Colina	Yes
SADD272	206.65	211.06	4.41	1.34	Colina	Yes
<i>Including</i>	206.65	209.00	2.35	1.88	Colina	Yes
SADD272	221.18	229.48	8.30	1.33	Colina	Yes
<i>Including</i>	222.00	225.00	3.00	1.83	Colina	Yes
SADD272	235.90	244.58	8.68	1.14	Colina	Yes
<i>Including</i>	237.00	239.00	2.00	1.98	Colina	Yes
SADD272	245.15	246.00	0.85	1.36	Colina	Yes
SADD272	292.33	300.60	8.27	1.98	Colina	Yes
<i>Including</i>	293.00	299.80	6.80	2.21	Colina	Yes
SADD272	350.81	353.43	2.62	1.08	Colina	Yes
SADD272	354.17	356.00	1.83	1.64	Colina	Yes

SADD272	373.10	375.53	2.43	1.47	Colina	Yes
<i>Including</i>	373.10	374.76	1.66	1.79	Colina	Yes
SADD272	410.32	412.49	2.17	0.74	Colina	Yes
SADD273	117.96	125.00	7.04	1.57	Colina	Yes
<i>Including</i>	120.00	125.00	5.00	1.87	Colina	Yes
SADD273	247.26	248.10	0.84	1.60	Colina	Yes
SADD274	62.26	63.00	0.74	0.76	Colina	Yes
SADD274	78.02	78.80	0.78	0.96	Colina	Yes
SADD274	186.89	195.04	8.15	1.29	Colina	Yes
<i>Including</i>	189.00	193.00	4.00	1.68	Colina	Yes
SADD274	215.61	218.40	2.79	1.22	Colina	Yes
SADD274	269.07	273.94	4.87	1.07	Colina	Yes
<i>Including</i>	269.07	271.00	1.93	1.72	Colina	Yes
SADD274	274.49	278.06	3.57	1.02	Colina	Yes
SADD274	281.29	285.73	4.44	1.38	Colina	Yes
<i>Including</i>	282.26	284.00	1.74	1.87	Colina	Yes
SADD274	288.61	294.00	5.39	1.42	Colina	Yes
<i>Including</i>	292.00	294.00	2.00	2.08	Colina	Yes
SADD274	337.15	338.59	1.44	1.08	Colina	Yes
SADD274	354.53	355.16	0.63	0.89	Colina	Yes
SADD274	355.56	361.73	6.17	1.34	Colina	Yes
SADD275	146.88	161.14	14.26	1.53	Colina	Yes
<i>Including</i>	150.00	161.14	11.14	1.71	Colina	Yes
SADD275	233.30	234.38	1.08	0.68	Colina	Yes
SADD275	275.49	309.41	33.92	1.93	Colina	Yes
<i>Including</i>	275.49	285.00	9.51	2.53	Colina	Yes
And:	294.85	308.70	13.85	2.04	Colina	Yes
SADD276	156.26	160.91	4.65	1.70	Colina	Yes
SADD277	170.00	176.72	6.72	1.28	Colina	Yes
SADD277	184.95	188.24	3.29	0.92	Colina	Yes
SADD277	247.65	250.00	2.35	1.64	Colina	Yes
SADD278	107.48	108.30	0.82	0.49	Colina	Yes
SADD278	137.94	143.23	5.29	1.39	Colina	Yes
SADD278	210.00	219.60	9.60	0.80	Colina	Yes
<i>Including</i>	216.00	218.80	2.80	1.45	Colina	Yes
SADD278	268.00	272.00	4.00	1.46	Colina	Yes
SADD278	372.50	375.56	3.06	0.81	Colina	Yes
SADD279	229.36	233.09	3.73	1.03	Colina	Yes
SADD280	136.00	137.60	1.60	1.73	Colina	Yes
SADD280	162.52	170.20	7.68	1.51	Colina	Yes
<i>Including</i>	163.35	167.20	3.85	1.92	Colina	Yes
SADD280	303.17	304.06	0.89	1.13	Colina	Yes
SADD281	131.84	132.48	0.64	0.42	Colina	Yes
SADD281	202.66	210.12	7.46	1.31	Colina	Yes
SADD281	236.65	248.74	12.09	1.34	Colina	Yes
<i>Including</i>	237.80	247.00	9.20	1.54	Colina	Yes
SADD281	253.67	254.30	0.63	0.51	Colina	Yes
SADD281	256.40	257.21	0.81	0.62	Colina	Yes
SADD281	271.00	272.00	1.00	0.94	Colina	Yes
SADD281	347.44	351.56	4.12	1.69	Colina	Yes
SADD282	163.52	171.00	7.48	1.26	Colina	Yes
SADD282	191.18	196.00	4.82	0.87	Colina	Yes
SADD282	244.16	253.25	9.09	1.94	Colina	Yes
<i>Including</i>	244.16	252.10	7.94	2.13	Colina	Yes
SADD282	312.76	318.52	5.76	1.88	Colina	Yes
SADD283	152.38	165.40	13.02	1.23	Colina	Yes
<i>Including</i>	160.00	164.00	4.00	1.95	Colina	Yes
SADD283	241.65	245.17	3.52	0.98	Colina	Yes
SADD283	308.66	309.75	1.09	1.28	Colina	Yes
SADD283	382.00	382.88	0.88	1.35	Colina	Yes

SADD283	387.91	393.31	5.40	1.40	Colina	Yes
SADD284	145.79	146.79	1.00	0.42	Colina	Yes
SADD284	217.31	220.00	2.69	1.11	Colina	Yes
SADD284	243.52	251.80	8.28	1.44	Colina	Yes
SADD284	291.80	294.04	2.24	1.15	Colina	Yes
SADD285	92.00	96.70	4.70	1.16	Colina	Yes
SADD285	106.43	108.09	1.66	1.25	Colina	Yes
SADD285	162.00	165.60	3.60	1.46	Colina	Yes
SADD285	273.00	274.66	1.66	0.86	Colina	Yes
SADD285	276.93	278.22	1.29	1.26	Colina	Yes
SADD286	176.21	181.34	5.13	1.52	Colina	Yes
<i>Including</i>	177.00	180.67	3.67	1.86	Colina	Yes
SADD286	182.94	198.00	15.06	1.51	Colina	Yes
<i>Including</i>	189.00	196.00	7.00	1.88	Colina	Yes
SADD286	327.60	330.83	3.23	0.58	Colina	Yes
SADD286	436.30	441.08	4.78	1.79	Colina	Yes
<i>Including</i>	437.20	441.08	3.88	2.05	Colina	Yes
SADD287	113.00	120.00	7.00	1.54	Colina	Yes
SADD287	158.71	164.71	6.00	1.05	Colina	Yes
SADD287	167.10	167.95	0.85	1.23	Colina	Yes
SADD287	192.54	199.00	6.46	1.51	Colina	Yes
SADD287	246.76	249.09	2.33	1.03	Colina	Yes
SADD287	374.73	379.60	4.87	1.48	Colina	Yes
SADD288	177.00	185.62	8.62	1.74	Colina	Yes
SADD288	244.00	270.43	26.43	1.75	Colina	Yes
<i>Including</i>	250.93	256.00	5.07	2.45	Colina	Yes
And:	260.00	266.00	6.00	2.48	Colina	Yes
SADD289	138.95	140.09	1.14	0.89	Colina	Yes
SADD289	140.93	141.43	0.50	0.44	Colina	Yes
SADD289	192.00	193.08	1.08	2.10	Colina	Yes
SADD289	297.71	303.00	5.29	1.24	Colina	Yes
SADD290	162.96	172.00	9.04	1.58	Colina	Yes
SADD290	255.70	265.51	9.81	1.15	Colina	Yes
SADD290	321.62	328.76	7.14	1.42	Colina	Yes
SADD291	60.63	60.89	0.26	0.83	Colina	Yes
SADD291	185.82	196.00	10.18	1.62	Colina	Yes
<i>Including</i>	187.00	191.00	4.00	1.97	Colina	Yes
SADD291	248.75	249.90	1.15	0.98	Colina	Yes
SADD292	115.00	120.70	5.70	0.89	Colina	Yes
<i>Including</i>	115.00	118.00	3.00	1.37	Colina	Yes
SADD292	224.09	234.00	9.91	1.51	Colina	Yes
<i>Including</i>	225.00	229.00	4.00	2.43	Colina	Yes
SADD292	283.32	289.12	5.80	1.30	Colina	Yes
SADD293	106.00	107.00	1.00	0.77	Colina	Yes
SADD293	169.50	173.47	3.97	1.12	Colina	Yes
SADD294	172.10	182.61	10.51	1.39	Colina	Yes
SADD294	185.84	191.75	5.91	1.12	Colina	Yes
SADD294	239.72	242.84	3.12	1.06	Colina	Yes
SADD294	279.06	282.51	3.45	0.92	Colina	Yes
SADD294	335.80	336.70	0.90	0.69	Colina	Yes
SADD294	337.60	338.50	0.90	1.07	Colina	Yes
SADD294	433.00	434.00	1.00	1.75	Colina	Yes
SADD295	122.00	128.00	6.00	0.97	Colina	Yes
<i>Including</i>	124.00	126.00	2.00	2.03	Colina	Yes
SADD295	205.73	210.32	4.59	1.26	Colina	Yes
SADD295	243.46	244.64	1.18	0.97	Colina	Yes
SADD295	350.02	364.34	14.32	1.24	Colina	Yes
<i>Including</i>	352.00	356.00	4.00	1.86	Colina	Yes
SADD296	119.68	127.80	8.12	1.51	Colina	Yes
SADD297	227.50	229.50	2.00	1.29	Colina	Yes

SADD297	301.00	305.54	4.54	1.03	Colina	Yes
<i>Including</i>	303.00	304.60	1.60	1.46	Colina	Yes
SADD298	185.00	186.80	1.80	0.62	Colina	Yes
SADD298	274.54	275.50	0.96	0.96	Colina	Yes
SADD298	281.40	286.31	4.91	1.22	Colina	Yes
SADD298	326.80	327.83	1.03	0.77	Colina	Yes
SADD298	328.94	329.33	0.39	1.36	Colina	Yes
SADD298	330.54	334.26	3.72	1.64	Colina	Yes
SADD299	144.00	155.00	11.00	1.29	Colina	Yes
<i>Including</i>	145.00	150.07	5.07	1.98	Colina	Yes
SADD299	230.32	233.00	2.68	1.48	Colina	Yes
SADD299	245.60	247.40	1.80	0.80	Colina	Yes
SADD300	114.00	115.00	1.00	0.68	Colina	Yes
SADD300	183.08	188.00	4.92	0.92	Colina	Yes
SADD300	285.70	288.40	2.70	1.30	Colina	Yes
SADD301	118.45	126.00	7.55	1.00	Colina	Yes
SADD301	211.62	217.00	5.38	1.21	Colina	Yes
SADD301	219.08	219.70	0.62	0.48	Colina	Yes
SADD301	221.09	222.10	1.01	0.86	Colina	Yes
SADD302	128.00	133.00	5.00	2.21	Colina	Yes
SADD302	211.20	223.47	12.27	0.99	Colina	Yes
<i>Including</i>	216.00	219.00	3.00	1.82	Colina	Yes
SADD303	173.00	174.00	1.00	0.58	Colina	Yes
SADD304	140.07	148.00	7.93	0.91	Colina	Yes
<i>Including</i>	140.07	143.00	2.93	1.28	Colina	Yes
And:	145.00	147.00	2.00	1.19	Colina	Yes

Note:

1. A nominal minimum Li₂O grade of 0.5% Li₂O has been used to define a 'significant intersection' over a nominal minimum intersection of 1.0m with a maximum internal dilution of 2.0 m.

APPENDIX D: PLANALTO PROSPECT - SPODUMENE INTERSECTIONS AND VISUALLY ESTIMATED SPODUMENE PERCENTAGE

Hole ID	From (m)	To (m)	Interval (m)	Description	Visually Estimated Spodumene (%)
SADD223	Refer to LRS announcement dated 22 November 2023 and 31 January 2024				
SADD305	51.88	54.21	2.33	Coarse grained pegmatite with pseudomorph spodumene crystals.	<5%
SADD305	277.33	278.46	1.13	Coarse grained pegmatite with fresh green spodumene crystals.	<5%
SADD305	331.3	338.22	6.92	Coarse grained pegmatite with fresh green spodumene crystals.	5-10%
SADD305	366.94	370.06	3.12	Coarse grained pegmatite with fresh green spodumene crystals.	5-10%
SADD305	371.08	374.95	3.87	Coarse grained pegmatite with fresh green spodumene crystals.	5-10%
SADD305	396.04	398.19	2.15	Coarse grained pegmatite with fresh green spodumene crystals.	5-10%
SADD305	401.37	408.91	7.54	Coarse grained pegmatite with fresh green spodumene crystals.	5-10%
SADD306	181.7	185.78	4.08	Coarse grained pegmatite with fresh green spodumene crystals.	5-10%
SADD306	277.66	284.23	6.57	Coarse grained pegmatite with fresh green spodumene crystals.	5-10%
SADD306	298.01	302.53	4.52	Coarse grained pegmatite with abundant fresh elongate light green spodumene crystals.	10-15%
SADD306	334.35	335.96	1.61	Coarse grained pegmatite with fresh green spodumene crystals.	<5%
SADD306	340.95	343.22	2.27	Coarse grained pegmatite with fresh green spodumene crystals.	5-10%
SADD306	372.45	374.08	1.63	Coarse grained pegmatite with fresh green spodumene crystals.	<5%
SADD306	413.84	416.9	3.06	Coarse grained pegmatite with fresh green spodumene crystals.	<5%
SADD307	141.92	148.8	6.88	Coarse grained pegmatite with pseudomorph spodumene crystals.	<5%
SADD307	197.85	198.42	0.57	Coarse grained pegmatite with fresh green spodumene crystals.	<5%
SADD307	199.09	200.45	1.36	Coarse grained pegmatite with fresh green spodumene crystals.	<5%
SADD307	224.15	227.71	3.56	Coarse grained pegmatite with fresh green spodumene crystals.	5-10%
SADD307	312.29	314.77	2.48	Coarse grained pegmatite with fresh green spodumene crystals.	5-10%
SADD307	347.7	354.58	6.88	Coarse grained pegmatite with fresh green spodumene crystals.	5-10%
SADD307	384.52	394.1	9.58	Coarse grained pegmatite with fresh green spodumene crystals.	5-10%
SADD308	94.92	101.82	6.9	Coarse grained pegmatite with pseudomorph spodumene crystals.	<5%
SADD308	253.75	257.86	4.11	Coarse grained pegmatite with abundant fresh elongate light green spodumene crystals.	10-15%
SADD308	260.41	274.15	13.74	Coarse grained pegmatite with abundant fresh elongate light green spodumene crystals.	10-15%
SADD308	274.88	276.27	1.39	Coarse grained pegmatite with fresh green spodumene crystals.	<5%
SADD308	301.64	303.29	1.65	Coarse grained pegmatite with abundant fresh elongate light green spodumene crystals.	10-15%
SADD308	305.51	305.87	0.36	Coarse grained pegmatite with fresh green spodumene crystals.	<5%
SADD308	334	337.06	3.06	Coarse grained pegmatite with abundant fresh elongate light green spodumene crystals.	10-15%
SADD308	372.84	378.75	5.91	Coarse grained pegmatite with abundant fresh elongate light green spodumene crystals.	10-15%
SADD309	60.86	66.31	5.45	Coarse grained pegmatite with pseudomorph spodumene crystals.	<5%
SADD309	121.19	123.35	2.16	Coarse grained pegmatite with pseudomorph spodumene crystals.	<5%
SADD309	224.66	225.17	0.51	Coarse grained pegmatite with fresh green spodumene crystals.	<5%
SADD309	229.06	230.96	1.9	Coarse grained pegmatite with fresh green spodumene crystals.	<5%
SADD309	237.28	240.13	2.85	Coarse grained pegmatite with fresh green spodumene crystals.	5-10%
SADD309	252.81	253.77	0.96	Coarse grained pegmatite with fresh green spodumene crystals.	<5%
SADD309	264.15	265.07	0.92	Coarse grained pegmatite with fresh green spodumene crystals.	<5%
SADD309	297.95	300.14	2.19	Coarse grained pegmatite with fresh green spodumene crystals.	<5%
SADD309	316	317.88	1.88	Coarse grained pegmatite with fresh green spodumene crystals.	<5%
SADD310 (in progress)	108.86	112.77	3.91	Coarse grained pegmatite with pseudomorph spodumene crystals.	<5%

**The Company draws attention to uncertainty in reporting visual results. Visual estimates of mineral abundance should never be considered a proxy or substitute for laboratory analyses where concentrations or grades are the factor of principal economic interest. Visual estimates also potentially provide no information regarding impurities or deleterious physical properties relevant to valuations. Assay results are expected to be available in approximately 4- 6 weeks.*

APPENDIX E:
JORC CODE, 2012 EDITION – TABLE 1
SECTION 1 SAMPLING TECHNIQUES AND DATA
(CRITERIA IN THIS SECTION APPLY TO ALL SUCCEEDING SECTIONS)

Criteria	JORC Code explanation	Commentary
Sampling techniques	<ul style="list-style-type: none"> Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (e.g. 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases, more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g. submarine nodules) may warrant disclosure of detailed information. 	<ul style="list-style-type: none"> The July 2021 stream sediment sampling program was completed by Latin Resources. Latin Resources stream sediment sampling: <ul style="list-style-type: none"> Stream sediment samples were taken in the field by Latin's geologists during field campaign using pre-set locations and procedures. All surface organic matter and soil were removed from the sampling point, then the active stream sediment was collected from five holes spaced 2.5 m using a post digger. Five subsamples were collected along 25 cm depth, homogenised in a plastic tarp and split into four parts. The chosen part (1/4) was screened using a 2 mm stainless steel sieve. A composite sample weighting 350-400g of the <2 mm fraction was poured in a labelled zip lock bag for assaying. Oversize material retained in the sieve was analyzed with hand lens and discarded. The other three quartiles were discarded, sample holes were filled back, and sieve and canvas were thoroughly cleaned. Photographs of the sampling location were taken for all the samples. Sample books were filled in with sample information and coordinates. Stream sediment sample locations were collected in the field using a hand-held GPS with +/-5m accuracy using Datum SIRGAS 2000, Zone 23 South) coordinate system. No duplicate samples were taken at this stage. No certified reference standards samples were submitted at this stage. Latin Resources Diamond Drilling: <ul style="list-style-type: none"> Diamond core has been sampled in intervals of ~ 1 m (up to 1.18 m) where possible, otherwise intervals less than 1 m have been selected based on geological boundaries. Geological boundaries have not been crossed by sample intervals. ½ core samples have been collected and submitted for analysis, with regular field duplicate samples collected and submitted for QA/QC analysis. Metallurgical Drilling <ul style="list-style-type: none"> Latin conducted a metallurgical program on material sourced from diamond drilling in 2022 and 2023. Drillhole diameter was HQ for metallurgical drill holes. Spodumene concentrate testwork was completed on two composite samples of Colina ore. The samples comprising the composites were taken from ½ HQ core from selected mineralized and unmineralized zones as part of the 65,000m drilling program.

Criteria	JORC Code explanation	Commentary
Drilling techniques	<ul style="list-style-type: none"> Drill type (e.g. core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc.) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc.). 	<ul style="list-style-type: none"> Latin Resources drilling is completed using industry standard practices. Diamond drilling is completed using HQ size coring equipment. Drilling techniques used at Salinas Project comprise: <ul style="list-style-type: none"> NTW Diamond Core (64.2mm diameter), standard tube to a depth of ~200- 250 m. BTW diamond core utilized for hole SADD031 from a depth of 309.10 m. Diamond core holes drilled directly from surface. Initial drill rig alignment is carried out using Reflex TN14 alignment tool. Down hole survey was carried out by Reflex EZ-TRAC tool (SADD001 to SADD020). Down hole survey was carried out by Reflex EZ-TRAC tool (SADD001 to SADD020) and Reflex GYRO SPRINT-IQ (SADD021 to date). Core orientation was provided by an ACT Reflex (ACT III) tool. All drill collars are surveyed using RTK DGPS.
Drill sample recovery	<ul style="list-style-type: none"> Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure representative nature of the samples. Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. 	<ul style="list-style-type: none"> Latin Resources core is depth marked and orientated to check against the driller's blocks, ensuring that all core loss is taken into account. Diamond core recovery is logged and captured into the database. Zones of significant core loss may have resulted in grade dilution due to the loss of fine material.
Logging	<ul style="list-style-type: none"> Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc.) photography. The total length and percentage of the relevant intersections logged. 	<ul style="list-style-type: none"> All drill cores have been geologically logged. Sampling is by sawing core in half and then sampling core on nominal 1m intervals. All core sample intervals have been photographed before and after sawing. Latin's geological logging is completed for all holes, and it is representative. The lithology, alteration, and structural characteristics of drill samples are logged following standard procedures and using standardised geological codes. Logging is both qualitative and quantitative depending on the field being logged. All drill-holes are logged in full. Geological structures are collected using Reflex IQ Logger. All cores are digitally photographed and stored.
Sub-sampling techniques and sample preparation	<ul style="list-style-type: none"> If core, whether cut or sawn and whether quarter, half or all core taken. If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. For all sample types, the nature, quality and appropriateness of the sample preparation technique. Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling. Whether sample sizes are appropriate to the grain size of the material being sampled. 	<ul style="list-style-type: none"> For the 2021 stream sediment sampling program: <ul style="list-style-type: none"> All samples collected from the field were dry due to the dry season. To maximise representativeness, samples were taken from five holes weighing around 3 Kg each for a total of 15 Kg to be reduced to 350-400 g. Samples were dried, crushed and pulverized 250g to 95% at 150#. Any samples requiring splitting were split using a Jones splitter. For the 2023 diamond drilling program: <ul style="list-style-type: none"> Samples were crushed in a hammer mill to 75% passing -3mm followed by splitting off 250g using a Jones splitter and pulverizing to better than 95% passing 75 microns. Duplicate sampling is carried out routinely throughout the drilling campaign. The laboratory will

Criteria	JORC Code explanation	Commentary
		<p>carry out routine internal repeat assays on crushed samples.</p> <ul style="list-style-type: none"> ○ The selected sample mass is considered appropriate for the grain size of the material being sampled.
Quality of assay data and laboratory tests	<ul style="list-style-type: none"> • The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. • For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. • Nature of quality control procedures adopted (e.g. standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established. 	<ul style="list-style-type: none"> • For the 2021 stream sediment sampling program: <ul style="list-style-type: none"> ○ The stream sediment samples were assayed via ICM90A (fusion by sodium peroxide and finish with ICP-MS/ICP-OES) for a 56-element suite at the SGS Geosol Laboratorios located at Vespasiano/Minas Gerais, Brazil. ○ No control samples have been used at this stage. The internal laboratory controls (blanks, duplicates and standards) are considered suitable. • For the 2023 diamond drilling program: <ul style="list-style-type: none"> ○ Core samples are assayed via ICM90A (fusion by sodium peroxide and finish with ICP-MS/ICP-OES) for a 56-element suite at the SGS Geosol Laboratorios located at Vespasiano/Minas Gerais, Brazil. ○ If lithium results are above 15,000ppm, the Lab analyze the pulp samples just for lithium through ICP90Q (fusion by sodium peroxide and finish with ICP/OES). • For metallurgical testwork: <ul style="list-style-type: none"> ○ All test work analysis has been undertaken by SGS Canada Natural Resources Lakefield, which conforms to the requirements of ISO/IEC 17025 and is accredited by the Standards Council of Canada. Representative subsamples were submitted for Li assay and whole rock analysis (XRF/ICP), for suite which includes SiO₂, Al₂O₃, Fe₂O₃, MgO, CaO, Na₂O, K₂O, TiO₂, P₂O₅, MnO, Cr₂O₃, V₂O₅, and loss on ignition (LOI), as well as semi-quantitative XRD analysis.
Verification of sampling and assaying	<ul style="list-style-type: none"> • The verification of significant intersections by either independent or alternative company personnel. • The use of twinned holes. • Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. • Discuss any adjustment to assay data. 	<ul style="list-style-type: none"> • Selected sample results which are considered to be significant will be subjected to resampling by the Company. This can be achieved by either reassaying of sample pulps, resplitting of coarse reject samples, or resplitting of core and reassaying. • All Latin Resources data is verified by the Competent person. All data is stored in an electronic Access Database. <ul style="list-style-type: none"> ○ Assay data and results are reported, unadjusted. ○ Li₂O results used in the market are converted from Li results multiplying it by the industry factor 2.153.
Location of data points	<ul style="list-style-type: none"> • Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. • Specification of the grid system used. • Quality and adequacy of topographic control. 	<ul style="list-style-type: none"> • Stream sediment sample locations and drill collars are captured using a handheld GPS. • Drill collars are located using a handheld GPS. • All GPS data points were later visualized using ESRI ArcGIS Software to ensure they were recorded in the correct position. • The grid system used was UTM SIRGAS 2000 zone 23 South.
Data spacing and distribution	<ul style="list-style-type: none"> • Data spacing for reporting of Exploration Results. • Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. • Whether sample compositing has been applied. 	<ul style="list-style-type: none"> • Stream sediment samples were taken every 200m between sampling points along the drainages which is considered appropriate for a first stage, regional work. • Every sampling spot had a composite sample made of five subsamples spaced 2.5 m each along a channel for a 10 m length zone or a cross pattern with the same spacing of 2.5 m for the open valleys and braided channels.

Criteria	JORC Code explanation	Commentary
		<ul style="list-style-type: none"> Due to the preliminary nature of the initial drilling campaign, drill holes are designed to test specific targets, with not set drill spacing.
Orientation of data in relation to geological structure	<ul style="list-style-type: none"> Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material. 	<ul style="list-style-type: none"> Sampling is preferentially across the strike or trend of mineralised outcrops. Drilling has been designed to intersect the mapped stratigraphy as close to normal as possible.
Sample security	<ul style="list-style-type: none"> The measures taken to ensure sample security. 	<ul style="list-style-type: none"> At all times samples were in the custody and control of the Company's representatives until delivery to the laboratory where samples were held in a secure enclosure pending processing.
Audits or reviews	<ul style="list-style-type: none"> The results of any audits or reviews of sampling techniques and data. 	<ul style="list-style-type: none"> The Competent Person for Exploration Results reported here has reviewed the field procedures used for sampling program at field and has compiled results from the original sampling and laboratory data. No External audit has been undertaken at this stage.

SECTION 2 REPORTING OF EXPLORATION RESULTS
(CRITERIA LISTED IN THE PRECEDING SECTION ALSO APPLY TO THIS SECTION.)

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	<ul style="list-style-type: none"> Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area. 	<ul style="list-style-type: none"> Exploration Licences: 830.578/2019, 830.579/2019, 830.580/2019, 30.581/2019, 830.582/2019, 830.691/2017, 832.515/2021 and the western portion of 831.799/2005 are 100% fully owned by Latin Resources Limited. Latin has lodged new applications for the following areas: 832.601/2022, 832.602/2022, 832.604/2022, 832.605/2022, 832.606/2022, 832.607/2022, 832.608/2022, 832.609/2022, 832.611/2022, 832.612/2022, 832.613/2022, 832.614/2022, 832.616/2022, 832.801/2022, 832.802/2022 & 832.804/2022. Latin has entered in separate exclusive option agreement to acquire 100% interest in the areas: 830.080/2022, 830.581/2019, 831.118/2008, 831.219/2017, 831.798/2015, 831.799/2005 (Second Part & Third Part), 833.881/2010 & 834.282/2007. The Company is not aware of any impediments to obtaining a licence to operate, subject to carrying out appropriate environmental and clearance surveys.
Exploration done by other parties	<ul style="list-style-type: none"> Acknowledgment and appraisal of exploration by other parties. 	<ul style="list-style-type: none"> Historic exploration was carried out on the area 830.080/2022 (Monte Alto) with extraction of gems (tourmaline and lepidolite), amblygonite, columbite and feldspar.
Geology	<ul style="list-style-type: none"> Deposit type, geological setting and style of mineralisation. 	<ul style="list-style-type: none"> Salinas Lithium Project geology comprises Neoproterozoic age sedimentary rocks of Araçuaí Orogen intruded by fertile Li-bearing pegmatites originated by fractionation of magmatic fluids from the peraluminous S-type post-tectonic granitoids of Araçuaí Orogen. Lithium mineralisation is related to discordant swarms of spodumene-bearing tabular pegmatites hosted by biotite-quartz schists.
Drill hole Information	<ul style="list-style-type: none"> A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: <ul style="list-style-type: none"> easting and northing of the drill hole collar elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar dip and azimuth of the hole down hole length and interception depth hole length If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case. 	<ul style="list-style-type: none"> All drill hole summary location data is provided in Appendix 1 to this report and is accurately represented in appropriate location maps and drill sections where required.
Data aggregation methods	<ul style="list-style-type: none"> In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high-grades) and cut-off grades are usually Material and should be stated. Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of 	<ul style="list-style-type: none"> Sample length weighted averaging techniques have been applied to the sample assay results. Where duplicate core samples have been collected in the field, results for duplicate pairs have been averaged. A nominal minimum Li₂O grade of 0.3% Li₂O has been used to define a 'significant intersection'.

Criteria	JORC Code explanation	Commentary
	<p>low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</p> <ul style="list-style-type: none"> The assumptions used for any reporting of metal equivalent values should be clearly stated. 	<ul style="list-style-type: none"> A 3.5 % grade top cut has been applied to high grade composites having an influence of over 25 metres during resource estimation."
Relationship between mineralisation widths and intercept lengths	<ul style="list-style-type: none"> These relationships are particularly important in the reporting of Exploration Results. If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known'). 	<ul style="list-style-type: none"> Drilling is carried out at right angles to targeted structures and mineralised zones where possible. Drill core orientation is of a high quality, with clear contact of pegmatite bodies, enabling the calculation of true width intersections.
Diagrams	<ul style="list-style-type: none"> Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views. 	<ul style="list-style-type: none"> The Company has released various maps and figures showing the sample results in the geological context.
Balanced reporting	<ul style="list-style-type: none"> Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high-grades and/or widths should be practiced avoiding misleading reporting of Exploration Results. 	<ul style="list-style-type: none"> All analytical results for lithium have been reported.
Other substantive exploration data	<ul style="list-style-type: none"> Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances. 	<ul style="list-style-type: none"> All information that is considered material has been reported, including stream sediment sampling results, Drilling results geological context, etc. Sighter metallurgical test work was undertaken on approximately 44kg of drill core sourced from drill hole SADD023 (26.99m: 94.00-120.88m) and submitted to independent laboratories SGS GEOSOL Laboratories in Belo Horizonte Brazil. Test work included crushing, size fraction analysis and HLS separation to ascertain the amenability of the Colina Project spodumene pegmatite material to DMS treatment routes.
Further work	<ul style="list-style-type: none"> The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large-scale step-out drilling). Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive. 	<ul style="list-style-type: none"> Latin plans to undertake additional reconnaissance mapping, infill stream sediment and soil sampling at Salinas South Prospect. Follow-up infill and step-out drilling will be undertaken based on results. Additional metallurgical processing test work on drill core form the Colina Prospect.

**SECTION 3 ESTIMATION AND REPORTING OF MINERAL RESOURCES
(CRITERIA LISTED IN THE PRECEDING SECTION ALSO APPLY TO THIS SECTION.)**

Criteria	JORC Code explanation	Commentary
Database integrity	<ul style="list-style-type: none"> Measures taken to ensure that data has not been corrupted by, for example, transcription or keying errors, between its initial collection and its use for Mineral Resource estimation purposes. Data validation procedures used. 	<ul style="list-style-type: none"> The Colina database is stored in MS Excel and DataShed software. A dedicated database manager has been assigned by the project who checks the data entry against the laboratory report and survey data. Geological data is entered by a geologist to ensure no confusion over terminology, while laboratory assay data is entered by the data entry staff. A variety of manual and data checks are in place to check against human error of data entry. All original geological logs, survey data and laboratory results sheets are retained in a secure location on site. All data requested was made available to SGS by Latin Resources. Relevant data were imported to Genesis and Leapfrog software and further validation processes completed. At this stage, any errors found were corrected. The validation procedures used included checking of data as compared to the original data sheets, validation of position of drillholes in 3D models and reviewing areas appearing anomalous following statistical analysis: <ul style="list-style-type: none"> Drillhole depths for the geology, survey and assay logs do not exceed the recorded drilled depth. Dates are in the correct format and are correct Set limits (e.g. for northing, easting, assay values) are not exceeded Valid geology codes (e.g. lithology, alteration etc.) have been used. <ul style="list-style-type: none"> Sampling intervals are checked for gaps and overlaps. SGS reviewed the provided database as part of the resource model generation process, where all data was checked for errors, missing data, misspelling, interval validation, negative values, and management of zero versus absent data: Visual checks that collar locations are correct and compared with existing information. All drilling and sampling/assaying databases are considered suitable for the Mineral Resource Estimate. No adjustments were made to the assay data prior to import into Genesis software.
Site Visits	<ul style="list-style-type: none"> Comment on any site visits undertaken by the Competent Person and the outcome of those visits. If no site visits have been undertaken indicate why this is the case. 	<ul style="list-style-type: none"> Competent Person Marc-Antoine Laporte M.Sc., P. Geo visit the site between 3-6 of October 2022 and 14-16 of March 2023. During the visit, CP reviewed the drilling, sampling, chain of custody, facilities, and data management process. All requested information requested by SGS was provided by Latin Resource employees.
Geological interpretation	<ul style="list-style-type: none"> Confidence in (or conversely, the uncertainty of) the geological interpretation of the mineral deposit. Nature of the data used and of any assumptions made. The effect, if any, of alternative interpretations on Mineral Resource estimation. The use of geology in guiding and controlling Mineral Resource estimation. The factors affecting continuity both of grade and geology. 	<ul style="list-style-type: none"> SGS considers the geological interpretation to be robust. The confidence in the geological interpretation is reflected by the assigned Mineral Resource classification. The geology has guided the resource estimation, particularly the lithological and structural control. Grade and geological continuity are conceptual at the moment and will be confirmed with infilled drilling. Lithium mineralisation is mostly composed of spodumene and no significant other lithium bearing minerals are visually present in the deposit. A geological and mineralisation interpretation of the deposit was made using Leapfrog software.

Criteria	JORC Code explanation	Commentary
Dimensions	<ul style="list-style-type: none"> The extent and variability of the Mineral Resource expressed as length (along strike or otherwise), plan width, and depth below surface to the upper and lower limits of the Mineral Resource. 	<ul style="list-style-type: none"> The footprint of the whole mineralisation zone is about 2,000 metres NE-SW by 1,000 metres NW-SE, with about 400 m overall thickness. The average surface elevation around Colinas 700 m RL. The maximum local RL of the mineralisation is 800.2 m and the minimum local RL is 563.2 m.
Estimation and modelling techniques	<ul style="list-style-type: none"> The nature and appropriateness of the estimation technique(s) applied and key assumptions, including treatment of extreme grade values, domaining, interpolation parameters and maximum distance of extrapolation from data points. If a computer assisted estimation method was chosen include a description of computer software and parameters used. The availability of check estimates, previous estimates and/or mine production records and whether the Mineral Resource estimate takes appropriate account of such data. The assumptions made regarding recovery of by-products. Estimation of deleterious elements or other non-grade variables of economic significance (e.g. sulphur for acid mine drainage characterisation). In the case of block model interpolation, the block size in relation to the average sample spacing and the search employed. Any assumptions behind modelling of selective mining units. Any assumptions about correlation between variables. Description of how the geological interpretation was used to control the resource estimates. Discussion of basis for using or not using grade cutting or capping. The process of validation, the checking process used, the comparison of model data to drill hole data, and use of reconciliation data if available. 	<ul style="list-style-type: none"> The geological and mineralisation interpretation of the deposit as well as the block modelling and resource estimation were made using Genesis and Leapfrog software. Latin Resources provided SGS with a list of simplified codes for use in creating the 3D geological model. The major lithological units are as follows: <ul style="list-style-type: none"> Pegmatite: Spodumene Pegmatite: Tuff: Quartz Veins Schist The most volumetrically significant mineralised units are the spodumene bearing pegmatites. They were generated automatically following grouping of similar mineralisation trends. A maximum extrapolation of mineralisation of 50 m was used. Domaining was used to construct mineralised wireframe models. The domains are defined by lithology and structure within the orebody. A total of 30 mineralized 3D wireframe models were generated for the estimation process equivalent of the individual pegmatite features (dykes) at Colina. Unmineralized wireframe models were considered for geological purposes only. The same was done for Fogs containing 5 mineralised 3D wireframe models. All pegmatites are surrounded by schist. The 30 Colina mineralised 3D geologically controlled wireframe models representing the selected mineralised structures were constructed using Genesis modelling software. Mineralised intervals were created from the drill hole data generally using minimum cut-off grades and or geological features, with each zone of mineralisation having its own unique identifier or tag. The Genesis software was then used to create a planar envelope (wireframe) for each zone by interpolating the mineralised intervals. The overall dimensions of the planar envelopes were constrained based on the properties set, including smoothing, resolution, margins and overall thickness front and back. The same was done for the 5 Fogs mineralised 3D geologically controlled wireframe models. The use of a minimal cut-off grade was applied corresponding to 0.3% Li₂O but mineralised intervals of interest were considered based on Li₂O content, lithological units and continuity of mineralisation. Mineralised intervals do not contain host rock material from hanging or footwall. Internal waste less than 2m were included into the solids when no waste solids were possible to create Statistics in the following table indicate the average Li₂O content and downhole length: <ul style="list-style-type: none"> Only Li₂O was estimated. A block model was created using the mineralised models as hard boundaries. A block size of 5 m x 5 m x 5 m was selected considering the shape and spatial orientation of the mineralised models. Block fraction was applied to the block model. Block discretization of 4 x 4 x 4 was assigned to each block.

Criteria	JORC Code explanation	Commentary
		<ul style="list-style-type: none"> • Each block was attributed an average direction of mineralisation (Azimuth, Dip, Spin) according to the local direction of mineralisation. This is called variable ellipse search. • ID2 interpolation was used for the grade estimation of the individual pegmatites. • 3 estimation passes with its respective search ellipsoid. An average search orientation was applied to each block according to its local dip direction and plunge. • Pass 1 consisted of a minimum 5, a maximum of 15 and a maximum of 3 composites per drill hole (minimum of 2 drill holes to consider) within a search ellipsoid of 100 m x 100 m x 30 m. Pass 2 consisted of a minimum 5, a maximum of 15 and no maximum composites per drill hole within a search ellipsoid of 200 m x 200 m x 60 m. Pass 3 consisted of a minimum 2, a maximum of 15 and no maximum composites per drill hole within a search ellipsoid of 400 m x 400 m x 120 m. • Based on a grade capping study following the relative influence of high-grade values to the rest of the data, a capping of 3.5 % Li₂O was applied during all 3 estimation passes for search distances above 25 m. • Block model validation was done. Swath plots, block model vs composite scattergrams and histograms were created to evaluate the estimation methods. Ordinary kriging was also done as an estimation check. Sensitivity analysis based on cut-off grade was also done on the selected resources. Validations provided sufficient confidence in the estimation procedures for resource disclosure. • 75% of the Fogs blocks within the mineralised 3D geologically controlled wireframe models were estimated during the first pass. 24% of the blocks within the mineralised 3D geologically controlled wireframe models were estimated during the second pass. Less than 0.5 % of the blocks within the mineralised 3D geologically controlled wireframe models were estimated during third pass. • 93% of the Fogs blocks within the mineralised 3D geologically controlled wireframe models were estimated during first pass. 7% of the blocks within the mineralised 3D geologically controlled wireframe models were estimated during second pass. No blocks within the mineralised 3D geologically controlled wireframe models were estimated during third pass. • Validation checks were undertaken at all stages of modelling and estimation process. Final grade estimates and models have been validated using: <ul style="list-style-type: none"> ○ Wireframe vs block volume ○ Spatial Visual comparison of block grades vs input drill hole data ○ Spatial comparison of block grades vs composite grades • Comparison of estimation techniques
Moisture	<ul style="list-style-type: none"> • Whether the tonnages are estimated on a dry basis or with natural moisture, and the method of determination of the moisture content 	<ul style="list-style-type: none"> • The tonnages are estimated on a dry basis.
Cut-off parameters	<ul style="list-style-type: none"> • The basis of the adopted cut-off grade(s) or quality parameters applied. 	<ul style="list-style-type: none"> • A cut-off grade of 0.5% Li₂O was used for resource estimation statement. • The basis for the cut-off grade chosen for reporting resources at Colina is:

Criteria	JORC Code explanation	Commentary
Mining factors or assumptions	<ul style="list-style-type: none"> Assumptions made regarding possible mining methods, minimum mining dimensions and internal (or, if applicable, external) mining dilution. It is always necessary as part of the process of determining reasonable prospects for eventual economic extraction to consider potential mining methods, but the assumptions made regarding mining methods and parameters when estimating Mineral Resources may not always be rigorous. Where this is the case, this should be reported with an explanation of the basis of the mining assumptions made 	<ul style="list-style-type: none"> ○ Reflective of the style of mineralization and' anticipated mining and processing development routes, ○ Based on Reasonable Prospects of Eventual Economic Extraction (RPEEE). ● Below the cut-off grade of 0.5% the Li₂O resources are not reported, as they are not considered to have RPEEE. ● Mineralisation at the Colina deposit extends to the surface and is expected to be suitable for open cut mining. The open pit mining method was selected. Mineralisation is relatively at a shallow depth and the average plunge of mineralisation is also moderate. ● The Colina Salinas Lithium Project is located in a well-established mining region and in close proximity to existing transport, energy and camp infrastructure. ● No minimum mining width was selected. The block model includes block fraction of the mineralised pegmatite portion. It is assumed that an adequate mining selectivity will be applied during extraction. ● Internal mining dilution is limited to internal barren pegmatite and/or host rock intervals within the mineralised pegmatite intervals. No host rock material was included from the hanging wall or the footwall of the mineralised pegmatites models nor included into the block model. ● Based on these assumptions, it is considered that there are no mining factors which are likely to affect the assumption that the deposit has reasonable prospects for eventual economic extraction
Metallurgical factors or assumptions	<ul style="list-style-type: none"> The basis for assumptions or predictions regarding metallurgical amenability. It is always necessary as part of the process of determining reasonable prospects for eventual economic extraction to consider potential metallurgical methods, but the assumptions regarding metallurgical treatment processes and parameters made when reporting Mineral Resources may not always be rigorous. Where this is the case, this should be reported with an explanation of the basis of the metallurgical assumptions made. 	<ul style="list-style-type: none"> ● Metallurgical tests were not made available at this stage of project advancement. ● An assumed concentrate (DMS) recovery of 60% has been applied in determining reasonable prospects of eventual economic extraction.
Environmental factors or assumptions	<ul style="list-style-type: none"> Assumptions made regarding possible waste and process residue disposal options. It is always necessary as part of the process of determining reasonable prospects for eventual economic extraction to consider the potential environmental impacts of the mining and processing operation. While at this stage the determination of potential environmental impacts, particularly for a greenfields project, may not always be well advanced, the status of early consideration of these potential environmental impacts should be reported. Where these aspects have not been considered this should be reported with an explanation of the environmental assumptions made. 	<ul style="list-style-type: none"> ● There are no studies available on the environmental impacts of the mining and processing operation. ● SGS is not aware of any studies being started on the Project.

Criteria	JORC Code explanation	Commentary
Bulk density	<ul style="list-style-type: none"> Whether assumed or determined. If assumed, the basis for the assumptions. If determined, the method used, whether wet or dry, the frequency of the measurements, the nature, size and representativeness of the samples. The bulk density for bulk material must have been measured by methods that adequately account for void spaces (vugs, porosity, etc), moisture and differences between rock and alteration zones within the deposit. Discuss assumptions for bulk density estimates used in the evaluation process of the different materials. 	<ul style="list-style-type: none"> The specific gravity (“SG”) of spodumene pegmatite samples surrounding the mineralisation ranged between 2.47 to 3.27 for an average of 2.67. The specific gravity of the schist material hosting the mineralisation ranged from 1.57 to 3.56 with an average of 2.76 although, only 1 sample was lower than 2.27 and only 4 samples were greater than 3.0. A SG of 2.67 was selected for the mineralised pegmatite models. Average Sample size of pegmatite material is 0.16m. SG measurements were completed on core by the Weight in Air/Weight in Water method. The SG measurements provide sufficient data for a SG determination within the mineralised pegmatite models.
Classification	<ul style="list-style-type: none"> The basis for the classification of the Mineral Resources into varying confidence categories. Whether appropriate account has been taken of all relevant factors (i.e. relative confidence in tonnage/grade estimations, reliability of input data, confidence in continuity of geology and metal values, quality, quantity and distribution of the data). Whether the result appropriately reflects the Competent Person’s view of the deposit. 	<ul style="list-style-type: none"> Classification of the block model at Colina has been completed in accordance with the Australasian Code for Reporting of Mineral Resources and Ore Reserves (the JORC Code as prepared by the Joint Ore Reserve Committee of the AusIMM, AIG and MCA and updated in December 2012. The resource classification at Colina has been applied based on the following criteria; <ul style="list-style-type: none"> Search volume Internal structure of the mineralized zone (whether traceable between drillholes) Distance to samples (proxy for drill hole spacing) Number of samples Extrapolation of mineralization Automatic classification was used. Classification focused on composite spatial relation was used. For the measured resources, a minimum of 7composites to consider (maximum of 3 composites per drill hole) within a search ellipsoid of 50 m x 50 m x 15 m. A 67% ellipsoid filling factor was also applied. For the indicated resources, a minimum of 7composites to consider (maximum of 3 composites per drill hole) within a search ellipsoid of 100 m x 100 m x 30 m. A 67% ellipsoid filling factor was also applied. The remaining unclassified blocks were set as inferred category. The entire Fogs blocks were defined as inferred. “Spotted dog effect” was reduced to a minimum. It is the competent’ s opinion that the current classification used is adequate and reliable for this type of mineralization and resource estimate.
Audits or reviews	<ul style="list-style-type: none"> The results of any audits or reviews of Mineral Resource estimates 	<ul style="list-style-type: none"> A peer review of the block modelling parameters and resource estimation methods has been done by fellow colleagues and competent persons.
Discussion of relative accuracy/ confidence	<ul style="list-style-type: none"> Where appropriate a statement of the relative accuracy and confidence level in the Mineral Resource estimate using an approach or procedure deemed appropriate by the Competent Person. For example, the application of statistical or geostatistical procedures to quantify the relative accuracy of the resource within stated confidence limits, or, if such an approach is not deemed appropriate, a qualitative discussion of the factors that could affect the relative accuracy and confidence of the estimate. 	<ul style="list-style-type: none"> Validation has proven that the block model fairly reflects the underlying data inputs. Variability over distance is relatively moderate too low for the Colina deposit type therefore 50% of the classification level is Indicated, 48% is inferred and only 2% is measured.. The Fogs deposit is set as inferred. The MRE reported is a global estimate with reasonable prospects of eventual economic extraction. An Inferred Mineral Resource is that part of a Mineral Resource for which quantity and grade or quality are estimated on the basis of limited geological evidence and sampling. Geological evidence is sufficient to imply but not verify geological and grade or quality continuity.

Criteria	JORC Code explanation	Commentary
	<ul style="list-style-type: none"> <i>The statement should specify whether it relates to global or local estimates, and, if local, state the relevant tonnages, which should be relevant to technical and economic evaluation. Documentation should include assumptions made and the procedures used.</i> <i>These statements of relative accuracy and confidence of the estimate should be compared with production data, where available.</i> 	<ul style="list-style-type: none"> <i>An Inferred Mineral Resource has a lower level of confidence than that applying to an Indicated Mineral Resource and must not be converted to a Mineral Reserve. It is reasonably expected that the majority of Inferred Mineral Resources could be upgraded to Indicated Mineral Resources with continued exploration.</i> <i>There has been no production at the Salinas Colina Project.</i>