

## SOIL SAMPLES CONFIRM HIGH GRADE RARE EARTHS RESULTS UP TO 5,203PPM TREO AND UP TO 27% MREO

### SUMMARY

- ▶ Final assay results from infill and extensional soils at the Mukinbudin Project repeat and confirm significant anomalism
- ▶ Sampling at Colosseum has confirmed prospectivity, with peak anomalism of **5,203ppm TREO (27% MREO)**, **3,772ppm TREO (16% MREO)** and **3,556ppm TREO (17% MREO)**, in a definitive trend proximal to significant rock chip sampling
- ▶ Sampling at Hadrian's confirm +3.5km REO anomaly, with latest results including **3,405ppm TREO (21% MREO)**, **3,161ppm TREO (16% MREO)** and **2,548ppm TREO (20.4% MREO)**
- ▶ TREO results confirm prospectivity for regional scale porphyritic granites and potentially clay-hosted targets, with c.15% of the tenure explored to-date

Caprice Resources Ltd (ASX: **CRS**) ("**Caprice**" or "the **Company**") is pleased to advise the final results for the Company's soil sampling program at the Mukinbudin Rare Earth Element Project ("**Mukinbudin**", "the **Project**"), located 25km northwest of Mukinbudin and 250km northeast from Perth in Western Australia.

Infill and extensional sampling at Colosseum (552 soil geochemical samples) has defined an elevated rare earth oxides ("**REO**") target of 1.4km x 1.7km (2.7km<sup>2</sup>), with ~75% of samples within this target area recording geochemical REO anomalism of 2,000ppm+, which remains open to the south. The 80x160m sampling grid and approvals of drilling POWs means planning can now be conducted for the prospect's maiden drilling program.

Follow up infill soil sampling at Hadrian's (232 soil geochemical samples) has also confirmed significant REO anomalism. Anomalism at Hadrian's occurs at over a strike of 3.5km and remains open. The results from Hadrian's have confirmed the northwest trending anomalies, with significant +1,000ppm high grade accumulation to the SE tenement boundary (see figure 4). Importantly, the pending tenement application of E 70/6519 will open anomalism to the north and east of current prospect boundaries. Sampling currently lies 160-320m spaced lines, with 40-80m spaced samples.

The continually observed porphyritic graphitic granite across all prospects to date highlights the hypothesis of REO deposited on a regional scale, which is the target style of mineralisation being tested by the Company.

## Mukinbudin Project

The Mukinbudin REE Project consists of one tenement, E70/5939, covering 384km<sup>2</sup> and two applications E70/6519 and E70/6520 covering 198km<sup>2</sup>. The Project is located approximately 25km northwest of the town of Mukinbudin, 250km northeast of Perth.

### Gadolin

Previously announced soil sampling at Gadolin focused on extending the prospect to the west and south. Assays indicate anomalism greatly increases stepping east and west away from the interpreted emplacement structure initially targeted (see Figure 2). Protolith remains the widespread, regional fractionated porphyritic granite and steps will now be taken to delineate terrain that would suggest clay anomalism.

Gadolin's strike currently stands at 3.4km, and with a currently defined up to 1.8km width, the anomalism remains open in all directions. Peak values include 3,839ppm TREO (14.0% MREO), 3,671ppm TREO (18.0% MREO) and 2,866ppm TREO (21.0% MREO). Of note, the southern trend indicates high grade channel of +2500ppm over 800m and remains open.

A drilling POW has been approved over the southern high grade channel.

### Colosseum

Rock chip sampling of an outcrop of porphyritic, fractionated granite, located approximately 2km north of Gadolin, has delineated an area of consistently elevated REOs.

This area, termed Colosseum, had 20 rock chip samples collected over a c.500m area. Of these, 13 returned values over 1,000ppm, with a peak value of 5,038ppm (0.5%) TREO and lowest value of 310ppm TREO.

Previous sampling successfully identified a series of northwest trending anomalies, with a peak value of 2,812ppm TREO, within a broader N-S trend.

The anomalism remains open to the south, with infill sampling, extending in all directions, defined to 160m spaced lines and 40-80m spaced samples.

### Hadrian's

Follow up sampling at Hadrian's has identified elevated levels of rare earths outside of the previously identified target targets, significantly expanding the known potential strike of mineralisation at the prospect.

Follow up and infill soil sampling was undertaken to the north and south with, with anomalism defined over 160m spaced lines and 80m spaced samples, over a 3.5km north-south strike, primarily focussed around a prominent topographical feature.

The northwest trend is easily deduced in Figure 4. The quartz-aplite ridge crosscuts NW – SE mineralisation trends and early mapping hypothesis suggests a NNE oriented shear.




Figure 1: Current sampling including regional neighbours. Excellent exploration scope to the north, and pending tenure applications




Figure 2: Gadolin Plan View featuring high grade channel (+1,000ppm interpretation)






Figure 3: Colosseum / Regional Plan View featuring high grade channel (+1,000ppm interpretation)




Figure 4: Hadrian's plan view featuring high grade channel (+1,000ppm interpretation)



This announcement has been authorised by the Board of Caprice.

**For further information please contact:**

**Glenn Whiddon**

Non-Executive Chair

[glenn@capriceresources.com](mailto:glenn@capriceresources.com)

**Competent Person's Statement**

The information in this report that relates to pegmatite hosted REE potential and exploration results has been compiled by Mr Jeremy Clark. Mr Clark is the sole director of Lily Valley International which is engaged by Caprice Resources Ltd. Mr Clark is a Member of the Australian Institute of Geoscientists and has sufficient experience in the style of mineralisation and type of deposit under consideration and the activity being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the Australasian Code for Reporting of Exploration Results, Minerals Resources and Ore Reserves ("JORC Code"). Mr Clark consents to the inclusion in the report of the matters based on the information in the form and context in which it appears.

Previous exploration results have been reported in accordance with Listing Rule 5.7 on 5 May 2023, 13 June 2023, 6 July 2023, 17 August 2023 and 29 September 2023. The Company confirms it is not aware of any new information that would materially effect these results.

**Table 1: REO\* results from Soil Sampling at Mukinbudin**

SampleID	Prospect	East	North	Sample Type	Total REE (ppm)	Total REO (ppm)	MREO (ppm)	% MREO
MKSL01629	Hadrian's	609080	6585860	SOIL	414	505	45	9%
MKSL01630	Hadrian's	609160	6585860	SOIL	198	242	30	12%
MKSL01631	Hadrian's	609240	6585860	SOIL	140	171	27	16%
MKSL01632	Hadrian's	609320	6585860	SOIL	237	291	26	9%
MKSL01633	Hadrian's	609400	6585860	SOIL	367	449	36	8%
MKSL01634	Hadrian's	609480	6585860	SOIL	177	216	30	14%
MKSL01635	Hadrian's	609560	6585860	SOIL	410	502	39	8%
MKSL01636	Hadrian's	609640	6585860	SOIL	323	396	29	7%
MKSL01637	Hadrian's	609720	6585860	SOIL	549	673	34	5%
MKSL01638	Hadrian's	609800	6585860	SOIL	554	670	109	16%
MKSL01639	Hadrian's	609880	6585860	SOIL	1539	1847	348	19%
MKSL01640	Hadrian's	609960	6585860	SOIL	2421	2894	670	23%
MKSL01641	Hadrian's	610040	6585860	SOIL	1082	1302	263	20%
MKSL01642	Hadrian's	610120	6585860	SOIL	1302	1565	305	19%
MKSL01643	Hadrian's	610200	6585860	SOIL	2623	3161	537	17%
MKSL01644	Hadrian's	610280	6585860	SOIL	764	921	175	19%
MKSL01645	Hadrian's	610360	6585860	SOIL	1682	2049	173	8%

SampleID	Prospect	East	North	Sample Type	Total REE (ppm)	Total REO (ppm)	MREO (ppm)	% MREO
MKSL01646	Hadrian's	607960	6585700	SOIL	332	403	64	16%
MKSL01647	Hadrian's	608040	6585700	SOIL	711	868	68	8%
MKSL01648	Hadrian's	608120	6585700	SOIL	200	245	33	13%
MKSL01649	Hadrian's	608200	6585700	SOIL	229	281	28	10%
MKSL01650	Hadrian's	608280	6585700	SOIL	283	347	26	7%
MKSL01651	Hadrian's	608360	6585700	SOIL	140	171	27	16%
MKSL01652	Hadrian's	608440	6585700	SOIL	339	411	66	16%
MKSL01653	Hadrian's	608520	6585700	SOIL	211	255	47	18%
MKSL01654	Hadrian's	608600	6585700	SOIL	451	544	92	17%
MKSL01655	Hadrian's	608680	6585700	SOIL	182	222	33	15%
MKSL01656	Hadrian's	608760	6585700	SOIL	159	195	20	10%
MKSL01657	Hadrian's	608840	6585700	SOIL	155	189	21	11%
MKSL01658	Hadrian's	608920	6585700	SOIL	861	1051	80	8%
MKSL01659	Hadrian's	609000	6585700	SOIL	284	348	26	8%
MKSL01660	Hadrian's	609080	6585700	SOIL	160	194	33	17%
MKSL01661	Hadrian's	609160	6585700	SOIL	237	290	28	10%
MKSL01662	Hadrian's	610040	6585700	SOIL	1051	1267	228	18%
MKSL01663	Hadrian's	610120	6585700	SOIL	573	689	142	21%
MKSL01664	Hadrian's	610200	6585700	SOIL	972	1183	130	11%
MKSL01665	Hadrian's	610280	6585700	SOIL	870	1049	198	19%
MKSL01666	Hadrian's	610360	6585700	SOIL	687	838	84	10%
MKSL01667	Hadrian's	610440	6585700	SOIL	575	703	55	8%
MKSL01668	Hadrian's	610520	6585700	SOIL	429	518	92	18%
MKSL01669	Hadrian's	610600	6585700	SOIL	558	678	93	14%
MKSL01670	Hadrian's	610680	6585700	SOIL	1038	1243	280	22%
MKSL01671	Hadrian's	610760	6585700	SOIL	286	346	59	17%
MKSL01672	Hadrian's	610840	6585700	SOIL	352	422	94	22%
MKSL01673	Hadrian's	610920	6585700	SOIL	831	997	209	21%
MKSL01674	Hadrian's	611000	6585700	SOIL	542	651	144	22%
MKSL01675	Hadrian's	611080	6585700	SOIL	932	1139	86	8%
MKSL01676	Hadrian's	611160	6585700	SOIL	505	610	113	19%
MKSL01677	Hadrian's	611240	6585700	SOIL	841	1025	105	10%
MKSL01678	Hadrian's	611320	6585700	SOIL	541	659	95	14%
MKSL01679	Hadrian's	611400	6585700	SOIL	185	226	37	16%
MKSL01680	Hadrian's	611480	6585700	SOIL	547	666	79	12%
MKSL01681	Hadrian's	609160	6585540	SOIL	598	723	113	16%
MKSL01682	Hadrian's	609240	6585540	SOIL	178	217	34	15%
MKSL01683	Hadrian's	609320	6585540	SOIL	182	222	34	15%
MKSL01684	Hadrian's	609400	6585540	SOIL	298	366	29	8%
MKSL01685	Hadrian's	609480	6585540	SOIL	502	607	98	16%
MKSL01686	Hadrian's	609560	6585540	SOIL	394	477	102	21%
MKSL01687	Hadrian's	609640	6585540	SOIL	300	363	65	18%
MKSL01688	Hadrian's	609720	6585540	SOIL	270	325	66	20%



SampleID	Prospect	East	North	Sample Type	Total REE (ppm)	Total REO (ppm)	MREO (ppm)	% MREO
MKSL01689	Hadrian's	609800	6585540	SOIL	316	381	69	18%
MKSL01690	Hadrian's	609880	6585540	SOIL	170	207	45	22%
MKSL01691	Hadrian's	609960	6585540	SOIL	698	839	179	21%
MKSL01692	Hadrian's	610040	6585540	SOIL	336	409	56	14%
MKSL01693	Hadrian's	610120	6585540	SOIL	435	532	54	10%
MKSL01694	Hadrian's	610200	6585540	SOIL	1068	1302	126	10%
MKSL01695	Hadrian's	610280	6585540	SOIL	770	935	121	13%
MKSL01696	Hadrian's	610360	6585540	SOIL	926	1129	120	11%
MKSL01697	Hadrian's	610440	6585540	SOIL	614	744	101	14%
MKSL01698	Hadrian's	610520	6585540	SOIL	742	901	121	13%
MKSL01699	Hadrian's	607960	6585380	SOIL	197	241	20	8%
MKSL01700	Hadrian's	608040	6585380	SOIL	212	257	43	17%
MKSL01701	Hadrian's	608120	6585380	SOIL	189	230	40	17%
MKSL01702	Hadrian's	608200	6585380	SOIL	477	581	63	11%
MKSL01703	Hadrian's	608280	6585380	SOIL	305	374	29	8%
MKSL01704	Hadrian's	608360	6585380	SOIL	284	348	29	8%
MKSL01705	Hadrian's	608440	6585380	SOIL	199	244	28	11%
MKSL01706	Hadrian's	608520	6585380	SOIL	205	246	47	19%
MKSL01707	Hadrian's	608600	6585380	SOIL	199	241	36	15%
MKSL01708	Hadrian's	608680	6585380	SOIL	328	399	51	13%
MKSL01709	Hadrian's	608760	6585380	SOIL	372	455	44	10%
MKSL01710	Hadrian's	608840	6585380	SOIL	394	480	43	9%
MKSL01711	Hadrian's	608920	6585380	SOIL	403	493	35	7%
MKSL01712	Hadrian's	609000	6585380	SOIL	459	560	54	10%
MKSL01713	Hadrian's	609080	6585380	SOIL	264	321	43	13%
MKSL01714	Hadrian's	609160	6585380	SOIL	156	190	30	16%
MKSL01715	Hadrian's	609880	6585380	SOIL	191	232	41	18%
MKSL01716	Hadrian's	609960	6585380	SOIL	288	350	59	17%
MKSL01717	Hadrian's	610040	6585380	SOIL	719	883	44	5%
MKSL01718	Hadrian's	610120	6585380	SOIL	834	1025	47	5%
MKSL01719	Hadrian's	610200	6585380	SOIL	1361	1661	145	9%
MKSL01720	Hadrian's	610280	6585380	SOIL	1265	1520	285	19%
MKSL01721	Hadrian's	610360	6585380	SOIL	407	493	81	16%
MKSL01722	Hadrian's	610440	6585380	SOIL	319	386	62	16%
MKSL01723	Hadrian's	610520	6585380	SOIL	489	599	44	7%
MKSL01724	Hadrian's	610600	6585380	SOIL	803	980	87	9%
MKSL01725	Hadrian's	610680	6585380	SOIL	509	617	103	17%
MKSL01726	Hadrian's	610760	6585380	SOIL	1206	1445	320	22%
MKSL01727	Hadrian's	610840	6585380	SOIL	2065	2477	519	21%
MKSL01728	Hadrian's	610920	6585380	SOIL	1252	1507	274	18%
MKSL01729	Hadrian's	611000	6585380	SOIL	763	917	186	20%
MKSL01730	Hadrian's	611080	6585380	SOIL	2853	3405	851	25%
MKSL01731	Hadrian's	611160	6585380	SOIL	1345	1641	146	9%

SampleID	Prospect	East	North	Sample Type	Total REE (ppm)	Total REO (ppm)	MREO (ppm)	% MREO
MKSL01732	Hadrian's	611240	6585380	SOIL	1740	2098	343	16%
MKSL01733	Hadrian's	611320	6585380	SOIL	1697	2068	181	9%
MKSL01734	Hadrian's	611400	6585380	SOIL	2201	2661	365	14%
MKSL01735	Hadrian's	611480	6585380	SOIL	491	591	89	15%
MKSL01736	Hadrian's	609480	6585220	SOIL	172	209	34	16%
MKSL01737	Hadrian's	609560	6585220	SOIL	376	455	74	16%
MKSL01738	Hadrian's	609640	6585220	SOIL	198	239	39	17%
MKSL01739	Hadrian's	609720	6585220	SOIL	378	456	77	17%
MKSL01740	Hadrian's	609800	6585220	SOIL	777	939	155	17%
MKSL01741	Hadrian's	609880	6585220	SOIL	263	318	62	19%
MKSL01742	Hadrian's	609960	6585220	SOIL	1052	1264	229	18%
MKSL01743	Hadrian's	610040	6585220	SOIL	694	848	63	7%
MKSL01744	Hadrian's	610120	6585220	SOIL	376	460	48	10%
MKSL01745	Hadrian's	610200	6585220	SOIL	401	487	68	14%
MKSL01746	Hadrian's	610280	6585220	SOIL	630	771	59	8%
MKSL01747	Hadrian's	610360	6585220	SOIL	774	947	68	7%
MKSL01748	Hadrian's	610440	6585220	SOIL	387	473	29	6%
MKSL01749	Hadrian's	610520	6585220	SOIL	542	665	41	6%
MKSL01750	Hadrian's	610600	6585220	SOIL	560	688	39	6%
MKSL01751	Hadrian's	610680	6585220	SOIL	503	614	64	10%
MKSL01752	Hadrian's	609880	6585060	SOIL	315	381	68	18%
MKSL01753	Hadrian's	609960	6585060	SOIL	212	258	42	16%
MKSL01754	Hadrian's	610040	6585060	SOIL	493	605	43	7%
MKSL01755	Hadrian's	610120	6585060	SOIL	987	1210	59	5%
MKSL01756	Hadrian's	610200	6585060	SOIL	214	261	30	12%
MKSL01757	Hadrian's	610280	6585060	SOIL	1754	2145	129	6%
MKSL01758	Hadrian's	610360	6585060	SOIL	189	234	18	8%
MKSL01759	Hadrian's	610440	6585060	SOIL	92	113	20	18%
MKSL01760	Hadrian's	610520	6585060	SOIL	559	685	47	7%
MKSL01761	Hadrian's	610600	6585060	SOIL	431	524	56	11%
MKSL01762	Hadrian's	610680	6585060	SOIL	843	1029	95	9%
MKSL01763	Hadrian's	610760	6585060	SOIL	659	789	172	22%
MKSL01764	Hadrian's	610840	6585060	SOIL	1146	1365	358	26%
MKSL01765	Hadrian's	610920	6585060	SOIL	1439	1723	404	23%
MKSL01766	Hadrian's	611000	6585060	SOIL	703	842	201	24%
MKSL01767	Hadrian's	611080	6585060	SOIL	1813	2173	499	23%
MKSL01768	Hadrian's	611160	6585060	SOIL	840	1016	153	15%
MKSL01769	Hadrian's	611240	6585060	SOIL	646	776	154	20%
MKSL01770	Hadrian's	611320	6585060	SOIL	730	892	74	8%
MKSL01771	Hadrian's	611400	6585060	SOIL	615	745	116	16%
MKSL01772	Hadrian's	611480	6585060	SOIL	659	791	165	21%
MKSL01773	Hadrian's	608440	6584900	SOIL	218	267	31	12%
MKSL01774	Hadrian's	608520	6584900	SOIL	439	531	93	18%

SampleID	Prospect	East	North	Sample Type	Total REE (ppm)	Total REO (ppm)	MREO (ppm)	% MREO
MKSL01775	Hadrian's	608600	6584900	SOIL	568	683	125	18%
MKSL01776	Hadrian's	608680	6584900	SOIL	529	637	133	21%
MKSL01777	Hadrian's	608760	6584900	SOIL	372	449	85	19%
MKSL01778	Hadrian's	608840	6584900	SOIL	739	892	176	20%
MKSL01779	Hadrian's	608920	6584900	SOIL	573	699	65	9%
MKSL01780	Hadrian's	609000	6584900	SOIL	375	454	71	16%
MKSL01781	Hadrian's	609080	6584900	SOIL	377	459	55	12%
MKSL01782	Hadrian's	609160	6584900	SOIL	277	334	56	17%
MKSL01783	Hadrian's	609240	6584900	SOIL	319	384	64	17%
MKSL01784	Hadrian's	609320	6584900	SOIL	480	580	96	17%
MKSL01785	Hadrian's	609400	6584900	SOIL	404	489	74	15%
MKSL01786	Hadrian's	609480	6584900	SOIL	766	924	155	17%
MKSL01787	Hadrian's	609560	6584900	SOIL	413	501	72	14%
MKSL01788	Hadrian's	609640	6584900	SOIL	230	276	50	18%
MKSL01789	Hadrian's	609720	6584900	SOIL	236	285	49	17%
MKSL01790	Hadrian's	609800	6584900	SOIL	258	312	55	18%
MKSL01791	Hadrian's	609880	6584900	SOIL	364	441	79	18%
MKSL01792	Hadrian's	609960	6584900	SOIL	339	410	76	19%
MKSL01793	Hadrian's	610040	6584900	SOIL	318	386	58	15%
MKSL01794	Hadrian's	610120	6584900	SOIL	502	618	37	6%
MKSL01795	Hadrian's	610200	6584900	SOIL	445	542	69	13%
MKSL01796	Hadrian's	610280	6584900	SOIL	505	615	77	13%
MKSL01797	Hadrian's	610360	6584900	SOIL	811	990	81	8%
MKSL01798	Hadrian's	610440	6584900	SOIL	587	719	56	8%
MKSL01799	Hadrian's	610520	6584900	SOIL	306	369	79	22%
MKSL01800	Hadrian's	610600	6584900	SOIL	581	700	126	18%
MKSL01801	Hadrian's	610680	6584900	SOIL	205	247	49	20%
MKSL01802	Hadrian's	610760	6584900	SOIL	525	630	132	21%
MKSL01803	Hadrian's	610840	6584900	SOIL	1486	1786	369	21%
MKSL01804	Hadrian's	609880	6584740	SOIL	1019	1229	206	17%
MKSL01805	Hadrian's	609960	6584740	SOIL	853	1027	214	21%
MKSL01806	Hadrian's	610040	6584740	SOIL	946	1137	199	17%
MKSL01807	Hadrian's	610120	6584740	SOIL	381	459	94	21%
MKSL01808	Hadrian's	610200	6584740	SOIL	393	474	92	19%
MKSL01809	Hadrian's	610280	6584740	SOIL	437	524	120	23%
MKSL01810	Hadrian's	610360	6584740	SOIL	562	684	78	11%
MKSL01811	Hadrian's	610440	6584740	SOIL	217	264	50	19%
MKSL01812	Hadrian's	610520	6584740	SOIL	602	724	134	19%
MKSL01813	Hadrian's	610600	6584740	SOIL	421	509	89	17%
MKSL01814	Hadrian's	610680	6584740	SOIL	1434	1737	235	14%
MKSL01815	Hadrian's	610760	6584740	SOIL	869	1045	204	20%
MKSL01816	Hadrian's	610840	6584740	SOIL	131	161	26	16%
MKSL01817	Hadrian's	610920	6584740	SOIL	1258	1509	302	20%



SampleID	Prospect	East	North	Sample Type	Total REE (ppm)	Total REO (ppm)	MREO (ppm)	% MREO
MKSL01818	Hadrian's	611000	6584740	SOIL	754	922	75	8%
MKSL01819	Hadrian's	611080	6584740	SOIL	847	1036	78	8%
MKSL01820	Hadrian's	611160	6584740	SOIL	689	841	92	11%
MKSL01821	Hadrian's	611240	6584740	SOIL	731	891	89	10%
MKSL01822	Hadrian's	611320	6584740	SOIL	843	1023	133	13%
MKSL01823	Hadrian's	611400	6584740	SOIL	635	766	137	18%
MKSL01824	Hadrian's	611480	6584740	SOIL	413	499	88	18%
MKSL01825	Hadrian's	608520	6584580	SOIL	739	892	144	16%
MKSL01826	Hadrian's	608600	6584580	SOIL	522	629	112	18%
MKSL01827	Hadrian's	608680	6584580	SOIL	1915	2301	410	18%
MKSL01828	Hadrian's	608760	6584580	SOIL	289	348	63	18%
MKSL01829	Hadrian's	608840	6584580	SOIL	536	645	116	18%
MKSL01830	Hadrian's	608920	6584580	SOIL	473	569	112	20%
MKSL01831	Hadrian's	609000	6584580	SOIL	236	285	49	17%
MKSL01832	Hadrian's	609080	6584580	SOIL	357	430	81	19%
MKSL01833	Hadrian's	609160	6584580	SOIL	1471	1768	350	20%
MKSL01834	Hadrian's	609240	6584580	SOIL	676	815	144	18%
MKSL01835	Hadrian's	609320	6584580	SOIL	269	324	59	18%
MKSL01836	Hadrian's	609400	6584580	SOIL	202	245	38	15%
MKSL01837	Hadrian's	609480	6584580	SOIL	50	61	10	17%
MKSL01838	Hadrian's	609560	6584580	SOIL	114	139	25	18%
MKSL01839	Hadrian's	609640	6584580	SOIL	174	211	39	18%
MKSL01840	Hadrian's	609800	6584420	SOIL	277	338	37	11%
MKSL01841	Hadrian's	609880	6584420	SOIL	419	509	69	13%
MKSL01842	Hadrian's	609960	6584420	SOIL	556	679	57	8%
MKSL01843	Hadrian's	610040	6584420	SOIL	496	604	62	10%
MKSL01844	Hadrian's	610120	6584420	SOIL	582	699	147	21%
MKSL01845	Hadrian's	610200	6584420	SOIL	939	1129	215	19%
MKSL01846	Hadrian's	610280	6584420	SOIL	146	177	34	19%
MKSL01847	Hadrian's	610360	6584420	SOIL	213	259	48	18%
MKSL01848	Hadrian's	610440	6584420	SOIL	243	296	53	18%
MKSL01849	Hadrian's	610520	6584420	SOIL	528	640	109	17%
MKSL01850	Hadrian's	610600	6584420	SOIL	349	424	57	14%
MKSL01851	Hadrian's	610680	6584420	SOIL	1815	2175	479	22%
MKSL01852	Hadrian's	610760	6584420	SOIL	1763	2115	459	22%
MKSL01853	Hadrian's	610840	6584420	SOIL	1440	1740	280	16%
MKSL01854	Hadrian's	610920	6584420	SOIL	510	615	103	17%
MKSL01855	Hadrian's	611000	6584420	SOIL	730	880	147	17%
MKSL01856	Hadrian's	611080	6584420	SOIL	1247	1503	242	16%
MKSL01857	Hadrian's	611160	6584420	SOIL	1042	1258	200	16%
MKSL01858	Hadrian's	611240	6584420	SOIL	1378	1664	256	15%
MKSL01859	Hadrian's	611320	6584420	SOIL	358	433	72	17%
MKSL01860	Hadrian's	611400	6584420	SOIL	489	591	97	16%

SampleID	Prospect	East	North	Sample Type	Total REE (ppm)	Total REO (ppm)	MREO (ppm)	% MREO
MKSL01861	Hadrian's	611480	6584420	SOIL	239	290	47	16%
<i>MKSL01862 &gt; 02106 Announced 29/09/2023</i>								
MKSL02107	Colosseum	601240	6592900	SOIL	527	637	129	20%
MKSL02108	Colosseum	601320	6592900	SOIL	386	466	91	20%
MKSL02109	Colosseum	601400	6592900	SOIL	388	470	92	20%
MKSL02110	Colosseum	601480	6592900	SOIL	206	251	40	16%
MKSL02111	Colosseum	601560	6592900	SOIL	154	188	31	16%
MKSL02112	Colosseum	601640	6592900	SOIL	176	214	41	19%
MKSL02113	Colosseum	601720	6592900	SOIL	432	522	105	20%
MKSL02114	Colosseum	601800	6592900	SOIL	290	352	69	20%
MKSL02115	Colosseum	601880	6592900	SOIL	265	322	62	19%
MKSL02116	Colosseum	601960	6592900	SOIL	328	397	78	20%
MKSL02117	Colosseum	602040	6592900	SOIL	457	552	116	21%
MKSL02118	Colosseum	602120	6592900	SOIL	147	179	34	19%
MKSL02119	Colosseum	602200	6592900	SOIL	425	521	48	9%
MKSL02120	Colosseum	602280	6592900	SOIL	286	347	68	20%
MKSL02121	Colosseum	602360	6592900	SOIL	555	672	121	18%
MKSL02122	Colosseum	602440	6592900	SOIL	162	197	34	17%
MKSL02123	Colosseum	602520	6592900	SOIL	351	427	70	16%
MKSL02124	Colosseum	602600	6592900	SOIL	328	400	60	15%
MKSL02125	Colosseum	602680	6592900	SOIL	144	177	21	12%
MKSL02126	Colosseum	602760	6592900	SOIL	83	103	12	11%
MKSL02127	Colosseum	602840	6592900	SOIL	77	96	8	8%
MKSL02128	Colosseum	602920	6592900	SOIL	176	216	22	10%
MKSL02129	Colosseum	603000	6592900	SOIL	51	64	9	14%
MKSL02130	Colosseum	603080	6592900	SOIL	62	78	11	14%
MKSL02131	Colosseum	603160	6592900	SOIL	64	80	8	10%
MKSL02132	Colosseum	603240	6592900	SOIL	212	257	42	16%
MKSL02133	Colosseum	603320	6592900	SOIL	312	378	68	18%
MKSL02134	Colosseum	603400	6592900	SOIL	477	575	95	16%
MKSL02135	Colosseum	603480	6592900	SOIL	619	744	148	20%
MKSL02136	Colosseum	603560	6592900	SOIL	662	798	158	20%
MKSL02137	Colosseum	603640	6592900	SOIL	778	937	187	20%
MKSL02138	Colosseum	603720	6592900	SOIL	529	638	113	18%
MKSL02139	Colosseum	603800	6592900	SOIL	365	443	72	16%
MKSL02140	Colosseum	603880	6592900	SOIL	387	467	91	19%
MKSL02141	Colosseum	603960	6592900	SOIL	304	368	71	19%
MKSL02142	Colosseum	604040	6592900	SOIL	239	291	46	16%
MKSL02143	Colosseum	604120	6592900	SOIL	229	278	45	16%
MKSL02144	Colosseum	604200	6592900	SOIL	253	308	41	13%
MKSL02145	Colosseum	602520	6592580	SOIL	88	110	15	14%
MKSL02146	Colosseum	602600	6592580	SOIL	65	81	14	17%
MKSL02147	Colosseum	602680	6592580	SOIL	101	124	21	17%

SampleID	Prospect	East	North	Sample Type	Total REE (ppm)	Total REO (ppm)	MREO (ppm)	% MREO
MKSL02148	Colosseum	602760	6592580	SOIL	191	231	42	18%
MKSL02149	Colosseum	602840	6592580	SOIL	820	988	209	21%
MKSL02150	Colosseum	602920	6592580	SOIL	687	830	157	19%
MKSL02151	Colosseum	603000	6592580	SOIL	595	721	132	18%
MKSL02152	Colosseum	603080	6592580	SOIL	438	529	103	20%
MKSL02153	Colosseum	603160	6592580	SOIL	463	560	102	18%
MKSL02154	Colosseum	603240	6592580	SOIL	176	212	43	20%
MKSL02155	Colosseum	603320	6592580	SOIL	139	169	31	18%
MKSL02156	Colosseum	603400	6592580	SOIL	237	287	49	17%
MKSL02157	Colosseum	603480	6592580	SOIL	440	531	116	22%
MKSL02158	Colosseum	603560	6592580	SOIL	238	285	67	23%
MKSL02159	Colosseum	603640	6592580	SOIL	565	679	152	22%
MKSL02160	Colosseum	603720	6592580	SOIL	373	449	100	22%
MKSL02161	Colosseum	603800	6592580	SOIL	393	479	54	11%
MKSL02162	Colosseum	603880	6592580	SOIL	237	288	52	18%
MKSL02163	Colosseum	603960	6592580	SOIL	329	401	58	14%
MKSL02164	Colosseum	604040	6592580	SOIL	381	463	75	16%
MKSL02165	Colosseum	604120	6592580	SOIL	282	342	68	20%
MKSL02166	Colosseum	604200	6592580	SOIL	157	192	33	17%
MKSL02167	Colosseum	604280	6592580	SOIL	176	218	16	8%
MKSL02168	Colosseum	604360	6592580	SOIL	183	224	34	15%
MKSL02169	Colosseum	604440	6592580	SOIL	83	104	17	16%
MKSL02170	Colosseum	602520	6592420	SOIL	73	91	15	16%
MKSL02171	Colosseum	602600	6592420	SOIL	59	74	12	16%
MKSL02172	Colosseum	602680	6592420	SOIL	78	97	16	17%
MKSL02173	Colosseum	602760	6592420	SOIL	955	1149	254	22%
MKSL02174	Colosseum	602840	6592420	SOIL	702	850	150	18%
MKSL02175	Colosseum	602920	6592420	SOIL	1090	1319	209	16%
MKSL02176	Colosseum	603000	6592420	SOIL	207	252	47	19%
MKSL02177	Colosseum	603080	6592420	SOIL	689	832	157	19%
MKSL02178	Colosseum	603160	6592420	SOIL	705	851	163	19%
MKSL02179	Colosseum	603240	6592420	SOIL	370	449	84	19%
MKSL02180	Colosseum	603320	6592420	SOIL	591	711	146	21%
MKSL02181	Colosseum	603400	6592420	SOIL	328	397	80	20%
MKSL02182	Colosseum	603480	6592420	SOIL	216	262	51	20%
MKSL02183	Colosseum	603560	6592420	SOIL	157	191	37	19%
MKSL02184	Colosseum	603640	6592420	SOIL	254	309	58	19%
MKSL02185	Colosseum	603720	6592420	SOIL	664	802	158	20%
MKSL02186	Colosseum	603800	6592420	SOIL	220	271	34	12%
MKSL02187	Colosseum	603880	6592420	SOIL	154	188	30	16%
MKSL02188	Colosseum	603960	6592420	SOIL	230	281	36	13%
MKSL02189	Colosseum	604040	6592420	SOIL	521	630	132	21%
MKSL02190	Colosseum	604120	6592420	SOIL	313	380	70	18%



SampleID	Prospect	East	North	Sample Type	Total REE (ppm)	Total REO (ppm)	MREO (ppm)	% MREO
MKSL02191	Colosseum	604200	6592420	SOIL	481	584	111	19%
MKSL02192	Colosseum	604280	6592420	SOIL	328	399	72	18%
MKSL02193	Colosseum	604360	6592420	SOIL	333	405	73	18%
MKSL02194	Colosseum	604440	6592420	SOIL	216	262	42	16%
MKSL02195	Colosseum	604520	6592420	SOIL	65	81	12	14%
MKSL02196	Colosseum	602680	6592260	SOIL	59	74	13	17%
MKSL02197	Colosseum	602760	6592260	SOIL	48	61	11	17%
MKSL02198	Colosseum	602840	6592260	SOIL	111	136	26	19%
MKSL02199	Colosseum	602920	6592260	SOIL	203	247	49	20%
MKSL02200	Colosseum	603000	6592260	SOIL	345	418	83	20%
MKSL02201	Colosseum	603080	6592260	SOIL	668	806	170	21%
MKSL02202	Colosseum	603160	6592260	SOIL	644	777	159	20%
MKSL02203	Colosseum	603240	6592260	SOIL	505	609	134	22%
MKSL02204	Colosseum	603320	6592260	SOIL	773	932	204	22%
MKSL02205	Colosseum	603400	6592260	SOIL	209	255	49	19%
MKSL02206	Colosseum	603480	6592260	SOIL	588	712	133	19%
MKSL02207	Colosseum	603560	6592260	SOIL	408	494	96	20%
MKSL02208	Colosseum	603640	6592260	SOIL	1003	1206	264	22%
MKSL02209	Colosseum	603720	6592260	SOIL	849	1023	212	21%
MKSL02210	Colosseum	603800	6592260	SOIL	664	800	165	21%
MKSL02211	Colosseum	603880	6592260	SOIL	464	561	113	20%
MKSL02212	Colosseum	603960	6592260	SOIL	394	478	93	19%
MKSL02213	Colosseum	604040	6592260	SOIL	103	127	21	17%
MKSL02214	Colosseum	604120	6592260	SOIL	749	904	188	21%
MKSL02215	Colosseum	604200	6592260	SOIL	853	1031	195	19%
MKSL02216	Colosseum	604280	6592260	SOIL	1209	1459	275	19%
MKSL02217	Colosseum	604360	6592260	SOIL	1223	1478	276	19%
MKSL02218	Colosseum	604440	6592260	SOIL	114	141	25	17%
MKSL02219	Colosseum	604520	6592260	SOIL	67	84	13	16%
MKSL02220	Colosseum	602920	6592100	SOIL	72	90	15	17%
MKSL02221	Colosseum	603000	6592100	SOIL	96	119	22	18%
MKSL02222	Colosseum	603080	6592100	SOIL	127	156	28	18%
MKSL02223	Colosseum	603160	6592100	SOIL	437	531	92	17%
MKSL02224	Colosseum	603240	6592100	SOIL	855	1033	184	18%
MKSL02225	Colosseum	603320	6592100	SOIL	268	324	62	19%
MKSL02226	Colosseum	603400	6592100	SOIL	76	95	14	15%
MKSL02227	Colosseum	603480	6592100	SOIL	163	200	33	17%
MKSL02228	Colosseum	603560	6592100	SOIL	352	429	63	15%
MKSL02229	Colosseum	603640	6592100	SOIL	527	637	130	20%
MKSL02230	Colosseum	603720	6592100	SOIL	143	173	30	18%
MKSL02231	Colosseum	603800	6592100	SOIL	316	383	64	17%
MKSL02232	Colosseum	603880	6592100	SOIL	461	560	94	17%
MKSL02233	Colosseum	603960	6592100	SOIL	624	756	129	17%

SampleID	Prospect	East	North	Sample Type	Total REE (ppm)	Total REO (ppm)	MREO (ppm)	% MREO
MKSL02234	Colosseum	604040	6592100	SOIL	443	537	94	17%
MKSL02235	Colosseum	604120	6592100	SOIL	274	333	54	16%
MKSL02236	Colosseum	604200	6592100	SOIL	426	517	90	17%
MKSL02237	Colosseum	603480	6591940	SOIL	84	104	16	16%
MKSL02238	Colosseum	603560	6591940	SOIL	260	317	41	13%
MKSL02239	Colosseum	603640	6591940	SOIL	523	637	75	12%
MKSL02240	Colosseum	603720	6591940	SOIL	1132	1370	220	16%
MKSL02241	Colosseum	603800	6591940	SOIL	1004	1212	211	17%
MKSL02242	Colosseum	603880	6591940	SOIL	608	735	132	18%
MKSL02243	Colosseum	603960	6591940	SOIL	276	333	63	19%
MKSL02244	Colosseum	604040	6591940	SOIL	183	221	41	18%
MKSL02245	Colosseum	604120	6591940	SOIL	1216	1464	269	18%
MKSL02246	Colosseum	604200	6591940	SOIL	97	119	21	18%
MKSL02247	Colosseum	604280	6591940	SOIL	76	93	16	18%
MKSL02248	Colosseum	604360	6591940	SOIL	102	125	21	17%
MKSL02249	Colosseum	604440	6591940	SOIL	130	159	25	16%
MKSL02250	Colosseum	604520	6591940	SOIL	314	380	68	18%
MKSL02251	Colosseum	604600	6591940	SOIL	146	178	28	16%
MKSL02252	Colosseum	604680	6591940	SOIL	215	260	45	17%
MKSL02253	Colosseum	604760	6591940	SOIL	247	300	55	18%
MKSL02254	Colosseum	604840	6591940	SOIL	783	942	197	21%
MKSL02255	Colosseum	604920	6591940	SOIL	784	949	161	17%
MKSL02256	Colosseum	605000	6591940	SOIL	468	565	109	19%
MKSL02257	Colosseum	605080	6591940	SOIL	697	845	131	16%
MKSL02258	Colosseum	605160	6591940	SOIL	558	675	118	17%
MKSL02259	Colosseum	605240	6591940	SOIL	665	807	124	15%
MKSL02260	Colosseum	605320	6591940	SOIL	280	338	65	19%
MKSL02261	Colosseum	605400	6591940	SOIL	332	402	70	17%
MKSL02262	Colosseum	605480	6591940	SOIL	1063	1282	198	15%
MKSL02263	Colosseum	605560	6591940	SOIL	526	637	98	15%
MKSL02264	Colosseum	605640	6591940	SOIL	307	374	67	18%
MKSL02265	Colosseum	605720	6591940	SOIL	162	201	28	14%
MKSL02266	Colosseum	605800	6591940	SOIL	104	129	20	16%
MKSL02267	Colosseum	605880	6591940	SOIL	95	117	20	17%
MKSL02268	Colosseum	605960	6591940	SOIL	135	166	31	19%
MKSL02269	Colosseum	606040	6591940	SOIL	98	120	20	16%
MKSL02270	Colosseum	606120	6591940	SOIL	139	172	18	11%
MKSL02271	Colosseum	606200	6591940	SOIL	79	99	16	17%
MKSL02272	Colosseum	606280	6591940	SOIL	86	107	15	14%
MKSL02273	Colosseum	606360	6591940	SOIL	112	139	25	18%
MKSL02274	Colosseum	606440	6591940	SOIL	143	177	24	14%
MKSL02275	Colosseum	600760	6591780	SOIL	355	430	80	19%
MKSL02276	Colosseum	600840	6591780	SOIL	738	889	186	21%

SampleID	Prospect	East	North	Sample Type	Total REE (ppm)	Total REO (ppm)	MREO (ppm)	% MREO
MKSL02277	Colosseum	600920	6591780	SOIL	199	243	42	17%
MKSL02278	Colosseum	601000	6591780	SOIL	53	66	10	15%
MKSL02279	Colosseum	601080	6591780	SOIL	64	80	10	13%
MKSL02280	Colosseum	601160	6591780	SOIL	84	104	15	15%
MKSL02281	Colosseum	601240	6591780	SOIL	70	87	15	17%
MKSL02282	Colosseum	601320	6591780	SOIL	247	301	57	19%
MKSL02283	Colosseum	601400	6591780	SOIL	1090	1324	179	13%
MKSL02284	Colosseum	601480	6591780	SOIL	734	887	156	18%
MKSL02285	Colosseum	601560	6591780	SOIL	404	488	98	20%
MKSL02286	Colosseum	601640	6591780	SOIL	181	220	42	19%
MKSL02287	Colosseum	601720	6591780	SOIL	290	352	57	16%
MKSL02288	Colosseum	601800	6591780	SOIL	464	561	99	18%
MKSL02289	Colosseum	601880	6591780	SOIL	319	387	65	17%
MKSL02290	Colosseum	601960	6591780	SOIL	203	246	45	18%
MKSL02291	Colosseum	602040	6591780	SOIL	97	120	19	16%
MKSL02292	Colosseum	602120	6591780	SOIL	132	164	23	14%
MKSL02293	Colosseum	602200	6591780	SOIL	114	141	25	17%
MKSL02294	Colosseum	603480	6591780	SOIL	146	179	24	14%
MKSL02295	Colosseum	603560	6591780	SOIL	386	468	77	17%
MKSL02296	Colosseum	603640	6591780	SOIL	665	804	133	17%
MKSL02297	Colosseum	603720	6591780	SOIL	619	747	138	19%
MKSL02298	Colosseum	603800	6591780	SOIL	417	503	89	18%
MKSL02299	Colosseum	603880	6591780	SOIL	503	606	118	19%
MKSL02300	Colosseum	603960	6591780	SOIL	439	531	104	20%
MKSL02301	Colosseum	604040	6591780	SOIL	242	296	42	14%
MKSL02302	Colosseum	604120	6591780	SOIL	108	130	24	19%
MKSL02303	Colosseum	604200	6591780	SOIL	191	231	39	17%
MKSL02304	Colosseum	604280	6591780	SOIL	356	431	73	17%
MKSL02305	Colosseum	604360	6591780	SOIL	404	490	73	15%
MKSL02306	Colosseum	604440	6591780	SOIL	253	306	63	21%
MKSL02307	Colosseum	604520	6591780	SOIL	716	870	115	13%
MKSL02308	Colosseum	604600	6591780	SOIL	2418	2956	206	7%
MKSL02309	Colosseum	604680	6591780	SOIL	579	705	95	13%
MKSL02310	Colosseum	604760	6591780	SOIL	842	1019	167	16%
MKSL02311	Colosseum	604840	6591780	SOIL	1766	2151	218	10%
MKSL02312	Colosseum	604920	6591780	SOIL	1556	1896	172	9%
MKSL02313	Colosseum	605000	6591780	SOIL	592	713	158	22%
MKSL02314	Colosseum	605080	6591780	SOIL	588	717	80	11%
MKSL02315	Colosseum	605160	6591780	SOIL	1233	1499	179	12%
MKSL02316	Colosseum	605240	6591780	SOIL	895	1081	195	18%
MKSL02317	Colosseum	605320	6591780	SOIL	670	808	169	21%
MKSL02318	Colosseum	605400	6591780	SOIL	711	855	193	23%
MKSL02319	Colosseum	605480	6591780	SOIL	252	305	60	20%



SampleID	Prospect	East	North	Sample Type	Total REE (ppm)	Total REO (ppm)	MREO (ppm)	% MREO
MKSL02320	Colosseum	605560	6591780	SOIL	316	383	63	16%
MKSL02321	Colosseum	605640	6591780	SOIL	753	907	189	21%
MKSL02322	Colosseum	605720	6591780	SOIL	1186	1426	292	21%
MKSL02323	Colosseum	605800	6591780	SOIL	944	1135	257	23%
MKSL02324	Colosseum	605880	6591780	SOIL	84	104	19	18%
MKSL02325	Colosseum	605960	6591780	SOIL	78	97	17	17%
MKSL02326	Colosseum	606040	6591780	SOIL	83	103	17	16%
MKSL02327	Colosseum	606120	6591780	SOIL	81	101	16	16%
MKSL02328	Colosseum	606200	6591780	SOIL	93	115	19	17%
MKSL02329	Colosseum	606280	6591780	SOIL	115	141	24	17%
MKSL02330	Colosseum	606360	6591780	SOIL	141	172	30	17%
MKSL02331	Colosseum	606440	6591780	SOIL	298	361	74	20%
MKSL02332	Colosseum	600520	6591460	SOIL	252	306	57	18%
MKSL02333	Colosseum	600600	6591460	SOIL	97	120	19	16%
MKSL02334	Colosseum	600680	6591460	SOIL	310	375	78	21%
MKSL02335	Colosseum	600760	6591460	SOIL	406	489	112	23%
MKSL02336	Colosseum	600840	6591460	SOIL	576	693	155	22%
MKSL02337	Colosseum	600920	6591460	SOIL	74	92	17	19%
MKSL02338	Colosseum	601000	6591460	SOIL	74	91	17	18%
MKSL02339	Colosseum	601080	6591460	SOIL	85	105	19	18%
MKSL02340	Colosseum	601160	6591460	SOIL	66	82	16	19%
MKSL02341	Colosseum	601240	6591460	SOIL	72	90	16	18%
MKSL02342	Colosseum	601320	6591460	SOIL	97	120	20	17%
MKSL02343	Colosseum	601400	6591460	SOIL	82	101	19	19%
MKSL02344	Colosseum	601480	6591460	SOIL	120	146	30	20%
MKSL02345	Colosseum	601560	6591460	SOIL	636	768	153	20%
MKSL02346	Colosseum	601640	6591460	SOIL	710	855	174	20%
MKSL02347	Colosseum	601720	6591460	SOIL	660	797	142	18%
MKSL02348	Colosseum	601800	6591460	SOIL	198	242	40	17%
MKSL02349	Colosseum	601880	6591460	SOIL	869	1047	220	21%
MKSL02350	Colosseum	601960	6591460	SOIL	150	183	32	18%
MKSL02351	Colosseum	602040	6591460	SOIL	220	267	43	16%
MKSL02352	Colosseum	602120	6591460	SOIL	235	286	47	16%
MKSL02353	Colosseum	602200	6591460	SOIL	250	302	53	18%
MKSL02354	Colosseum	602280	6591460	SOIL	239	292	35	12%
MKSL02355	Colosseum	602360	6591460	SOIL	134	165	24	15%
MKSL02356	Colosseum	602440	6591460	SOIL	83	103	16	16%
MKSL02357	Colosseum	603480	6591460	SOIL	81	101	15	15%
MKSL02358	Colosseum	603560	6591460	SOIL	195	240	33	14%
MKSL02359	Colosseum	603640	6591460	SOIL	975	1194	80	7%
MKSL02360	Colosseum	603720	6591460	SOIL	671	817	108	13%
MKSL02361	Colosseum	603800	6591460	SOIL	1645	1984	339	17%
MKSL02362	Colosseum	603880	6591460	SOIL	1548	1861	403	22%

SampleID	Prospect	East	North	Sample Type	Total REE (ppm)	Total REO (ppm)	MREO (ppm)	% MREO
MKSL02363	Colosseum	603960	6591460	SOIL	1612	1963	192	10%
MKSL02364	Colosseum	604040	6591460	SOIL	892	1086	116	11%
MKSL02365	Colosseum	604120	6591460	SOIL	952	1147	232	20%
MKSL02366	Colosseum	604200	6591460	SOIL	1269	1537	231	15%
MKSL02367	Colosseum	604280	6591460	SOIL	733	896	82	9%
MKSL02368	Colosseum	604360	6591460	SOIL	367	447	58	13%
MKSL02369	Colosseum	604440	6591460	SOIL	729	886	100	11%
MKSL02370	Colosseum	604520	6591460	SOIL	1142	1374	247	18%
MKSL02371	Colosseum	604600	6591460	SOIL	588	719	51	7%
MKSL02372	Colosseum	604680	6591460	SOIL	383	465	76	16%
MKSL02373	Colosseum	604760	6591460	SOIL	661	801	121	15%
MKSL02374	Colosseum	604840	6591460	SOIL	834	1006	196	19%
MKSL02375	Colosseum	604920	6591460	SOIL	2004	2405	473	20%
MKSL02376	Colosseum	605000	6591460	SOIL	1430	1735	245	14%
MKSL02377	Colosseum	605080	6591460	SOIL	1131	1369	208	15%
MKSL02378	Colosseum	605160	6591460	SOIL	1637	1966	402	20%
MKSL02379	Colosseum	605240	6591460	SOIL	261	316	56	18%
MKSL02380	Colosseum	605320	6591460	SOIL	449	541	106	20%
MKSL02381	Colosseum	605400	6591460	SOIL	566	680	162	24%
MKSL02382	Colosseum	605480	6591460	SOIL	1155	1398	211	15%
MKSL02383	Colosseum	605560	6591460	SOIL	464	561	114	20%
MKSL02384	Colosseum	605640	6591460	SOIL	191	232	45	19%
MKSL02385	Colosseum	605720	6591460	SOIL	1226	1481	268	18%
MKSL02386	Colosseum	605800	6591460	SOIL	833	1007	200	20%
MKSL02387	Colosseum	605880	6591460	SOIL	653	788	172	22%
MKSL02388	Colosseum	605960	6591460	SOIL	987	1192	244	21%
MKSL02389	Colosseum	606040	6591460	SOIL	847	1023	203	20%
MKSL02390	Colosseum	606120	6591460	SOIL	1401	1689	340	20%
MKSL02391	Colosseum	606200	6591460	SOIL	774	936	181	19%
MKSL02392	Colosseum	606280	6591460	SOIL	525	636	117	18%
MKSL02393	Colosseum	606360	6591460	SOIL	431	521	94	18%
MKSL02394	Colosseum	606440	6591460	SOIL	200	243	45	18%
MKSL02395	Colosseum	601400	6591300	SOIL	74	92	16	18%
MKSL02396	Colosseum	601480	6591300	SOIL	85	106	16	15%
MKSL02397	Colosseum	601560	6591300	SOIL	76	94	18	19%
MKSL02398	Colosseum	601640	6591300	SOIL	182	221	41	19%
MKSL02399	Colosseum	601720	6591300	SOIL	648	784	133	17%
MKSL02400	Colosseum	601800	6591300	SOIL	1024	1237	216	17%
MKSL02401	Colosseum	601880	6591300	SOIL	569	692	104	15%
MKSL02402	Colosseum	601960	6591300	SOIL	932	1128	198	18%
MKSL02403	Colosseum	602040	6591300	SOIL	171	208	41	20%
MKSL02404	Colosseum	602120	6591300	SOIL	192	234	47	20%
MKSL02405	Colosseum	602200	6591300	SOIL	356	436	47	11%

SampleID	Prospect	East	North	Sample Type	Total REE (ppm)	Total REO (ppm)	MREO (ppm)	% MREO
MKSL02406	Colosseum	602280	6591300	SOIL	339	411	86	21%
MKSL02407	Colosseum	602360	6591300	SOIL	79	97	18	18%
MKSL02408	Colosseum	602440	6591300	SOIL	139	171	31	18%
MKSL02409	Colosseum	603480	6591300	SOIL	57	71	11	15%
MKSL02410	Colosseum	603560	6591300	SOIL	94	115	20	17%
MKSL02411	Colosseum	603640	6591300	SOIL	342	413	73	18%
MKSL02412	Colosseum	603720	6591300	SOIL	870	1050	175	17%
MKSL02413	Colosseum	603800	6591300	SOIL	1190	1444	191	13%
MKSL02414	Colosseum	603880	6591300	SOIL	867	1053	145	14%
MKSL02415	Colosseum	603960	6591300	SOIL	823	996	165	17%
MKSL02416	Colosseum	604040	6591300	SOIL	783	951	123	13%
MKSL02417	Colosseum	604120	6591300	SOIL	1098	1327	217	16%
MKSL02418	Colosseum	604200	6591300	SOIL	598	721	151	21%
MKSL02419	Colosseum	604280	6591300	SOIL	1659	2015	247	12%
MKSL02420	Colosseum	604360	6591300	SOIL	2391	2872	570	20%
MKSL02421	Colosseum	604440	6591300	SOIL	1977	2379	460	19%
MKSL02422	Colosseum	604520	6591300	SOIL	1618	1942	409	21%
MKSL02423	Colosseum	604600	6591300	SOIL	636	765	175	23%
MKSL02424	Colosseum	604680	6591300	SOIL	1819	2195	387	18%
MKSL02425	Colosseum	604760	6591300	SOIL	1159	1393	293	21%
MKSL02426	Colosseum	604840	6591300	SOIL	853	1024	235	23%
MKSL02427	Colosseum	604920	6591300	SOIL	547	658	145	22%
MKSL02428	Colosseum	605000	6591300	SOIL	903	1090	206	19%
MKSL02429	Colosseum	605080	6591300	SOIL	1997	2411	404	17%
MKSL02430	Colosseum	605160	6591300	SOIL	1636	1975	317	16%
MKSL02431	Colosseum	605240	6591300	SOIL	703	849	135	16%
MKSL02432	Colosseum	605320	6591300	SOIL	512	625	63	10%
MKSL02433	Colosseum	605400	6591300	SOIL	717	874	102	12%
MKSL02434	Colosseum	605480	6591300	SOIL	129	159	24	15%
MKSL02435	Colosseum	605560	6591300	SOIL	195	240	32	13%
MKSL02436	Colosseum	605640	6591300	SOIL	67	83	12	14%
MKSL02437	Colosseum	605720	6591300	SOIL	117	146	20	14%
MKSL02438	Colosseum	605800	6591300	SOIL	113	140	21	15%
MKSL02439	Colosseum	605880	6591300	SOIL	312	379	69	18%
MKSL02440	Colosseum	605960	6591300	SOIL	439	535	92	17%
MKSL02441	Colosseum	606040	6591300	SOIL	622	755	137	18%
MKSL02442	Colosseum	606120	6591300	SOIL	455	552	110	20%
MKSL02443	Colosseum	606200	6591300	SOIL	109	134	23	17%
MKSL02444	Colosseum	606280	6591300	SOIL	107	132	19	15%
MKSL02445	Colosseum	606360	6591300	SOIL	274	332	58	17%
MKSL02446	Colosseum	606440	6591300	SOIL	134	164	32	20%
MKSL02447	Colosseum	603480	6591140	SOIL	48	60	10	16%
MKSL02448	Colosseum	603560	6591140	SOIL	231	281	53	19%

SampleID	Prospect	East	North	Sample Type	Total REE (ppm)	Total REO (ppm)	MREO (ppm)	% MREO
MKSL02449	Colosseum	603640	6591140	SOIL	305	370	67	18%
MKSL02450	Colosseum	603720	6591140	SOIL	495	601	86	14%
MKSL02451	Colosseum	603800	6591140	SOIL	834	1005	180	18%
MKSL02452	Colosseum	603880	6591140	SOIL	575	696	93	13%
MKSL02453	Colosseum	603960	6591140	SOIL	508	610	119	20%
MKSL02454	Colosseum	604040	6591140	SOIL	1066	1280	253	20%
MKSL02455	Colosseum	604120	6591140	SOIL	1446	1736	355	20%
MKSL02456	Colosseum	604200	6591140	SOIL	1774	2130	404	19%
MKSL02457	Colosseum	604280	6591140	SOIL	866	1039	202	19%
MKSL02458	Colosseum	604360	6591140	SOIL	565	681	109	16%
MKSL02459	Colosseum	604440	6591140	SOIL	984	1184	219	18%
MKSL02460	Colosseum	604520	6591140	SOIL	1301	1563	295	19%
MKSL02461	Colosseum	604600	6591140	SOIL	988	1189	216	18%
MKSL02462	Colosseum	604680	6591140	SOIL	1413	1705	269	16%
MKSL02463	Colosseum	604760	6591140	SOIL	1408	1695	272	16%
MKSL02464	Colosseum	604840	6591140	SOIL	240	289	46	16%
MKSL02465	Colosseum	604920	6591140	SOIL	398	479	78	16%
MKSL02466	Colosseum	605000	6591140	SOIL	750	907	159	18%
MKSL02467	Colosseum	605080	6591140	SOIL	122	152	18	12%
MKSL02468	Colosseum	605160	6591140	SOIL	85	106	15	15%
MKSL02469	Colosseum	605240	6591140	SOIL	71	88	11	13%
MKSL02470	Colosseum	605320	6591140	SOIL	65	82	11	13%
MKSL02471	Colosseum	605400	6591140	SOIL	29	39	3	7%
MKSL02472	Colosseum	605480	6591140	SOIL	48	61	2	3%
MKSL02473	Colosseum	605560	6591140	SOIL	32	41	6	14%
MKSL02474	Colosseum	603080	6590980	SOIL	43	54	9	16%
MKSL02475	Colosseum	603160	6590980	SOIL	45	56	9	16%
MKSL02476	Colosseum	603240	6590980	SOIL	32	41	5	13%
MKSL02477	Colosseum	603320	6590980	SOIL	72	89	14	16%
MKSL02478	Colosseum	603400	6590980	SOIL	193	236	30	13%
MKSL02479	Colosseum	603480	6590980	SOIL	322	390	62	16%
MKSL02480	Colosseum	603560	6590980	SOIL	407	497	53	11%
MKSL02481	Colosseum	603640	6590980	SOIL	403	487	90	18%
MKSL02482	Colosseum	603720	6590980	SOIL	578	695	147	21%
MKSL02483	Colosseum	603800	6590980	SOIL	276	332	62	19%
MKSL02484	Colosseum	603880	6590980	SOIL	1234	1486	296	20%
MKSL02485	Colosseum	603960	6590980	SOIL	861	1040	179	17%
MKSL02486	Colosseum	604040	6590980	SOIL	923	1115	202	18%
MKSL02487	Colosseum	604120	6590980	SOIL	782	944	182	19%
MKSL02488	Colosseum	604200	6590980	SOIL	1111	1338	280	21%
MKSL02489	Colosseum	604280	6590980	SOIL	1161	1410	201	14%
MKSL02490	Colosseum	604360	6590980	SOIL	1820	2192	422	19%
MKSL02491	Colosseum	604440	6590980	SOIL	636	772	121	16%



SampleID	Prospect	East	North	Sample Type	Total REE (ppm)	Total REO (ppm)	MREO (ppm)	% MREO
MKSL02492	Colosseum	604520	6590980	SOIL	1690	2031	406	20%
MKSL02493	Colosseum	604600	6590980	SOIL	1587	1908	396	21%
MKSL02494	Colosseum	604680	6590980	SOIL	1773	2133	397	19%
MKSL02495	Colosseum	604760	6590980	SOIL	1705	2054	377	18%
MKSL02496	Colosseum	604840	6590980	SOIL	392	474	72	15%
MKSL02497	Colosseum	604920	6590980	SOIL	1929	2330	364	16%
MKSL02498	Colosseum	605000	6590980	SOIL	2162	2614	384	15%
MKSL02499	Colosseum	605080	6590980	SOIL	1987	2395	404	17%
MKSL02500	Colosseum	605160	6590980	SOIL	1784	2179	171	8%
MKSL02501	Colosseum	605240	6590980	SOIL	1546	1868	303	16%
MKSL02502	Colosseum	605320	6590980	SOIL	2282	2762	380	14%
MKSL02503	Colosseum	605400	6590980	SOIL	380	458	62	14%
MKSL02504	Colosseum	605480	6590980	SOIL	139	169	28	16%
MKSL02505	Colosseum	605560	6590980	SOIL	79	98	16	17%
MKSL02506	Colosseum	605640	6590980	SOIL	78	96	13	14%
MKSL02507	Colosseum	605720	6590980	SOIL	78	98	13	13%
MKSL02508	Colosseum	605800	6590980	SOIL	44	56	8	14%
MKSL02509	Colosseum	605880	6590980	SOIL	61	77	11	15%
MKSL02510	Colosseum	605960	6590980	SOIL	51	66	8	12%
MKSL02511	Colosseum	602600	6590820	SOIL	366	444	76	17%
MKSL02512	Colosseum	602680	6590820	SOIL	257	311	58	19%
MKSL02513	Colosseum	602760	6590820	SOIL	1484	1786	356	20%
MKSL02514	Colosseum	602840	6590820	SOIL	2592	3114	604	19%
MKSL02515	Colosseum	602920	6590820	SOIL	50	62	10	16%
MKSL02516	Colosseum	603000	6590820	SOIL	58	70	11	16%
MKSL02517	Colosseum	603080	6590820	SOIL	341	414	57	14%
MKSL02518	Colosseum	603160	6590820	SOIL	290	350	64	18%
MKSL02519	Colosseum	603240	6590820	SOIL	409	494	94	19%
MKSL02520	Colosseum	603320	6590820	SOIL	283	346	49	14%
MKSL02521	Colosseum	603400	6590820	SOIL	2577	3086	704	23%
MKSL02522	Colosseum	603480	6590820	SOIL	1607	1937	374	19%
MKSL02523	Colosseum	603560	6590820	SOIL	628	769	55	7%
MKSL02524	Colosseum	603640	6590820	SOIL	278	340	46	13%
MKSL02525	Colosseum	603720	6590820	SOIL	601	726	137	19%
MKSL02526	Colosseum	603800	6590820	SOIL	790	952	191	20%
MKSL02527	Colosseum	603880	6590820	SOIL	2024	2434	502	21%
MKSL02528	Colosseum	603960	6590820	SOIL	1981	2387	465	19%
MKSL02529	Colosseum	604040	6590820	SOIL	1561	1881	334	18%
MKSL02530	Colosseum	604120	6590820	SOIL	3129	3772	635	17%
MKSL02531	Colosseum	604200	6590820	SOIL	1695	2060	233	11%
MKSL02532	Colosseum	604280	6590820	SOIL	2067	2489	500	20%
MKSL02533	Colosseum	604360	6590820	SOIL	1743	2125	190	9%
MKSL02534	Colosseum	604440	6590820	SOIL	2384	2892	359	12%

SampleID	Prospect	East	North	Sample Type	Total REE (ppm)	Total REO (ppm)	MREO (ppm)	% MREO
MKSL02535	Colosseum	604520	6590820	SOIL	1408	1692	343	20%
MKSL02536	Colosseum	604600	6590820	SOIL	2373	2853	588	21%
MKSL02537	Colosseum	604680	6590820	SOIL	971	1168	242	21%
MKSL02538	Colosseum	604760	6590820	SOIL	2368	2852	517	18%
MKSL02539	Colosseum	604840	6590820	SOIL	1310	1587	236	15%
MKSL02540	Colosseum	604920	6590820	SOIL	2821	3395	652	19%
MKSL02541	Colosseum	605000	6590820	SOIL	2964	3556	707	20%
MKSL02542	Colosseum	605080	6590820	SOIL	2450	2952	541	18%
MKSL02543	Colosseum	605160	6590820	SOIL	2165	2611	459	18%
MKSL02544	Colosseum	605240	6590820	SOIL	1423	1716	333	19%
MKSL02545	Colosseum	605320	6590820	SOIL	1843	2218	427	19%
MKSL02546	Colosseum	605400	6590820	SOIL	2039	2464	390	16%
MKSL02547	Colosseum	605480	6590820	SOIL	1312	1586	269	17%
MKSL02548	Colosseum	605560	6590820	SOIL	370	450	78	17%
MKSL02549	Colosseum	605640	6590820	SOIL	295	357	64	18%
MKSL02550	Colosseum	605720	6590820	SOIL	823	994	193	19%
MKSL02551	Colosseum	605800	6590820	SOIL	1294	1561	316	20%
MKSL02552	Colosseum	605880	6590820	SOIL	79	99	13	13%
MKSL02553	Colosseum	605960	6590820	SOIL	55	70	11	15%
MKSL02554	Colosseum	602600	6590660	SOIL	957	1168	80	7%
MKSL02555	Colosseum	602680	6590660	SOIL	1096	1320	242	18%
MKSL02556	Colosseum	602760	6590660	SOIL	524	633	104	16%
MKSL02557	Colosseum	602840	6590660	SOIL	961	1156	208	18%
MKSL02558	Colosseum	602920	6590660	SOIL	4359	5203	1549	30%
MKSL02559	Colosseum	603000	6590660	SOIL	175	213	39	18%
MKSL02560	Colosseum	603080	6590660	SOIL	319	386	68	18%
MKSL02561	Colosseum	603160	6590660	SOIL	635	770	100	13%
MKSL02562	Colosseum	603240	6590660	SOIL	669	809	128	16%
MKSL02563	Colosseum	603320	6590660	SOIL	921	1115	169	15%
MKSL02564	Colosseum	603400	6590660	SOIL	340	411	76	19%
MKSL02565	Colosseum	603480	6590660	SOIL	548	662	104	16%
MKSL02566	Colosseum	603560	6590660	SOIL	1449	1743	304	17%
MKSL02567	Colosseum	603640	6590660	SOIL	1425	1713	324	19%
MKSL02568	Colosseum	603720	6590660	SOIL	830	1000	180	18%
MKSL02569	Colosseum	603800	6590660	SOIL	879	1058	202	19%
MKSL02570	Colosseum	603880	6590660	SOIL	1038	1254	194	15%
MKSL02571	Colosseum	603960	6590660	SOIL	1799	2166	399	18%
MKSL02572	Colosseum	604040	6590660	SOIL	2179	2631	394	15%
MKSL02573	Colosseum	604120	6590660	SOIL	1355	1632	316	19%
MKSL02574	Colosseum	604200	6590660	SOIL	885	1071	182	17%
MKSL02575	Colosseum	604280	6590660	SOIL	392	474	90	19%
MKSL02576	Colosseum	604360	6590660	SOIL	1484	1799	222	12%
MKSL02577	Colosseum	604440	6590660	SOIL	1478	1787	265	15%

SampleID	Prospect	East	North	Sample Type	Total REE (ppm)	Total REO (ppm)	MREO (ppm)	% MREO
MKSL02578	Colosseum	604520	6590660	SOIL	1431	1721	323	19%
MKSL02579	Colosseum	604600	6590660	SOIL	1663	2004	323	16%
MKSL02580	Colosseum	604680	6590660	SOIL	1220	1470	267	18%
MKSL02581	Colosseum	604760	6590660	SOIL	1476	1778	313	18%
MKSL02582	Colosseum	604840	6590660	SOIL	1369	1650	279	17%
MKSL02583	Colosseum	604920	6590660	SOIL	1754	2111	352	17%
MKSL02584	Colosseum	605000	6590660	SOIL	1479	1785	289	16%
MKSL02585	Colosseum	605080	6590660	SOIL	1152	1389	243	17%
MKSL02586	Colosseum	605160	6590660	SOIL	1977	2391	343	14%
MKSL02587	Colosseum	605240	6590660	SOIL	2096	2527	402	16%
MKSL02588	Colosseum	605320	6590660	SOIL	1698	2049	326	16%
MKSL02589	Colosseum	605400	6590660	SOIL	1075	1293	255	20%
MKSL02590	Colosseum	605480	6590660	SOIL	1204	1454	247	17%
MKSL02591	Colosseum	605560	6590660	SOIL	502	608	115	19%
MKSL02592	Colosseum	605640	6590660	SOIL	1062	1281	252	20%
MKSL02593	Colosseum	605720	6590660	SOIL	1437	1733	338	19%
MKSL02594	Colosseum	605800	6590660	SOIL	1364	1646	330	20%
MKSL02595	Colosseum	605880	6590660	SOIL	195	240	38	16%
MKSL02596	Colosseum	605960	6590660	SOIL	99	123	20	16%
MKSL02597	Colosseum	602600	6590500	SOIL	830	1000	175	17%
MKSL02598	Colosseum	602680	6590500	SOIL	385	464	87	19%
MKSL02599	Colosseum	602760	6590500	SOIL	614	741	124	17%
MKSL02600	Colosseum	602840	6590500	SOIL	377	460	55	12%
MKSL02601	Colosseum	602920	6590500	SOIL	341	415	62	15%
MKSL02602	Colosseum	603000	6590500	SOIL	570	694	80	12%
MKSL02603	Colosseum	603080	6590500	SOIL	479	586	47	8%
MKSL02604	Colosseum	603160	6590500	SOIL	387	474	35	7%
MKSL02605	Colosseum	603240	6590500	SOIL	364	446	38	8%
MKSL02606	Colosseum	603320	6590500	SOIL	288	350	53	15%
MKSL02607	Colosseum	603400	6590500	SOIL	227	276	33	12%
MKSL02608	Colosseum	603480	6590500	SOIL	161	197	29	15%
MKSL02609	Colosseum	603560	6590500	SOIL	329	397	70	18%
MKSL02610	Colosseum	603640	6590500	SOIL	1426	1717	303	18%
MKSL02611	Colosseum	603720	6590500	SOIL	578	697	124	18%
MKSL02612	Colosseum	603800	6590500	SOIL	1084	1307	200	15%
MKSL02613	Colosseum	603880	6590500	SOIL	1642	1984	310	16%
MKSL02614	Colosseum	603960	6590500	SOIL	2265	2745	397	14%
MKSL02615	Colosseum	604040	6590500	SOIL	602	728	132	18%
MKSL02616	Colosseum	604120	6590500	SOIL	1691	2035	344	17%
MKSL02617	Colosseum	604200	6590500	SOIL	809	977	166	17%
MKSL02618	Colosseum	604280	6590500	SOIL	185	225	43	19%
MKSL02619	Colosseum	604360	6590500	SOIL	186	226	43	19%
MKSL02620	Colosseum	604440	6590500	SOIL	409	495	83	17%

SampleID	Prospect	East	North	Sample Type	Total REE (ppm)	Total REO (ppm)	MREO (ppm)	% MREO
MKSL02621	Colosseum	602600	6590340	SOIL	218	263	53	20%
MKSL02622	Colosseum	602680	6590340	SOIL	648	779	170	22%
MKSL02623	Colosseum	602760	6590340	SOIL	280	338	72	21%
MKSL02624	Colosseum	602840	6590340	SOIL	395	479	81	17%
MKSL02625	Colosseum	602920	6590340	SOIL	210	257	38	15%
MKSL02626	Colosseum	603000	6590340	SOIL	249	304	44	14%
MKSL02627	Colosseum	603080	6590340	SOIL	303	370	51	14%
MKSL02628	Colosseum	603160	6590340	SOIL	712	873	64	7%
MKSL02629	Colosseum	603240	6590340	SOIL	393	480	55	12%
MKSL02630	Colosseum	603320	6590340	SOIL	237	289	52	18%
MKSL02631	Colosseum	603400	6590340	SOIL	227	276	45	16%
MKSL02632	Colosseum	603480	6590340	SOIL	365	444	67	15%
MKSL02633	Colosseum	603560	6590340	SOIL	334	404	83	21%
MKSL02634	Colosseum	603640	6590340	SOIL	630	760	149	20%
MKSL02635	Colosseum	603720	6590340	SOIL	522	632	115	18%
MKSL02636	Colosseum	603800	6590340	SOIL	402	486	91	19%
MKSL02637	Colosseum	603880	6590340	SOIL	725	874	155	18%
MKSL02638	Colosseum	603960	6590340	SOIL	461	556	73	13%
MKSL02639	Colosseum	604040	6590340	SOIL	186	226	38	17%
MKSL02640	Colosseum	602600	6590180	SOIL	668	810	152	19%
MKSL02641	Colosseum	602680	6590180	SOIL	933	1135	140	12%
MKSL02642	Colosseum	602760	6590180	SOIL	327	398	65	16%
MKSL02643	Colosseum	602840	6590180	SOIL	270	327	72	22%
MKSL02644	Colosseum	602920	6590180	SOIL	64	77	15	19%
MKSL02645	Colosseum	603000	6590180	SOIL	100	120	17	14%
MKSL02646	Colosseum	603080	6590180	SOIL	839	1009	224	22%
MKSL02647	Colosseum	603160	6590180	SOIL	1216	1467	272	19%
MKSL02648	Colosseum	603240	6590180	SOIL	206	251	44	18%
MKSL02649	Colosseum	603320	6590180	SOIL	374	454	75	17%
MKSL02650	Colosseum	603400	6590180	SOIL	1192	1435	264	18%
MKSL02651	Colosseum	603480	6590180	SOIL	710	858	145	17%
MKSL02652	Colosseum	603560	6590180	SOIL	467	566	99	17%
MKSL02653	Colosseum	603640	6590180	SOIL	498	602	113	19%
MKSL02654	Colosseum	603720	6590180	SOIL	403	488	94	19%
MKSL02655	Colosseum	603800	6590180	SOIL	712	858	167	19%
MKSL02656	Colosseum	603880	6590180	SOIL	966	1164	207	18%
MKSL02657	Colosseum	603960	6590180	SOIL	180	220	33	15%
MKSL02658	Colosseum	604040	6590180	SOIL	66	82	13	16%
MKSL02659	Regional	601160	6592580	SOIL	522	632	117	19%
MKSL02660	Regional	601240	6592580	SOIL	936	1127	226	20%
MKSL02661	Regional	601320	6592580	SOIL	708	855	161	19%
MKSL02662	Regional	601400	6592580	SOIL	342	415	76	18%
MKSL02663	Regional	601480	6592580	SOIL	332	402	79	20%



SampleID	Prospect	East	North	Sample Type	Total REE (ppm)	Total REO (ppm)	MREO (ppm)	% MREO
MKSL02664	Regional	601560	6592580	SOIL	526	635	141	22%
MKSL02665	Regional	601640	6592580	SOIL	476	576	104	18%
MKSL02666	Regional	601720	6592580	SOIL	114	140	26	18%
MKSL02667	Regional	601800	6592580	SOIL	155	190	36	19%
MKSL02668	Regional	601880	6592580	SOIL	90	113	19	17%
MKSL02669	Regional	601960	6592580	SOIL	88	109	16	15%

\* TREO includes Yttrium

MREO consist of Dysprosium (Dy), Neodymium (Nd), Praseodymium (Pr), & Terbium (Tb)



## APPENDIX I

### JORC Code, 2012 Edition:

#### Section 1: Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code explanation	Commentary
Sampling techniques	<ul style="list-style-type: none"> <li>Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</li> <li>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</li> <li>Aspects of the determination of mineralisation that are Material to the Public Report.</li> <li>In cases where 'industry standard' work has been done, this would be relatively simple (e.g. 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g. submarine nodules) may warrant disclosure of detailed information.</li> </ul>	<p>Samples were collected on a 20 – 40 – 80m by 80 – 160 – 320 – 800m grid dependant on prospect sampling phase and interpreted prospect size. Samples planned typically perpendicular to the strike of the interpreted geological strike and outcrop. The samples were collected using a -2mm sieve at approx depth 10-30cm into B horizon.</p>
Drilling techniques	<ul style="list-style-type: none"> <li>Drill type (e.g. core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</li> </ul>	<p>No new drilling data is included in this announcement.</p>
Drill sample recovery	<ul style="list-style-type: none"> <li>Method of recording and assessing core and chip sample recoveries and results assessed.</li> <li>Measures taken to maximise sample recovery and ensure representative nature of the samples.</li> <li>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</li> </ul>	<p>No new drilling data is included in this announcement.</p>
Logging	<ul style="list-style-type: none"> <li>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</li> <li>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</li> <li>The total length and percentage of the</li> </ul>	<p>No new drilling data is included in this announcement.</p> <p>A soil sample register recorded the following information for each sample: Grid area name, sample line, site ID, sample number, easting and northing coordinates, QAQC, site topography, soil description, comments</p>

Criteria	JORC Code explanation	Commentary
	<i>relevant intersections logged.</i>	
<i>Sub-sampling techniques and sample preparation</i>	<ul style="list-style-type: none"> <li><i>If core, whether cut or sawn and whether quarter, half or all core taken.</i></li> <li><i>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</i></li> <li><i>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</i></li> <li><i>Quality control procedures adopted for all sub-sampling stages to maximise samples representivity</i></li> <li><i>Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling.</i></li> <li><i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i></li> </ul>	No new drilling data is included in this announcement
<i>Quality of assay data and laboratory tests</i>	<ul style="list-style-type: none"> <li><i>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</i></li> <li><i>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</i></li> <li><i>Nature of quality control procedures adopted (e.g. standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.</i></li> </ul>	<p>Samples were submitted to Labwest Minerals Analysis in Perth, Western Australia for a four-acid digest for a 48-element suite + additional 12 element REE suite (lab code UFF-PER)</p> <p>Future analysis methods with include a borate fusion during digestion so as to provide greater dissolution of more resistive / refractory minerals such as zircon, xenotime and rutile etc.</p> <p>Independent Standard were submitted on a 1:50 basis and Internal lab standards, blanks and repeats were applied. The analysis method used provides an acceptable level of accuracy and precision given the early stage of the project.</p>
<i>Verification of sampling and assaying</i>	<ul style="list-style-type: none"> <li><i>The verification of significant intersections by either independent or alternative company personnel.</i></li> <li><i>The use of twinned holes.</i></li> <li><i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i></li> <li><i>Discuss any adjustment to assay data.</i></li> </ul>	All sample data is recorded in field notebooks, then transcribed into a digital format, validated, and entered into the company database. Photo's of all rock chips are retained on file for review.
<i>Location of data points</i>	<ul style="list-style-type: none"> <li><i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i></li> <li><i>Specification of the grid system used.</i></li> <li><i>Quality and adequacy of topographic control.</i></li> </ul>	<p>All sampling locations are surveyed using a hand-held GPS, accurate to within +/- 3m for easting and northings. All location data is relevant to UTM MGA 94, Zone 50s</p> <p>Topographic measurements were not obtained for grab sampling.</p>
<i>Data spacing and distribution</i>	<ul style="list-style-type: none"> <li><i>Data spacing for reporting of Exploration Results.</i></li> <li><i>Whether the data spacing, and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i></li> </ul>	<p>Samples were collected on a 20 – 40 – 80m by 80 – 160 – 320 – 800m grid dependant on prospect sampling phase and interpreted prospect size. Sampling grids are indicated within the main body of the report. The sample lines were orientated perpendicular to the strike of the prospect body (E &gt; W).</p> <p>The sample spacing is not sufficient to establish geological or grade continuity.</p>

Criteria	JORC Code explanation	Commentary
<i>Orientation of data in relation to geological structure</i>	<ul style="list-style-type: none"> <li>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</li> <li>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</li> </ul>	Samples were collected as part of a follow up sampling program to test for extensions to the pegmatite REE anomalous targets, all sample lines were orientated perpendicular to the strike of the various prospects' outcrops.
<i>Sample security</i>	<ul style="list-style-type: none"> <li>The measures taken to ensure sample security.</li> </ul>	All samples were collected by experienced CRS geologists and delivered directly to the lab for analysis.
<i>Audits or reviews</i>	<ul style="list-style-type: none"> <li>The results of any audits or reviews of sampling techniques and data.</li> </ul>	No audits or reviews were completed.

## Section 2: Reporting of Exploration Results

Criteria	JORC Code explanation	Commentary
<i>Mineral tenement and land tenure status</i>	<ul style="list-style-type: none"> <li>Type, reference name/number, location and ownership including agreements or material</li> <li>issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</li> <li>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</li> </ul>	<p>The Mukinbudin Project resides within a single tenement E 70/5939 and is located within the Bencubbin 1:250k Map Sheet SH50-11, directly northwest of the Western Australian farming town Mukinbudin. The project is located 250km northeast of Perth.</p> <p>Caprice Resources owns 100% of tenements E 70/5939. A majority of the tenement resides over freehold lots utilised for farming. Freehold landowners retain the mineral rights for all materials within the top 30m of land surface. Access agreements will need to be obtained with landowners in order to access ground for exploration and to transfer the mineral rights for material in the top 30m.</p> <p>A standard heritage agreement has been executed with the Marlinyu Ghoorlie Native Title Claimant Group (native title determination application WAD 647/2017).</p> <p>All tenements are in good standing</p>
<i>Exploration done by other parties</i>	<ul style="list-style-type: none"> <li>Acknowledgment and appraisal of exploration by other parties.</li> </ul>	<p>Earliest exploration in the region were focused on quartz and feldspar deposits associated with pegmatite bodies, all of these reside just outside of the project area. Limited investigations have been carried out by GSWA in the region, with the 1:250k explanatory note being the only major report covering the project area. A small amount of academic investigation has been carried out on pegmatites that have been actively quarried over the last 50 years. These studies primarily focussed on understanding rare accessory mineral phases, see Guidebook to the Pegmatites of Western Australia by Mark Ivan Jacobson.</p> <p>Main contributors to exploration within or adjacent to the project are listed below, most of these were</p>



Criteria	JORC Code explanation	Commentary
		<p>focussed on feldspar and quartz exploration:</p> <ul style="list-style-type: none"> <li>- 1970 to 1975, by Snowstone Pty Ltd on the Karloning pegmatite, this included mining, mapping, AC drilling / logging, and mineral resource estimation (see WAMEX reports A6141).</li> <li>- 1978 to 1979, by Universal Milling Company Pty Ltd on the Gillet's pegmatite, this included mapping, drilling, and K, Na, Fe analysis (see WAMEX reports A9550).</li> <li>- 1985 to 1986, by Monier on the Mukinbudin pegmatite, this included drilling, petrography, mapping, and multi-element analysis (including Li) (see WAMEX reports A20006).</li> <li>- 1987 to 1988, by Matlock Mining NL on the Mukinbudin pegmatite, this included RC drilling and mineral resource estimation (see WAMEX reports A25069).</li> <li>- 1989 to 1997, by Commercial Minerals Ltd on the Mukinbudin pegmatite, this included 1:500 mapping, RC and diamond drilling, data compilation, petrography, and resource estimation (see WAMEX reports A39088, A39798, A52066).</li> <li>- 1996 to 1997, by Commercial Minerals Ltd on the Gillet's pegmatite, this included mapping, drilling, and major element analysis (see WAMEX reports A52780).</li> <li>- 1995 to 1996, by Imdex Feldspar Pty Ltd on the Karloning pegmatite, this included an independent reconnaissance report by Ian R Campbell on the pegmatites exposed across the region (see WAMEX reports A49578).</li> <li>- 1997 to 1998, by Normandy Industrial Minerals Ltd on the Gillet's pegmatite, this included bulk sampling, RC drilling and results, and mineral resource estimation (see WAMEX reports A56506).</li> <li>- 1997 to 1998, by Astro Mining NL focussed on regional Exploration, this included aerial magnetics and soil multi-element analysys (see WAMEX reports A59228).</li> <li>- 2010 to 2013, by Kinloch Resources Pty Ltd on the Karloning pegmatite, this included soil geochemical studies, grab sampling, heavy mineral separation, and XRD analysis (see WAMEX reports A90233, A93670).</li> <li>- 2018 to 2019, by Errawarra Resources Ltd on the Mukinbudin / Karloning pegmatite, this included a LCT pegmatite review (see WAMEX reports A122385, A122386).</li> </ul>
<p><i>Geology</i></p>	<p><i>Deposit type, geological setting and style of mineralisation.</i></p>	<p>Pegmatite hosted REE mineralisation is being targeted across the Mukinbudin Project.</p> <p><b>Regional Geology</b></p> <p>The Mukinbudin Project is situated within the Archaean Yilgarn Craton. Within the Yilgarn Craton, the project resides in a region dominated by late granitoids that are intruding remnant gneiss and</p>

Criteria	JORC Code explanation	Commentary
		<p>greenstone fragments. The only significant greenstone stratigraphy is the Bencubbin Greenstone Belt, a narrow westerly dipping sequence that strikes approximately north-south over 20km. This greenstone belt is located to the east of the project area. Biotite gneiss of quartz-monzonite, granodiorite and hornblende-diorite composition is variably exposed across the region.</p> <p>The project area almost entirely resides over late granitoid intrusions that are granite to quartz-monzonite in composition (Blight et al, 1984). The oldest intrusive is a fine to medium grained quartz monzonite this foliated in some areas. This has been intruded by several later intrusive bodies showing a range of compositions and textures including:</p> <ul style="list-style-type: none"> <li>- Homogenous medium to coarse, even grained intrusive granite to quartz-monzonite</li> <li>- Strongly foliated, fine grained quartz monzonite gneiss (deformed version of the above)</li> <li>- Fine to medium grained, allotriomorphic textured, granite and quartz monzonite</li> <li>- Medium to coarse grained, seriate quartz-monzonite, sometimes porphyritic with tabular feldspar phenocrysts,</li> <li>- Fluorite bearing quartz-monzonite,</li> <li>- Syenite also occurs within the region, associated with fluorite bearing quartz-monzonite,</li> </ul> <p>Discrete cross cutting relationships can be observed where there is good exposure, however, the relative age of specific intrusive bodies is poorly studied and constrained.</p> <p>The region is crosscut by greenstone (amphibolite + dolerite) dykes, predominantly occupying east to north-east trend.</p> <p><b>Project Geology</b></p> <p>The Mukinbudin Project is situated within the Bencubbin 1:250k Sheet SH50-11, directly north-west of the farming town Mukinbudin. Several large pegmatite bodies have been mapped and, in many instances, quarried for either quartz or feldspar; these include the Mukinbudin pegmatite, Karloning pegmatite, Gillet's (Couper's) pegmatite and Cosh's (Whyte's North) pegmatite. These pegmatites are all intruding a quartz-monzonite host. Detailed mapping and drilling of the Mukinbudin, Karloning and Gillet's pegmatites suggest these are zoned pegmatites which all display an external graphic textured outer zone, intermediate coarse feldspar dominant zone, and a quartz rich core.</p> <p>There has been very little examination of the granites and the pegmatites across the project area outside of work needed to estimate quartz of potash feldspar resources. Most whole rock analysis focuses on major elements, with only limited multi-element or REE analysis. Similarly, there has been very little detailed investigation regarding the</p>

Criteria	JORC Code explanation	Commentary
		<p>structural architecture of the region and intrusive geochemistry by GSWA. Structurally, the region is dominated by the large-scale lobate geometry of the granitoids, and several large-scale north-north-east striking faults are interpreted and mapped across the project area, the largest suggests dextral strike-slip displacement.</p> <p>The pegmatites of the region have been classified as rare element, rare earth, euxenite pegmatites based on Wise (1999) classification or as NYF pegmatites based on the earlier Cerny (1991) classification scheme by Jacobson (2003).</p> <p><i>Blight, D., et al. 1984. 1 :250 000 Geological Series- Explanatory notes, Bencubbin Western Australia, Sheet SH/50-11. GSWA</i></p> <p><i>Cerný, P., 1991, Rare-element granitic pegmatites. Part I: Anatomy and internal evolution of pegmatite deposits: Geoscience Canada, v. 18, no. 2, p. 49-67.</i></p> <p><i>Jacobson, M. I., Rare earth Minerals of the Mukinbudin Pegmatite Field, Mukinbudin, Western Australia. Extended abstracts of the 26<sup>th</sup> annual conference of the States' Mineralogical Societies, p. 19-20.</i></p> <p><i>Wise, M.A., 1999, Characterization and classification of NYF-type pegmatites: Canadian Mineralogist, v. 37, p. 802-803.</i></p>
<p><i>Drill hole Information</i></p>	<ul style="list-style-type: none"> <li>• <i>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:</i></li> <li>• <i>easting and northing of the drill hole collar</i></li> <li>• <i>elevation or RL (Reduced Level - elevation above sea level in metres) of the drill hole collar</i></li> <li>• <i>dip and azimuth of the hole</i></li> <li>• <i>down hole length and interception depth</i></li> <li>• <i>hole length.</i></li> <li>• <i>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</i></li> </ul>	<p>No new drilling information is included in this report.</p>
<p><i>Data aggregation methods</i></p>	<ul style="list-style-type: none"> <li>• <i>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated.</i></li> <li>• <i>Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. The assumptions used for any reporting of metal equivalent values should be clearly stated.</i></li> </ul>	<p>No new drilling information is included in this report.</p>

Criteria	JORC Code explanation	Commentary
<i>Relationship between mineralisation widths and intercept lengths</i>	<ul style="list-style-type: none"> <li>• <i>These relationships are particularly important in the reporting of Exploration Results.</i></li> <li>• <i>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</i></li> <li>• <i>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known').</i></li> </ul>	No new drilling information is included in this report.
<i>Diagrams</i>	<ul style="list-style-type: none"> <li>• <i>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</i></li> </ul>	See figures provided within the main body of the report.
<i>Balanced reporting</i>	<ul style="list-style-type: none"> <li>• <i>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</i></li> </ul>	No new drilling information is included in this report.
<i>Other substantive exploration data</i>	<ul style="list-style-type: none"> <li>• Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</li> </ul>	<p>Previous exploration over the Mukinbudin Project include Chip samples obtained from pegmatite exposures or float material surrounding massive quartz outcrops displayed both graphic textured pegmatite and coarse feldspar-quartz intergrowth zones with a minor mineral phase (&lt;2% modal proportion) of a preferentially weathered equant semi-opaque mineral phase.</p> <p>Limited previous sampling has been undertaken outside of the outcropping areas due to disturbance caused by farming.</p>
<i>Further work</i>	<ul style="list-style-type: none"> <li>• <i>The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large-scale step-out drilling).</i></li> <li>• <i>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i></li> </ul>	<p>Future exploration activities across the Mukinbudin project include:</p> <ul style="list-style-type: none"> <li>- Additional samples on all prospects defined by CRS exploration</li> <li>- Regional samples of previously identified targets.</li> </ul>

(Criteria listed in the preceding section also apply to this section.)

