



ASX Announcement & Media Release

Kula To Acquire Historic Mt Palmer Gold Mine & Placement

Date: 31st May 2024 ACN: 126 741 259 ASX Code: KGD

Highlights

- Kula to acquire the historic Mt Palmer Gold Mine last commercially mined in 1944 down to only the 6th Level (~160m) at 15.9 grams/tonne
- This acquisition adds to Kula's Marvel Loch Project with multiple gold prospects
- Significant opportunity to discover additional high-grade gold mineralisation
- Being just 15km from the Marvel Loch gold processing plant and infrastructure, aligns with Kula's strategy of exploring near to existing operations to fast track any discovery to monetary success
- Indications of Lithium and Rare Earth Elements (REE) in the greater Southern Cross region will provide the concepts to be analysed in addition to gold similar to the existing Wesfarmers' Mt Holland Lithium Project
- Kula to raise \$1,210,000 via a placement to professional and sophisticated investors

Kula Gold Limited ("Kula" or "the Company") is pleased to announce the acquisition of mining lease M77/0406 and exploration leases E77/2210, E77/2423 & E77/2668 ("Mt Palmer Gold Mine") located near Marvel Loch WA in the Southern Cross Goldfields.

Kula's Managing Director Ric Dawson comments:

"This acquisition is in alignment with the Company's strategy to add assets near to existing operations to fast track any discovery to monetary success. This historical rich 'half ounce' gold mine has huge potential of high-grade gold and is a priority drilling target for Kula."




Figure 1: Kula's Marvel Loch Projects (noting that Marvel Loch Mine, Nevoria Mine, Yellowdine North and Yilgarn Star are not assets of Kula*).

* Publicly available historical gold production or current resources of other parties:

| Project | Historic Production | Past Production | Current Owner |
|--------------|-----------------------|-----------------|---------------------|
| Marvel Loch | 3m oz 1905 -2019 | St. Barbara | Hanking Gold Mining |
| Nevoria | 600,000 oz 1917 -2013 | Sons of Gwalia | Hanking Gold Mining |
| Yilgarn Star | +2m oz 1991 -1996 | Gasgoyne Gold | Hanking Gold Mining |

About Mt Palmer Gold Mine

The mine produced over 150,000 ounces of gold at 15.9 grams/tonne in the period 1934 to 1944 and is north of the Nevoria Gold Mine (+600,000 ounces of gold), east of the circa 2.4million ounce Marvel Loch Gold Mine. The mine closed in part due to the continuation of World War 2 severely restricting access to labour and materials and subsequently the mine flooded and never reopened.

Geology and Mineralisation

Mt Palmer Gold Mine is in the central area of the Southern Cross Greenstone Belt. The Southern Cross Greenstone Belt is a strongly deformed, metamorphosed synformal remnant of a once larger greenstone assemblage. It has been shaped and attenuated by the emplacement of syn-tectonic granitoids include the Ghooli, Parker, and Rankin domes.

The historical gold workings at Mt Palmer Gold Mine are hosted within an amphibolite sequence that extends from the greenstone-granite contact located approximately 400m to the west of the mine and a thin Banded Iron Formation trending north-northeast located 200m east of the mine.

Outcrop within the project area is restricted predominantly to the area of exposed mine workings. Elsewhere, the surface is covered by transported soil and colluvial material derived mainly from quartz blows and pegmatite. Outcrop is obscured to the south by the remnant mine tailings dump and lake sediments that cover the southeastern half of the tenement.

Historic gold production was from a shallow open-pit and underground workings that were developed on two shoots, the **Main Lode** and **East Lode**, and the smaller **West Lode** and **New Lode** that are positioned to the west of the main shaft.

The **Main** and **East Lodes** plunge south and north respectively on the limbs of a north-plunging synform. Historic sections and level plans clearly show the folded nature of the ore-horizon (Figure 2).

Gold mineralisation is hosted by quartz veins in folded and sheared tholeiitic basalt.




Figure 2: Mt Palmer Gold Mine- Historical Traverse Section at 170ft South.

Mining records indicate that the high-grade shoots were developed within stratabound veins on the limbs and closures of pre-existing folds. Individual lodes were mined over a strike length extending up to 200m and to depths of 155m below surface. The shoots are up to 10m wide and 30 to 70m long and were best developed in the **Main** and **East Lobes**.

The mine lease and surrounding areas are considered to have good exploration potential for the discovery of additional high-grade shoots.

The shear zones were reported as zones of complex deformation with strongly developed foliation and quartz-carbonate veining. None are well exposed at surface.

Some amphibolite rocks within the shear zones have been altered to biotite schist and the gold bearing quartz veins within the shear zones are weakly sulphidic. Gold was said to be associated with pyrite-arsenopyrite and/or chalcopyrite-pyrrhotite mineralisation.

Mine workings on the **Main Lode** comprise an open pit to a depth of about 20m and underground drives and stopes down to the 4th Level at 90m depth. Some stopes were up to 10m wide but were generally between 2m and 5m wide. The lode strikes N-S over most of its length and dips steeply to the east. It was mined over a strike length of about 200m. Mine records show that within the broader lode, a small high-grade shoot which plunges to the south at 40 to 50 degrees is coincident with thickened parasitic fold on the east limb. The Main Lode was best developed between 15 and 60m vertical depth (Levels 1 and 3) and widest at approximately 30m vertical depth (Level 2).

The **East Lode** was discovered following underground drilling from the **Main Lode** workings, and subsequently developed over six levels to a total vertical depth of approximately 155m. Stopes were from 2 to 10m wide and generally around 5m wide. The lode strikes NNE and dips steeply to the west. The best mineralisation is developed around a parasitic fold on the eastern limb of a north-plunging synform, and close to the closure of this structure (Figure 3). The lode was mined to surface in a steeply north-plunging shoot but in the deeper levels the plunge flattens markedly as it tracks northward along the closure of the synform. At the cessation of mining on the 6th Level the shoot was becoming sub-horizontal.

West Lode and **New Lode** are linked by development from the Mt Palmer shaft at the 2nd Level. The **New Lode** consists of two lodes approximately 10m apart, which have been interpreted to form an anticlinal fold closure close to the present-day land surface. The fold is interpreted to plunge to the north. The **New Lode** has been mined over a strike length of 50m to a depth of 30m. The stopes are 2-3m wide and open to the surface. The lodes strike NNE and NE and both dip steeply to the east. The open pit is inaccessible due to steep walls and unstable ground and the stopes below the pit floor are filled with water.

The **West Lode** was mined over a strike length of about 40m to a depth of 30m. The reported stopes are about 2m wide but do not reach the surface as the lode is reported to have pinched out 5m below surface. The lode strikes N-S but swings to the SW at its southern end and dips steeply to the east.

Historical exploration programmes at Mt Palmer Gold Mine were focused on gold mineralisation. The drilling database notes numerous parallel pegmatite intersections of up to 50m thickness that have never been assayed for lithium.




Figure 3: Mt Palmer Gold Mine-Historical Long Section with face samples (refer Appendix B & C- drive plans).




Figure 4: Mt Palmer Gold Mine- Level 1 opening in the west wall of the Main Lode open pit

Placement Details

The placement to raise \$1,210,000 before costs is to be undertaken at an issue price of \$0.01 per share, representing the Company's last traded price on Friday 24th May 2024 ("Placement").

72,969,288 fully paid ordinary shares will be issued under the Company's existing ASX Listing Rule 7.1 and 48,030,712 fully paid ordinary shares will be issued under the Company's existing ASX Listing Rule 7.1A capacities without shareholder approval. Settlement is expected to occur on or around Wednesday 5th June 2024 with allotment to occur on or around Thursday 6th June 2024.

Funds raised from the Placement will be applied toward the acquisition of the Mt Palmer Gold Mine, a drilling programme at the Mt Palmer Gold Mine and for working capital.

The Lead Manager to the Placement will receive a 6% capital raising fee (plus GST) and, subject to shareholder approval at an upcoming General Meeting, 10,000,000 unlisted broker options exercisable at \$0.015 on or before 31 May 2027.

Additional Gold Prospects

The Kula team is continuing to further develop existing gold prospects in the Marvel Loch Project; Boomerang Prospect, Stingray Prospect, Crayfish Prospect, Nevoria North Prospect and G-Star Prospect.

Results from the recent RC drilling programme (gold and multi-element) will be reported in due course.

Acquisition Terms

Kula has entered into a binding terms sheet (“Agreement”) with Aurumin Limited (“Aurumin”) (ACN 639 427 099), an unrelated Australian public listed company (ASX: AUN) that holds the Mt Palmer Gold Mine.

The terms of the Agreement are as follows:

- Kula to acquire a 51% interest in the Mt Palmer Gold Mine, tenements M77/0406, E77/2210, E77/2423 & E77/2668 (“Tenements”) and mining information.
- Kula can earn-in to acquire a further 29% in the Tenements and mining information by incurring exploration expenditure of \$1m for a period of up to 3 years. Aurumin has, in the event Kula does not earn the additional 29% interest, the right to purchase back a 2% interest in the Tenements and mining information (so as to hold 51% interest).
- Thereafter Kula & Aurumin contribute on a prorated basis or Aurumin dilutes. Aurumin’s equity position converts to a 1% net smelter royalty if diluted to less than 10%.
- The acquisition is conditional upon the following being satisfied by no later than 30 June 2024:
 - Kula completing due diligence to its satisfaction;
 - Kula obtaining all approvals under the Listing Rules for the acquisition;
- Kula to:
 - pay \$150,000 for Aurumin’s geological database for the Tenements and regional area; and
 - \$100,000 for a 51% interest in the Tenements (“Consideration”). The Consideration, at Kula’s election, can be paid in cash or fully paid ordinary shares in the Company (“Kula Shares”) at an issue price equal to \$0.01 or the Volume Weighted Average Market Price for Kula Shares over the 10 trading days in Kula Shares immediately prior to Completion.
- the term sheet contains warranties typical for a transaction of this nature.

This release was authorised by the Managing Director

For Further Information, Contact:

Ric Dawson – Managing Director

T: +61 8 6144 0592

cosec@kulagold.com.au

www.kulagold.com.au

Competent Person Statement

The information in this announcement that relates to geology, exploration and visual estimates is based on, and fairly represents, information and supporting documentation compiled by Mr. Ric Dawson, a Competent Person who is a member of the Australian Institute of Mining and Metallurgy. Mr. Dawson is a Geology and Exploration Consultant who has been engaged by Kula Gold Limited and is a related party of the Company. Mr. Dawson has sufficient experience, which is relevant to the style of mineralisation, geology and type of deposit under consideration and to the activity being undertaken to qualify as a competent person under the 2012 edition of the Australasian Code for Reporting Exploration Results, Mineral Resources and Ore Reserves (the 2012 JORC Code). This market announcement is issued with the prior written consent of Mr. Dawson as to the form and context in which the exploration results, visual estimates and the supporting documentation are presented in the market announcement.

References:

(ASX: AUN) ASX Release – Mt Palmer Exploration Update - 20 October 2021

WAMEX Report - A93834

WAMEX Report - A93844

BOOMERANG DEPOSIT

ASX Release – Boomerang Kaolin Deposit- Maiden JORC Resources - 20 July 2022

Kula Gold confirms that it is not aware of any new information or data that materially affects the information included in the original market announcements, and that all material assumptions and technical parameters underpinning the estimates in the relevant market announcements continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Persons findings are presented have not been materially modified from the original market announcements.

About the Company

Kula Gold Limited (ASX: KGD) is a Western Australian mineral exploration company with expertise in the discovery of new mineral deposits in WA. The strategy is via large land positions and structural geological settings capable of hosting ~+1m oz gold or equivalent sized deposits including lithium.


The Company is advancing projects within the South West region of WA for Lithium and Gold.

The Company has a history of large resource discoveries with its foundation being the Woodlark Island Gold project in PNG, (+1m oz gold) which was subsequently joint ventured and sold to Geopacific Resources Limited (ASX: GPR).

Kula Gold's recent discovery was the large 93.3mt Boomerang Kaolin Deposit near Southern Cross, Western Australia— maiden resource announced 20 July 2022. This project is in the economic study phase and moving to private equity funding or trade joint venture. The exploration team are busily working towards the next mineral discovery, potentially gold in any of our projects or lithium, caesium or tantalum near the world class Greenbushes Lithium Mine or Mt Holland Lithium Mine.

Appendix A:

Kula Gold's Marvel Loch, Southern Cross, Rankin Dome and Westonia Projects, location of regional gold mines (Edna May, Marvel Loch Mine, Nevoria Mine, Yellowdine North, Yilgarn Star, Split Rocks and Mt Holland Lithium Mine are not assets of Kula) and pre-existing infrastructure*




* Publicly available historical gold production or current resources of other parties:

| Project | Historic Production | Past Production | Current Owner |
|--------------|------------------------|------------------------|---------------------|
| Marvel Loch | 3m oz 1905 -2019 | St. Barbara | Hanking Gold Mining |
| Nevoria | 600,000 oz 1917 -2013 | Sons of Gwalia | Hanking Gold Mining |
| Yilgarn Star | +2m oz 1991 -1996 | Gasgoyne Gold | Hanking Gold Mining |
| Edna May | +2m oz 1911 – current | Westonia Mines Limited | Rameluis Resources |
| Mt Holland | Resource as stated | Wesfarmers | Wesfarmers |
| Split Rocks | Resource as stated | Zenith Minerals | Zenith Minerals |
| Frasers | +840,000 oz 1986 -1992 | Frasers Gold Mining | Hanking Gold Mining |

Appendix B

Historical Long Section- ca. 1945 with face sample gold results, (~1.5m apart)



Historical face samples have been convert from imperial to metric measurements, ie feet to metres, and pennyweights to grams/tonne for this plan.

Appendix C Table of Historical Face Samples (Significant Results > 5g/t Gold)

| Hole_ID | Au (g/t) | Hole_Type | Max_Depth | Orig_Grid_ID | Orig_Survey_Date | LL_Lat | LL_Long | LL_RL | Comments |
|----------|----------|-----------|-----------|--------------|------------------|----------|----------|----------|----------|
| MTFS0775 | 419.9 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4079 | 119.6883 | 309.5400 | 200ft |
| MTFS0965 | 304.8 | FS | 0.30 | MGA94_50 | 1/01/1945 | -31.4086 | 119.6888 | 309.5400 | 200ft |
| MTFS0152 | 210.0 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4080 | 119.6880 | 355.2600 | 50ft |
| MTFS1080 | 186.6 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4089 | 119.6886 | 309.5400 | 200ft |
| MTFS0112 | 171.1 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4077 | 119.6880 | 355.2600 | 50ft |
| MTFS0438 | 170.7 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4079 | 119.6882 | 340.0200 | 100ft |
| MTFS0066 | 169.2 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4077 | 119.6883 | 355.2600 | 50ft |
| MTFS0138 | 158.3 | FS | 2.06 | MGA94_50 | 1/01/1945 | -31.4080 | 119.6880 | 355.2600 | 50ft |
| MTFS0553 | 154.4 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4080 | 119.6883 | 340.0200 | 100ft |
| MTFS0168 | 147.7 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4080 | 119.6881 | 355.2600 | 50ft |
| MTFS1676 | 147.7 | FS | 1.22 | MGA94_50 | 1/01/1945 | -31.4081 | 119.6886 | 218.1000 | 500ft |
| MTFS0071 | 144.3 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4077 | 119.6883 | 355.2600 | 50ft |
| MTFS0153 | 140.0 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4080 | 119.6880 | 355.2600 | 50ft |
| MTFS0114 | 137.8 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4077 | 119.6880 | 355.2600 | 50ft |
| MTFS1083 | 132.2 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4089 | 119.6886 | 309.5400 | 200ft |
| MTFS0275 | 132.0 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4071 | 119.6883 | 340.0200 | 100ft |
| MTFS0135 | 131.9 | FS | 2.90 | MGA94_50 | 1/01/1945 | -31.4079 | 119.6879 | 355.2600 | 50ft |
| MTFS0189 | 128.2 | FS | 2.59 | MGA94_50 | 1/01/1945 | -31.4081 | 119.6883 | 355.2600 | 50ft |
| MTFS0177 | 126.6 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4079 | 119.6882 | 355.2600 | 50ft |
| MTFS0554 | 124.9 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4081 | 119.6883 | 340.0200 | 100ft |
| MTFS0137 | 124.3 | FS | 1.14 | MGA94_50 | 1/01/1945 | -31.4080 | 119.6879 | 355.2600 | 50ft |
| MTFS0768 | 122.2 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4079 | 119.6884 | 319.2900 | 200ft |
| MTFS0116 | 122.1 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4077 | 119.6880 | 355.2600 | 50ft |
| MTFS0140 | 118.8 | FS | 1.68 | MGA94_50 | 1/01/1945 | -31.4080 | 119.6880 | 355.2600 | 50ft |
| MTFS0155 | 113.5 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4081 | 119.6881 | 355.2600 | 50ft |
| MTFS0166 | 112.0 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4080 | 119.6881 | 355.2600 | 50ft |
| MTFS0397 | 112.0 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4076 | 119.6882 | 340.0200 | 100ft |
| MTFS0981 | 112.0 | FS | 0.59 | MGA94_50 | 1/01/1945 | -31.4088 | 119.6887 | 309.5400 | 200ft |
| MTFS0064 | 110.9 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4076 | 119.6883 | 355.2600 | 50ft |
| MTFS0110 | 105.0 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4077 | 119.6880 | 355.2600 | 50ft |
| MTFS0150 | 103.9 | FS | 4.27 | MGA94_50 | 1/01/1945 | -31.4082 | 119.6880 | 355.2600 | 50ft |
| MTFS0179 | 103.6 | FS | 1.37 | MGA94_50 | 1/01/1945 | -31.4079 | 119.6883 | 355.2600 | 50ft |
| MTFS0748 | 102.2 | FS | 1.22 | MGA94_50 | 1/01/1945 | -31.4076 | 119.6884 | 319.2900 | 200ft |
| MTFS0156 | 101.1 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4081 | 119.6881 | 355.2600 | 50ft |
| MTFS1050 | 100.8 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4086 | 119.6881 | 309.5400 | 200ft |
| MTFS0075 | 99.8 | FS | 1.98 | MGA94_50 | 1/01/1945 | -31.4076 | 119.6881 | 355.2600 | 50ft |
| MTFS0406 | 99.7 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4077 | 119.6883 | 340.0200 | 100ft |
| MTFS0193 | 99.5 | FS | 0.91 | MGA94_50 | 1/01/1945 | -31.4082 | 119.6882 | 355.2600 | 50ft |
| MTFS0089 | 96.7 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4077 | 119.6881 | 355.2600 | 50ft |
| MTFS0132 | 95.6 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4078 | 119.6879 | 355.2600 | 50ft |
| MTFS0121 | 95.3 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4077 | 119.6879 | 355.2600 | 50ft |
| MTFS0463 | 94.6 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4079 | 119.6880 | 346.1200 | 100ft |
| MTFS0115 | 94.2 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4077 | 119.6880 | 355.2600 | 50ft |
| MTFS0987 | 93.3 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4088 | 119.6887 | 309.5400 | 200ft |
| MTFS0142 | 92.7 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4081 | 119.6880 | 355.2600 | 50ft |
| MTFS0106 | 91.3 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4076 | 119.6880 | 355.2600 | 50ft |
| MTFS0070 | 90.8 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4077 | 119.6883 | 355.2600 | 50ft |
| MTFS0118 | 90.8 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4077 | 119.6880 | 355.2600 | 50ft |
| MTFS0086 | 89.9 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4076 | 119.6880 | 355.2600 | 50ft |
| MTFS0477 | 85.9 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4080 | 119.6880 | 346.1200 | 100ft |
| MTFS1640 | 81.5 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4081 | 119.6886 | 218.1000 | 500ft |
| MTFS0111 | 81.0 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4077 | 119.6880 | 355.2600 | 50ft |
| MTFS0968 | 80.9 | FS | 0.46 | MGA94_50 | 1/01/1945 | -31.4087 | 119.6888 | 309.5400 | 200ft |
| MTFS0084 | 80.1 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4076 | 119.6880 | 355.2600 | 50ft |
| MTFS0174 | 78.1 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4079 | 119.6881 | 355.2600 | 50ft |
| MTFS0165 | 77.8 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4080 | 119.6881 | 355.2600 | 50ft |
| MTFS0129 | 76.5 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4078 | 119.6879 | 355.2600 | 50ft |
| MTFS0167 | 74.7 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4080 | 119.6881 | 355.2600 | 50ft |
| MTFS0894 | 74.2 | FS | 3.05 | MGA94_50 | 1/01/1945 | -31.4078 | 119.6890 | 309.5400 | 200ft |
| MTFS0157 | 73.1 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4081 | 119.6881 | 355.2600 | 50ft |

| | | | | | | | | | |
|----------|------|----|------|----------|-----------|----------|----------|----------|-------|
| MTFS0136 | 71.5 | FS | 1.37 | MGA94_50 | 1/01/1945 | -31.4079 | 119.6879 | 355.2600 | 50ft |
| MTFS0958 | 71.5 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4086 | 119.6889 | 309.5400 | 200ft |
| MTFS0183 | 70.8 | FS | 1.14 | MGA94_50 | 1/01/1945 | -31.4080 | 119.6883 | 355.2600 | 50ft |
| MTFS0065 | 70.6 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4077 | 119.6883 | 355.2600 | 50ft |
| MTFS0405 | 70.5 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4077 | 119.6883 | 340.0200 | 100ft |
| MTFS0072 | 68.9 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4076 | 119.6881 | 355.2600 | 50ft |
| MTFS0061 | 67.2 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4076 | 119.6883 | 355.2600 | 50ft |
| MTFS0164 | 66.9 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4080 | 119.6881 | 355.2600 | 50ft |
| MTFS0966 | 65.3 | FS | 0.30 | MGA94_50 | 1/01/1945 | -31.4086 | 119.6888 | 309.5400 | 200ft |
| MTFS0969 | 65.3 | FS | 0.46 | MGA94_50 | 1/01/1945 | -31.4087 | 119.6888 | 309.5400 | 200ft |
| MTFS0180 | 65.0 | FS | 0.84 | MGA94_50 | 1/01/1945 | -31.4079 | 119.6883 | 355.2600 | 50ft |
| MTFS0082 | 64.7 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4076 | 119.6880 | 355.2600 | 50ft |
| MTFS0083 | 64.7 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4076 | 119.6880 | 355.2600 | 50ft |
| MTFS1331 | 64.2 | FS | 0.38 | MGA94_50 | 1/01/1945 | -31.4086 | 119.6882 | 279.0600 | 300ft |
| MTFS0154 | 63.8 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4080 | 119.6881 | 355.2600 | 50ft |
| MTFS0345 | 63.8 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4088 | 119.6870 | 363.5000 | 0ft |
| MTFS0163 | 62.1 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4081 | 119.6881 | 355.2600 | 50ft |
| MTFS0059 | 61.0 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4076 | 119.6883 | 355.2600 | 50ft |
| MTFS0186 | 59.7 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4080 | 119.6883 | 355.2600 | 50ft |
| MTFS0247 | 59.7 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4072 | 119.6883 | 340.0200 | 100ft |
| MTFS1077 | 59.6 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4088 | 119.6886 | 309.5400 | 200ft |
| MTFS1641 | 59.3 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4081 | 119.6886 | 218.1000 | 500ft |
| MTFS0190 | 58.8 | FS | 1.22 | MGA94_50 | 1/01/1945 | -31.4081 | 119.6883 | 355.2600 | 50ft |
| MTFS0088 | 58.2 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4076 | 119.6881 | 355.2600 | 50ft |
| MTFS0465 | 58.2 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4079 | 119.6880 | 346.1200 | 100ft |
| MTFS0149 | 57.2 | FS | 2.21 | MGA94_50 | 1/01/1945 | -31.4082 | 119.6880 | 355.2600 | 50ft |
| MTFS0058 | 56.5 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4076 | 119.6883 | 355.2600 | 50ft |
| MTFS0197 | 56.5 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4082 | 119.6882 | 355.2600 | 50ft |
| MTFS0147 | 56.0 | FS | 7.62 | MGA94_50 | 1/01/1945 | -31.4082 | 119.6880 | 355.2600 | 50ft |
| MTFS0476 | 55.7 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4080 | 119.6880 | 346.1200 | 100ft |
| MTFS0078 | 55.5 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4076 | 119.6881 | 355.2600 | 50ft |
| MTFS0067 | 55.2 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4077 | 119.6883 | 355.2600 | 50ft |
| MTFS1078 | 55.1 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4089 | 119.6886 | 309.5400 | 200ft |
| MTFS0192 | 54.7 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4081 | 119.6882 | 355.2600 | 50ft |
| MTFS0087 | 54.1 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4076 | 119.6880 | 355.2600 | 50ft |
| MTFS0340 | 53.7 | FS | 1.22 | MGA94_50 | 1/01/1945 | -31.4088 | 119.6870 | 363.5000 | 0ft |
| MTFS0063 | 53.0 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4076 | 119.6883 | 355.2600 | 50ft |
| MTFS0528 | 52.9 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4083 | 119.6876 | 340.0200 | 100ft |
| MTFS1082 | 52.9 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4089 | 119.6885 | 309.5400 | 200ft |
| MTFS0178 | 51.8 | FS | 0.91 | MGA94_50 | 1/01/1945 | -31.4079 | 119.6882 | 355.2600 | 50ft |
| MTFS0318 | 51.3 | FS | 1.22 | MGA94_50 | 1/01/1945 | -31.4087 | 119.6870 | 363.5000 | 0ft |
| MTFS0062 | 50.4 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4076 | 119.6883 | 355.2600 | 50ft |
| MTFS1095 | 49.8 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4089 | 119.6885 | 309.5400 | 200ft |
| MTFS0162 | 49.1 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4081 | 119.6881 | 355.2600 | 50ft |
| MTFS0172 | 49.1 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4079 | 119.6882 | 355.2600 | 50ft |
| MTFS0077 | 48.5 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4076 | 119.6881 | 355.2600 | 50ft |
| MTFS0161 | 48.2 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4081 | 119.6881 | 355.2600 | 50ft |
| MTFS0124 | 47.4 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4078 | 119.6879 | 355.2600 | 50ft |
| MTFS0185 | 47.4 | FS | 0.91 | MGA94_50 | 1/01/1945 | -31.4080 | 119.6883 | 355.2600 | 50ft |
| MTFS1652 | 47.3 | FS | 1.22 | MGA94_50 | 1/01/1945 | -31.4081 | 119.6886 | 218.1000 | 500ft |
| MTFS0133 | 47.1 | FS | 1.22 | MGA94_50 | 1/01/1945 | -31.4079 | 119.6879 | 355.2600 | 50ft |
| MTFS1362 | 46.5 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4088 | 119.6885 | 279.0600 | 300ft |
| MTFS0127 | 46.0 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4078 | 119.6879 | 355.2600 | 50ft |
| MTFS0141 | 46.0 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4081 | 119.6880 | 355.2600 | 50ft |
| MTFS0182 | 45.9 | FS | 0.99 | MGA94_50 | 1/01/1945 | -31.4080 | 119.6883 | 355.2600 | 50ft |
| MTFS0139 | 45.4 | FS | 1.98 | MGA94_50 | 1/01/1945 | -31.4080 | 119.6880 | 355.2600 | 50ft |
| MTFS0119 | 45.3 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4077 | 119.6879 | 355.2600 | 50ft |
| MTFS0982 | 45.1 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4088 | 119.6887 | 309.5400 | 200ft |
| MTFS0347 | 44.8 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4088 | 119.6870 | 363.5000 | 0ft |
| MTFS1491 | 44.5 | FS | 1.22 | MGA94_50 | 1/01/1945 | -31.4083 | 119.6886 | 248.5800 | 400ft |
| MTFS0947 | 44.3 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4084 | 119.6889 | 309.5400 | 200ft |

| | | | | | | | | | |
|----------|------|----|------|----------|-----------|----------|----------|----------|-------|
| MTFS0181 | 43.2 | FS | 1.22 | MGA94_50 | 1/01/1945 | -31.4080 | 119.6883 | 355.2600 | 50ft |
| MTFS1642 | 43.1 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4081 | 119.6886 | 218.1000 | 500ft |
| MTFS1333 | 42.9 | FS | 0.30 | MGA94_50 | 1/01/1945 | -31.4086 | 119.6882 | 279.0600 | 300ft |
| MTFS0104 | 42.6 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4078 | 119.6881 | 355.2600 | 50ft |
| MTFS0439 | 42.5 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4079 | 119.6882 | 340.0200 | 100ft |
| MTFS0107 | 42.3 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4076 | 119.6880 | 355.2600 | 50ft |
| MTFS0996 | 42.2 | FS | 0.61 | MGA94_50 | 1/01/1945 | -31.4080 | 119.6884 | 309.5400 | 200ft |
| MTFS0410 | 41.1 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4077 | 119.6882 | 340.0200 | 100ft |
| MTFS1079 | 40.9 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4089 | 119.6886 | 309.5400 | 200ft |
| MTFS0749 | 40.8 | FS | 0.61 | MGA94_50 | 1/01/1945 | -31.4076 | 119.6884 | 319.2900 | 200ft |
| MTFS0125 | 40.4 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4078 | 119.6879 | 355.2600 | 50ft |
| MTFS0091 | 40.3 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4077 | 119.6881 | 355.2600 | 50ft |
| MTFS0373 | 40.1 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4075 | 119.6883 | 340.0200 | 100ft |
| MTFS0462 | 40.1 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4079 | 119.6880 | 346.1200 | 100ft |
| MTFS0151 | 39.5 | FS | 4.27 | MGA94_50 | 1/01/1945 | -31.4082 | 119.6880 | 355.2600 | 50ft |
| MTFS0967 | 38.9 | FS | 0.30 | MGA94_50 | 1/01/1945 | -31.4086 | 119.6888 | 309.5400 | 200ft |
| MTFS1378 | 38.9 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4087 | 119.6882 | 299.1800 | 300ft |
| MTFS0336 | 38.4 | FS | 1.37 | MGA94_50 | 1/01/1945 | -31.4088 | 119.6870 | 363.5000 | 0ft |
| MTFS0353 | 38.1 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4075 | 119.6883 | 340.0200 | 100ft |
| MTFS1552 | 38.1 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4085 | 119.6885 | 248.5800 | 400ft |
| MTFS0117 | 37.8 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4077 | 119.6880 | 355.2600 | 50ft |
| MTFS1361 | 37.6 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4088 | 119.6885 | 279.0600 | 300ft |
| MTFS0562 | 37.2 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4082 | 119.6882 | 340.0200 | 100ft |
| MTFS0443 | 36.6 | FS | 1.47 | MGA94_50 | 1/01/1945 | -31.4080 | 119.6883 | 340.0200 | 100ft |
| MTFS0970 | 36.6 | FS | 0.30 | MGA94_50 | 1/01/1945 | -31.4087 | 119.6888 | 309.5400 | 200ft |
| MTFS0120 | 35.6 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4077 | 119.6879 | 355.2600 | 50ft |
| MTFS0342 | 35.5 | FS | 1.22 | MGA94_50 | 1/01/1945 | -31.4088 | 119.6870 | 363.5000 | 0ft |
| MTFS0060 | 34.8 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4076 | 119.6883 | 355.2600 | 50ft |
| MTFS0079 | 34.5 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4076 | 119.6881 | 355.2600 | 50ft |
| MTFS0128 | 34.5 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4078 | 119.6879 | 355.2600 | 50ft |
| MTFS0324 | 34.2 | FS | 1.37 | MGA94_50 | 1/01/1945 | -31.4087 | 119.6870 | 363.5000 | 0ft |
| MTFS1024 | 34.1 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4084 | 119.6883 | 309.5400 | 200ft |
| MTFS0194 | 33.6 | FS | 1.07 | MGA94_50 | 1/01/1945 | -31.4082 | 119.6882 | 355.2600 | 50ft |
| MTFS0085 | 33.3 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4076 | 119.6880 | 355.2600 | 50ft |
| MTFS0466 | 33.3 | FS | 1.78 | MGA94_50 | 1/01/1945 | -31.4079 | 119.6880 | 346.1200 | 100ft |
| MTFS0330 | 33.1 | FS | 1.22 | MGA94_50 | 1/01/1945 | -31.4087 | 119.6870 | 363.5000 | 0ft |
| MTFS0171 | 32.4 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4079 | 119.6882 | 355.2600 | 50ft |
| MTFS1376 | 32.2 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4087 | 119.6883 | 299.1800 | 300ft |
| MTFS1648 | 32.2 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4080 | 119.6885 | 218.1000 | 500ft |
| MTFS0417 | 32.0 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4078 | 119.6882 | 340.0200 | 100ft |
| MTFS0993 | 31.6 | FS | 0.61 | MGA94_50 | 1/01/1945 | -31.4080 | 119.6884 | 309.5400 | 200ft |
| MTFS0126 | 31.3 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4078 | 119.6879 | 355.2600 | 50ft |
| MTFS0444 | 31.1 | FS | 2.13 | MGA94_50 | 1/01/1945 | -31.4080 | 119.6882 | 340.0200 | 100ft |
| MTFS0665 | 31.1 | FS | 1.37 | MGA94_50 | 1/01/1945 | -31.4087 | 119.6870 | 340.0200 | 100ft |
| MTFS0685 | 31.1 | FS | 1.37 | MGA94_50 | 1/01/1945 | -31.4088 | 119.6869 | 340.0200 | 100ft |
| MTFS0942 | 31.1 | FS | 1.37 | MGA94_50 | 1/01/1945 | -31.4084 | 119.6889 | 309.5400 | 200ft |
| MTFS1199 | 31.1 | FS | 0.61 | MGA94_50 | 1/01/1945 | -31.4079 | 119.6884 | 279.0600 | 300ft |
| MTFS0025 | 31.0 | FS | 1.07 | MGA94_50 | 1/01/1945 | -31.4074 | 119.6883 | 355.2600 | 50ft |
| MTFS0105 | 31.0 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4078 | 119.6881 | 355.2600 | 50ft |
| MTFS0441 | 31.0 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4079 | 119.6883 | 340.0200 | 100ft |
| MTFS0032 | 30.8 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4074 | 119.6883 | 355.2600 | 50ft |
| MTFS0160 | 30.8 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4081 | 119.6881 | 355.2600 | 50ft |
| MTFS0076 | 30.7 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4076 | 119.6881 | 355.2600 | 50ft |
| MTFS0332 | 30.6 | FS | 1.37 | MGA94_50 | 1/01/1945 | -31.4087 | 119.6870 | 363.5000 | 0ft |
| MTFS0549 | 30.6 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4080 | 119.6883 | 340.0200 | 100ft |
| MTFS0882 | 30.5 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4077 | 119.6890 | 309.5400 | 200ft |
| MTFS0090 | 30.3 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4077 | 119.6881 | 355.2600 | 50ft |
| MTFS0144 | 30.3 | FS | 2.90 | MGA94_50 | 1/01/1945 | -31.4081 | 119.6880 | 355.2600 | 50ft |
| MTFS1364 | 30.0 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4088 | 119.6885 | 279.0600 | 300ft |
| MTFS1384 | 30.0 | FS | 0.13 | MGA94_50 | 1/01/1945 | -31.4087 | 119.6882 | 279.0600 | 300ft |
| MTFS0159 | 29.9 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4081 | 119.6881 | 355.2600 | 50ft |

| | | | | | | | | | |
|----------|------|----|------|----------|-----------|----------|----------|----------|-------|
| MTFS0187 | 29.9 | FS | 1.22 | MGA94_50 | 1/01/1945 | -31.4081 | 119.6883 | 355.2600 | 50ft |
| MTFS0191 | 29.9 | FS | 1.45 | MGA94_50 | 1/01/1945 | -31.4081 | 119.6883 | 355.2600 | 50ft |
| MTFS0687 | 29.9 | FS | 1.45 | MGA94_50 | 1/01/1945 | -31.4088 | 119.6869 | 340.0200 | 100ft |
| MTFS1330 | 29.6 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4086 | 119.6883 | 279.0600 | 300ft |
| MTFS0069 | 29.2 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4077 | 119.6883 | 355.2600 | 50ft |
| MTFS0703 | 29.2 | FS | 1.45 | MGA94_50 | 1/01/1945 | -31.4089 | 119.6869 | 340.0200 | 100ft |
| MTFS0356 | 29.2 | FS | 1.22 | MGA94_50 | 1/01/1945 | -31.4088 | 119.6869 | 363.5000 | 0ft |
| MTFS0320 | 29.1 | FS | 1.37 | MGA94_50 | 1/01/1945 | -31.4087 | 119.6870 | 363.5000 | 0ft |
| MTFS0682 | 29.1 | FS | 1.37 | MGA94_50 | 1/01/1945 | -31.4088 | 119.6869 | 340.0200 | 100ft |
| MTFS1092 | 29.1 | FS | 2.13 | MGA94_50 | 1/01/1945 | -31.4089 | 119.6885 | 309.5400 | 200ft |
| MTFS0080 | 28.9 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4076 | 119.6881 | 355.2600 | 50ft |
| MTFS0663 | 28.9 | FS | 1.37 | MGA94_50 | 1/01/1945 | -31.4087 | 119.6870 | 340.0200 | 100ft |
| MTFS1638 | 28.9 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4080 | 119.6887 | 218.1000 | 500ft |
| MTFS0267 | 28.8 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4071 | 119.6884 | 340.0200 | 100ft |
| MTFS1639 | 28.8 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4080 | 119.6886 | 218.1000 | 500ft |
| MTFS0175 | 28.6 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4079 | 119.6881 | 355.2600 | 50ft |
| MTFS0691 | 28.5 | FS | 1.45 | MGA94_50 | 1/01/1945 | -31.4088 | 119.6869 | 340.0200 | 100ft |
| MTFS0415 | 28.2 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4077 | 119.6882 | 340.0200 | 100ft |
| MTFS0099 | 27.7 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4078 | 119.6881 | 355.2600 | 50ft |
| MTFS0348 | 27.7 | FS | 1.22 | MGA94_50 | 1/01/1945 | -31.4088 | 119.6869 | 363.5000 | 0ft |
| MTFS0517 | 27.7 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4082 | 119.6877 | 340.0200 | 100ft |
| MTFS1102 | 27.7 | FS | 1.22 | MGA94_50 | 1/01/1945 | -31.4089 | 119.6886 | 309.5400 | 200ft |
| MTFS0355 | 27.5 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4075 | 119.6883 | 340.0200 | 100ft |
| MTFS1566 | 27.4 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4087 | 119.6885 | 248.5800 | 400ft |
| MTFS0098 | 27.2 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4077 | 119.6881 | 355.2600 | 50ft |
| MTFS0123 | 27.1 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4078 | 119.6879 | 355.2600 | 50ft |
| MTFS0146 | 27.1 | FS | 3.35 | MGA94_50 | 1/01/1945 | -31.4081 | 119.6880 | 355.2600 | 50ft |
| MTFS0074 | 26.8 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4076 | 119.6881 | 355.2600 | 50ft |
| MTFS0411 | 26.6 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4077 | 119.6882 | 340.0200 | 100ft |
| MTFS1070 | 26.6 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4086 | 119.6882 | 309.5400 | 200ft |
| MTFS1404 | 26.6 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4088 | 119.6882 | 299.1800 | 300ft |
| MTFS1360 | 26.4 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4088 | 119.6885 | 279.0600 | 300ft |
| MTFS1661 | 26.4 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4081 | 119.6885 | 218.1000 | 500ft |
| MTFS0184 | 26.3 | FS | 0.99 | MGA94_50 | 1/01/1945 | -31.4080 | 119.6883 | 355.2600 | 50ft |
| MTFS0689 | 26.3 | FS | 1.45 | MGA94_50 | 1/01/1945 | -31.4088 | 119.6869 | 340.0200 | 100ft |
| MTFS1377 | 26.3 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4087 | 119.6882 | 299.1800 | 300ft |
| MTFS1402 | 26.3 | FS | 0.99 | MGA94_50 | 1/01/1945 | -31.4088 | 119.6882 | 299.1800 | 300ft |
| MTFS0338 | 26.1 | FS | 1.45 | MGA94_50 | 1/01/1945 | -31.4088 | 119.6870 | 363.5000 | 0ft |
| MTFS0424 | 26.1 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4079 | 119.6882 | 340.0200 | 100ft |
| MTFS0429 | 26.1 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4078 | 119.6883 | 340.0200 | 100ft |
| MTFS0461 | 26.1 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4078 | 119.6880 | 346.1200 | 100ft |
| MTFS1093 | 25.8 | FS | 2.13 | MGA94_50 | 1/01/1945 | -31.4089 | 119.6885 | 309.5400 | 200ft |
| MTFS0122 | 25.7 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4078 | 119.6879 | 355.2600 | 50ft |
| MTFS0884 | 25.7 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4078 | 119.6890 | 309.5400 | 200ft |
| MTFS1366 | 25.7 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4088 | 119.6885 | 279.0600 | 300ft |
| MTFS0092 | 25.4 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4077 | 119.6881 | 355.2600 | 50ft |
| MTFS0972 | 25.4 | FS | 0.46 | MGA94_50 | 1/01/1945 | -31.4087 | 119.6887 | 309.5400 | 200ft |
| MTFS1600 | 25.4 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4079 | 119.6887 | 218.1000 | 500ft |
| MTFS0134 | 25.2 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4079 | 119.6879 | 355.2600 | 50ft |
| MTFS0419 | 25.0 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4078 | 119.6882 | 340.0200 | 100ft |
| MTFS0308 | 24.9 | FS | 1.37 | MGA94_50 | 1/01/1945 | -31.4087 | 119.6870 | 363.5000 | 0ft |
| MTFS0408 | 24.9 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4077 | 119.6882 | 340.0200 | 100ft |
| MTFS1677 | 24.9 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4081 | 119.6886 | 218.1000 | 500ft |
| MTFS0103 | 24.6 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4078 | 119.6881 | 355.2600 | 50ft |
| MTFS0145 | 24.6 | FS | 2.59 | MGA94_50 | 1/01/1945 | -31.4081 | 119.6880 | 355.2600 | 50ft |
| MTFS0203 | 24.6 | FS | 0.15 | MGA94_50 | 1/01/1945 | -31.4083 | 119.6882 | 355.2600 | 50ft |
| MTFS0249 | 24.6 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4072 | 119.6883 | 340.0200 | 100ft |
| MTFS1202 | 24.3 | FS | 1.07 | MGA94_50 | 1/01/1945 | -31.4079 | 119.6884 | 279.0600 | 300ft |
| MTFS0108 | 24.1 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4077 | 119.6880 | 355.2600 | 50ft |
| MTFS1352 | 24.1 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4087 | 119.6886 | 279.0600 | 300ft |
| MTFS1014 | 24.0 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4083 | 119.6883 | 309.5400 | 200ft |

| | | | | | | | | | |
|----------|------|----|------|----------|-----------|----------|----------|----------|-------|
| MTFS0131 | 24.0 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4078 | 119.6879 | 355.2600 | 50ft |
| MTFS0413 | 24.0 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4077 | 119.6882 | 340.0200 | 100ft |
| MTFS0561 | 24.0 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4081 | 119.6882 | 340.0200 | 100ft |
| MTFS1371 | 23.6 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4089 | 119.6885 | 279.0600 | 300ft |
| MTFS0674 | 23.5 | FS | 1.37 | MGA94_50 | 1/01/1945 | -31.4087 | 119.6869 | 340.0200 | 100ft |
| MTFS1561 | 23.5 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4086 | 119.6885 | 248.5800 | 400ft |
| MTFS0422 | 23.3 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4078 | 119.6882 | 340.0200 | 100ft |
| MTFS1398 | 23.3 | FS | 0.91 | MGA94_50 | 1/01/1945 | -31.4088 | 119.6881 | 299.1800 | 300ft |
| MTFS0095 | 23.2 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4077 | 119.6881 | 355.2600 | 50ft |
| MTFS0959 | 23.2 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4086 | 119.6888 | 309.5400 | 200ft |
| MTFS0113 | 23.0 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4077 | 119.6880 | 355.2600 | 50ft |
| MTFS0188 | 23.0 | FS | 1.98 | MGA94_50 | 1/01/1945 | -31.4081 | 119.6883 | 355.2600 | 50ft |
| MTFS0196 | 23.0 | FS | 1.07 | MGA94_50 | 1/01/1945 | -31.4082 | 119.6882 | 355.2600 | 50ft |
| MTFS0198 | 23.0 | FS | 1.07 | MGA94_50 | 1/01/1945 | -31.4082 | 119.6882 | 355.2600 | 50ft |
| MTFS0334 | 22.4 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4087 | 119.6870 | 363.5000 | 0ft |
| MTFS1338 | 22.4 | FS | 0.46 | MGA94_50 | 1/01/1945 | -31.4086 | 119.6882 | 279.0600 | 300ft |
| MTFS0252 | 22.2 | FS | 1.27 | MGA94_50 | 1/01/1945 | -31.4086 | 119.6869 | 363.5000 | 0ft |
| MTFS0475 | 21.9 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4080 | 119.6880 | 346.1200 | 100ft |
| MTFS0555 | 21.8 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4081 | 119.6883 | 340.0200 | 100ft |
| MTFS0714 | 21.8 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4076 | 119.6885 | 309.5400 | 200ft |
| MTFS0173 | 21.6 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4079 | 119.6881 | 355.2600 | 50ft |
| MTFS0263 | 21.6 | FS | 1.22 | MGA94_50 | 1/01/1945 | -31.4086 | 119.6869 | 363.5000 | 0ft |
| MTFS0432 | 21.5 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4078 | 119.6883 | 340.0200 | 100ft |
| MTFS0433 | 21.5 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4078 | 119.6883 | 340.0200 | 100ft |
| MTFS0507 | 21.5 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4081 | 119.6877 | 340.0200 | 100ft |
| MTFS0883 | 21.5 | FS | 1.68 | MGA94_50 | 1/01/1945 | -31.4078 | 119.6890 | 309.5400 | 200ft |
| MTFS1336 | 21.5 | FS | 0.46 | MGA94_50 | 1/01/1945 | -31.4086 | 119.6882 | 279.0600 | 300ft |
| MTFS1383 | 21.5 | FS | 0.13 | MGA94_50 | 1/01/1945 | -31.4087 | 119.6882 | 279.0600 | 300ft |
| MTFS1611 | 21.3 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4078 | 119.6887 | 205.6000 | 500ft |
| MTFS0949 | 21.2 | FS | 1.37 | MGA94_50 | 1/01/1945 | -31.4085 | 119.6889 | 309.5400 | 200ft |
| MTFS0423 | 20.8 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4078 | 119.6882 | 340.0200 | 100ft |
| MTFS0974 | 20.7 | FS | 0.61 | MGA94_50 | 1/01/1945 | -31.4087 | 119.6887 | 309.5400 | 200ft |
| MTFS1405 | 20.7 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4088 | 119.6884 | 279.0600 | 300ft |
| MTFS0557 | 20.5 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4081 | 119.6883 | 340.0200 | 100ft |
| MTFS1339 | 20.5 | FS | 0.23 | MGA94_50 | 1/01/1945 | -31.4087 | 119.6882 | 279.0600 | 300ft |
| MTFS0394 | 20.4 | FS | 1.37 | MGA94_50 | 1/01/1945 | -31.4089 | 119.6869 | 363.5000 | 0ft |
| MTFS1096 | 20.4 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4089 | 119.6884 | 309.5400 | 200ft |
| MTFS0464 | 20.2 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4079 | 119.6880 | 346.1200 | 100ft |
| MTFS1553 | 20.2 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4085 | 119.6885 | 248.5800 | 400ft |
| MTFS0201 | 19.9 | FS | 0.23 | MGA94_50 | 1/01/1945 | -31.4083 | 119.6882 | 355.2600 | 50ft |
| MTFS0558 | 19.8 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4081 | 119.6882 | 340.0200 | 100ft |
| MTFS1634 | 19.6 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4080 | 119.6887 | 218.1000 | 500ft |
| MTFS1355 | 19.4 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4087 | 119.6886 | 279.0600 | 300ft |
| MTFS0963 | 19.3 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4086 | 119.6888 | 309.5400 | 200ft |
| MTFS0515 | 19.1 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4082 | 119.6877 | 340.0200 | 100ft |
| MTFS0697 | 19.1 | FS | 1.45 | MGA94_50 | 1/01/1945 | -31.4089 | 119.6869 | 340.0200 | 100ft |
| MTFS1335 | 19.1 | FS | 0.30 | MGA94_50 | 1/01/1945 | -31.4086 | 119.6882 | 279.0600 | 300ft |
| MTFS0170 | 19.0 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4079 | 119.6881 | 355.2600 | 50ft |
| MTFS0428 | 18.8 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4078 | 119.6882 | 340.0200 | 100ft |
| MTFS1569 | 18.8 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4087 | 119.6885 | 248.5800 | 400ft |
| MTFS0316 | 18.7 | FS | 1.45 | MGA94_50 | 1/01/1945 | -31.4087 | 119.6870 | 363.5000 | 0ft |
| MTFS1400 | 18.5 | FS | 1.32 | MGA94_50 | 1/01/1945 | -31.4088 | 119.6881 | 299.1800 | 300ft |
| MTFS1636 | 18.5 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4080 | 119.6887 | 218.1000 | 500ft |
| MTFS0412 | 18.4 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4077 | 119.6882 | 340.0200 | 100ft |
| MTFS0518 | 18.2 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4082 | 119.6877 | 340.0200 | 100ft |
| MTFS1399 | 18.2 | FS | 0.91 | MGA94_50 | 1/01/1945 | -31.4088 | 119.6881 | 299.1800 | 300ft |
| MTFS0369 | 18.0 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4075 | 119.6883 | 340.0200 | 100ft |
| MTFS1316 | 18.0 | FS | 0.36 | MGA94_50 | 1/01/1945 | -31.4084 | 119.6883 | 279.0600 | 300ft |
| MTFS1637 | 18.0 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4080 | 119.6887 | 218.1000 | 500ft |
| MTFS1329 | 17.9 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4085 | 119.6882 | 279.0600 | 300ft |
| MTFS0028 | 17.6 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4074 | 119.6883 | 355.2600 | 50ft |

| | | | | | | | | | |
|----------|------|----|------|----------|-----------|----------|----------|----------|-------|
| MTFS0643 | 17.6 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4073 | 119.6883 | 319.2900 | 200ft |
| MTFS0645 | 17.6 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4073 | 119.6883 | 319.2900 | 200ft |
| MTFS0693 | 17.6 | FS | 1.45 | MGA94_50 | 1/01/1945 | -31.4088 | 119.6869 | 340.0200 | 100ft |
| MTFS1000 | 17.6 | FS | 1.22 | MGA94_50 | 1/01/1945 | -31.4081 | 119.6884 | 309.5400 | 200ft |
| MTFS0998 | 17.4 | FS | 1.22 | MGA94_50 | 1/01/1945 | -31.4081 | 119.6884 | 309.5400 | 200ft |
| MTFS1263 | 17.4 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4082 | 119.6888 | 279.0600 | 300ft |
| MTFS1447 | 17.4 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4079 | 119.6886 | 248.5800 | 400ft |
| MTFS1391 | 17.3 | FS | 0.13 | MGA94_50 | 1/01/1945 | -31.4088 | 119.6881 | 279.0600 | 300ft |
| MTFS0992 | 17.1 | FS | 0.46 | MGA94_50 | 1/01/1945 | -31.4080 | 119.6884 | 309.5400 | 200ft |
| MTFS0705 | 17.0 | FS | 1.45 | MGA94_50 | 1/01/1945 | -31.4089 | 119.6869 | 340.0200 | 100ft |
| MTFS0148 | 16.8 | FS | 1.68 | MGA94_50 | 1/01/1945 | -31.4082 | 119.6880 | 355.2600 | 50ft |
| MTFS1081 | 16.8 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4089 | 119.6886 | 309.5400 | 200ft |
| MTFS1543 | 16.6 | FS | 0.30 | MGA94_50 | 1/01/1945 | -31.4082 | 119.6885 | 248.5800 | 400ft |
| MTFS0143 | 16.3 | FS | 2.13 | MGA94_50 | 1/01/1945 | -31.4081 | 119.6880 | 355.2600 | 50ft |
| MTFS0511 | 16.3 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4081 | 119.6877 | 340.0200 | 100ft |
| MTFS0658 | 16.3 | FS | 1.22 | MGA94_50 | 1/01/1945 | -31.4087 | 119.6870 | 340.0200 | 100ft |
| MTFS0766 | 16.3 | FS | 1.32 | MGA94_50 | 1/01/1945 | -31.4078 | 119.6884 | 319.2900 | 200ft |
| MTFS0169 | 16.2 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4079 | 119.6881 | 355.2600 | 50ft |
| MTFS1490 | 16.2 | FS | 1.22 | MGA94_50 | 1/01/1945 | -31.4083 | 119.6886 | 248.5800 | 400ft |
| MTFS0027 | 16.0 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4074 | 119.6883 | 355.2600 | 50ft |
| MTFS0662 | 16.0 | FS | 1.07 | MGA94_50 | 1/01/1945 | -31.4074 | 119.6883 | 319.2900 | 200ft |
| MTFS0711 | 16.0 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4089 | 119.6869 | 340.0200 | 100ft |
| MTFS1348 | 16.0 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4087 | 119.6887 | 279.0600 | 300ft |
| MTFS0407 | 15.9 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4077 | 119.6883 | 340.0200 | 100ft |
| MTFS0667 | 15.9 | FS | 1.37 | MGA94_50 | 1/01/1945 | -31.4087 | 119.6870 | 340.0200 | 100ft |
| MTFS0770 | 15.7 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4079 | 119.6884 | 319.2900 | 200ft |
| MTFS1373 | 15.7 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4089 | 119.6885 | 279.0600 | 300ft |
| MTFS0271 | 15.2 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4071 | 119.6884 | 340.0200 | 100ft |
| MTFS0520 | 15.2 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4082 | 119.6877 | 340.0200 | 100ft |
| MTFS0715 | 15.2 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4076 | 119.6885 | 309.5400 | 200ft |
| MTFS1567 | 15.2 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4087 | 119.6885 | 248.5800 | 400ft |
| MTFS1660 | 15.2 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4081 | 119.6885 | 218.1000 | 500ft |
| MTFS0754 | 15.1 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4077 | 119.6884 | 319.2900 | 200ft |
| MTFS1058 | 15.1 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4087 | 119.6881 | 309.5400 | 200ft |
| MTFS1603 | 15.1 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4080 | 119.6887 | 218.1000 | 500ft |
| MTFS0256 | 14.9 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4086 | 119.6869 | 363.5000 | 0ft |
| MTFS1062 | 14.8 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4087 | 119.6882 | 309.5400 | 200ft |
| MTFS0130 | 14.6 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4078 | 119.6879 | 355.2600 | 50ft |
| MTFS0995 | 14.6 | FS | 0.76 | MGA94_50 | 1/01/1945 | -31.4080 | 119.6884 | 309.5400 | 200ft |
| MTFS1019 | 14.5 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4084 | 119.6883 | 309.5400 | 200ft |
| MTFS0073 | 14.5 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4076 | 119.6881 | 355.2600 | 50ft |
| MTFS1407 | 14.5 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4088 | 119.6884 | 279.0600 | 300ft |
| MTFS1651 | 14.5 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4081 | 119.6885 | 218.1000 | 500ft |
| MTFS1049 | 14.3 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4086 | 119.6881 | 309.5400 | 200ft |
| MTFS0753 | 14.3 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4077 | 119.6884 | 319.2900 | 200ft |
| MTFS0746 | 14.2 | FS | 0.91 | MGA94_50 | 1/01/1945 | -31.4076 | 119.6884 | 319.2900 | 200ft |
| MTFS0695 | 13.7 | FS | 1.45 | MGA94_50 | 1/01/1945 | -31.4088 | 119.6869 | 340.0200 | 100ft |
| MTFS0701 | 13.7 | FS | 1.45 | MGA94_50 | 1/01/1945 | -31.4089 | 119.6869 | 340.0200 | 100ft |
| MTFS1044 | 13.7 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4086 | 119.6882 | 309.5400 | 200ft |
| MTFS1385 | 13.7 | FS | 0.18 | MGA94_50 | 1/01/1945 | -31.4087 | 119.6881 | 279.0600 | 300ft |
| MTFS1401 | 13.7 | FS | 0.61 | MGA94_50 | 1/01/1945 | -31.4088 | 119.6882 | 299.1800 | 300ft |
| MTFS0720 | 13.5 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4077 | 119.6885 | 309.5400 | 200ft |
| MTFS0421 | 13.4 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4078 | 119.6882 | 340.0200 | 100ft |
| MTFS1065 | 13.4 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4086 | 119.6882 | 309.5400 | 200ft |
| MTFS1312 | 13.4 | FS | 0.91 | MGA94_50 | 1/01/1945 | -31.4083 | 119.6883 | 279.0600 | 300ft |
| MTFS1613 | 13.4 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4079 | 119.6886 | 205.6000 | 500ft |
| MTFS0548 | 13.2 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4080 | 119.6883 | 340.0200 | 100ft |
| MTFS0826 | 13.2 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4079 | 119.6882 | 309.5400 | 200ft |
| MTFS1204 | 13.2 | FS | 0.91 | MGA94_50 | 1/01/1945 | -31.4080 | 119.6884 | 279.0600 | 300ft |
| MTFS0414 | 13.1 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4077 | 119.6882 | 340.0200 | 100ft |
| MTFS0312 | 12.9 | FS | 1.37 | MGA94_50 | 1/01/1945 | -31.4087 | 119.6870 | 363.5000 | 0ft |

| | | | | | | | | | |
|----------|------|----|------|----------|-----------|----------|----------|----------|-------|
| MTFS0676 | 12.9 | FS | 1.37 | MGA94_50 | 1/01/1945 | -31.4088 | 119.6869 | 340.0200 | 100ft |
| MTFS0961 | 12.9 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4086 | 119.6888 | 309.5400 | 200ft |
| MTFS1484 | 12.9 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4083 | 119.6887 | 248.5800 | 400ft |
| MTFS0533 | 12.8 | FS | 1.22 | MGA94_50 | 1/01/1945 | -31.4083 | 119.6875 | 340.0200 | 100ft |
| MTFS0973 | 12.8 | FS | 0.46 | MGA94_50 | 1/01/1945 | -31.4087 | 119.6887 | 309.5400 | 200ft |
| MTFS0420 | 12.6 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4078 | 119.6882 | 340.0200 | 100ft |
| MTFS0392 | 12.4 | FS | 1.37 | MGA94_50 | 1/01/1945 | -31.4089 | 119.6869 | 363.5000 | 0ft |
| MTFS0765 | 12.4 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4078 | 119.6884 | 319.2900 | 200ft |
| MTFS1302 | 12.4 | FS | 0.91 | MGA94_50 | 1/01/1945 | -31.4082 | 119.6883 | 279.0600 | 300ft |
| MTFS1305 | 12.4 | FS | 0.61 | MGA94_50 | 1/01/1945 | -31.4083 | 119.6883 | 279.0600 | 300ft |
| MTFS1306 | 12.4 | FS | 0.61 | MGA94_50 | 1/01/1945 | -31.4083 | 119.6883 | 279.0600 | 300ft |
| MTFS1307 | 12.4 | FS | 0.61 | MGA94_50 | 1/01/1945 | -31.4083 | 119.6883 | 279.0600 | 300ft |
| MTFS1309 | 12.4 | FS | 0.61 | MGA94_50 | 1/01/1945 | -31.4083 | 119.6883 | 279.0600 | 300ft |
| MTFS1310 | 12.4 | FS | 0.91 | MGA94_50 | 1/01/1945 | -31.4083 | 119.6883 | 279.0600 | 300ft |
| MTFS1487 | 12.4 | FS | 1.22 | MGA94_50 | 1/01/1945 | -31.4083 | 119.6886 | 248.5800 | 400ft |
| MTFS0033 | 12.3 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4074 | 119.6883 | 355.2600 | 50ft |
| MTFS0195 | 12.3 | FS | 0.76 | MGA94_50 | 1/01/1945 | -31.4082 | 119.6882 | 355.2600 | 50ft |
| MTFS0416 | 12.3 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4078 | 119.6882 | 340.0200 | 100ft |
| MTFS0633 | 12.3 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4073 | 119.6883 | 319.2900 | 200ft |
| MTFS0661 | 12.1 | FS | 1.22 | MGA94_50 | 1/01/1945 | -31.4087 | 119.6870 | 340.0200 | 100ft |
| MTFS0955 | 12.1 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4085 | 119.6889 | 309.5400 | 200ft |
| MTFS0957 | 12.1 | FS | 0.61 | MGA94_50 | 1/01/1945 | -31.4085 | 119.6889 | 309.5400 | 200ft |
| MTFS1016 | 12.1 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4083 | 119.6883 | 309.5400 | 200ft |
| MTFS1489 | 12.1 | FS | 1.22 | MGA94_50 | 1/01/1945 | -31.4083 | 119.6886 | 248.5800 | 400ft |
| MTFS1619 | 12.1 | FS | 1.22 | MGA94_50 | 1/01/1945 | -31.4078 | 119.6886 | 205.6000 | 500ft |
| MTFS1298 | 12.1 | FS | 0.91 | MGA94_50 | 1/01/1945 | -31.4082 | 119.6883 | 279.0600 | 300ft |
| MTFS1097 | 12.0 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4089 | 119.6884 | 309.5400 | 200ft |
| MTFS0991 | 11.8 | FS | 0.46 | MGA94_50 | 1/01/1945 | -31.4080 | 119.6884 | 309.5400 | 200ft |
| MTFS1054 | 11.8 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4087 | 119.6881 | 309.5400 | 200ft |
| MTFS1538 | 11.8 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4081 | 119.6883 | 248.5800 | 400ft |
| MTFS1576 | 11.8 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4086 | 119.6884 | 248.5800 | 400ft |
| MTFS0310 | 11.7 | FS | 1.37 | MGA94_50 | 1/01/1945 | -31.4087 | 119.6870 | 363.5000 | 0ft |
| MTFS0352 | 11.7 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4088 | 119.6869 | 363.5000 | 0ft |
| MTFS0885 | 11.7 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4078 | 119.6890 | 309.5400 | 200ft |
| MTFS1198 | 11.7 | FS | 0.76 | MGA94_50 | 1/01/1945 | -31.4079 | 119.6884 | 279.0600 | 300ft |
| MTFS1303 | 11.7 | FS | 0.61 | MGA94_50 | 1/01/1945 | -31.4082 | 119.6883 | 279.0600 | 300ft |
| MTFS1570 | 11.7 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4087 | 119.6885 | 248.5800 | 400ft |
| MTFS1599 | 11.7 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4079 | 119.6887 | 218.1000 | 500ft |
| MTFS0971 | 11.5 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4087 | 119.6888 | 309.5400 | 200ft |
| MTFS0436 | 11.4 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4078 | 119.6884 | 340.0200 | 100ft |
| MTFS0699 | 11.2 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4089 | 119.6869 | 340.0200 | 100ft |
| MTFS1063 | 11.2 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4087 | 119.6882 | 309.5400 | 200ft |
| MTFS0049 | 11.0 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4076 | 119.6883 | 355.2600 | 50ft |
| MTFS0457 | 11.0 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4078 | 119.6880 | 340.0200 | 100ft |
| MTFS1379 | 11.0 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4087 | 119.6882 | 299.1800 | 300ft |
| MTFS1601 | 11.0 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4079 | 119.6887 | 218.1000 | 500ft |
| MTFS1646 | 11.0 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4080 | 119.6885 | 218.1000 | 500ft |
| MTFS0258 | 10.9 | FS | 1.37 | MGA94_50 | 1/01/1945 | -31.4070 | 119.6884 | 340.0200 | 100ft |
| MTFS0752 | 10.9 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4077 | 119.6884 | 319.2900 | 200ft |
| MTFS0767 | 10.9 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4078 | 119.6884 | 319.2900 | 200ft |
| MTFS1040 | 10.9 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4085 | 119.6882 | 309.5400 | 200ft |
| MTFS1230 | 10.9 | FS | 1.98 | MGA94_50 | 1/01/1945 | -31.4079 | 119.6887 | 279.0600 | 300ft |
| MTFS1565 | 10.9 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4086 | 119.6885 | 248.5800 | 400ft |
| MTFS0026 | 10.7 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4074 | 119.6883 | 355.2600 | 50ft |
| MTFS0081 | 10.7 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4076 | 119.6880 | 355.2600 | 50ft |
| MTFS0326 | 10.7 | FS | 1.07 | MGA94_50 | 1/01/1945 | -31.4087 | 119.6869 | 363.5000 | 0ft |
| MTFS1313 | 10.7 | FS | 1.22 | MGA94_50 | 1/01/1945 | -31.4084 | 119.6883 | 279.0600 | 300ft |
| MTFS1546 | 10.6 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4084 | 119.6885 | 248.5800 | 400ft |
| MTFS0404 | 10.4 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4077 | 119.6883 | 340.0200 | 100ft |
| MTFS0531 | 10.4 | FS | 1.22 | MGA94_50 | 1/01/1945 | -31.4083 | 119.6875 | 340.0200 | 100ft |
| MTFS0350 | 10.3 | FS | 1.22 | MGA94_50 | 1/01/1945 | -31.4088 | 119.6869 | 363.5000 | 0ft |

| | | | | | | | | | |
|----------|------|----|------|----------|-----------|----------|----------|----------|-------|
| MTFS1562 | 10.3 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4086 | 119.6885 | 248.5800 | 400ft |
| MTFS0109 | 10.1 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4077 | 119.6880 | 355.2600 | 50ft |
| MTFS0672 | 10.1 | FS | 1.37 | MGA94_50 | 1/01/1945 | -31.4087 | 119.6869 | 340.0200 | 100ft |
| MTFS1098 | 10.1 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4089 | 119.6884 | 309.5400 | 200ft |
| MTFS1390 | 10.1 | FS | 0.10 | MGA94_50 | 1/01/1945 | -31.4088 | 119.6881 | 279.0600 | 300ft |
| MTFS0048 | 10.0 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4076 | 119.6883 | 355.2600 | 50ft |
| MTFS0761 | 10.0 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4078 | 119.6884 | 319.2900 | 200ft |
| MTFS1103 | 10.0 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4089 | 119.6887 | 309.5400 | 200ft |
| MTFS1334 | 10.0 | FS | 0.30 | MGA94_50 | 1/01/1945 | -31.4086 | 119.6882 | 279.0600 | 300ft |
| MTFS0269 | 9.8 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4071 | 119.6884 | 340.0200 | 100ft |
| MTFS1620 | 9.8 | FS | 1.22 | MGA94_50 | 1/01/1945 | -31.4079 | 119.6886 | 205.6000 | 500ft |
| MTFS0747 | 9.6 | FS | 1.22 | MGA94_50 | 1/01/1945 | -31.4076 | 119.6884 | 319.2900 | 200ft |
| MTFS1212 | 9.6 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4081 | 119.6884 | 279.0600 | 300ft |
| MTFS1319 | 9.6 | FS | 0.15 | MGA94_50 | 1/01/1945 | -31.4084 | 119.6883 | 279.0600 | 300ft |
| MTFS1386 | 9.6 | FS | 0.18 | MGA94_50 | 1/01/1945 | -31.4087 | 119.6881 | 279.0600 | 300ft |
| MTFS0037 | 9.5 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4075 | 119.6883 | 355.2600 | 50ft |
| MTFS0285 | 9.5 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4071 | 119.6884 | 340.0200 | 100ft |
| MTFS1645 | 9.5 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4080 | 119.6885 | 218.1000 | 500ft |
| MTFS0365 | 9.3 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4075 | 119.6884 | 340.0200 | 100ft |
| MTFS1403 | 9.3 | FS | 0.91 | MGA94_50 | 1/01/1945 | -31.4088 | 119.6882 | 299.1800 | 300ft |
| MTFS0519 | 9.2 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4082 | 119.6877 | 340.0200 | 100ft |
| MTFS0202 | 9.0 | FS | 0.23 | MGA94_50 | 1/01/1945 | -31.4083 | 119.6882 | 355.2600 | 50ft |
| MTFS0371 | 9.0 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4075 | 119.6883 | 340.0200 | 100ft |
| MTFS1213 | 9.0 | FS | 0.91 | MGA94_50 | 1/01/1945 | -31.4081 | 119.6883 | 279.0600 | 300ft |
| MTFS1406 | 9.0 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4088 | 119.6884 | 279.0600 | 300ft |
| MTFS1068 | 8.9 | FS | 1.37 | MGA94_50 | 1/01/1945 | -31.4086 | 119.6882 | 309.5400 | 200ft |
| MTFS1548 | 8.9 | FS | 1.37 | MGA94_50 | 1/01/1945 | -31.4084 | 119.6885 | 248.5800 | 400ft |
| MTFS0664 | 8.7 | FS | 1.22 | MGA94_50 | 1/01/1945 | -31.4074 | 119.6883 | 319.2900 | 200ft |
| MTFS0960 | 8.7 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4086 | 119.6888 | 309.5400 | 200ft |
| MTFS1555 | 8.7 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4085 | 119.6885 | 248.5800 | 400ft |
| MTFS0035 | 8.6 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4075 | 119.6883 | 355.2600 | 50ft |
| MTFS0042 | 8.6 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4075 | 119.6883 | 355.2600 | 50ft |
| MTFS0525 | 8.6 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4083 | 119.6876 | 340.0200 | 100ft |
| MTFS1076 | 8.6 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4088 | 119.6886 | 309.5400 | 200ft |
| MTFS1320 | 8.6 | FS | 0.71 | MGA94_50 | 1/01/1945 | -31.4084 | 119.6883 | 279.0600 | 300ft |
| MTFS0199 | 8.4 | FS | 0.91 | MGA94_50 | 1/01/1945 | -31.4082 | 119.6882 | 355.2600 | 50ft |
| MTFS0306 | 8.4 | FS | 1.37 | MGA94_50 | 1/01/1945 | -31.4087 | 119.6870 | 363.5000 | 0ft |
| MTFS1086 | 8.4 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4089 | 119.6886 | 309.5400 | 200ft |
| MTFS1346 | 8.4 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4086 | 119.6887 | 279.0600 | 300ft |
| MTFS1559 | 8.4 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4086 | 119.6885 | 248.5800 | 400ft |
| MTFS1659 | 8.4 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4081 | 119.6885 | 218.1000 | 500ft |
| MTFS0034 | 8.2 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4074 | 119.6883 | 355.2600 | 50ft |
| MTFS0094 | 8.2 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4077 | 119.6881 | 355.2600 | 50ft |
| MTFS0478 | 8.2 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4080 | 119.6880 | 346.1200 | 100ft |
| MTFS0769 | 8.2 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4079 | 119.6884 | 319.2900 | 200ft |
| MTFS0056 | 8.1 | FS | 1.37 | MGA94_50 | 1/01/1945 | -31.4076 | 119.6883 | 355.2600 | 50ft |
| MTFS1071 | 8.1 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4089 | 119.6886 | 309.5400 | 200ft |
| MTFS0038 | 7.9 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4075 | 119.6883 | 355.2600 | 50ft |
| MTFS0552 | 7.9 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4080 | 119.6883 | 340.0200 | 100ft |
| MTFS1035 | 7.9 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4085 | 119.6882 | 309.5400 | 200ft |
| MTFS1365 | 7.9 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4088 | 119.6885 | 279.0600 | 300ft |
| MTFS1387 | 7.9 | FS | 0.18 | MGA94_50 | 1/01/1945 | -31.4087 | 119.6881 | 279.0600 | 300ft |
| MTFS0370 | 7.8 | FS | 1.45 | MGA94_50 | 1/01/1945 | -31.4089 | 119.6869 | 363.5000 | 0ft |
| MTFS0764 | 7.8 | FS | 0.46 | MGA94_50 | 1/01/1945 | -31.4078 | 119.6884 | 319.2900 | 200ft |
| MTFS1321 | 7.8 | FS | 0.71 | MGA94_50 | 1/01/1945 | -31.4085 | 119.6883 | 279.0600 | 300ft |
| MTFS0041 | 7.6 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4075 | 119.6883 | 355.2600 | 50ft |
| MTFS0656 | 7.6 | FS | 0.91 | MGA94_50 | 1/01/1945 | -31.4074 | 119.6883 | 319.2900 | 200ft |
| MTFS1380 | 7.6 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4087 | 119.6882 | 299.1800 | 300ft |
| MTFS1654 | 7.6 | FS | 1.07 | MGA94_50 | 1/01/1945 | -31.4081 | 119.6886 | 218.1000 | 500ft |
| MTFS0238 | 7.5 | FS | 1.37 | MGA94_50 | 1/01/1945 | -31.4085 | 119.6869 | 363.5000 | 0ft |
| MTFS1085 | 7.5 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4089 | 119.6886 | 309.5400 | 200ft |

| | | | | | | | | | |
|----------|-----|----|------|----------|-----------|----------|----------|----------|-------|
| MTFS1662 | 7.5 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4081 | 119.6885 | 218.1000 | 500ft |
| MTFS0619 | 7.3 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4072 | 119.6883 | 309.5400 | 200ft |
| MTFS0337 | 7.2 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4074 | 119.6883 | 340.0200 | 100ft |
| MTFS0440 | 7.2 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4079 | 119.6883 | 340.0200 | 100ft |
| MTFS0734 | 7.2 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4079 | 119.6885 | 309.5400 | 200ft |
| MTFS1301 | 7.2 | FS | 0.91 | MGA94_50 | 1/01/1945 | -31.4082 | 119.6883 | 279.0600 | 300ft |
| MTFS1326 | 7.2 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4085 | 119.6882 | 279.0600 | 300ft |
| MTFS1647 | 7.2 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4080 | 119.6885 | 218.1000 | 500ft |
| MTFS0068 | 7.0 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4077 | 119.6883 | 355.2600 | 50ft |
| MTFS0292 | 7.0 | FS | 1.22 | MGA94_50 | 1/01/1945 | -31.4088 | 119.6868 | 363.5000 | 0ft |
| MTFS0527 | 7.0 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4083 | 119.6876 | 340.0200 | 100ft |
| MTFS0550 | 7.0 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4080 | 119.6883 | 340.0200 | 100ft |
| MTFS0740 | 7.0 | FS | 1.12 | MGA94_50 | 1/01/1945 | -31.4075 | 119.6883 | 319.2900 | 200ft |
| MTFS0886 | 7.0 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4078 | 119.6890 | 309.5400 | 200ft |
| MTFS1558 | 7.0 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4086 | 119.6885 | 248.5800 | 400ft |
| MTFS0583 | 6.8 | FS | 1.68 | MGA94_50 | 1/01/1945 | -31.4084 | 119.6881 | 340.0200 | 100ft |
| MTFS0322 | 6.7 | FS | 1.37 | MGA94_50 | 1/01/1945 | -31.4087 | 119.6870 | 363.5000 | 0ft |
| MTFS0739 | 6.7 | FS | 0.91 | MGA94_50 | 1/01/1945 | -31.4075 | 119.6883 | 319.2900 | 200ft |
| MTFS0745 | 6.7 | FS | 1.07 | MGA94_50 | 1/01/1945 | -31.4076 | 119.6884 | 319.2900 | 200ft |
| MTFS1015 | 6.7 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4083 | 119.6883 | 309.5400 | 200ft |
| MTFS1072 | 6.7 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4089 | 119.6886 | 309.5400 | 200ft |
| MTFS1315 | 6.7 | FS | 0.41 | MGA94_50 | 1/01/1945 | -31.4084 | 119.6883 | 279.0600 | 300ft |
| MTFS1568 | 6.7 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4087 | 119.6885 | 248.5800 | 400ft |
| MTFS0040 | 6.5 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4075 | 119.6883 | 355.2600 | 50ft |
| MTFS0102 | 6.5 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4078 | 119.6881 | 355.2600 | 50ft |
| MTFS0668 | 6.5 | FS | 1.37 | MGA94_50 | 1/01/1945 | -31.4087 | 119.6870 | 340.0200 | 100ft |
| MTFS0813 | 6.5 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4079 | 119.6881 | 309.5400 | 200ft |
| MTFS1183 | 6.5 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4077 | 119.6883 | 279.0600 | 300ft |
| MTFS1185 | 6.5 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4077 | 119.6883 | 279.0600 | 300ft |
| MTFS1214 | 6.5 | FS | 0.61 | MGA94_50 | 1/01/1945 | -31.4081 | 119.6883 | 279.0600 | 300ft |
| MTFS0100 | 6.4 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4078 | 119.6881 | 355.2600 | 50ft |
| MTFS0245 | 6.4 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4072 | 119.6883 | 340.0200 | 100ft |
| MTFS0759 | 6.4 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4078 | 119.6884 | 319.2900 | 200ft |
| MTFS0357 | 6.2 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4075 | 119.6883 | 340.0200 | 100ft |
| MTFS0390 | 6.2 | FS | 1.37 | MGA94_50 | 1/01/1945 | -31.4089 | 119.6869 | 363.5000 | 0ft |
| MTFS1099 | 6.2 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4090 | 119.6884 | 309.5400 | 200ft |
| MTFS1304 | 6.2 | FS | 0.61 | MGA94_50 | 1/01/1945 | -31.4082 | 119.6883 | 279.0600 | 300ft |
| MTFS1397 | 6.2 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4088 | 119.6881 | 299.1800 | 300ft |
| MTFS1511 | 6.2 | FS | 0.91 | MGA94_50 | 1/01/1945 | -31.4082 | 119.6882 | 248.5800 | 400ft |
| MTFS0211 | 6.1 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4070 | 119.6883 | 340.0200 | 100ft |
| MTFS0383 | 6.1 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4076 | 119.6884 | 340.0200 | 100ft |
| MTFS1094 | 6.1 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4089 | 119.6885 | 309.5400 | 200ft |
| MTFS0043 | 5.9 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4075 | 119.6883 | 355.2600 | 50ft |
| MTFS0044 | 5.9 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4075 | 119.6883 | 355.2600 | 50ft |
| MTFS1300 | 5.9 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4082 | 119.6883 | 279.0600 | 300ft |
| MTFS1332 | 5.8 | FS | 0.10 | MGA94_50 | 1/01/1945 | -31.4086 | 119.6882 | 279.0600 | 300ft |
| MTFS0563 | 5.4 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4082 | 119.6882 | 340.0200 | 100ft |
| MTFS0964 | 5.4 | FS | 0.46 | MGA94_50 | 1/01/1945 | -31.4086 | 119.6888 | 309.5400 | 200ft |
| MTFS0994 | 5.4 | FS | 0.91 | MGA94_50 | 1/01/1945 | -31.4080 | 119.6884 | 309.5400 | 200ft |
| MTFS1043 | 5.4 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4086 | 119.6882 | 309.5400 | 200ft |
| MTFS1658 | 5.4 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4081 | 119.6885 | 218.1000 | 500ft |
| MTFS0045 | 5.3 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4076 | 119.6883 | 355.2600 | 50ft |
| MTFS0057 | 5.3 | FS | 1.37 | MGA94_50 | 1/01/1945 | -31.4076 | 119.6883 | 355.2600 | 50ft |
| MTFS0294 | 5.3 | FS | 1.22 | MGA94_50 | 1/01/1945 | -31.4088 | 119.6867 | 363.5000 | 0ft |
| MTFS0317 | 5.3 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4074 | 119.6883 | 340.0200 | 100ft |
| MTFS0378 | 5.3 | FS | 1.22 | MGA94_50 | 1/01/1945 | -31.4090 | 119.6868 | 363.5000 | 0ft |
| MTFS0389 | 5.3 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4076 | 119.6883 | 340.0200 | 100ft |
| MTFS0512 | 5.3 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4081 | 119.6877 | 340.0200 | 100ft |
| MTFS1357 | 5.3 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4087 | 119.6885 | 279.0600 | 300ft |
| MTFS0176 | 5.1 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4079 | 119.6882 | 355.2600 | 50ft |
| MTFS0302 | 5.1 | FS | 1.22 | MGA94_50 | 1/01/1945 | -31.4088 | 119.6867 | 363.5000 | 0ft |

| | | | | | | | | | |
|----------|-----|----|------|----------|-----------|----------|----------|----------|-------|
| MTFS0442 | 5.1 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4080 | 119.6883 | 340.0200 | 100ft |
| MTFS0556 | 5.1 | FS | 1.83 | MGA94_50 | 1/01/1945 | -31.4081 | 119.6883 | 340.0200 | 100ft |
| MTFS0584 | 5.1 | FS | 1.68 | MGA94_50 | 1/01/1945 | -31.4084 | 119.6881 | 340.0200 | 100ft |
| MTFS1666 | 5.1 | FS | 1.52 | MGA94_50 | 1/01/1945 | -31.4082 | 119.6884 | 218.1000 | 500ft |

The above face sample results have been previously reported by the former owner (ASX: AUN: Mt Palmer Exploration update, dated 20 Oct 2021).

The Exploration Results, may not conform to the requirements in the JORC 2012, however as indicated in Table 1 it is the view of the Competent Person that the historical exploration results can be relied upon.

The Company will use the funds raised from the Placement to expedite drilling and other exploration activities over the next 3 months to start to understand the historical results.

Ric Dawson, the Company's Competent Person is satisfied that the information in the market announcement is an accurate representation of the available data and studies for the material mining project.

*** Cautionary Statement**

* The Exploration Results have not been reported in accordance with the JORC 2012;

* A Competent Person has not done sufficient work to disclose the Exploration Results in accordance with the JORC 2012;

* It is possible that following evaluation and/or exploration work the confidence in the prior reported Exploration Results may be reduced when reported under the JORC 2012;

* Nothing has come to the attention of Kula that causes it to question the accuracy or reliability of the former owner's Exploration Results; but

* Kula has not independently validated the former owner's Exploration Results and therefore is not to be regarded as reporting, adopting or endorsing those results.

APPENDIX D: JORC Code, 2012 Edition – Table 1 Report

Section 1 Sampling Techniques and Data

| Criteria | Commentary |
|--|---|
| Sampling techniques | <ul style="list-style-type: none"> Other sampling data predates Kula and Aurumin Limited's involvement in the Mt Palmer Project. Data is sourced from past explorers' databases and historic reports, both open file project exploration history. Sampling methods used in the course of exploration at the Mt Palmer Project have included various forms of drilling and surface sampling. Face sampling as presented in this announcement was on an approximately 1.5m spacing and is presented in the Appendix B Throughout the history of the project diamond (DD), Reverse circulation (RC), Aircore (AC), Rotary Air Blast (RAB) and auger (AG) drilling have been completed. Samples collected from these methods of drilling were core samples and drill cuttings, no drilling results provided in this announcement Specific procedures for sampling of historic samples have not been uniformly recorded or collated. Aurumin was and now Kula will be in the process of assembling all related information. For information on these drillholes refer to WAMEX files A20802, A23563, A25563, A27939, A30230, A35503, A40618, A41005, A41475, A44954, A47916, A48438, A59707, A60280, A85740, A90203, A97006, A41476. Holes drilled in the 1930s and 1940s have had information compiled from a variety of reports and plans created by Yellowdine Gold Development Ltd. at the time of mining. Information for several holes drilled by Reynolds Yilgarn Gold Operations is sourced from a company report not available through WAMEX. |
| Drilling techniques | <ul style="list-style-type: none"> No drilling results presented in this announcement Historical drilling has occurred using a variety of drill rigs over a variety of exploration phases since the 1930s; DD, RC, AC, RAB and auger have been used. Not all specifics of the drilling are currently known and work to compile this information is ongoing. |
| Drill sample recovery | <ul style="list-style-type: none"> No drilling data provided in this announcement Historical drill sample recovery is not uniformly recorded over the project life. Kula will proceed to assembling sample recovery information and cannot make any judgement on representivity at this stage. |
| Logging | <ul style="list-style-type: none"> No logging presented in this announcement All historical drilling throughout the project life appears to have been supervised and geologically logged by a geologist at the time of drilling. Aurumin has been involved in the process of capturing geological logging information through a process of data entry using scanned logging sheets. Logging has been qualitative in nature. |
| Sub-sampling techniques and sample preparation | <ul style="list-style-type: none"> Aurumin has been in the process of assembling sampling and sub-sampling information. It is assumed that industry standard practices were followed at the time of the work being completed. |
| Quality of assay data and laboratory tests | <ul style="list-style-type: none"> Aurumin has been in the process of assembling quality control information. It is assumed that industry standard practices were followed at the time of the work being completed. |
| Verification of sampling and assaying | <ul style="list-style-type: none"> Historical data entry procedures have varied over the project life and with differing explorers. The majority of primary data was captured and reported on paper. Aurumin had captured information through a process of data entry. Significant intersections are part of a data set that include multiple holes and drilling from multiple previous operators. Currently, there is no indication that any single data set is not in line with other datasets All data was stored by Aurumin and backed up to a cloudbased storage system. The database is tended by a single database administrator. No adjustments were introduced to the analytical data. |
| Location of data points | <ul style="list-style-type: none"> Two historic local grids (one imperial and one metric) have been used over the Mt Palmer mine site area and multiple other local grids have been used at prospects away from the mine site area Grid transformations have been calculated by Aurumin and Mine Survey Plus. Topography over the mine site has been generated through drone surveys while the greater project area uses SRTM data. The grid system used is GDA94/MGA94 Zone 50. |
| Data spacing and distribution | <ul style="list-style-type: none"> Data spacing of holes reported is variable according to target and varies from widely spaced preliminary exploration work to targeted exploration work. No Resources or Ore Reserve estimations are presented. |
| Orientation of data in relation to geological structure | <ul style="list-style-type: none"> Potential mineralisation at Mt Palmer is considered to strike in a northly direction in the same direction as the fabric of the amphibolite and thin BIFs present. Dip is considered to be subvertical. To accurately sample this Aurumin drillholes were oriented perpendicular to the interpreted strike of any potential mineralisation. Holes were given a design dip of -55° to 60°. Historical drilling was orientated by the explorers of the time to best target the mineralisation as understood at the time of drilling No sampling bias from the orientation of the historical drilling is believed to exist. |
| Sample security | <ul style="list-style-type: none"> Historical sample arrangements are unknown but are considered likely to be in line with industry standards and to be low risk. |
| Audits or reviews | <ul style="list-style-type: none"> No audits or reviews have been completed to date. |

Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

| Criteria | Commentary |
|---|--|
| Mineral tenement and land tenure status | <ul style="list-style-type: none"> The Mt Palmer Project is located on granted tenements M77/0406, E77/2210, E77/2668, and E77/2423 These tenements are wholly owned by Aurumin and are now subject to the Terms of the joint venture agreement as detailed in the above text of this ASX release The project is in the Yilgarn Shire, approximately 40 kilometres south-east of Southern Cross in Western Australia. No impediments are known at the time of reporting. |
| Exploration done by other parties | <ul style="list-style-type: none"> Exploration at the Mt Palmer Project was largely started in the 1930s with the discovery of the Mt Palmer mine (Palmer's Find). The mine and surrounds were developed and actively explored until its closure in 1944. Little gold exploration occurred until the late 1970s when some small scale mining resumed at Mt Palmer. Exploration has periodically occurred since this time in the areas surrounding the mine and further afield with multiple companies, including Delta Gold, Julia Mines, Ivanhoe Mining, Broken Hill Metals NL, Reynolds Yilgarn Gold and Sons of Gwalia, active until the mid-1990s. Exploration at this time included drilling, costeanning and surface sampling. Exploration since this period has been smaller scale and has included surface sampling, resampling historic costeans and minor drilling Aurumin has been active in the area since 2011. Previous exploration was assessed in the Independent Geological Report by Sahara Natural Resources and published in the Aurumin IPO prospectus. For information on previous exploration done by other parties refer to WAMEX files A20802, A23563, A25563, A27939, A30230, A35503, A40618, A41005, A41475, A44954, A47916, A48438, A59707, A60280, A85740, A90203, A97006, A41476. |
| Geology | <ul style="list-style-type: none"> Regionally there are two main styles of gold mineralisation; the primary style being shear hosted and the second style comprising mineralisation in the fold hinges of BIFs and greenstones. Shear hosted gold mineralisation is located along lithological contacts within broad, ductile shear zones that are commonly wider than the mineralisation footprint and are generally associated within lenticular quartz reefs, quartz veining, and stringers within BIF/ultramafic contacts. The fold hinge hosted gold mineralisation has been observed to occur within veins formed from brittle deformation within tightly folded units. Outcrop is limited within the area. |
| Drill hole Information | <ul style="list-style-type: none"> No drilling data provided |
| Data aggregation methods | <ul style="list-style-type: none"> No drilling data provided No metal equivalents were used. |
| Relationship between mineralisation widths and intercept lengths | <ul style="list-style-type: none"> The mineralisation occurs within significant shear zones. No drilling downhole intercepts |
| Diagrams | <ul style="list-style-type: none"> Included within this announcement |
| Balanced reporting | <ul style="list-style-type: none"> All relevant data discussed is included on transverse and long section maps, |
| Other substantive exploration data | <ul style="list-style-type: none"> No other material is considered material for this announcement |
| Further work | <ul style="list-style-type: none"> Due diligence of all data and agreements provided by Aurumin Compiling and reinterpretation of geological and geophysical datasets provided by Aurumin RC drilling may be engaged over the coming weeks and months |