HIGH-GRADE REE RESULTS FROM SURFACE

HIGHLIGHTS

- Assays from the first 18 holes (of 40 holes) reveal multiple, significant, broad intersections of Total Rare Earth Oxide (TREO), **from surface** which remain open at depth
- **In addition, there are numerous high-grade Magnet Rare Earth Oxide (MREO) (Neodymium (Nd), Praseodymium (Pr), Dysprosium (Dy) & Terbium (Tb)) intersections up to 1,856ppm**
- The majority of holes report TREO >1,000ppm and often the entire hole is mineralised and open at depth
- REE mineralisation has so far been exclusively hosted by the biotite granite (Alkaline Granite intrusion) which has resulted in a high level of mineralisation consistency across the drill holes
- Petrology confirms Monazite and Zircon as the prominent REE minerals
- Remainder of the assay results expected in the coming weeks

HIGH-GRADE ASSAY RESULTS INCLUDE

- 24WCRC016: **109** metres at 1109 ppm TREO from 11 metres depth, including 4m at 1677 ppm and **8m MREO at 270ppm**
- 24WCRC017: **80 metres** at 1280 ppm TREO from 0 metres depth **(entire hole)**, including 3m at 1516 ppm and **16m MREO at 257ppm**
- 24WCRC002: **86 metres** at 1099 ppm TREO from 3 metres depth
- 24WCRC004: **79 metres** at 1012 ppm TREO from 0 metres depth **(entire hole)**
- 24WCRC007: **80 metres** at 1151 ppm TREO from 0 metres depth **(entire hole)**
- 24WCRC008: **80 metres** at 1144 ppm TREO from 0 metres depth **(entire hole)**, including 1m at **1648 ppm**
- 24WCRC015: **73 metres** at 1251 ppm TREO from 7 metres depth, including 1m at 3615 ppm and **2m at 6046 ppm** and **4m MREO at 708ppm**
- 24WCRC011: **69 metres** at 1102 ppm TREO from 11 metres depth, including 1m at 1563 ppm and 1m at 1788 ppm
- 24WCRC014: **56 metres** at 1097 ppm TREO from 56 metres depth

Level 4, 216 St Georges Terrace, Perth WA 6000 +61 6268 2641 reachresources.com.au admin@reachresources.com.au ABN 79 097 982 235



Figure 1: Wabli Creek Project – First phase drilling

Level 4, 216 St Georges Terrace, Perth WA 6000 +61 6268 2641 reachresources.com.au admin@reachresources.com.au ABN 79 097 982 235

Reach Resources Limited (ASX: RR1 & RR1O) ("Reach" or "the Company") is pleased to report the first batch of assay results from its recently completed RC drilling program undertaken in October at the Company's 100% owned Wabli Creek Project in the Gascoyne, W.A ("the Project").

A total of 40 holes were completed using Reverse Circulation (RC) drilling across three target areas Pelops, Broteas and Amphion within the large Alkaline Granite intrusion at Wabli Creek.

The Company has received assay results from the first 18 drill holes which are from the Pelops target area (Figure 1).

Assay results show significant, broad intersections of Total Rare Earth Oxides (TREO) over 1,000ppm within the majority of holes. As evidenced by the intercept lengths, the high grades of TREO reported have been consistent throughout each of the drill holes reported, providing a large, mineralised zone from surface to depths of more than 109m finishing in mineralisation and remain open at depth.(Refer Table 1 & Appendix A). This may provide significant scale at the Project.

In addition, early geochemical analysis has shown numerous intersections of high-grade Magnet Rare Earth Oxides (MREO) up to 1,856ppm (Refer Table 2 & Appendix A). The high level of mineralisation consistency in these initial results indicate further high-grade MREO zones may exist. The importance of the MREO elements, Neodymium (Nd), Praesodymium (Pr), Dysprosium (Dy) and Terbium (Tb), is significant as these are the key REE's that produce the permanent magnets for electric vehicles and wind turbines and attract the highest prices within the TREO basket.

The drill program was a targeted campaign, and guided by geological mapping, rock chip and soil sampling, and geophysics. Pelops was prioritised due to its strong potential for REE and niobium mineralisation with initial interpretations suggesting the mineralisation was along the contact with pegmatites, prompting targeted drilling. However, it is now clear that the entire Alkaline Granite intrusion may be mineralised which opens up a significant target for further assessment.

Petrological analysis has identified Monazite, Zircon, trace Pyrochlore, and Columbite-Tantalite as key minerals likely to be responsible for the REE mineralisation. Niobium enrichment has been observed in localised concentrations within columbite. Monazite appears to be distributed throughout the Alkaline Granite, with higher concentrations in mineralised zones. Further work is underway to better understand the local controls on mineralisation.

CEO Jeremy Bower commented:

"This is a solid result from our maiden drill campaign at Wabli Creek. These initial results show large zones of TREO mineralisation and almost exclusively within the Alkaline Granite which means the target is potentially very large, considering the size of the intrusion and the mineralisation remains open at depth. We look forward to receiving the remainder of the assays so we can understand the extent of what we have discovered."

The Company expects to receive the remainder of the results in the coming weeks and will conduct further geochemical analysis to assess the data to assist with planning the next phase works.

Level 4, 216 St Georges Terrace, Perth WA 6000 +61 6268 2641 reachresources.com.au admin@reachresources.com.au ABN 79 097 982 235

Table 1 Significant TREO intersections >1000ppm

Hole_ID	Interval (m)	Depth From	Av. Grade (ppm)	Including Interval (m)	Av. High Grade (ppm)
24WCRC001	29	31	1088		
24WCRC002	86	3	1099		
24WCRC003	21	0	1093		
24WCRC003	52	28	1154		
24WCRC004	79	0	1012		
24WCRC005	24	15	1067		
24WCRC005	33	47	1159	1	3513
24WCRC006	9	0	1055		
24WCRC006	16	14	1064	1	1504
24WCRC007	80	0	1151		
24WCRC008	80	0	1144	1	1648
24WCRC009	37	25	1165	1	1683
24WCRC010	7	8	1096		
24WCRC010	15	32	1013		
24WCRC010	8	54	1004		
24WCRC011	69	11	1102	1	1563
				1	1788
24WCRC012	10	6	1069		
24WCRC012	59	21	1081		
24WCRC013	8	0	1014		
24WCRC013	53	12	1007		
24WCRC014	15	16	1060		
24WCRC014	13	36	1082	1	2254
24WCRC014	56	56	1097		
24WCRC015	73	7	1251	1	3615
				2	6046
24WCRC016	109	11	1109	4	1677
24WCRC017	80	0	1280	3	1516
24WCRC018	12	11	1356	1	1530
				1	1579
24WCRC018	19	28	1272	4	1535
24WCRC019-040	Assays not yet returned				

Significant intercepts TREO cut off is 1000ppm >=5m intervals with high grades reported over 1500ppm (inc. <=5m internal dilution)

TREO calculation = addition of oxides of La, Ce, Pr, Nd, Pm, Sm, Eu, Gd, Tb, Dy, Ho, Er, Tm, Yb, Lu +Y

Level 4, 216 St Georges Terrace, Perth WA 6000 +61 6268 2641 reachresources.com.au admin@reachresources.com.au ABN 79 097 982 235

Table 2 Significant MREO intersections > 250ppm

Hole_ID	Interval (m)	Depth From	Av. Grade (ppm)	Including Interval (m)	Av. High Grade (ppm)
24WCRC001	2	39	254		
24WCRC002	1	4	257		
24WCRC003	1	60	265		
24WCRC004	1	78	262		
24WCRC005	1	38	267		
24WCRC005	2	60	472	1	673
24WCRC006	1	25	286		
24WCRC007	2	43	257		
24WCRC008	1	2	250		
24WCRC008	2	7	282		
24WCRC009	2	50	288		
24WCRC010	1	1	362		
24WCRC011	1	11	311		
24WCRC011	1	28	277		
24WCRC011	1	50	250		
24WCRC011	1	60	332		
24WCRC012	4	67	256		
24WCRC013	1	0	254		
24WCRC014	3	60	270		
24WCRC015	1	7	723		
24WCRC015	4	13	708	2	1208
24WCRC015	7	28	256		
24WCRC016	8	13	270		
24WCRC017	1	0	290		
24WCRC017	3	7	250		
24WCRC017	16	22	257		
24WCRC018	7	15	281		
24WCRC018	8	33	283		
24WCRC019-040	Assays not yet returned				

Significant intercepts MREO cut off is 250ppm with high grades reported over 500ppm (inc. <=3m internal dilution) MREO calculation = addition of oxides of Nd, Pr, Dy and Tb only

Level 4, 216 St Georges Terrace, Perth WA 6000 +61 6268 2641 reachresources.com.au admin@reachresources.com.au ABN 79 097 982 235

This announcement has been authorised by the Board of Reach Resources Limited

For further information please contact:

Jeremy Bower
Chief Executive Officer
Level 4, 216 St Georges Terrace
Perth, 6000 W.A
jeremy@reachresources.com.au

-ENDS-

About Reach Resources Limited

Reach Resources is a critical mineral explorer with a large portfolio of tenements in the resource rich Gascoyne Mineral Field. Recent and historical exploration results have confirmed the presence of Lithium, REE, Niobium and Manganese across the Company's land holdings.

However, the Company is distinct from other pure explorers by also having an Inferred Gold Resource at Murchison South and an investment in a downstream patented technology that recycles the rare earth elements from the permanent magnets required in electric vehicles, wind turbines, hard disk drives and MRI machines (REEcycle Inc.).

Competent Person's Statement

Information in this announcement that relates to exploration results is based on and fairly represents information and supporting documentation prepared and compiled by Mr Nicholas Revell, who is a Member of the Australian Institute of Geoscientists. Mr Revell is a part time, consulting geologist for Reach Resources Limited. Mr Revell has sufficient experience, which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person, as defined in the 2012 Edition of the Australasian Code for Reporting Exploration Results, Mineral Resources and Ore Reserves. Mr Revell consents to the inclusion in the announcement of the matters based on this information in the form and context in which it appears.

No New Information

Except where explicitly stated, this announcement contains references to prior exploration results, all of which have been cross-referenced to previous market announcements made by the Company. The Company confirms that it is not aware of any new information or data that materially affects the information included in the relevant market announcements.

Forward Looking Statement

This report contains forward looking statements concerning the projects owned by Reach Resources Limited. If applicable, statements concerning mining reserves and resources may also be deemed to be forward looking statements in that they involve estimates based on specific assumptions. Forward-looking statements are not statements of historical fact and actual events and results may differ materially from those described in the forward looking statements as a result of a variety of risks, uncertainties and other factors. Forward looking statements are based on management's beliefs, opinions and estimates as of the dates the forward looking statements are made and no obligation is assumed to update forward looking statements if these beliefs, opinions and estimates should change or to reflect other future developments.

Level 4, 216 St Georges Terrace, Perth WA 6000 +61 6268 2641 reachresources.com.au admin@reachresources.com.au ABN 79 097 982 235

Table 1 Wabli Creek - JORC 2012 Sampling Techniques and Data.

Criteria	JORC 2012 Explanation	Commentary
Sampling Techniques	The nature and quality of sampling should be clearly defined, with specific reference to the techniques used, such as cut channels, random chips, or specialized industry-standard measurement tools that are suitable for the minerals being investigated. Examples of such tools include downhole gamma sondes or handheld XRF instruments. These examples should not be viewed as an exhaustive list, as the term "sampling" encompasses a wide range of methods depending on the type of exploration and the minerals targeted. It is essential to outline the measures taken to ensure the representativity of the samples, ensuring that they accurately reflect the mineralization present. This includes proper procedures for sample collection, handling, and processing. Additionally, all measurement tools or systems used must be appropriately calibrated to meet industry standards, and the calibration process should be clearly documented to confirm the reliability and accuracy of the data. The determination of mineralization, which is material to the public report, should also be included. In cases where standard industry methods are followed, a straightforward description may suffice, such as "reverse circulation drilling was used to obtain 1-meter samples, from which 3 kg was pulverized to produce a 30 g charge for fire assay." However, where more complex sampling challenges exist—such as with coarse gold that may present inherent sampling issues—additional details may be required to explain how these challenges were addressed. For unusual commodities or mineralization types, such as submarine nodules, more detailed information on the sampling methods should be disclosed to ensure the clarity and reliability of the report.	*First phase drilling at Wabli Creek was sampled by an RC rig, using a cyclone and cone splitter into two calico bags, one was sent to the lab with the sample number printed on it, the other has the meter number written on it and stored in reserve. Each calico bag was put onto the same chute throughout the drilling program. Samples were collected at 1m intervals to collect a 2.5kg sample. The reject sample was collected by bucket and piled into rows of 10 or 20. 3013 samples from 40 drill holes were assayed for REE using the 48 element 4 acid digest exploration suite (4A/MS48; 4A/MS48R (FP6/MS33 for over range)) at Intertek labs Perth.*
	Include reference to measures taken to ensure representativity samples and the appropriate calibration of any measurement tools or systems used.	*Sampling for geochemical analysis was continuous down the length of each hole with 1 sample collected every meter. The cyclone was cleaned after every 6m rod. A geologist was supervising drilling at all times. The calico bag sent for assay was placed on the same chute on the cone splitter throughout the program.*
	Aspects of the determination of mineralisation that are Material to the Public Report.	*Significant mineralisation is determined by comparisons with other alkaline granite hosted REE deposits and the potential volume – see the significant intercept table.*
Drilling Technique	Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc.) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc.).	*A truck mounted RC percussion rig (OX SR 72) was utilised from surface to end of hole. This rig was used to drill all 40 drill holes. All RC holes were down-hole surveyed at 30-meter intervals using a North Seeking Gyro. Holes were drilled at -50° or -60° and aligned using a sighting compass.*
Drill Sample Recovery	Method of recording and assessing core and chip sample recoveries and results assessed.	*Sample recoveries were visually assessed and documented for each meter. Those few samples with poor recovery, commonly at the first three meters of the hole were added to with a spear sample, these were marked in the log.*
	Measures taken to maximise sample recovery and ensure representative nature of the samples.	*The cyclone and sample return hose were cleaned and cleared after every rod. Sample recovery was monitored by the geologist per meter interval. Sample recovery was excellent overall.*
	Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.	*No sample recovery bias is observed , mineralisation is broadly homogenous in the granite.*

Logging	Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. Whether logging is qualitative or quantitative in nature.	*Qualitative codes and descriptions were used to record geological data such as lithology, weathering, regolith, colour, chip percentage, texture, alteration, veins, minerals, prior to sampling. Radiation was quantitively measured per meter in Bq/cm2*
	Core photography	*Chip trays are photographed.*
	The total length and percentage of the relevant intersections logged.	*The total lengths of all holes have been geologically logged.*

Criteria	JORC 2012 Explanation	Commentary
Sub-sampling techniques and sample preparation	If core, whether cut or sawn and whether quarter, half or all core taken.	*No core was collected.*
	For all sample types, the nature, quality and appropriateness of the sample preparation technique.	*All pulp samples were prepared with standard crush then pulverisation techniques at Intertek Maddington (methods SP91, SP05 (for samples over 3kg)*
	Quality control procedures adopted for all sub-sampling stages to maximise representativity of samples.	*No sub sampling was done*
	Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling.	*A total of 77 field duplicate samples were inserted through the assay batch at a rate of about 1 in 40 samples or 2.5% of the total samples. Duplicate performance is yet to be determined.*
	Whether sample sizes are appropriate to the grain size of the material being sampled.	*Crystal size of the granite is broadly uniform in the biotite granite 1-3mm. Samples were cone split to ensure even distribution of grain sizes. 2.5-3kg samples are appropriate for this grain size.*
Quality of assay data and laboratory tests	The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.	*All 3013 samples were sent to Intertek Genalysis for analysis of REE's and Ag, Al, As, Ba, Be, Bi, Ca, Cd, Ce, Co, Cr, Cs, Cu, Dy, Er, Eu, Fe, Ga, Gd, Ge, Hf, Ho, In, K, La, Li, Li-Rp1, Lu, Mg, Mn, Mo, Na, Nb, Nd, Ni, P, Pb, Pr, Rb, Re, S, Sb, Sc, Se, Sm, Sn, Sr, Ta, Tb, Te, Th, Ti, Tl, Tm, U, V, W, Y, Yb, Zn, Zr using Method Multi-acid digest including Hydrofluoric, Nitric, Perchloric and Hydrochloric acids in Teflon Tubes. Analysed by Inductively Coupled Plasma Mass Spectrometry*
	For geophysical tools, spectrometers, handheld XRF instruments, etc., the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.	*Radiactive isotopes of Y/Sr 90 were measured in Bq/cm2 using a Radeye B20 for every meter interval. The device was placed on the reject sample for 20 seconds, before the reading was recorded in the log.*
	Nature of quality control procedures adopted (e.g. standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.	*A total of 76 certified reference standards, and 63 blanks were inserted evenly throughout the assay batch and at mineralised zones determined by the geologist. In addition to this, Intertek Genalysis has also included standard, duplicates and blanks to monitor the performance of the laboratory. The QAQC analysis is yet to be completed.*
Verification of sampling and assaying	The verification of significant intersections by either independent or alternative company personnel.	*Results reviewed by the Principal Geologist, the CEO and board personnel.*
	The use of twinned holes.	*No holes have been twinned*

	Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.	*Primary data is stored both in its source electronic form. Assay data is retained in both the original certificate (.pdf) form, where available, and the csv files received from the laboratory. Primary data was entered in the field into a portable logging device using standard drop-down codes. At this early stage, text data files are exported and stored in a database on the company server which is backed-up to cloud-based storage each day. Micromine software is used to check and validate drill-hole data.*
	Discuss any adjustment to assay data.	*Rare earth elements are reported as the elemental concentration. The rare earth elements were converted to the industry standard rare earth oxide format using the conversion factors available below which are based on the molar mass of each rare earth oxide.* *Rare earth abbreviations typically used in industry reporting and throughout this report were:* *REE - Rare Earth Elements, value presented as elemental assay.* *REO - Rare Earth Oxides, value presented as oxide assay.*

Criteria	JORC 2012 Explanation	Commentary
		TREE - La, Ce, Pr, Nd, Sm, Eu, Gd, Tb, Dy, Ho, Er, Tm, Yb, Lu plus Y and Sc. *MREE – Pr, Nd, Tb, Dy.* *LREE - La, Ce, Pr, Nd and Sm.* *HREE - Eu, Gd, Tb, Dy, Ho, Er, Tm, Yb, Lu plus Y.* *TREO - La_2O_3, CeO_2, Pr_6O_{11}, Nd_2O_3, Sm_2O_3, Eu_2O_3, Gd_2O_3, Tb_4O_7, Dy_2O_3, Ho_2O_3, Er_2O_3, Tm_2O_3, Yb_2O_3, Lu_2O_3 plus Y_2O_3* *MREO - Pr_6O_{11}, Nd_2O_3, Tb_4O_7, Dy_2O_3* *LREO - La_2O_3, CeO_2, Pr_6O_{11}, Nd_2O_3, Sm_2O_3* *HREO - Eu_2O_3, Gd_2O_3, Tb_4O_7, Dy_2O_3, Ho_2O_3, Er_2O_3, Tm_2O_3, Yb_2O_3, Lu_2O_3 plus Y_2O_3* *Calculations of REE to their oxide are made using the following conversions Y: 1.269, La: 1.173, Ce: 1.228, Pr: 1.208, Nd: 1.166, Sm: 1.160, Eu: 1.158, Gd: 1.153, Tb: 1.176, Dy: 1.148, Ho: 1.146, Er: 1.143, Tm: 1.142, Yb: 1.139, Lu: 1.137.* *MREO is calculated by adding Nd_2O_3, Pr_6O_{11}, Dy_2O_3, Tb_4O_7.* *HREO is calculated by adding together Y_2O_3, Tb_4O_7, Dy_2O_3, Ho_2O_3, Er_2O_3, Tm_2O_3, Yb_2O_3, Lu_2O_3, LREO is calculated by adding together La_2O_3, CeO_2, Pr_6O_{11}, Nd_2O_3, Sm_2O_3* *TREO is calculated by adding all the REO.*
Location of data points	Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.	*The collar positions were surveyed by Handheld GPS using GDA2020, Zone 50 datum. GPS locations are accurate to ~3m.*
	Specification of the grid system used.	*GDA2020 Zone 50 datum.*
	Quality and adequacy of topographic control.	*Relative level was recorded from the GPS*
Data spacing and distribution	Data spacing for reporting of Exploration Results.	*Due to the potentially localized nature of the mineralisation initially hypothesized to be in association with pegmatites the drill hole spacing was set at 40m and locally adjusted to intercept the pegmatites. The drill line spacing was set at 100m at Pelops and 300m at Amphion and Broteas*
	Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.	*The drill spacing is sufficient to establish the degree of geological and grade continuity appropriate for an early-stage resource estimation.*

	Whether sample compositing has been applied.	*Sample compositing was not applied*

Criteria	JORC 2012 Explanation	Commentary
Orientation of data in relation to geological structure	Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.	*Drill orientation was set to intercept pegmatites perpendicular to their strike. In Pelops the strike of the pegmatites on average 165° but the dip was unknown. The holes were planned at an azimuth of 255° and changed to 075° after it was determined the dip is to the SW. In Amphion the drill hole azimuth was set to 150° and in Broteas 090° and 270° which successfully intercepted the pegmatite as perpendicular as is practicable. Dip was either -50° or -60° increasing the chance of near perpendicular interception of pegmatites.*
	If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.	*This is yet to be determined*
Sample security	The measures taken to ensure sample security.	*Samples were packed into polyweave bags immediately after logging and cable tied shut. The samples were then put into bulka bags at the end of the day. Bulka bags were freighted to Intertek labs using private courier.*
Audits or reviews	The results of any audits or reviews of sampling techniques and data.	*No external audits or reviews have yet been completed*

Appendix 1: Table 2 Wabli Creek - JORC 2012 Reporting of Exploration Results

Criteria	JORC 2012 Explanation	Commentary
Mineral tenement and land tenure status	Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.	*Wabli Creek drilling is located within E09/2377 situated in the Gascoyne, 30km southeast of Yinnetharra Station.*
	The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.	*E09/2377 is 100% owned by Critical Elements Pty Ltd which is a wholly owned subsidiary of Reach Resources Ltd.*
Exploration done by other parties	Acknowledgment and appraisal of exploration by other parties.	*No previous drilling by other parties has been directed towards REE, however U3O8 Ltd explored for uranium from 2007 and 2011, Avocet Resources Ltd also explored for uranium from 2012 – 2013 and Mineral developments Pty Ltd explored for Beryl, Lithium, REE collecting rock chip samples, reviewing data but no drilling.*
Geology	Deposit type, geological setting and style of mineralisation.	*The Mount Phillips area in the Gascoyne Province showcases a complex geological history spanning the Archaean to Phanerozoic eons. The Archaean biotite gneiss, over 2.5 billion years old, forms the basement rock. Proterozoic sediments underwent deformation and metamorphism during orogenic events, forming the Morrissey Metamorphic Suite (1.8–2.0 billion years ago). Late Proterozoic fluvial sediments in the Mount James Formation and Bangemall Basin were deposited in grabens and folded terrains. The Phanerozoic Carnarvon Basin, with sediments younger than 541 million years, unconformably overlies older rocks, reflecting ongoing tectonic activity and faulting into the Phanerozoic.* *The granites in E09/2377 and surrounding are alkaline granites with a potential for REE, gems, tantalum, niobium and uranium. The nature of the mineralisation is in the process of being determined, however, preliminary analysis indicates broad REE enrichment in the alkaline granite with possible local enrichment associate with some pegmatites.*

Criteria	JORC 2012 Explanation	Commentary
Drill hole Information	A summary of all information material to the understanding of the exploration results including a tabulation of survey information for all Material drill holes:	*Refer to figures and tables in this announcement.*
Data aggregation methods	In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated.	*No data aggregation methods have been applied*
	The assumptions used for any reporting of metal equivalent values should be clearly stated.	*No metal equivalent values have been applied*
Relationship between mineralisation widths and intercept lengths	These relationships are particularly important in the reporting of Exploration Results. If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known').	*At this stage of exploration insufficient data exists to confidently estimate a relationship between mineralisation widths and intercept widths.*
Diagrams	Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.	*Cross section diagrams are in the process of being drafted*
Balanced reporting	Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.	*See text and tables to this announcement*
Other substantive exploration data	Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater,	*Petrological study of surface samples show the presence of monazite, zircon and trace pyrochlore. Monazite is thought to be the mineral responsible for the REE concentrations as other REE minerals have not been identified to this point. Zircon exists as an accessory mineral. Thorium is elevated in the alkaline granite giving readings typically between 0.9 and 1.1 Bq/cm2.* *No density or metallurgical testing has been conducted*

Criteria	JORC 2012 Explanation	Commentary
	geotechnical and rock characteristics; potential deleterious or contaminating substances.	
Further work	The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large-scale step-out drilling).	*This will be determined once all results are returned.*

Appendix A

Project	HOLE_ID	SAMPLEID	East	North	FROM	TO	Ce-ppm	Cs-ppm	Dy-ppm	Er-ppm	Gd-ppm	Ho-ppm	La-ppm	Lu-ppm	Nb-ppm	Nd-ppm	Pr-ppm	Sm-ppm	Ta-ppm	Tb-ppm	Ti-pct	Tm-ppm	Y-ppm	Yb-ppm	Zr-ppm	HREO	LREO	TREO	MREO
Wabli	24WCRC001	24RRC0001	426389.00	7247488.00	0	1	298.81	8.77	10.39	6.2	10.34	2.06	127.57	1.1	31.92	82.92	25.18	13.33	2.56	1.64	0.104	1.02	58.72	7.18	181.8	108.4631	672.1655	780.6286	140.9939
Wabli	24WCRC001	24RRC0002	426389.00	7247488.00	1	2	337.67	8.99	15.48	9.31	15.84	3.09	199.89	1.53	33.91	126.17	38.26	20.07	2.71	2.4	0.102	1.46	95.49	10.11	166.1	170.957	885.5128	1056.4699	213.9796
Wabli	24WCRC001	24RRC0003	426389.00	7247488.00	2	3	336.27	9.22	14.69	8.81	15.01	2.91	187.7	1.45	34.23	119.83	36.64	19.08	2.77	2.36	0.102	1.38	84	9.51	176.5	153.7687	858.0746	1011.8433	203.6737
Wabli	24WCRC001	24RRC0004	426389.00	7247488.00	3	4	256.89	8.07	11.63	7.16	11.67	2.35	138.07	1.22	29.12	89.99	27.5	14.82	2.28	1.85	0.088	1.19	70.28	8.02	123.6	127.5304	647.5082	775.0386	153.7135
Wabli	24WCRC001	24RRC0005	426389.00	7247488.00	4	5	298.17	7.37	11.97	7.44	11.62	2.42	157.34	1.43	32	89.58	27.11	14.24	2.76	1.84	0.101	1.22	70.72	8.49	157	129.6762	719.0747	848.751	153.1425
Wabli	24WCRC001	24RRC0006	426389.00	7247488.00	5	6	341.72	6.24	13.79	8.2	14.54	2.69	185.7	1.41	42.92	117.77	36.13	18.9	2.88	2.23	0.092	1.29	80.22	9.04	181.3	146.1496	858.677	1004.8266	199.4689
Wabli	24WCRC001	24RRC0007	426389.00	7247488.00	6	7	361.24	7.51	12.8	6.79	14.95	2.34	201.82	1.11	34.3	125.27	38.48	20.07	2.51	2.22	0.099	1.09	65.33	9.2	158.5	123.6922	915.0797	1038.7719	209.9081
Wabli	24WCRC001	24RRC0008	426389.00	7247488.00	7	8	281.8	9.46	12.22	6.97	12.85	2.36	148.17	1.2	33.49	101.69	30.87	16.45	2.79	2	0.107	1.12	62.54	7.65	163.7	117.8251	711.116	828.9411	172.2856
Wabli	24WCRC001	24RRC0009	426389.00	7247488.00	8	9	256.5	7.24	12.32	7.43	11.82	2.45	133.79	1.31	33.34	92.51	27.53	15.06	2.81	1.88	0.104	1.22	66.31	8.41	178.7	124.32	645.2974	769.6175	157.5163
Wabli	24WCRC001	24RRC0010	426389.00	7247488.00	9	10	205.35	7.33	10.02	6.17	9.44	2	108.45	1.05	29.23	73.71	22.28	11.97	2.38	1.53	0.083	0.99	55.06	6.93	143.5	102.7824	518.0144	620.7969	126.1935
Wabli	24WCRC001	24RRC0011	426389.00	7247488.00	10	11	272.16	7.2	12.8	8.04	12.15	2.57	148.23	1.33	30.06	95.11	28.96	15.25	2.5	1.93	0.088	1.27	72.83	8.69	154.5	134.4432	686.9099	821.3531	162.8864
Wabli	24WCRC001	24RRC0012	426389.00	7247488.00	11	12	308.57	7.04	13.1	7.76	13.44	2.58	171.75	1.32	31.25	107.36	33.02	17.44	2.53	2.07	0.093	1.24	74.28	8.52	150.8	136.2456	782.5987	918.8443	182.589
Wabli	24WCRC001	24RRC0013	426389.00	7247488.00	12	13	301.91	8.28	13.46	7.97	13.22	2.61	167.63	1.34	32.62	106.32	32.54	16.93	2.62	2.07	0.097	1.27	75.07	8.63	161.6	138.1187	766.9252	905.044	181.2092
Wabli	24WCRC001	24RRC0014	426389.00	7247488.00	13	14	339.82	10.81	14.54	8.53	14.39	2.87	188.08	1.45	36.45	117.41	36.24	19.23	3.12	2.26	0.104	1.33	80.14	9.41	164.8	148.0401	859.0457	1007.0858	200.0779
Wabli	24WCRC001	24RRC0015	426389.00	7247488.00	14	15	294.56	9.87	13.59	8.24	13.08	2.72	162.31	1.36	32.94	101.23	31.6	16.86	2.74	2.07	0.096	1.32	79.53	9.02	150.7	144.8904	744.389	889.2794	174.2857
Wabli	24WCRC001	24RRC0016	426389.00	7247488.00	15	16	228.98	8.39	10.54	6.36	10.36	2.1	121.91	1.08	29.76	80.91	24.51	13.24	2.46	1.63	0.086	1.02	59.43	7.11	140	109.6514	576.5778	686.2293	138.0003
Wabli	24WCRC001	24RRC0017	426389.00	7247488.00	16	17	356.93	9.92	15.8	9.42	15.24	3.13	197.35	1.61	38.63	123.11	38.17	19.83	3.43	2.38	0.11	1.49	87.19	10.66	199.7	161.6837	901.5779	1063.2617	210.6455
Wabli	24WCRC001	24RRC0018	426389.00	7247488.00	17	18	351.25	9.98	16.45	10.05	15.6	3.28	196.04	1.74	38.74	122.78	37.48	19.52	3.68	2.48	0.109	1.64	94.21	11.49	204.1	173.6185	891.9712	1065.5898	210.2905
Wabli	24WCRC001	24RRC0019	426389.00	7247488.00	18	19	321.96	8.23	13.28	7.83	13.32	2.65	180.34	1.32	32.24	111.16	34.4	17.76	2.65	2.08	0.097	1.26	72.68	8.65	165.3	134.7632	815.4987	950.262	188.907
Wabli	24WCRC001	24RRC0020	426389.00	7247488.00	19	20	280.36	8.47	12.75	7.76	12.28	2.54	152.88	1.35	33.19	98.74	30.17	15.75	2.74	1.95	0.1	1.27	73.11	8.78	157.3	134.5356	708.9537	843.4893	168.5484
Wabli	24WCRC001	24RRC0021	426389.00	7247488.00	20	21	281.04	7.94	11.83	7.02	11.98	2.31	154.09	1.17	29.79	97.42	29.86	15.57	2.39	1.86	0.093	1.12	65.31	7.73	141.2	120.7873	708.7277	829.5151	165.4725
Wabli	24WCRC001	24RRC0022	426389.00	7247488.00	21	22	254.49	7.63	11.65	7.04	11.08	2.36	138.15	1.23	28.09	88.54	27.25	14.36	2.23	1.78	0.087	1.16	69.58	8.11	141.3	126.5359	641.3894	767.9253	151.6608
Wabli	24WCRC001	24RRC0023	426389.00	7247488.00	22	23	328.39	8.62	14.07	8.28	13.98	2.78	184.02	1.39	33.57	112.68	35	18.39	2.79	2.18	0.101	1.35	79.24	9.01	170.1	145.3738	831.7596	977.1335	192.4292
Wabli	24WCRC001	24RRC0024	426389.00	7247488.00	23	24	307.36	8.6	12.73	7.61	12.98	2.52	170.43	1.28	31.33	106.78	33	16.74	2.41	1.97	0.099	1.2	72.29	8.32	147.1	132.617	777.5218	910.1389	181.3461
Wabli	24WCRC001	24RRC0025	426389.00	7247488.00	24	25	332.92	8.95	14.12	8.6	14.23	2.78	183.85	1.47	32.93	115.51	35.44	18.59	2.71	2.19	0.101	1.38	82.07	9.6	173.2	150.1998	841.4654	991.6653	196.3308
Wabli	24WCRC001	24RRC0026	426389.00	7247488.00	25	26	334.48	9.21	13.94	8.26	14.15	2.74	186.58	1.4	32.06	114.82	35.44	18.16	2.56	2.18	0.102	1.32	79.18	9.3	173.6	145.3871	845.1877	990.5748	195.3077
Wabli	24WCRC001	24RRC0027	426389.00	7247488.00	26	27	354.14	9.47	15.28	8.49	14.77	2.85	198.79	1.43	36.18	123.77	37.97	19.55	3.19	2.29	0.114	1.37	77.8	10.23	163.7	146.8411	899.5132	1046.3544	210.471
Wabli	24WCRC001	24RRC0028	426389.00	7247488.00	27	28	338.73	9.31	14.08	8.4	14.53	2.73	188.06	1.43	34.8	118.24	36.29	18.5	2.79	2.18	0.11	1.36	79.06	9.33	174.3	145.658	858.0267	1003.6848	200.4844
Wabli	24WCRC001	24RRC0029	426389.00	7247488.00	28	29	332.53	9.29	14.39	8.73	14.27	2.83	179.34	1.5	33.94	116.23	35.48	18.48	2.86	2.25	0.106	1.37	80.72	9.73	193.1	149.2425	836.4806	985.7232	197.5994
Wabli	24WCRC001	24RRC0030	426389.00	7247488.00	29	30	320.03	9.38	12.86	7.3	13.13	2.45	177.04	1.23	33.27	110.8	34.27	17.66	2.64	1.98	0.106	1.18	69.11	8.2	166.2	128.0887	808.3807	936.4694	187.7304
Wabli	24WCRC001	24RRC0031	426389.00	7247488.00	30	31	288.28	9.46	12.29	7.22	12.48	2.43	155.03	1.23	33.58	102.12	31.22	16.37	2.54	1.92	0.106	1.18	67.25	8.16	157.9	124.842	727.4218	852.2638	173.1963
Wabli	24WCRC001	24RRC0032	426389.00	7247488.00	31	32	344.05	10.09	14.34	8.58	14.38	2.81	192.77	1.45	36.16	119.33	36.77	19.13	2.88	2.23	0.113	1.35	80.21	9.43	176	147.8982	872.5173	1020.4156	202.6929
Wabli	24WCRC001	24RRC0033	426389.00	7247488.00	32	33	340.51	10.06	14.43	8.65	14.18	2.88	190.7	1.51	35.64	117.66	36.12	18.53	2.75	2.23	0.117	1.39	82.35	9.73	191.5	151.3349	862.0356	1013.3705	200.063
Wabli	24WCRC001	24RRC0034	426389.00	7247488.00	33	34	344.76	9.83	14.35	8.62	14.49	2.86	191.7	1.49	34.79	119	36.93	18.79	2.85	2.23	0.115	1.37	81.83	9.73	166	150.4799	871.6639	1022.1438	202.5128
Wabli	24WCRC001	24RRC0035	426389.00	7247488.00	34	35	392.51	9.03	17.32	10.07	16.66	3.38	219.49	1.72	38.91	137.46	41.92	21.76	3.24	2.56	0.117	1.64	97.02	11.25	201.1	178.121	996.5405	1174.6615	233.8703
Wabli	24WCRC001	24RRC0036	426389.00	7247488.00	35	36	358.3	8.48	15.74	9.04	14.98	3.08	201.71	1.53	35.45	124.88	38.34	19.56	2.84	2.34	0.111	1.42	89.26	10.16	182	162.9644	910.066	1073.0305	212.7995
Wabli	24WCRC001	24RRC0037	426389.00	7247488.00	36	37	343.48	8.92	14.37	8.73	14.56	2.91	191.92	1.52	32.94	118.66	36.54	18.87	2.6	2.29	0.104	1.4	85.3	9.54	181.2	155.0151	869.6553	1024.6704	201.7385
Wabli	24WCRC001	24RRC0038	426389.00	7247488.00	37	38	277.05	10.6	12.49	7.35	12.07	2.43	154.19	1.26	29.07	96.85	29.58	15.53	2.47	1.92	0.086	1.18	71.88	8.06	132.2	131.0201	703.0562	834.0763	165.2974
Wabli	24WCRC001	24RRC0039	426389.00	7247488.00	38	39	376.29	8.91	16.35	9.93	16.17	3.29	209.11	1.7	36.27	129.82	40.12	20.53	2.88	2.52	0.118	1.59	100.91	10.83	201.6	181.0793	951.3435	1132.4228	221.6239
Wabli	24WCRC001	24RRC0040	426389.00	7247488.00	39	40	424.65	9.96	18.4	10.93	18.04	3.65	237.91	1.86	41.34	148.79	45.29	23.34	3.28	2.8	0.137	1.75	106.23	12.18	251.3	193.975	1078.3886	1272.3637	252.679
Wabli	24WCRC001	24RRC0041	426389.00	7247488.00	40	41	433.23	9.07	18.3	10.84	17.74	3.67	240.5	1.83	44.56	149.47	46.08	23.67	3.96	2.88	0.142	1.75	104.36	12.11	228.9	191.3858	1093.7263	1285.1122	254.406
Wabli	24WCRC001	24RRC0042	426389.00	7247488.00	41	42	387.16	9.49	17.05	10.63	16.43	3.51	213.55	1.78	40.02	130.87	40.94	21.21	3.33	2.6	0.137	1.7	104.3	11.83	192.9	188.6895	973.206	1161.8955	224.7368
Wabli	24WCRC001	24RRC0043	426389.00	7247488.00	42	43	411.62	9.72	17.94	10.8	17.4	3.51	230.71	1.81	39.17	142.59	43.47	22.41	3.18	2.76	0.126	1.71	107.6	11.89	223.3	194.398	1042.6699	1237.0679	242.6734
Wabli	24WCRC001	24RRC0044	426389.00	7247488.00	43	44	400.22	9.4	17.81	10.59	17.49	3.5	225.01	1.8	38.92	139.63	43.13	22.51	3.18	2.74	0.127	1.69	105.38	11.61	205.6	190.8015	1018.4081	1209.2096	238.6374
Wabli	24WCRC001	24RRC0045	426389.00	7247488.00	44	45	382.45	10.51	17.52	10.49	16.3	3.42	211.79	1.76	40.3	131.73	41.02	21.34	3.21	2.62	0.129	1.69	103.82	11.78	226.1	188.2886	966.4804	1154.769	226.3995
Wabli	24WCRC001	24RRC0046	426389.00	7247488.00	45	46	384.09	9.58	16.54	9.95	16.47	3.25	213.81	1.69	36.87	131.78	40.85	20.93	2.97	2.54	0.123	1.58	98.97	11	209.2	179.0051	970.4141	1149.4193	225.0336
Wabli	24WCRC001	24RRC0047	426389.00	7247488.00	46	47	377.8	8.96	16.95	10.54	16.5	3.42	211.23	1.82	36.53	130.32	40.3	20.87	3.11	2.61	0.124	1.7	107.85	11.51	197.1	192.5697	957.3062	1149.8759	223.2191
Wabli	24WCRC001	24RRC0048	426389.00	7247488.00	47	48	399.76	8.96	17.46	10.53	17.12	3.42	220.22	1.82	37.54	138.64	42.89	22.18	3.1	2.69	0.129	1.65	112.48	11.61	207	199.1741	1009.8789	1209.053	236.7322
Wabli	24WCRC001	24RRC0049	426389.00	7247488.00	48	49	379	6.37	15.33	8.82	16.03	2.97	209.52	1.49	36.94	133.4	40.78	21.15	3.03	2.42	0.116	1.41	85.22	9.78	227.1	156.5904	960.7301	1117.3205	225.3088
Wabli	24WCRC001	24RRC0052	426389.00	7247488.00	49	50	344.24	5.82	13.53	7.84	14.07	2.63	192.43	1.3	35.44	120.07	37.06	19.31	2.84	2.15	0.112	1.26	71.06	8.7	202.7	133.0979	873.4285	1006.5264	202.8827
Wabli	24WCRC001	24RRC0053	426389.00	7247488.00	50	51	309.61	6.79	13.02	7.8	12.96	2.61	174.7	1.33	28.96	107.22	33.23	17.16	2.42	2.06	0.097	1.23	76.72	8.55	164.4	139.3548	786.5021	925.8569	182.5759
Wabli	24WCRC001	24RRC0054	426389.00	7247488.00	51	52	368.26	7.21	15.56	9.36	15.71	3.12	205.15	1.55	35.34	127.08	39.18	20.09	2.95	2.44	0.119	1.47	91.1	10.41	207.1	165.9884	931.3944	1097.3828	216.2915
Wabli	24WCRC001	24RRC0055	426389.00	7247488.00	52	53	362.08	9.68	14.77	9.62	14.38	3	184.42	1.61	37.11	115.6	35.62	18.57	2.93	2.32	0.119	1.52	90.59	10.36	185.8	164.5211	878.4233	1042.9445	197.5522
Wabli	24WCRC001	24RRC0057	426389.00	7247488.00	53	54	382.67	9.86	15.46	9.82	14.94	3.12	197.45	1.62	40.25	120.28	37.43	19.21	3.17	2.4	0.126	1.56	93.23	10.8	219.9	169.6839	928.0519	1097.7359	206.0838
Wabli	24WCRC001	24RRC0058	426389.00	7247488.00	54	55	385.95	7.13	15.28	9.98	15.05	3.2	198.6	1.66	38.19	122.58	38.26	19.35	3.09	2.39	0.118	1.58	94.02	10.97	212	171.0053	937.4273	1108.4326	209.551
Wabli	24WCRC001	24RRC0059	426389.00	7247488.00	55	56	364.58	10.39	14.19	8.83	14.56	2.81	189.26	1.5	42.91	116.22	36.06	18.71	3.26	2.22	0.129	1.42	84.12	9.84	207.6	153.5692	888.7487	1042.3179	198.0237
Wabli	24WCRC001	24RRC0060	426389.00	7247488.00	56	57	350.68	11.24	13.03	8.37	13.34	2.64	181.77	1.35	41.01	112.79	34.79	17.68	3.04	2.08	0.127	1.33	75.2	8.83	164.3	138.6015	854.7669	993.3684	190.9925
Wabli	24WCRC001	24RRC0061	426389.00	7247488.00	57	58	358.09	12.28	13.76	8.55	13.75	2.72	185.12	1.38	43.51	114.98	35.46	18	3.12	2.19	0.136	1.36	76.95	9.24	185.8	142.6237	872.0166	1014.6404	195.3236
Wabli	24WCRC001	24RRC0062	426389.00	7247488.00	58	59	313.78	12.44	11.87	7.34	11.9	2.39	162.51	1.18	42.36	98.82	30.72	16	2.93	1.87	0.139	1.13	68.25	7.72	162	125.0475	761.9536	887.0011	168.2022
Wabli	24WCRC001	24RRC0063	426389.00	7247488.00	59	60	382.52	11.09	14.54	9.24	14.68	2.95	197.94	1.5	36.29	121.17	37.75	19.28	2.97	2.27	0.113	1.7	89.17	9.99	176.6	161.5625	929.7991	1091.3616	206.2997
Wabli	24WCRC002	24RRC0064	426500.00	7247526.00	0	1	255.95	5.43	12.35	7.82	12.98	2.53	154.84	1.27	21.33	98.72	29.3	15.95	2.12	1.97	0.23	1.24	78.58	8.31	150.2	140.4431	681.5349	821.9781	167.0384
Wabli	24WCRC002	24RRC0065	426500.00	7247526.00	1	2	236.13	5.57	11.97	7.94	11.79	2.47	137	1.33	20.42	87.01	25.98	13.97	1.82	1.84	0.164	1.25	81.6	8.6	157.9	144.1675	614.8141	758.9817	148.7796
Wabli	24WCRC002	24RRC0066	426500.00	7247526.00	2	3	175.42	4.17	8.74	5.85	9.29	1.87	104.5	0.95	14.83	67.18	20.05	11.14	1.34	1.4	0.176	0.89	60.34	6.01	118.1	106.0752	465.4273	571.5025	114.2607
Wabli	24WCRC002	24RRC0067	426500.00	7247526.00	3	4	398.59	9	16.3	10.56	16.37	3.34	211.91	1.78	36.08	130.4	39.97	20.71	3.13	2.56	0.136	1.67	104.42	11.47	195.7	187.2151	983.0224	1170.2375	222.1088
Wabli	24WCRC002	24RRC0068	426500.00	7247526.00	4	5	468.93	10.04	18.91	12.21	18.85	3.81	245.88	2.04	42.75	150.58	46.86	23.99	3.82	2.99	0.141	1.96	119.25	13.15	270.1	214.514	1147.8665	1362.3805	257.4726
Wabli	24WCRC002	24RRC0069	426500.00	7247526.00	5	6	425.71	9.82	16.36	10.39	16.49	3.34	222.36	1.77	38.61	135.78	42.41	21.09	4.1	2.6	0.151	1.63	94.37	11.33	226.4	174.1576	1038.4035	1212.5611	231.448
Wabli	24WCRC002	24RRC0070	426500.00	7247526.00	6	7	376.14	9.62	14.69	9.17	14.42	2.94	195.09	1.6	35.37	118.86	36.95	18.68	3.05	2.3	0.115	1.47	84.52	10.3	194	155.9774	913.8132	1069.7906	202.8462
Wabli	24WCRC002	24RRC0071	426500.00	7247526.00	7	8	353.49	8.85	13.98	9.13	13.9	2.82	185.14	1.54	36.15	111.77	34.97	17.81	3.34	2.15	0.116	1.48	88.23	10.29	187.3	159.446	862.0526	1021.4987	191.1929
Wabli	24WCRC002	24RRC0072	426500.00	7247526.00	8	9	404.74	10.99	15.35	10.31	15.39	3.1	212.94	1.7	38.62	129.1	39.8	20.23	3.26	2.45	0.126	1.59	95.45	10.85	181.7	173.1552	988.284	1161.4392	219.1674
Wabli	24WCRC002	24RRC0073	426500.00	7247526.00	9	10	412.11	11.19	16.45	10.88	15.84	3.4	216.22	1.8	42.63	131.97	40.71	20.91	3.62	2.52	0.134	1.7	99.63	11.79	235.5	182.1134	1006.9375	1189.051	224.9593
Wabli	24WCRC002	24RRC0074	426500.00	7247526.00	10	11	413.64	11.01	16.4	10.91	15.89	3.35	217.07	1.83	40.61	130.7	40.88	20.98	3.44	2.53	0.131	1.71	102.2	11.97	255.8	185.5589	1008.6882	1194.2471	223.6377
Wabli	24WCRC002	24RRC0075	426500.00	7247526.00	11	12	344.03	10.45	12.93	8.13	13.14	2.57	180.1	1.4	33.81	109.14	34.46	17.21	2.97	2.05	0.109	1.31	76.23	9.01	187.6	139.6438	839.1506	978.7944	186.1864
Wabli	24WCRC002	24RRC0076	426500.00	7247526.00	12	13	334.41	8.28	15.25	10.48	13.8	3.15	173.41	2.2	39.86	106.87	33.12	17.26	5.07	2.3	0.105	1.79	87.25	13.69	199.5	166.7334	816.0635	982.7969	184.8764
Wabli	24WCRC002	24RRC0077	426500.00	7247526.00	13	14	455.81	7.45	15.32	9.27	16.35	2.98	236.34	1.55	40.48	142.49	45.08	22.47	3.36	2.47	0.14	1.49	87.61	10.18	249.4	160.8139	1104.3087	1265.1226	241.1539
Wabli	24WCRC002	24RRC0078	426500.00	7247526.00	14	15	406.31	8.3	14.14	8.92	14.77	2.85	212.24	1.48	35.97	127.75	39.67	19.66	3	2.27	0.127	1.44	88.1	9.92	226	158.8647	986.3536	1145.2184	215.8353
Wabli	24WCRC002	24RRC0079	426500.00	7247526.00	15	16	416.28	10.45	13.97	8.54	14.94	2.78	218.34	1.41	36.36	130.42	40.94	20.14	2.9	2.27	0.136	1.34	86.02	9.29	236.8	154.6023	1011.0856	1165.688	220.2889
Wabli	24WCRC002	24RRC0080	426500.00	7247526.00	16	17	427.21	10.67	14.31	8.77	15.39	2.84	222.84	1.53	37.79	135.35	41.98	20.66	3.31	2.32	0.129	1.41	87.44	9.65	251.2	157.8127	1037.9287	1195.7414	227.7448
Wabli	24WCRC002	24RRC0081	426500.00	7247526.00	17	18	438.56	10.96	14.98	9.22	15.63	3	228.07	1.57	39.95	138.79	43.06	21.3	3.44	2.39	0.141	1.48	91.97	10.14	241	165.7979	1064.4554	1230.2533	233.9134
Wabli	24WCRC002	24RRC0082	426500.00	7247526.00	18	19	449.83	10.31	14.91	9.45	16.1	3.03	233.6	1.62	38.68	142.38	44.33	21.64	3.37	2.42	0.14	1.5	91.92	10.56	234.8	166.5446	1091.4302	1257.9748	239.5901
Wabli	24WCRC002	24RRC0083	426500.00	7247526.00	19	20	419.56	9.63	14.58	9.3	15.09	2.95	218.96	1.59	37.47	131.66	40.8	20.08	3.47	2.3	0.13	1.51	89.64	10.47	235.8	162.741	1017.2337	1179.9747	222.3015
Wabli	24WCRC002	24RRC0084	426500.00	7247526.00	20	21	414.52	10.12	14.52	9.16	15.14	2.97	216.11	1.58	38.06	131.38	40.65	20.28	3.44	2.34	0.137	1.45	90.88	10.28	232.2	163.8605	1007.4591	1171.3196	221.7718
Wabli	24WCRC002	24RRC0085	426500.00	7247526.00	21	22	457.56	9.35	15.65	9.92	16.68	3.77	241.12	1.75	38.98	144.96	44.94	22.2	3.59	2.5	0.142	1.56	96.8	11.1	239.3	175.9015	1114.797	1290.6985	244.2798
Wabli	24WCRC002	24RRC0086	426500.00	7247526.00	22	23	414.19	8.96	14.53	9.05	15.25	2.92	217.63	1.59	34.59	131.29	40.69	20.17	3.08	2.3	0.128	1.47	91.9	10.31	224.7	165.0055	1008.8716	1173.8772	221.6796
Wabli	24WCRC002	24RRC0087	426500.00	7247526.00	23	24	407.64	10.39	14.23	9.09	15.11	2.9	212.46	1.58	37.4	128.35	40.23	19.77	3.53	2.28	0.135	1.46	89.42	10.23	217.9	161.3973	990.1064	1151.5037	217.3268
Wabli	24WCRC002	24RRC0088	426500.00	7247526.00	24	25	435.43	11.34	14.91	9.6	15.49	3.04	227.99	1.6	39.53	137.32	42.51	21.08	3.61	2.39	0.141	1.5	89.71	10.46	255.7	163.7492	1057.6751	1221.4244	231.4539
Wabli	24WCRC002	24RRC0089	426500.00	7247526.00	25	26	444.78	10.21	14.76	8.97	15.87	3.04	233.05	1.5	39.64	139.6	43.79	21.6	3.67	2.39	0.141	1.42	87.91	9.89	244.7	159.7167	1080.3062	1240.023	235.4876
Wabli	24WCRC002	24RRC0090	426500.00	7247526.00	26	27	437.46	11.17	15.04	9.19	15.77	2.98	227.48	1.58	39.57	136.64	42.66	20.73	3.63	2.4	0.139	1.46	87.86	10.25	232.7	160.7158	1058.8407	1219.5565	231.0029
Wabli	24WCRC002	24RRC0091	426500.00	7247526.00	27	28	420.1	10.31	14.54	9.15	15.5	2.94	219.08	1.56	41.84	132	40.93	20.04	3.65	2.36	0.14	1.45	88.23	10.18	238.9	160.3593	1018.9943	1179.3537	222.8798
Wabli	24WCRC002	24RRC0092	426500.00	7247526.00	28	29	384.11	10.18	14.21	9.18	14.59	2.92	200.88	1.63	37.98	120.56	37.94	18.77	3.25	2.21	0.125	1.48	88.63	10.13	200.2	160.3804	933.9073	1094.2877	205.3685
Wabli	24WCRC002	24RRC0093	426500.00	7247526.00	29	30	412.69	11.28	15.46	9.77	15.69	3.13	214.64	1.67	39.65	131.18	40.57	20.49	3.55	2.39	0.132	1.55	96.39	10.8	199.6	173.6848	1004.0811	1177.7659	222.5795
Wabli	24WCRC002	24RRC0094	426500.00	7247526.00	30	31	438.2	10.87	14.81	9.26	16.12	2.96	227.92	1.59	38.15	135.87	42.67	21.14	3.31	2.43	0.137	1.44	92.41	10.05	239.9	166.0831	1060.27	1226.3531	229.8882
Wabli	24WCRC002	24RRC0095	426500.00	7247526.00	31	32	451.27	13.87	15.69	9.88	16.35	3.15	233.64	1.68	40.14	142.36	44.3	21.68	3.61	2.51	0.139	1.58	94.25	10.83	251.8	171.6008	1093.4629	1265.0637	240.5316
Wabli	24WCRC002	24RRC0096	426500.00	7247526.00	32	33	435.41	9.91	15.25	9.29	15.62	2.99	228.63	1.58	39.11	138.67	42.61	21.09	3.38	2.41	0.137	1.51	88.49	10.28	229	161.9857	1060.2928	1222.2785	233.5631
Wabli	24WCRC002	24RRC0097	426500.00	7247526.00	33	34	443.44	10.43	15.24	9.52	16.22	3.02	231.95	1.63	39.96	139.78	43.71	21.61	3.51	2.44	0.135	1.48	89.93	10.35	247.5	164.2378	1077.968	1242.2058	236.2106

Wabli	24WCRC002	24RRC0098	426500.00	7247526.00	34	35	458.46	10.72	15.77	9.46	16.41	3.09	240.34	1.58	41.11	144.26	45.12	22.25	3.59	2.52	0.142	1.48	92.34	10.39	236.6	168.0009	1114.2165	1282.2174	243.8421
Wabli	24WCRC002	24RRC0099	426500.00	7247526.00	35	36	405.28	10.15	13.95	8.72	14.99	2.89	212.4	1.42	39.22	126.21	39.78	19.81	3.1	2.29	0.132	1.37	87.7	9.38	213.3	157.2163	984.0287	1141.245	213.9774
Wabli	24WCRC002	24RRC0102	426500.00	7247526.00	36	37	438.47	7.64	16.35	9.69	15.89	3.14	229.37	1.67	37.41	138.58	43.09	21.6	3.01	2.45	0.138	1.53	93.96	10.8	230.1	171.5881	1066.3431	1237.9312	235.3476
Wabli	24WCRC002	24RRC0103	426500.00	7247526.00	37	38	416.03	6.48	15.93	10.68	15.45	3.35	218	1.79	40.97	131.77	41.02	20.19	3.46	2.46	0.142	1.73	98.13	11.63	246.9	179.0959	1012.8243	1191.9202	224.4332
Wabli	24WCRC002	24RRC0104	426500.00	7247526.00	38	39	410.25	6.45	14.08	8.84	14.34	2.83	215.6	1.48	36.5	128.15	40.07	19.23	2.64	2.21	0.141	1.4	86.42	10.44	235.3	157.0239	995.0546	1152.0785	216.6457
Wabli	24WCRC002	24RRC0105	426500.00	7247526.00	39	40	418.84	6.63	13.71	8.96	14.63	2.81	219.94	1.5	36.13	132.87	41.13	19.76	2.52	2.2	0.139	1.5	85.75	9.75	255.8	155.2022	1018.5	1173.7023	222.9954
Wabli	24WCRC002	24RRC0106	426500.00	7247526.00	40	41	350.83	6.15	13.68	9.17	12.77	2.83	183.96	1.53	38.83	109.95	34.28	16.82	3.58	2.09	0.124	1.47	80.77	10.23	208.3	149.5238	852.0292	1001.553	187.8215
Wabli	24WCRC002	24RRC0107	426500.00	7247526.00	41	42	390.59	6.6	13.09	8.4	13.61	2.64	204.84	1.44	33.99	121.79	38.14	18.64	2.55	2.05	0.13	1.34	80.99	9.33	213.4	146.7052	946.9533	1093.6585	205.5712
Wabli	24WCRC002	24RRC0108	426500.00	7247526.00	42	43	372.87	5.96	14.53	9.49	13.27	3.08	194.45	1.47	39.06	116.5	36.39	17.73	3.67	2.16	0.117	1.54	73.19	10.17	181.7	141.5515	903.2707	1044.8222	199.0686
Wabli	24WCRC002	24RRC0109	426500.00	7247526.00	43	44	399.61	6.23	15.49	10.35	14.49	3.28	209.04	1.69	36.3	125.07	39.23	18.93	2.92	2.33	0.132	1.68	90.72	11.29	194	168.0125	969.579	1137.5915	213.7977
Wabli	24WCRC002	24RRC0110	426500.00	7247526.00	44	45	387.22	7.96	13.68	8.78	13.84	2.8	213.15	1.47	33.92	126.22	38.23	19.21	2.02	2.13	0.137	1.38	85.9	9.29	160.4	154.3637	958.9355	1113.2993	211.6183
Wabli	24WCRC002	24RRC0111	426500.00	7247526.00	45	46	402.72	7.08	13.54	8.26	14.31	2.67	222.1	1.33	34.93	131.4	39.66	19.6	2.02	2.16	0.141	1.29	83.1	8.87	191.3	149.1988	997.246	1146.4448	219.2626
Wabli	24WCRC002	24RRC0112	426500.00	7247526.00	46	47	404.39	7.21	13.89	8.48	14.69	2.77	223.01	1.35	35.58	132.35	40.04	19.83	2.18	2.25	0.14	1.29	85.75	8.64	206.7	153.1986	1002.6364	1155.835	221.3373
Wabli	24WCRC002	24RRC0113	426500.00	7247526.00	47	48	389.39	8.26	13.49	8.47	14.1	2.77	216.65	1.36	35.61	127.34	38.16	19.1	2.28	2.14	0.136	1.32	84.34	8.96	212.1	151.2181	967.0533	1118.2715	212.6338
Wabli	24WCRC002	24RRC0114	426500.00	7247526.00	48	49	379.43	7.97	13.85	8.72	13.71	2.78	207.66	1.41	35.07	124.47	37.37	18.66	2.46	2.16	0.131	1.37	87.68	9.18	212	156.5581	938.9332	1095.4913	208.7684
Wabli	24WCRC002	24RRC0115	426500.00	7247526.00	49	50	386.7	6.74	12.79	7.76	13.75	2.49	213.88	1.29	30.44	125.61	38.05	18.88	2.54	2.08	0.125	1.22	75.57	8.36	211	137.1975	957.6334	1094.8309	209.609
Wabli	24WCRC002	24RRC0116	426500.00	7247526.00	50	51	414.08	7.25	13.89	8.65	14.6	2.81	230.44	1.42	33.95	134.11	40.59	19.99	2.18	2.19	0.146	1.37	85.05	9.32	218	153.4245	1026.0169	1179.4415	223.9841
Wabli	24WCRC002	24RRC0117	426500.00	7247526.00	51	52	369.01	6.92	12.53	7.77	13.07	2.49	203.63	1.29	31.8	122.87	36.75	18.37	2.28	2.03	0.129	1.19	77.34	8.19	205.1	138.8716	917.7186	1056.5902	204.4852
Wabli	24WCRC002	24RRC0118	426500.00	7247526.00	52	53	381.53	6.55	13.8	8.61	14.29	2.79	208.57	1.6	33.65	125.25	37.77	18.97	2.42	2.19	0.13	1.36	86.17	9.17	213.7	154.6973	945.0009	1099.6983	210.1394
Wabli	24WCRC002	24RRC0119	426500.00	7247526.00	53	54	415.78	7.04	14.75	8.97	15.84	2.91	228.74	1.46	35.68	137.21	41.18	20.54	2.58	2.36	0.144	1.39	87.53	9.67	236.3	158.7082	1032.5185	1191.2268	229.4998
Wabli	24WCRC002	24RRC0120	426500.00	7247526.00	54	55	404.27	6.97	13.9	8.63	14.59	2.78	222.91	1.37	33.32	134.3	40.47	20.48	2.48	2.24	0.133	1.32	83.16	8.94	230.9	150.4908	1005.7463	1156.2371	224.131
Wabli	24WCRC002	24RRC0121	426500.00	7247526.00	55	56	404.22	5.55	14.07	8.67	14.86	2.82	220.78	1.38	34.59	134.4	39.91	19.99	2.49	2.24	0.126	1.34	82.16	9	210.1	149.6101	1002.3698	1151.98	223.7662
Wabli	24WCRC002	24RRC0122	426500.00	7247526.00	56	57	363.26	6.26	13.63	8.85	13.24	2.83	197.87	1.45	32.92	117.46	35.65	17.64	2.29	2.12	0.12	1.41	81.92	9.63	203.9	149.7534	895.5644	1045.3179	198.2143
Wabli	24WCRC002	24RRC0123	426500.00	7247526.00	57	58	332.25	7.64	12.13	7.42	12.48	2.38	183.12	1.25	33.46	108.75	32.79	16.35	4.97	1.95	0.109	1.18	63.7	8.15	169.4	120.3683	824.0041	944.3725	182.678
Wabli	24WCRC002	24RRC0125	426500.00	7247526.00	58	59	1.27	-0.05	0.09	0.07	0.09	0.02	0.69	-0.01	0.22	0.5	0.14	0.1	0.04	0.01	0.003	-0.01	0.8	0.07	0.8	1.2908	3.3527	4.6436	0.8674
Wabli	24WCRC002	24RRC0126	426500.00	7247526.00	59	60	372.49	6.23	13.82	8.65	13.93	2.81	199.14	1.32	38.06	117.85	36.46	18.11	2.65	2.29	0.134	1.31	75.44	9.68	212.6	141.4858	911.0955	1052.5813	200.0659
Wabli	24WCRC002	24RRC0127	426500.00	7247526.00	60	61	376.38	6.59	14.95	9.7	14.4	3.08	208.66	1.46	41.85	116.18	36.28	17.82	3.32	2.33	0.123	1.46	79.6	10.77	182.5	151.1942	925.1829	1076.3771	199.2445
Wabli	24WCRC002	24RRC0128	426500.00	7247526.00	61	62	384.75	7.07	15.1	9.81	14.67	3.14	214.83	1.48	37.57	119.81	37.6	18.99	2.86	2.34	0.128	1.46	87.48	11.03	175.9	161.8982	950.1852	1112.0834	205.2572
Wabli	24WCRC002	24RRC0129	426500.00	7247526.00	62	63	440.1	6.67	16.49	10.77	16.42	3.91	240	1.61	40.98	136.46	42.7	20.97	2.81	2.63	0.136	1.63	96.66	15.26	217.9	182.6308	1077.6095	1260.2404	232.776
Wabli	24WCRC002	24RRC0130	426500.00	7247526.00	63	64	409.64	5.82	14.85	9.61	15.22	3.06	223.66	1.49	37.41	130.28	40.13	19.56	2.74	2.37	0.13	1.45	88.37	10.75	205.8	162.1376	1007.712	1169.8496	220.2745
Wabli	24WCRC002	24RRC0131	426500.00	7247526.00	64	65	382.25	6.49	14.56	9.59	14.67	3.03	208.72	1.48	35.8	120.32	37.16	18.3	2.66	2.3	0.124	1.46	88.76	10.69	201.5	162.0922	939.177	1101.2692	204.6537
Wabli	24WCRC002	24RRC0132	426500.00	7247526.00	65	66	379.66	6.23	14.52	9.4	14.32	2.96	208.46	1.45	35.62	118.46	37.13	18.07	2.77	2.23	0.123	1.45	86.52	10.59	192.8	158.6625	932.8381	1091.5006	202.3197
Wabli	24WCRC002	24RRC0133	426500.00	7247526.00	66	67	395.87	5.93	14.65	9.45	15.09	3.06	216.85	1.52	37.88	125.11	39.05	19.2	2.76	2.33	0.135	1.47	87.35	10.88	200.9	160.5877	974.8859	1135.4737	212.6628
Wabli	24WCRC002	24RRC0134	426500.00	7247526.00	67	68	378.28	6.61	13.94	9.12	13.99	2.89	207.71	1.37	38.1	117.62	36.54	17.72	2.53	2.18	0.127	1.38	84.57	10.06	186.9	154.2869	927.7383	1082.0252	199.9026
Wabli	24WCRC002	24RRC0135	426500.00	7247526.00	68	69	352.16	6.24	13.03	8.12	13.39	2.61	185.34	1.21	38.79	112.2	34.8	17.13	2.55	2.05	0.126	1.22	70.63	8.66	216.4	131.9641	859.5502	991.5143	190.2811
Wabli	24WCRC002	24RRC0136	426500.00	7247526.00	69	70	370.88	5.53	13.56	8.9	13.8	2.8	197.85	1.31	39.89	115.18	36.02	17.68	2.48	2.14	0.134	1.33	81.49	9.52	229.2	148.7975	903.3338	1052.1314	195.9451
Wabli	24WCRC002	24RRC0137	426500.00	7247526.00	70	71	360.17	5.55	12.94	8.29	13.24	2.82	191.9	1.25	36.49	111.81	35.04	16.99	2.36	2.08	0.126	1.25	77.94	9	211.4	142.0809	876.6749	1018.7559	190.0482
Wabli	24WCRC002	24RRC0138	426500.00	7247526.00	71	72	389.01	6.21	13.39	8.56	14.01	2.75	212.21	1.3	36.1	121.19	37.89	18.71	2.48	2.17	0.133	1.28	84.69	9.53	205.2	152.1983	953.3006	1105.4989	205.0547
Wabli	24WCRC002	24RRC0139	426500.00	7247526.00	72	73	404.44	6.48	11.34	6.35	13.59	2.18	221.38	0.93	35.95	124.8	39.22	18.82	2.24	1.97	0.121	1.01	57.13	6.54	195	107.2979	988.3763	1095.6743	208.2843
Wabli	24WCRC002	24RRC0140	426500.00	7247526.00	73	74	394.86	7.95	13.05	8.38	13.94	2.67	217.44	1.22	35.04	121.8	38.79	18.33	2.17	2.11	0.129	1.22	79.7	8.89	204.4	144.2149	967.8743	1112.0893	206.3928
Wabli	24WCRC002	24RRC0141	426500.00	7247526.00	74	75	392.58	8.24	13.63	8.52	13.96	2.78	215.81	1.25	33.31	123.62	38.22	18.19	2.27	2.2	0.126	1.25	82.4	8.83	190.6	148.7013	964.4918	1113.1931	208.5985
Wabli	24WCRC002	24RRC0142	426500.00	7247526.00	75	76	348.89	9.99	10.42	6.21	11.79	2.03	191.56	1.02	36.29	106.76	33.96	16.38	2.93	1.77	0.113	0.96	57.86	7.49	169.1	107.7289	852.6503	960.3792	179.5962
Wabli	24WCRC002	24RRC0143	426500.00	7247526.00	76	77	380.7	8.73	13.14	8.2	13.15	2.67	207.19	1.28	35.21	117.46	36.91	17.51	2.33	2.08	0.125	1.27	79.58	9.19	192.6	144.3917	929.138	1073.5297	199.1272
Wabli	24WCRC002	24RRC0144	426500.00	7247526.00	77	78	396.21	6.16	13.97	9.21	14.15	2.98	216.52	1.4	36.08	123.77	38.78	18.37	2.3	2.22	0.124	1.34	93.09	10.06	193.6	165.3824	970.9814	1136.3638	209.8638
Wabli	24WCRC002	24RRC0145	426500.00	7247526.00	78	79	357.49	5.87	12.59	8.03	12.63	2.89	195.88	1.22	32.01	110.64	34.72	16.47	2.01	1.99	0.116	1.22	81	8.83	163.6	144.9802	874.9123	1019.8926	187.7893
Wabli	24WCRC002	24RRC0146	426500.00	7247526.00	79	80	299.6	4.74	10.31	6.6	10.5	2.13	164.01	1.01	27.65	93.32	29.17	13.87	1.79	1.65	0.099	0.99	63.11	7.08	166.2	114.245	733.8545	848.0996	157.8651
Wabli	24WCRC002	24RRC0147	426500.00	7247526.00	80	81	376.21	10.04	13.16	8.31	13.45	2.69	207.55	1.26	35.55	117.22	36.79	17.62	2.79	2.09	0.124	1.28	83.36	9.42	218.4	149.6259	924.1515	1073.7774	198.737
Wabli	24WCRC002	24RRC0148	426500.00	7247526.00	81	82	311.86	7.21	11.55	7.6	11.35	2.43	170.84	1.17	31.05	97.06	30.25	14.71	2.94	1.8	0.105	1.14	71.73	8.58	176.9	130.3396	764.5563	894.8959	165.1319
Wabli	24WCRC002	24RRC0149	426500.00	7247526.00	82	83	327.74	6.09	10.78	7.06	11.48	2.29	182.03	1.07	29.29	102.25	31.8	15.24	2.18	1.76	0.103	1.08	65.84	7.64	172.9	119.8986	805.9918	925.8905	172.1274
Wabli	24WCRC002	24RRC0153	426500.00	7247526.00	83	84	416.16	9.12	12.98	8.02	14.01	2.62	227.07	1.18	36.86	128.37	40.49	19.27	2.48	2.14	0.138	1.18	77.95	8.58	223.9	141.0345	1016.1612	1157.1957	216.065
Wabli	24WCRC002	24RRC0154	426500.00	7247526.00	84	85	174.73	3.52	5.88	3.62	6.09	1.15	95.84	0.6	14.58	53.66	16.89	7.91	1.3	0.94	0.057	0.56	36.79	4.23	80.9	66.169	426.8577	493.0267	90.8496
Wabli	24WCRC002	24RRC0155	426500.00	7247526.00	85	86	217.64	7.46	10.44	7.46	9.48	2.26	116.38	1.41	34.72	72.09	21.47	11.15	2.06	1.54	0.089	1.2	85.31	9.61	147.2	147.1645	538.7996	685.9642	123.8191
Wabli	24WCRC002	24RRC0156	426500.00	7247526.00	86	87	378.59	9.55	12.71	8.06	13.09	2.6	208.71	1.22	33.67	118.04	37	17.54	2.18	2.03	0.119	1.18	77.57	8.7	184.2	140.3176	929.2883	1069.6059	199.3602
Wabli	24WCRC002	24RRC0157	426500.00	7247526.00	87	88	322.02	6.4	10.96	7	11.14	2.27	177.31	1.14	29.83	100.96	31.47	15.22	2.04	1.72	0.101	1.07	69.29	7.9	169.4	124.712	791.1003	915.8124	170.3836
Wabli	24WCRC002	24RRC0158	426500.00	7247526.00	88	89	342.26	6.53	15.79	11.03	14.53	3.39	182.11	1.93	59.39	111.3	33.87	17.59	4.29	2.36	0.112	1.77	94.52	13.64	230.6	177.173	843.3106	1020.4836	191.64
Wabli	24WCRC003	24RRC0159	426570.00	7247545.00	0	1	339.34	8.58	14.39	9.58	14.95	3.04	216.39	1.5	34.73	123.85	38.2	18.87	2.74	2.28	0.111	1.41	103.86	10.51	177.8	180.8097	901.8815	1082.6913	209.809
Wabli	24WCRC003	24RRC0160	426570.00	7247545.00	1	2	369.12	9.15	14.5	9.7	14.51	3.01	209.67	1.54	36.41	121.09	37.54	18.94	2.82	2.25	0.113	1.42	89.73	10.72	186.7	163.3559	926.0785	1089.4345	205.8833
Wabli	24WCRC003	24RRC0161	426570.00	7247545.00	2	3	381.81	8.8	15.43	10.1	15.24	3.21	210.33	1.62	38.09	124.08	38.12	19.04	3.17	2.39	0.121	1.59	91	11.73	178.3	168.3224	947.6664	1115.9889	211.3036
Wabli	24WCRC003	24RRC0162	426570.00	7247545.00	3	4	393.03	9.02	16.21	10.82	15.52	3.4	215.4	1.79	40.12	126.38	38.94	19.74	3.22	2.49	0.119	1.66	100.66	12.33	177.5	183.5999	972.2019	1155.8019	215.9898
Wabli	24WCRC003	24RRC0163	426570.00	7247545.00	4	5	415.86	9.98	17.1	11.34	16.71	3.58	229.36	1.85	39.76	133.91	41.81	21.04	3.37	2.61	0.131	1.76	103.47	13.11	180.3	190.2023	1031.7807	1221.983	229.403
Wabli	24WCRC003	24RRC0164	426570.00	7247545.00	5	6	397.49	10.01	15.57	9.84	15.66	3.14	225.24	1.55	37.66	131.08	40.23	19.91	3.01	2.43	0.125	1.52	95.47	11.08	176.6	172.9294	996.6197	1169.5491	222.2254
Wabli	24WCRC003	24RRC0165	426570.00	7247545.00	6	7	429.94	11.5	18.71	12.58	17.46	3.94	231.19	2.02	49.57	141.31	43.08	22.12	6.62	2.84	0.127	1.98	95.45	14.74	199.7	186.267	1063.5271	1249.7942	241.6871
Wabli	24WCRC003	24RRC0166	426570.00	7247545.00	7	8	407.41	8.18	22.71	16.76	20.15	5.07	226.32	2.77	43.75	135.32	41.32	22.68	5.63	3.34	0.117	2.59	119.96	19.29	184.6	235.376	1024.825	1260.201	237.7528
Wabli	24WCRC003	24RRC0167	426570.00	7247545.00	8	9	410.67	10.63	18.23	12.8	17.15	3.91	225.1	2.07	36.95	130.7	40.53	20.83	3.38	2.73	0.126	1.96	108.09	14.63	203	201.7642	1015.3595	1217.1238	225.5504
Wabli	24WCRC003	24RRC0168	426570.00	7247545.00	9	10	436.23	9.64	16.99	11.55	16.76	3.6	239.24	1.92	41.7	137.4	42.62	21.37	3.49	2.63	0.137	1.78	104.79	13.19	220.4	192.2324	1073.7739	1266.0064	234.3496
Wabli	24WCRC003	24RRC0169	426570.00	7247545.00	10	11	443.33	10.49	18.2	11.7	17.48	3.74	239.01	1.81	45.15	139.77	43.52	22.33	5.21	2.8	0.137	1.82	104.84	13.17	219.4	194.1143	1088.1588	1282.2732	239.79
Wabli	24WCRC003	24RRC0170	426570.00	7247545.00	11	12	406.22	10.64	15.42	10.2	15.38	3.21	221.44	1.64	34.51	129.37	40.19	20.13	3.38	2.43	0.127	1.53	96.63	11.47	236.8	175.28	1000.7293	1176.0093	220.0104
Wabli	24WCRC003	24RRC0171	426570.00	7247545.00	12	13	451.29	9.3	17.75	11.58	17.38	3.74	247.82	1.82	44.79	139.9	44.18	22.1	3.66	2.74	0.132	1.81	106.83	13.05	228.2	195.7805	1108.8124	1304.5929	240.152
Wabli	24WCRC003	24RRC0172	426570.00	7247545.00	13	14	326.03	11.3	12.87	8.36	12.9	2.67	177.41	1.36	36.51	101.79	31.7	16.1	3.01	2.02	0.114	1.3	88.77	9.5	162.9	156.3428	800.4844	956.8273	174.1746
Wabli	24WCRC003	24RRC0173	426570.00	7247545.00	14	15	393.65	9.24	16.02	9.93	14.75	3.07	213.97	1.63	40.15	123.3	38.64	19.01	3.57	2.33	0.123	1.51	94.92	11.45	238.6	173.1534	965.5279	1138.6813	211.6286
Wabli	24WCRC003	24RRC0174	426570.00	7247545.00	15	16	412.02	7.98	15.83	10.79	15.37	3.33	224.44	1.8	39.7	126.06	39.77	20.23	4.01	2.46	0.117	1.68	105.81	12.76	179.7	190.0778	1007.1775	1197.2554	216.148
Wabli	24WCRC003	24RRC0175	426570.00	7247545.00	16	17	407	7.19	13.8	8.23	15.53	2.77	221.78	1.25	34.35	128.78	39.75	20.01	3.46	2.32	0.108	1.2	79.68	8.95	201.3	145.3199	1001.2011	1146.5211	216.8019
Wabli	24WCRC003	24RRC0176	426570.00	7247545.00	17	18	108.97	6.15	4.62	2.84	4.85	0.93	58.98	0.43	16.79	35.38	11.02	5.87	1.94	0.77	0.043	0.42	42.78	3.19	80.5	69.4483	270.4613	339.9096	60.7896
Wabli	24WCRC003	24RRC0177	426570.00	7247545.00	18	19	134.34	14.41	5.59	3.36	5.26	1.1	74.2	0.59	23.37	42.16	13.09	6.72	2.46	0.85	0.174	0.53	37.07	3.94	65.2	65.3554	331.5259	396.8814	72.4061
Wabli	24WCRC003	24RRC0178	426570.00	7247545.00	19	20	428.28	12.77	11.38	5.67	14.37	2.01	231.52	0.9	27.34	136.24	42.45	20.94	2.57	2.05	0.108	0.84	54.52	6.37	225.2	102.7293	1050.2241	1152.9535	225.6704
Wabli	24WCRC003	24RRC0179	426570.00	7247545.00	20	21	380.42	9.9	9.55	4.73	13.07	1.64	206.96	0.65	34.9	120.61	37.92	18.28	2.81	1.82	0.121	0.69	48.81	4.6	196.3	89.1375	934.2426	1023.3802	199.5956
Wabli	24WCRC003	24RRC0180	426570.00	7247545.00	21	22	341.29	9.1	10.44	5.48	11.75	1.84	178.45	0.86	32.29	106.84	33.45	16.38	3.58	1.69	0.107	0.8	48.1	5.8	212.7	91.9221	827.5098	919.4319	179.0022
Wabli	24WCRC003	24RRC0181	426570.00	7247545.00	22	23	188.53	28.97	7.73	4.53	8.17	1.5	98.28	0.88	47.61	60.49	18.6	10.07	4.07	1.23	0.286	0.69	52.78	5.37	165.7	92.1455	462.033	554.1785	103.3465
Wabli	24WCRC003	24RRC0182	426570.00	7247545.00	23	24	336.01	9.57	10.71	5.26	12.58	1.87	173.94	0.76	29.95	107.16	33.36	16.8	2.55	1.83	0.106	0.74	51.94	5.04	218.7	96.0082	817.3853	913.3935	179.7412
Wabli	24WCRC003	24RRC0183	426570.00	7247545.00	24	25	363.22	8.25	11.39	5.83	13.48	2	189.48	0.83	32.67	113.75	35.29	17.85	2.85	1.95	0.11	0.78	58.6	5.52	181	106.8598	881.2944	988.1543	190.6812
Wabli	24WCRC003	24RRC0184	426570.00	7247545.00	25	26	340.64	8.38	10.73	5.4	12.33	1.89	178	0.82	33.53	107.59	33.38	16.85	2.86	1.73	0.109	0.79	56.98	5.53	173.2	103.1801	828.06	931.2401	180.1723
Wabli	24WCRC003	24RRC0185	426570.00	7247545.00	26	27	342.33	12.32	12.91	7.94	13.38	2.58	176.39	1.36	41.81	108.98	33.71	17.46	4.99	2.01	0.113	1.24	70.91	9.13	189.5	132.6233	832.2547	964.878	185.0236
Wabli	24WCRC003	24RRC0186	426570.00	7247545.00	27	28	345.3	11.85	11.69	7	13.06	2.32	180.12	1.15	34.49	109.51	34.1	16.96	3.51	1.88	0.113	1.06	69.87	7.68	174	126.2813	840.4759	966.7573	184.5599
Wabli	24WCRC003	24RRC0187	426570.00	7247545.00	28	29	381.2	12.36	12.48	7.18	13.84	2.4	201.05	1.18	37.22	120.68	37.63	18.29	2.87	1.97	0.123	1.16	76.82	7.79	210.5	136.6907	928.8882	1065.579	202.8661
Wabli	24WCRC003	24RRC0188	426570.00	7247545.00	29	30	368.63	9.54	13.75	8.47	13.96	2.76	192.42	1.33	27.15	115.81	36.4	17.71	2.49	2.12	0.114	1.24	77.67	8.97	210.5	142.8972	895.6265	1038.5238	197.3336
Wabli	24WCRC003	24RRC0189	426570.00	7247545.00	30	31	360.43	7.45	14.14	9.01	13.76	2.88	192.2	1.51	32.77	113.55	35.68	17.47	2.74	2.14	0.117	1.38	88.8	10.01	208.9	159.8061	881.2817	1041.0878	194.2988
Wabli	24WCRC003	24RRC0190	426570.00	7247545.00	31	32	440.35	9.3	16.04	9.73	17.09	3.24	234.15	1.56	35.56	139.33	43.28	21.21	3.04	2.52	0.127	1.44	95.68	10.42	236.4	172.9985	1076.3051	1249.3037	236.1785
Wabli	24WCRC003	24RRC0191	426570.00	7247545.00	32	33	465.79	9.01	16.93	10.47	17.12	3.43	245.24	1.7	36.93	144.19	45.39	22.08	2.87	2.61	0.134	1.56	101.14	11.33	225.8	183.4558	1129.7282	1313.1841	245.5238
Wabli	24WCRC003	24RRC0192	426570.00	7247545.00	33	34	425.77	8.67	15.64	9.85	15.63	3.16	224.08	1.64	39.61	132.44	41.4	20.21	3.42	2.39	0.132	1.46	94.28	10.86	228.6	171.2691	1033.274	1204.5432	225.2586
Wabli	24WCRC003	24RRC0193	426570.00	7247545.00	34	35	440.3	8.84	14.52	8.28	16.3	2.78	231.73	1.37	36.46	137.05	42.74	21.24	3.03	2.34	0.131	1.22	84.5	8.79	217	152.3364	1069.1716	1221.5081	230.9105
Wabli	24WCRC003	24RRC0194	426570.00	7247545.00	35	36	380.03	6.65	12.43	6.9	13.76	2.31	200.31	1.13	32.63	117.68	36.8	18.27	2.79	1.95	0.116	1.01	74.61	7.26	203.3	132.5484	921.9543	1054.5027	198.2832
Wabli	24WCRC003	24RRC0195	426570.00	7247545.00	36	37	404.1	7.32	12.52	6.53	14.31	2.26	211.55	1.04	34.3	125.31	39.48	19.35	2.94	2	0.121	0.97	70.99	7.38	205.9	127.6217	978.8183	1106.44	210.5829
Wabli	24WCRC003	24RRC0196	426570.00	7247545.00	37	38	386.37	7.63	11.19	6.23	13.46	2.13	202.49	1	33.74	119.63	37.41	18.26	2.74	1.84	0.119	0.91	67.12	6.72	214	119.635	934.9641	1054.5991	199.7421
Wabli	24WCRC003	24RRC0197	426570.00	7247545.00	38	39	435.32	5.62	12.6	7.37	14.61	2.39	227.82	1.07	35.12	136.02	42.48	20.13	2.69	2.13	0.128	1.02	71.57	7.65	209.8	130.1111	1053.6837	1183.7948	226.9443
Wabli	24WCRC003	24RRC0198	426570.00	7247545.00	39	40	135.23	8.47	8.8	6.04	7.31	1.84	64.51	1.39	34.86	45.34	13.86	8.4	4.95	1.24	0.063	1.05	44.81	8.69	103.5	90.152	330.2398	420.3918	81.1884

Wabli	24WCRC003	24RRC0199	426570.00	7247545.00	40	41	415.74	9.05	14.7	8.86	15.2	2.93	218.91	1.41	34.85	131.56	40.82	20.34	3.35	2.25	0.124	1.31	82.87	9.51	198.5	152.1704	1012.9229	1165.0934	222.2879
Wabli	24WCRC003	24RRC0203	426570.00	7247545.00	41	42	399.64	9.2	13.44	7.98	14.33	2.66	210.66	1.24	33.37	126.03	38.94	19.4	2.33	2.13	0.127	1.14	78.47	8.36	196.1	141.9831	972.6341	1114.6173	211.979
Wabli	24WCRC003	24RRC0204	426570.00	7247545.00	42	43	417.11	9.01	13.73	8.33	14.95	2.75	219.69	1.3	34.99	130.34	40.72	19.9	2.68	2.2	0.133	1.21	82.66	8.75	208.2	148.8147	1013.1551	1161.9699	219.572
Wabli	24WCRC003	24RRC0205	426570.00	7247545.00	43	44	426.91	9.81	13.65	8.09	15.01	2.65	224.87	1.23	35.17	134.09	41.91	20.41	2.58	2.21	0.139	1.14	79.75	8.22	229	143.8872	1037.7167	1181.604	225.3037
Wabli	24WCRC003	24RRC0206	426570.00	7247545.00	44	45	468.81	9.32	14.56	8.33	16.2	2.78	249.43	1.3	34.64	147.03	46.2	22.03	3.34	2.35	0.138	1.16	85.7	8.58	213.6	153.5879	1141.5941	1295.182	246.7892
Wabli	24WCRC003	24RRC0207	426570.00	7247545.00	45	46	383.99	8.79	12.6	7.78	13.57	2.53	201.61	1.28	34.33	119.41	36.97	18.56	3.5	1.98	0.132	1.15	77.44	8.37	175.7	139.2253	930.6951	1069.9204	200.7368
Wabli	24WCRC003	24RRC0208	426570.00	7247545.00	46	47	415.1	10.65	12.43	7.01	13.98	2.4	218.03	1.07	34.41	128.03	40.05	19.14	2.67	2.04	0.134	1	72.51	7.27	191.8	130.148	1003.1551	1133.3032	214.3879
Wabli	24WCRC003	24RRC0209	426570.00	7247545.00	47	48	374.52	10.57	11.59	6.35	12.52	2.12	196.72	1.03	32.61	115.43	36.5	17.26	2.47	1.79	0.128	0.93	66.94	6.7	201	119.9666	905.4119	1025.3786	194.144
Wabli	24WCRC003	24RRC0210	426570.00	7247545.00	48	49	428.7	10.15	12.78	7.6	14.57	2.41	225.13	1.2	34.92	131.92	41.23	19.84	2.83	2.07	0.135	1.07	74.19	7.88	240.8	134.3269	1035.7227	1170.0497	220.7879
Wabli	24WCRC003	24RRC0211	426570.00	7247545.00	49	50	478.22	9.39	12.6	6.31	16.06	2.23	250.2	0.92	44.87	148.78	46.52	22.16	3.59	2.2	0.152	0.88	60.94	6.23	254.1	113.3515	1156.6116	1269.9632	246.7911
Wabli	24WCRC003	24RRC0212	426570.00	7247545.00	50	51	451.24	9.53	12.26	6.42	15.02	2.35	237.8	1.02	34.03	140.03	43.59	20.95	2.71	2.09	0.134	0.94	72.09	6.73	222.9	128.0062	1092.4425	1220.4487	232.5254
Wabli	24WCRC003	24RRC0213	426570.00	7247545.00	51	52	449.38	9.16	13.59	7.57	15.61	2.55	237.79	1.18	34.98	140.73	43.59	21.32	2.34	2.29	0.138	1.13	76.77	7.86	212.1	138.9408	1092.0601	1231.001	235.1036
Wabli	24WCRC003	24RRC0214	426570.00	7247545.00	52	53	433.08	8.44	13.68	7.71	15.66	2.57	231.18	1.22	36.97	137.17	42.66	21.17	2.25	2.24	0.137	1.09	78.46	7.82	251.5	141.2686	1058.9059	1200.1746	229.8721
Wabli	24WCRC003	24RRC0215	426570.00	7247545.00	53	54	411.05	7.35	13.65	8.08	15.01	2.67	216.32	1.29	34.61	128.9	40.2	19.76	2.37	2.19	0.13	1.19	79.62	8.66	205.2	144.3364	999.3351	1143.6716	217.1605
Wabli	24WCRC003	24RRC0216	426570.00	7247545.00	54	55	439.65	8.8	13.72	7.83	16.01	2.67	233.73	1.24	34.9	138.12	42.93	20.89	2.26	2.29	0.13	1.15	80.22	8.19	219.4	144.3727	1071.5721	1215.9449	231.4111
Wabli	24WCRC003	24RRC0217	426570.00	7247545.00	55	56	409.79	7.87	15.26	10.5	15.58	3.07	217.06	1.53	36.53	128.38	39.89	19.99	2.64	2.35	0.131	1.5	93.2	10.36	220.8	169.4059	998.6674	1168.0733	218.2155
Wabli	24WCRC003	24RRC0218	426570.00	7247545.00	56	57	387.54	6.44	15.12	9.83	14.96	3.15	205.02	1.64	34.75	121.25	38.09	19.39	2.85	2.31	0.126	1.48	89.26	10.89	208.3	164.226	945.2114	1109.4375	207.5165
Wabli	24WCRC003	24RRC0219	426570.00	7247545.00	57	58	430.54	6.58	16.19	10.4	16.2	3.44	230.22	1.71	38.37	135.63	42.17	21	2.75	2.47	0.143	1.57	97.72	11.61	216.3	178.3718	1052.6971	1231.069	230.6351
Wabli	24WCRC003	24RRC0220	426570.00	7247545.00	58	59	466.03	7.31	16.96	10.97	17.78	3.44	248.93	1.8	42.36	145.33	45.47	22.87	3.08	2.64	0.15	1.64	98.91	11.85	263.6	182.0741	1137.5464	1319.6205	247.0199
Wabli	24WCRC003	24RRC0221	426570.00	7247545.00	59	60	441.34	7.01	16.27	10.49	16.67	3.28	233.62	1.65	36.93	136.15	42.78	21.79	2.82	2.51	0.135	1.5	94.82	10.98	213	173.8821	1072.6011	1246.4832	232.1174
Wabli	24WCRC003	24RRC0222	426570.00	7247545.00	60	61	502.99	9	18.79	11.38	19.34	3.73	267.37	1.84	39.12	155.49	48.73	25.43	3.09	2.89	0.144	1.68	108.68	12.23	231.6	198.2002	1224.9763	1423.1766	265.2036
Wabli	24WCRC003	24RRC0223	426570.00	7247545.00	61	62	449.19	9.24	16.42	10.71	16.6	3.39	238.77	1.7	39.19	138.67	43.18	21.69	2.83	2.53	0.147	1.58	96.92	11.6	250.8	177.9763	1091.6712	1269.6476	235.7357
Wabli	24WCRC003	24RRC0224	426570.00	7247545.00	62	63	439.54	7.91	16.25	10.45	16.63	3.34	235.54	1.71	37.42	134.43	42.51	21.33	2.88	2.45	0.139	1.54	96.98	11.22	238.1	176.9417	1069.8689	1246.8107	229.6915
Wabli	24WCRC003	24RRC0225	426570.00	7247545.00	63	64	349.33	7.69	13.25	8.51	13.07	2.73	185.4	1.43	33.03	107.71	33.73	16.73	2.78	2	0.119	1.3	82.41	9.37	181	148.8506	848.8282	997.6789	183.9449
Wabli	24WCRC003	24RRC0226	426570.00	7247545.00	64	65	426.3	8.57	15.83	10	16	3.28	227.68	1.63	38.13	130.95	41.23	20.56	2.96	2.42	0.145	1.53	95.76	10.91	239.2	173.8364	1037.1287	1210.9652	223.5686
Wabli	24WCRC003	24RRC0227	426570.00	7247545.00	65	66	406.31	6.89	14.96	9.48	15.3	3.08	216.13	1.58	35.7	128.33	39.37	19.93	2.8	2.29	0.136	1.42	87.37	10.36	230.6	160.3981	992.1191	1152.5172	217.114
Wabli	24WCRC003	24RRC0228	426570.00	7247545.00	66	67	381.04	5.66	14.18	8.89	14.2	2.88	203.11	1.48	34.1	118.36	36.76	18.27	2.8	2.15	0.132	1.35	83.33	9.76	218.5	152.4271	927.7423	1080.1694	201.2717
Wabli	24WCRC003	24RRC0229	426570.00	7247545.00	67	68	437.26	5.6	16.28	10.56	16.74	3.38	233.01	1.75	38.94	135.81	42.68	21.2	3.41	2.49	0.142	1.6	95.78	11.48	244	176.081	1065.8344	1241.9154	231.588
Wabli	24WCRC003	24RRC0230	426570.00	7247545.00	68	69	382.93	6.33	14.29	8.68	14.43	2.82	204.65	1.4	33.45	117.46	36.9	18.67	2.87	2.18	0.118	1.3	81.71	9.43	201.6	149.6987	931.7298	1081.4285	200.5526
Wabli	24WCRC003	24RRC0231	426570.00	7247545.00	69	70	381.77	8.56	14.47	9.18	14.52	2.9	205.5	1.54	35.83	118.45	36.92	18.52	3.12	2.22	0.132	1.42	90.45	10.36	208	163.0699	932.48	1095.5499	201.9852
Wabli	24WCRC003	24RRC0232	426570.00	7247545.00	70	71	407.43	10.75	15.46	9.67	15.39	3.11	217.48	1.64	35.62	126.2	39.3	20.22	3.29	2.37	0.13	1.47	94.87	10.9	224.8	171.5821	992.9259	1164.5081	215.2129
Wabli	24WCRC003	24RRC0233	426570.00	7247545.00	71	72	432.14	11.69	15.35	9.48	16.16	3.08	230.16	1.54	35.92	133.12	41.77	21.15	2.99	2.42	0.138	1.4	92.55	10.12	214.9	167.235	1051.2279	1218.463	226.2012
Wabli	24WCRC003	24RRC0234	426570.00	7247545.00	72	73	433.27	12.44	16.5	10.58	16.31	3.4	230.56	1.65	39.59	134.93	41.89	20.91	3.53	2.53	0.147	1.59	100.73	11.49	213.2	182.5986	1055.201	1237.7996	229.9066
Wabli	24WCRC003	24RRC0235	426570.00	7247545.00	73	74	449.12	12.62	17.08	10.62	17.04	3.42	237.93	1.64	41.89	140.73	43.65	21.83	3.5	2.58	0.15	1.59	97.84	11.61	210.9	179.8469	1094.1823	1274.0293	239.5227
Wabli	24WCRC003	24RRC0236	426570.00	7247545.00	74	75	364.85	11.05	14.67	9.35	14.1	2.99	192.2	1.5	36.54	114.23	35.26	17.86	3.25	2.22	0.127	1.43	87.78	10.52	193.6	160.3544	887.8059	1048.1604	195.2869
Wabli	24WCRC003	24RRC0237	426570.00	7247545.00	75	76	423.13	11.84	15.15	9.28	15.37	3.07	222.77	1.42	38.29	129.35	40.74	20.23	2.91	2.37	0.14	1.39	87.25	10.09	207.2	159.794	1023.7705	1183.5646	220.2711
Wabli	24WCRC003	24RRC0238	426570.00	7247545.00	76	77	375.76	10.28	13.12	8.36	13.77	2.9	198.6	1.25	36	115.6	36.17	17.73	3.22	2.07	0.116	1.21	72.72	9.1	182.7	135.8867	910.8441	1046.7309	196.0289
Wabli	24WCRC003	24RRC0239	426570.00	7247545.00	77	78	411.41	6.16	12.18	6.93	14.36	2.23	220.52	0.96	38.75	127.22	39.68	19.4	3.45	2.04	0.131	0.95	60.78	6.96	196.5	114.1438	1000.9138	1115.0577	212.7092
Wabli	24WCRC003	24RRC0240	426570.00	7247545.00	78	79	392.41	9.11	13.72	8.38	14.51	2.75	208.58	1.33	33.95	121.28	38.42	18.93	2.87	2.14	0.124	1.24	83.91	9.25	210	151.0149	954.6342	1105.6492	206.1435
Wabli	24WCRC003	24RRC0241	426570.00	7247545.00	79	80	437.47	9.17	15.1	9.26	15.88	3	231.85	1.45	38.31	135.09	42.46	20.92	3.16	2.36	0.138	1.39	89.41	12.47	223.4	165.109	1062.2988	1227.4079	228.9752
Wabli	24WCRC004	24RRC0242	426610.00	7247561.00	0	1	472.93	12.25	13.66	8.02	15.86	2.68	242.81	1.21	34.2	140.73	43.77	21.44	2.88	2.22	0.135	1.2	85.09	8.98	191.7	151.5572	1127.5652	1279.1224	235.3191
Wabli	24WCRC004	24RRC0243	426610.00	7247561.00	1	2	376.26	10.36	12.33	7.7	13.7	2.46	202.76	1.17	33.37	120.28	37.23	18.38	3.15	1.98	0.121	1.15	76.98	8.33	199.8	137.9889	923.8654	1061.8544	201.7558
Wabli	24WCRC004	24RRC0244	426610.00	7247561.00	2	3	363.95	9.84	12.36	7.53	13.72	2.47	209.23	1.13	32.02	123.38	38.37	18.82	2.96	1.97	0.112	1.1	73.05	8.01	233.4	132.371	921.8711	1054.2421	206.7717
Wabli	24WCRC004	24RRC0245	426610.00	7247561.00	3	4	348.1	10.29	11.41	6.93	12.36	2.24	185.08	1.07	31.45	109.55	34.37	16.65	2.7	1.82	0.116	1.04	71.11	7.6	194.3	127.0875	848.9504	976.0379	184.5408
Wabli	24WCRC004	24RRC0246	426610.00	7247561.00	4	5	347.82	11.25	11.25	6.86	12.62	2.25	184.19	1.04	29.87	108.96	34.21	17.03	2.46	1.82	0.111	1.01	68.94	7.41	183.7	123.7948	847.4099	971.2048	183.4757
Wabli	24WCRC004	24RRC0247	426610.00	7247561.00	5	6	417.87	10.9	13.64	7.8	15.68	2.71	228.57	1.19	35.4	137.37	41.82	21.01	3.18	2.23	0.127	1.13	77.59	8.37	186.3	141.0073	1036.2068	1177.2141	229.0328
Wabli	24WCRC004	24RRC0248	426610.00	7247561.00	6	7	378.95	7.69	13.03	7.97	14.44	2.59	200.84	1.29	30.38	120.33	37.16	18.89	2.96	2.08	0.108	1.2	75.82	8.92	201.1	138.7599	926.3821	1065.1421	202.6506
Wabli	24WCRC004	24RRC0249	426610.00	7247561.00	7	8	317.34	9.78	9.91	5.89	11.68	1.95	161.06	0.94	30.13	102.43	31.33	15.85	2.41	1.64	0.112	0.88	57.64	6.44	181.3	104.8758	769.2386	874.1144	170.6299
Wabli	24WCRC004	24RRC0253	426610.00	7247561.00	8	9	288.7	7.19	9.69	5.96	11.45	1.91	153.21	1	27.27	90.92	27.44	14.93	2.39	1.74	0.092	0.99	59.3	6.35	130	106.9745	705.3386	812.3132	152.3698
Wabli	24WCRC004	24RRC0254	426610.00	7247561.00	9	10	316.39	10.67	10.95	6.68	12.64	2.12	168.31	1.14	30.09	100.37	30.73	16.36	2.37	1.89	0.109	1.1	67.23	7.24	159	121.0295	775.1216	896.1511	168.9898
Wabli	24WCRC004	24RRC0255	426610.00	7247561.00	10	11	359.15	9.42	12.3	7.13	15.08	2.36	185.67	1.18	32.5	114.13	34.34	19.13	2.93	2.23	0.119	1.12	72.2	7.33	176.6	130.2505	874.555	1004.8055	191.3504
Wabli	24WCRC004	24RRC0256	426610.00	7247561.00	11	12	393.18	11.65	13.96	7.93	17.26	2.67	209.29	1.25	35.88	128.45	38.55	22.02	3.42	2.57	0.133	1.24	80.76	8.08	179.1	145.7665	971.8478	1117.6143	215.4449
Wabli	24WCRC004	24RRC0257	426610.00	7247561.00	12	13	360.99	10.45	11.31	6.61	13.95	2.16	188.57	1.05	34.37	113.97	34.48	18.48	3.05	2.04	0.124	1.05	69.25	6.85	160.1	123.5465	878.1078	1001.6543	189.9732
Wabli	24WCRC004	24RRC0258	426610.00	7247561.00	13	14	324	10.09	10.01	5.98	12.48	1.93	170.39	0.95	31.29	101.05	30.86	16.32	2.62	1.83	0.113	0.95	63.49	6.24	156.8	112.5865	787.7088	900.2954	168.7906
Wabli	24WCRC004	24RRC0259	426610.00	7247561.00	14	15	315.34	8.37	10.59	6.46	12.75	2.07	164.25	1.05	32.84	99.74	30.19	16.44	2.85	1.92	0.115	1.05	66.51	6.9	156.1	118.8818	767.9026	886.7844	167.2247
Wabli	24WCRC004	24RRC0260	426610.00	7247561.00	15	16	340.67	9.39	11.87	7.28	13.52	2.28	180.41	1.2	34.47	108.57	32.8	17.64	3.06	2.08	0.125	1.16	72.26	7.71	167.5	130.2378	833.827	964.0648	182.3347
Wabli	24WCRC004	24RRC0261	426610.00	7247561.00	16	17	372.58	9.46	12.65	7.97	14.15	2.53	197.95	1.31	36.22	114.08	35.45	18.49	3.2	2.22	0.132	1.27	81.5	8.29	189	145.0181	904.9796	1049.9977	193.0231
Wabli	24WCRC004	24RRC0262	426610.00	7247561.00	17	18	335.13	8.6	11.82	7.4	13.35	2.32	179.88	1.19	32.89	103.91	32.22	17.41	2.87	2.06	0.121	1.22	74.16	7.93	182.3	133.0604	819.7902	952.8506	176.1176
Wabli	24WCRC004	24RRC0263	426610.00	7247561.00	18	19	328.87	7.5	12.06	7.69	13.14	2.41	174.01	1.29	30.1	100.24	31.27	16.93	2.75	2.06	0.101	1.26	79.37	8.45	150	141.1382	798.9201	940.0584	170.9645
Wabli	24WCRC004	24RRC0264	426610.00	7247561.00	19	20	320.34	7.85	11.95	7.66	12.94	2.34	170.36	1.28	30.11	102.32	31.23	16.91	2.76	2.02	0.101	1.24	75.77	8.16	142.2	135.9144	786.2397	922.1541	173.169
Wabli	24WCRC004	24RRC0265	426610.00	7247561.00	20	21	369.28	8.63	13.72	8.1	15.22	2.6	197.47	1.33	39.62	117.41	35.62	19.21	3.35	2.3	0.121	1.28	79.65	8.44	165.8	144.4247	906.5326	1050.9573	198.4348
Wabli	24WCRC004	24RRC0266	426610.00	7247561.00	21	22	350.54	8.66	13.02	8.27	14.52	2.57	186.43	1.34	34.31	111.43	33.74	18.44	2.91	2.21	0.113	1.33	83.46	8.67	147.6	148.8442	859.5277	1008.3719	188.279
Wabli	24WCRC004	24RRC0267	426610.00	7247561.00	22	23	385.37	9.81	14.21	8.87	15.52	2.81	204.37	1.44	38.18	119.84	36.78	20.01	3.29	2.41	0.131	1.46	88.48	9.45	186.8	158.9315	939.886	1098.8175	203.3624
Wabli	24WCRC004	24RRC0268	426610.00	7247561.00	23	24	353.09	9.51	12.83	8.1	13.95	2.56	185.19	1.27	35.45	107.87	33.28	17.81	2.8	2.17	0.114	1.31	82.35	8.56	160	146.7359	855.0173	1001.7532	183.3058
Wabli	24WCRC004	24RRC0269	426610.00	7247561.00	24	25	330.18	8.54	12.14	7.93	13.06	2.47	173.43	1.27	32.86	102.66	31.6	16.86	2.86	2.08	0.113	1.29	77.03	8.4	168.2	138.5798	802.8275	941.4073	174.3013
Wabli	24WCRC004	24RRC0270	426610.00	7247561.00	25	26	338.11	7.63	12.78	8.4	13.7	2.64	179.62	1.36	33.09	103.75	32.26	17.13	2.86	2.15	0.112	1.36	83.21	9.06	155.3	148.9106	823.0397	971.9504	177.1869
Wabli	24WCRC004	24RRC0271	426610.00	7247561.00	26	27	316.77	8.01	12.2	7.91	13.22	2.42	168.14	1.31	30.99	99.64	30.56	16.37	2.66	2.09	0.106	1.29	78.19	8.44	160.9	140.1444	775.0353	915.1797	169.6028
Wabli	24WCRC004	24RRC0272	426610.00	7247561.00	27	28	351.14	8.5	12.82	7.9	14.23	2.55	185.41	1.32	34.58	110.35	33.86	18.22	3.2	2.22	0.123	1.31	80.24	8.53	187	143.8863	857.3875	1001.2738	186.9465
Wabli	24WCRC004	24RRC0273	426610.00	7247561.00	28	29	360.08	9.45	12.66	8.05	14.15	2.55	191.35	1.39	35.27	112.07	34.33	18.51	3.21	2.16	0.124	1.31	81.97	8.67	196.4	146.2396	878.153	1024.3927	189.2664
Wabli	24WCRC004	24RRC0274	426610.00	7247561.00	29	30	312.31	8.9	11.5	7.62	12.39	2.49	167.16	1.26	30.34	98.54	29.95	16.25	2.64	1.97	0.106	1.22	76.93	8.11	141.9	136.8358	765.2224	902.0582	166.6383
Wabli	24WCRC004	24RRC0275	426610.00	7247561.00	30	31	395.07	10.24	13.5	8.39	15.29	2.6	209.45	1.28	37.71	121.25	37.15	19.74	3.25	2.33	0.138	1.34	80.42	8.74	192.9	145.8702	959.3297	1105.1999	204.5451
Wabli	24WCRC004	24RRC0276	426610.00	7247561.00	31	32	341.02	9.13	12.47	7.85	13.35	2.43	183.26	1.29	34.75	106.85	32.49	17.47	2.9	2.13	0.125	1.27	77.09	8.35	171.1	138.8992	834.7908	973.69	180.7013
Wabli	24WCRC004	24RRC0277	426610.00	7247561.00	32	33	327.29	4.9	12.02	7.55	13.02	2.38	173.31	1.27	32.47	101.97	31.07	16.71	2.59	2.04	0.116	1.27	76.85	8.19	174.5	137.3668	797.5412	934.9081	172.6713
Wabli	24WCRC004	24RRC0278	426610.00	7247561.00	33	34	380.6	9.82	11.5	6.53	14.56	2.15	204.64	1.09	34.04	119.91	36.57	19.14	2.62	2.15	0.131	1.04	69.91	6.89	175.3	124.7088	932.1373	1056.8461	199.7742
Wabli	24WCRC004	24RRC0279	426610.00	7247561.00	34	35	367.15	8.09	12.74	7.89	14.31	2.52	193.94	1.33	34.66	114.84	34.96	18.59	2.64	2.2	0.127	1.26	81.61	8.4	184.3	145.2712	894.1787	1039.4499	193.3973
Wabli	24WCRC004	24RRC0280	426610.00	7247561.00	35	36	344.35	8.59	12.26	7.88	13.69	2.45	183.19	1.67	34.74	107.24	32.86	17.43	2.84	2.17	0.122	1.29	79.26	8.43	176.6	142.0641	840.0811	982.1453	181.4093
Wabli	24WCRC004	24RRC0281	426610.00	7247561.00	36	37	370.28	9.66	12.97	8.25	14.43	2.61	196.85	1.36	35.85	114.31	35.2	18.81	2.92	2.22	0.132	1.33	83.27	8.87	183.5	148.8307	901.5129	1050.3437	193.3566
Wabli	24WCRC004	24RRC0282	426610.00	7247561.00	37	38	344.86	9.38	12.51	8.03	13.4	2.51	185.21	1.35	32.02	107.2	33.13	17.27	2.64	2.19	0.116	1.29	77.5	8.52	166.8	140.1184	842.8711	982.9896	181.9993
Wabli	24WCRC004	24RRC0283	426610.00	7247561.00	38	39	345.34	11.37	12.74	10.29	13.56	2.64	182.26	1.4	37.5	105.75	32.58	17.41	3.21	2.14	0.127	1.4	80.76	9.31	174.9	148.2788	837.934	986.2128	179.8487
Wabli	24WCRC004	24RRC0284	426610.00	7247561.00	39	40	356.54	9.59	12.75	8.55	13.87	2.54	190.41	1.39	34.06	110.43	33.96	18.29	2.62	2.18	0.124	1.35	80.65	8.72	175	145.353	869.811	1015.1641	187.0333
Wabli	24WCRC004	24RRC0285	426610.00	7247561.00	40	41	381.15	10.2	13.11	8.62	14.43	2.7	202.21	1.4	35.68	117.91	36.51	18.74	2.82	2.26	0.131	1.42	83.97	9	184.4	150.7499	926.9324	1077.6823	199.3461
Wabli	24WCRC004	24RRC0286	426610.00	7247561.00	41	42	346.01	9.98	12.75	8.55	13.44	2.61	184.73	1.49	34.55	106.69	33.34	17.43	2.94	2.16	0.122	1.39	79.5	9.32	176.5	144.7919	843.5996	988.3916	181.8983
Wabli	24WCRC004	24RRC0287	426610.00	7247561.00	42	43	358.07	6.23	12.89	8.57	14.06	2.63	193.21	1.45	35.41	111.63	34.6	18.08	2.85	2.17	0.125	1.42	81.17	9.66	189.3	147.5068	877.053	1024.5599	189.3551
Wabli	24WCRC004	24RRC0288	426610.00	7247561.00	43	44	362.33	7.93	13.09	8.81	13.95	2.7	194.47	1.48	34.94	114.18	34.77	18.41	2.88	2.2	0.125	1.45	80.24	9.53	212.9	146.8656	887.2337	1034.0993	192.7996
Wabli	24WCRC004	24RRC0289	426610.00	7247561.00	44	45	376.7	6.21	13.53	8.92	14.51	2.76	200.54	1.49	36.08	117.02	36.13	18.82	2.98	2.3	0.131	1.45	84.82	9.74	196.1	153.7494	918.1262	1071.8756	198.378
Wabli	24WCRC004	24RRC0290	426610.00	7247561.00	45	46	395.59	9.54	13.72	8.95	14.87	2.76	210.98	1.52	36.16	122.64	37.19	19.59	3.04	2.34	0.132	1.47	85.19	9.73	209.8	154.5642	962.7744	1117.3386	206.479
Wabli	24WCRC004	24RRC0291	426610.00	7247561.00	46	47	390.48	6.36	13.68	9	14.7	2.78	208	1.55	35.9	121.38	37.17	19.59	3.01	2.33	0.134	1.49	85.7	9.79	212.8	155.3596	951.2667	1106.6263	204.9275
Wabli	24WCRC004	24RRC0292	426610.00	7247561.00	47	48	390.71	8.14	16.29	11.4	15.75	3.35	205.96	2.04	40.26	119.61	36.66	19.37	3.45	2.63	0.129	1.93	105.34	13.34	192.2	192.1482	947.4311	1139.5794	205.5951
Wabli	24WCRC004	24RRC0293	426610.00	7247561.00	48	49	163.71	5.64	7.57	5.1	7.54	1.52	84.32	0.94	26.27	52.55	15.98	9.37	3.45	1.23	0.06	0.9	40.82	6.2	98.9	78.7018	400.8623	479.5642	90.7361
Wabli	24WCRC004	24RRC0294	426610.00	7247561.00	49	50	374.55	11.3	13.78	9.17	14.79	2.71	201.11	1.49	39.66	114.5	35.63	19.06	3.27	2.35	0.136	1.41	85.44	9.76	192.3	155.0881	913.1304	1068.2186	195.1803
Wabli	24WCRC004	24RRC0295	426610.00	7247561.00	50	51	355.43	11.98	12.71	8.19	13.88	2.53	191.9	1.39	39.64	109.56	33.82	18.25	3.24	2.2	0.136	1.31	77.62	8.76	203.6	141.0596	868.9068	1009.9664	185.827
Wabli	24WCRC004	24RRC0296	426610.00	7247561.00	51	52	380.61	11.18	13.6	8.6	14.92	2.7	205.24	1.45	38.58	116.37	36.07	19.52	3.24	2.35	0.134	1.44	84.43	9.33	202.1	152.4348	928.8715	1081.3063	197.6865
Wabli	24WCRC004	24RRC0297	426610.00	7247561.00	52	53	388.29	11.38	13.65	8.69	15.24	2.72	207.08	1.5	39.99	117.73	36.55	19.73	3.27	2.39	0.136	1.44	84.54	9.54	209.8	153.1008	943.2877	1096.3885	199.9572
Wabli	24WCRC004	24RRC0298	426610.00	7247561.00	53	54	391.12	11.66	14.28	9.12	15.5	2.82	207.45	1.59	40.14	121.96	37.3	20.34	3.33	2.43	0.139	1.55	90.06	10.02	213.3	162.2615	953.9868	1116.2484	206.5673
Wabli	24WCRC004	24RRC0299	426610.00	7247561.00	54	55	398.07	9.71	14.81	10.37	16.22	3.01	215.19	1.65	40.16	123.62	37.97	20.57	3.27	2.56	0.136	1.57	92.44	10.81	204.2	168.6827	975.4896	1144.1724	210.0742

Wabli	24WCRC004	24RRC0302	426610.00	7247561.00	55	56	366.87	8.84	14.74	9.76	15.22	3.05	199.49	1.69	42.3	114.12	34.99	19.46	3.43	2.46	0.129	1.67	93.03	11.16	201.4	169.1405	901.5748	1070.7154	195.195
Wabli	24WCRC004	24RRC0303	426610.00	7247561.00	56	57	372.66	10.4	12.3	7.37	14.4	2.35	200.94	1.22	40.46	114.93	35.23	18.9	3.37	2.18	0.136	1.17	74.53	7.96	197.6	134.2335	910.039	1044.2726	193.3
Wabli	24WCRC004	24RRC0304	426610.00	7247561.00	57	58	408.38	8.6	12.9	7.37	15.63	2.42	220.03	1.24	37.94	125.63	38.95	21.19	3.21	2.4	0.137	1.17	76.8	7.8	199.7	137.9843	997.3972	1135.3815	211.2224
Wabli	24WCRC004	24RRC0305	426610.00	7247561.00	58	59	277.18	9.92	9.97	5.24	11.26	1.84	137.8	0.87	38	89.41	26.8	14.46	3.13	1.69	0.139	0.81	51.26	5.54	189	94.8478	669.6667	764.5146	150.0979
Wabli	24WCRC004	24RRC0306	426610.00	7247561.00	59	60	233.59	8.03	9.06	5.03	9.92	1.68	117.92	0.85	34.3	75.92	22.8	12.54	2.79	1.51	0.123	0.79	48.87	5.4	196.2	89.9282	568.3325	658.2607	128.2742
Wabli	24WCRC004	24RRC0307	426610.00	7247561.00	60	61	359.48	10.14	10.84	5.15	13.58	1.87	191.3	0.86	36.34	111.42	34.23	17.82	2.77	1.94	0.131	0.77	58.54	5.3	190	104.9863	874.9519	979.9383	186.0398
Wabli	24WCRC004	24RRC0308	426610.00	7247561.00	61	62	341.91	8.99	11.59	5.75	13.81	2.06	175.28	0.94	36.45	110.05	33.42	18.38	2.82	2.01	0.129	0.88	60.47	6.04	214.6	110.3433	832.8045	943.1478	184.4063
Wabli	24WCRC004	24RRC0309	426610.00	7247561.00	62	63	368.84	10.77	15.35	9.08	15.69	3.03	195.62	1.55	36.22	117.56	35.66	19.21	2.68	2.5	0.123	1.43	86.2	9.76	193.5	158.3863	904.4948	1062.8812	200.764
Wabli	24WCRC004	24RRC0310	426610.00	7247561.00	63	64	355.02	10.26	14.84	9.1	15.33	2.96	185.49	1.58	39.19	113.56	34.07	18.53	2.96	2.43	0.126	1.46	86.48	10.1	206.5	158.4724	867.7218	1026.1942	193.5097
Wabli	24WCRC004	24RRC0311	426610.00	7247561.00	64	65	378.93	8.53	16.72	10.21	16.54	3.36	196.36	1.77	37.87	119.04	36.31	19.73	3.05	2.65	0.117	1.67	94.61	11.22	189	174.6719	921.8158	1096.4877	205.0244
Wabli	24WCRC004	24RRC0312	426610.00	7247561.00	65	66	381.52	9.1	17.34	10.96	16.86	3.57	200.02	1.85	41.98	119.2	36.34	19.95	3.29	2.72	0.122	1.74	100.58	12.07	210.7	185.2841	930.1248	1115.4089	206.0412
Wabli	24WCRC004	24RRC0313	426610.00	7247561.00	66	67	342.22	10.09	16.29	10.39	15.29	3.34	177.39	1.81	39.97	108.32	32.89	17.9	3.14	2.52	0.116	1.68	96.23	11.55	192.7	176.6983	834.1972	1010.8955	187.7422
Wabli	24WCRC004	24RRC0314	426610.00	7247561.00	67	68	348.58	10.5	16.46	10.45	15.49	3.44	185.75	1.86	36.28	109.81	33.31	18.15	2.86	2.56	0.107	1.71	100.83	11.66	183.3	183.1815	854.6606	1037.8422	190.2297
Wabli	24WCRC004	24RRC0315	426610.00	7247561.00	68	69	238.17	10.23	11.89	7.52	11.16	2.44	117.51	1.36	37.45	75.99	22.86	13	2.84	1.86	0.113	1.24	67.4	8.55	201.8	125.5178	575.5361	701.0539	132.088
Wabli	24WCRC004	24RRC0316	426610.00	7247561.00	69	70	271.32	11.22	13.46	8.4	12.57	2.77	137.23	1.53	39.62	86.29	26.11	14.74	3.07	2.06	0.12	1.38	74.67	9.46	198.8	139.5608	659.0811	798.6419	150.0657
Wabli	24WCRC004	24RRC0317	426610.00	7247561.00	70	71	286.18	11.35	13.8	8.51	13.36	2.77	147.51	1.5	39.87	92.5	27.9	15.52	2.96	2.18	0.121	1.39	76.63	9.56	204.2	142.7981	700.6806	843.4787	160.0031
Wabli	24WCRC004	24RRC0318	426610.00	7247561.00	71	72	341.26	10.34	14.84	8.95	14.78	2.93	179.25	1.54	38.7	108.47	32.73	17.87	2.98	2.37	0.123	1.41	82.68	9.65	181.8	152.7553	834.6163	987.3717	185.8832
Wabli	24WCRC004	24RRC0319	426610.00	7247561.00	72	73	350.24	9.86	16.08	9.59	15.76	3.18	178.96	1.65	45.76	111.88	33.5	18.69	4.22	2.55	0.112	1.54	84.86	10.55	189.3	159.4752	852.2714	1011.7466	192.4258
Wabli	24WCRC004	24RRC0321	426610.00	7247561.00	73	74	434.86	7.8	19.15	9.45	18.27	3.22	234.64	1.66	39.54	134.8	41.39	21.7	3.18	2.82	0.12	1.5	99.04	10.29	204.1	180.8787	1064.3353	1245.2141	232.5334
Wabli	24WCRC004	24RRC0322	426610.00	7247561.00	74	75	405.8	9.11	15.69	8.78	16.63	2.96	220.14	1.45	39.81	125.53	38.44	20.66	2.96	2.58	0.125	1.36	91.63	9.26	189.7	164.5799	994.0697	1158.6497	213.9034
Wabli	24WCRC004	24RRC0323	426610.00	7247561.00	75	76	427.12	9.34	15.71	8.15	17.26	2.85	229.88	1.41	40.4	133.38	40.53	21.39	3.05	2.59	0.127	1.28	87.84	8.59	204.7	158.0555	1045.0268	1203.0824	225.6195
Wabli	24WCRC004	24RRC0324	426610.00	7247561.00	76	77	422.61	8.33	13.64	9.09	16.74	2.5	227.92	1.2	39	130.57	40.36	20.99	2.92	2.42	0.125	1.1	79.94	7.44	188.4	144.3677	1032.6539	1177.0216	219.5608
Wabli	24WCRC004	24RRC0325	426610.00	7247561.00	77	78	421.57	5.01	16.85	9.63	17.58	3.25	228.34	1.57	39.41	130.45	39.52	21.26	3.38	2.77	0.1	1.58	90.21	11.09	220.1	168.1072	1031.9839	1200.0911	222.5017
Wabli	24WCRC004	24RRC0326	426610.00	7247561.00	78	79	494.58	6.75	22.54	13.52	21.84	4.55	265.95	2.05	39.42	151.64	46.39	25.74	3.07	3.56	0.129	1.99	120.38	13.15	263.9	223.1768	1209.2399	1432.4167	262.9777
Wabli	24WCRC004	24RRC0327	426610.00	7247561.00	79	80	272.33	4.58	11.94	7.78	10.92	2.69	142.02	1.45	33.77	86.24	26.25	13.78	2.91	1.82	0.098	1.31	71.53	9.21	217.7	132.2903	663.1163	795.4066	148.1498
Wabli	24WCRC005	24RRC0328	426651.00	7247572.00	0	1	138.83	18.03	29.26	22.6	20.21	6.84	126.6	4.86	36.75	86.49	24.64	17.49	5.59	3.95	0.142	3.96	280.83	29.7	57.5	472.4004	495.0351	967.4355	168.8796
Wabli	24WCRC005	24RRC0329	426651.00	7247572.00	1	2	75.59	45.61	16.99	13.37	11.33	4.03	72.31	2.88	90.06	46.03	13.06	9.37	13.65	2.22	0.245	2.39	162.07	17.62	17.1	273.8966	272.0757	545.9723	91.579
Wabli	24WCRC005	24RRC0330	426651.00	7247572.00	2	3	26.41	17.85	4.29	3.45	2.91	1.03	17.83	0.74	30.44	12.43	3.54	2.54	6.16	0.57	0.076	0.61	33.11	4.52	5.1	59.4504	78.9694	138.4199	24.3694
Wabli	24WCRC005	24RRC0331	426651.00	7247572.00	3	4	19.92	11.17	2.32	1.76	1.38	0.53	13.29	0.38	7.92	7.28	2.2	1.35	1.13	0.29	0.021	0.31	15.49	2.38	4.4	28.7904	54.9965	83.787	14.1531
Wabli	24WCRC005	24RRC0335	426651.00	7247572.00	4	5	48.89	18.31	8.61	6.99	5.02	2.05	23.47	1.66	34.26	16.2	4.45	3.69	5.12	1.07	0.095	1.27	71.97	9.7	5.8	127.2597	122.4469	249.7067	35.4124
Wabli	24WCRC005	24RRC0336	426651.00	7247572.00	5	6	26.9	14.62	4.1	3.27	2.55	0.93	15.5	0.76	37.33	10.82	3.1	2.37	5.06	0.52	0.057	0.6	21.19	4.7	4.8	43.9322	73.7592	117.6915	21.683
Wabli	24WCRC005	24RRC0337	426651.00	7247572.00	6	7	15.12	12.45	2.68	2.04	1.51	0.59	11.06	0.44	6.94	5.94	1.74	1.28	2.28	0.33	0.009	0.36	12.7	2.92	3.2	26.8367	44.5858	71.4226	12.4946
Wabli	24WCRC005	24RRC0338	426651.00	7247572.00	7	8	27.21	6.56	4.99	4.01	2.95	1.17	14.28	0.93	23.33	10.75	2.97	2.46	2.7	0.62	0.03	0.74	27.25	5.78	4.9	55.471	73.0358	128.5069	22.5834
Wabli	24WCRC005	24RRC0339	426651.00	7247572.00	8	9	68.61	9.75	24.66	21.4	12.55	6.06	35.4	5.09	33.32	29.42	7.52	7.92	10.79	2.94	0.04	3.9	209.35	30.17	25.6	373.6231	193.8137	567.4368	75.1614
Wabli	24WCRC005	24RRC0340	426651.00	7247572.00	9	10	39.57	10.04	5.9	4.54	3.51	1.35	21.67	1.04	43.23	14.97	4.22	3.28	7.46	0.78	0.029	0.81	24.8	6.29	8.1	55.1904	105.0871	160.2775	30.2484
Wabli	24WCRC005	24RRC0341	426651.00	7247572.00	10	11	10.39	12.73	1.98	1.48	1.17	0.43	5.78	0.31	17.11	4.57	1.25	1.06	4.59	0.25	0.013	0.27	7.38	2.06	2.4	17.1298	29.3181	46.448	9.4071
Wabli	24WCRC005	24RRC0342	426651.00	7247572.00	11	12	130.56	16.02	16.69	13.04	10.99	3.83	67.7	2.98	41.07	47.2	13.43	9.83	6.16	2.24	0.055	2.36	101.33	18.12	48.1	196.4844	336.0726	532.557	93.07
Wabli	24WCRC005	24RRC0343	426651.00	7247572.00	12	13	74.52	19.5	16.15	13.54	9.25	3.94	37.62	3.24	49.79	28.11	7.75	6.72	6.57	2.02	0.097	2.46	131.18	18.87	18.7	235.474	196.965	432.4391	63.0623
Wabli	24WCRC005	24RRC0344	426651.00	7247572.00	13	14	56.6	45.66	17.67	15.24	9.79	4.46	30.33	3.66	64.33	22.42	5.92	6.17	5.19	2.19	0.229	2.78	174.07	21.29	22.5	298.0228	157.5989	455.6217	56.1589
Wabli	24WCRC005	24RRC0345	426651.00	7247572.00	14	15	258.61	21.82	16.9	12.14	13.05	3.74	140.9	2.63	49.95	81.41	24.78	13.87	5.73	2.39	0.131	2.17	108.01	16.22	133.9	201.474	640.1117	841.5857	147.103
Wabli	24WCRC005	24RRC0346	426651.00	7247572.00	15	16	361.47	14.27	15.7	9.58	15.58	3.14	192.91	1.75	37.06	117.11	35.35	18.79	3.26	2.56	0.124	1.55	82.89	10.97	219	157.0952	890.7391	1047.8344	200.3369
Wabli	24WCRC005	24RRC0347	426651.00	7247572.00	16	17	370.75	9.38	11.81	5.98	14.3	2.13	200.45	0.97	32.77	116.09	35.74	18.56	2.06	2.08	0.126	0.92	64.01	6	206.6	115.551	908.578	1024.1291	194.5892
Wabli	24WCRC005	24RRC0348	426651.00	7247572.00	17	18	361.75	7.9	10.25	4.69	13.64	1.75	194.59	0.77	31.56	114.15	34.87	17.67	1.84	1.87	0.119	0.7	55.28	4.58	188.6	98.4214	885.5093	983.9307	189.2379
Wabli	24WCRC005	24RRC0349	426651.00	7247572.00	18	19	285.07	8.19	9.53	4.81	11.24	1.69	148.36	0.75	37.25	91.07	27.52	14.51	2.77	1.67	0.115	0.73	50.1	4.94	145.9	91.2716	694.6533	785.925	152.3755
Wabli	24WCRC005	24RRC0352	426651.00	7247572.00	19	20	407.79	7.99	11.46	5.59	14.77	2.03	216.85	0.83	34.23	126.18	38.67	20	2.15	2.11	0.123	1.37	65.76	5.71	211.6	116.871	990.794	1107.665	209.5318
Wabli	24WCRC005	24RRC0354	426651.00	7247572.00	20	21	328.54	6.43	10.1	5.02	12.81	1.8	174.65	0.79	29.32	103.46	31.48	16.79	1.89	1.84	0.101	0.81	54.6	5.09	199.2	98.5141	802.8132	901.3274	172.4658
Wabli	24WCRC005	24RRC0355	426651.00	7247572.00	21	22	409.55	6.41	13.64	5.97	15.26	2.12	220.54	0.85	34.34	127.35	39.14	20.05	2.17	2.21	0.135	1.02	66.52	5.69	239.1	120.5936	999.885	1120.4786	214.084
Wabli	24WCRC005	24RRC0356	426651.00	7247572.00	22	23	326.83	6.18	10.98	5.57	13.28	1.98	174.52	0.86	29.35	104.89	31.63	16.86	1.97	1.93	0.112	0.84	59.94	5.54	181.3	107.8726	803.0093	910.8819	175.4308
Wabli	24WCRC005	24RRC0357	426651.00	7247572.00	23	24	413.49	8.01	10.83	4.67	15.17	1.84	222.84	0.69	35.83	131.45	39.82	20.65	2.04	2.1	0.136	0.67	53.57	4.66	226.6	97.2321	1013.7799	1111.0121	216.3334
Wabli	24WCRC005	24RRC0358	426651.00	7247572.00	24	25	414.35	7.83	11.92	5.48	15.82	2.09	219.99	0.91	38.84	129.9	39.44	20.8	2.36	2.25	0.134	0.84	59.75	5.51	212.8	109.1323	1010.1499	1119.2823	215.4938
Wabli	24WCRC005	24RRC0359	426651.00	7247572.00	25	26	346.02	6.84	10.39	5.34	12.85	1.93	184.84	1.02	35.16	105.94	32.21	16.75	2.35	1.9	0.112	0.81	55.04	5.37	154.5	100.5715	839.9396	940.5112	176.6439
Wabli	24WCRC005	24RRC0360	426651.00	7247572.00	26	27	401.17	7.42	10.85	5.01	13.9	2	206.53	0.71	33.6	127.35	39.48	19.12	2	1.92	0.134	0.76	57.97	4.73	205.3	103.4082	971.0184	1074.4267	210.9516
Wabli	24WCRC005	24RRC0361	426651.00	7247572.00	27	28	398.43	7.94	11.98	5.03	13.49	1.9	202.09	0.7	37.76	125.62	38.97	19.11	2.09	1.98	0.137	0.77	60.44	4.85	189.9	107.9574	959.3506	1067.308	209.685
Wabli	24WCRC005	24RRC0362	426651.00	7247572.00	28	29	401.79	8.35	11.08	5.5	13.84	1.93	207.71	0.78	35.46	129.06	39.35	19.25	2.09	2.01	0.13	1.05	61.95	5.31	214.7	110.3836	975.025	1085.4087	213.1589
Wabli	24WCRC005	24RRC0363	426651.00	7247572.00	29	30	427.82	8.33	12.54	6.8	15.1	2.36	222.4	0.94	33.55	137.59	42.66	20.76	2.18	2.24	0.135	0.98	71.45	8.01	202.7	129.5495	1041.4358	1170.9853	229.0536
Wabli	24WCRC005	24RRC0364	426651.00	7247572.00	30	31	405.79	6.22	12.5	6.93	14.53	2.38	210.54	1.14	32.83	130.15	39.94	19.51	2.07	2.15	0.132	1.04	71.17	6.77	217.9	128.0976	986.4309	1114.5286	216.9375
Wabli	24WCRC005	24RRC0365	426651.00	7247572.00	31	32	403.12	5.36	12.46	6.64	14.49	2.34	207.95	1.03	31.54	127.97	40	19.36	1.86	2.09	0.127	1.03	77.55	6.68	186.9	135.4667	977.3887	1112.8555	214.3508
Wabli	24WCRC005	24RRC0366	426651.00	7247572.00	32	33	415.2	6.08	14.25	7.99	15.06	2.73	215.1	1.27	30.61	134.21	41.29	19.75	2.08	2.31	0.124	1.25	83.47	8.19	201.8	149.5317	1010.6161	1160.1479	225.5008
Wabli	24WCRC005	24RRC0367	426651.00	7247572.00	33	34	327.37	5.04	11.31	6.14	12.42	2.19	166.61	0.93	22.55	105.01	32.03	15.73	1.81	1.92	0.115	0.96	64.61	6.13	170	115.9509	792.6016	908.5525	176.4211
Wabli	24WCRC005	24RRC0368	426651.00	7247572.00	34	35	341.54	5.61	12.02	6.49	12.75	2.28	175.52	0.98	29.69	111.99	33.96	16.63	2.05	1.96	0.171	1	68.04	6.77	191.1	122.5032	832.2841	954.7873	187.7563
Wabli	24WCRC005	24RRC0369	426651.00	7247572.00	35	36	376.08	11.72	14.3	8.72	14.46	2.88	190.52	1.41	29.57	121.35	37.5	18.36	2.07	2.26	0.099	1.4	87.3	9.32	201.6	157.0178	911.6468	1068.6647	205.9204
Wabli	24WCRC005	24RRC0370	426651.00	7247572.00	36	37	441.33	5.5	15.9	9.5	16.26	3.16	226.57	1.56	35.02	141.89	43.52	21.31	2.32	2.5	0.122	1.55	96.34	10.52	222.6	173.5373	1070.9385	1244.4759	239.2702
Wabli	24WCRC005	24RRC0371	426651.00	7247572.00	37	38	437.95	6.93	15.27	8.88	16.18	3.03	222.17	1.43	27.77	138.81	42.64	21.01	2.18	2.47	0.128	1.45	88.5	9.24	223.7	160.2455	1056.5423	1216.7879	233.8562
Wabli	24WCRC005	24RRC0372	426651.00	7247572.00	38	39	486.46	8.15	18.52	10.41	19.03	3.64	248.83	1.63	23.72	158.04	48.46	24.26	2.34	2.99	0.139	1.63	110.2	10.48	314.1	196.4373	1184.4765	1380.9139	267.6594
Wabli	24WCRC005	24RRC0373	426651.00	7247572.00	39	40	72.71	18.64	8.02	4.88	7.08	1.68	36.3	0.75	9.12	29.23	7.89	6.21	0.37	1.19	0.978	0.76	47.11	4.92	37.8	85.2571	192.4451	277.7023	54.2308
Wabli	24WCRC005	24RRC0374	426651.00	7247572.00	40	41	26.54	12.16	7.07	4.25	5.7	1.46	12.05	0.63	2.41	15.74	3.39	4.39	0.17	1.03	1.023	0.66	39.83	4.04	13.6	72.5086	82.4562	154.9648	31.7806
Wabli	24WCRC005	24RRC0375	426651.00	7247572.00	41	42	23.66	10.69	5.68	3.51	4.79	1.3	10.82	0.52	2.05	13.62	3.03	3.84	0.14	0.83	0.949	0.53	33	3.43	12.7	60.007	72.6733	132.6804	27.0423
Wabli	24WCRC005	24RRC0376	426651.00	7247572.00	42	43	458.48	6.18	5.48	3.83	12.08	0.9	241.52	0.37	2.74	147.35	44.93	22.8	0.22	1.12	0.545	0.35	23.4	2.53	11.3	46.4343	1114.9592	1161.3936	233.7602
Wabli	24WCRC005	24RRC0377	426651.00	7247572.00	43	44	94.93	8.04	6.37	4.66	7.28	1.3	47.85	0.6	3.11	36.34	9.98	7.69	0.24	1.07	0.915	0.6	36.39	3.86	16	67.3618	246.1182	313.48	63.0141
Wabli	24WCRC005	24RRC0378	426651.00	7247572.00	44	45	90.13	9.92	7.91	5.15	7.6	1.63	46.48	0.79	8.27	33.33	9.27	6.89	0.56	1.26	0.821	0.76	47.71	5.23	42.1	86.6251	233.5839	320.2091	60.6364
Wabli	24WCRC005	24RRC0379	426651.00	7247572.00	45	46	19.09	12.01	6.28	4.08	5.46	1.34	8.39	0.58	1.89	12.21	2.57	3.69	0.14	0.95	0.985	0.58	36.1	3.78	15.7	65.995	62.6775	128.6725	25.6717
Wabli	24WCRC005	24RRC0380	426651.00	7247572.00	46	47	228.29	10.01	10.79	6.59	11.28	2.2	121.52	1.01	18.89	74.03	22.2	12.29	1.36	1.81	0.536	1.02	66.01	6.49	122.7	118.098	564.9833	683.0813	127.6832
Wabli	24WCRC005	24RRC0381	426651.00	7247572.00	47	48	366.25	4.93	12.62	7.39	14.32	2.48	197.57	1.11	30.84	115.11	35.82	17.93	2.07	2.21	0.136	1.06	72.18	7.23	207.1	130.7416	897.9191	1028.6608	194.6254
Wabli	24WCRC005	24RRC0382	426651.00	7247572.00	48	49	309.73	5.79	11.43	6.7	12.71	2.24	171.31	1.03	26.73	98.38	30.96	15.35	1.85	1.97	0.121	0.97	65.86	6.49	196	118.9675	767.2794	886.2469	167.5916
Wabli	24WCRC005	24RRC0383	426651.00	7247572.00	49	50	372.57	4.68	10.84	6.93	13.68	2.02	200.23	1.18	32.77	115.45	35.7	18.15	2.17	1.95	0.117	0.9	62.67	5.91	180.9	113.657	908.559	1022.2161	192.5282
Wabli	24WCRC005	24RRC0384	426651.00	7247572.00	50	51	371.78	6.21	10.3	5.57	13.98	1.94	200.02	0.87	34.78	115.47	36.02	17.52	2.24	1.95	0.132	0.79	57.08	5.32	202.8	103.1417	907.4023	1010.5441	192.3184
Wabli	24WCRC005	24RRC0385	426651.00	7247572.00	51	52	387.54	7.53	9.95	4.61	13.73	1.57	208.64	0.7	37.18	120.22	37.93	18.71	2.5	1.87	0.136	0.64	49.14	4.17	213	89.3672	945.8097	1035.177	199.6707
Wabli	24WCRC005	24RRC0386	426651.00	7247572.00	52	53	404.21	7.94	9.36	4.53	14.55	1.52	218.34	0.71	34.93	125.98	39.05	19.15	2.32	1.92	0.141	0.59	49.17	4.1	188.9	88.5128	987.2697	1075.7825	207.124
Wabli	24WCRC005	24RRC0387	426651.00	7247572.00	53	54	416.25	7.35	10.96	5.7	15.57	2.34	224.06	0.84	35.88	129.82	40.49	20.34	2.34	2.14	0.146	0.82	62.05	5.42	226.2	111.155	1017.518	1128.673	215.4379
Wabli	24WCRC005	24RRC0388	426651.00	7247572.00	54	55	416.86	7.6	15.8	4.92	15.25	1.88	223.04	0.97	36.9	129.39	40.42	20.25	2.51	2.16	0.148	0.72	55.47	5.57	223.3	107.163	1016.0465	1123.2095	220.4301
Wabli	24WCRC005	24RRC0389	426651.00	7247572.00	55	56	431.22	5.64	11.53	5.82	15.67	2.18	231.56	0.9	36.74	133.58	41.98	21.41	2.59	2.18	0.148	0.84	65.84	6.35	194.7	117.7731	1052.2783	1170.0515	222.325
Wabli	24WCRC005	24RRC0390	426651.00	7247572.00	56	57	412.37	7.34	11.02	5.58	15.2	2.02	222.06	0.85	36.01	126.77	39.82	20.11	2.88	2.21	0.138	0.81	60.78	5.5	201.2	109.2807	1005.3001	1114.5808	211.2221
Wabli	24WCRC005	24RRC0391	426651.00	7247572.00	57	58	460.02	7.29	12.58	6.41	17.05	2.41	247.6	1.01	36.95	141.23	44.02	21.77	2.98	2.45	0.146	0.98	74.4	6.44	217.5	131.4917	1119.8956	1251.3873	235.2353
Wabli	24WCRC005	24RRC0392	426651.00	7247572.00	58	59	435.02	6	11.55	5.78	16.18	2.36	235.51	0.91	34.11	134.32	41.9	21.23	2.51	2.28	0.132	0.83	62.62	5.53	215.4	113.0513	1062.7587	1175.8101	223.232
Wabli	24WCRC005	24RRC0393	426651.00	7247572.00	59	60	382.97	6.12	11.53	6.45	14.32	2.3	204.51	1.05	34.01	117.99	36.67	18.57	3.06	2.15	0.121	1.11	66.23	6.56	184.8	119.809	931.747	1051.5561	197.69
Wabli	24WCRC005	24RRC0394	426651.00	7247572.00	60	61	523.29	11.32	15.24	7.84	19.25	3.07	283.44	1.36	45.34	161.92	50.77	25.04	3.26	2.86	0.173	1.07	79.55	7.55	252.3	145.7228	1278.1201	1423.8429	271.0586
Wabli	24WCRC005	24RRC0395	426651.00	7247572.00	61	62	1321.67	24.21	31.83	16.05	46.84	5.48	718.59	2.24	83.4	405.51	129.17	61.56	5.7	6.34	0.37	2.14	157.96	14.16	507	290.3275	3222.8619	3513.1894	673.0384
Wabli	24WCRC005	24RRC0396	426651.00	7247572.00	62	63	199.2	14.93	10.96	6.9	10.61	2.22	106.56	1.33	31.67	63.91	19.55	11.57	6.38	1.8	0.425	1.09	60.1	8.01	105.8	113.3283	494.6078	607.9361	112.8608
Wabli	24WCRC005	24RRC0397	426651.00	7247572.00	63	64	377.24	6.07	16.71	10.81	16.63	3.44	205.05	1.79	34.07	118.34	36.6	19.24	3.1	2.74	0.179	1.63	102.82	11.55	223.6	186.3227	929.0126	1115.3354	204.6527
Wabli	24WCRC005	24RRC0398	426651.00	7247572.00	64	65	437.89	5.04	20.11	13.76	19.53	4.27	236.37	2.41	38.52	135.6	42.73	22.18	3.91	3.22	0.142	2.21	126.85	15.24	261.8	231.1985	1074.6007	1305.7992	236.6578
Wabli	24WCRC005	24RRC0399	426651.00	7247572.00	65	66	392.95	3.21	18.69	12.97	17.93	4	213.66	2.29	39.48	121.32	37.72	20	3.62	2.98	0.129	2.06	121.7	14.53	232.8	220.4176	965.6736	1186.0913	212.0365
Wabli	24WCRC005	24RRC0403	426651.00	7247572.00	66	67	300.37	10.87	15.88	11.15	14.71	3.42	162.15	2.1	33.72	94.56	28.93	16.15	2.98	2.51	0.308	1.71	103.03	12.1	177.2	186.8023	741.5263	928.3287	166.4257
Wabli	24WCRC005	24RRC0404	426651.00	7247572.00	67	68	381.86	5.34	18.29	12.3	17.58	3.81	207.15	2.1	40.81	119.12	36.87	19.63	3.41	2.91	0.136	1.9	116.76	13.35	226	210.8766	939.9103	1150.787	207.902
Wabli	24WCRC005	24RRC0405	426651.00	7247572.00	68	69	384.72	4.3	19	13.01	17.85	4.01	209.12	2.33	40.44	119.46	37.26	20.03	3.42	3.01	0.127	2.07	120.36	14.19	230.3	218.8339	947.4112	1166.2452	209.7023
Wabli	24WCRC005	24RRC0406	426651.00	7247572.00	69	70	378.16	4.3	19.41	13.66	17.36	4.22	204.5	2.42	39.71	117.73	36.85	19.89	3.7	3.05	0.121	2.16	127.66	15.19	220.5	230.9494	930.6833	1161.6328	207.7067

Wabli	24WCRC005	24RRC0407	426651.00	7247572.00	70	71	333.43	4.02	16.93	12.03	15.51	3.61	178.42	2.13	32.26	102.49	32.22	17.2	3.07	2.67	0.119	1.92	110.82	13.69	203.7	201.3965	816.4291	1017.8256	181.0435
Wabli	24WCRC005	24RRC0408	426651.00	7247572.00	71	72	394.05	3.47	17.87	12.28	17.5	3.76	214.08	2.12	35.19	121.61	38.04	19.88	3.3	2.83	0.109	1.93	110.29	13.54	240.7	202.2774	967.6654	1169.9428	211.6438
Wabli	24WCRC005	24RRC0409	426651.00	7247572.00	72	73	383.96	4.07	15.42	9.28	17.43	3.03	210.27	1.53	39.7	119.89	37.35	19.66	3.57	2.81	0.11	1.4	88.18	10.11	232.1	161.9159	947.5236	1109.4395	205.9686
Wabli	24WCRC005	24RRC0410	426651.00	7247572.00	73	74	389.74	6.33	14.76	9.6	16.47	3.39	212.05	1.5	42.39	120.61	37.69	20.08	3.67	2.55	0.121	1.38	88.2	9.18	208.2	160.5404	957.3534	1117.8938	206.1559
Wabli	24WCRC005	24RRC0411	426651.00	7247572.00	74	75	379.5	6.82	13.85	8.3	15.9	2.81	208.05	1.36	43.04	119.4	36.31	19.32	4.57	2.51	0.114	1.23	80.66	9.32	189.1	147.5518	935.4559	1083.0078	201.9858
Wabli	24WCRC005	24RRC0412	426651.00	7247572.00	75	76	402.48	4.73	13.82	8.5	15.89	3.04	218.14	1.3	39.2	123.8	38.77	19.91	3.48	2.48	0.101	1.24	78.94	8.7	207.3	145.0272	984.2117	1129.239	210.0204
Wabli	24WCRC005	24RRC0413	426651.00	7247572.00	76	77	382.89	6.23	12.26	7.08	15.2	2.27	209.23	1.17	42.43	117.88	37.29	19.23	4.2	2.24	0.107	1.03	68.8	7.54	199.2	125.8634	939.3995	1065.2629	199.2545
Wabli	24WCRC005	24RRC0414	426651.00	7247572.00	77	78	369.77	4.04	15.2	7.45	15.3	2.5	201.93	1.19	31.53	114.91	35.79	18.72	3.13	2.34	0.102	1.13	77.93	7.97	192.1	142.2626	909.0627	1051.3254	197.4698
Wabli	24WCRC005	24RRC0415	426651.00	7247572.00	78	79	260.81	2.86	9.56	5.53	11.2	1.84	142.8	0.93	22.62	81.93	25.25	13.28	2.4	1.73	0.072	0.91	56.51	5.84	133.3	101.9469	643.2265	745.1735	139.077
Wabli	24WCRC005	24RRC0416	426651.00	7247572.00	79	80	395.75	5.87	15.31	9.88	16.54	3.4	214.08	1.82	37.43	123.68	38.35	20.15	3.12	2.62	0.117	1.55	96.18	13.6	231.1	177.3104	971.6217	1148.9322	211.2477
Wabli	24WCRC006	24RRC0417	426581.00	7247547.00	0	1	339.13	7.01	17.16	12.04	19	3.77	264.12	2.04	30.12	141.87	44.13	21.97	2.47	2.88	0.12	1.81	161.82	12.54	192.1	265.3296	994.2325	1259.5622	241.877
Wabli	24WCRC006	24RRC0418	426581.00	7247547.00	1	2	383.69	8.05	15.17	10.12	16.96	3.19	243.06	1.69	32.95	134.69	42.45	20.63	2.82	2.55	0.12	1.52	106.58	10.69	196.3	186.8126	1009.8988	1196.7114	228.8004
Wabli	24WCRC006	24RRC0419	426581.00	7247547.00	2	3	344.87	6.85	13.8	9.16	14.89	2.88	196.68	1.6	28.94	115.43	35.92	18.11	2.51	2.31	0.106	1.41	95.3	9.77	185.6	167.905	872.0666	1039.9717	196.5913
Wabli	24WCRC006	24RRC0420	426581.00	7247547.00	3	4	313.62	7.54	11.72	7.84	12.66	2.48	172.73	1.29	27.23	99.07	30.85	15.37	2.36	1.95	0.1	1.19	76.37	8.04	172.3	136.5138	774.5456	911.0595	168.5728
Wabli	24WCRC006	24RRC0421	426581.00	7247547.00	4	5	337.87	7.7	13.31	9	13.97	2.76	184.4	1.53	29.73	107.61	33.36	16.75	2.58	2.18	0.108	1.37	89.81	9.58	165	159.5559	834.1222	993.6782	183.6618
Wabli	24WCRC006	24RRC0422	426581.00	7247547.00	5	6	319.84	7.96	11.76	7.82	12.37	2.42	174.84	1.3	27.58	99.94	31.2	15.36	2.41	1.95	0.101	1.18	77.33	8.31	163.1	137.9946	785.6478	923.6425	170.0563
Wabli	24WCRC006	24RRC0423	426581.00	7247547.00	6	7	360.83	9.4	12.82	8.42	13.64	2.64	191.5	1.39	33.68	110.64	34.68	17.3	2.85	2.13	0.126	1.28	80.44	8.86	174.9	145.1533	876.0373	1021.1906	188.1696
Wabli	24WCRC006	24RRC0424	426581.00	7247547.00	7	8	371.96	9.52	13.47	8.66	14.67	2.72	202.48	1.45	33.31	119.12	36.7	18.2	2.75	2.28	0.122	1.34	83.17	9.22	186.1	150.4553	917.1944	1067.6497	201.4237
Wabli	24WCRC006	24RRC0425	426581.00	7247547.00	8	9	379.67	9.62	13.97	9.22	14.8	2.94	200.14	1.61	32.63	115.61	36.11	18.06	2.65	2.33	0.121	1.42	89.07	9.97	177	160.6001	919.0545	1079.6546	197.2495
Wabli	24WCRC006	24RRC0426	426581.00	7247547.00	9	10	181.27	7.43	5.36	3.09	6.4	1.02	94.35	0.59	31.38	56.75	17.62	8.5	2.17	0.97	0.07	0.48	26.16	3.43	68	50.3398	438.8909	489.2308	94.7742
Wabli	24WCRC006	24RRC0427	426581.00	7247547.00	10	11	62.2	5.51	1.71	1.03	2.15	0.34	33.97	0.21	22.64	19.28	6.12	2.95	1.43	0.33	0.039	0.16	8.54	1.21	17.6	16.5622	152.3226	168.8849	32.233
Wabli	24WCRC006	24RRC0428	426581.00	7247547.00	11	12	51.47	5.29	3.07	2.38	2.54	0.68	28.34	0.53	18.04	16.43	5.23	2.81	1.07	0.46	0.029	0.42	19.99	3.16	8.7	37.6308	128.3582	165.9891	29.5473
Wabli	24WCRC006	24RRC0429	426581.00	7247547.00	12	13	40.72	3.67	9.95	8.15	6.42	2.28	21.45	1.94	16.9	17.8	4.6	4.39	1.03	1.34	0.026	1.44	66.66	11.51	2.5	126.5355	114.2029	240.7384	39.3153
Wabli	24WCRC006	24RRC0430	426581.00	7247547.00	13	14	81.48	5.25	6.79	5.15	5.16	1.48	44.34	1.15	23.53	28.26	8.39	4.92	1.43	0.96	0.038	0.93	43.26	6.79	25.2	81.5438	207.1831	288.7269	52.0212
Wabli	24WCRC006	24RRC0431	426581.00	7247547.00	14	15	356.37	12.48	20.36	13.47	16.22	4.08	193.23	2.84	37.8	112.25	35	18.34	2.94	2.79	0.108	2.33	128.19	16.49	170.6	234.1814	878.766	1112.9474	199.8641
Wabli	24WCRC006	24RRC0435	426581.00	7247547.00	15	16	325.98	8.81	14.09	9.2	13.81	2.87	176.77	1.59	30.34	103.05	31.96	16.28	2.45	2.16	0.104	1.49	88.41	9.92	179.5	159.5969	802.6559	962.2529	177.5232
Wabli	24WCRC006	24RRC0436	426581.00	7247547.00	16	17	340.4	8.73	13.53	8.4	13.8	2.73	183.58	1.4	30.37	107.34	33.11	16.66	2.43	2.15	0.11	1.34	86.35	8.6	186.6	153.3608	835.3045	988.6654	183.262
Wabli	24WCRC006	24RRC0437	426581.00	7247547.00	17	18	430.55	7.63	15.32	9.15	16.25	2.95	228.23	1.48	33.56	130.52	41.21	20.49	2.93	2.49	0.117	1.44	85.11	9.18	197.1	156.2157	1042.6753	1198.891	222.5399
Wabli	24WCRC006	24RRC0438	426581.00	7247547.00	18	19	341.32	9.65	13.06	8.44	13.49	2.72	183.28	1.36	32.33	107.16	33.14	16.51	2.82	2.08	0.114	1.33	87.18	8.53	187.3	153.6908	835.3778	989.0686	182.4666
Wabli	24WCRC006	24RRC0439	426581.00	7247547.00	19	20	368.76	9.32	13.72	8.24	14.41	2.71	198.92	1.31	32.09	115.55	35.84	18.12	2.6	2.24	0.118	1.31	86	8.29	194	152.5448	903.4237	1055.9685	196.4605
Wabli	24WCRC006	24RRC0440	426581.00	7247547.00	20	21	337.79	9.29	13.31	8.34	13.44	2.65	178.49	1.33	33.13	105.21	32.23	16.34	2.55	2.11	0.123	1.3	87.14	8.43	183.4	153.5854	821.8071	975.3925	179.4148
Wabli	24WCRC006	24RRC0441	426581.00	7247547.00	21	22	348.25	10.56	13.22	8.17	13.86	2.64	185.24	1.36	32.53	107.54	33.27	16.69	2.55	2.12	0.116	1.28	80.85	8.33	183.9	145.1977	847.343	992.5408	183.2976
Wabli	24WCRC006	24RRC0442	426581.00	7247547.00	22	23	385.82	7.23	15.52	9.72	14.97	3.09	204.32	1.71	58	118.83	37.28	18.58	5.6	2.41	0.086	1.64	62.77	11.05	181	131.4131	937.294	1068.7071	204.2919
Wabli	24WCRC006	24RRC0443	426581.00	7247547.00	23	24	391.52	9.62	14.94	9.24	14.86	2.92	206.41	1.61	42.68	121.39	37.79	18.94	3.37	2.35	0.116	1.52	78.35	9.89	210.4	148.1466	950.6971	1098.8438	207.1578
Wabli	24WCRC006	24RRC0444	426581.00	7247547.00	24	25	397.23	5.85	16.64	10.39	14.67	3.28	203.66	1.81	56.59	121.72	38.06	18.91	5.05	2.47	0.093	1.77	62.46	11.56	193.1	134.2021	954.7576	1088.9598	209.9612
Wabli	24WCRC006	24RRC0445	426581.00	7247547.00	25	26	556.45	9.75	18.26	10.61	19.67	3.56	296.03	1.65	52.04	169.03	53.8	26.46	4.58	2.99	0.112	1.7	78.83	10.76	241.5	156.8607	1347.8281	1504.6889	286.6315
Wabli	24WCRC006	24RRC0446	426581.00	7247547.00	26	27	331.18	11.04	12.41	7.64	12.53	2.47	179.44	1.25	31.86	102.08	31.96	15.74	2.61	1.99	0.115	1.2	77.93	7.76	158.4	138.7408	809.0573	947.7982	174.2637
Wabli	24WCRC006	24RRC0447	426581.00	7247547.00	27	28	364.76	9.09	11.57	6.51	13.54	2.17	197.59	1	34.78	112.97	35.18	17.09	2.78	1.98	0.122	0.99	67.5	6.36	193.5	120.7658	890.9931	1011.7589	189.8804
Wabli	24WCRC006	24RRC0448	426581.00	7247547.00	28	29	368.14	8.24	11.41	7.91	13.2	2.1	198.58	0.96	29.96	112.42	35.66	17.18	2.28	1.96	0.115	0.95	65.86	5.89	188.8	119.3704	895.8293	1015.1998	189.6117
Wabli	24WCRC006	24RRC0449	426581.00	7247547.00	29	30	374.59	8.56	10.21	5.18	12.78	1.86	201.39	0.75	33.14	114.92	36.28	17.29	2.68	1.82	0.127	0.76	55.12	4.98	183.9	99.301	910.4602	1009.7613	191.7348
Wabli	24WCRC006	24RRC0453	426581.00	7247547.00	30	31	345.46	9.74	8.58	3.71	11.76	1.44	186.93	0.52	19.73	106.12	33.33	15.86	2.13	1.62	0.113	0.54	42.82	3.75	183.7	77.4998	840.9314	918.4313	175.8003
Wabli	24WCRC006	24RRC0454	426581.00	7247547.00	31	32	340.26	10.83	9.51	4.46	12.22	1.65	183.68	0.68	24.41	105.81	33.15	16.07	2.14	1.72	0.12	0.64	49.16	4.16	178.6	88.5972	831.0662	919.6634	176.4063
Wabli	24WCRC006	24RRC0455	426581.00	7247547.00	32	33	361.16	7	10.93	5.75	12.96	2.1	196.66	0.85	30.78	111.02	34.8	17.38	2.58	1.9	0.123	0.88	57.91	5.61	176.8	105.6594	882.4031	988.0625	186.3182
Wabli	24WCRC006	24RRC0456	426581.00	7247547.00	33	34	352.79	8.06	9.89	5.14	12.37	1.77	191.18	0.74	31.09	107.12	33.89	16.48	2.9	1.75	0.117	0.75	54.4	4.65	150.2	97.3897	858.3232	955.713	179.2997
Wabli	24WCRC006	24RRC0457	426581.00	7247547.00	34	35	356.7	8.76	10.53	3.97	12.23	1.49	191.53	0.62	30.79	109.26	34.54	16.91	2.53	1.67	0.127	0.57	48.93	3.65	166.5	87.9444	867.0971	955.0416	183.2216
Wabli	24WCRC006	24RRC0458	426581.00	7247547.00	35	36	370.11	8.92	8.93	4.61	12.99	1.42	198.12	0.63	30.48	114.06	35.91	17.64	2.48	1.75	0.125	0.54	47.23	3.4	191.9	84.3875	900.3317	984.7192	188.7333
Wabli	24WCRC006	24RRC0459	426581.00	7247547.00	36	37	397.11	7.8	10.16	4.69	13.98	1.92	212.88	0.74	30.99	123.91	38.66	18.97	2.56	1.87	0.124	0.68	53.24	4.38	208.1	95.6375	968.336	1063.9736	205.0977
Wabli	24WCRC006	24RRC0460	426581.00	7247547.00	37	38	378.66	7.09	10.11	4.81	13.29	1.69	206.06	0.73	29.97	117.61	36.32	17.77	2.48	1.84	0.12	0.73	62.14	5.86	223.7	108.4517	925.2436	1033.6954	194.8295
Wabli	24WCRC006	24RRC0461	426581.00	7247547.00	38	39	372.69	5.94	9.29	4.89	12.56	1.7	201.32	0.74	29.82	115.15	35.97	17.64	2.3	1.72	0.114	0.82	52.63	4.88	186.7	94.3939	908.0556	1002.4496	190.4551
Wabli	24WCRC006	24RRC0462	426581.00	7247547.00	39	40	374.34	7.75	9.81	4.53	13.17	1.67	200.92	0.82	29.43	114.73	36.09	17.48	2.35	1.8	0.117	0.7	54.49	4.44	194.4	96.4537	909.8206	1006.2743	190.8011
Wabli	24WCRC007	24RRC0464	426700.00	7247696.00	0	1	386.72	10.67	17.77	12.07	17.79	3.68	235.82	1.97	38.83	128.13	39.82	20.33	3.33	2.83	0.133	1.8	124.17	12.2	222.6	217.6122	994.8397	1212.4519	221.2846
Wabli	24WCRC007	24RRC0465	426700.00	7247696.00	1	2	382.23	11.07	16.84	10.89	16.44	3.41	215.86	1.75	37.28	122.43	37.9	19.62	3.15	2.65	0.125	1.71	102.13	14.26	224.2	188.6787	954.5101	1143.1888	211.0373
Wabli	24WCRC007	24RRC0466	426700.00	7247696.00	2	3	373.93	11.14	16.51	10.61	16.06	3.56	206.76	1.79	36.26	117.58	36.97	19.19	3.29	2.61	0.123	1.7	96.79	11	186.1	177.6452	925.8096	1103.4548	203.8308
Wabli	24WCRC007	24RRC0467	426700.00	7247696.00	3	4	376.47	11.62	16.09	10.38	15.63	3.32	206.68	1.71	38.3	116.4	36.44	18.7	3.18	2.47	0.132	1.67	97.38	10.69	208.3	176.7316	925.8131	1102.5447	201.1674
Wabli	24WCRC007	24RRC0468	426700.00	7247696.00	4	5	370.72	11.21	16.4	10.35	15.64	3.27	201.48	1.67	37.73	115.69	35.71	18.44	3.1	2.53	0.127	1.66	96.42	10.77	217.5	175.8814	910.6054	1086.4868	199.8837
Wabli	24WCRC007	24RRC0469	426700.00	7247696.00	5	6	386.89	11.35	18.81	12.78	17.27	4.21	212.48	2.2	39.14	122.15	37.66	20.02	3.56	2.86	0.13	2.07	121.71	13.73	238.9	219.4483	957.0043	1176.4526	212.9287
Wabli	24WCRC007	24RRC0470	426700.00	7247696.00	6	7	423.31	11.92	18.87	11.76	18.16	3.8	232	1.96	40.46	130.01	41.07	21.21	3.32	2.9	0.135	1.9	108.99	12.24	228	199.6113	1040.4531	1240.0644	226.3325
Wabli	24WCRC007	24RRC0471	426700.00	7247696.00	7	8	410.19	11.82	18.57	12.3	17.64	3.9	225.57	2.05	41.48	126.45	39.43	20.37	3.53	2.84	0.137	1.97	113.68	12.84	229.7	206.7498	1009.0315	1215.7813	219.7838
Wabli	24WCRC007	24RRC0472	426700.00	7247696.00	8	9	419.74	11.03	18.93	12	17.95	3.88	229.44	2.04	40.03	131.93	40.87	21.18	3.58	2.92	0.134	1.95	109.81	12.57	244.8	201.6349	1034.7172	1236.3522	228.4227
Wabli	24WCRC007	24RRC0473	426700.00	7247696.00	9	10	417.56	11.77	18.52	12.2	17.87	3.85	226.26	2.03	41.75	129.27	40.4	20.93	3.6	2.82	0.138	1.96	114.42	12.83	249.6	207.3914	1024.2806	1231.672	224.164
Wabli	24WCRC007	24RRC0474	426700.00	7247696.00	10	11	418.78	11.58	19.02	12.24	17.57	3.83	229.73	2.08	40.69	128.46	40.52	21.02	3.46	2.85	0.134	1.96	113.45	13.08	250	207.1331	1028.7728	1235.9059	223.9734
Wabli	24WCRC007	24RRC0475	426700.00	7247696.00	11	12	391.87	11.76	17.1	11.42	16.25	3.53	215.44	1.91	38.51	123.42	38.07	19.4	3.28	2.59	0.132	1.83	106.18	11.77	235.1	192.2767	966.7212	1158.998	212.6252
Wabli	24WCRC007	24RRC0476	426700.00	7247696.00	12	13	328.14	8.02	13.32	8.53	13.34	2.71	176.81	1.49	25.86	100.18	31.25	16.31	2.27	2.11	0.086	1.39	85.78	9.14	187.2	153.249	800.6089	953.8579	172.3753
Wabli	24WCRC007	24RRC0477	426700.00	7247696.00	13	14	396.05	8.88	16.63	10.53	17.15	3.33	206.12	1.79	24.4	124.68	38.51	20.26	2.17	2.64	0.081	1.68	109.13	10.98	184.7	193.0882	964.9377	1158.0259	214.1459
Wabli	24WCRC007	24RRC0478	426700.00	7247696.00	14	15	384.46	11.86	15.37	9.1	16.59	2.96	206.3	1.44	43.37	122.26	37.4	20.24	4.23	2.53	0.109	1.43	78.38	9.34	221.5	147.8533	946.2424	1094.0958	208.4066
Wabli	24WCRC007	24RRC0479	426700.00	7247696.00	15	16	359.1	9.41	16.2	11.1	14.96	3.4	193.15	1.86	36.13	111.33	34.62	17.8	3.19	2.46	0.104	1.8	102.15	11.72	209.2	185.3103	878.5768	1063.8872	193.1693
Wabli	24WCRC007	24RRC0480	426700.00	7247696.00	16	17	330.14	11.2	15.07	10.13	14.05	3.18	178.09	1.73	33.36	101.52	31.94	16.71	2.95	2.3	0.113	1.68	93.33	10.89	230.3	170.0335	808.2687	978.3022	177.0039
Wabli	24WCRC007	24RRC0481	426700.00	7247696.00	17	18	405.99	12.91	17.93	11.91	16.79	3.73	219.67	2	41.2	124.37	39.16	19.9	3.59	2.73	0.138	1.94	109.84	12.81	220.1	200.2435	992.6645	1192.908	216.1675
Wabli	24WCRC007	24RRC0482	426700.00	7247696.00	18	19	400.1	12.97	18.27	11.95	16.88	3.78	217.33	2.03	41.1	122.33	38.75	19.68	3.73	2.7	0.138	1.93	112.45	12.86	232.6	204.0955	979.6014	1183.6969	213.6476
Wabli	24WCRC007	24RRC0483	426700.00	7247696.00	19	20	411.11	13.13	18.34	12.05	17.29	3.8	223.2	2.01	39.83	125.97	39.42	20.6	3.4	2.74	0.137	1.91	110.61	12.73	229.4	201.8299	1006.6965	1208.5265	218.8302
Wabli	24WCRC007	24RRC0484	426700.00	7247696.00	20	21	385.99	13.34	18.05	11.93	16.6	3.77	210.39	2.12	41.76	120.23	37.23	19.44	4.29	2.69	0.133	1.92	105.19	13.52	234	195.4199	949.2323	1144.6523	209.0975
Wabli	24WCRC007	24RRC0485	426700.00	7247696.00	21	22	411.76	14.02	18.18	11.73	16.55	3.69	226.46	2.08	39.55	126.02	39.51	19.93	3.63	2.73	0.136	1.9	105.26	13.16	221	194.9064	1009.8439	1204.7503	218.8019
Wabli	24WCRC007	24RRC0486	426700.00	7247696.00	22	23	378.23	14.17	17.15	11.31	15.71	3.56	204.68	2	40.97	117.09	36.63	18.63	3.7	2.61	0.138	1.82	102.73	12.78	205.7	189.1261	926.6515	1115.7776	203.583
Wabli	24WCRC007	24RRC0487	426700.00	7247696.00	23	24	352.09	14.57	15.61	10.55	14.54	3.28	190.24	1.8	41.22	109.54	34.59	17.18	3.73	2.39	0.138	1.67	92.5	11.75	201.1	171.3474	863.2149	1034.5623	190.2858
Wabli	24WCRC007	24RRC0488	426700.00	7247696.00	24	25	371.13	14.4	17.25	11.07	15.84	3.53	202.32	1.93	41	115.54	35.89	18.72	3.71	2.62	0.143	1.79	100.4	12.51	226	185.5636	912.6803	1098.2439	201.0076
Wabli	24WCRC007	24RRC0489	426700.00	7247696.00	25	26	393.77	14.66	17.8	11.49	17.07	3.58	212.28	1.98	40.8	123.42	38.1	19.95	3.67	2.75	0.143	1.84	104.04	12.84	216.8	191.9975	966.9217	1158.9193	213.6531
Wabli	24WCRC007	24RRC0490	426700.00	7247696.00	26	27	436.69	14.98	19.2	12.4	18.11	3.89	245.68	2.1	41.57	136.28	42.51	22.53	3.68	2.94	0.14	1.97	113.45	13.74	214.9	208.483	1083.3652	1291.8482	235.8114
Wabli	24WCRC007	24RRC0491	426700.00	7247696.00	27	28	343.93	14.19	16.16	10.73	15.31	3.34	185.2	1.94	39.36	108.1	33.79	18.05	3.68	2.5	0.127	1.75	95.12	12.07	214.5	176.3247	846.4386	1022.7633	188.4002
Wabli	24WCRC007	24RRC0492	426700.00	7247696.00	28	29	367.04	13.99	17.91	12.03	16.21	3.73	202.82	2.24	51.49	114.3	35.59	18.87	4.61	2.66	0.133	1.97	113.29	14.16	207.3	206.501	906.8492	1113.3503	200.0033
Wabli	24WCRC007	24RRC0493	426700.00	7247696.00	29	30	393.8	15.57	17.79	11.7	16.91	3.65	221.12	2	38.66	122.61	38.14	20.02	3.52	2.76	0.134	1.85	107.69	12.88	213.1	197.0329	976.2801	1173.3131	212.7569
Wabli	24WCRC007	24RRC0494	426700.00	7247696.00	30	31	343.94	14.53	18.33	12.66	15.78	3.87	189.43	2.27	36.7	106.8	33.26	17.66	4.5	2.63	0.116	2.03	113.02	14.49	182.4	207.964	849.3678	1057.3319	188.8869
Wabli	24WCRC007	24RRC0495	426700.00	7247696.00	31	32	407.17	15.11	18.93	12.78	18	3.87	224.84	2.05	40.2	125.4	39.37	20.55	3.72	2.89	0.134	1.92	116.08	13.46	218.6	211.4329	1003.6766	1215.1095	218.9585
Wabli	24WCRC007	24RRC0496	426700.00	7247696.00	32	33	345.85	12.62	16.53	10.63	15.49	3.4	192.31	1.86	33.9	108.61	33.47	18.3	3.11	2.53	0.111	1.74	99.33	11.94	193.3	181.8348	857.8874	1039.7223	189.0684
Wabli	24WCRC007	24RRC0497	426700.00	7247696.00	33	34	377.91	13.39	18.73	12.41	17.17	3.87	209.56	2.16	39.96	118.11	36.7	19.45	3.71	2.85	0.126	1.99	114.17	13.82	180.5	208.9227	935.8318	1144.7545	206.953
Wabli	24WCRC007	24RRC0498	426700.00	7247696.00	34	35	398.15	13.49	19.42	12.96	18.19	4	220.97	2.26	39.03	126.91	38.78	21.2	3.65	3	0.128	2.08	117.01	14.35	226.4	215.0954	990.0913	1205.1868	220.6987
Wabli	24WCRC007	24RRC0499	426700.00	7247696.00	35	36	335.08	11.35	16.78	11.16	15.64	3.45	186.02	1.9	36.11	105.14	32.74	17.58	3.22	2.58	0.111	1.8	99.11	12.41	236.5	183.2137	831.6672	1014.8809	184.4847
Wabli	24WCRC007	24RRC0503	426700.00	7247696.00	36	37	365.9	12.23	18.77	12.29	17.77	3.83	199.36	2.09	41.32	115.11	35.93	19.71	3.83	2.9	0.117	1.97	109.18	13.3	199.6	201.813	905.5998	1107.4129	202.6282
Wabli	24WCRC007	24RRC0504	426700.00	7247696.00	37	38	350.61	12.1	18.83	11.86	17.12	3.67	191.59	2.02	40.49	112.82	36.93	19.53	3.66	2.86	0.119	1.89	108.97	12.68	184.8	200.0162	875.2394	1075.2556	201.1871
Wabli	24WCRC007	24RRC0505	426700.00	7247696.00	38	39	363.72	12.21	18.64	12.13	18.08	3.81	201.49	2.13	39.76	116.89	36.54	20.49	3.61	2.9	0.118	2.01	112.05	13.39	204	205.2962	909.4836	1114.7799	205.2922
Wabli	24WCRC007	24RRC0506	426700.00	7247696.00	39	40	312.66	11.35	16.29	10.81	15.66	3.3	171.74	1.82	33.95	100.44	30.94	17.49	3.18	2.56	0.1	1.72	97.92	11.7	155.9	179.5538	779.4924	959.0462	176.242
Wabli	24WCRC007	24RRC0507	426700.00	7247696.00	40	41	373.06	12.04	18.72	12.26	18.17	3.87	205.21	2.11	38.76	119.75	36.83	20.94	3.56	2.94	0.121	2.02	111.94	13.17	204.6	205.2509	929.6306	1134.8816	209.1173
Wabli	24WCRC007	24RRC0508	426700.00	7247696.00	41	42	354.72	11.46	17.8	11.68	17.59	3.74	187.8	2.02	37.07	116.24	35.27	20.54	3.48	2.82	0.114	1.84	106.67	12.52	202.4	195.5013	879.5508	1075.0521	201.9414
Wabli	24WCRC007	24RRC0509	426700.00	7247696.00	42	43	384.72	11.18	19.36	12.48	19.32	3.94	206.45	2.14	40.29	128.65	39.3	22.66	3.32	3.06	0.119	2.01	113.19	13.1	237.1	207.9887	962.1268	1170.1156	223.3582
Wabli	24WCRC007	24RRC0510	426700.00	7247696.00	43	44	442.27	11.09	23.32	15.76	22.06	4.88	239.95	2.66	62.15	144.99	44.59	25.48	4.62	3.59	0.147	2.54	137.35	16.61	269.3	253.8587	1103.9712	1357.8299	253.9768
Wabli	24WCRC007	24RRC0511	426700.00	7247696.00	44	45	457.59	13.52	25.51	17.55	22.36	5.51	246.06	2.89	75.7	147.26	45.91	25.55	6.8	3.82	0.151	2.72	138.32	18.47	297.1	263.2281	1134.6704	1397.8985	261.0034

Wabli	24WCRC007	24RRC0512	426700.00	7247696.00	45	46	354.86	11.59	18.2	12.7	16.73	3.94	192.46	2.2	45.84	113.45	35.45	18.78	4.06	2.78	0.131	2.09	114.77	13.47	230	209.167	879.177	1088.344	199.3167
Wabli	24WCRC007	24RRC0513	426700.00	7247696.00	46	47	376.72	11.74	18.77	12.78	17.48	3.95	203.29	2.2	44.16	118.92	37.16	20.17	3.86	2.86	0.13	2.07	117.63	13.93	240.4	214.1511	929.7094	1143.8605	208.5112
Wabli	24WCRC007	24RRC0514	426700.00	7247696.00	47	48	364.42	11.74	17.73	12.1	16.56	3.72	197.75	2.13	44.89	116.04	36.46	19.36	3.78	2.78	0.133	1.94	108.54	13.08	196.8	199.083	901.8878	1100.9708	203.0185
Wabli	24WCRC007	24RRC0515	426700.00	7247696.00	48	49	399.49	11.23	17.17	11.36	17.27	3.52	221.27	1.95	43.12	126.35	39.48	20.95	3.7	2.81	0.141	1.8	105.11	12.28	240.9	191.769	990.8619	1182.6309	218.0855
Wabli	24WCRC007	24RRC0516	426700.00	7247696.00	49	50	448.26	13.34	21.24	14.56	20.27	4.45	244.65	2.65	46.64	141.63	44.44	23.1	4.02	3.3	0.154	2.33	142.11	16.08	236.5	254.4556	1108.1144	1362.5701	247.1482
Wabli	24WCRC007	24RRC0517	426700.00	7247696.00	50	51	368.14	11.55	17.22	11.34	16.26	3.61	205.35	2	43.21	114.36	35.76	19.01	3.7	2.67	0.138	1.87	107.3	12.29	234.9	194.6712	911.7787	1106.4499	199.4985
Wabli	24WCRC007	24RRC0518	426700.00	7247696.00	51	52	398.39	10.39	18.17	12.05	17.3	3.81	219.33	2.09	42.5	123.42	38.85	20.48	3.72	2.84	0.142	1.91	115.14	13.08	216.9	208.006	982.5811	1190.5872	215.0897
Wabli	24WCRC007	24RRC0519	426700.00	7247696.00	52	53	405.65	9.83	18.66	12.09	17.9	3.83	222.36	2.08	42.88	128.14	39.69	21.23	3.71	2.92	0.136	2.02	115.47	13.18	209.7	209.3783	1003.1453	1212.5236	222.2665
Wabli	24WCRC007	24RRC0520	426700.00	7247696.00	53	54	373.89	11.57	17.42	11.44	16.81	3.59	204.03	1.97	42.21	119.79	37.38	19.81	3.74	2.7	0.135	1.84	106.12	12.23	210.3	193.3922	927.2037	1120.596	208.0542
Wabli	24WCRC007	24RRC0521	426700.00	7247696.00	54	55	371.84	10.87	17.23	11.13	16.43	3.55	204.29	1.97	39.34	117.2	36.76	19.21	3.65	2.61	0.127	1.8	104.86	12.06	201.7	190.8287	920.0173	1110.846	203.9602
Wabli	24WCRC007	24RRC0522	426700.00	7247696.00	55	56	375.01	11.48	17.82	11.73	16.98	3.63	200.34	2.01	41.73	119.13	37.26	20.13	3.62	2.75	0.133	1.89	105.98	12.5	241.5	194.5198	923.8345	1118.3543	207.6573
Wabli	24WCRC007	24RRC0523	426700.00	7247696.00	56	57	326.43	11.85	16.51	11.37	15.01	3.54	176.11	1.95	42.53	103.96	32.78	17.28	3.87	2.52	0.135	1.81	104.89	12.29	222	190.4481	806.96	997.4082	182.7762
Wabli	24WCRC007	24RRC0524	426700.00	7247696.00	57	58	383.41	10.25	17.94	12.2	16.77	3.75	209.33	2.09	42.53	120.54	37.59	19.82	3.74	2.77	0.128	1.89	108.69	12.94	223.2	199.3894	946.2533	1145.6427	209.8619
Wabli	24WCRC007	24RRC0525	426700.00	7247696.00	58	59	419.4	10.74	18.97	12.4	18.63	3.92	231.15	2.13	42.95	133.08	41.38	22.31	3.79	2.98	0.134	2.01	115.51	12.95	224.2	210.0966	1040.3683	1250.465	230.4967
Wabli	24WCRC007	24RRC0526	426700.00	7247696.00	59	60	376.63	10.03	16.61	10.59	16.64	3.37	203.27	1.87	39.22	118.8	37.39	19.57	3.41	2.62	0.129	1.71	98.41	11.53	213	180.2943	928.0378	1108.3322	205.8878
Wabli	24WCRC007	24RRC0527	426700.00	7247696.00	60	61	367.55	9.39	17.35	10.8	16.11	3.41	202.73	1.82	37.65	116.77	36.47	19.25	3.3	2.57	0.12	1.75	97.69	11.75	210.7	180.6958	911.7903	1092.4861	203.199
Wabli	24WCRC007	24RRC0528	426700.00	7247696.00	61	62	396.26	11.47	17.42	11.26	17.31	3.58	216.68	1.96	41.52	125.34	39.65	20.64	3.37	2.78	0.135	1.83	103.54	12.37	199.8	190.1293	980.2947	1170.4241	217.3644
Wabli	24WCRC007	24RRC0529	426700.00	7247696.00	62	63	394.74	11.06	17.99	11.82	17.13	3.64	218.27	2.04	42.85	124.95	39.41	20.39	3.7	2.76	0.132	1.88	109.09	12.7	203.9	199.0409	979.0155	1178.0564	217.2502
Wabli	24WCRC007	24RRC0530	426700.00	7247696.00	63	64	386.39	11.76	17.56	11.76	16.83	3.69	210.21	2	41.88	121.48	38.13	19.83	3.55	2.73	0.132	1.86	106.37	12.18	214.8	194.3862	952.7637	1147.1499	211.1275
Wabli	24WCRC007	24RRC0531	426700.00	7247696.00	64	65	413.4	12.13	18.13	11.59	17.69	3.66	226.27	1.97	41.38	130.66	40.95	21.39	3.51	2.81	0.129	1.82	105.61	12.19	195.1	193.8722	1021.7364	1215.6086	225.9905
Wabli	24WCRC007	24RRC0532	426700.00	7247696.00	65	66	390.41	11.85	17.08	11.1	17.11	3.51	214.35	1.9	42	124.23	38.68	20.32	3.34	2.76	0.134	1.81	103.8	11.69	192.5	188.9172	967.2967	1156.214	214.484
Wabli	24WCRC007	24RRC0533	426700.00	7247696.00	66	67	399.01	12.37	18.04	11.94	17.48	3.72	218.62	2.02	43.13	125.01	39.49	20.67	3.67	2.83	0.14	1.86	107.3	12.43	245.1	196.7833	985.5887	1182.3721	217.5566
Wabli	24WCRC007	24RRC0534	426700.00	7247696.00	67	68	382.09	11.69	17.5	11.64	16.95	3.68	206.46	1.98	44.76	121.76	37.74	19.9	3.74	2.73	0.141	1.87	102.89	12.52	240.6	190.1252	943.101	1133.2262	210.9141
Wabli	24WCRC007	24RRC0535	426700.00	7247696.00	68	69	398.76	11.58	18.09	11.44	17.25	3.65	215.54	1.97	44.17	124.4	39.28	20.64	3.77	2.81	0.141	1.83	105.03	12.07	226.8	192.7815	980.4043	1173.1859	216.6252
Wabli	24WCRC007	24RRC0536	426700.00	7247696.00	69	70	367.47	11.08	16.81	10.87	16.23	3.47	195.43	1.86	43.3	116.33	36.15	19.05	3.57	2.66	0.133	1.76	96.22	11.63	211	178.3842	902.0792	1080.4634	201.7852
Wabli	24WCRC007	24RRC0537	426700.00	7247696.00	70	71	389.08	11.29	17.65	11.8	17.16	3.75	214.76	1.99	44.38	124.54	38.45	20.82	3.75	2.76	0.139	1.88	104.58	12.3	223.2	192.5142	966.9345	1159.4488	215.2219
Wabli	24WCRC007	24RRC0538	426700.00	7247696.00	71	72	373.73	11.92	16.88	11.15	16.29	3.45	204.99	1.87	40.65	117.65	36.97	19.06	3.44	2.59	0.126	1.75	102.18	11.78	195.6	186.4188	923.6841	1110.103	204.3136
Wabli	24WCRC007	24RRC0539	426700.00	7247696.00	72	73	338.25	10.82	28.99	23.59	20.56	6.88	186.19	4.49	37.35	109.27	33.83	19.31	3.56	3.8	0.121	3.93	258.36	27.1	149.8	441.1417	849.6408	1290.7826	206.0673
Wabli	24WCRC007	24RRC0540	426700.00	7247696.00	73	74	412.04	11.08	17.65	11.77	17.31	3.7	225.72	2.02	40.87	129.18	40.56	20.91	3.41	2.84	0.134	1.84	108.21	12.21	219	197.0124	1016.2404	1213.2529	223.2774
Wabli	24WCRC007	24RRC0541	426700.00	7247696.00	74	75	413.88	11.05	18.18	11.76	17.51	3.79	227.02	2.05	42.72	129.85	40.81	21.39	3.43	2.87	0.139	1.92	111.45	12.45	243	202.2609	1021.9074	1224.1683	225.0045
Wabli	24WCRC007	24RRC0542	426700.00	7247696.00	75	76	403.42	12.32	17.7	11.35	17.27	3.58	221.98	1.9	41.24	127.46	40.03	20.82	3.42	2.77	0.137	1.85	103.05	12	251.4	189.4529	998.4692	1187.9221	220.6059
Wabli	24WCRC007	24RRC0543	426700.00	7247696.00	76	77	418.25	11.5	18.31	12.04	17.87	3.97	231.15	2.04	42.24	130.77	41.06	21.32	3.47	2.86	0.14	1.87	111.19	12.74	212.6	202.8563	1033.8392	1236.6955	226.5171
Wabli	24WCRC007	24RRC0544	426700.00	7247696.00	77	78	389.6	9.28	17.13	11.53	16.65	3.57	212.54	1.95	41.87	121.76	38.09	19.9	3.45	2.67	0.134	1.83	103.64	12.25	255.5	189.9434	959.6258	1149.5693	210.8417
Wabli	24WCRC007	24RRC0545	426700.00	7247696.00	78	79	414.73	10.26	17.87	11.3	17.37	3.53	228.03	1.89	42.3	127.97	40.55	20.95	3.59	2.81	0.137	1.81	102.61	11.86	241.6	188.8054	1020.9227	1209.7281	222.0712
Wabli	24WCRC007	24RRC0546	426700.00	7247696.00	79	80	381.59	11.57	17.17	11.41	16.11	3.62	210.51	2.02	44.41	118	37.56	19.89	4.39	2.66	0.132	1.81	100.66	12.46	218.3	186.4092	941.7232	1128.1324	205.8498
Wabli	24WCRC008	24RRC0547	426663.00	7247690.00	0	1	438.81	7.01	16.93	10.73	17.81	3.37	255.56	1.77	36.05	140.02	44.13	22.1	2.88	2.75	0.132	1.68	106.38	11.19	223.7	190.5606	1103.1706	1293.7312	239.3023
Wabli	24WCRC008	24RRC0548	426663.00	7247690.00	1	2	434.68	5.87	17.36	10.87	18.62	3.49	266.46	1.77	37.14	147.12	46.01	22.98	2.97	2.85	0.139	1.71	110.39	11.12	226.5	196.5161	1123.4923	1320.0085	250.4662
Wabli	24WCRC008	24RRC0549	426663.00	7247690.00	2	3	433.71	3.91	17.89	10.92	18.82	3.5	258.06	1.76	38.27	142.9	45.12	22.72	2.98	2.89	0.135	1.72	108.87	11.14	217.4	195.3326	1106.3809	1301.7136	245.1241
Wabli	24WCRC008	24RRC0553	426663.00	7247690.00	3	4	415.08	4.06	17.03	10.7	17.62	3.45	237.71	1.78	40.62	135.15	42.3	22.11	3.11	2.77	0.137	1.64	102.53	10.81	234.1	185.4001	1045.0129	1230.413	231.5492
Wabli	24WCRC008	24RRC0554	426663.00	7247690.00	4	5	409.39	3.31	16.3	9.92	16.98	3.16	227.7	1.74	34.24	129.24	40.92	20.65	2.61	2.54	0.131	1.49	94.36	10.16	229.5	171.7355	1015.2117	1186.9473	221.8801
Wabli	24WCRC008	24RRC0555	426663.00	7247690.00	5	6	450.8	4.63	14.59	8.39	17.57	2.96	243.79	1.45	36.97	141.06	44.25	22.59	2.77	2.59	0.128	1.39	84.98	9.05	236.2	154.2335	1105.7668	1260.0004	237.7865
Wabli	24WCRC008	24RRC0556	426663.00	7247690.00	6	7	435.83	5.14	15.22	8.63	18.22	3.09	241.06	1.57	36.6	144.73	44	23.45	2.74	2.72	0.129	1.39	84.73	9.77	246.6	156.1717	1089.9604	1246.1322	242.6411
Wabli	24WCRC008	24RRC0557	426663.00	7247690.00	7	8	410.08	8.53	21.25	14.74	20.98	4.65	239.49	2.61	41.05	144.33	44.54	24.03	3.53	3.35	0.163	2.41	135.66	15.82	247.4	246.5198	1060.6226	1307.1424	250.4886
Wabli	24WCRC008	24RRC0558	426663.00	7247690.00	8	9	590.6	7.74	20.69	12.01	24	4.18	317.52	2.09	58.53	185.56	57.79	29.91	6.76	3.71	0.177	1.97	105.28	13.29	232.2	200.0861	1448.1749	1648.261	314.3686
Wabli	24WCRC008	24RRC0559	426663.00	7247690.00	9	10	374.01	5.99	17.57	11.12	17.35	3.7	204.48	2.09	40.11	121.14	37.43	20.41	4.35	2.8	0.118	1.9	101.2	12.92	200.3	188.1849	930.8899	1119.0749	209.979
Wabli	24WCRC008	24RRC0560	426663.00	7247690.00	10	11	404.23	7.7	17.46	10.91	18.21	3.72	222.22	2.1	38.31	129.72	40.13	21.85	3.83	2.94	0.119	1.94	106.56	12.81	217.6	194.7445	1004.7687	1199.5133	223.2873
Wabli	24WCRC008	24RRC0561	426663.00	7247690.00	11	12	404.97	6.85	17.19	10.88	17.91	3.64	222.19	2.01	40.48	127.22	39.94	21.46	3.44	2.82	0.127	1.89	105.52	12.61	213.5	192.4597	1001.6757	1194.1355	219.6907
Wabli	24WCRC008	24RRC0562	426663.00	7247690.00	12	13	358.61	8.17	15.91	10.4	15.76	3.45	195.84	1.91	38.18	113.39	35.1	18.66	3.69	2.6	0.127	1.83	99.84	11.98	207.8	181.8527	886.0319	1067.8846	195.9839
Wabli	24WCRC008	24RRC0563	426663.00	7247690.00	13	14	364.72	7.65	15.9	10.51	16.04	3.53	201.28	2.01	38.37	113.78	35.71	19.05	3.41	2.64	0.128	1.88	103.67	13.18	208.4	188.5067	901.9068	1090.4135	197.2114
Wabli	24WCRC008	24RRC0564	426663.00	7247690.00	14	15	407.09	9.24	17.75	11.61	17.68	3.92	223.61	2.19	42.43	127.67	39.63	21.09	4.05	2.86	0.141	2.03	113.23	13.32	231.1	205.2689	1005.4592	1210.7282	220.5308
Wabli	24WCRC008	24RRC0565	426663.00	7247690.00	15	16	387.4	9.09	16.89	11.35	16.7	3.74	215.03	2.09	41.83	119.72	37.94	19.91	4.03	2.78	0.135	1.94	109.55	13.26	207	198.7263	957.3177	1156.044	208.135
Wabli	24WCRC008	24RRC0566	426663.00	7247690.00	16	17	378.95	9.49	16.41	10.42	16.07	3.5	207.32	1.99	41.54	118.76	37.21	19.35	3.91	2.66	0.131	1.85	102	12.41	233.2	185.9237	934.4958	1120.4196	205.4412
Wabli	24WCRC008	24RRC0567	426663.00	7247690.00	17	18	380.04	9.89	15.18	9.47	15.78	3.2	208.77	1.82	42.29	118.15	37.08	19.39	3.48	2.51	0.138	1.74	98.88	11.09	215.4	177.1215	936.3325	1113.454	202.9845
Wabli	24WCRC008	24RRC0568	426663.00	7247690.00	18	19	329.61	10.82	13.08	8.02	14.33	2.79	185.64	1.53	38.51	106.1	32.55	17.68	3.12	2.21	0.138	1.43	84.56	9.44	183.9	151.4831	823.9874	975.4705	180.6932
Wabli	24WCRC008	24RRC0569	426663.00	7247690.00	19	20	379.65	10.57	15.21	9.5	16.29	3.26	207.44	1.77	43.73	119.17	37.27	19.75	3.91	2.53	0.14	1.64	98.5	11.07	231.6	176.6061	936.6487	1113.2549	204.4618
Wabli	24WCRC008	24RRC0570	426663.00	7247690.00	20	21	382.95	11.4	13.78	8.33	16.13	2.83	209.25	1.52	44.04	120.4	37.57	19.96	4.09	2.47	0.138	1.4	87.68	9.52	204.6	157.0002	944.7506	1101.7508	204.5471
Wabli	24WCRC008	24RRC0571	426663.00	7247690.00	21	22	413.42	12.43	17.63	10.86	18.21	3.68	224.81	2.03	43.61	129.17	40.7	21.24	3.74	2.93	0.14	1.87	108.86	12.37	211.7	197.0851	1018.4573	1215.5424	223.5178
Wabli	24WCRC008	24RRC0572	426663.00	7247690.00	22	23	426.72	11.4	17.85	11.22	18.65	3.84	232.7	2.08	42.85	134.7	42.04	22.2	3.8	2.97	0.135	1.93	111.15	13.17	197	201.924	1053.7945	1255.7185	231.8865
Wabli	24WCRC008	24RRC0573	426663.00	7247690.00	23	24	378.18	11.53	16.83	11.08	16.74	3.7	208.45	2.05	41.61	118.31	36.79	19.79	3.71	2.72	0.129	1.93	110.72	12.81	203	199.1487	935.1139	1134.2626	204.9615
Wabli	24WCRC008	24RRC0574	426663.00	7247690.00	24	25	385.5	12.36	16.85	10.71	16.91	3.63	209.09	2.06	42.84	120.67	37.14	20.12	3.62	2.7	0.134	1.84	107.02	12.45	212.1	193.4449	948.5751	1142.02	208.1365
Wabli	24WCRC008	24RRC0575	426663.00	7247690.00	25	26	382.18	12.74	16.92	11.22	16.89	3.74	205.87	2.1	42.44	120.55	37.12	19.86	3.84	2.81	0.134	1.94	110.24	13.08	209.5	199.33	940.3015	1139.6315	208.1821
Wabli	24WCRC008	24RRC0576	426663.00	7247690.00	26	27	365.81	12.61	16.72	10.97	16.3	3.69	200.51	2.01	42.5	115.56	35.98	19.41	3.69	2.64	0.137	1.89	108	12.81	204	195.2458	905.4506	1100.6965	200.5549
Wabli	24WCRC008	24RRC0577	426663.00	7247690.00	27	28	350.67	12.33	16.63	10.98	16.22	3.7	192.3	2.06	44.11	110.95	34.8	18.62	4.12	2.67	0.132	1.91	106.39	13.39	208.9	193.8963	869.368	1063.2644	193.6841
Wabli	24WCRC008	24RRC0578	426663.00	7247690.00	28	29	343.2	12.81	18.99	13.37	16.76	4.33	189.56	2.56	41.27	109	33.78	18.74	3.88	2.92	0.136	2.29	142.93	15.69	219.1	250.3773	854.2686	1104.6459	193.1799
Wabli	24WCRC008	24RRC0579	426663.00	7247690.00	29	30	375.62	12.81	16.76	10.71	16.62	3.58	202.69	2.03	40.92	116.06	36.62	19.24	3.72	2.73	0.138	1.88	109.77	13.16	197.2	197.6319	921.5851	1119.217	202.0631
Wabli	24WCRC008	24RRC0580	426663.00	7247690.00	30	31	353.05	12.47	16.38	10.83	15.89	3.57	189.82	2.03	41.16	112.62	34.61	18.93	3.57	2.63	0.132	1.84	104.77	12.6	205.1	190.171	871.0687	1061.2398	195.0685
Wabli	24WCRC008	24RRC0581	426663.00	7247690.00	31	32	368.33	12.92	17.11	11.27	16.72	3.75	199.53	2.13	42.82	116.68	36.5	19.57	3.94	2.75	0.14	1.96	111.05	13.5	219.6	201.1099	910.0124	1111.1223	203.0665
Wabli	24WCRC008	24RRC0582	426663.00	7247690.00	32	33	370.55	12.72	17.38	11.18	16.95	3.78	204.74	2.1	41.9	117.37	36.25	19.43	3.77	2.8	0.135	1.91	112.61	13.12	201.3	202.8672	919.4666	1122.3338	203.938
Wabli	24WCRC008	24RRC0583	426663.00	7247690.00	33	34	365.41	12.21	16.67	10.98	16.53	3.7	201.41	2.05	41.87	114.55	35.48	19.36	3.86	2.68	0.131	1.87	110.23	12.84	203.2	198.1471	904.4282	1102.5753	198.7624
Wabli	24WCRC008	24RRC0584	426663.00	7247690.00	34	35	391.14	12.58	17.85	11.77	17.28	3.96	214.08	2.21	41.91	122.09	38.15	20.64	4.07	2.89	0.134	2.04	113.98	13.89	206.8	207.2834	965.3189	1172.6023	212.3842
Wabli	24WCRC008	24RRC0585	426663.00	7247690.00	35	36	369.76	12.19	16.82	11.14	16.42	3.68	201.19	2.07	41.83	115.15	35.81	19.75	3.83	2.69	0.134	1.96	111.55	13.19	227.8	200.6914	910.9488	1111.6403	200.0448
Wabli	24WCRC008	24RRC0586	426663.00	7247690.00	36	37	344.99	11.81	16.36	10.85	15.64	3.62	188.34	2.02	40.86	107.5	33.63	18.11	3.89	2.63	0.125	1.88	107.56	12.95	206.9	194.2041	851.0378	1045.242	187.8895
Wabli	24WCRC008	24RRC0587	426663.00	7247690.00	37	38	357.21	12.01	16.91	11.19	16.39	3.74	193.87	2.09	42.16	112.05	34.88	19.03	3.94	2.71	0.128	1.99	110.93	13.27	232	200.3049	881.2819	1081.5868	195.4322
Wabli	24WCRC008	24RRC0588	426663.00	7247690.00	38	39	344.48	11.53	16.54	10.97	16.01	3.64	188.15	2.03	40.74	108.8	34.08	18.51	3.84	2.67	0.13	1.91	107.61	12.96	214.5	194.7384	853.1736	1047.9121	190.2031
Wabli	24WCRC008	24RRC0589	426663.00	7247690.00	39	40	365.33	11.71	17.24	11.48	16.34	3.79	197.39	2.13	42.64	113.94	35.86	19.31	4.2	2.73	0.133	1.97	110.96	13.62	233.3	201.5553	899.0627	1100.6181	199.223
Wabli	24WCRC008	24RRC0590	426663.00	7247690.00	40	41	381.05	12.11	17.3	11.15	17.29	3.77	208.57	2.12	41.81	120.47	37.17	20.5	4.11	2.85	0.132	1.95	111.64	13.09	202.9	201.5909	943.2272	1144.8181	208.6323
Wabli	24WCRC008	24RRC0591	426663.00	7247690.00	41	42	383.99	12.84	17.34	11.11	17.16	3.71	210.65	2.13	42.31	118.92	37.14	20.19	3.8	2.8	0.139	1.94	112.96	13.35	216.9	203.4358	946.9012	1150.337	206.7753
Wabli	24WCRC008	24RRC0592	426663.00	7247690.00	42	43	385.33	13.31	17.6	11.35	17.14	3.8	209.44	2.08	42.36	120.76	37.72	20.41	4.03	2.79	0.134	1.94	111.27	12.97	240.3	201.4642	950.1838	1151.6481	209.9088
Wabli	24WCRC008	24RRC0593	426663.00	7247690.00	43	44	382.19	12.35	17.23	11.39	17.41	3.82	208.24	2.11	39.75	120.12	37.51	20.27	3.62	2.83	0.127	1.94	114.53	13.22	213.8	205.614	944.0683	1149.6823	208.531
Wabli	24WCRC008	24RRC0594	426663.00	7247690.00	44	45	361.31	11.76	17.16	10.39	15.91	3.47	195.55	1.87	39.12	112.92	35.15	18.83	3.67	2.62	0.124	1.86	104.34	12.27	194.8	189.3559	888.8441	1078.2	196.9542
Wabli	24WCRC008	24RRC0595	426663.00	7247690.00	45	46	385.91	12.65	17.05	10.99	17.49	3.79	210.94	2.06	41.01	121.59	38.07	20.38	3.67	2.8	0.135	1.9	113.74	13.05	220.7	203.581	954.4498	1158.0308	210.6803
Wabli	24WCRC008	24RRC0596	426663.00	7247690.00	46	47	378.46	12.64	17.61	11.29	17.12	3.83	207.29	2.12	42.2	118.9	37.42	20.01	3.86	2.86	0.135	2.05	112.75	13.31	209.4	203.9615	936.2166	1140.1782	207.4707
Wabli	24WCRC008	24RRC0597	426663.00	7247690.00	47	48	365.32	12.16	16.84	10.88	16.45	3.65	199.18	1.99	40.42	114.44	36.25	19.43	3.69	2.72	0.133	1.91	109.82	12.73	234.3	197.5491	902.5164	1100.0656	199.8065
Wabli	24WCRC008	24RRC0598	426663.00	7247690.00	48	49	382.21	12.6	17.57	11.3	17.36	3.81	208.4	2.09	43.42	119.95	37.58	20.26	4.06	2.86	0.141	1.96	114.56	13.04	240.2	205.7583	944.1207	1149.8791	208.8428
Wabli	24WCRC008	24RRC0599	426663.00	7247690.00	49	50	373.79	11.76	17.59	11.52	17.06	3.85	202.7	2.13	41.94	118.42	37.35	20.24	4.06	2.87	0.135	1.97	113.29	13.22	207.5	204.7395	924.6736	1129.4132	206.815
Wabli	24WCRC008	24RRC0602	426663.00	7247690.00	50	51	378.09	12.24	16.86	10.69	16.77	3.65	205.89	1.89	40.91	118.01	36.77	20.26	3.8	2.76	0.134	1.84	104	12.05	206.3	189.0431	932.2065	1121.2496	204.6689
Wabli	24WCRC008	24RRC0604	426663.00	7247690.00	51	52	381.93	11.68	17.38	10.99	17.55	3.69	207.36	2.01	40.7	120.3	37.84	20.67	3.73	2.86	0.13	1.89	108.64	12.77	215.4	197.0521	943.916	1140.9682	209.3471
Wabli	24WCRC008	24RRC0605	426663.00	7247690.00	52	53	373.66	11.84	16.84	10.33	16.98	3.49	202.3	1.92	38.86	117.06	36.22	20.22	3.64	2.74	0.13	1.84	103.88	12.31	206.5	188.5795	920.9431	1109.5226	202.8498
Wabli	24WCRC008	24RRC0606	426663.00	7247690.00	53	54	372.76	11.44	17.51	11.34	17.51	3.97	204.55	2.09	41.11	115.41	36.59	19.87	3.97	2.84	0.132	1.96	111.63	13.14	209.1	202.288	921.1692	1123.4572	202.2588
Wabli	24WCRC008	24RRC0607	426663.00	7247690.00	54	55	363.16	10.49	17.74	11.6	17.1	3.88	197.63	2.18	41.01	114.28	35.6	19.99	3.89	2.83	0.134	1.99	114.82	13.39	209	207.2067	898.4141	1105.6209	199.9969
Wabli	24WCRC008	24RRC0608	426663.00	7247690.00	55	56	371.66	9.06	17.3	11.07	17.55	3.78	201.04	2.09	41.57	118.04	36.4	20.3	4.14	2.86	0.127	1.92	110.78	13.76	201.2	201.125	919.0959	1120.221	204.8794
Wabli	24WCRC008	24RRC0609	426663.00	7247690.00	56	57	358.78	11.07	17.37	12.26	17.04	3.8	207.51	2.12	41.06	123.31	35.58	20.95	3.79	2.83	0.134	2.03	111.84	13.89	237.4	204.2076	916.2087	1120.4164	210.0807
Wabli	24WCRC008	24RRC0610	426663.00	7247690.00	57	58	390.22	10.66	19.11	13.2	19.28	4.18	224.36	2.23	41.61	136.15	38.82	23.31	3.82	3.12	0.137	2.11	118.78	14.92	238.8	218.2583	998.9019	1217.1603	231.3099
Wabli	24WCRC008	24RRC0611	426663.00	7247690.00	58	59	361.26	11.28	17.65	12.18	17.65	3.79	206.47	2.12	39.69	126.38	35.63	21.33	3.83	2.88	0.131	2	109.64	14.11	244.4	201.9073	922.8549	1124.7623	214.1021
Wabli	24WCRC008	24RRC0612	426663.00	7247690.00	59	60	394.55	11.72	17.21	11.11	18.11	3.59	224.72	1.9	45.28	134.49	38.96	23.05	5.04	2.88	0.138	1.77	96.64	12.54	248	181.1404	1001.0866	1182.2271	227.0799

Wabli	24WCRC008	24RRC0613	426663.00	7247690.00	60	61	364.88	12.32	17.7	12.21	17.84	3.78	209.91	2.17	39.52	126.57	36.29	21.95	3.66	2.86	0.131	2.01	113.41	13.99	226	206.6832	933.3043	1139.9876	215.155
Wabli	24WCRC008	24RRC0614	426663.00	7247690.00	61	62	368.3	11.68	17.58	12.47	17.81	3.85	212.28	2.19	36.69	128.7	36.71	21.8	3.52	2.9	0.127	2.02	118.48	14.36	225.7	213.8639	943.0333	1156.8972	218.0562
Wabli	24WCRC008	24RRC0615	426663.00	7247690.00	62	63	375.93	9.37	19.65	14.52	18.97	4.42	213.09	2.44	50.11	133.55	37.42	22.55	4.27	3.19	0.133	2.33	129.02	16.41	234.8	235.9352	962.0536	1197.9889	227.2879
Wabli	24WCRC008	24RRC0616	426663.00	7247690.00	63	64	343.76	10.65	16.49	11.8	15.9	3.62	196.85	2.05	42.89	117.14	33.61	19.23	3.94	2.63	0.122	1.92	108.23	13.56	220.2	197.0649	872.3491	1069.414	199.2586
Wabli	24WCRC008	24RRC0617	426663.00	7247690.00	64	65	341.33	11.26	16.76	12.05	16.08	3.78	198.79	2.1	41.14	116	33.22	19.29	3.8	2.69	0.127	1.99	113.07	13.8	222.7	204.4709	870.1273	1074.5982	197.8382
Wabli	24WCRC008	24RRC0618	426663.00	7247690.00	65	66	360.12	10.78	17.53	12.75	16.96	3.88	208.46	2.33	42.08	123.6	35.75	20.37	4.06	2.79	0.13	2.1	120.75	14.49	248	217.3129	918.7939	1136.1069	210.7609
Wabli	24WCRC008	24RRC0619	426663.00	7247690.00	66	67	334.04	10.55	15.85	11.42	15.07	3.54	194.77	1.94	39.77	114.04	33	18.3	3.77	2.49	0.127	1.84	105.29	13.39	214.7	191.496	851.629	1043.125	194.0066
Wabli	24WCRC008	24RRC0620	426663.00	7247690.00	67	68	376.17	12.38	17.29	12.33	16.54	3.79	219.35	2.13	43.89	126.62	36.76	20.35	4.28	2.7	0.134	1.98	111.73	14.11	233.3	204.0966	955.5965	1159.6932	215.1224
Wabli	24WCRC008	24RRC0621	426663.00	7247690.00	68	69	335.53	11.49	16.86	12.43	15.25	3.78	195.32	2.15	41.66	113.5	32.67	18.44	4.18	2.61	0.126	2.03	115.82	14.26	214	209.0447	853.4339	1062.4786	194.2783
Wabli	24WCRC008	24RRC0622	426663.00	7247690.00	69	70	336.26	11.81	14.87	10.23	15.01	3.19	195.58	1.76	39.76	114.4	33.11	18.38	3.82	2.42	0.129	1.62	96.85	11.4	226	175.0873	855.859	1030.9464	193.3523
Wabli	24WCRC008	24RRC0623	426663.00	7247690.00	70	71	369.85	11.45	16.99	12.03	16.56	3.84	214.04	2.07	41.13	124.18	35.75	20.32	3.9	2.73	0.134	1.92	109.91	14.05	230.4	200.9855	937.5744	1138.5599	210.7471
Wabli	24WCRC008	24RRC0624	426663.00	7247690.00	71	72	395.22	12.15	14.59	9.19	15.53	2.93	228.18	1.36	47	131.73	38.8	20.85	4.78	2.5	0.14	1.43	64.61	9.62	228.1	129.7327	997.2038	1126.9365	220.2134
Wabli	24WCRC008	24RRC0625	426663.00	7247690.00	72	73	332.47	12.57	15.86	11.52	15.11	3.54	189.45	1.99	41.6	112.51	32.13	18.34	4.46	2.51	0.129	1.91	104.24	13.38	210.3	190.4373	840.6717	1031.1091	191.2059
Wabli	24WCRC008	24RRC0626	426663.00	7247690.00	73	74	352.21	12.59	17.73	12.1	15.5	3.79	195.66	1.99	44.27	115.91	35.52	19.04	3.97	2.71	0.122	1.96	110.11	13.66	193.9	201.5986	881.559	1083.1576	201.6489
Wabli	24WCRC008	24RRC0627	426663.00	7247690.00	74	75	390.11	13.4	17.95	11.74	16.53	3.68	214.09	1.95	43.63	126.8	39.1	20.49	3.72	2.77	0.132	1.92	111	13.39	236.8	202.1156	969.7149	1171.8306	218.9994
Wabli	24WCRC008	24RRC0628	426663.00	7247690.00	75	76	369.7	12.65	17.67	11.7	16.07	3.73	203.31	2.03	42.63	119.43	36.9	19.56	3.77	2.73	0.127	1.89	107.81	13.54	204.6	197.9353	919.1048	1117.0401	207.3766
Wabli	24WCRC008	24RRC0629	426663.00	7247690.00	76	77	382.46	12.69	18.19	11.82	16.54	3.78	208.83	2.03	43.25	126	38.51	20.24	3.73	2.8	0.125	1.93	110.05	13.29	199.7	201.4145	952.1557	1153.5702	217.6642
Wabli	24WCRC008	24RRC0630	426663.00	7247690.00	77	78	361.99	12.98	16.71	11.24	15.3	3.55	201.33	1.95	42.72	117.62	36.54	18.79	3.94	2.56	0.124	1.81	101.93	12.77	193.2	187.3752	902.9511	1090.3264	203.5287
Wabli	24WCRC008	24RRC0631	426663.00	7247690.00	78	79	358.11	12.28	17.4	11.69	15.09	3.63	198.14	2.14	49.37	115.5	35.49	18.52	5.63	2.63	0.116	1.98	102.1	14.33	212.2	191.2581	890.1013	1081.3595	200.6616
Wabli	24WCRC008	24RRC0632	426663.00	7247690.00	79	80	374.64	12.65	16.86	10.9	15.53	3.49	208.05	1.9	42.63	121.23	37.51	19.22	4.19	2.62	0.122	1.8	100.09	12.75	198.1	184.7327	932.5167	1117.2495	209.1541
Wabli	24WCRC008	24RRC0633	426663.00	7247690.00	80	81	390.46	12.89	17.24	11.19	16.01	3.48	216.95	1.89	40.79	125.9	38.69	20.03	3.72	2.67	0.122	1.82	105.56	12.77	213.2	192.5284	970.798	1163.3265	216.5218
Wabli	24WCRC008	24RRC0634	426663.00	7247690.00	81	82	381.48	12.95	17.19	10.95	16.2	3.57	214.34	1.87	43.74	124.75	38.12	19.76	4.05	2.66	0.13	1.77	106.34	12.3	205.1	192.6634	954.548	1147.2114	214.4226
Wabli	24WCRC008	24RRC0635	426663.00	7247690.00	82	83	374.17	12.38	16.99	11.29	15.76	3.54	207.99	1.87	40.37	123.86	37.74	19.67	3.8	2.64	0.129	1.8	105.73	12.54	216.7	192.2977	936.0594	1128.3572	212.6723
Wabli	24WCRC008	24RRC0636	426663.00	7247690.00	83	84	371.54	12.08	16.22	10.67	14.95	3.39	205.32	1.79	39.05	119.87	37.19	18.56	3.18	2.53	0.124	1.71	100.54	11.98	205.9	182.9816	922.0889	1105.0706	206.3408
Wabli	24WCRC008	24RRC0637	426663.00	7247690.00	84	85	381.02	12.14	16.48	10.66	15.45	3.4	213.41	1.79	40.67	123.27	37.75	19.3	3.33	2.53	0.129	1.74	99.8	12.2	213.7	182.6251	949.2863	1131.9114	211.2815
Wabli	24WCRC008	24RRC0638	426663.00	7247690.00	85	86	406.57	12.69	17.89	11.91	16.8	3.62	226.29	1.86	41.74	131.07	40.52	20.71	3.47	2.77	0.132	1.81	106.45	12.53	206.8	195.1871	1011.5613	1206.7485	225.6267
Wabli	24WCRC008	24RRC0639	426663.00	7247690.00	86	87	392.79	12.01	17.13	11.02	16.23	3.52	216.65	1.81	41.13	126.28	39.36	20.23	3.61	2.67	0.13	1.77	101.93	12.35	226.1	187.0176	975.0347	1162.0523	217.6482
Wabli	24WCRC008	24RRC0640	426663.00	7247690.00	87	88	398.48	12.58	17.55	11.11	16.44	3.63	223.63	1.85	42.71	129.18	39.67	20.34	3.52	2.71	0.135	1.78	106.05	12.49	194	193.2239	994.3713	1187.5952	221.9344
Wabli	24WCRC008	24RRC0641	426663.00	7247690.00	88	89	389.35	12.32	17.03	11.09	15.86	3.48	215.74	1.8	41.82	126.12	39.07	19.9	3.55	2.61	0.13	1.79	102.67	12.49	196.6	187.9771	968.4076	1156.3847	216.9259
Wabli	24WCRC008	24RRC0642	426663.00	7247690.00	89	90	411.35	12.48	18.09	11.54	16.96	3.67	231.76	1.94	43.22	132.1	41.16	21.07	3.68	2.8	0.134	1.86	108.86	13.01	232.3	198.8413	1026.3895	1225.2308	227.8662
Wabli	24WCRC009	24RRC0643	426616.00	7247668.00	0	1	308.93	20.77	13.79	8.6	13.88	2.79	215.28	1.58	51.09	114.99	35.38	17.39	5.79	2.19	0.108	1.44	74.47	10.21	173.7	141.0695	846.3509	987.4205	195.2731
Wabli	24WCRC009	24RRC0644	426616.00	7247668.00	1	2	334.08	23.53	10.29	6.31	11.03	2.02	196.58	1.25	50.88	105.15	33.5	15.34	6.04	1.72	0.103	1.05	46.04	7.89	203.1	93.4334	835.6225	929.056	176.9545
Wabli	24WCRC009	24RRC0645	426616.00	7247668.00	2	3	320.87	30.06	16.73	11.62	14.2	3.49	177.85	2.31	50.25	102.85	31.86	16.93	5.52	2.48	0.096	2	91.08	15.07	154.8	177.1368	798.3677	975.5046	180.5754
Wabli	24WCRC009	24RRC0646	426616.00	7247668.00	3	4	294.12	24.06	25.88	19.6	18.26	5.81	163.99	4.25	41.21	101.59	30	18.5	6.79	3.51	0.072	3.49	175.68	27.18	153.9	325.7633	752.3052	1078.0686	188.5715
Wabli	24WCRC009	24RRC0652	426616.00	7247668.00	4	5	125.96	12.88	26.47	22.5	14.73	6.37	70.53	5.18	6.4	47.93	13.33	10.75	1.74	3.24	0.009	4.07	248.46	31.8	40.7	429.4846	340.3244	769.809	106.2013
Wabli	24WCRC009	24RRC0653	426616.00	7247668.00	5	6	23.47	12.71	3.13	2.5	1.98	0.71	14.8	0.56	5.94	8.61	2.47	1.74	1.36	0.41	0.01	0.44	22.35	3.56	5.8	41.3219	64.2882	105.6101	17.1015
Wabli	24WCRC009	24RRC0654	426616.00	7247668.00	6	7	34.08	19.57	4	2.9	2.76	0.85	21.08	0.66	22.99	13.24	3.88	2.74	3.63	0.55	0.023	0.54	21.28	4.37	11.3	42.8943	93.7325	136.6268	25.3686
Wabli	24WCRC009	24RRC0655	426616.00	7247668.00	7	8	25.14	10.84	2.36	1.65	1.65	0.47	13.71	0.38	13.58	9.36	2.74	1.78	2.78	0.33	0.014	0.3	9.26	2.41	7.7	20.8001	65.7081	86.5083	17.3246
Wabli	24WCRC009	24RRC0656	426616.00	7247668.00	8	9	302.38	36.73	11.31	7.26	9.93	2.26	167.98	1.47	76.38	94.2	30.14	14.06	11.58	1.71	0.101	1.25	38.97	9.78	205.7	89.606	743.5248	833.1309	161.2818
Wabli	24WCRC009	24RRC0657	426616.00	7247668.00	9	10	27.02	22.35	2.16	1.54	1.48	0.46	14.25	0.38	74.68	9.36	2.76	1.63	7.12	0.28	0.097	0.27	9.77	2.18	10.4	20.726	68.0155	88.7415	17.0605
Wabli	24WCRC009	24RRC0658	426616.00	7247668.00	10	11	176.94	16.32	7.34	4.47	6.88	1.42	96.92	0.84	31.37	57.68	17.91	9	5.27	1.14	0.056	0.75	29.96	5.74	104.2	62.8971	439.2473	502.1444	98.6818
Wabli	24WCRC009	24RRC0659	426616.00	7247668.00	11	12	280.24	21.39	15.36	10.32	12.86	3.22	154.73	2.13	48.56	91.11	28.08	15.02	4.87	2.27	0.1	1.79	81.96	13.98	173.6	160.2544	699.3848	859.6393	160.4956
Wabli	24WCRC009	24RRC0660	426616.00	7247668.00	12	13	373.35	17.1	15.38	9.98	14.64	3.13	206.15	1.66	39.4	120.19	36.81	19.02	3.35	2.38	0.123	1.58	91.6	11.33	203.1	168.3649	925.4453	1093.8102	205.1144
Wabli	24WCRC009	24RRC0661	426616.00	7247668.00	13	14	345.91	16.74	13.56	8.69	13.31	2.78	192.01	1.45	38.93	108.47	34.11	16.59	3.28	2.17	0.116	1.4	81.27	9.57	171	148.5865	853.8047	1002.3913	185.8462
Wabli	24WCRC009	24RRC0662	426616.00	7247668.00	14	15	354.88	12.82	14.36	9.25	13.84	2.96	197.23	1.55	36.35	112.37	35.03	17.5	2.72	2.25	0.115	1.49	86.6	10.3	187.3	158.2616	878.3407	1036.6023	192.519
Wabli	24WCRC009	24RRC0663	426616.00	7247668.00	15	16	319.77	11.17	12.86	8.31	12.43	2.62	176.3	1.35	32.53	101.86	31.7	15.77	2.5	2.03	0.111	1.32	79.39	9.2	172.7	143.9868	790.616	934.6028	174.2565
Wabli	24WCRC009	24RRC0664	426616.00	7247668.00	16	17	338.73	10.81	13.82	9.06	12.93	2.85	189.96	1.5	35.67	109.45	33.33	16.85	2.72	2.13	0.113	1.44	84.74	10.09	191.6	154.4423	842.6339	997.0763	186.2983
Wabli	24WCRC009	24RRC0666	426616.00	7247668.00	17	18	304.17	9.52	13.18	8.71	11.82	2.71	167.48	1.51	34.42	96.99	29.92	14.78	2.79	1.98	0.106	1.45	83.53	10.28	168	151.6734	751.3936	903.067	166.734
Wabli	24WCRC009	24RRC0667	426616.00	7247668.00	18	19	317.47	8.83	13.31	8.83	12.27	2.77	175.08	1.49	34.86	100.12	31.18	15.6	2.85	2.04	0.106	1.42	81.34	9.92	154.8	148.8511	783.3207	932.1718	172.1269
Wabli	24WCRC009	24RRC0668	426616.00	7247668.00	19	20	344.97	8.67	13.88	8.86	13.28	2.83	193.4	1.5	35.44	110.63	34.58	17.16	2.81	2.15	0.111	1.43	83.54	10.16	180.4	152.8275	858.0056	1010.8331	189.2772
Wabli	24WCRC009	24RRC0669	426616.00	7247668.00	20	21	329.97	7.26	14.52	9.83	13.19	3.06	181.96	1.66	36.06	105.67	33.11	16.6	2.96	2.21	0.11	1.58	93.95	10.99	190.3	169.5233	817.8382	987.3615	182.5209
Wabli	24WCRC009	24RRC0670	426616.00	7247668.00	21	22	332.27	7.39	13.91	9.28	12.96	3.02	182.81	1.57	34.36	105.13	32.64	16.41	2.81	2.11	0.105	1.49	87.01	10.49	191.2	158.4433	819.9423	978.3856	180.5055
Wabli	24WCRC009	24RRC0671	426616.00	7247668.00	22	23	319.54	7.31	13.58	9.09	12.58	2.81	175.33	1.51	32.95	102.58	31.48	16.01	2.62	2.04	0.1	1.48	84.51	10.3	203.5	154.0536	790.1516	944.2052	175.6686
Wabli	24WCRC009	24RRC0672	426616.00	7247668.00	23	24	331.6	6.8	13.94	9.2	12.96	2.88	184.24	1.54	35.14	106.93	33.37	16.52	2.81	2.18	0.108	1.49	85.11	10.22	186.9	155.5538	823.8823	979.4362	183.6038
Wabli	24WCRC009	24RRC0673	426616.00	7247668.00	24	25	324.69	8.44	13.51	8.95	12.91	2.83	176.97	1.49	36.43	104.99	32.32	15.93	2.88	2.12	0.113	1.43	80.76	10.36	185.6	149.1565	802.6184	951.775	179.5083
Wabli	24WCRC009	24RRC0674	426616.00	7247668.00	25	26	351.98	9.51	14.53	9.24	13.84	2.95	195.16	1.56	37.79	113.33	34.81	17.37	2.88	2.23	0.117	1.48	87.25	10.46	221.5	159.4179	872.9846	1032.4026	193.5445
Wabli	24WCRC009	24RRC0675	426616.00	7247668.00	26	27	349.62	11.41	14.25	9.34	13.44	2.98	193.57	1.58	36.16	111.28	34.81	17.37	2.76	2.18	0.115	1.53	87.75	10.59	181.5	160.0493	865.3689	1025.4182	190.7732
Wabli	24WCRC009	24RRC0676	426616.00	7247668.00	27	28	380.12	12.53	15.58	9.98	14.57	3.18	212.7	1.67	39.57	121.71	37.84	19.11	2.92	2.35	0.119	1.62	90.47	11.23	215.6	167.1246	944.5069	1111.6316	208.326
Wabli	24WCRC009	24RRC0677	426616.00	7247668.00	28	29	359.25	12.86	14.82	9.84	14.04	3.08	200.68	1.75	38.28	114.26	35.66	17.91	3.09	2.31	0.119	1.58	88.77	11.44	207.8	164.0563	891.403	1055.4593	196.0832
Wabli	24WCRC009	24RRC0678	426616.00	7247668.00	29	30	343.22	14.8	14.67	9.98	13.42	3.06	190.39	1.81	37.2	109.9	33.99	17.31	3.83	2.26	0.106	1.66	85.01	12.02	203.3	160.0077	851.0159	1011.0236	188.749
Wabli	24WCRC009	24RRC0679	426616.00	7247668.00	30	31	356.48	11.61	13.59	8.48	13.31	2.68	198.09	1.6	39.97	113.44	35.58	17.29	4.11	2.18	0.118	1.44	70.16	10.78	191.7	135.7635	882.1643	1017.9279	193.4655
Wabli	24WCRC009	24RRC0680	426616.00	7247668.00	31	32	425.38	8.89	14.38	9.03	14.49	2.95	230.64	1.58	42.41	133.67	41.37	19.62	4.65	2.32	0.129	1.39	76.31	10.47	239.5	145.1501	1039.7962	1184.9463	225.1286
Wabli	24WCRC009	24RRC0681	426616.00	7247668.00	32	33	423.29	5.91	17.23	11.23	16.3	3.55	224.4	1.99	46.46	132.79	41.27	20.75	7.45	2.71	0.164	1.75	110.52	13.12	218.3	199.4209	1032.2411	1231.6621	227.711
Wabli	24WCRC009	24RRC0682	426616.00	7247668.00	33	34	425.06	6.85	15.18	9.54	15.07	3.01	231.05	1.58	38.58	132.32	41.26	19.93	3.19	2.37	0.13	1.47	90.76	10.64	202.4	165.414	1039.2971	1204.7111	224.398
Wabli	24WCRC009	24RRC0683	426616.00	7247668.00	34	35	417.84	8.44	15.5	9.63	15.24	3.13	224.32	1.68	38.24	130.66	40.35	20.06	3.25	2.44	0.129	1.5	93.92	10.73	213.7	170.3673	1019.8584	1190.2257	221.8119
Wabli	24WCRC009	24RRC0684	426616.00	7247668.00	35	36	406.06	8.11	14.86	9.6	14.99	3.08	222.04	1.55	37.18	128.09	39.59	19.41	3.26	2.41	0.132	1.45	90.04	10.7	187	164.3396	997.7572	1162.0969	217.1262
Wabli	24WCRC009	24RRC0685	426616.00	7247668.00	36	37	393.46	8.69	14.95	9.54	14.47	3.04	217.94	1.57	35.78	125.93	38.61	19.08	2.97	2.36	0.125	1.44	96.96	10.58	196.7	172.932	972.752	1145.6841	213.4673
Wabli	24WCRC009	24RRC0686	426616.00	7247668.00	37	38	402.03	9.19	15.35	9.87	14.84	3.15	219.6	1.62	37.07	124.99	38.82	19.02	3.36	2.41	0.13	1.5	92.71	11.01	200.4	169.1712	984.7627	1153.934	213.1424
Wabli	24WCRC009	24RRC0687	426616.00	7247668.00	38	39	420.88	9.46	15.62	9.69	15.53	3.14	229.64	1.61	37.42	131.51	41.34	20.06	2.89	2.51	0.132	1.46	95.03	10.76	204.8	171.9859	1032.3998	1204.3858	224.2195
Wabli	24WCRC009	24RRC0688	426616.00	7247668.00	39	40	412.15	8.93	14.93	9.07	15	2.97	223.57	1.51	39.28	129.51	40.15	19.91	3.41	2.39	0.135	1.38	84.1	10.09	203.2	155.3011	1010.0257	1165.3268	219.5159
Wabli	24WCRC009	24RRC0689	426616.00	7247668.00	40	41	455.44	9.06	14.59	8.68	15.92	2.84	252.14	1.35	49.06	142.42	44.42	21.43	4.19	2.48	0.148	1.27	72.31	9.39	233.4	138.3451	1120.0006	1258.3458	239.4488
Wabli	24WCRC009	24RRC0690	426616.00	7247668.00	41	42	392.84	8.2	14.63	9.07	14.37	2.97	213.93	1.51	37.38	122.7	37.87	18.82	3.44	2.31	0.129	1.4	88.35	10.35	227	160.5787	962.1745	1122.7532	208.3796
Wabli	24WCRC009	24RRC0691	426616.00	7247668.00	42	43	417.12	6.8	12.82	8	13.84	2.53	225.31	1.33	44.43	128.85	40.56	18.7	3.25	2.16	0.142	1.2	71.41	8.83	230.7	132.9213	1014.9943	1147.9156	216.5493
Wabli	24WCRC009	24RRC0692	426616.00	7247668.00	43	44	396.94	7.11	13.12	9.1	12.68	2.84	215.33	1.57	52.44	120.82	37.77	17.49	3.53	2.03	0.157	1.42	79.68	10.4	248.6	147.5397	963.0139	1110.5536	204.0036
Wabli	24WCRC009	24RRC0693	426616.00	7247668.00	44	45	395.63	5.51	12.47	7.75	13.11	2.49	209.18	1.25	50.04	122.99	38.13	18.34	3.96	2.06	0.167	1.2	58.55	8.61	241.2	115.3979	958.6162	1074.0142	206.2589
Wabli	24WCRC009	24RRC0694	426616.00	7247668.00	45	46	433.77	6.02	16.89	11.56	14.93	3.57	237.24	1.88	54.32	132.41	41.22	19.83	5.1	2.77	0.177	1.78	103.92	13.12	222.9	191.0294	1057.104	1248.1334	226.8877
Wabli	24WCRC009	24RRC0695	426616.00	7247668.00	46	47	430.12	6.16	14.1	8.69	13.94	2.8	238.1	1.4	49.15	130.72	41.33	19.56	4.16	2.25	0.16	1.31	77.29	9.57	240	144.1094	1050.2905	1194.4	221.2357
Wabli	24WCRC009	24RRC0696	426616.00	7247668.00	47	48	447.76	12.23	8.83	3.7	13.04	1.41	243.83	0.63	27.61	137.96	42.93	19.95	2.27	1.78	0.11	0.51	34.13	3.74	264.4	66.9732	1088.5401	1155.5133	225.0123
Wabli	24WCRC009	24RRC0697	426616.00	7247668.00	48	49	480.46	8.88	13.75	9.28	15.84	2.57	262.23	1.18	54.26	148.7	46.39	22.49	4.1	2.41	0.17	1.15	63.27	8.23	235.8	124.5443	1173.3273	1297.8717	248.1075
Wabli	24WCRC009	24RRC0698	426616.00	7247668.00	49	50	413.1	7.38	10.87	6.53	12.4	2.05	225.24	1.04	46.95	122.44	39.54	17.9	3.22	1.86	0.133	1.01	51.82	7.19	219	100.8081	998.7012	1099.5093	205.2494
Wabli	24WCRC009	24RRC0699	426616.00	7247668.00	50	51	507.29	5.97	14	8.07	16.01	2.68	274.03	1.24	50.99	154.85	48.57	22.56	3.89	2.42	0.162	1.23	66.24	8.83	260.6	128.1998	1230.206	1358.4059	258.2135
Wabli	24WCRC009	24RRC0703	426616.00	7247668.00	51	52	624.95	8.97	16.75	10.08	19.59	3.25	340.67	1.67	41.65	192.04	59.57	28.63	3.2	2.91	0.153	1.53	85.01	11.37	379.7	162.4436	1520.9832	1683.4268	318.6146
Wabli	24WCRC009	24RRC0704	426616.00	7247668.00	52	53	458.78	9.26	12.82	8.39	14	2.62	249.58	1.4	38.08	141.28	44.51	20.21	2.91	2.12	0.14	1.35	70.26	10.02	287.7	133.5689	1115.9974	1249.5663	235.773
Wabli	24WCRC009	24RRC0705	426616.00	7247668.00	53	54	403.52	5.74	11.77	7.66	12.56	2.46	216.42	1.31	50.2	124.84	38.8	18.42	3.26	2.04	0.145	1.24	59.53	8.92	220.4	116.1451	979.2827	1095.4278	208.3994
Wabli	24WCRC009	24RRC0706	426616.00	7247668.00	54	55	395.95	4.93	15.16	9.57	14.41	3.07	210.13	1.51	60.85	127.07	38.72	19.52	3.67	2.38	0.191	1.49	75.38	10.59	217	145.8611	968.5545	1114.4157	215.1944
Wabli	24WCRC009	24RRC0707	426616.00	7247668.00	55	56	451.25	5.05	12.23	6.82	14.67	2.34	245.92	1.1	41.14	139.34	43.99	21.3	2.63	2.19	0.14	1.04	59.52	7.4	210.9	113.5408	1101.6241	1215.1649	232.2871
Wabli	24WCRC009	24RRC0708	426616.00	7247668.00	56	57	444.45	4.52	12.91	8.04	13.92	2.59	241.82	1.4	55.61	138.52	43.05	20.72	3.13	2.09	0.152	1.26	66.36	9.33	228.3	127.3612	1084.7645	1212.1258	230.8578
Wabli	24WCRC009	24RRC0709	426616.00	7247668.00	57	58	480.99	4.52	13.91	8.09	15.99	2.65	264.82	1.34	40.55	149.46	46.78	22.39	2.61	2.3	0.139	1.27	75.05	8.8	242.3	139.2569	1178.3378	1317.5948	249.5195
Wabli	24WCRC009	24RRC0710	426616.00	7247668.00	58	59	445.95	3.55	13.09	8.01	14.54	2.57	235.83	1.29	56.14	140.48	43.69	20.86	4.43	2.2	0.179	1.23	64.01	9.05	243	124.1775	1083.5299	1207.7074	234.2531
Wabli	24WCRC009	24RRC0711	426616.00	7247668.00	59	60	348.52	6.41	10.43	6.39	11.44	2.04	184.57	1.01	44.55	109.07	34.39	16.49	2.92	1.76	0.12	0.99	47.57	7.04	205.3	94.3891	846.9707	941.3599	182.8098
Wabli	24WCRC009	24RRC0712	426616.00	7247668.00	60	61	382.61	5.66	11.79	7.7	12.5	2.42	207.44	1.28	53.76	119.53	37.5	17.85	3.2	1.92	0.141	1.19	67.38	8.94	226.7	125.9271	934.4802	1060.4073	200.5169
Wabli	24WCRC009	24RRC0713	426616.00	7247668.00	61	62	389.42	3.74	11.22	6.68	12.46	2.17	212.36	1.11	50.08	120.82	37.81	17.98	3.28	1.87	0.141	1.04	56.89	7.45	219.6	108.3788	950.5989	1058.9778	201.6831
Wabli	24WCRC009	24RRC0714	426616.00	7247668.00	62	63	370.03	4.38	8.83	4.39	11.67	1.55	202.08	0.67	33.34	113.26	35.44	16.9	2.28	1.63	0.12	0.64	44.72	4.65	182.6	82.4245	900.812	983.2365	186.9764
Wabli	24WCRC009	24RRC0715	426616.00	7247668.00	63	64	375.24	4.85	9.37	4.64	11.8	1.65	205.91	0.69	32.54	115.7	35.77	17.18	2.52	1.67	0.123	0.66	39.36	4.72	191.8	76.8104	915.4572	992.2676	190.8879
Wabli	24WCRC009	24RRC0716	426616.00	7247668.00	64	65	336.35	4.08	8.11	4.05	10.85	1.43	185.21	0.62	26.63	103.27	32.49	15.51	2.18	1.52	0.104	0.58	37.71	4.2	161.9	71.4028	821.7452	893.148	170.8042

Wabli	24WCRC009	24RRC0717	426616.00	7247668.00	65	66	334.18	4.36	8.4	4.25	11.03	1.48	181.45	0.67	27.89	104.66	32.57	15.84	2.1	1.57	0.107	0.63	36.81	4.55	165.5	71.45	817.0592	888.5092	172.9138
Wabli	24WCRC009	24RRC0718	426616.00	7247668.00	66	67	230.81	4.67	6.61	3.32	8.15	1.2	126.25	0.46	17.15	72.07	22.15	11	1.45	1.19	0.094	0.48	31.02	3.34	116.3	58.4238	565.5622	623.986	119.81
Wabli	24WCRC009	24RRC0719	426616.00	7247668.00	67	68	24.47	38.6	4.38	3.11	3.08	0.98	12.98	0.56	4.39	10.07	2.62	2.45	0.24	0.61	0.461	0.48	28.35	3.56	21.7	51.6637	67.1142	118.7779	20.6555
Wabli	24WCRC009	24RRC0720	426616.00	7247668.00	68	69	19.81	53.34	4.56	3.31	3.26	1.01	10.3	0.55	4.64	9.27	2.3	2.58	0.25	0.63	0.577	0.5	29.03	3.62	28.7	53.1002	57.332	110.4322	19.5659
Wabli	24WCRC009	24RRC0721	426616.00	7247668.00	69	70	32	54.86	4.47	3.16	3.54	0.96	17.09	0.53	4.87	12.98	3.45	3	0.31	0.64	0.512	0.47	27.48	3.43	32.8	50.5381	86.8643	137.4025	25.1911
Wabli	24WCRC009	24RRC0722	426616.00	7247668.00	70	71	22.27	58.65	4.44	3.07	3.43	0.97	11.59	0.49	3.07	10.44	2.56	2.77	0.23	0.66	0.512	0.44	26.9	3.19	26.8	49.3462	64.1353	113.4815	21.1422
Wabli	24WCRC009	24RRC0723	426616.00	7247668.00	71	72	20.63	53.92	4.43	3.16	3.21	0.99	10.92	0.52	3.5	9.63	2.33	2.48	0.26	0.63	0.517	0.47	28.47	3.45	23.4	51.7834	59.4647	111.2482	19.8728
Wabli	24WCRC009	24RRC0724	426616.00	7247668.00	72	73	13.8	33.18	3.88	2.68	2.8	0.85	7.01	0.43	3.25	7.28	1.69	2.06	0.17	0.54	0.478	0.41	23.77	2.9	18.9	43.5714	41.8422	85.4136	15.6214
Wabli	24WCRC009	24RRC0725	426616.00	7247668.00	73	74	8.28	22.03	4.19	2.71	3.04	0.9	3.84	0.4	1.23	5.83	1.13	2.1	0.1	0.57	0.55	0.38	23.79	2.79	7	43.8858	29.5656	73.4515	13.6446
Wabli	24WCRC009	24RRC0726	426616.00	7247668.00	74	75	7.79	10.13	4.07	2.66	3.18	0.88	3.17	0.4	0.93	5.95	1.13	2.07	0.09	0.57	0.523	0.38	23.18	2.72	8.8	42.8137	28.6645	71.4782	13.6469
Wabli	24WCRC009	24RRC0727	426616.00	7247668.00	75	76	7.75	13.09	4.11	2.69	3.06	0.89	3.35	0.4	0.77	5.87	1.11	2.04	0.08	0.6	0.526	0.38	22.95	2.7	7.9	42.6258	28.4433	71.0691	13.6106
Wabli	24WCRC009	24RRC0728	426616.00	7247668.00	76	77	8.09	13.41	4.13	2.76	3.04	0.87	3.52	0.38	0.88	6.15	1.15	2.01	0.11	0.58	0.51	0.39	22.92	2.66	8.2	42.5874	29.3658	71.9532	13.9849
Wabli	24WCRC009	24RRC0729	426616.00	7247668.00	77	78	8.44	15.25	4.1	2.7	3.06	0.89	3.95	0.41	0.82	6.14	1.17	2.08	0.09	0.57	0.518	0.38	23.38	2.63	7.7	43.0682	30.4631	73.5313	13.9512
Wabli	24WCRC009	24RRC0730	426616.00	7247668.00	78	79	33.84	15.95	5.35	3.61	4.04	1.13	17.08	0.57	4.4	14.2	3.65	3.29	0.59	0.74	0.411	0.52	32.83	3.87	13.6	59.7726	91.9793	151.752	27.9833
Wabli	24WCRC009	24RRC0731	426616.00	7247668.00	79	80	10.75	15.18	4.28	2.76	3.07	0.92	4.98	0.43	2.65	6.53	1.41	2.18	0.2	0.59	0.494	0.4	24.79	2.78	8.2	45.4082	35.2997	80.7079	14.9262
Wabli	24WCRC010	24RRC0732	426579.00	7247653.00	0	1	283.07	6.51	6.13	3.91	6.3	1.25	74.22	0.64	21.25	44.73	13.29	7.58	1.69	0.97	0.124	0.58	36.17	4.4	113	66.412	520.1444	586.5564	76.4063
Wabli	24WCRC010	24RRC0733	426579.00	7247653.00	1	2	495.75	7.9	19.53	11.36	23.1	3.83	449.51	1.8	30.43	216.32	69.63	31.67	2.36	3.38	0.126	1.67	172.42	12.01	167.5	280.3535	1538.6977	1819.0513	362.8327
Wabli	24WCRC010	24RRC0734	426579.00	7247653.00	2	3	290.23	7.5	19.84	13.53	18.4	4.3	215.78	2.16	26.62	129.94	38.78	21.07	2.11	3.02	0.101	2.12	133.4	14.33	127	237.3193	855.4539	1092.7732	224.7385
Wabli	24WCRC010	24RRC0735	426579.00	7247653.00	3	4	293.74	6.98	14.66	9.66	14.28	3	174.5	1.48	30.63	108.87	32.53	17.92	2.15	2.3	0.092	1.46	93.46	9.91	172.1	167.3329	770.4181	937.7511	185.8192
Wabli	24WCRC010	24RRC0736	426579.00	7247653.00	4	5	222.42	6.34	13.27	8.97	11.91	2.78	128.16	1.59	27.18	83.6	24.46	14.42	1.95	2.01	0.069	1.47	89.09	10.44	218.8	159.5461	582.2675	741.8136	144.6577
Wabli	24WCRC010	24RRC0737	426579.00	7247653.00	5	6	216.76	5.78	12.61	8.58	11.29	2.68	119.5	1.54	29.22	78.95	23.41	13.57	2.31	1.91	0.073	1.42	84.53	10.03	109.1	151.7389	556.7663	708.5052	137.0902
Wabli	24WCRC010	24RRC0738	426579.00	7247653.00	6	7	259.44	8.56	14.2	9.33	12.79	2.93	144.7	1.6	35.29	94.07	28.06	15.78	2.9	2.18	0.099	1.5	83.75	10.69	181.7	154.9459	666.3135	821.2595	162.4867
Wabli	24WCRC010	24RRC0739	426579.00	7247653.00	7	8	286.61	8.77	14.89	9.8	13.67	3.13	164.26	1.67	34.03	98.63	30.61	16.72	2.81	2.25	0.097	1.61	93.85	11.44	162.7	170.4719	733.2115	903.6835	171.7607
Wabli	24WCRC010	24RRC0740	426579.00	7247653.00	8	9	364.4	10.19	17.22	10.86	16.57	3.52	208.67	1.78	35.98	125.99	38.21	21.01	2.97	2.69	0.109	1.71	101.2	11.67	170.3	185.1574	930.4078	1115.5652	216.0474
Wabli	24WCRC010	24RRC0741	426579.00	7247653.00	9	10	319.22	8.71	15.64	10.18	14.41	3.2	182.51	1.69	34.25	109.67	33.79	18.01	2.83	2.41	0.102	1.62	96.66	11.31	183	175.4902	813.8189	989.3092	189.5288
Wabli	24WCRC010	24RRC0742	426579.00	7247653.00	10	11	416.49	8.24	17.14	10.27	17.92	3.4	240	1.63	35.5	144.43	44.42	22.77	2.82	2.76	0.113	1.59	97.38	11.15	186.5	178.5851	1063.7767	1242.3618	245.0492
Wabli	24WCRC010	24RRC0743	426579.00	7247653.00	11	12	371.99	8.07	16.52	10.35	16.18	3.38	213.39	1.64	38.35	126.98	39.39	20.53	3.04	2.6	0.123	1.63	99.58	11.29	218.6	180.7641	946.7594	1127.5236	217.7185
Wabli	24WCRC010	24RRC0744	426579.00	7247653.00	12	13	324.26	6.71	14.41	8.95	13.74	2.88	184.43	1.44	37.66	111.22	34.16	17.61	3.06	2.24	0.113	1.46	83.5	9.99	170.4	153.4235	823.1181	976.5417	190.1721
Wabli	24WCRC010	24RRC0745	426579.00	7247653.00	13	14	350	9.33	16.41	10.31	15.54	3.35	200.15	1.69	38.15	121.73	37.3	19.7	2.81	2.55	0.121	1.64	99.52	11.35	170.7	180.5594	893.826	1074.3854	208.8847
Wabli	24WCRC010	24RRC0746	426579.00	7247653.00	14	15	370.79	8.28	18.48	12.11	17.07	3.81	214.05	2	44.59	126.88	39.01	20.78	3.6	2.81	0.121	1.96	110.02	13.37	213.3	202.1782	946.7763	1148.9546	219.6393
Wabli	24WCRC010	24RRC0747	426579.00	7247653.00	15	16	293.74	5.89	14	9.43	12.91	2.95	164.77	1.7	30.86	100.41	30.82	16.13	2.62	2.19	0.101	1.55	91.78	10.88	169	165.4499	743.2793	908.7292	172.9986
Wabli	24WCRC010	24RRC0748	426579.00	7247653.00	16	17	309.96	8.54	14.87	9.9	13.65	3.12	175.49	1.74	34.39	104.87	32.25	16.93	2.73	2.25	0.105	1.63	98.79	11.48	161.2	176.9732	784.5083	961.4816	180.9975
Wabli	24WCRC010	24RRC0749	426579.00	7247653.00	17	18	292.94	9.68	13.47	8.76	12.61	2.77	165.51	1.51	32.11	100.4	30.46	15.73	2.69	2.08	0.108	1.47	84.03	10.13	173.8	152.7367	741.8735	894.6103	171.8143
Wabli	24WCRC010	24RRC0752	426579.00	7247653.00	18	19	281.11	11.05	12.3	8.17	12.22	2.44	149.88	1.43	31.02	89.14	27.95	14.79	2.7	1.86	0.112	1.29	75.32	8.63	152.6	137.017	691.2482	828.2653	154.0465
Wabli	24WCRC010	24RRC0753	426579.00	7247653.00	19	20	284.21	12.41	12.72	8.43	12.6	2.62	152.3	1.48	29.23	90.41	28.25	14.9	2.4	1.92	0.101	1.34	80.54	9.14	136.3	145.3967	700.3382	845.7349	156.4429
Wabli	24WCRC010	24RRC0754	426579.00	7247653.00	20	21	272.19	10.19	12.25	8.02	12.13	2.48	144.28	1.41	32.2	87.52	26.97	14.36	2.77	1.86	0.108	1.26	74.47	8.44	159.4	135.4812	670.0481	805.5293	150.9155
Wabli	24WCRC010	24RRC0755	426579.00	7247653.00	21	22	263.44	8.42	12.11	8.18	11.72	2.47	139.11	1.41	30.81	83.56	26.16	13.68	2.7	1.82	0.1	1.26	72.81	8.58	163.1	133.4963	646.3321	779.8285	145.1102
Wabli	24WCRC010	24RRC0756	426579.00	7247653.00	22	23	305.6	9.52	13.81	9.02	13.46	2.81	165.73	1.59	32.36	95.94	30.02	15.75	2.77	2.1	0.104	1.41	85.04	9.69	162	154.2976	753.0668	907.3644	166.4943
Wabli	24WCRC010	24RRC0757	426579.00	7247653.00	23	24	272.63	8.16	11.77	7.67	12	2.39	146.74	1.35	28.3	86.8	26.87	14.13	2.61	1.81	0.099	1.22	71.16	8.09	142.9	129.6523	672.0965	801.7488	149.3452
Wabli	24WCRC010	24RRC0758	426579.00	7247653.00	24	25	287.52	9.31	12.87	8.52	12.71	2.62	154.64	1.53	25.53	89.16	28.2	15.06	2.38	1.94	0.098	1.38	82.64	9.13	144.9	148.4532	706.0116	854.4649	155.1201
Wabli	24WCRC010	24RRC0759	426579.00	7247653.00	25	26	303.49	8.49	14.71	9.78	14.72	2.99	163.23	1.75	31.7	97.1	30.33	17.07	2.84	2.24	0.107	1.55	91.9	10.65	177.4	166.7169	752.2072	918.9242	169.4195
Wabli	24WCRC010	24RRC0760	426579.00	7247653.00	26	27	307.62	9.29	16.56	11.46	15.36	3.43	165.9	2.02	38.39	100.22	30.86	17.43	3.57	2.42	0.118	1.8	108.37	12.38	210.4	194.9547	765.8693	960.8241	176.0339
Wabli	24WCRC010	24RRC0761	426579.00	7247653.00	27	28	325.71	10.47	17.34	12.35	15.78	3.69	170.29	2.19	51.01	104.57	32.31	17.71	5.74	2.52	0.113	1.98	101.51	13.74	215.6	190.5191	800.826	991.3452	183.8725
Wabli	24WCRC010	24RRC0762	426579.00	7247653.00	28	29	319.95	9.01	17.9	12.52	15.26	3.72	171.57	2.18	44.13	103.1	31.69	17.27	4.78	2.49	0.11	1.98	106.96	13.77	221.3	198.299	791.76	990.0591	182.0162
Wabli	24WCRC010	24RRC0763	426579.00	7247653.00	29	30	198.84	7.85	15.03	11.26	11.42	3.24	105.76	1.94	46.66	66.44	20.06	11.67	5.64	1.97	0.087	1.77	81.02	12.19	166.2	157.1498	497.7978	654.9476	121.2991
Wabli	24WCRC010	24RRC0764	426579.00	7247653.00	30	31	206.9	8.07	15.55	11.47	11.54	3.34	110.2	1.99	52.99	68.52	20.82	12.07	7.15	2.03	0.093	1.86	80.86	12.59	163.6	158.5838	516.8632	675.447	125.3108
Wabli	24WCRC010	24RRC0765	426579.00	7247653.00	31	32	296.67	5.83	12.31	7.28	12.81	2.34	157.68	1.07	47.3	94.28	29.13	15.43	5.36	1.92	0.113	1.08	39.22	7.04	187.1	87.6637	728.4905	816.1542	161.5495
Wabli	24WCRC010	24RRC0767	426579.00	7247653.00	32	33	435.18	7.41	13.91	9.27	16.96	2.55	238.2	1.37	41.04	133.12	42.38	21.67	3.47	2.36	0.129	1.2	70.39	8.19	202.7	133.9041	1066.6996	1200.6038	225.215
Wabli	24WCRC010	24RRC0768	426579.00	7247653.00	33	34	353.99	10.31	17.9	12.6	16.8	3.74	193.11	2.27	30.32	110.7	34.58	18.7	2.33	2.61	0.117	1.96	131.84	13.75	214.2	230.2064	874.8083	1105.0147	194.5137
Wabli	24WCRC010	24RRC0769	426579.00	7247653.00	34	35	333.6	9.8	15.16	10.54	14.74	3.11	179	1.84	38.18	103.78	32.88	17.12	3.51	2.25	0.124	1.65	96.66	11.43	190.9	175.4011	818.7325	994.1337	180.8201
Wabli	24WCRC010	24RRC0770	426579.00	7247653.00	35	36	326.17	9.32	13.36	8.82	13.69	2.63	179.37	1.49	34.94	100.38	31.88	16.43	3.02	2.02	0.114	1.33	76.7	9.05	186.3	141.7273	802.6938	944.4211	173.3098
Wabli	24WCRC010	24RRC0771	426579.00	7247653.00	36	37	366.78	9.49	16.47	10.98	15.82	3.33	200.99	1.92	36.54	113.68	36.04	18.87	3.16	2.42	0.122	1.74	103.7	11.87	218	187.4946	904.021	1091.5156	197.8889
Wabli	24WCRC010	24RRC0772	426579.00	7247653.00	37	38	358.98	10.29	15.79	10.64	15.67	3.2	194.82	1.85	37.54	112.07	35.2	18.31	3.26	2.36	0.126	1.67	99.83	11.35	218.5	180.4397	883.4659	1063.9056	194.1451
Wabli	24WCRC010	24RRC0773	426579.00	7247653.00	38	39	344.28	9.74	15.36	10.43	15.18	3.16	184.83	1.82	38.07	106.4	33.35	17.74	3.26	2.34	0.128	1.66	96.86	11.26	229.5	175.7171	843.5613	1019.2784	184.7794
Wabli	24WCRC010	24RRC0774	426579.00	7247653.00	39	40	356.22	10.6	16.02	10.59	15.91	3.23	194.31	1.82	39.33	112.16	35.13	18.62	3.34	2.41	0.136	1.64	97.64	11.14	234.7	177.6511	880.0878	1057.739	194.4882
Wabli	24WCRC010	24RRC0775	426579.00	7247653.00	40	41	382.85	9.38	16.38	10.88	16.13	3.27	209.95	1.83	38.59	118.53	37.1	19.16	3.35	2.43	0.13	1.68	100.7	11.36	224.7	182.6587	941.911	1124.5697	204.7351
Wabli	24WCRC010	24RRC0776	426579.00	7247653.00	41	42	361.1	13.17	15.91	10.42	15.22	3.19	199.85	1.71	38.71	111.93	35.52	17.9	3.56	2.34	0.128	1.6	90.83	10.76	176.3	167.9508	891.1519	1059.1028	194.4826
Wabli	24WCRC010	24RRC0777	426579.00	7247653.00	42	43	184.52	21.72	10.42	7.6	9.12	2.24	97.83	1.36	33.99	59.94	18.31	10.01	2.63	1.46	0.132	1.2	61.43	8.09	171.3	115.0718	456.3585	571.4303	105.7124
Wabli	24WCRC010	24RRC0778	426579.00	7247653.00	43	44	256.8	18.17	12.75	8.94	11.66	2.72	141.5	1.66	45.8	80.72	25.23	13.4	4.87	1.85	0.114	1.43	79.8	9.99	123	146.3822	636.0912	782.4735	141.4438
Wabli	24WCRC010	24RRC0779	426579.00	7247653.00	44	45	351.12	14.13	15.85	10.63	15.07	3.25	190.68	1.91	36.55	109.36	34.1	17.69	3.41	2.34	0.123	1.69	106.25	11.42	179.9	188.8544	862.9977	1051.8521	189.7004
Wabli	24WCRC010	24RRC0780	426579.00	7247653.00	45	46	353.88	11.03	15.09	9.82	15.29	3.02	192.42	1.74	34.87	109.4	34.51	17.75	3.04	2.26	0.12	1.55	97.74	10.62	197.4	174.6274	869.3283	1043.9558	189.2761
Wabli	24WCRC010	24RRC0781	426579.00	7247653.00	46	47	368.49	11.22	16.1	10.86	15.67	3.32	201.43	1.89	39.6	113.4	35.94	18.35	3.43	2.41	0.128	1.72	104.02	11.61	219.4	186.9629	905.4141	1092.377	197.005
Wabli	24WCRC010	24RRC0782	426579.00	7247653.00	47	48	326.56	14.51	14.66	9.82	14.19	3	176.22	1.78	37.34	103.31	31.92	16.76	3.32	2.18	0.124	1.54	91.7	10.36	215.3	166.0847	804.0307	970.1154	178.4559
Wabli	24WCRC010	24RRC0783	426579.00	7247653.00	48	49	192.27	14.77	11.28	8.11	9.43	2.34	102.19	1.75	30.69	61.92	19.16	10.39	3.89	1.55	0.08	1.37	70.63	10.14	109.8	131.5174	475.2414	606.7589	110.1417
Wabli	24WCRC010	24RRC0784	426579.00	7247653.00	49	50	69.91	12.96	8.55	6.8	5.45	1.9	40.1	1.66	21.02	23.71	7.04	4.69	2.32	1.07	0.04	1.22	65.73	9.44	23.1	118.5244	181.4873	300.0117	47.2324
Wabli	24WCRC010	24RRC0785	426579.00	7247653.00	50	51	226.96	18.66	13.28	9.65	11.07	2.79	118.99	2.06	39.39	71.8	22.53	12.1	4.51	1.85	0.1	1.66	81.89	12.11	127.3	153.6682	557.1388	710.807	128.3856
Wabli	24WCRC010	24RRC0786	426579.00	7247653.00	51	52	193.38	19.43	18.73	14.9	13.1	4.17	106.93	3.48	41.68	63.53	19.28	12.09	4.09	2.39	0.08	2.62	136.45	19.91	111.4	249.0212	490.4923	739.5135	121.703
Wabli	24WCRC010	24RRC0787	426579.00	7247653.00	52	53	283.48	15.99	16.46	12.14	14.11	3.51	155.44	2.51	39.73	91.18	28.11	15.27	4.1	2.31	0.112	2.02	109.54	14.78	168.9	200.6069	706.0341	906.6411	161.923
Wabli	24WCRC010	24RRC0788	426579.00	7247653.00	53	54	170.49	18.21	18.29	15.11	12.45	4.13	88.93	3.65	42.57	58.48	17.38	11.14	5.46	2.32	0.094	2.67	127.51	20.68	116	238.4025	431.1947	669.5972	112.9298
Wabli	24WCRC010	24RRC0789	426579.00	7247653.00	54	55	359.52	11.94	16.66	12.18	15.72	3.45	197.55	2.27	40.42	110.52	34.82	18.16	4.08	2.42	0.12	1.89	109.06	13.36	178.3	198.295	884.8202	1083.1152	192.9471
Wabli	24WCRC010	24RRC0790	426579.00	7247653.00	55	56	308.95	10.68	15.68	11.04	14.07	3.28	172.98	2.12	36.24	96.61	30.28	15.84	4	2.21	0.116	1.82	105.46	12.61	175.3	189.7487	767.5411	957.2899	169.8655
Wabli	24WCRC010	24RRC0791	426579.00	7247653.00	56	57	369.21	9.61	15.05	9.92	15.45	2.98	204.6	1.78	37.02	114.6	36.21	18.62	3.3	2.31	0.132	1.58	95.52	10.66	234.6	172.0149	911.8017	1083.8166	197.4082
Wabli	24WCRC010	24RRC0792	426579.00	7247653.00	57	58	344.92	6.74	12.82	7.77	13.68	2.43	191.98	1.31	36.41	106.84	33.47	17.16	3.22	2.05	0.118	1.23	79.29	10.8	184.3	144.6759	850.9433	995.6193	182.1813
Wabli	24WCRC010	24RRC0793	426579.00	7247653.00	58	59	367.44	6.39	12.82	7.65	14.34	2.47	203.59	1.32	37.93	113.28	35.63	18	3.25	2.1	0.129	1.18	77.73	8.05	236.1	139.4852	904.2159	1043.7011	192.3614
Wabli	24WCRC010	24RRC0794	426579.00	7247653.00	59	60	265.83	7.78	7.99	3.89	9.94	1.31	146.63	0.67	36.24	80.97	25.88	12.99	3.16	1.37	0.129	0.76	39.84	3.94	181.4	73.4394	652.0383	725.4778	136.4931
Wabli	24WCRC010	24RRC0795	426579.00	7247653.00	60	61	389.94	7.57	10.28	5.67	14.15	1.73	217.31	0.8	40.08	119.01	37.45	18.52	3.81	1.87	0.133	0.75	61.93	4.81	209.6	108.3515	957.233	1065.5845	198.0582
Wabli	24WCRC010	24RRC0796	426579.00	7247653.00	61	62	404.8	4.95	9.81	4.46	15.81	1.54	226.01	0.7	40.31	125.04	39.37	19.44	3.77	2.04	0.13	0.66	44.02	4.28	230.7	82.8468	998.0106	1080.8575	207.0718
Wabli	24WCRC010	24RRC0797	426579.00	7247653.00	62	63	368.41	15.63	10.52	5.11	13.8	1.76	202.51	0.92	36.88	113.51	35.56	17.88	3.15	1.93	0.225	0.77	48.06	5	259.9	90.8536	903.5745	994.4281	189.7055
Wabli	24WCRC010	24RRC0798	426579.00	7247653.00	63	64	304.77	11.1	10.6	6.46	12.18	2.03	166.36	1.05	37.99	96.29	29.74	15.4	3.13	1.71	0.271	1.02	54.94	6.55	239.7	103.4749	750.9749	854.4499	162.4214
Wabli	24WCRC010	24RRC0799	426579.00	7247653.00	64	65	209.23	23.58	8.53	5.27	9.33	1.65	109.53	0.87	26.31	67.52	20.65	10.93	2.43	1.33	0.312	0.8	43.83	5.24	277.9	82.8	513.6405	596.4405	115.0588
Wabli	24WCRC010	24RRC0803	426579.00	7247653.00	65	66	223.75	27.81	9.41	6.46	9.41	1.98	115.98	1.37	25.65	73.13	22.42	11.61	3.12	1.38	0.248	1.04	55.85	7.26	328.9	104.0146	548.2669	652.2815	124.8096
Wabli	24WCRC010	24RRC0804	426579.00	7247653.00	66	67	295.51	16.53	9.78	5.74	11.76	2.02	159.87	1	18.63	94.01	29.16	14.85	1.76	1.56	0.187	0.89	49.74	5.72	292.2	93.7687	727.0558	820.8245	157.9437
Wabli	24WCRC010	24RRC0805	426579.00	7247653.00	67	68	409.72	4.08	10.78	4.83	14.85	1.82	230.8	0.76	35.24	133.08	41.73	20.55	2.94	2.07	0.135	0.76	47.9	4.97	221.4	90.6345	1022.1857	1112.8202	220.4496
Wabli	24WCRC010	24RRC0806	426579.00	7247653.00	68	69	328.11	6.96	9.2	4.72	12.22	1.6	178.77	0.68	23.62	105.94	33.88	16.59	1.89	1.72	0.106	0.82	44.76	4.52	248.4	83.5094	811.7311	895.2405	177.0841
Wabli	24WCRC010	24RRC0807	426579.00	7247653.00	69	70	256.75	10.82	7.72	4.17	9.5	1.48	134.76	0.7	18.66	83.35	26.43	12.97	1.66	1.36	0.099	0.67	37.29	4.66	237.8	71.1457	629.4228	700.5685	139.612
Wabli	24WCRC010	24RRC0808	426579.00	7247653.00	70	71	249.87	16.33	8.6	5.03	9.54	1.69	130.96	0.83	22.27	83.24	26.01	12.91	2.09	1.54	0.133	0.83	47.98	5.72	268.4	88.7041	616.0299	704.7341	140.1979
Wabli	24WCRC010	24RRC0809	426579.00	7247653.00	71	72	217.89	18.51	10.89	7.28	10.25	2.33	113.73	1.3	36.13	73.34	22.83	11.79	3.41	1.68	0.28	1.19	64.93	8.05	262.6	119.9266	541.0307	660.9573	127.6014
Wabli	24WCRC010	24RRC0810	426579.00	7247653.00	72	73	85.48	30.18	8.35	5.71	6.82	1.81	45.65	0.99	8.98	33.12	9.56	6.61	0.83	1.21	0.627	0.93	50.14	6.15	130	92.4729	225.2364	317.7093	61.188
Wabli	24WCRC010	24RRC0811	426579.00	7247653.00	73	74	37.58	6.33	7.19	4.6	6.14	1.52	18.35	0.71	4.3	19.17	4.7	4.95	0.33	1.09	0.886	0.69	40.22	4.51	48.5	74.3415	110.3884	184.73	37.5724
Wabli	24WCRC010	24RRC0812	426579.00	7247653.00	74	75	21.68	3.42	6.94	4.25	5.74	1.43	10.03	0.63	2	13.74	2.99	4.23	0.14	1.02	0.973	0.64	37.55	4.07	21.2	69.4292	71.3589	140.7882	28.8036
Wabli	24WCRC010	24RRC0813	426579.00	7247653.00	75	76	28.29	2.62	7.02	4.32	5.72	1.48	13.39	0.64	1.96	15.66	3.65	4.42	0.15	1.04	0.962	0.66	37.68	4.15	20.6	69.9723	86.5833	156.5556	31.9558
Wabli	24WCRC010	24RRC0814	426579.00	7247653.00	76	77	17.38	2.55	5.95	3.75	4.76	1.26	7.86	0.54	1.69	11.54	2.48	3.5	0.14	0.88	0.869	0.57	32.89	3.55	18	60.6697	58.0613	118.731	24.3204
Wabli	24WCRC010	24RRC0815	426579.00	7247653.00	77	78	17.05	2.38	5.7	3.62	4.64	1.22	7.68	0.54	1.79	10.97	2.39	3.47	0.15	0.83	0.822	0.52	31.52	3.35	18.7	58.1049	56.5097	114.6147	23.2011
Wabli	24WCRC010	24RRC0816	426579.00	7247653.00	78	79	14.38	3.03	6.2	3.83	4.84	1.3	6.22	0.57	1.38	10.37	2.18	3.27	0.11	0.9	0.818	0.57	32.6	3.68	14.4	60.9313	50.505	111.4364	22.9037
Wabli	24WCRC010	24RRC0817	426579.00	7247653.00	79	80	14.24	2.66	5.45	3.39	4.6	1.15	6.13	0.51	1.34	10.42	2.16	3.35	0.1	0.82	0.788	0.51	30.47	3.28	14.5	56.0044	50.1704	106.1749	21.983

Wabli	24WCRC011	24RRC0818	426548.00	7247632.00	0	1	327.2	7.89	15.79	10.88	15.39	3.51	192.75	2	26.66	113.8	35.87	18.47	2.23	2.47	0.17	1.8	136.81	12.23	161.5	229.4806	844.8088	1074.2894	197.1018
Wabli	24WCRC011	24RRC0819	426548.00	7247632.00	1	2	308.84	9.09	16.6	12.44	16.15	3.56	200.94	2.01	32.85	120.17	38.06	19.36	2.45	2.54	0.132	1.89	114.47	12.55	172.3	204.4427	843.8116	1048.2544	208.1897
Wabli	24WCRC011	24RRC0820	426548.00	7247632.00	2	3	274.78	7.78	13.1	9	12.51	2.85	154.84	1.6	26.25	92.19	29.2	15.15	1.93	2.02	0.087	1.49	84.93	10.28	169.3	154.0465	695.1907	849.2372	160.2206
Wabli	24WCRC011	24RRC0821	426548.00	7247632.00	3	4	327.54	9.25	14.48	9.48	14.2	2.98	183.93	1.69	32.07	108.92	34.63	17.58	2.58	2.25	0.112	1.57	91.79	10.63	171.4	165.9024	825.0337	990.9361	188.1494
Wabli	24WCRC011	24RRC0822	426548.00	7247632.00	4	5	304.08	8.31	13.47	8.72	13.01	2.79	170.34	1.57	28.96	101.74	32.45	16.4	2.37	2.09	0.093	1.47	82.79	9.86	173.1	150.9117	766.5077	917.4195	175.7934
Wabli	24WCRC011	24RRC0823	426548.00	7247632.00	5	6	311.43	10.09	12.77	8.15	12.81	2.65	170.33	1.45	31.39	102.25	32.36	16.39	2.56	2.02	0.107	1.34	78.72	9	149.7	142.7811	775.7564	918.5376	175.3938
Wabli	24WCRC011	24RRC0824	426548.00	7247632.00	6	7	331.92	14.19	14.61	9.3	14.22	3.03	183.31	1.68	37.82	109.43	34.41	17.79	3.14	2.39	0.109	1.56	89.57	10.85	180.5	163.4762	830.2706	993.7468	188.7923
Wabli	24WCRC011	24RRC0825	426548.00	7247632.00	7	8	152.53	10.43	4.74	2.83	5.01	0.89	77.51	0.54	44.22	48.83	15.76	7.69	6.63	0.82	0.058	0.49	12.5	3.47	125.2	31.6588	369.7205	401.3793	82.4011
Wabli	24WCRC011	24RRC0826	426548.00	7247632.00	8	9	59.93	44.89	6.2	4.6	4.5	1.35	33.7	1.14	96.22	21.65	6.4	4.26	10.96	0.87	0.198	0.85	37.86	6.74	11.6	72.9658	156.7912	229.7571	41.124
Wabli	24WCRC011	24RRC0827	426548.00	7247632.00	9	10	203.8	37.76	5.33	2.89	6.03	0.99	111.95	0.54	64.51	62.37	20.36	9.14	7.97	0.91	0.18	0.49	15.67	3.46	91	36.6392	497.445	534.0843	104.5349
Wabli	24WCRC011	24RRC0828	426548.00	7247632.00	10	11	138.6	22.22	3.28	1.6	4.24	0.56	73.33	0.3	40.08	43.79	14.09	6.66	6.2	0.59	0.11	0.28	7.59	1.92	95.3	19.4152	337.7876	357.2029	72.5586
Wabli	24WCRC011	24RRC0829	426548.00	7247632.00	11	12	578.52	14.45	17.16	9.06	20.25	3.13	316.35	1.57	44.95	186.07	58.98	28.5	4.83	2.98	0.111	1.48	65.97	10.03	345.2	135.8171	1427.9476	1563.7647	311.4912
Wabli	24WCRC011	24RRC0833	426548.00	7247632.00	12	13	347.17	13.26	13.69	8.41	14	2.74	189.88	1.42	33.66	111.84	35.83	17.76	3.17	2.21	0.107	1.34	76.32	9.19	187.3	141.5954	860.9921	1002.5875	192.0513
Wabli	24WCRC011	24RRC0834	426548.00	7247632.00	13	14	330.44	10.9	12.67	7.87	13.58	2.59	181.61	1.37	29.89	107.63	34.25	17.33	2.36	2.09	0.111	1.28	78.94	8.48	168.5	141.8876	822.9066	964.7942	183.92
Wabli	24WCRC011	24RRC0835	426548.00	7247632.00	14	15	257.25	9.9	11.95	7.99	11.18	2.53	141.14	1.43	27.76	85.94	26.98	14.1	2.22	1.87	0.093	1.31	80.29	9.04	160	143.3255	644.88	788.2056	148.7521
Wabli	24WCRC011	24RRC0836	426548.00	7247632.00	15	16	314.73	10.28	13.73	8.99	13.49	2.88	170.93	1.54	35.43	104.44	33.11	16.97	2.72	2.2	0.108	1.48	84.99	9.73	194	154.3744	785.4883	939.8628	180.1678
Wabli	24WCRC011	24RRC0837	426548.00	7247632.00	16	17	354.57	10.51	14.97	10.4	14.99	3.1	196.84	1.65	36.32	116.25	37.26	18.89	2.73	2.38	0.112	1.58	93.32	10.47	178.6	169.5338	887.6829	1057.2168	200.5919
Wabli	24WCRC011	24RRC0838	426548.00	7247632.00	17	18	299.1	10.12	12.91	8.24	12.74	2.66	162.94	1.47	33.2	98.4	31.5	15.99	2.51	2.01	0.11	1.36	81.06	9.2	158.3	146.2893	745.8703	892.1597	170.013
Wabli	24WCRC011	24RRC0839	426548.00	7247632.00	18	19	301.83	8.64	13.66	8.87	13.05	2.81	163.48	1.54	34.63	99.76	31.53	16.19	2.68	2.12	0.105	1.43	81.88	9.69	179.1	149.9305	752.0918	902.0224	172.6257
Wabli	24WCRC011	24RRC0840	426548.00	7247632.00	19	20	302.16	8.26	13.13	8.42	12.93	2.72	162.16	1.48	33.72	100.13	31.6	16.25	2.54	2.1	0.11	1.39	79.78	9.32	186.9	145.479	751.3617	896.8408	172.51
Wabli	24WCRC011	24RRC0841	426548.00	7247632.00	20	21	348.23	9.99	14.67	9.23	14.52	3.03	192.2	1.6	34.89	113.56	35.97	18.14	2.76	2.31	0.114	1.51	90.91	10.15	179.3	164.1274	868.3577	1032.4852	195.4691
Wabli	24WCRC011	24RRC0842	426548.00	7247632.00	21	22	347.31	9.61	12.9	7.45	13.95	2.47	192.72	1.24	34.55	113.36	36.33	18.39	2.87	2.14	0.106	1.24	72.82	8.06	170.5	133.1491	867.6489	1000.798	193.4394
Wabli	24WCRC011	24RRC0843	426548.00	7247632.00	22	23	394.1	9.05	14.01	8.11	15.73	2.71	219.21	1.32	31.83	127.52	41.08	20.2	2.94	2.38	0.091	1.3	77.05	8.61	177.8	141.8924	982.7216	1124.614	217.2508
Wabli	24WCRC011	24RRC0844	426548.00	7247632.00	23	24	327.36	9.08	13.18	8.09	13.49	2.67	181.23	1.38	34.08	106.66	34.06	17.32	2.75	2.15	0.112	1.3	77.98	8.73	176.4	141.9864	817.3173	959.3038	183.215
Wabli	24WCRC011	24RRC0845	426548.00	7247632.00	24	25	350.03	9.19	14.12	8.75	14.13	2.87	195.58	1.45	33.63	113.9	35.87	18.17	2.69	2.24	0.112	1.43	85.96	9.38	184.1	155.257	874.4516	1029.7086	195.0313
Wabli	24WCRC011	24RRC0846	426548.00	7247632.00	25	26	354.77	9.15	13.93	8.78	14.11	2.9	197.46	1.48	32.35	115.43	36.79	18.07	2.43	2.27	0.111	1.43	87.49	9.5	173.9	157.2566	885.1894	1042.4461	197.7446
Wabli	24WCRC011	24RRC0847	426548.00	7247632.00	26	27	344.86	8.6	13.47	8.38	13.71	2.72	190.71	1.36	30.53	111.98	35.89	17.95	2.64	2.19	0.115	1.32	83.14	8.76	190.9	149.3422	859.3773	1008.7196	192.0111
Wabli	24WCRC011	24RRC0848	426548.00	7247632.00	27	28	342.23	8.16	13.6	8.22	14.47	3.04	186.01	1.34	28.08	114.94	36.03	18.6	2.07	2.25	0.104	1.31	81.44	8.7	193.2	147.4842	855.8167	1003.301	195.8526
Wabli	24WCRC011	24RRC0849	426548.00	7247632.00	28	29	504.67	10.01	18.44	10.8	19.76	3.63	276.09	1.78	38.11	163.03	51.77	25.85	2.82	3.02	0.148	1.71	106.19	11.56	213.2	193.2147	1250.7401	1443.9549	277.4224
Wabli	24WCRC011	24RRC0852	426548.00	7247632.00	29	30	406.45	7.38	16.25	9.9	16.78	3.25	224.06	1.63	34.65	133.72	42.38	21.5	2.83	2.59	0.123	1.54	92.51	10.37	175.7	169.639	1014.995	1184.6341	228.871
Wabli	24WCRC011	24RRC0853	426548.00	7247632.00	30	31	433.19	9.14	16.12	9.58	17.11	3.16	239.85	1.59	35.04	142.1	44.69	22.18	2.74	2.68	0.132	1.53	91.45	10.07	192.1	167.3821	1080.1504	1247.5326	241.393
Wabli	24WCRC011	24RRC0854	426548.00	7247632.00	31	32	430.35	10.1	15.29	8.83	17.06	2.99	244.2	1.41	35.83	141.67	44.77	21.93	2.73	2.56	0.141	1.38	88.51	9.07	192.7	159.9878	1081.0576	1241.0455	239.8944
Wabli	24WCRC011	24RRC0855	426548.00	7247632.00	32	33	427.76	9.82	14.43	7.88	16.46	2.7	238.71	1.25	36.41	138.8	44.31	21.74	2.61	2.52	0.143	1.21	83.43	7.91	206.9	149.3871	1066.5877	1215.9749	234.9569
Wabli	24WCRC011	24RRC0856	426548.00	7247632.00	33	34	417.45	9.6	13.78	7.05	16.15	2.53	233.98	1.12	35.66	136.06	43.2	21.33	2.56	2.4	0.141	1.11	78.89	7.14	189.7	140.4519	1042.9837	1183.4356	229.5328
Wabli	24WCRC011	24RRC0857	426548.00	7247632.00	34	35	394.25	8.74	12.13	5.98	14.95	2.16	219.25	0.95	34.61	126.77	40.55	20.17	2.67	2.18	0.128	0.97	68.73	5.98	187.1	122.0758	980.4228	1102.4986	213.3427
Wabli	24WCRC011	24RRC0859	426548.00	7247632.00	35	36	368.45	7.91	12.05	6.35	14.74	2.14	204.66	1.01	34.21	122.72	38.83	19.78	2.58	2.11	0.125	0.96	66.11	6.54	193	119.6692	924.0441	1043.7133	206.3665
Wabli	24WCRC011	24RRC0860	426548.00	7247632.00	36	37	409.22	9.24	12.78	6.45	15.84	2.3	227.83	1.03	36.78	136.29	42.49	21.6	2.98	2.34	0.139	1	73.4	6.48	220.8	130.3328	1025.0051	1155.338	227.7249
Wabli	24WCRC011	24RRC0861	426548.00	7247632.00	37	38	450.01	10.2	18.05	11.66	18.85	3.51	246.27	1.75	45.28	145.45	46.18	23.99	3.65	2.96	0.14	1.69	105.57	11.39	238	192.5046	1118.1287	1310.6334	249.645
Wabli	24WCRC011	24RRC0862	426548.00	7247632.00	38	39	361.22	8.31	16.04	10.64	15.21	3.35	200.27	1.9	36.86	115.8	37.09	18.81	3.09	2.48	0.109	1.74	103.4	11.9	192.4	186.3362	899.258	1085.5943	201.2073
Wabli	24WCRC011	24RRC0863	426548.00	7247632.00	39	40	340.73	9.77	16.18	10.69	15.08	3.4	193.33	1.91	35.49	111.06	35.54	17.92	3.16	2.51	0.108	1.76	103.37	11.99	202.9	186.7452	857.3097	1044.055	194.0018
Wabli	24WCRC011	24RRC0864	426548.00	7247632.00	40	41	354.55	11.37	16.69	10.84	15.32	3.43	197.66	1.93	36.97	117.27	37.25	18.73	3.72	2.64	0.112	1.8	104.01	12.12	168.4	188.7186	889.9578	1078.6764	204.0494
Wabli	24WCRC011	24RRC0865	426548.00	7247632.00	41	42	356.7	8.54	14.62	9.24	14.62	2.95	198.48	1.61	29.53	115.28	36.5	18.52	2.72	2.34	0.109	1.54	91.14	10.35	183.7	164.5906	889.2364	1053.827	198.0935
Wabli	24WCRC011	24RRC0866	426548.00	7247632.00	42	43	369.92	12.03	16.29	10.57	16.2	3.41	205.91	1.88	34.28	120.03	38.31	19.08	3.34	2.54	0.121	1.72	102.41	11.82	211.9	185.2885	924.5251	1109.8137	207.9727
Wabli	24WCRC011	24RRC0867	426548.00	7247632.00	43	44	315.42	11.63	14.14	9.16	13.54	2.96	174.26	1.63	33.38	104.67	33.58	16.66	3.11	2.27	0.124	1.46	90.23	10.08	228.7	162.3457	790.8103	953.156	181.5568
Wabli	24WCRC011	24RRC0868	426548.00	7247632.00	44	45	382.1	9.95	16.49	10.57	16.07	3.41	212.63	1.85	34.02	124.16	39.79	19.78	3.2	2.56	0.117	1.75	102.82	11.79	217.1	186.0282	954.669	1140.6973	214.8311
Wabli	24WCRC011	24RRC0869	426548.00	7247632.00	45	46	367.18	11.78	15.74	10.18	15.2	3.3	201.11	1.76	34.37	117.18	38.19	19.18	3.54	2.51	0.125	1.66	97.76	11.23	196.2	177.2682	910.9548	1088.223	203.8369
Wabli	24WCRC011	24RRC0870	426548.00	7247632.00	46	47	396.43	10.55	16.05	9.89	15.83	3.23	219.16	1.7	35.65	127.53	40.86	20.06	3.34	2.52	0.118	1.59	99.12	10.89	203.5	178.4157	985.2005	1163.6163	219.5026
Wabli	24WCRC011	24RRC0871	426548.00	7247632.00	47	48	386.37	8.97	15.4	9.65	15.96	3.12	214.82	1.64	34.05	122.36	39.5	19.44	3.28	2.44	0.104	1.53	90.55	10.41	176.1	165.6088	959.4534	1125.0622	210.9891
Wabli	24WCRC011	24RRC0872	426548.00	7247632.00	48	49	390.83	10.88	16.54	10.79	16	3.37	218.53	1.82	34.64	128.74	40.1	20.15	3.2	2.66	0.121	1.67	102.27	11.47	212.1	185.2207	978.3534	1163.5742	220.7228
Wabli	24WCRC011	24RRC0873	426548.00	7247632.00	49	50	382.1	9.02	15.46	9.5	15.76	3.1	212.11	1.58	30.84	122.89	39.53	19.96	2.77	2.48	0.108	1.52	91.62	10.12	211.3	166.4792	952.0456	1118.5248	211.7594
Wabli	24WCRC011	24RRC0874	426548.00	7247632.00	50	51	437.82	9.18	16.74	9.46	18.55	3.21	236.72	1.58	29.9	147.83	45.67	24.58	2.47	2.86	0.1	1.53	98.27	10.03	244.1	176.8292	1094.6158	1271.4451	250.1838
Wabli	24WCRC011	24RRC0875	426548.00	7247632.00	51	52	441.27	12.28	20.2	12.63	19.17	4.1	244.41	2.16	37.26	142.86	45.34	23.42	3.44	3.13	0.128	2.04	122.92	13.8	211.1	222.6001	1100.8261	1323.4263	248.2767
Wabli	24WCRC011	24RRC0876	426548.00	7247632.00	52	53	251.58	10.92	14.15	10.06	12.88	2.94	134.25	1.99	36.78	82.22	24.99	14.47	2.85	2.16	0.109	1.63	96.58	12.45	144.5	174.6001	625.2601	799.8603	144.8748
Wabli	24WCRC011	24RRC0877	426548.00	7247632.00	53	54	257	6.93	13.86	9.79	13.18	2.92	144.53	2.06	21.37	84.42	25.68	14.4	1.49	2.2	0.051	1.69	103.77	12.53	78.8	183.3524	647.4761	830.8286	147.9888
Wabli	24WCRC011	24RRC0878	426548.00	7247632.00	54	55	389.4	13.28	17.49	11.59	17.47	3.6	216.99	1.81	41.3	124.95	38.92	21.09	2.84	2.84	0.126	1.76	106.08	12.36	194.4	193.6442	971.6015	1165.2457	216.1785
Wabli	24WCRC011	24RRC0879	426548.00	7247632.00	55	56	341.51	12.09	15.74	10.3	15.65	3.22	185.28	1.75	39.79	111.44	34.01	18.74	2.86	2.58	0.126	1.63	94.6	11.61	184.6	173.7703	848.9482	1022.7186	192.1738
Wabli	24WCRC011	24RRC0880	426548.00	7247632.00	56	57	389.95	11.54	17.48	11.39	17.46	3.58	216.27	1.78	38.52	124.79	39	20.7	3	2.86	0.119	1.74	103.32	12.25	175.2	189.7175	970.8789	1160.5964	216.1005
Wabli	24WCRC011	24RRC0881	426548.00	7247632.00	57	58	334.17	11.38	15.29	10.22	15.7	3.16	179.46	1.62	39.34	107.21	33.61	18.56	3.03	2.54	0.117	1.59	90.58	11.24	182.2	167.3268	827.5038	994.8306	186.1932
Wabli	24WCRC011	24RRC0882	426548.00	7247632.00	58	59	407.69	11.37	18.12	11.74	18.21	3.72	223.65	1.86	40.69	129.55	40.19	21.78	3.12	3.04	0.124	1.81	106.43	12.79	187.5	195.9595	1010.5119	1206.4715	224.0366
Wabli	24WCRC011	24RRC0883	426548.00	7247632.00	59	60	438.69	11.43	19.39	13.12	19.68	4.01	244.44	2.1	49.31	139.89	43.71	23.63	3.81	3.29	0.132	2	109.53	14.07	223.1	205.5055	1093.09	1298.5956	242.1017
Wabli	24WCRC011	24RRC0884	426548.00	7247632.00	60	61	613.6	17.36	26.54	17.13	25.58	5.39	342.05	2.79	69.76	191.86	60.16	31.77	4.72	4.34	0.196	2.69	141.86	19	313.9	269.3551	1519.3264	1788.6816	332.0354
Wabli	24WCRC011	24RRC0885	426548.00	7247632.00	61	62	368.02	14.64	17.41	12.12	16.49	3.69	204.43	2.35	49.47	115.21	36.17	19.17	3.58	2.77	0.125	1.98	117.37	14.58	197.2	211.9095	912.4319	1124.3415	201.321
Wabli	24WCRC011	24RRC0886	426548.00	7247632.00	62	63	351.76	14.35	15.57	10.61	15.08	3.25	193.63	1.94	42.81	110.4	34.82	18.08	3.5	2.51	0.126	1.72	96.74	12.56	187.2	177.9999	869.6397	1047.6397	191.662
Wabli	24WCRC011	24RRC0887	426548.00	7247632.00	63	64	330.37	12.09	14.09	9.52	14.66	2.95	177.96	1.6	39.36	106.35	33.01	17.76	3.29	2.37	0.122	1.49	80.52	10.57	211	151.0335	817.2458	968.2794	182.888
Wabli	24WCRC011	24RRC0888	426548.00	7247632.00	64	65	375.29	10.94	16.46	10.91	16.03	3.42	207.6	1.81	41.79	119.11	36.92	19.3	3.28	2.68	0.124	1.74	100.76	12.31	203.9	184.4544	930.2824	1114.7369	205.58
Wabli	24WCRC011	24RRC0889	426548.00	7247632.00	65	66	369.31	11.05	15.97	10.91	15.85	3.34	206.44	1.82	40.67	117.38	36.76	19.35	3.39	2.59	0.123	1.73	94.66	12.35	209	175.9937	919.2161	1095.2098	202.7005
Wabli	24WCRC011	24RRC0890	426548.00	7247632.00	66	67	402.58	9.99	16.23	10.58	16.26	3.28	223.82	1.81	39.25	126.62	39.79	20.49	3.28	2.67	0.121	1.66	95.33	11.72	198.2	175.9822	996.7325	1172.7148	217.5314
Wabli	24WCRC011	24RRC0891	426548.00	7247632.00	67	68	385.43	10.52	15.87	10.47	15.91	3.25	221.52	1.78	38.75	121.77	38.04	19.66	3.2	2.61	0.118	1.69	95.57	11.94	185.7	175.8938	963.8556	1139.7494	209.2763
Wabli	24WCRC011	24RRC0892	426548.00	7247632.00	68	69	329.76	10.35	13.78	9.07	14.03	2.8	180.68	1.54	40.76	105.8	33.11	16.99	3.03	2.3	0.124	1.45	82.32	10.4	208	151.8873	817.5469	969.4342	181.9291
Wabli	24WCRC011	24RRC0893	426548.00	7247632.00	69	70	357.26	11.01	13.72	8.86	14.69	2.75	195.06	1.48	41.72	113.04	35.42	18.23	3.26	2.31	0.13	1.36	77.36	9.53	192.1	144.0724	881.6822	1025.7546	193.1077
Wabli	24WCRC011	24RRC0894	426548.00	7247632.00	70	71	395.29	12.46	17.28	10.04	16.53	3.17	223.41	1.67	47.29	125.05	39.29	20.58	3.31	2.66	0.156	1.64	94.72	11.02	222.9	174.6783	985.2197	1159.898	216.2894
Wabli	24WCRC011	24RRC0895	426548.00	7247632.00	71	72	368.61	10.62	14.35	9.27	15.24	2.9	210.19	1.54	40.8	116.69	36.43	19.01	3.04	2.39	0.128	1.44	85.88	10.12	192.8	157.1812	920.465	1077.6462	199.4025
Wabli	24WCRC011	24RRC0896	426548.00	7247632.00	72	73	370.4	10.13	14.42	9.28	15.05	2.84	207.72	1.52	40.44	115.94	36.23	19.28	3.05	2.43	0.126	1.42	84.41	10.1	198.4	155.3162	918.7445	1074.0607	198.4135
Wabli	24WCRC011	24RRC0897	426548.00	7247632.00	73	74	382.32	10.67	14.5	9.31	15.53	2.93	218.63	1.52	39.25	120.05	37.99	19.79	3.09	2.47	0.126	1.45	85.65	10.25	193.6	157.3722	954.3039	1111.6761	205.4727
Wabli	24WCRC011	24RRC0898	426548.00	7247632.00	74	75	389.88	11.46	14.5	9.54	15.74	2.95	219.45	1.6	40.2	122.18	38.02	19.72	3.03	2.49	0.128	1.5	89.92	10.49	200.5	163.5254	967.2331	1130.7586	208.0169
Wabli	24WCRC011	24RRC0899	426548.00	7247632.00	75	76	411.44	10.68	15.26	9.65	15.98	3.05	231.88	1.6	40.17	128.23	40.09	20.61	3.01	2.57	0.129	1.52	92.08	10.74	202.8	167.7826	1019.2174	1187.0001	218.5409
Wabli	24WCRC011	24RRC0902	426548.00	7247632.00	76	77	367.49	9.74	14.23	9.22	14.93	2.88	204.59	1.55	40.43	116.59	36.68	19.01	3.26	2.36	0.134	1.43	82.84	10.16	195.1	153.1131	912.2802	1065.3933	199.4149
Wabli	24WCRC011	24RRC0903	426548.00	7247632.00	77	78	342.12	9.93	13.76	8.98	14.19	2.75	188.4	1.48	38.23	111.04	34.26	17.71	2.85	2.32	0.123	1.38	79.45	9.88	207.5	147.3428	850.3381	997.6809	189.4311
Wabli	24WCRC011	24RRC0904	426548.00	7247632.00	78	79	422.77	12.49	16.02	10.99	16.99	3.32	241.32	1.81	41.37	133.67	41.5	21.24	3.97	2.69	0.127	1.72	100.42	12.38	199.6	183.5632	1054.1024	1237.6657	227.6031
Wabli	24WCRC011	24RRC0905	426548.00	7247632.00	79	80	348.42	13.4	14.51	9.59	14.82	2.99	190.39	1.61	41.2	111.07	34.92	18.49	3.12	2.45	0.13	1.51	86.96	10.69	210.5	160.0845	862.9428	1023.0273	191.2772
Wabli	24WCRC012	24RRC0906	426500.00	7247633.00	0	1	346.49	11.92	14.98	10.05	15.77	3.1	207.46	1.63	34.67	115.18	36	19.61	2.63	2.57	0.102	1.56	98.79	11.03	167.6	176.907	889.0843	1065.9914	198.0565
Wabli	24WCRC012	24RRC0907	426500.00	7247633.00	1	2	257.66	10.2	10.79	7.13	10.98	2.27	147.83	1.19	28.3	82.2	25.53	13.73	2.1	1.76	0.083	1.14	64.9	7.86	133.7	119.229	646.3748	765.6039	141.1772
Wabli	24WCRC012	24RRC0909	426500.00	7247633.00	2	3	284.16	10.61	12.32	8.25	12.39	2.54	161.77	1.38	30.59	91.5	28.17	14.8	2.28	2	0.087	1.33	73.52	9.23	173.2	135.7969	712.1999	847.9968	157.2526
Wabli	24WCRC012	24RRC0910	426500.00	7247633.00	3	4	308.86	10.24	12.72	8.97	12.96	2.77	173.4	1.48	31.97	98.29	30.53	15.81	2.37	2.16	0.09	1.4	83.08	9.98	159.6	150.7189	768.8011	919.52	168.6711
Wabli	24WCRC012	24RRC0911	426500.00	7247633.00	4	5	322.69	10.85	14.45	9.77	14.31	2.97	177.38	1.62	35.91	104.47	31.55	17.26	2.56	2.34	0.103	1.54	87.31	11	213.1	160.9123	802.1691	963.0814	179.309
Wabli	24WCRC012	24RRC0912	426500.00	7247633.00	5	6	302.59	10.13	13.31	8.86	12.99	2.78	172.29	1.56	31.62	98.69	30.43	16.38	2.35	2.18	0.095	1.46	82.3	10.21	169.3	150.7361	760.897	911.6332	169.7175
Wabli	24WCRC012	24RRC0913	426500.00	7247633.00	6	7	343.58	11.68	13.8	8.88	14.19	2.8	193.91	1.52	37.95	107.66	34.07	17.91	2.6	2.28	0.116	1.44	85.19	10.19	181.6	155.0408	854.6766	1009.7175	185.2579
Wabli	24WCRC012	24RRC0914	426500.00	7247633.00	7	8	408.68	11.92	16.62	10.92	17.02	3.41	229.14	1.85	42.36	129.87	40.4	21.27	2.98	2.75	0.127	1.74	101.55	12.31	217.1	185.7691	1016.819	1202.5881	222.6009
Wabli	24WCRC012	24RRC0915	426500.00	7247633.00	8	9	426.43	12.1	17.61	11.53	17.63	3.64	240.87	2.01	44.74	135.09	42.4	22.35	3.18	2.87	0.132	1.85	106.62	13.03	235	195.5733	1062.8387	1258.4121	232.3833
Wabli	24WCRC012	24RRC0916	426500.00	7247633.00	9	10	325.4	11.5	14.26	9.64	14.52	2.97	177.32	1.64	41.24	104.62	32.69	17.28	3.14	2.36	0.115	1.53	85.08	11.17	210.2	157.9421	807.1987	965.1408	180.6668
Wabli	24WCRC012	24RRC0917	426500.00	7247633.00	10	11	383.41	12.03	16.37	11.13	16.57	3.38	215.66	1.84	40.67	121.98	38.13	19.98	2.83	2.74	0.121	1.74	105.01	12.37	219.3	190.127	955.9641	1146.0912	210.3567
Wabli	24WCRC012	24RRC0918	426500.00	7247633.00	11	12	344.88	14.42	14.53	9.71	14.58	3.01	191.08	1.65	35.74	108.22	33.78	17.78	2.74	2.35	0.107	1.55	89.59	11.02	216.2	163.9567	853.556	1017.5128	186.4809
Wabli	24WCRC012	24RRC0919	426500.00	7247633.00	12	13	329.79	12.23	14.43	9.77	14.24	3	179.6	1.66	38.91	106.19	33.14	17.78	2.75	2.35	0.119	1.55	88.88	11.02	217.1	163.0089	817.9895	980.9984	183.2251
Wabli	24WCRC012	24RRC0920	426500.00	7247633.00	13	14	367.19	11.43	14.83	9.86	15.38	3.05	207.26	1.6	37.42	116.18	36.49	18.99	2.71	2.44	0.113	1.53	89.07	10.83	182.2	163.6678	914.8771	1078.545	199.4898
Wabli	24WCRC012	24RRC0921	426500.00	7247633.00	14	15	331.25	11.12	13.42	8.89	13.9	2.75	188	1.55	36.01	103.92	32.91	16.9	2.87	2.24	0.106	1.39	79.94	10.27	186	147.9129	825.3196	973.2325	179.0109

Wabli	24WCRC012	24RRC0922	426500.00	7247633.00	15	16	358.6	12.16	15.01	10.41	14.68	3.16	203.12	1.76	39.6	113.12	35.89	18.53	3.16	2.47	0.114	1.65	93.92	11.85	207.8	172.3041	893.79	1066.0941	195.4376
Wabli	24WCRC012	24RRC0923	426500.00	7247633.00	16	17	329.17	14.94	14.22	9.96	13.49	2.97	180.92	1.65	39.82	103.45	32.67	17.07	3.38	2.32	0.11	1.54	89.73	10.99	189.7	163.9379	813.3129	977.2509	179.185
Wabli	24WCRC012	24RRC0924	426500.00	7247633.00	17	18	316.34	12.34	13.01	8.81	13.04	2.72	177.27	1.48	35.23	97.54	31.15	15.81	2.8	2.11	0.099	1.38	80.7	9.78	168.4	147.4797	782.5403	930.0201	168.8194
Wabli	24WCRC012	24RRC0925	426500.00	7247633.00	18	19	309.76	10.66	12.58	8.54	12.74	2.62	170.8	1.43	33.39	96.78	30.6	15.54	2.38	2.11	0.097	1.33	79.94	9.68	166.3	145.37	764.6602	910.0303	166.7749
Wabli	24WCRC012	24RRC0926	426500.00	7247633.00	19	20	291.08	9.71	12.22	8.28	12.31	2.61	166.67	1.37	29.59	93.61	29.12	14.95	2.19	2.01	0.089	1.32	81.88	9.27	144	146.4475	730.2528	876.7004	160.7585
Wabli	24WCRC012	24RRC0927	426500.00	7247633.00	20	21	296.17	10.66	12.67	9	12.82	2.71	161.75	1.52	35.13	96.31	29.74	15.74	2.63	2.09	0.102	1.42	80.34	9.83	160.4	146.9627	736.0328	882.9956	165.2674
Wabli	24WCRC012	24RRC0928	426500.00	7247633.00	21	22	365.57	10.22	14.97	9.82	14.97	3.15	208.41	1.69	35.65	115.61	36.11	19.02	2.54	2.42	0.109	1.56	90.36	11.16	198	166.0243	912.6279	1078.6523	198.503
Wabli	24WCRC012	24RRC0929	426500.00	7247633.00	22	23	360.21	10.44	15.33	10.31	15.07	3.16	202.42	1.72	35.83	112.17	35.46	18.55	2.49	2.48	0.11	1.61	96.74	11.77	196.3	175.9677	893.8148	1069.7825	194.189
Wabli	24WCRC012	24RRC0930	426500.00	7247633.00	23	24	342.05	9.92	14.4	9.24	14.39	3.02	185.07	1.54	34.85	109.02	34.77	17.46	2.6	2.25	0.107	1.54	92.2	10.68	202.1	165.9547	844.559	1010.5137	188.3433
Wabli	24WCRC012	24RRC0931	426500.00	7247633.00	24	25	284.08	9.25	12.85	8.67	12.64	2.75	146.67	1.47	33.27	93.1	29.16	15.21	2.49	2.03	0.102	1.46	82.46	9.96	200.5	149.5963	698.2183	847.8146	160.9585
Wabli	24WCRC012	24RRC0932	426500.00	7247633.00	25	26	305.83	8.98	13.63	8.93	13.01	2.87	162.25	1.5	33.19	96.84	31.29	15.52	2.47	2.06	0.097	1.5	85.88	10.16	169.8	155.6121	750.9741	906.5862	168.8248
Wabli	24WCRC012	24RRC0933	426500.00	7247633.00	26	27	300.1	9.36	13.1	8.86	12.61	2.83	154.92	1.46	33.87	95.45	30.52	15.3	2.48	2.03	0.104	1.42	82.81	9.78	188	150.3745	732.06	882.4345	165.6297
Wabli	24WCRC012	24RRC0934	426500.00	7247633.00	27	28	342.27	9.38	14.68	11.18	14.17	3.16	181.11	1.66	35.14	107.6	34.37	17.15	2.95	2.31	0.106	1.63	91.03	11.14	180.1	168.0026	837.4439	1005.4465	186.5957
Wabli	24WCRC012	24RRC0935	426500.00	7247633.00	28	29	340.03	9.8	14.15	9.64	14.05	3.06	182.68	1.59	36.22	107.27	34.18	16.86	2.66	2.24	0.112	1.57	91.96	11.19	186.7	166.5263	835.4215	1001.9479	185.2906
Wabli	24WCRC012	24RRC0936	426500.00	7247633.00	29	30	377.62	9.6	15.78	10.78	15.57	3.43	205.81	1.8	40.12	119.14	38.14	18.79	3.01	2.44	0.121	1.76	100.57	11.94	225.9	182.6034	931.4324	1114.0359	206.0262
Wabli	24WCRC012	24RRC0937	426500.00	7247633.00	30	31	330.71	8.46	13.22	8.89	13.47	2.85	175.87	1.46	34.07	103.38	33.17	16.2	2.47	2.06	0.103	1.52	83.52	9.66	207	151.484	808.7724	960.2564	178.2539
Wabli	24WCRC012	24RRC0938	426500.00	7247633.00	31	32	353.05	10.15	14.72	9.92	14.4	3.13	186.79	1.6	39.49	112.64	36.07	17.66	3.02	2.22	0.115	1.61	88.37	10.88	206.9	162.7025	866.1587	1028.8612	194.4683
Wabli	24WCRC012	24RRC0939	426500.00	7247633.00	32	33	357.94	10.95	14.66	9.33	14.41	3	189.38	1.56	37.9	113.71	36.68	17.94	2.9	2.26	0.122	1.55	91.03	10.81	187.6	165.0413	877.5123	1042.5536	196.4316
Wabli	24WCRC012	24RRC0940	426500.00	7247633.00	33	34	353.64	10.41	14.16	9.47	14.42	3.02	189.96	1.58	35.92	111.47	35.59	17.22	2.66	2.2	0.118	1.58	90.23	10.57	208	163.3476	868.1925	1031.5402	191.8575
Wabli	24WCRC012	24RRC0941	426500.00	7247633.00	34	35	335.54	10.22	14.29	9.74	14.02	3.11	180.96	1.6	35.34	109.14	34.61	16.69	2.71	2.21	0.114	1.62	91.07	10.8	216.2	165.3175	830.4161	995.7337	188.1167
Wabli	24WCRC012	24RRC0942	426500.00	7247633.00	35	36	336.18	10.02	14.68	9.63	14.04	3.07	181.7	1.57	38.44	107.27	33.87	17	3.12	2.25	0.111	1.59	89.29	10.81	190.6	163.3231	829.3427	992.6659	185.5361
Wabli	24WCRC012	24RRC0943	426500.00	7247633.00	36	37	358.61	10.58	15.74	10.79	14.76	3.37	190.52	1.79	40.09	112.96	36.59	18.09	3.68	2.43	0.116	1.8	97.51	12.28	190.6	179.024	879.2777	1058.3017	196.8875
Wabli	24WCRC012	24RRC0944	426500.00	7247633.00	37	38	382.18	11.1	15.48	10.58	15.68	3.4	202.83	1.76	40.51	120.45	38.99	19.02	3.22	2.44	0.124	1.75	100.35	11.99	217.4	181.7167	936.5102	1118.2269	208.2369
Wabli	24WCRC012	24RRC0945	426500.00	7247633.00	38	39	357.47	10.56	15.14	10.37	14.6	3.26	192.31	1.66	37.84	113.93	36.32	17.77	3	2.38	0.117	1.74	96.52	11.6	210.5	175.4224	880.2959	1055.7183	196.9453
Wabli	24WCRC012	24RRC0946	426500.00	7247633.00	39	40	355.93	11.03	14.91	9.91	14.42	3.17	193.2	1.63	40.19	114.11	36.02	18.17	3.38	2.32	0.117	1.6	91.03	11.02	183.1	166.6326	879.5635	1046.1961	196.4582
Wabli	24WCRC012	24RRC0947	426500.00	7247633.00	40	41	365.68	11.08	16.15	11.06	15.17	3.58	197.08	1.86	42.68	115.1	36.74	18.28	3.69	2.48	0.122	1.78	104.11	12.43	204.6	188.7116	898.9792	1087.6908	200.0942
Wabli	24WCRC012	24RRC0948	426500.00	7247633.00	41	42	332.36	10.09	15.03	10.12	14.06	3.21	176.37	1.71	37.75	105.05	33.44	16.94	3.73	2.28	0.107	1.69	92.74	11.5	197.4	169.9211	815.2441	985.1652	182.8641
Wabli	24WCRC012	24RRC0949	426500.00	7247633.00	42	43	381.02	10.81	16.42	10.69	15.72	3.39	203.75	1.79	37.94	121.16	38.82	19.26	2.93	2.55	0.12	1.72	100.11	12.03	214.4	182.7798	937.0767	1119.8566	210.0678
Wabli	24WCRC012	24RRC0952	426500.00	7247633.00	43	44	362.67	11.55	15.37	10.22	15.15	3.35	193.49	1.73	38.33	113.06	36.7	18.02	2.97	2.41	0.124	1.7	99.68	11.65	213.6	179.757	888.4004	1068.1574	196.6889
Wabli	24WCRC012	24RRC0953	426500.00	7247633.00	44	45	348.55	10.66	15.2	10.39	14.43	3.35	186.26	1.71	37.45	110.52	35.31	17.51	2.86	2.33	0.118	1.68	99.69	11.46	194.7	179.4129	856.5141	1035.9271	191.7576
Wabli	24WCRC012	24RRC0954	426500.00	7247633.00	45	46	336.14	9.31	14.46	9.96	13.73	3.16	179.64	1.65	34.64	106.06	33.6	16.68	2.71	2.24	0.108	1.67	96.13	11.03	195	172.6583	824.3653	997.0237	183.5343
Wabli	24WCRC012	24RRC0956	426500.00	7247633.00	46	47	375.34	10.67	16.33	11.31	15.89	3.59	202.33	1.95	38.12	120.89	37.91	18.99	3.01	2.52	0.121	1.84	108.71	12.3	220.1	195.1269	926.9841	1122.1111	208.5149
Wabli	24WCRC012	24RRC0957	426500.00	7247633.00	47	48	348.98	10.34	14.31	9.36	13.76	2.99	185.62	1.57	34.32	108.2	34.87	17.16	2.68	2.21	0.108	1.53	90.03	10.43	173	162.8895	851.8528	1014.7424	187.3574
Wabli	24WCRC012	24RRC0958	426500.00	7247633.00	48	49	353.37	10.27	15.58	10.54	14.76	3.33	188.06	1.74	35.24	113.33	36.2	17.79	2.78	2.38	0.111	1.73	102.58	11.64	192.8	184.0227	869.5688	1053.5915	196.6054
Wabli	24WCRC012	24RRC0959	426500.00	7247633.00	49	50	355.15	10.35	15.82	10.55	14.96	3.4	189.38	1.79	36.37	111.31	35.76	17.43	2.87	2.39	0.114	1.74	103.54	11.66	185.4	185.7117	870.2517	1055.9634	194.0049
Wabli	24WCRC012	24RRC0960	426500.00	7247633.00	50	51	351.14	10.38	15.43	10.54	15.25	3.35	190.49	1.77	36.51	109.4	35.16	17.81	2.85	2.4	0.116	1.7	102.38	11.77	197.2	183.7909	864.4386	1048.2295	190.6163
Wabli	24WCRC012	24RRC0961	426500.00	7247633.00	51	52	372.43	11	16.22	11.13	16.06	3.49	201.11	1.8	38.8	118.4	37.46	18.43	3.23	2.52	0.125	1.82	104.96	12.32	207.5	189.7475	917.9501	1107.6977	204.9406
Wabli	24WCRC012	24RRC0962	426500.00	7247633.00	52	53	340.94	11.21	16.92	10.93	15	3.48	184.83	1.79	38	106.06	34.29	17.2	3.07	2.49	0.114	1.82	108.28	12.41	194.2	194.5826	839.2832	1033.8659	187.4853
Wabli	24WCRC012	24RRC0963	426500.00	7247633.00	53	54	332.6	10.12	15.09	10.33	14.65	3.32	179.3	1.73	35.61	106.02	33.97	16.75	2.85	2.3	0.111	1.72	100.96	11.5	179.8	180.8752	821.2066	1002.0819	184.7283
Wabli	24WCRC012	24RRC0964	426500.00	7247633.00	54	55	311.23	14.25	14.68	10.23	13.83	3.14	170.84	1.71	33.58	100.21	31.96	16.06	2.72	2.25	0.103	1.66	98.41	11.15	179.2	176.2972	774.0276	950.3248	174.9937
Wabli	24WCRC012	24RRC0965	426500.00	7247633.00	55	56	342.63	9.58	15.47	10.6	14.69	3.33	184.38	1.78	35.31	108.1	34.47	16.92	2.83	2.36	0.109	1.73	100.15	11.85	211	181.1403	842.8272	1023.9676	188.2652
Wabli	24WCRC012	24RRC0966	426500.00	7247633.00	56	57	350.79	9.72	16.11	11.1	15.02	3.47	186.89	1.84	38.57	108.4	35.25	17.2	3.01	2.42	0.117	1.8	107.64	12.39	196.7	192.9521	857.7334	1050.6855	190.3626
Wabli	24WCRC012	24RRC0967	426500.00	7247633.00	57	58	356.16	9.43	15.9	10.96	15.17	3.47	191.88	1.78	37.83	111.49	36	17.66	2.79	2.38	0.118	1.75	106.48	11.91	230.3	190.359	875.4446	1065.8036	194.5849
Wabli	24WCRC012	24RRC0968	426500.00	7247633.00	58	59	373.58	7.97	16	10.72	15.45	3.43	202.92	1.77	38.27	115.81	37.38	18.32	2.76	2.52	0.124	1.73	103.74	11.72	212.6	186.588	917.653	1104.2411	201.5705
Wabli	24WCRC012	24RRC0969	426500.00	7247633.00	59	60	322.66	9.39	13.26	8.78	12.86	2.82	171.1	1.46	34.87	100.91	32.58	15.5	2.5	2.06	0.124	1.43	85.13	9.84	176.2	153.5164	788.2164	941.7329	174.706
Wabli	24WCRC012	24RRC0970	426500.00	7247633.00	60	61	343.45	9.08	13.65	9.27	13.86	2.95	186.85	1.52	34.62	107.69	34.48	16.53	2.54	2.2	0.122	1.51	88.58	10.21	208.2	159.8	844.8678	1004.6678	185.522
Wabli	24WCRC012	24RRC0971	426500.00	7247633.00	61	62	393.58	10.07	15.35	9.82	15.54	3.19	214.07	1.61	36.77	122.4	39.49	18.96	2.66	2.46	0.13	1.63	96.2	10.74	213.4	173.4803	966.4122	1139.8925	210.9898
Wabli	24WCRC012	24RRC0972	426500.00	7247633.00	62	63	370.85	7.88	15.23	10.25	14.34	3.24	199.92	1.7	32.61	113.72	36.83	17.58	2.53	2.32	0.112	1.68	97.12	11.72	230.4	176.1706	905.4952	1081.6658	197.3492
Wabli	24WCRC012	24RRC0973	426500.00	7247633.00	63	64	380.47	8.57	15.34	10.03	14.98	3.18	205.62	1.6	33.18	118.13	38.5	18.4	2.62	2.41	0.123	1.63	97.92	10.93	230.7	176.0279	932.9391	1108.967	204.7428
Wabli	24WCRC012	24RRC0974	426500.00	7247633.00	64	65	346.09	8.81	13.53	8.41	14.78	2.73	182.25	1.3	30.37	112.61	35.79	17.89	2.29	2.21	0.118	1.32	83.96	8.81	177.9	150.5103	852.5819	1003.0923	192.7175
Wabli	24WCRC012	24RRC0975	426500.00	7247633.00	65	66	442.49	11.1	15.41	9.26	16.6	3.08	233.89	1.41	38.02	139.16	44.73	21.46	2.82	2.53	0.15	1.45	90.98	9.56	235.8	164.4596	1079.6991	1244.1587	237.0208
Wabli	24WCRC012	24RRC0976	426500.00	7247633.00	66	67	454.08	10.58	16.99	10.32	17.89	3.59	243.73	1.62	37.64	144.14	45.77	22.12	3.09	2.83	0.135	1.66	101.01	10.95	208.4	183.2206	1114.9433	1298.164	246.2522
Wabli	24WCRC012	24RRC0977	426500.00	7247633.00	67	68	482.42	10.66	17.21	10.4	19.05	3.49	260.54	1.62	40.16	153.61	48.66	23.4	3.29	2.9	0.144	1.61	104.2	10.79	208.1	187.3441	1186.8732	1374.2174	261.1246
Wabli	24WCRC012	24RRC0978	426500.00	7247633.00	68	69	483.39	10.83	16.26	9.07	18.26	3.14	259.73	1.4	39.57	150.7	48.25	23.41	2.96	2.7	0.153	1.46	95.85	9.49	225.7	171.5913	1182.2336	1353.8249	255.9094
Wabli	24WCRC012	24RRC0979	426500.00	7247633.00	69	70	464.99	13.22	15.01	8.56	17.98	2.91	252.8	1.3	41.16	146.16	46.66	22.8	3.37	2.62	0.152	1.33	90.66	9.08	221.2	161.8961	1143.2472	1305.1433	247.1642
Wabli	24WCRC012	24RRC0980	426500.00	7247633.00	70	71	487.31	11.07	15.38	8.05	18.57	2.88	263.33	1.25	40.81	152.98	48.51	23.78	3.05	2.74	0.156	1.24	90.33	8.4	208.3	160.4913	1195.0768	1355.5681	257.92
Wabli	24WCRC012	24RRC0981	426500.00	7247633.00	71	72	455.93	10.71	14.15	7.35	17.09	2.66	245.76	1.1	40.59	144.64	46.58	22.38	2.88	2.48	0.155	1.13	84.11	7.49	253.5	148.4902	1120.5146	1269.0048	244.1429
Wabli	24WCRC012	24RRC0982	426500.00	7247633.00	72	73	450.49	10.48	14.32	7.84	17.17	2.74	244.57	1.14	40.4	138.66	45	21.72	2.9	2.52	0.152	1.23	86.68	8.14	251	153.5478	1102.8104	1256.3582	235.5011
Wabli	24WCRC012	24RRC0983	426500.00	7247633.00	73	74	444.98	10.84	14.76	8.43	17.08	3.05	242.61	1.27	42.33	140.26	44.25	21.85	2.91	2.57	0.153	1.31	92.24	8.42	239.8	162.76	1094.7277	1257.4877	237.025
Wabli	24WCRC012	24RRC0984	426500.00	7247633.00	74	75	406.23	10.77	14.98	8.9	16.44	3	217.91	1.5	39.64	127.28	40.87	21.05	3.09	2.53	0.146	1.41	93.66	9.41	229.3	166.7519	997.2971	1164.0491	218.0068
Wabli	24WCRC012	24RRC0985	426500.00	7247633.00	75	76	406.37	10	15.85	9.61	16.5	3.28	218.71	1.61	38.79	128.43	41.21	21.17	2.96	2.66	0.137	1.51	100.74	10.11	224.4	179.0632	1000.4604	1179.5237	220.9104
Wabli	24WCRC012	24RRC0986	426500.00	7247633.00	76	77	366.38	9.89	14.99	9.27	15.6	3.03	197.87	1.55	36.47	117.53	36.99	19.63	2.91	2.48	0.13	1.47	95.79	9.81	213.5	170.4478	906.2177	1076.6656	201.8993
Wabli	24WCRC012	24RRC0987	426500.00	7247633.00	77	78	432.87	11.32	16.83	10.46	17.83	3.45	235.19	1.79	40.9	136.01	43.86	22.65	3.17	2.87	0.155	1.64	106.95	10.77	212.7	190.5925	1067.6419	1258.2344	234.3252
Wabli	24WCRC012	24RRC0988	426500.00	7247633.00	78	79	339.73	12.74	15.34	9.75	15.47	3.17	175.8	1.65	42.77	111.56	34.86	19.03	3.41	2.49	0.144	1.58	94.31	10.62	203	170.8528	836.9742	1007.827	192.7758
Wabli	24WCRC012	24RRC0989	426500.00	7247633.00	79	80	322.18	10.02	14.93	10.03	14.44	3.19	167.62	1.75	45.35	104.22	32.74	17.53	3.7	2.4	0.132	1.69	90.72	11.32	201.9	167.0969	791.6937	958.7906	181.0767
Wabli	24WCRC013	24RRC0990	426473.00	7247725.00	0	1	315.44	10.79	21.5	15.75	22.14	4.91	243.89	3.13	32.31	146.3	45.55	25.12	2.34	3.43	0.127	2.61	197.9	18.05	166.6	330.7511	955.6094	1286.3606	254.3877
Wabli	24WCRC013	24RRC0991	426473.00	7247725.00	1	2	354.59	13.8	18.79	13.08	20.1	4.19	227.2	2.45	34.76	137.58	43.16	23.7	2.75	3.07	0.131	2.11	164.3	14.83	183.6	275.66	966.9973	1242.6573	237.7954
Wabli	24WCRC013	24RRC0992	426473.00	7247725.00	2	3	278.9	10.7	13.72	9.64	13.99	2.98	161.23	1.95	29.07	96.35	30.42	16.79	2.53	2.22	0.09	1.62	106.28	11.23	138.1	184.6146	717.7024	902.3171	167.4936
Wabli	24WCRC013	24RRC0993	426473.00	7247725.00	3	4	268.23	10.45	13.85	9.81	13.43	3.08	154.77	1.72	30.96	91.95	29.06	15.66	2.51	2.15	0.091	1.57	99.7	10.78	133.6	175.8034	688.2428	864.0462	160.7852
Wabli	24WCRC013	24RRC0994	426473.00	7247725.00	4	5	333.57	10.14	15.58	10.5	14.99	3.37	179.27	1.78	37.35	109.79	34.38	18.58	3.34	2.49	0.107	1.66	102.08	10.98	189.5	182.7312	829.7811	1012.5124	190.4068
Wabli	24WCRC013	24RRC0995	426473.00	7247725.00	5	6	260.78	8.52	12.82	8.81	12.12	2.84	140.96	1.57	32.41	84.81	26.74	14.43	2.85	2.08	0.1	1.45	98.98	9.92	147.4	170.9193	648.7703	819.6897	148.3896
Wabli	24WCRC013	24RRC0996	426473.00	7247725.00	6	7	312.57	9.71	13.49	9.03	13.81	2.91	170.17	1.56	38.27	102.8	32.42	17.29	3.5	2.2	0.118	1.45	91.7	9.7	194.4	162.6544	779.8793	942.5338	177.1458
Wabli	24WCRC013	24RRC0997	426473.00	7247725.00	7	8	356.6	8.86	14.26	9.39	14.4	3.08	187.48	1.65	38.01	111.97	35.85	18.8	3.13	2.33	0.113	1.51	96.34	10.22	210.6	170.9528	871.5915	1042.5443	193.0225
Wabli	24WCRC013	24RRC0998	426473.00	7247725.00	8	9	283.16	10.4	13.12	9.16	12.68	2.86	155.39	1.5	35.41	94.16	29.54	15.88	3.02	2.06	0.106	1.43	93.9	9.69	135	164.8478	709.8915	874.7393	162.9992
Wabli	24WCRC013	24RRC0999	426473.00	7247725.00	9	10	328.55	11.21	15.01	10.38	13.7	3.26	168.07	1.77	43.06	97.72	31.06	16.93	3.48	2.33	0.11	1.71	105.59	11.15	156.6	186.3222	788.9204	975.2427	171.4748
Wabli	24WCRC013	24RRC1003	426473.00	7247725.00	10	11	315.99	13.08	15.11	10.38	13.68	3.23	164.46	1.75	40.08	100.53	30.99	16.82	3.43	2.3	0.11	1.66	106.29	11.16	163.2	187.1878	772.2436	959.4315	174.7473
Wabli	24WCRC013	24RRC1004	426473.00	7247725.00	11	12	283.9	11.05	16.31	11.37	14.66	3.47	162.77	2.1	43.55	100.01	30.22	17.35	3.52	2.47	0.099	1.84	106.25	13.61	167.1	193.5146	730.9717	924.4863	174.7876
Wabli	24WCRC013	24RRC1005	426473.00	7247725.00	12	13	331.43	12.55	15.87	10.72	15.21	3.29	183.4	1.89	41.49	109.58	33.61	18.53	3.48	2.47	0.105	1.78	111.23	12.36	158.5	196.6535	831.0397	1027.6933	189.5409
Wabli	24WCRC013	24RRC1006	426473.00	7247725.00	13	14	311.08	17.28	14.11	9.11	14.09	2.89	169.24	1.54	31.48	103.62	31.64	17.44	2.55	2.25	0.092	1.45	83.86	10.02	162.2	153.879	777.3881	931.2671	177.9303
Wabli	24WCRC013	24RRC1007	426473.00	7247725.00	14	15	391.04	12.49	18.26	12.35	18.06	3.81	221.54	2.21	43.58	133.29	40.68	22.05	3.7	2.88	0.118	1.98	129.87	13.78	179.9	228.2185	992.6575	1220.8761	228.9634
Wabli	24WCRC013	24RRC1008	426473.00	7247725.00	15	16	342.49	12.39	14.67	9.55	14.34	2.99	181.06	1.59	38.9	109.08	33.37	18.12	3.2	2.29	0.109	1.51	90.89	10.55	178.9	164.8427	839.4364	1004.2792	187.0788
Wabli	24WCRC013	24RRC1009	426473.00	7247725.00	16	17	362.16	12.11	16.04	10.91	15.15	3.37	183.73	1.8	40.51	111.3	34.19	19.03	3.28	2.46	0.113	1.7	107.75	11.79	212.1	191.8838	872.3553	1064.2391	192.4312
Wabli	24WCRC013	24RRC1010	426473.00	7247725.00	17	18	315.85	10.51	14.39	9.55	13.77	3.04	163.47	1.6	39.89	100.3	30.56	17	3.03	2.21	0.103	1.51	95.36	10.44	151.9	170.0471	770.4352	940.4824	173.0273
Wabli	24WCRC013	24RRC1011	426473.00	7247725.00	18	19	316.13	9.89	14.64	9.61	13.91	3.01	166.5	1.67	38.93	103.26	31.71	17.16	3.24	2.27	0.108	1.54	97.79	10.9	168.4	174.1624	779.5448	953.7072	178.2267
Wabli	24WCRC013	24RRC1012	426473.00	7247725.00	19	20	335.37	9.83	14.96	10.03	14.54	3.14	181.43	1.69	37.82	108.16	33.32	18.47	3.08	2.33	0.105	1.61	101.01	10.97	172.1	179.5009	830.7435	1010.2444	186.3251
Wabli	24WCRC013	24RRC1013	426473.00	7247725.00	20	21	333.11	10.23	14.98	9.7	14.61	3.05	180.41	1.64	38.31	108.64	33.95	17.96	3.21	2.28	0.107	1.53	98.54	10.85	162.6	175.5631	827.489	1003.0521	187.6103
Wabli	24WCRC013	24RRC1014	426473.00	7247725.00	21	22	336.51	10.19	15.63	10.54	14.8	3.25	181.27	1.79	39.42	109.41	33.8	18.33	3.19	2.36	0.105	1.71	105.64	11.65	180.7	187.8962	834.0619	1021.9581	189.1673
Wabli	24WCRC013	24RRC1015	426473.00	7247725.00	22	23	348.33	9.89	16.21	11.03	15.25	3.43	188.21	1.89	41.85	113.07	34.82	18.68	3.31	2.45	0.112	1.78	111.98	12.18	184.2	198.2826	863.1919	1061.4745	195.4402
Wabli	24WCRC013	24RRC1016	426473.00	7247725.00	23	24	348.67	9.99	15.37	10.29	14.9	3.19	188.88	1.79	39.44	115.43	34.97	18.96	3.37	2.4	0.112	1.66	103.39	11.57	182.8	184.2848	867.2736	1051.5584	197.3513
Wabli	24WCRC013	24RRC1017	426473.00	7247725.00	24	25	357.03	9.83	16.06	10.82	15.26	3.35	192.23	1.86	38.48	114.52	35.57	19.06	3.35	2.55	0.109	1.73	106.94	12.11	176	191.325	881.6423	1072.9674	197.9831
Wabli	24WCRC013	24RRC1018	426473.00	7247725.00	25	26	332.69	9.61	15.59	10.52	14.59	3.29	178.65	1.75	41.53	110.17	32.96	18.03	3.49	2.38	0.11	1.67	102.38	11.58	176	183.586	825.5787	1009.1648	189.0165
Wabli	24WCRC013	24RRC1019	426473.00	7247725.00	26	27	339.94	9.57	15.8	10.41	14.75	3.28	184.64	1.8	37.14	108.9	33.76	18.13	3.59	2.38	0.106	1.71	105.13	12	166.4	187.7628	841.3293	1029.0921	188.7428
Wabli	24WCRC013	24RRC1020	426473.00	7247725.00	27	28	380.12	10.22	16.89	11.17	16.38	3.48	203.86	1.92	41.18	124.12	37.99	20.34	3.67	2.61	0.121	1.82	110.37	12.52	210.8	197.891	940.5862	1138.4773	213.1276
Wabli	24WCRC013	24RRC1021	426473.00	7247725.00	28	29	345.47	10.05	15.99	10.56	15.52	3.31	182.62	1.86	41.21	114.61	34.89	19.13	3.35	2.51	0.12	1.69	102.55	12.06	211.3	185.177	855.7905	1040.9676	197.1391
Wabli	24WCRC013	24RRC1022	426473.00	7247725.00	29	30	349.23	9.6	16.24	10.85	15.06	3.41	186.69	1.83	45	113.81	34.91	18.64	3.32	2.47	0.113	1.73	103.91	11.85	202.9	187.3626	863.1749	1050.5375	196.4701

Wabli	24WCRC013	24RRC1023	426473.00	7247725.00	30	31	319.15	9.82	14.19	9.38	13.81	2.92	166.8	1.65	39.73	104.34	31.83	17.24	3.21	2.19	0.116	1.51	90.4	10.44	189.3	163.2204	784.9767	948.1971	179.0209
Wabli	24WCRC013	24RRC1024	426473.00	7247725.00	31	32	371.46	9.95	16.28	10.74	15.74	3.36	200.46	1.91	40.45	120.99	37.42	19.81	3.38	2.57	0.12	1.73	107.83	12.34	205.6	192.97	920.2352	1113.2052	208.0409
Wabli	24WCRC013	24RRC1025	426473.00	7247725.00	32	33	372.82	10.03	16.45	10.94	15.9	3.44	201.45	1.9	40.57	121.4	37.45	19.87	3.19	2.54	0.119	1.75	107.32	12.34	195	192.814	923.8583	1116.6723	208.7152
Wabli	24WCRC013	24RRC1026	426473.00	7247725.00	33	34	381.3	9.81	16.93	11.1	16.01	3.51	205.67	1.86	42.06	122.49	37.98	20.06	3.21	2.62	0.121	1.75	113.01	12.42	199.8	200.9934	941.4708	1142.4643	211.2719
Wabli	24WCRC013	24RRC1027	426473.00	7247725.00	34	35	417.41	10.35	18.06	11.8	18.1	3.79	224.5	2.05	44.36	134.36	41.71	22.06	3.29	2.83	0.129	1.89	117.37	13.43	212.7	210.7213	1031.0695	1241.7908	231.1676
Wabli	24WCRC013	24RRC1028	426473.00	7247725.00	35	36	192.55	7.09	11.27	8.05	9.44	2.51	103.77	1.37	37.2	64.79	19.69	11.37	2.78	1.65	0.082	1.26	75.6	9.03	80.6	136.2394	482.6668	618.9063	114.2358
Wabli	24WCRC013	24RRC1029	426473.00	7247725.00	36	37	324.63	9.54	17.19	11.98	14.94	3.72	175.04	2.03	48.97	106.51	32.44	18.13	3.5	2.49	0.111	1.91	117.16	13.41	163.6	209.1592	807.0321	1016.1914	186.0849
Wabli	24WCRC013	24RRC1030	426473.00	7247725.00	37	38	381.5	10.01	17.31	11.18	16.22	3.58	206.64	1.93	44.55	123.45	38.09	20.32	3.22	2.63	0.122	1.8	114.27	12.65	218.2	203.6117	944.6618	1148.2736	212.9725
Wabli	24WCRC013	24RRC1031	426473.00	7247725.00	38	39	367.69	9.49	16.12	10.84	15.79	3.37	196.19	1.9	40.74	118.28	36.97	19.57	3.14	2.52	0.12	1.76	111.23	12.09	171.7	196.9092	906.6481	1103.5574	204.0938
Wabli	24WCRC013	24RRC1032	426473.00	7247725.00	39	40	375.52	9.93	16.51	11.02	16.26	3.43	204.65	2.06	42.12	122.85	37.74	20.09	3.04	2.54	0.121	1.78	110.18	12.41	200.1	196.8907	933.6163	1130.507	210.8257
Wabli	24WCRC013	24RRC1033	426473.00	7247725.00	40	41	387.07	10.07	17.26	11.58	16.18	3.6	211.22	1.99	42.42	125.37	39.14	20.56	3.04	2.63	0.121	1.83	116.19	12.93	200.9	206.8941	960.6499	1167.5441	216.4232
Wabli	24WCRC013	24RRC1034	426473.00	7247725.00	41	42	352.88	10.57	15.95	11.02	15.4	3.34	191.71	1.89	41.59	114.21	35.12	18.86	2.96	2.46	0.121	1.73	111.43	12.24	195.1	197.1942	874.9013	1072.0955	196.8457
Wabli	24WCRC013	24RRC1035	426473.00	7247725.00	42	43	366.27	10.75	16.33	10.94	15.63	3.41	195.54	1.84	42.14	120.03	36.84	19.83	2.93	2.51	0.118	1.75	109.38	12.07	199.1	194.8469	906.2355	1101.0824	206.2072
Wabli	24WCRC013	24RRC1036	426473.00	7247725.00	43	44	355.78	11.48	16.62	11.11	15.51	3.46	190.64	1.87	43.02	116.66	35.53	18.95	2.82	2.51	0.117	1.77	112.18	12.02	191.1	198.9872	880.8853	1079.8725	201.0266
Wabli	24WCRC013	24RRC1037	426473.00	7247725.00	44	45	325.95	12.41	17.11	11.92	15.11	3.68	175.95	2.13	44.82	105.06	32.53	17.91	2.91	2.55	0.108	1.9	116.91	13.77	177.5	209.2183	808.0906	1017.3089	184.4811
Wabli	24WCRC013	24RRC1038	426473.00	7247725.00	45	46	109.03	10.24	7.38	5.51	5.84	1.62	58.84	1.17	52.41	35.79	11	6.29	6.6	1.04	0.06	0.96	51.69	7.35	38.7	94.287	272.7771	367.0642	64.7289
Wabli	24WCRC013	24RRC1039	426473.00	7247725.00	46	47	40.14	10.15	9.82	8.68	5.41	2.41	22.91	2.23	38.58	15.25	4.17	3.76	3.53	1.18	0.037	1.61	95.09	13.23	13.5	165.5388	110.2658	275.8047	35.4841
Wabli	24WCRC013	24RRC1040	426473.00	7247725.00	47	48	213.98	13.72	22.46	18.26	15.81	5.2	116.27	4.19	44.36	74.91	22.02	14.74	2.69	2.98	0.09	3.22	203.99	25.18	125	352.2807	549.6688	901.9495	143.262
Wabli	24WCRC013	24RRC1041	426473.00	7247725.00	48	49	392.2	13.42	13.59	7.94	15.52	2.59	210.14	1.24	36.16	127.93	39.13	21.15	2.37	2.34	0.087	1.21	75.79	8.44	156.3	139.044	968.5587	1107.6027	214.8439
Wabli	24WCRC013	24RRC1045	426473.00	7247725.00	49	50	346.85	11.22	17.75	12.27	15.87	3.79	187.39	2.12	46.98	112.42	34.48	19.09	3.48	2.65	0.11	1.98	119.26	13.87	204.9	213.7748	860.4218	1074.1967	196.274
Wabli	24WCRC013	24RRC1046	426473.00	7247725.00	50	51	301.99	10.01	13.94	9.85	13.17	3.04	162.74	1.74	40.05	96.9	30.09	16.24	3.93	2.08	0.095	1.61	91.04	11.34	180.7	165.5331	746.4021	911.9352	167.8243
Wabli	24WCRC013	24RRC1047	426473.00	7247725.00	51	52	306.41	11.2	15.28	10.47	14.07	3.27	161.18	1.82	42.81	101.31	30.81	17.02	3.7	2.27	0.108	1.69	99.52	11.92	180.4	179.8784	758.015	937.8935	175.5994
Wabli	24WCRC013	24RRC1048	426473.00	7247725.00	52	53	351.26	12.16	17.56	12.18	16.01	3.85	190.6	2.12	43.06	115.04	35.31	19.23	3.16	2.62	0.114	1.95	119.98	13.91	204.6	214.4129	873.9858	1088.3987	200.0794
Wabli	24WCRC013	24RRC1049	426473.00	7247725.00	53	54	352.42	10.82	17	11.85	15.98	3.65	190.78	2.05	47.36	115.41	35.4	19.13	3.32	2.59	0.113	1.9	114.51	13.2	189	205.2369	876.0462	1081.2832	199.9417
Wabli	24WCRC013	24RRC1052	426473.00	7247725.00	54	55	356.62	9.3	17.2	11.83	16	3.63	194.3	1.99	45.26	116.92	35.89	19.5	3.19	2.64	0.111	1.88	114.33	13.14	184.7	205.0915	888.1271	1093.2187	202.5833
Wabli	24WCRC013	24RRC1053	426473.00	7247725.00	55	56	360.83	7.87	17.04	11.5	16	3.61	195.97	2.04	42.51	118.47	36.41	19.38	3.2	2.58	0.113	1.85	112.67	13.13	180.1	202.3402	897.5307	1099.871	204.7653
Wabli	24WCRC013	24RRC1054	426473.00	7247725.00	56	57	269.96	6.43	12.56	8.37	11.37	2.55	146.02	1.49	40.26	88.31	26.83	14.68	3.67	1.83	0.083	1.45	76.79	10.1	123.1	141.4264	669.516	810.9425	151.9883
Wabli	24WCRC013	24RRC1055	426473.00	7247725.00	57	58	340.56	6.08	14.5	10.15	14.24	3.04	186.36	1.74	41.04	110.43	33.97	18.31	3.54	2.19	0.098	1.57	91.26	11.25	174.5	166.7794	845.6399	1012.4194	189.0656
Wabli	24WCRC013	24RRC1056	426473.00	7247725.00	58	59	343.19	10.27	16.57	11.24	15.46	3.5	181.26	1.96	43.52	113.63	34.68	18.85	3.22	2.54	0.111	1.8	106.67	12.68	195.9	193.0505	849.6159	1042.6665	196.4433
Wabli	24WCRC013	24RRC1057	426473.00	7247725.00	59	60	360.67	8.01	15.91	10.96	15.44	3.4	195.89	1.97	42.18	118.53	36.3	19.17	2.97	2.48	0.106	1.75	104.93	12.41	187.7	189.2249	896.219	1085.444	203.2879
Wabli	24WCRC013	24RRC1058	426473.00	7247725.00	60	61	347.6	6.87	16.38	11.05	15.38	3.41	188.06	1.91	45.3	113.33	34.9	18.82	3.11	2.49	0.108	1.76	106.28	12.4	185.1	191.5367	862.8661	1054.4028	196.0823
Wabli	24WCRC013	24RRC1059	426473.00	7247725.00	61	62	312.97	10	15.41	10.72	14.25	3.26	165.66	1.81	43.84	103.26	31.72	17.37	3.2	2.31	0.108	1.69	101.14	11.91	163.9	182.3836	775.372	957.7556	179.1696
Wabli	24WCRC013	24RRC1060	426473.00	7247725.00	62	63	245.54	10.6	14.83	10.34	12.38	3.17	127.37	1.84	45.74	83.98	25.32	14.73	3.79	2.14	0.101	1.67	91.43	11.85	148.9	168.5926	611.9954	780.588	148.0833
Wabli	24WCRC013	24RRC1061	426473.00	7247725.00	63	64	311.71	11.87	17.39	12.02	15.3	3.74	166.81	2.16	47.77	104.44	31.59	17.98	3.67	2.52	0.107	1.96	114.57	13.91	173.3	206.9779	778.3099	985.2879	182.9083
Wabli	24WCRC013	24RRC1062	426473.00	7247725.00	64	65	351.72	10.97	17.95	12.63	16.51	3.84	190.42	2.14	48.08	114.23	35.24	19.56	3.69	2.71	0.114	2	121.92	13.95	197.6	218.0585	874.2346	1092.2931	199.6035
Wabli	24WCRC013	24RRC1063	426473.00	7247725.00	65	66	322.37	9.86	16.2	10.97	14.89	3.38	171.27	1.91	46.02	105.98	32.72	18	3.36	2.45	0.112	1.75	105.75	12.57	194.4	190.6663	799.3696	990.0359	184.6218
Wabli	24WCRC013	24RRC1064	426473.00	7247725.00	66	67	315.36	9.91	15.49	10.58	14.63	3.26	169.65	1.81	45.04	103.11	32.01	17.53	3.22	2.36	0.119	1.69	101.43	11.67	190.9	182.4691	783.7397	966.2089	179.4956
Wabli	24WCRC013	24RRC1065	426473.00	7247725.00	67	68	252.27	7.98	12.29	8.35	11.66	2.6	132.36	1.46	42.88	82.68	25.64	14.33	3.13	1.94	0.111	1.36	79.44	9.55	167.5	143.8824	623.7139	767.5964	143.8032
Wabli	24WCRC013	24RRC1066	426473.00	7247725.00	68	69	267.29	9.27	15	10.45	13.11	3.18	142.6	1.63	57.82	88.92	26.94	15.41	3.47	2.24	0.111	1.59	89.29	10.95	149.8	164.97	666.1072	831.0772	156.1153
Wabli	24WCRC013	24RRC1067	426473.00	7247725.00	69	70	287.45	8.77	14.38	9.85	13.19	3.05	152.74	1.7	41.94	95.9	29.28	16.28	3.06	2.19	0.111	1.59	94.86	11.09	167.9	170.6769	714.7506	885.4275	166.3136
Wabli	24WCRC013	24RRC1068	426473.00	7247725.00	70	71	299	9.28	13.43	9	13.36	2.82	159.54	1.53	41.34	98.11	29.84	16.43	3.13	2.12	0.113	1.43	86.02	10.09	160.2	155.5282	740.6062	896.1344	168.3953
Wabli	24WCRC013	24RRC1069	426473.00	7247725.00	71	72	401.61	9.92	19.23	13.24	18.1	4.1	217.67	2.22	45.53	131.24	40.2	22.49	3.63	2.95	0.123	2.11	129.99	14.64	211.3	232.0556	998.6756	1230.7312	227.188
Wabli	24WCRC013	24RRC1070	426473.00	7247725.00	72	73	378.02	10.17	19.09	13.46	17.4	4.12	202.58	2.33	47.04	123.2	37.76	21.02	3.75	2.86	0.119	2.15	131.71	15.01	256.7	234.8398	937.142	1171.9819	214.5956
Wabli	24WCRC013	24RRC1071	426473.00	7247725.00	73	74	354.47	10.05	18.24	12.8	16.61	3.95	190.8	2.28	46.07	116.91	35.85	19.42	4.14	2.79	0.113	2.1	126.32	14.62	201.7	225.4297	881.9781	1107.4079	203.8934
Wabli	24WCRC013	24RRC1072	426473.00	7247725.00	74	75	327.35	10.54	16.47	11.44	15.08	3.53	173.78	1.96	43.44	108.91	33.35	18.28	3.23	2.54	0.116	1.84	111.43	12.93	196.6	199.5739	813.1527	1012.7266	189.2162
Wabli	24WCRC013	24RRC1073	426473.00	7247725.00	75	76	305.56	9.52	15.32	10.76	14.13	3.28	162.28	1.85	42.71	101.23	30.88	16.91	3.38	2.29	0.112	1.73	105.93	12.35	167.7	189.0004	758.1939	947.1944	175.6601
Wabli	24WCRC013	24RRC1074	426473.00	7247725.00	76	77	339.59	10.17	16.5	11.21	15.13	3.47	181.56	1.86	45.03	111.6	34.24	18.94	3.35	2.51	0.115	1.79	109.99	12.55	175.6	196.8091	842.3705	1039.1797	193.4283
Wabli	24WCRC013	24RRC1075	426473.00	7247725.00	77	78	228.41	9.37	9.37	6.15	9.56	1.96	125.12	1.01	37.8	75.39	23.08	12.44	2.47	1.49	0.114	0.99	58.48	6.77	114.9	106.036	569.6727	675.7088	128.3266
Wabli	24WCRC013	24RRC1076	426473.00	7247725.00	78	79	375.42	8.37	19.36	12.86	16.9	3.97	204.82	2.15	49.16	122.1	37.7	20.24	3.5	2.8	0.112	2.06	125.08	14.2	204	224.572	933.6929	1158.2649	213.4794
Wabli	24WCRC013	24RRC1077	426473.00	7247725.00	79	80	374.03	9.35	17.68	12.13	16.92	3.81	197.89	2.08	53.11	121.52	37.41	20.81	3.75	2.75	0.129	1.91	117.74	13.55	208.7	211.2548	923.5383	1134.7932	210.4655
Wabli	24WCRC014	24RRC1078	426475.00	7247729.00	0	1	333.76	9.35	18.96	13.4	18.24	4.1	229.46	2.45	33.52	127.92	39.39	21.36	2.8	2.87	0.104	2.16	189.54	15.08	164.2	308.2768	923.1858	1231.4626	221.9329
Wabli	24WCRC014	24RRC1079	426475.00	7247729.00	1	2	394.68	11.1	19.2	13.32	18.75	4.16	216.32	2.45	35.1	129.09	38.95	21.63	2.87	2.94	0.11	2.16	164.04	14.99	182.1	276.1269	984.3836	1260.5105	223.1238
Wabli	24WCRC014	24RRC1080	426475.00	7247729.00	2	3	249.41	8.4	14.14	10.32	12.97	3.08	146.34	1.93	28.41	88.33	26.67	15.03	2.4	2.1	0.08	1.65	116.61	11.99	129.5	199.8426	646.8456	846.6883	153.9493
Wabli	24WCRC014	24RRC1081	426475.00	7247729.00	3	4	258.62	8.27	13.17	9.14	12.46	2.83	144.43	1.58	27.44	84.98	26.44	14.51	2.38	1.98	0.084	1.44	97.98	10.02	143.4	170.4132	650.5189	820.9321	148.5095
Wabli	24WCRC014	24RRC1082	426475.00	7247729.00	4	5	365.6	11.05	16.13	10.71	16.29	3.38	200.91	1.8	36.42	122.1	37.13	20.14	3.12	2.57	0.114	1.64	113.41	11.6	182.8	198.802	915.6186	1114.4206	208.8131
Wabli	24WCRC014	24RRC1083	426475.00	7247729.00	5	6	307.55	7.77	14.09	9.59	13.36	3.07	167.25	1.62	33.62	98.43	30.35	16.42	2.59	2.16	0.094	1.51	100.39	10.47	154	176.1686	761.1514	937.3201	170.1893
Wabli	24WCRC014	24RRC1084	426475.00	7247729.00	6	7	302.18	10.24	13.94	9.71	13.56	2.99	168.87	1.61	33.59	99.43	30.93	16.54	2.45	2.2	0.102	1.52	99.51	10.51	169.2	175.0172	758.7501	933.7673	171.9313
Wabli	24WCRC014	24RRC1085	426475.00	7247729.00	7	8	271.67	9.43	13.1	8.9	12.27	2.78	146.3	1.51	35.64	90.89	27.86	15.28	3.13	2	0.09	1.41	82.98	9.89	162	150.7143	678.0011	828.7155	157.0618
Wabli	24WCRC014	24RRC1086	426475.00	7247729.00	8	9	294.62	7.99	16.44	11.82	13.92	3.58	155.56	1.95	58.12	93.02	28.83	16.01	3.35	2.4	0.093	1.88	106.5	13.04	150.2	193.7656	723.5133	917.2789	165.022
Wabli	24WCRC014	24RRC1087	426475.00	7247729.00	9	10	333.18	10.49	16.77	11.43	15.1	3.55	179.24	1.9	53	107.31	32.84	18	3.49	2.53	0.109	1.81	108.46	12.51	172.8	195.5656	823.9099	1019.4756	187.0663
Wabli	24WCRC014	24RRC1088	426475.00	7247729.00	10	11	341.15	10.63	14.75	9.86	14.32	3.1	183.36	1.87	40.94	110.54	33.35	18.12	3.52	2.3	0.108	1.61	99.23	11.82	196.9	177.8965	842.132	1020.0286	188.8611
Wabli	24WCRC014	24RRC1089	426475.00	7247729.00	11	12	270.4	11.12	16.03	10.77	14.71	3.35	152.8	1.95	34.3	94.93	28.79	16.62	3.79	2.48	0.095	1.72	99.26	12.2	181.7	181.5916	694.2549	875.8466	166.825
Wabli	24WCRC014	24RRC1090	426475.00	7247729.00	12	13	198.74	6.26	13.95	10.1	11.48	3.03	107.61	1.79	36.32	69.22	20.4	12.57	3.02	2.01	0.066	1.67	94.31	11.8	100.4	170.5384	504.6108	675.1493	123.76
Wabli	24WCRC014	24RRC1091	426475.00	7247729.00	13	14	300.28	8.04	20.92	14.73	16.66	4.52	159.98	2.44	68.36	102.18	30.6	18.66	4.5	3.02	0.102	2.32	127.89	16.39	147.7	236.0784	754.8073	990.8857	183.7156
Wabli	24WCRC014	24RRC1092	426475.00	7247729.00	14	15	285.6	10.2	14.52	9.84	13.15	3.08	154.47	1.7	38.82	92.12	28.4	16.18	3.54	2.2	0.095	1.61	96.86	11.01	164.2	173.3438	708.7918	882.1357	161.0138
Wabli	24WCRC014	24RRC1093	426475.00	7247729.00	15	16	294.32	9.17	22.41	15.85	17.34	4.89	155.38	2.51	96.26	100.64	30.39	18.6	5.23	3.19	0.1	2.49	128.86	16.83	147.6	241.6995	740.6517	982.3513	183.5757
Wabli	24WCRC014	24RRC1094	426475.00	7247729.00	16	17	378.79	10.76	18.57	12.77	16.8	4	205.86	2.08	50.69	123.77	38.07	20.46	3.45	2.81	0.123	2	120.01	14.03	208.3	216.8284	941.6562	1158.4846	214.9794
Wabli	24WCRC014	24RRC1095	426475.00	7247729.00	17	18	367.13	12.09	19.44	13.28	17.85	4.12	197.14	2.21	59.21	121.84	37.37	20.71	3.68	2.94	0.128	2.07	121.89	14.31	229.1	221.6345	915.4296	1137.0641	213.0339
Wabli	24WCRC014	24RRC1096	426475.00	7247729.00	18	19	378.37	13.78	18.32	12.49	16.96	3.83	199.97	2.11	51.97	123.9	37.87	20.97	3.74	2.79	0.125	2	114.38	13.44	244.5	208.2158	934.8257	1143.0415	214.5789
Wabli	24WCRC014	24RRC1097	426475.00	7247729.00	19	20	341.1	15.73	16.83	11.44	15.19	3.52	185.45	2.05	46.03	111.04	34.19	18.56	3.89	2.56	0.117	1.87	110.61	13.34	181.5	199.5613	847.6329	1047.1942	193.1522
Wabli	24WCRC014	24RRC1098	426475.00	7247729.00	20	21	288.96	13.64	12.14	7.73	12.09	2.47	151.48	1.37	42.91	95.58	29.4	15.61	3.68	1.94	0.102	1.25	68.15	8.73	197.1	127.3535	712.7503	840.1038	163.2204
Wabli	24WCRC014	24RRC1099	426475.00	7247729.00	21	22	339.06	14.87	16.39	10.79	14.9	3.39	183.05	1.83	40.9	111.23	33.85	18.17	3.24	2.46	0.109	1.72	109.06	12.13	189.4	194.2788	841.4294	1035.7083	192.3404
Wabli	24WCRC014	24RRC1103	426475.00	7247729.00	22	23	350.86	12.1	16.36	11.07	15.5	3.41	190.78	1.91	39.87	114.93	35.29	19.22	3.03	2.54	0.109	1.77	112.67	12.36	199.5	199.6759	873	1072.676	198.4556
Wabli	24WCRC014	24RRC1104	426475.00	7247729.00	23	24	342.13	11.37	16.34	10.96	15.02	3.41	184.78	1.92	41.04	109.75	33.88	18.39	3.05	2.44	0.11	1.75	110.09	12.31	192.8	196.0648	845.8978	1041.9627	190.5695
Wabli	24WCRC014	24RRC1105	426475.00	7247729.00	24	25	372.66	10.86	15.84	10.2	15.55	3.31	201.39	1.72	37.85	121.66	37.12	20.25	2.67	2.49	0.117	1.61	106.18	11.11	194.5	187.8471	923.4753	1111.3225	207.8609
Wabli	24WCRC014	24RRC1106	426475.00	7247729.00	25	26	321.03	9.4	15.67	10.87	14.29	3.37	173.81	1.83	38.49	104.51	32.48	17.6	3.13	2.41	0.108	1.71	108.5	12.23	197.5	192.8536	797.5195	990.3731	181.9619
Wabli	24WCRC014	24RRC1107	426475.00	7247729.00	26	27	288.49	8.82	14.03	9.32	13.09	2.91	151.26	1.64	36.63	96.13	29.39	16.25	3.11	2.12	0.105	1.5	90.96	10.47	165.3	163.5968	714.555	878.1518	166.2308
Wabli	24WCRC014	24RRC1108	426475.00	7247729.00	27	28	354.48	9.47	16.69	12.55	15.71	3.52	192.13	1.95	40.52	115.42	35.82	19.19	2.96	2.58	0.117	1.77	114.22	12.33	190.2	203.8998	880.4836	1084.3834	200.0933
Wabli	24WCRC014	24RRC1109	426475.00	7247729.00	28	29	352.13	9.24	16.38	11.09	15.19	3.47	188.96	1.9	38.81	116.55	35.67	19.18	2.83	2.47	0.114	1.77	111.73	12.21	198.6	198.3323	874.3473	1072.6796	200.7449
Wabli	24WCRC014	24RRC1110	426475.00	7247729.00	29	30	394.97	9.7	17.32	11.46	17.06	3.64	213.21	1.97	42.47	129.12	39.94	21.48	3.11	2.64	0.126	1.85	115.58	12.93	211.6	206.1088	980.0743	1186.1832	221.8444
Wabli	24WCRC014	24RRC1111	426475.00	7247729.00	30	31	369.71	9.72	15.85	10.33	15.46	3.29	199.23	1.75	39.95	119.82	37.04	19.22	2.89	2.42	0.122	1.64	104.43	11.45	201.7	186.1352	913.8008	1099.936	205.5472
Wabli	24WCRC014	24RRC1112	426475.00	7247729.00	31	32	297.2	8.27	14.69	10.04	13.34	3.15	163.66	1.75	33.42	96.57	29.88	16.46	2.46	2.17	0.101	1.65	110.44	11.68	131.8	191.9232	741.5141	933.4374	168.1523
Wabli	24WCRC014	24RRC1113	426475.00	7247729.00	32	33	281.69	8.73	13.4	9.22	12.76	2.83	147.37	1.55	34.28	94.76	28.83	15.6	2.57	2.1	0.103	1.46	89.7	10.09	167.2	160.4635	698.2548	858.7183	163.2096
Wabli	24WCRC014	24RRC1114	426475.00	7247729.00	33	34	287.4	9.3	13.2	8.8	12.51	2.79	149.12	1.52	37.47	93.79	29.01	15.94	2.79	2.04	0.115	1.42	87.04	9.96	166	156.0315	706.432	862.4635	161.9956
Wabli	24WCRC014	24RRC1115	426475.00	7247729.00	34	35	279.22	9.27	13.56	9.3	12.7	2.92	147.43	1.58	35.78	93.43	28.44	15.44	2.79	2.07	0.111	1.5	91.61	10.68	173	163.9835	692.9794	856.9629	161.3355
Wabli	24WCRC014	24RRC1116	426475.00	7247729.00	35	36	328.41	11.44	15.16	10.06	14.52	3.15	173.38	1.71	39.74	109.58	33.52	17.92	2.85	2.32	0.128	1.6	96.45	11.03	191.1	174.0533	813.8748	987.9282	188.4408
Wabli	24WCRC014	24RRC1117	426475.00	7247729.00	36	37	369.18	11.68	16.06	10.61	15.57	3.36	200.69	1.81	40.83	119.73	37.22	19.97	2.98	2.44	0.125	1.68	106.61	11.76	194.3	190.0354	915.9363	1105.9718	205.9242
Wabli	24WCRC014	24RRC1118	426475.00	7247729.00	37	38	323.06	11.54	14.97	10.02	14.18	3.2	169.91	1.74	41.38	106.5	32.37	18.02	3.36	2.32	0.117	1.61	96.89	11.4	187.7	174.8724	797.9296	972.802	183.2408
Wabli	24WCRC014	24RRC1119	426475.00	7247729.00	38	39	367.86	11.62	16.54	10.99	15.54	3.46	199.14	1.87	40	119.45	36.96	19.43	3.08	2.54	0.117	1.75	106.79	12.17	192	192.0966	911.1957	1103.2923	205.952
Wabli	24WCRC014	24RRC1120	426475.00	7247729.00	39	40	373.09	13.34	16.46	10.9	15.79	3.42	198.06	1.87	40.46	122.17	37.41	20.17	2.98	2.54	0.119	1.72	109.48	12.33	209.4	195.42	921.2851	1116.7051	209.5765
Wabli	24WCRC014	24RRC1121	426475.00	7247729.00	40	41	368.62	11.96	16.61	11.11	16.1	3.5	198.86	1.94	41.56	121.65	36.81	19.79	3.07	2.6	0.12	1.78	110.03	12.36	201.9	196.8752	915.2833	1112.1586	208.4878
Wabli	24WCRC014	24RRC1122	426475.00	7247729.00	41	42	391.46	10.72	17.21	11.22	16.49	3.51	211.29	1.92	42.68	125.55	38.73	20.5	2.97	2.63	0.127	1.78	111.08	12.42	191.2	199.1154	966.115	1165.2304	216.0804
Wabli	24WCRC014	24RRC1123	426475.00	7247729.00	42	43	379.08	9.09	16.36	10.93	15.96	3.38	203.95	1.82	40	122.92	37.9	19.99	3.07	2.54	0.118	1.73	107	12.02	178.1	191.7459	937.0392	1128.7851	210.9285
Wabli	24WCRC014	24RRC1124	426475.00	7247729.00	43	44	360.62	10.37	16.4	11.04	15.63	3.46	191.34	1.9	41.48	117.31	36.01	19.51	3.06	2.54	0.128	1.73	106.14	12.14	210.7	191.1448	889.6728	1080.8176	202.1474
Wabli	24WCRC014	24RRC1125	426475.00	7247729.00	44	45	380.66	10.17	17.42	11.41	16.46	3.55	206.98	1.95	40.79	123.21	38.34	20.45	3.14	2.68	0.121	1.84	112.06	12.78	179.4	201.4353	944.513	1145.9484	213.1796

Wabli	24WCRC014	24RRC1126	426475.00	7247729.00	45	46	344.49	9.46	16.51	11.03	15.32	3.46	184	1.91	40.68	109.26	33.45	18.69	3.43	2.48	0.115	1.75	105.45	12.42	199	190.6658	847.4613	1038.1272	189.7206
Wabli	24WCRC014	24RRC1127	426475.00	7247729.00	46	47	339.04	9.65	16.74	11.32	15.23	3.52	182.03	1.96	43.75	109.1	32.95	18.41	3.33	2.48	0.122	1.8	108.33	13.37	222.9	196.1832	837.2838	1033.467	189.1939
Wabli	24WCRC014	24RRC1128	426475.00	7247729.00	47	48	348.69	9.29	16.65	11	15.56	3.41	182.52	1.9	42.57	111.66	34.08	19.11	3.33	2.47	0.122	1.69	100.69	12.2	201.9	184.348	855.2202	1039.5683	193.43
Wabli	24WCRC014	24RRC1129	426475.00	7247729.00	48	49	346.89	8.62	15.95	10.44	15.46	3.3	186.8	1.8	39.66	111.19	34.26	18.56	3.19	2.43	0.112	1.63	96.5	11.54	182.2	176.4766	856.9798	1033.4564	192.2489
Wabli	24WCRC014	24RRC1130	426475.00	7247729.00	49	50	320.6	7.38	15.02	10.08	13.8	3.12	171.26	1.67	35.25	100.33	30.68	17.09	2.68	2.26	0.099	1.55	92.26	11.23	166.9	168.6148	785.7247	954.3396	173.9891
Wabli	24WCRC014	24RRC1131	426475.00	7247729.00	50	51	323.73	8.79	15.49	9.97	14.26	3.22	176.02	1.76	39.46	103.84	31.71	17.77	3	2.3	0.112	1.6	100.1	11.54	168.9	179.6585	801.8554	981.5139	179.9141
Wabli	24WCRC014	24RRC1132	426475.00	7247729.00	51	52	339.21	8.88	16.07	10.43	15.05	3.27	183.35	1.84	39.43	107.93	32.91	18.54	3.07	2.41	0.109	1.66	97.8	11.88	186.7	178.6627	837.4552	1016.118	186.9295
Wabli	24WCRC014	24RRC1133	426475.00	7247729.00	52	53	324.34	9.31	15.51	10.38	14.6	3.28	174.17	1.8	38.25	103.36	31.84	17.73	2.96	2.33	0.113	1.64	100.1	11.74	177.8	180.5732	800.3661	980.9394	179.5695
Wabli	24WCRC014	24RRC1134	426475.00	7247729.00	53	54	329.52	9.25	15.87	10.4	14.88	3.29	175.51	1.83	38.32	105.19	32.48	18.37	2.99	2.43	0.113	1.62	98.24	11.94	184.4	179.0154	812.296	991.3114	183.0081
Wabli	24WCRC014	24RRC1135	426475.00	7247729.00	54	55	316.35	10.09	15.08	10.21	14.1	3.17	166.17	1.73	39.85	100.47	31.11	17.36	3.02	2.27	0.118	1.61	93.71	11.52	225.1	171.2097	775.8766	947.0863	174.7526
Wabli	24WCRC014	24RRC1136	426475.00	7247729.00	55	56	330.83	10.81	15.61	10.36	14.72	3.24	177.72	1.78	38.73	105.55	32.28	17.88	3.07	2.32	0.111	1.65	100.29	11.78	189.6	180.8831	815.9458	996.8289	182.7585
Wabli	24WCRC014	24RRC1137	426475.00	7247729.00	56	57	339.66	12.63	15.83	10.82	14.71	3.32	180.33	1.88	39.91	106.92	33.02	17.94	3.14	2.42	0.117	1.72	101.64	12.03	190.6	184.0635	832.3564	1016.42	185.6207
Wabli	24WCRC014	24RRC1138	426475.00	7247729.00	57	58	378.46	32.19	24.72	17.85	20.46	5.34	202.06	3.25	52.7	125.18	37.41	22.89	6.08	3.47	0.16	2.82	180.06	20.9	205.6	318.3543	944.7704	1263.1247	223.6612
Wabli	24WCRC014	24RRC1139	426475.00	7247729.00	58	59	334.38	37.4	16.26	10.95	14.7	3.37	176.32	2.02	221.11	108.09	33.22	17.78	43.57	2.44	0.717	1.73	104.89	12.76	182.8	189.9155	822.7163	1012.6319	187.7441
Wabli	24WCRC014	24RRC1140	426475.00	7247729.00	59	60	363.77	33.04	26.93	19.4	21.55	5.9	191.61	3.67	70.44	122.81	36.31	22.9	11.37	3.77	0.222	3.15	191.68	23.4	218.6	342.1149	911.7033	1253.8183	222.4571
Wabli	24WCRC014	24RRC1141	426475.00	7247729.00	60	61	529.75	56.62	65.7	48.34	47.69	14.39	282.8	9.29	60.92	197.49	54.76	42.19	7.64	8.8	0.183	7.94	491.55	59.51	209.1	869.1303	1385.462	2254.5923	382.2678
Wabli	24WCRC014	24RRC1142	426475.00	7247729.00	61	62	342.64	41.81	9.28	4.94	11.42	1.69	176.25	0.85	79.94	108.27	33.72	16.99	12.56	1.65	0.261	0.75	40.34	5.42	203.3	79.3988	828.8858	908.2846	179.618
Wabli	24WCRC014	24RRC1143	426475.00	7247729.00	62	63	401.69	32.81	32.54	23.31	25.89	7.06	208.81	4.22	46.31	136.53	40.24	26.2	5.08	4.56	0.134	3.71	218.19	27	193.5	394.3119	1008.2644	1402.5764	250.5761
Wabli	24WCRC014	24RRC1144	426475.00	7247729.00	63	64	316.31	25.34	14	9.23	13.55	2.85	162.89	1.58	39.29	104.15	31.64	17.25	3.73	2.14	0.118	1.44	80.68	10.36	209.6	150.0977	776.175	926.2728	178.2928
Wabli	24WCRC014	24RRC1145	426475.00	7247729.00	64	65	328.59	18.11	15.62	10.52	14.98	3.25	172.37	1.82	40.39	106.09	32.83	18.08	3.82	2.36	0.119	1.62	96.41	11.78	170.9	176.22	808.7458	984.9659	184.1114
Wabli	24WCRC014	24RRC1146	426475.00	7247729.00	65	66	376.23	25.56	29.27	21.16	22.95	6.38	201.92	3.78	44.04	126.55	37.44	23.93	4.56	4.07	0.131	3.33	208.42	24.72	183.5	370.8077	947.7162	1318.5239	231.2232
Wabli	24WCRC014	24RRC1147	426475.00	7247729.00	66	67	355.82	14.8	17.28	11.35	15.88	3.57	192.25	1.95	40.17	113.73	34.85	19.4	3.41	2.6	0.12	1.81	108.36	13.03	214.8	196.6867	879.4276	1076.1143	197.6508
Wabli	24WCRC014	24RRC1148	426475.00	7247729.00	67	68	339.88	11.04	15.97	10.79	14.87	3.34	184.39	1.87	36.95	108.58	33.65	18.33	3.07	2.43	0.112	1.7	101.97	12.27	221.2	184.8827	840.8149	1025.6977	188.4905
Wabli	24WCRC014	24RRC1149	426475.00	7247729.00	68	69	361.22	10.24	17.49	11.75	16.06	3.63	197.72	2.02	39.08	114.48	35.32	19.46	3.34	2.61	0.122	1.86	112.29	13.35	208.3	202.9574	894.2301	1097.1875	199.3462
Wabli	24WCRC014	24RRC1153	426475.00	7247729.00	69	70	340.38	8.45	16.77	11.18	15.31	3.46	183.68	1.92	38.5	107	33.31	18.35	3.26	2.48	0.114	1.75	106.99	12.5	182.6	193.1939	838.8151	1032.009	187.2138
Wabli	24WCRC014	24RRC1154	426475.00	7247729.00	70	71	348.86	9.07	17.11	11.54	15.61	3.61	188.66	2	41.21	111.79	34.21	19	3.41	2.58	0.119	1.8	111.11	12.99	184.5	200.2232	862.8919	1063.1152	194.3961
Wabli	24WCRC014	24RRC1155	426475.00	7247729.00	71	72	339.01	9.07	16.05	10.59	14.81	3.25	183.74	1.78	36.33	108.88	33.43	18.45	2.91	2.42	0.111	1.65	99.98	12.01	170.5	181.6484	839.057	1020.7054	188.6547
Wabli	24WCRC014	24RRC1156	426475.00	7247729.00	72	73	347.42	9.23	16.63	11.02	15.19	3.43	187.14	1.88	40.21	111.45	34.14	18.72	3.2	2.47	0.119	1.72	104.67	12.48	189.9	189.7554	858.0158	1047.7713	193.2346
Wabli	24WCRC014	24RRC1157	426475.00	7247729.00	73	74	289.84	6.97	15.22	10.26	13.45	3.21	152.68	1.8	36.53	92.52	28.95	16.27	3.06	2.25	0.106	1.61	96.5	11.57	182.6	175.1294	713.5975	888.727	163.0071
Wabli	24WCRC014	24RRC1158	426475.00	7247729.00	74	75	326.29	8.97	17.23	11.83	14.61	3.59	175.02	2.04	38.17	104.01	32.14	17.8	3.74	2.49	0.108	1.89	112.76	13.42	177.4	203.297	805.0293	1008.3264	182.8524
Wabli	24WCRC014	24RRC1159	426475.00	7247729.00	75	76	354.38	8.62	18.27	12.41	15.97	3.82	193.49	2.13	40.86	113.71	34.84	19.17	3.88	2.7	0.115	1.97	116.32	14.06	215.9	211.1077	878.9726	1090.0803	198.8692
Wabli	24WCRC014	24RRC1160	426475.00	7247729.00	76	77	378.77	8.58	18.39	12.72	17.01	3.91	206.43	2.21	40.24	120.73	37.14	20.17	3.6	2.8	0.116	1.97	119.7	14.5	200	216.7048	937.4669	1154.1718	210.0915
Wabli	24WCRC014	24RRC1161	426475.00	7247729.00	77	78	358.72	9.84	18.84	13.25	16.65	3.97	192.19	2.28	42.51	115.17	35.27	19.44	3.72	2.71	0.117	2.03	125.84	14.62	209.5	225.8722	886.1097	1111.982	201.7576
Wabli	24WCRC014	24RRC1162	426475.00	7247729.00	78	79	364.74	11.22	18.49	12.34	16.28	3.81	197.4	2.09	44.06	114.75	35.34	19.5	4	2.69	0.119	1.94	115.33	14.04	195.5	209.8972	898.829	1108.7262	200.9271
Wabli	24WCRC014	24RRC1163	426475.00	7247729.00	79	80	373.46	9.02	18.48	12.4	16.51	3.86	202.26	2.1	42.15	118.18	36.41	20.09	3.65	2.72	0.123	2.07	118.17	13.95	219.2	213.7107	921.4824	1135.1932	206.2444
Wabli	24WCRC014	24RRC1164	426475.00	7247729.00	80	81	357.55	8.24	18.15	12.26	16.02	3.81	194.01	2.13	40.74	113.73	34.87	19.1	3.54	2.64	0.115	1.91	119.93	13.79	202.8	214.9248	883.5238	1098.4486	198.7205
Wabli	24WCRC014	24RRC1165	426475.00	7247729.00	81	82	368.21	8.67	18.09	12.17	16.41	3.73	198.75	2.11	42.17	114.96	35.47	19.89	3.67	2.69	0.123	1.92	117.42	13.76	194.9	211.4872	905.6902	1117.1774	200.87
Wabli	24WCRC014	24RRC1166	426475.00	7247729.00	82	83	373.51	8.75	18.96	12.91	16.5	4.1	203.32	2.21	43.72	118.88	36.19	19.5	3.79	2.75	0.12	2.04	123.83	14.73	216.5	223.3217	922.6998	1146.0216	207.3813
Wabli	24WCRC014	24RRC1167	426475.00	7247729.00	83	84	358.45	8.92	17.12	11.31	15.73	3.57	194.43	1.95	40.34	117.53	35.54	19.2	3.52	2.57	0.119	1.75	108.93	12.65	194.8	196.6446	890.1454	1086.79	202.6978
Wabli	24WCRC014	24RRC1168	426475.00	7247729.00	84	85	354.25	8.46	17.5	11.74	15.66	3.68	189.91	2.03	39.77	113.37	34.44	19.2	3.55	2.59	0.117	1.83	109.83	13.11	218.1	199.571	873.4235	1072.9946	196.9762
Wabli	24WCRC014	24RRC1169	426475.00	7247729.00	85	86	350.6	8.79	17	11.97	15.34	3.53	189.91	2.07	40.08	110.86	33.97	18.72	3.29	2.53	0.12	1.81	109.66	13.07	242.9	198.779	864.473	1063.252	192.8363
Wabli	24WCRC014	24RRC1170	426475.00	7247729.00	86	87	372.47	8.64	18.02	12.03	16.23	3.73	200.85	2.05	40.06	116.66	36.19	19.85	3.59	2.66	0.117	1.91	113.76	13.62	228.9	206.3246	916.0308	1122.3555	203.6072
Wabli	24WCRC014	24RRC1171	426475.00	7247729.00	87	88	361.54	8.86	17.42	11.5	15.83	3.56	195.21	1.99	39.83	115.81	35.57	19.44	3.41	2.56	0.121	1.77	109.74	12.84	213.3	198.4963	893.2676	1091.7639	201.0604
Wabli	24WCRC014	24RRC1172	426475.00	7247729.00	88	89	405.86	9.84	16.26	9.63	16.37	3.27	218.4	1.55	43.01	127.66	39.62	21.07	3.68	2.58	0.131	1.5	86.96	10.48	197.8	162.2936	996.3276	1158.6212	218.4677
Wabli	24WCRC014	24RRC1173	426475.00	7247729.00	89	90	350.56	9.08	16.87	11.37	15.34	3.54	188.94	1.95	38.45	110.73	34.34	18.45	3.37	2.51	0.122	1.76	107.77	12.77	197.9	194.9963	863.2454	1058.2417	192.959
Wabli	24WCRC014	24RRC1174	426475.00	7247729.00	90	91	367.15	9.38	17.28	11.31	15.76	3.56	196.3	1.96	39.17	114.73	36.23	19.56	3.65	2.59	0.123	1.79	110.8	12.91	199.3	199.5681	901.0792	1100.6474	200.4727
Wabli	24WCRC014	24RRC1175	426475.00	7247729.00	91	92	360.78	8.93	16.64	11.02	15.7	3.51	194.44	1.9	37.65	113.59	34.99	19.12	3.63	2.51	0.118	1.72	106.57	13.04	211.3	192.9788	887.6547	1080.6336	196.8162
Wabli	24WCRC014	24RRC1176	426475.00	7247729.00	92	93	366.8	8.69	17.67	11.23	15.66	3.59	201.25	1.94	38.82	116.2	35.61	19.53	3.64	2.58	0.118	1.77	112.51	12.8	193.5	201.9476	907.2007	1109.1483	201.8741
Wabli	24WCRC014	24RRC1177	426475.00	7247729.00	93	94	369.54	8.55	17.36	11.8	16.12	3.66	197.79	1.98	39.96	115.62	36.09	19.57	3.85	2.61	0.118	1.81	112.68	12.99	227.2	202.8824	907.0115	1109.894	201.457
Wabli	24WCRC014	24RRC1178	426475.00	7247729.00	94	95	354.36	8.23	17.3	11.5	15.54	3.61	192.98	2.01	40.18	111.43	34.7	19.24	3.48	2.62	0.114	1.84	113.99	12.93	205.8	204.0886	875.1301	1079.2188	194.8333
Wabli	24WCRC014	24RRC1179	426475.00	7247729.00	95	96	324.16	8	17.85	12.14	15.06	3.78	178.41	2.04	45.63	104.35	31.85	18.08	3.49	2.55	0.112	1.88	113.17	13.73	210.5	205.5136	807.2668	1012.7804	183.6807
Wabli	24WCRC014	24RRC1180	426475.00	7247729.00	96	97	332.5	8.08	15.22	11.12	14.92	3.56	168.76	1.82	42.66	106.03	32.68	17.44	3.08	2.49	0.118	1.83	108.76	12.89	218.5	194.1421	808.1943	1002.3364	183.5541
Wabli	24WCRC014	24RRC1181	426475.00	7247729.00	97	98	289.65	8.07	14.14	10.27	13.7	3.27	143.8	1.68	43.97	94.96	28.81	16	3.31	2.26	0.115	1.7	95.85	11.98	201.4	173.5896	705.4974	879.0871	164.4562
Wabli	24WCRC014	24RRC1182	426475.00	7247729.00	98	99	354.03	8.99	15.83	11.32	15.67	3.67	182.47	1.86	42.64	113.19	34.74	18.6	3.33	2.56	0.12	1.88	118.49	13.13	206.5	208.0113	863.8844	1071.8957	195.1768
Wabli	24WCRC014	24RRC1183	426475.00	7247729.00	99	100	333.29	8.24	15.63	11.21	14.86	3.6	169.3	1.9	43.23	105.09	32.72	17.36	3.81	2.47	0.113	1.87	107.79	13.15	187.2	193.9388	808.6227	1002.5615	182.953
Wabli	24WCRC014	24RRC1184	426475.00	7247729.00	100	101	355.2	8.92	16.51	11.83	16.07	3.79	184.1	1.99	40.69	114.29	34.89	18.96	3.5	2.64	0.114	1.96	119.96	13.65	190.8	212.3045	869.5296	1081.8341	197.5156
Wabli	24WCRC014	24RRC1185	426475.00	7247729.00	101	102	350.68	9.48	15.68	11.12	15.48	3.58	181.4	1.89	41.18	112.91	34.72	18.3	3.19	2.58	0.113	1.84	110.91	12.8	187.4	197.5176	857.5855	1055.1031	194.6774
Wabli	24WCRC014	24RRC1186	426475.00	7247729.00	102	103	337.95	7.81	16.08	11.29	15.03	3.62	175.41	1.88	42.23	108.66	33.41	17.76	3.36	2.5	0.116	1.88	112.43	13.26	196.9	200.6112	827.1698	1027.7811	188.5025
Wabli	24WCRC014	24RRC1187	426475.00	7247729.00	103	104	355	7.45	15.92	11.43	15.87	3.73	181.48	1.91	42.14	112.32	34.85	18.4	3.31	2.6	0.117	1.88	112.97	12.97	189.1	201.2209	862.9967	1064.2177	194.4453
Wabli	24WCRC014	24RRC1188	426475.00	7247729.00	104	105	364.76	7.96	16.5	12.02	16.08	3.81	184.85	2.01	40.83	115	35.31	18.45	3.26	2.66	0.117	1.99	117.55	14	191.9	209.9518	882.9075	1092.8593	198.8632
Wabli	24WCRC014	24RRC1189	426475.00	7247729.00	105	106	343.24	9.66	15.49	10.85	15.36	3.51	178.39	1.82	39.32	109.1	33.18	17.61	3.33	2.58	0.116	1.82	109.04	12.68	204.3	194.2969	837.639	1031.9359	188.1547
Wabli	24WCRC014	24RRC1190	426475.00	7247729.00	106	107	369.01	9.31	16.17	11.57	15.98	3.69	188.7	2.17	40.23	116.47	36.19	18.84	3.21	2.64	0.114	1.87	114.93	13.29	207.6	204.8068	895.8041	1100.611	201.2388
Wabli	24WCRC014	24RRC1191	426475.00	7247729.00	107	108	341.03	7.61	15.29	10.9	14.92	3.47	176.76	1.84	40.13	107.4	33.35	17.71	3.28	2.47	0.119	1.81	107.16	12.56	224.5	191.4366	830.8441	1022.2807	186.0183
Wabli	24WCRC014	24RRC1192	426475.00	7247729.00	108	109	348.31	8.41	15.82	11.4	15.51	3.63	176.64	1.89	41.02	110.62	33.72	17.82	3.13	2.5	0.119	1.88	113.42	13.24	194.8	201.6958	844.6558	1046.3517	190.8647
Wabli	24WCRC014	24RRC1193	426475.00	7247729.00	109	110	350.1	9.57	16.01	11.56	15.68	3.71	182.02	1.94	41.54	113.57	34.82	18.46	3.39	2.62	0.117	1.93	113.62	13.49	217.1	202.9823	858.8837	1061.866	195.9938
Wabli	24WCRC014	24RRC1194	426475.00	7247729.00	110	111	370.6	11.87	16.61	11.9	16.13	3.8	185.54	2.03	42.15	114.09	34.9	18.8	3.31	2.62	0.123	2.01	122.54	13.76	217.5	215.9914	889.8082	1105.7997	197.3856
Wabli	24WCRC014	24RRC1195	426475.00	7247729.00	111	112	372.44	13.2	16.35	11.94	15.64	3.83	178.37	2.04	42.38	111.23	34.3	18.16	3.35	2.59	0.122	1.95	118.96	13.88	219.4	211.2711	878.3148	1089.5859	192.9911
Wabli	24WCRC014	24RRC1196	426475.00	7247729.00	112	113	259.09	9.35	11.51	8.16	11.4	2.68	133.94	1.39	32.33	83.28	25.42	13.77	2.53	1.9	0.088	1.34	81.95	9.61	153.4	145.9679	633.3131	779.281	143.295
Wabli	24WCRC014	24RRC1197	426475.00	7247729.00	113	114	221.6	8.85	9.48	6.49	9.44	2.12	115.57	1.11	24.64	70.46	21.7	11.38	1.93	1.59	0.069	1.09	64.68	7.49	120.2	115.7731	541.0331	656.8063	121.1528
Wabli	24WCRC014	24RRC1198	426475.00	7247729.00	114	115	250.47	11.25	11.72	8.54	11.37	2.73	128.73	1.45	32.54	81.1	24.87	13.29	2.72	1.87	0.082	1.43	82.93	9.96	139.2	148.4795	612.7122	761.1917	140.2935
Wabli	24WCRC014	24RRC1199	426475.00	7247729.00	115	116	328.69	10.64	15.16	10.96	14.97	3.5	169.28	1.83	42.48	104.76	32.46	17.22	3.19	2.44	0.116	1.82	110.41	12.43	212.6	195.3342	802.2144	997.5487	181.6792
Wabli	24WCRC014	24RRC1203	426475.00	7247729.00	116	117	366.28	9.39	16.18	11.56	16.03	3.75	185.55	1.9	42.87	116.6	35.96	19.04	3.33	2.63	0.118	1.89	114.63	13.2	241.5	204.0962	888.8735	1092.9697	201.1123
Wabli	24WCRC014	24RRC1204	426475.00	7247729.00	117	118	363.9	9.08	15.73	11	15.67	3.59	187.15	1.86	39.58	113.74	35.89	18.67	3.13	2.55	0.113	1.87	112.82	12.96	249.6	200.0218	883.5738	1083.5956	197.0812
Wabli	24WCRC014	24RRC1205	426475.00	7247729.00	118	119	373.16	9.92	16.59	11.94	16.15	3.78	189.35	1.96	41.21	116.29	35.74	19.24	3.01	2.65	0.118	1.99	124.24	13.81	218.2	218.1399	901.5353	1119.6753	200.9789
Wabli	24WCRC014	24RRC1206	426475.00	7247729.00	119	120	357.95	7.78	16.55	11.61	15.76	3.77	184.48	1.95	43.08	114.64	35.3	19.09	3.23	2.63	0.115	1.92	116.42	13.4	173.1	207.1929	874.0849	1081.2778	198.4533
Wabli	24WCRC014	24RRC1207	426475.00	7247729.00	120	121	346.78	8.55	15.4	10.8	15.23	3.49	178.55	1.8	42.07	111.7	34.02	17.82	3.1	2.51	0.114	1.83	109.73	12.53	205.9	194.7252	846.3044	1041.0297	192.0166
Wabli	24WCRC014	24RRC1208	426475.00	7247729.00	121	122	345.22	8.66	15.53	10.9	15.24	3.51	177.97	1.83	41.27	108.51	33.27	17.85	3.29	2.48	0.114	1.79	109	12.62	197.9	194.1403	839.1158	1033.2562	187.5036
Wabli	24WCRC014	24RRC1209	426475.00	7247729.00	122	123	348.6	8.82	15.29	10.78	15.43	3.49	177.34	1.84	40.31	110.95	34.41	17.88	3.08	2.53	0.116	1.81	107.72	12.46	192.4	191.9901	847.0289	1039.0191	191.5103
Wabli	24WCRC014	24RRC1210	426475.00	7247729.00	123	124	355.57	10.02	16.2	11.04	15.54	3.52	185.65	1.89	41.13	113.84	35.07	18.54	3.25	2.56	0.115	1.85	111.75	12.83	225.8	199.043	870.4429	1069.486	196.7583
Wabli	24WCRC014	24RRC1211	426475.00	7247729.00	124	125	363.89	8.56	16.33	11.85	16.02	3.73	187.01	2.01	43.74	115	35.57	18.81	3.71	2.62	0.121	1.93	119.5	13.66	205.4	211.4442	885.1156	1096.5599	198.9352
Wabli	24WCRC014	24RRC1212	426475.00	7247729.00	125	126	402.74	8.14	15.29	10.15	17.07	3.33	205.88	1.66	41.96	126.04	39.24	20.49	3.26	2.64	0.124	1.65	105.08	11.61	215	186.5079	975.5395	1162.0475	215.0763
Wabli	24WCRC014	24RRC1213	426475.00	7247729.00	126	127	367.34	7.75	15.81	11.11	15.79	3.55	189.97	1.87	41.3	116.63	35.81	18.8	3.08	2.6	0.116	1.81	109.18	12.84	209.3	195.4362	894.6581	1090.0944	200.5061
Wabli	24WCRC014	24RRC1214	426475.00	7247729.00	127	128	358.1	9.96	15.61	11	15.44	3.52	182.67	1.88	41.93	111.92	34.67	18.28	3.13	2.54	0.119	1.79	110.13	12.62	180.5	195.9203	866.8813	1062.8017	193.3349
Wabli	24WCRC014	24RRC1215	426475.00	7247729.00	128	129	351.99	9.89	15.58	11.39	15.52	3.61	181.4	1.91	40.74	111.32	34.29	18.4	3.25	2.49	0.113	1.87	108.95	13.29	197.5	195.7661	856.9941	1052.7602	192.0827
Wabli	24WCRC014	24RRC1216	426475.00	7247729.00	129	130	379.43	5.81	16.04	11.48	16.25	3.71	198.92	1.91	42.34	119.89	36.86	19.18	3.33	2.64	0.116	1.9	108.67	13.36	202.8	196.4463	926.0931	1122.5395	205.8882
Wabli	24WCRC014	24RRC1217	426475.00	7247729.00	130	131	357.71	5.97	16.2	11.91	15.86	3.72	185.83	2.04	43.17	113.22	34.88	18.49	3.31	2.59	0.118	1.96	115.33	13.86	219.1	206.3175	872.6175	1078.9351	195.8409
Wabli	24WCRC014	24RRC1218	426475.00	7247729.00	131	132	366.23	7.36	15.97	11.3	15.66	3.58	186.96	1.94	41.66	114.96	35.23	18.52	3.27	2.54	0.116	1.9	110.57	13.27	199	198.2381	886.6762	1084.9143	197.9705
Wabli	24WCRC014	24RRC1219	426475.00	7247729.00	132	133	359.5	9.68	15.96	11.36	15.52	3.89	184.04	1.96	40.77	113.2	34.81	18.23	3.2	2.59	0.118	1.91	111.46	13.66	183	200.3176	871.8693	1072.1869	195.4575
Wabli	24WCRC014	24RRC1220	426475.00	7247729.00	133	134	163.59	6.31	8.49	6.48	8.13	1.97	78.15	1.29	34.34	54.02	16.31	9.14	3.18	1.38	0.068	1.13	56.72	8.52	118.7	105.5215	395.9707	501.4922	94.0817
Wabli	24WCRC014	24RRC1221	426475.00	7247729.00	134	135	323.92	8.3	14.05	10.07	13.99	3.26	162.78	1.71	39.35	102.45	31.43	16.81	3.03	2.3	0.11	1.66	96.25	11.85	162.2	173.6416	783.1305	956.7722	176.3018
Wabli	24WCRC014	24RRC1222	426475.00	7247729.00	135	136	348.13	9.05	15.97	11.38	15.24	3.59	179.68	1.9	41.75	108.96	33.78	17.44	3.36	2.52	0.113	1.87	107.81	13.11	194.7	194.5506	845.4076	1039.9583	189.1967
Wabli	24WCRC014	24RRC1223	426475.00	7247729.00	136	137	337.66	10.96	17.22	12.64	15.66	3.98	175.72	2.38	41.94	107.92	32.79	17.83	3.26	2.65	0.113	2.17	129.74	15.76	202	229.7806	826.3955	1056.1761	188.375
Wabli	24WCRC014	24RRC1224	426475.00	7247729.00	137	138	147.82	9.43	7.45	5.39	7.33	1.7	70.76	1.07	32.36	51	15.23	8.6	2.82	1.21	0.068	0.95	47.23	6.98	145.7	88.3115	361.5809	449.8925	87.8608
Wabli	24WCRC014	24RRC1225	426475.00	7247729.00	138	139	357.88	11.11	15.52	10.86	14.94	3.48	182.38	1.8	41.16	111.56	34.84	18.04	3.16	2.46	0.116	1.8	106.28	12.62	176.6	190.5484	865.2134	1055.7619	192.923
Wabli	24WCRC014	24RRC1226	426475.00	7247729.00	139	140	345.96	9.13	15.11	10.57	14.79	3.4	172.92	1.75	41.26	109.24	33.26	17.99	3.01	2.4	0.116	1.72	101.02	11.94	195.4	181.9818	834.5968	1016.5786	187.7668

Wabli	24WCRC015	24RRC1227	426524.00	7247737.00	0	1	242.95	8.06	10.03	7.26	9.88	2.28	108.37	1.31	32.71	70.11	21.16	11.64	3.27	1.6	0.138	1.27	71.3	9.03	139.3	128.0733	558.8853	686.9586	120.7351
Wabli	24WCRC015	24RRC1228	426524.00	7247737.00	1	2	325.64	9.43	15.5	10.99	15.36	3.5	178.98	1.86	36.24	108.18	33.74	17.66	2.95	2.52	0.123	1.86	123.35	13.16	173.3	213.1964	816.548	1029.7445	187.6991
Wabli	24WCRC015	24RRC1229	426524.00	7247737.00	2	3	251.51	9.76	12.1	8.71	12.5	2.8	144.45	1.42	31.72	87.89	26.75	14.48	2.36	2.02	0.101	1.42	91.14	9.77	154.4	159.5306	645.6934	805.224	151.0973
Wabli	24WCRC015	24RRC1230	426524.00	7247737.00	3	4	257.44	9.5	12.46	9.17	12.36	2.87	133.55	1.58	33.49	85.84	25.86	14.46	2.43	2.01	0.09	1.52	91	10.7	140.3	161.7155	636.3459	798.0615	148.0323
Wabli	24WCRC015	24RRC1231	426524.00	7247737.00	4	5	225.48	5.42	14.95	10.42	14.09	3.33	116.3	1.87	31.85	80.81	23.86	15.06	2.73	2.41	0.089	1.78	91.78	13	164.8	171.2363	571.346	742.5824	143.0771
Wabli	24WCRC015	24RRC1232	426524.00	7247737.00	5	6	45.17	4.77	1.13	0.68	1.58	0.24	24.36	0.14	7.61	17.62	5.42	2.48	2.5	0.22	0.007	0.12	3.71	0.88	18.7	8.6177	116.1153	124.7331	28.656
Wabli	24WCRC015	24RRC1233	426524.00	7247737.00	6	7	253.58	5.2	5.01	2.44	7.85	0.89	122.73	0.39	10.5	83.31	25.51	12.6	2.09	1.05	0.022	0.39	13.73	2.65	325.3	32.1367	607.9892	640.126	134.9789
Wabli	24WCRC015	24RRC1234	426524.00	7247737.00	7	8	1456.45	8.11	25.93	11.97	36.92	4.34	746.86	1.9	55.4	439.37	144.55	62.97	10.32	5.22	0.067	1.89	56.73	12.45	909.3	145.096	3470.227	3615.3231	723.0261
Wabli	24WCRC015	24RRC1235	426524.00	7247737.00	8	9	277.81	6.65	8.49	5.56	7.62	1.73	136.94	1.13	52.16	84.62	27.02	12.2	10.21	1.3	0.092	0.93	25.94	6.71	208.4	62.5415	656.9356	719.4771	142.6193
Wabli	24WCRC015	24RRC1236	426524.00	7247737.00	9	10	198.75	9.17	9.94	6.8	8.06	2.12	99.61	1.12	33	62.99	19.3	9.92	2.25	1.51	0.074	1.11	39.84	7.79	153.8	85.393	479.2249	564.6179	109.9739
Wabli	24WCRC015	24RRC1237	426524.00	7247737.00	10	11	301.36	14.79	9.9	5.93	11.16	1.93	155.04	0.92	41.64	95.36	29.14	14.8	2.94	1.76	0.09	0.93	38.56	6.34	124.5	80.719	729.4818	810.2009	159.8671
Wabli	24WCRC015	24RRC1238	426524.00	7247737.00	11	12	338.44	13.37	13.95	8.23	13.89	2.66	171.2	1.43	50.23	104.8	32.67	17.53	3.37	2.26	0.086	1.33	67.08	9.11	154.5	129.8301	816.0309	945.861	180.3792
Wabli	24WCRC015	24RRC1239	426524.00	7247737.00	12	13	230.68	10.15	10.38	7.11	9.24	2.2	115.29	1.27	46.75	74.6	22.59	11.71	5.42	1.64	0.101	1.19	41	8.77	154.1	89.3479	557.833	647.181	128.1487
Wabli	24WCRC015	24RRC1240	426524.00	7247737.00	13	14	530	8.86	13.26	7.99	14.97	2.52	265.93	1.42	106.48	163.68	50.97	24.24	21.69	2.29	0.073	1.38	33.57	10.35	154.3	87.542	1261.9936	1349.5357	270.4103
Wabli	24WCRC015	24RRC1241	426524.00	7247737.00	14	15	278.4	8.36	10.76	7.66	9.73	2.29	142.37	1.22	71.39	87.65	27.13	13.59	12.31	1.68	0.086	1.24	55.62	8.71	161.3	109.061	671.9248	780.9858	149.3386
Wabli	24WCRC015	24RRC1242	426524.00	7247737.00	15	16	1109.62	8.74	26.43	13.94	32.98	4.87	562.13	2.28	96	335.75	108.87	51.23	21.11	4.86	0.111	2.2	71.56	15.21	863.9	170.8678	2645.3111	2816.179	559.2055
Wabli	24WCRC015	24RRC1243	426524.00	7247737.00	16	17	3663.77	15.84	81.26	42.81	100.68	14.43	1867.92	7.12	287.75	1124.22	359.45	160.61	73.81	15.05	0.192	6.93	222.97	48.61		530.9594	8744.7448	9275.7042	1856.5416
Wabli	24WCRC015	24RRC1244	426524.00	7247737.00	17	18	285.92	27.53	20.56	13.54	17.41	4.23	149.45	2.45	76.17	99.75	29.43	18.33	12.37	3.11	0.15	2.23	122.74	16.2	189.7	227.2303	720.8679	948.0983	179.1604
Wabli	24WCRC015	24RRC1245	426524.00	7247737.00	18	19	338.18	6.1	15.85	10.71	14.79	3.33	162.9	1.79	43.2	106.68	32.86	17.71	3.56	2.52	0.098	1.7	95.1	11.93	211.4	175.5456	809.472	985.0177	185.288
Wabli	24WCRC015	24RRC1246	426524.00	7247737.00	19	20	265.27	5.24	13.09	9.14	12.28	2.74	128.65	1.57	41.63	88.43	26.82	14.9	3.56	2.09	0.093	1.44	74.59	10.54	183.1	141.2255	644.8504	786.0759	153.0303
Wabli	24WCRC015	24RRC1247	426524.00	7247737.00	20	21	316.97	5.39	15.45	10.68	14.69	3.33	157.99	1.82	43.99	106	31.75	17.69	3.37	2.52	0.113	1.69	93.21	12	197.1	172.7545	775.3423	948.0969	182.6947
Wabli	24WCRC015	24RRC1248	426524.00	7247737.00	21	22	334.61	6.84	15.93	10.95	15.08	3.42	171.46	1.81	42.16	106.67	32.67	17.93	3.04	2.6	0.107	1.76	102.21	12.05	175.4	185.3659	815.4859	1000.8519	185.2327
Wabli	24WCRC015	24RRC1249	426524.00	7247737.00	22	23	294.27	7.14	15.69	11.11	13.78	3.39	141.98	1.89	45.46	95.76	28.85	15.98	3.66	2.48	0.109	1.77	97.16	12.41	196.7	179.1973	710.1576	889.3549	167.4754
Wabli	24WCRC015	24RRC1253	426524.00	7247737.00	23	24	329.12	7.66	16.28	11.04	14.86	3.39	174.3	1.83	39.91	103.44	32.43	18.12	3.09	2.43	0.108	1.73	103.58	12.68	166.6	188.0818	808.0058	996.0877	181.377
Wabli	24WCRC015	24RRC1254	426524.00	7247737.00	24	25	359.9	6.77	17.89	11.9	15.83	3.74	188.41	1.95	40.11	110.98	35.51	19.58	3.08	2.71	0.107	1.84	109.72	13.31	166.1	200.42	877.688	1078.108	196.0701
Wabli	24WCRC015	24RRC1255	426524.00	7247737.00	25	26	369.39	10.53	13.03	7.33	14.73	2.51	197.65	1.05	45.38	118.68	37.07	20.16	3.42	2.17	0.124	1.09	56.21	7.69	165.8	111.3404	910.5099	1021.8504	200.7232
Wabli	24WCRC015	24RRC1256	426524.00	7247737.00	26	27	348.93	8.76	10.59	6.13	12.69	1.94	185.83	0.81	36.19	107.19	34.77	18.23	2.58	1.86	0.095	0.84	43.8	5.67	155	87.5322	850.7463	938.2785	181.3774
Wabli	24WCRC015	24RRC1257	426524.00	7247737.00	27	28	380.32	11.09	14.33	8.23	15.47	2.68	205.44	1.26	42.41	120.45	38.71	21.3	4.24	2.38	0.122	1.28	70.59	9.03	180.3	134.5461	939.408	1073.9541	206.5081
Wabli	24WCRC015	24RRC1258	426524.00	7247737.00	28	29	535.12	15.92	17.62	9	22.08	3.38	287.09	1.41	49.1	170.57	54.4	29.3	3.61	3.19	0.138	1.34	79.13	10.31	265.2	153.4987	1320.1064	1473.6051	288.6534
Wabli	24WCRC015	24RRC1259	426524.00	7247737.00	29	30	494.26	14.26	15.26	6.73	19.59	2.44	263.06	1.28	44.37	156.98	50.47	26.89	2.92	2.76	0.149	1.02	57.3	7.43	243.4	115.0972	1215.3788	1330.476	264.8395
Wabli	24WCRC015	24RRC1260	426524.00	7247737.00	30	31	420.36	12.53	15.24	8.5	16.49	2.85	225.67	1.26	45.48	131.73	42.31	22.7	3.4	2.51	0.131	1.25	70.86	8.63	212.3	136.1001	1032.8405	1168.9406	225.212
Wabli	24WCRC015	24RRC1261	426524.00	7247737.00	31	32	453.94	11.29	16.92	9.28	18.29	3.12	240.59	1.25	47.48	143.53	45.63	24.12	3.41	2.79	0.127	1.34	72.5	9.39	219.1	142.5982	1113.1505	1255.7487	245.2442
Wabli	24WCRC015	24RRC1262	426524.00	7247737.00	32	33	494.26	10.58	17.29	9.37	18.99	3.15	259.11	1.28	44.14	154.84	49.52	25.91	3.37	2.85	0.13	1.38	71.66	9.46	249.6	142.3235	1205.286	1347.6095	263.6313
Wabli	24WCRC015	24RRC1263	426524.00	7247737.00	33	34	461.41	10.56	16.46	9.22	16.85	3.05	239.68	1.21	42.69	145.69	46.66	24.45	3.32	2.64	0.18	1.37	66.8	9.36	230	134.4612	1123.7107	1258.172	248.3037
Wabli	24WCRC015	24RRC1264	426524.00	7247737.00	34	35	474.71	11.85	22.9	14.81	19.08	4.52	253.84	1.98	72.78	147.15	47.64	25.6	8.6	3.29	0.245	2.16	114.68	15.24	209.5	219.9692	1163.5489	1383.5182	259.3464
Wabli	24WCRC015	24RRC1265	426524.00	7247737.00	35	36	479.72	11.61	10.47	4.38	16.44	1.63	257.58	0.7	23.82	148.48	48.17	24.66	1.44	2.11	0.132	0.62	42.32	4.44	225.9	81.6759	1172.0783	1253.7543	245.8842
Wabli	24WCRC015	24RRC1266	426524.00	7247737.00	36	37	469.43	13.19	13.97	8.99	16.61	2.74	251.27	1.54	54.85	146.26	47.09	24.35	3.88	2.4	0.159	1.36	65.51	9.73	221.3	129.85	1147.9925	1277.8426	246.348
Wabli	24WCRC015	24RRC1267	426524.00	7247737.00	37	38	423.1	7	18.33	11.63	17.43	3.61	228.74	1.83	51.41	132.14	42.56	22.64	4.34	2.74	0.141	1.84	104.71	12.98	200.5	193.6282	1041.4617	1235.0899	229.8092
Wabli	24WCRC015	24RRC1268	426524.00	7247737.00	38	39	372.1	8.27	18.94	12.61	16.59	3.89	197.43	2.1	42.12	118.79	37.36	20.46	3.5	2.77	0.123	1.94	120.74	14.27	173.6	218.0516	916.632	1134.6836	208.6905
Wabli	24WCRC015	24RRC1269	426524.00	7247737.00	39	40	390.01	9.11	17.51	11.99	16.48	3.64	208.38	1.87	42.21	121.06	39	20.71	3.26	2.68	0.121	1.79	110.3	12.86	181.1	200.013	956.3117	1156.3247	211.5726
Wabli	24WCRC015	24RRC1270	426524.00	7247737.00	40	41	422.01	9.49	18.82	12.05	18.02	3.82	226.33	1.98	44.04	131.45	42.42	22.63	3.55	2.86	0.127	1.84	113.87	13.33	193.2	207.2539	1036.933	1244.1869	229.5387
Wabli	24WCRC015	24RRC1271	426524.00	7247737.00	41	42	383.9	9.02	16.77	10.92	15.74	3.48	205.66	1.78	40.76	120.59	38.49	20.42	3.12	2.58	0.12	1.65	101.89	12.27	174.3	186.0253	943.1821	1129.2074	209.4413
Wabli	24WCRC015	24RRC1272	426524.00	7247737.00	42	43	345.87	9.26	16.28	10.7	15.06	3.37	185.05	1.75	38.68	109.39	34.52	18.65	2.83	2.43	0.109	1.62	99.75	12.01	190.8	181.8269	851.5556	1033.3826	190.8422
Wabli	24WCRC015	24RRC1273	426524.00	7247737.00	43	44	376.14	9.85	17.39	11.25	15.94	3.57	200.63	1.81	39.76	117.84	37.44	20.19	2.98	2.61	0.115	1.76	106.61	12.45	205.8	193.6112	923.2157	1116.827	205.7119
Wabli	24WCRC015	24RRC1274	426524.00	7247737.00	44	45	355.08	10.19	16.47	10.88	15.3	3.5	189.16	1.84	39.88	111.54	35.37	19.43	3.09	2.51	0.113	1.67	102.57	12.92	211.9	187.2706	872.3811	1059.6518	194.6891
Wabli	24WCRC015	24RRC1275	426524.00	7247737.00	45	46	360	10.92	16.83	11.13	15.59	3.41	192.13	1.94	38.17	113.24	35.84	19	2.83	2.55	0.111	1.72	107.27	12.3	191	193.3469	884.3403	1077.6872	197.7001
Wabli	24WCRC015	24RRC1276	426524.00	7247737.00	46	47	368.52	11.63	16.85	11.07	16	3.47	197.74	1.81	39.45	115.82	37.03	20.01	2.99	2.55	0.109	1.69	102.57	12.31	191.6	187.2308	907.5104	1094.7412	202.1701
Wabli	24WCRC015	24RRC1277	426524.00	7247737.00	47	48	323.36	12.21	15.43	10.25	14.1	3.18	169.5	1.72	36.59	103.05	32.73	17.88	2.78	2.34	0.106	1.56	94.13	11.58	175.9	172.2842	794.0314	966.3156	180.2032
Wabli	24WCRC015	24RRC1278	426524.00	7247737.00	48	49	366.43	13.07	17.07	11.41	15.94	3.6	195.55	1.91	39.74	114.77	36.59	19.85	2.93	2.62	0.112	1.78	107.8	12.79	187.8	195.508	900.3406	1095.8486	200.7486
Wabli	24WCRC015	24RRC1279	426524.00	7247737.00	49	50	385.23	14.04	17.76	11.76	16.7	3.68	207	1.9	40.46	119.47	38.73	20.88	3.04	2.7	0.114	1.79	109.8	13.33	182.7	200.0406	947.0339	1147.0746	209.7022
Wabli	24WCRC015	24RRC1280	426524.00	7247737.00	50	51	392.93	15.07	18.54	12.09	16.72	3.77	207.66	2.08	42.87	122.6	39.23	21.02	3.14	2.77	0.127	1.9	116.45	13.75	192.3	210.752	961.741	1172.493	214.9347
Wabli	24WCRC015	24RRC1281	426524.00	7247737.00	51	52	391.13	14.97	19.42	11.85	16.66	3.68	210.39	1.93	40.44	123.91	39.14	20.94	2.93	2.75	0.117	1.82	109.17	13.14	184.5	201.1595	964.0007	1165.1602	217.3404
Wabli	24WCRC015	24RRC1282	426524.00	7247737.00	52	53	315.59	16.2	15.61	10.74	14.24	3.29	165.01	1.8	39.68	99.62	31.97	17.21	2.95	2.33	0.112	1.67	94.71	12.31	197.3	174.9497	773.6524	948.6021	175.479
Wabli	24WCRC015	24RRC1283	426524.00	7247737.00	53	54	363.12	14.79	17.05	11.14	16.28	3.51	196.41	1.91	39.34	113.66	36.33	19.54	2.95	2.59	0.111	1.72	103.88	12.66	205.3	189.8433	895.7187	1085.5621	199.0815
Wabli	24WCRC015	24RRC1284	426524.00	7247737.00	54	55	377.73	15.81	17.98	11.89	16.83	3.67	198.73	1.97	42.85	118.45	37.72	20.56	3.13	2.84	0.125	1.81	110.03	13.3	214.4	200.9553	925.4451	1126.4004	207.7094
Wabli	24WCRC015	24RRC1285	426524.00	7247737.00	55	56	375.54	15.12	19.02	12.68	16.76	3.91	200.68	2.1	44.25	117.88	37.32	20.48	3.78	2.78	0.119	2.01	120.1	14.66	221.4	217.9694	923.7321	1141.7015	207.6843
Wabli	24WCRC015	24RRC1286	426524.00	7247737.00	56	57	363.96	17.4	17.89	11.87	16.13	3.69	192.54	1.95	44.79	114.95	36.44	20.06	4.17	2.71	0.122	1.86	107.52	13.63	170.1	197.9218	894.2446	1092.1665	201.8243
Wabli	24WCRC015	24RRC1287	426524.00	7247737.00	57	58	373.01	18.53	18.03	11.92	16.13	3.72	197.85	1.96	43.3	117.34	37.32	20.06	3.29	2.7	0.124	1.97	113.56	13.37	203	205.6734	915.4508	1121.1243	205.8241
Wabli	24WCRC015	24RRC1288	426524.00	7247737.00	58	59	320.07	34.98	12.36	7.67	12.91	2.44	168.74	1.34	29.58	102.25	32.51	17.22	3.77	1.99	0.086	1.19	66.75	8.84	221.8	125.8066	785.8789	911.6856	175.0691
Wabli	24WCRC015	24RRC1289	426524.00	7247737.00	59	60	361.04	13.72	17.66	11.87	15.62	3.67	192.02	1.89	44.34	114.74	36.19	20.01	3.16	2.6	0.119	1.81	109	13.11	213.6	198.6676	888.809	1087.4767	200.8839
Wabli	24WCRC015	24RRC1290	426524.00	7247737.00	60	61	391.44	13.14	18.3	12.08	16.72	3.83	206.42	1.95	44.35	122.47	39.33	21.71	3.2	2.77	0.116	1.83	110.08	13.35	185.2	201.7613	959.1332	1160.8946	214.6284
Wabli	24WCRC015	24RRC1291	426524.00	7247737.00	61	62	373.21	15.89	21.24	14.7	17.92	4.53	200.65	2.5	44.96	116.59	37	20.86	3.93	3	0.12	2.28	140.13	16.99	180.1	252.6486	920.7676	1173.4163	208.5997
Wabli	24WCRC015	24RRC1292	426524.00	7247737.00	62	63	443.74	12.34	15.93	9.53	16.66	3.02	234.88	1.61	46.52	134.87	44.42	22.64	4.88	2.59	0.088	1.46	78.68	10.83	231.5	151.4322	1078.4083	1229.8405	232.3098
Wabli	24WCRC015	24RRC1293	426524.00	7247737.00	63	64	367.33	12.28	15.76	9.94	14.96	3.18	195.48	1.57	42.76	115.36	36.43	19.59	3.38	2.44	0.117	1.53	84.65	10.92	191.1	159.431	900.3815	1059.8125	199.5283
Wabli	24WCRC015	24RRC1294	426524.00	7247737.00	64	65	363.98	11.31	16.99	11.02	15.53	3.44	194.49	1.87	41.02	113.55	36.32	19.53	2.94	2.6	0.115	1.71	108.32	12.6	190.7	195.0819	893.4721	1088.5541	198.884
Wabli	24WCRC015	24RRC1295	426524.00	7247737.00	65	66	384.32	10.6	18.84	12.43	17	3.88	206.79	2.09	43.62	120.74	38.37	20.91	3.26	2.8	0.122	1.93	119.47	14.13	228.6	215.9598	947.12	1163.0798	212.1057
Wabli	24WCRC015	24RRC1296	426524.00	7247737.00	66	67	352.98	9.56	17.02	11.41	15.22	3.51	189.35	1.9	41.36	110.2	35.29	18.89	3.07	2.54	0.115	1.76	105.65	12.98	204	192.7052	867.6581	1060.3634	193.696
Wabli	24WCRC015	24RRC1297	426524.00	7247737.00	67	68	390.23	9.76	18.59	12.11	16.68	3.79	208.34	2.06	42.16	121.14	38.77	20.59	3.21	2.75	0.118	1.92	116.82	13.96	231.4	211.5407	956.326	1167.8667	212.7099
Wabli	24WCRC015	24RRC1298	426524.00	7247737.00	68	69	383.83	10.34	18.17	12.11	16.52	3.74	205.47	2.05	41.72	119.2	37.97	20.87	3.2	2.75	0.12	1.89	115.2	13.8	251.5	208.7163	942.0561	1150.7725	208.9984
Wabli	24WCRC015	24RRC1299	426524.00	7247737.00	69	70	327.07	11.49	21.95	16.74	16.34	4.94	176.5	2.97	39.62	103.57	32.32	18.66	3.09	2.96	0.117	2.64	168.62	19.49	178.6	296.1906	810.4071	1106.5977	188.5266
Wabli	24WCRC015	24RRC1303	426524.00	7247737.00	70	71	339.18	9.92	16.77	11.37	14.83	3.54	181.35	2.01	37.57	104.97	33.54	18.08	2.75	2.51	0.106	1.75	113.72	13.13	178.3	202.9042	831.6639	1034.5681	185.1592
Wabli	24WCRC015	24RRC1304	426524.00	7247737.00	71	72	337.18	9.23	17.41	11.79	15.26	3.64	181.02	2.07	39.84	104.68	33.53	18.47	3.44	2.55	0.107	1.85	114.48	13.7	193.4	206.0772	829.4525	1035.5298	185.5904
Wabli	24WCRC015	24RRC1305	426524.00	7247737.00	72	73	347.14	9.32	19.04	13.84	17.09	4.25	193.61	2.31	54.41	116.16	35.02	20.71	5.26	2.9	0.117	2.16	126.1	15.85	167.5	229.234	876.3144	1105.5484	203.0633
Wabli	24WCRC015	24RRC1306	426524.00	7247737.00	73	74	304.06	9.14	15.89	11.43	14.35	3.55	171	1.98	37.64	100.32	30.04	17.47	3.23	2.45	0.103	1.82	113.82	13.46	233	202.4523	765.4281	967.8805	174.4262
Wabli	24WCRC015	24RRC1307	426524.00	7247737.00	74	75	350.1	9.34	16.98	11.88	16.12	3.68	197.24	2.08	42.01	114.11	34.88	20.01	3.43	2.67	0.116	1.85	114.67	13.75	210.7	206.1832	879.7985	1085.9817	197.8683
Wabli	24WCRC015	24RRC1308	426524.00	7247737.00	75	76	339.16	9.22	17.01	11.62	15.94	3.62	192.42	2	39.93	110.82	34.04	19.58	3.23	2.65	0.114	2.16	110.45	13.59	206.9	200.55	855.2075	1055.7575	193.0268
Wabli	24WCRC015	24RRC1309	426524.00	7247737.00	76	77	346.29	9.45	16.46	11.47	16.04	3.59	194.39	1.9	40.38	113.22	34.35	19.79	3.15	2.6	0.118	1.79	111.07	13.14	187.8	199.3927	869.8315	1069.2242	195.5107
Wabli	24WCRC015	24RRC1310	426524.00	7247737.00	77	78	368.31	9.18	17.52	12.28	16.99	3.86	208.72	2.1	40.62	119.2	36.34	21.02	3.33	2.79	0.115	1.97	119.44	14.12	219.4	214.2462	925.5971	1139.8434	206.3301
Wabli	24WCRC015	24RRC1311	426524.00	7247737.00	78	79	340.44	9.52	16.5	11.5	16.12	3.61	192.2	1.95	40.75	111.73	34.02	19.76	3.26	2.62	0.12	1.78	107.78	12.95	216.1	195.1704	857.8825	1053.053	193.4435
Wabli	24WCRC015	24RRC1312	426524.00	7247737.00	79	80	357.82	9.49	17.99	12.05	16.58	3.76	201.99	2.01	40.79	116.44	35.87	20.62	3.41	2.72	0.117	1.84	111.75	13.44	195.6	203.5351	900.0263	1103.5614	203.0001
Wabli	24WCRC016	24RRC1313	426556.00	7247744.00	0	1	229.89	3.04	7.51	3.91	9.87	1.35	123.93	0.59	15.18	73.15	22.03	13.14	1.52	1.39	0.062	0.54	34.01	4.25	201	65.588	567.2321	632.8202	122.1929
Wabli	24WCRC016	24RRC1314	426556.00	7247744.00	1	2	224.3	3.92	6.67	3.35	9.9	1.23	127.38	0.49	12.09	76.57	22.96	13.38	0.81	1.31	0.058	0.47	27.97	3.4	193.2	54.9203	569.8492	624.7696	126.2475
Wabli	24WCRC016	24RRC1315	426556.00	7247744.00	2	3	267.8	7.13	11.5	7.28	12.11	2.34	147.96	1.22	34.08	90.24	27.17	16.01	2.77	1.9	0.1	1.14	69.49	8.11	191.3	126.6079	674.311	800.919	153.516
Wabli	24WCRC016	24RRC1316	426556.00	7247744.00	3	4	302.96	5.64	7.81	3.47	12.09	1.28	168.23	0.47	20.01	101.34	30.92	17.45	1.47	1.6	0.075	0.46	25.47	3.29	195.2	53.4301	760.349	813.7791	166.4059
Wabli	24WCRC016	24RRC1317	426556.00	7247744.00	4	5	267.71	6.52	12.3	8.25	12.16	2.61	150.27	1.43	29.16	86.91	26.5	15.76	2.24	1.97	0.086	1.27	83.58	9.57	142.3	148.9695	672.0185	820.9881	149.8229
Wabli	24WCRC016	24RRC1318	426556.00	7247744.00	5	6	318.82	6.93	12.67	7.98	14.33	2.59	173.91	1.33	32.11	104.87	31.59	18.59	2.64	2.16	0.099	1.23	74.97	8.94	184.1	137.4754	795.4262	932.9016	177.5693
Wabli	24WCRC016	24RRC1319	426556.00	7247744.00	6	7	155.66	4.6	7.87	5.52	8.08	1.71	90.67	1.02	15.53	52.92	16.09	9.74	1.24	1.29	0.051	0.87	61.33	7.02	76.6	106.8507	400.0493	506.9	91.7155
Wabli	24WCRC016	24RRC1320	426556.00	7247744.00	7	8	308.7	8.4	14.27	9.84	14.23	3.08	171.09	1.76	41.36	102.2	30.65	18.08	3.09	2.33	0.117	1.55	91.13	11.69	220.3	166.7073	774.6855	941.3929	175.3556
Wabli	24WCRC016	24RRC1321	426556.00	7247744.00	8	9	130.63	7.02	6.1	4.27	5.72	1.33	74.32	0.74	21.63	42.84	13.08	7.46	2.28	0.93	0.055	0.68	33.14	5.13	72.5	64.0451	329.3022	393.3474	73.8666
Wabli	24WCRC016	24RRC1322	426556.00	7247744.00	9	10	147.13	5.28	8.51	5.86	7.09	1.79	81.39	1.1	43.79	49.15	15.01	9.22	8.88	1.27	0.029	0.99	32.58	7.8	63.9	72.6487	371.4389	444.0877	86.7243
Wabli	24WCRC016	24RRC1323	426556.00	7247744.00	10	11	270.24	11.83	11.26	7.95	10.74	2.42	152.06	1.44	53.62	88.53	27.09	15.21	8.1	1.77	0.078	1.31	50.27	9.97	134.1	105.1921	677.3913	782.5835	150.9965
Wabli	24WCRC016	24RRC1324	426556.00	7247744.00	11	12	341.61	7.96	17.53	13.71	17.22	3.88	191.13	2.27	39.02	113.81	34.07	20.71	3.53	2.76	0.087	1.95	127.69	14.92	175.3	227.4386	862.9554	1090.3941	197.2768
Wabli	24WCRC016	24RRC1325	426556.00	7247744.00	12	13	356.16	4.94	11.54	6.84	13.41	2.28	199.96	1.11	35.77	117.19	35.73	19.71	2.9	1.97	0.09	1.06	61.27	8.41	163	115.8508	891.5106	1007.3615	195.4209
Wabli	24WCRC016	24RRC1326	426556.00	7247744.00	13	14	476.77	4.59	14.84	9.59	16.95	3.07	264.85	1.56	60.09	163	49.39	26.64	5.29	2.56	0.113	1.49	79.16	10.83	204.9	150.8588	1198.2171	1349.0759	269.8391
Wabli	24WCRC016	24RRC1327	426556.00	7247744.00	14	15	301.28	4.75	14.53	10.51	12.35	3.16	163.03	1.59	41.42	98.76	30.86	16.15	3.47	2.18	0.105	1.57	80.1	11.32	210.4	153.0883	747.9204	901.0087	171.7189

Wabli	24WCRC016	24RRC1328	426556.00	7247744.00	15	16	297.41	2.84	15.65	10.51	15.05	3.25	157.39	1.73	46.95	101.72	30.82	18.88	3.78	2.5	0.109	1.6	79.15	12.16	202.5	154.7967	746.4427	901.2395	176.7849
Wabli	24WCRC016	24RRC1329	426556.00	7247744.00	16	17	393.01	2.27	20.41	13.24	19.55	4.26	202.95	2.19	73.03	132.44	40.47	24.12	4.33	3.35	0.138	2.13	105.29	15.67	230.4	203.8587	976.4254	1180.2841	230.7386
Wabli	24WCRC016	24RRC1330	426556.00	7247744.00	17	18	541.68	1.94	20.36	12.67	21.79	4.06	289.43	2.04	49.63	179.03	55.83	30.5	3.58	3.42	0.112	1.96	99.99	14.31	202.4	194.3589	1343.6421	1538.0011	303.6641
Wabli	24WCRC016	24RRC1331	426556.00	7247744.00	18	19	744.79	1.97	20.29	12.03	23.84	4.04	400.62	1.95	52.69	240.19	77.28	37.48	3.56	3.46	0.116	1.85	97.41	13.88	192.6	189.5769	1831.5019	2021.0788	400.8837
Wabli	24WCRC016	24RRC1332	426556.00	7247744.00	19	20	478.66	5.1	22.29	13.48	22.19	4.45	261.11	1.91	51.29	158.51	48.4	27.82	3.64	3.68	0.126	2.07	106.32	14.29	191.3	206.2463	1197.4397	1403.686	273.2735
Wabli	24WCRC016	24RRC1333	426556.00	7247744.00	20	21	596.17	4.34	27.46	16.14	30.05	5.39	323.77	2.43	63.49	194.87	60.03	36.63	4.49	4.76	0.144	2.47	131.53	17.68	218.9	254.4911	1491.6389	1746.1301	336.9391
Wabli	24WCRC016	24RRC1334	426556.00	7247744.00	21	22	350.79	8.93	13.22	8.41	13.06	2.63	197.1	1.41	42.53	112.24	34.88	18.26	2.9	2.1	0.108	1.29	63.96	9.58	191.5	125.4802	872.6518	998.1321	190.7013
Wabli	24WCRC016	24RRC1335	426556.00	7247744.00	22	23	357.06	7.48	16.73	10.87	16.56	3.39	199.51	1.71	50.94	118.48	36.01	20.99	4.24	2.7	0.11	1.72	84.06	12.1	200.7	163.1247	899.2199	1062.3447	204.0791
Wabli	24WCRC016	24RRC1336	426556.00	7247744.00	23	24	311.93	7.65	12.4	8.59	12.26	2.71	175.08	1.44	51.63	101.24	30.88	17.23	5.04	2.02	0.13	1.42	65.07	10.25	206.3	127.0976	779.0722	906.1698	172.0029
Wabli	24WCRC016	24RRC1337	426556.00	7247744.00	24	25	293.94	6.57	13.95	9.62	13.11	2.95	165.01	1.63	48.02	97.5	29.3	17.14	4.86	2.18	0.125	1.51	85.21	11.29	161.9	157.5963	739.8616	897.458	167.6987
Wabli	24WCRC016	24RRC1338	426556.00	7247744.00	25	26	221.6	6.49	9.94	6.97	9.6	2.18	121.23	1.17	30.96	72.39	22.38	12.61	2.34	1.55	0.108	1.06	57.19	7.75	175.7	107.6901	552.2736	659.9637	124.7064
Wabli	24WCRC016	24RRC1339	426556.00	7247744.00	26	27	330.16	6.02	12.48	7.84	15.05	2.57	184.67	1.24	42.34	109.28	33.34	18.9	3.69	2.14	0.107	1.17	60.76	8.45	185.9	118.2767	830.3177	948.5945	184.5859
Wabli	24WCRC016	24RRC1340	426556.00	7247744.00	27	28	352.18	4.46	13.41	9.16	14.51	2.88	198.9	1.54	40.32	114.83	34.76	19.98	3.04	2.26	0.109	1.45	76.77	10.46	197.1	144.6305	883.0235	1027.6541	193.9836
Wabli	24WCRC016	24RRC1341	426556.00	7247744.00	28	29	384.16	5.61	14.65	10.26	16.05	3.21	217.64	1.67	44.05	125.29	38.41	21.5	3.42	2.67	0.12	1.62	85.47	11.34	208.8	160.5639	964.5583	1125.1222	212.4994
Wabli	24WCRC016	24RRC1342	426556.00	7247744.00	29	30	369.09	3.46	15.3	10.66	15.45	3.28	209.03	1.8	42.86	119.27	36.71	21.04	3.42	2.48	0.108	1.68	93.56	12.37	206	173.2868	925.5451	1098.8319	203.9463
Wabli	24WCRC016	24RRC1343	426556.00	7247744.00	30	31	352.99	3.78	15.53	10.89	15.73	3.37	200.38	1.76	40.29	114.81	35.45	19.67	3.35	2.54	0.106	1.65	100.22	12.17	192.2	182.1374	887.6575	1069.795	197.5564
Wabli	24WCRC016	24RRC1344	426556.00	7247744.00	31	32	351.79	7.51	17.33	11.76	16.28	3.67	198.19	1.89	41.79	114.98	35.18	20.14	3.76	2.7	0.112	1.78	110.86	12.86	178.2	200.3237	884.7356	1085.0594	199.6825
Wabli	24WCRC016	24RRC1345	426556.00	7247744.00	32	33	345.88	12.94	18.33	12.22	17.56	3.96	196.85	1.89	41.3	112.53	34.78	20.03	3.43	2.96	0.11	1.85	118.38	13.23	188.6	212.6864	874.0043	1086.6907	197.795
Wabli	24WCRC016	24RRC1346	426556.00	7247744.00	33	34	371.44	11.83	17.6	12.07	16.97	3.83	212.67	1.94	41	121.47	37.68	21.09	3.04	2.8	0.117	1.84	119.3	13.24	191.3	212.565	938.3991	1150.9642	210.7004
Wabli	24WCRC016	24RRC1347	426556.00	7247744.00	34	35	374.58	7.6	17.61	12.19	16.89	3.78	212.09	2.02	41.8	123.46	37.5	21.56	3.16	2.8	0.118	1.88	116.42	13.49	232.4	209.4205	944.1438	1153.5643	212.8156
Wabli	24WCRC016	24RRC1348	426556.00	7247744.00	35	36	346.73	6.09	16.25	11.09	15.35	3.51	195.91	1.88	38.84	110.53	33.97	19.53	3.16	2.53	0.107	1.68	107.51	12.53	213.9	193.1793	867.3916	1060.571	191.5906
Wabli	24WCRC016	24RRC1349	426556.00	7247744.00	36	37	357.99	6.49	16.45	11.35	15.93	3.54	200.38	1.91	40.56	117.79	35.64	20.15	3.15	2.64	0.117	1.78	107.67	12.8	227.1	194.5289	898.361	1092.89	202.4353
Wabli	24WCRC016	24RRC1353	426556.00	7247744.00	37	38	324.06	6.58	14.54	10.27	14.47	3.16	182.34	1.64	38.3	102.98	31.83	18.31	2.97	2.31	0.108	1.56	92.2	11.2	164.2	168.2528	809.6945	977.9473	177.9774
Wabli	24WCRC016	24RRC1354	426556.00	7247744.00	38	39	339.99	6.35	15.66	11.09	15.26	3.4	192.41	1.78	39.42	111.61	34.07	19.16	3.23	2.45	0.111	1.78	102.71	12.22	200.1	185.8341	855.8558	1041.6899	192.1999
Wabli	24WCRC016	24RRC1355	426556.00	7247744.00	39	40	320.1	9.61	16.86	12.12	15.33	3.69	179.09	2.21	39.84	103.02	32.11	18.59	3.72	2.6	0.103	1.93	104.85	15.4	195.2	195.8966	802.6502	998.5469	181.3661
Wabli	24WCRC016	24RRC1356	426556.00	7247744.00	40	41	361.71	6.95	16.94	11.5	16.24	3.62	205.1	1.89	41.38	118.81	36.66	20.14	3.26	2.66	0.112	1.77	110.98	13.03	209.9	199.809	911.2106	1111.0197	205.4433
Wabli	24WCRC016	24RRC1357	426556.00	7247744.00	41	42	368.38	7.28	15.74	10.63	15.85	3.3	206.44	1.71	44.11	117.91	36.33	20.31	3.69	2.5	0.111	1.59	95.01	11.65	208	174.6202	919.2972	1093.9175	202.4294
Wabli	24WCRC016	24RRC1358	426556.00	7247744.00	42	43	364.44	7.78	16.91	11.49	16.22	3.66	207.24	1.86	43.44	118.61	36.52	20.5	3.91	2.66	0.114	1.81	107.08	13.32	211.9	195.1982	917.1003	1112.2986	205.0064
Wabli	24WCRC016	24RRC1359	426556.00	7247744.00	43	44	303.18	8.14	14.93	10.32	14.11	3.22	166.22	1.78	41.92	99.22	30.56	17.45	3.25	2.32	0.118	1.59	94.45	11.76	193.9	172.5265	757.7287	930.2552	172.5167
Wabli	24WCRC016	24RRC1360	426556.00	7247744.00	44	45	338.35	9.08	15.62	10.67	15.22	3.38	188.92	1.78	40.71	109.62	34.11	19.09	3.13	2.47	0.116	1.63	101.38	12.14	187.6	183.3571	847.3019	1030.6591	189.9047
Wabli	24WCRC016	24RRC1361	426556.00	7247744.00	45	46	303.21	9.12	12.81	8.64	12.79	2.7	168.42	1.43	33.3	98.33	29.97	16.77	2.77	2.05	0.104	1.36	74.99	9.63	181.1	139.4607	756.169	895.6298	168.0151
Wabli	24WCRC016	24RRC1362	426556.00	7247744.00	46	47	351.59	6.45	16.36	11.12	15.79	3.55	198.46	1.85	40.1	113.35	34.95	19.81	3.36	2.59	0.108	1.74	103.49	12.54	177.7	188.3971	881.6106	1070.0077	196.2607
Wabli	24WCRC016	24RRC1363	426556.00	7247744.00	47	48	229.1	7.67	20.15	15.59	13.26	4.6	126.71	2.47	124.14	76.93	23.1	14.54	11.34	2.72	0.182	2.54	78.26	18.21	163.5	175.2495	580.7431	755.9926	143.9659
Wabli	24WCRC016	24RRC1364	426556.00	7247744.00	48	49	374.31	9.93	17.46	11.92	17.97	3.71	203.39	2.09	64.52	124.24	37.88	22.39	5.03	2.86	0.127	1.87	98.12	13.68	208.5	185.9753	937.2313	1123.2066	214.0829
Wabli	24WCRC016	24RRC1365	426556.00	7247744.00	49	50	340.76	7.48	15.52	9.46	16.54	3.11	187.56	1.55	33.09	111.84	34.11	20.17	2.7	2.63	0.091	1.44	95.21	10.41	177.9	171.4539	854.0766	1025.5305	192.5675
Wabli	24WCRC016	24RRC1366	426556.00	7247744.00	50	51	335.4	8.63	16.26	11.22	15.36	3.57	183.89	1.91	42.67	107.42	33.31	19.4	3.4	2.56	0.118	1.77	101.93	12.84	182.4	186.8473	834.7443	1021.5917	187.2125
Wabli	24WCRC016	24RRC1367	426556.00	7247744.00	51	52	367.2	7.93	17.4	11.88	16.98	3.74	206.33	1.99	43	118.79	36.84	20.8	3.48	2.76	0.118	1.85	110.52	13.67	192	201.3763	921.2321	1122.6084	206.283
Wabli	24WCRC016	24RRC1368	426556.00	7247744.00	52	53	357.06	8	16.77	11.59	15.82	3.58	204.45	1.91	41.63	116.74	35.46	20.41	3.48	2.64	0.115	1.8	111.26	13.21	211.2	200.265	900.6898	1100.9549	201.3604
Wabli	24WCRC016	24RRC1369	426556.00	7247744.00	53	54	335.85	8.46	15.47	10.55	15.11	3.32	190.09	1.78	39.34	107.67	33.31	18.76	3.06	2.45	0.112	1.63	98.17	11.87	205.9	178.5717	841.8297	1020.4014	186.468
Wabli	24WCRC016	24RRC1370	426556.00	7247744.00	54	55	357.26	8.8	17.01	12	16.56	3.72	199.2	2.03	44.2	116.06	35.63	20.74	3.54	2.7	0.123	1.83	111.04	13.84	237	201.849	895.4377	1097.2867	201.1186
Wabli	24WCRC016	24RRC1371	426556.00	7247744.00	55	56	341.59	9.04	15.89	11.12	15.49	3.44	186.61	1.89	42.39	112.73	34.34	19.77	3.49	2.56	0.12	1.73	96.25	12.56	240.4	178.5591	853.5428	1032.102	194.2258
Wabli	24WCRC016	24RRC1372	426556.00	7247744.00	56	57	362.01	9.23	16.6	11.36	16.31	3.6	205.82	1.97	40.82	117.86	35.78	20.62	3.12	2.66	0.119	1.77	109.49	13.1	209.5	197.5143	910.9126	1108.427	202.8818
Wabli	24WCRC016	24RRC1373	426556.00	7247744.00	57	58	339.58	9	15.86	10.93	15.06	3.45	194.56	2.03	38.59	111.45	34.42	19.44	3.22	2.58	0.112	1.75	102.27	12.66	175.8	186.2831	858.181	1044.4641	192.8186
Wabli	24WCRC016	24RRC1374	426556.00	7247744.00	58	59	311.59	9.49	15.06	10.46	14.46	3.23	171.09	1.79	42.42	102.87	31.72	17.86	3.32	2.39	0.115	1.62	94.01	11.79	185.2	172.4506	780.3659	952.8165	178.4071
Wabli	24WCRC016	24RRC1375	426556.00	7247744.00	59	60	352.02	8.78	15.87	10.69	15.56	3.41	195.37	1.84	40.81	113.82	35.15	19.73	3.03	2.53	0.118	1.68	99.93	12.41	196.1	182.3633	878.9931	1061.3564	196.4176
Wabli	24WCRC016	24RRC1376	426556.00	7247744.00	60	61	346.25	8.61	15.49	10.92	15.4	3.4	181.48	1.85	39.43	108.63	33.09	18.2	3.26	2.5	0.112	1.76	102.83	12.45	202.5	185.9744	844.9987	1030.9732	187.4037
Wabli	24WCRC016	24RRC1377	426556.00	7247744.00	61	62	390.84	9.08	17.24	11.95	16.88	3.78	207.9	1.96	40.59	120.53	36.95	20.29	3.36	2.79	0.121	1.94	112.93	13.47	238.3	204.2552	953.5198	1157.7751	208.2971
Wabli	24WCRC016	24RRC1378	426556.00	7247744.00	62	63	386.19	10.93	17.13	12.33	16.93	3.77	208.81	2.04	40.01	121.51	37.34	20.21	3.27	2.75	0.119	1.95	114.51	13.97	218.3	207.1832	950.5125	1157.6957	209.7381
Wabli	24WCRC016	24RRC1379	426556.00	7247744.00	63	64	387.78	8.93	17.1	12.03	16.76	3.77	207.94	2.05	40.83	119.41	36.88	20.07	3.41	2.72	0.118	1.94	111.8	13.94	225.3	203.2948	948.0238	1151.3186	206.6631
Wabli	24WCRC016	24RRC1380	426556.00	7247744.00	64	65	384.08	8.44	16.97	11.86	17.09	3.71	206.82	1.98	39.17	120.2	36.69	19.94	3.11	2.68	0.115	1.86	110.99	13.41	212	201.0323	943.0755	1144.1078	207.1588
Wabli	24WCRC016	24RRC1381	426556.00	7247744.00	65	66	379.11	8.46	16.68	11.76	16.77	3.79	203.98	1.98	37.28	118.11	36.27	19.48	3.04	2.71	0.108	1.85	107.67	13.23	174.2	196.2796	929.8273	1126.107	203.916
Wabli	24WCRC016	24RRC1382	426556.00	7247744.00	66	67	388.19	8.91	16.67	11.43	17.17	3.59	208.57	1.88	39.12	121.21	36.9	20.46	3.41	2.76	0.114	1.84	105.91	12.84	168.5	192.9162	952.3726	1145.2889	208.3403
Wabli	24WCRC016	24RRC1383	426556.00	7247744.00	67	68	382.83	9.31	16.99	12	16.61	3.64	207.06	2	40.13	121.6	36.46	20.24	3.59	2.73	0.117	1.94	110.52	13.59	197.4	200.9162	943.0523	1143.9685	208.5956
Wabli	24WCRC016	24RRC1384	426556.00	7247744.00	68	69	378.81	9.07	17.68	11.65	16.19	3.58	207.19	2	38.65	119.32	36.61	19.51	3.64	2.66	0.12	1.89	108.79	13.33	220.7	198.6067	934.4119	1133.0187	206.827
Wabli	24WCRC016	24RRC1385	426556.00	7247744.00	69	70	379.31	8.4	16.84	12.06	16.65	3.69	207.44	2.02	39.35	118.44	36.61	19.66	3.51	2.75	0.116	1.94	112.94	13.79	204.5	204.2171	935.0086	1139.2257	204.9424
Wabli	24WCRC016	24RRC1386	426556.00	7247744.00	70	71	388.47	8.62	16.95	11.81	16.7	3.69	208.17	2.04	40.33	120.33	36.9	19.78	3.96	2.76	0.118	1.94	108.85	13.74	240.6	198.8411	949.8676	1148.7088	207.6353
Wabli	24WCRC016	24RRC1387	426556.00	7247744.00	71	72	348.56	8.97	14.69	10.23	14.69	3.16	187.77	1.66	37.72	107.93	33.34	17.83	3.13	2.33	0.116	1.92	92.11	11.12	197.1	168.6312	853.4627	1022.094	185.7711
Wabli	24WCRC016	24RRC1388	426556.00	7247744.00	72	73	398.42	9.47	17.13	12.04	17.69	3.75	215.68	2.02	38.24	125.8	38.35	20.97	3.28	2.8	0.116	1.96	110.29	13.63	223.1	201.13	981.5732	1182.7032	216.021
Wabli	24WCRC016	24RRC1389	426556.00	7247744.00	73	74	429.01	11.8	18.17	12.71	18.18	3.95	232.66	2.12	38.49	133.04	40.87	22.51	3.29	2.96	0.115	2.01	114.79	14.18	222.3	210.0187	1052.982	1263.0008	228.8922
Wabli	24WCRC016	24RRC1390	426556.00	7247744.00	74	75	383.95	11.19	16.86	12.11	16.64	3.71	208.11	2.01	37.05	119.67	36.63	19.98	3.57	2.72	0.11	1.9	108.69	13.4	193.4	198.3866	943.2889	1141.6755	206.3889
Wabli	24WCRC016	24RRC1391	426556.00	7247744.00	75	76	401.65	8.22	17.97	12.45	17.63	3.88	218.61	2.13	38.94	126.78	38.56	21.14	3.34	2.89	0.115	2	118.45	13.94	206.7	213.7038	990.548	1204.2518	218.4877
Wabli	24WCRC016	24RRC1392	426556.00	7247744.00	76	77	392.78	9.77	17.82	12.64	17.14	3.91	213.92	2.13	38.52	124.45	38.07	20.99	3.35	2.8	0.114	2.01	116.59	14.91	204.2	212.4314	970.0925	1182.5239	214.9
Wabli	24WCRC016	24RRC1393	426556.00	7247744.00	77	78	363.98	10.48	15.68	11.01	16	3.48	198.68	1.84	34.61	116.16	35.53	19.29	3.04	2.61	0.104	1.73	104.09	12.41	205.4	188.0253	900.7046	1088.73	199.4821
Wabli	24WCRC016	24RRC1394	426556.00	7247744.00	78	79	405.48	9.72	18.06	12.79	17.69	3.94	222.3	2.15	39.9	128.49	38.86	21.05	3.57	2.93	0.121	2.03	116.42	14.42	240.9	212.3374	1001.8902	1214.2276	220.9951
Wabli	24WCRC016	24RRC1395	426556.00	7247744.00	79	80	439.35	9.39	19.18	13.43	18.76	4.13	236.23	2.31	41.27	137.52	42.32	22.93	3.38	3.1	0.129	2.15	129.69	15.03	215	232.6374	1077.9677	1310.6051	237.1934
Wabli	24WCRC016	24RRC1396	426556.00	7247744.00	80	81	381.24	9.01	17.75	12.99	16.93	3.96	208.8	2.13	40.02	119.3	36.6	19.93	3.37	2.81	0.122	2	120.11	14.34	212.2	216.6299	940.6242	1157.2541	207.0484
Wabli	24WCRC016	24RRC1397	426556.00	7247744.00	81	82	410.89	9.01	18.47	12.99	18.01	4.01	221.5	2.19	38.57	127.57	39.61	21.33	3.41	2.95	0.121	2.08	123	14.54	208.3	221.7355	1008.1237	1229.8592	221.3222
Wabli	24WCRC016	24RRC1398	426556.00	7247744.00	82	83	395.72	7.25	18.05	12.8	17.06	3.9	217.72	2.17	37.74	122.92	37.55	20.57	3.51	2.86	0.125	2.13	118.1	14.53	237.8	214.6048	975.1567	1189.7615	212.8217
Wabli	24WCRC016	24RRC1399	426556.00	7247744.00	83	84	367.74	9.33	17.14	12.23	16.43	3.73	195.29	2.04	39.14	114.57	35.79	19.59	3.34	2.76	0.119	1.95	115.08	13.74	214.5	207.5082	900.7198	1108.228	199.7938
Wabli	24WCRC016	24RRC1403	426556.00	7247744.00	84	85	375.66	9.47	17.46	12.47	16.5	3.81	203.59	2.08	39.03	118.56	35.89	19.78	3.35	2.76	0.114	2	118.35	13.96	192.1	212.7472	925.2579	1138.0051	204.9358
Wabli	24WCRC016	24RRC1404	426556.00	7247744.00	85	86	385.31	9.9	17.51	12.49	17.06	3.89	208.67	2.13	38.54	122.21	37.03	20.61	3.27	2.84	0.119	1.97	119.46	13.94	204.6	214.4226	950.3694	1164.792	210.722
Wabli	24WCRC016	24RRC1405	426556.00	7247744.00	86	87	385.31	9.58	17.09	12.38	17.08	3.81	207.38	2.08	37.27	119.3	36.48	20.04	3.36	2.78	0.111	1.97	114.84	13.65	198.4	207.3985	944.0903	1151.4889	206.1106
Wabli	24WCRC016	24RRC1406	426556.00	7247744.00	87	88	377.17	9.64	17.52	12.41	16.54	3.84	205.89	2.06	40.39	115.99	35.75	19.88	3.79	2.76	0.114	1.94	112.66	13.91	183.8	205.4079	926.7706	1132.1785	201.8379
Wabli	24WCRC016	24RRC1407	426556.00	7247744.00	88	89	383.67	10.05	18.4	13.19	17.43	4.22	209.51	2.26	41.51	119.99	36.59	19.98	3.88	2.9	0.12	2.09	123.25	14.71	182	222.6677	945.8687	1168.5364	208.693
Wabli	24WCRC016	24RRC1408	426556.00	7247744.00	89	90	353.21	9.5	16.22	11.62	15.25	3.51	190.27	1.87	38.92	109.7	33.7	18.52	3.43	2.56	0.115	1.82	106.86	12.78	197.7	193.394	866.144	1059.5381	190.2971
Wabli	24WCRC016	24RRC1409	426556.00	7247744.00	90	91	360.04	10.59	16.54	11.65	15.91	3.59	191.57	1.92	39.64	113.57	34.74	19.35	3.29	2.62	0.124	1.86	107.33	12.95	217.7	194.8507	883.5748	1078.4256	196.5055
Wabli	24WCRC016	24RRC1410	426556.00	7247744.00	91	92	357.74	10.44	16.76	12.07	15.87	3.67	191.71	2.08	38.52	112.2	34.17	18.65	3.27	2.62	0.116	1.88	110.48	13.23	243.6	200.1989	877.781	1077.98	194.4713
Wabli	24WCRC016	24RRC1411	426556.00	7247744.00	92	93	403.2	10.54	18.13	13.2	17.59	4.01	219.3	2.23	41.13	126.43	38.47	21.23	3.7	2.94	0.121	2.09	122.65	14.87	233.4	221.5619	992.7908	1214.3527	218.2132
Wabli	24WCRC016	24RRC1412	426556.00	7247744.00	93	94	372.62	10.07	17.51	12.57	16.49	3.82	201.93	2.16	38.96	115.89	35.76	19.45	3.65	2.77	0.116	2.03	119.88	14.07	214.1	215.1356	915.8883	1131.0239	201.7336
Wabli	24WCRC016	24RRC1413	426556.00	7247744.00	94	95	395.8	10.21	17.45	12.4	17.08	3.81	214.02	2.11	36.8	123.59	38.14	20.43	3.27	2.78	0.117	1.97	118.14	13.75	219.8	212.1732	972.2127	1184.386	213.5333
Wabli	24WCRC016	24RRC1414	426556.00	7247744.00	95	96	377.97	12.68	15.45	10.85	15.75	3.37	202.4	1.82	35.61	116.89	35.95	19.26	3.26	2.49	0.11	1.73	101.38	12.28	220.7	183.699	923.2989	1106.998	200.4359
Wabli	24WCRC016	24RRC1415	426556.00	7247744.00	96	97	228.17	11.33	10.7	7.52	9.95	2.31	123.31	1.22	30.45	70.65	21.71	11.83	2.73	1.68	0.082	1.17	71.53	8.25	128.5	128.4553	559.5933	688.0487	122.8925
Wabli	24WCRC016	24RRC1416	426556.00	7247744.00	97	98	150.88	7.11	9.41	6.84	7.27	2.09	77.09	1.09	24.09	47.42	14.5	8.32	2.23	1.44	0.078	1.11	49.36	7.33	169.5	96.2453	367.1381	463.3834	85.3231
Wabli	24WCRC016	24RRC1417	426556.00	7247744.00	98	99	358.44	11.1	13.29	8.82	14.2	2.78	196.42	1.41	34.54	111.22	34.15	18.13	3.12	2.21	0.106	1.4	78.15	9.69	182.7	144.6014	880.3075	1024.909	188.8393
Wabli	24WCRC016	24RRC1418	426556.00	7247744.00	99	100	328.02	13.4	14.32	9.81	14.59	3.07	181.63	1.62	32.83	104.28	31.93	17.47	2.8	2.32	0.101	1.58	91.91	10.77	173.3	166.5251	814.4809	981.0061	179.3738
Wabli	24WCRC016	24RRC1419	426556.00	7247744.00	100	101	325.27	12.63	14.63	10.23	14.44	3.14	175.76	1.69	31.21	101.81	30.91	17.33	2.65	2.35	0.096	1.59	95.88	11.14	161.3	173.0305	799.7354	972.766	175.6515
Wabli	24WCRC016	24RRC1420	426556.00	7247744.00	101	102	385.39	9.97	16.83	11.58	16.41	3.65	209.95	2.01	37.11	119.96	36.92	20.1	3.14	2.7	0.117	1.84	113.64	13.04	233.6	203.4614	947.8362	1151.2976	207.0196
Wabli	24WCRC016	24RRC1421	426556.00	7247744.00	102	103	410.53	9.56	17.91	12.5	17.64	3.87	220.94	2.02	40.77	127.1	39.45	20.89	3.69	2.88	0.118	1.96	109.21	14.08	213.2	201.9237	1005.4044	1207.3281	219.8556
Wabli	24WCRC016	24RRC1422	426556.00	7247744.00	103	104	399.77	9.79	17.98	12.75	17.24	3.94	215.93	2.17	38.77	124.25	38.63	20.69	3.34	2.85	0.119	2.04	121.61	14.21	222.7	218.4915	981.2348	1199.7263	215.5857
Wabli	24WCRC016	24RRC1423	426556.00	7247744.00	104	105	418.71	10.19	18.47	12.87	18.28	4.04	227.93	2.12	43.51	128.49	39.95	21.67	3.92	2.94	0.124	2.02	116.96	14.28	241.5	213.5065	1027.5405	1241.047	222.7943
Wabli	24WCRC016	24RRC1424	426556.00	7247744.00	105	106	394.17	10.05	17.91	12.6	17.16	3.91	214.85	2.12	39.51	121.24	37.63	20.6	3.27	2.82	0.121	2.02	116.31	13.88	231.6	210.9841	968.093	1179.0771	210.751
Wabli	24WCRC016	24RRC1425	426556.00	7247744.00	106	107	385.55	10.29	17.9	12.36	17.09	3.9	210.37	2.11	38.47	120.69	36.55	20.36	3.31	2.82	0.118	2.09	116.01	14.21	229.7	210.7501	949.9918	1160.7419	208.7932
Wabli	24WCRC016	24RRC1426	426556.00	7247744.00	107	108	385.7	10.22	17.54	12.27	16.5	3.76	208.89	2.11	38.22	118.92	36.69	19.82	3.38	2.77	0.117	1.98	119.2	13.92	241.6	213.6099	945.1808	1158.7908	206.4258
Wabli	24WCRC016	24RRC1427	426556.00	7247744.00	108	109	385.11	10.04	16.34	11.23	16.31	3.5	208.27	1.88	36.41	119.78	36.9	19.79	2.91	2.64	0.117	1.8	105.31	12.54	225	190.9153	944.7899	1135.7053	206.1525
Wabli	24WCRC016	24RRC1428	426556.00	7247744.00	109	110	417.18	9.87	18.34	12.83	17.93	3.95	225.44	2.14	41.49	130.84	40.05	22.05	3.13	2.92	0.118	2.03	118.8	13.92	232.3	215.1458	1025.5474	1240.6932	225.4835

Wabli	24WCRC016	24RRC1429	426556.00	7247744.00	110	111	362.28	9.57	17.96	12.8	16.39	3.94	194.79	2.16	40.42	112.28	34.48	19.17	3.6	2.77	0.11	2.07	117.42	14.31	223.1	213.2475	888.5589	1101.8064	196.4928
Wabli	24WCRC016	24RRC1430	426556.00	7247744.00	111	112	379.09	9.54	17.71	12.78	16.91	3.96	205.68	2.09	39.99	118.67	36.32	19.95	3.32	2.76	0.117	2.01	118.18	13.69	173.6	213.0599	933.2512	1146.3112	205.8705
Wabli	24WCRC016	24RRC1431	426556.00	7247744.00	112	113	368.19	12.22	17.93	12.99	16.83	3.92	201.14	2.16	40.05	113.68	34.92	19.63	3.36	2.81	0.119	2.07	120.51	13.91	197.5	216.923	906.5168	1123.4399	198.67
Wabli	24WCRC016	24RRC1432	426556.00	7247744.00	113	114	381.7	11.06	18.48	13.36	17.34	4.04	206.85	2.19	41.01	119.54	36.58	20.15	3.49	2.9	0.118	2.15	125.89	14.43	195.3	225.7703	939.8857	1165.6561	208.2478
Wabli	24WCRC016	24RRC1433	426556.00	7247744.00	114	115	321.34	9.74	15.21	11.05	14.63	3.33	173.59	1.88	35.69	100.81	30.67	17.1	3.03	2.4	0.111	1.74	101.78	12.15	199.4	183.9402	790.9286	974.8688	174.9196
Wabli	24WCRC016	24RRC1434	426556.00	7247744.00	115	116	392.37	10.61	17.87	12.46	17.24	3.83	213.59	2.13	38.52	122.3	37.31	20.63	3.31	2.82	0.118	1.95	119.9	13.6	202.8	214.858	965.4621	1180.3201	211.5549
Wabli	24WCRC016	24RRC1435	426556.00	7247744.00	116	117	386.11	9.45	18.46	13.03	17.34	3.97	210.38	2.21	39.91	120.73	37	20.27	3.36	2.86	0.119	2.05	122.2	14.29	213.3	220.306	951.4887	1171.7947	210.0733
Wabli	24WCRC016	24RRC1436	426556.00	7247744.00	117	118	393.91	10.96	18.02	12.69	17.31	3.93	212.3	2.15	39.77	120.92	37.79	20.45	3.71	2.88	0.119	2.03	120.35	13.94	202.5	216.551	964.6483	1181.1993	210.7679
Wabli	24WCRC016	24RRC1437	426556.00	7247744.00	118	119	383.6	14.45	17.91	12.98	17.23	3.97	207.44	2.17	39.82	119.65	37.14	19.94	3.98	2.92	0.118	2.07	120.13	14.34	218.6	217.0937	943.3344	1160.4282	208.4221
Wabli	24WCRC016	24RRC1438	426556.00	7247744.00	119	120	403.02	12.62	18.18	12.78	17.54	3.97	219.3	2.17	39.14	126.08	38.64	21.22	3.59	2.92	0.121	2.17	123.31	14.44	207.5	221.4413	992.2397	1213.681	218.0442
Wabli	24WCRC017	24RRC1439	426669.00	7247791.00	0	1	494.71	6.91	20.15	14.12	21.67	4.43	332.02	2.36	37.51	169.59	53.84	27.36	3.11	3.37	0.138	2.25	157.95	15.11	219	271.3504	1318.6691	1590.0196	289.9492
Wabli	24WCRC017	24RRC1440	426669.00	7247791.00	1	2	385.97	7.33	17.43	12.05	18.27	3.73	275.65	1.95	34.8	143.15	44.94	22.67	2.7	2.87	0.116	1.88	129.42	12.69	224.2	224.597	1067.7536	1292.3507	244.6467
Wabli	24WCRC017	24RRC1441	426669.00	7247791.00	2	3	383.9	7.29	16.14	11.29	16.34	3.47	222.95	1.9	37.43	123.01	38.16	19.79	2.82	2.57	0.117	1.76	109.02	11.97	207	194.677	965.8679	1160.545	211.1304
Wabli	24WCRC017	24RRC1442	426669.00	7247791.00	3	4	314.05	7.6	15.87	11.47	14.75	3.53	180.77	2.03	41.65	106.43	32.62	17.85	3.09	2.47	0.126	1.86	105.8	13.09	192.6	191.9723	800.3952	992.3676	184.6706
Wabli	24WCRC017	24RRC1443	426669.00	7247791.00	4	5	358.89	7.08	15.53	10.95	15.66	3.38	190.14	1.81	37.2	113.66	34.5	18.81	2.95	2.52	0.124	1.71	92.74	11.71	217.4	172.2967	879.409	1051.7057	195.0437
Wabli	24WCRC017	24RRC1444	426669.00	7247791.00	5	6	437.75	7.32	17.5	12.2	16.99	3.81	226.31	2.02	40.85	128.18	39.63	21.08	3.27	2.83	0.13	1.96	109.23	15.41	215.9	202.5224	1046.166	1248.6885	220.8035
Wabli	24WCRC017	24RRC1445	426669.00	7247791.00	6	7	462	9.15	17.92	12.13	18.41	3.81	248.27	2.01	41.1	141.31	44.08	22.56	3.28	2.89	0.141	1.9	104.53	12.99	243.6	194.1909	1125.8902	1320.0811	242.0474
Wabli	24WCRC017	24RRC1446	426669.00	7247791.00	7	8	476.98	9.78	19.81	13.59	20.73	4.25	267.55	2.18	43.5	151.9	47.19	25.15	3.4	3.26	0.14	2.11	113.92	14.37	225.5	212.8977	1188.7698	1401.6675	260.7614
Wabli	24WCRC017	24RRC1447	426669.00	7247791.00	8	9	448.09	9.5	16.98	11.53	17.91	3.62	248.21	1.87	38.26	137.65	43.32	22.53	3.1	2.82	0.127	1.8	101.36	12.24	215.9	186.973	1102.8779	1289.8509	235.699
Wabli	24WCRC017	24RRC1448	426669.00	7247791.00	9	10	480.8	7.23	15.94	10.7	18.09	3.37	270.57	1.73	39.02	149.28	46.53	23.88	3.24	2.76	0.127	1.67	91.27	11.36	239	170.3503	1188.4959	1358.8462	251.8783
Wabli	24WCRC017	24RRC1449	426669.00	7247791.00	10	11	433.15	7.71	14.81	10.3	16.31	3.2	235	1.69	36.45	131	41.18	21.19	3	2.51	0.123	1.59	91.65	10.93	210.3	167.9633	1055.1437	1223.1071	222.5017
Wabli	24WCRC017	24RRC1452	426669.00	7247791.00	11	12	463.24	9.01	17.04	11.65	18.15	3.87	258.32	1.91	39.97	143.26	44.79	23.16	3.3	2.83	0.137	1.82	105.27	12.17	275.8	192.4311	1142.6241	1335.0552	244.0991
Wabli	24WCRC017	24RRC1453	426669.00	7247791.00	12	13	432.39	7.65	15.71	10.7	16.39	3.32	228.26	1.78	39.7	129.89	40.69	20.97	3.23	2.57	0.131	1.69	95.96	11.46	229.6	175.955	1044.2675	1220.2225	221.7185
Wabli	24WCRC017	24RRC1454	426669.00	7247791.00	13	14	444.21	7.34	14.43	9.62	15.73	3.03	234.83	1.61	37	132.77	41.11	21.12	3.01	2.42	0.125	1.52	82.56	10.5	215.4	154.245	1069.7249	1223.97	223.9397
Wabli	24WCRC017	24RRC1455	426669.00	7247791.00	14	15	428.37	11.01	16.51	10.89	17.34	3.46	236.41	1.8	37.24	132.12	41.33	21.8	3.14	2.73	0.133	1.71	102.57	11.66	224.9	186.1063	1054.4125	1240.5188	226.1992
Wabli	24WCRC017	24RRC1456	426669.00	7247791.00	15	16	411.02	9.71	14.98	10.01	16.23	3.15	224.86	1.67	37.45	126.39	38.94	20.43	3.33	2.5	0.129	1.6	93.29	10.83	200.5	169.7152	1006.9891	1176.7044	214.6016
Wabli	24WCRC017	24RRC1457	426669.00	7247791.00	16	17	466.11	9.97	16.88	11.2	17.61	3.51	253.58	1.84	39.37	141.53	44.11	22.73	3.54	2.82	0.141	1.79	104.17	12.37	217	190.0257	1136.6297	1326.6555	241.0643
Wabli	24WCRC017	24RRC1458	426669.00	7247791.00	17	18	384.12	9.11	14.76	10.29	15.23	3.24	206.98	1.72	34.43	116.73	36.16	18.93	2.86	2.43	0.115	1.61	95.75	10.98	178	173.1666	935.3789	1108.5456	199.6406
Wabli	24WCRC017	24RRC1459	426669.00	7247791.00	18	19	457.48	10.12	17.3	11.51	18.35	3.6	252.23	1.88	37.68	141.84	44.12	22.77	3.41	2.84	0.133	1.79	104.79	12.46	221.3	191.9242	1125.7539	1317.6782	241.9435
Wabli	24WCRC017	24RRC1460	426669.00	7247791.00	19	20	430.32	9.57	16.3	11.15	16.9	3.45	232.05	1.84	42.34	130.3	40.37	20.98	3.65	2.65	0.138	1.75	99.79	12.19	211.4	183.2214	1046.803	1230.0244	222.5813
Wabli	24WCRC017	24RRC1461	426669.00	7247791.00	20	21	444.52	9.71	16.64	11.04	17.5	3.53	233.24	1.84	40.82	136.16	42.08	22.02	3.58	2.75	0.14	1.72	94.37	11.97	228.1	176.5275	1076.4855	1253.013	231.9903
Wabli	24WCRC017	24RRC1462	426669.00	7247791.00	21	22	445.8	9.76	16.35	11.19	17.42	3.46	236.13	1.84	42.25	136.92	42.25	22.22	3.54	2.74	0.146	1.74	96.03	11.9	265.7	178.3254	1082.7018	1261.0272	232.7376
Wabli	24WCRC017	24RRC1463	426669.00	7247791.00	22	23	479.6	10.53	18.26	12.16	19.13	3.83	262.84	2	39.74	147.52	46.12	23.7	3.64	2.98	0.135	1.95	107.3	13.22	243.7	198.5694	1176.4442	1375.0137	252.2515
Wabli	24WCRC017	24RRC1464	426669.00	7247791.00	23	24	416.59	9.2	16.46	11.38	16.51	3.5	225.06	1.85	39.42	128.38	40.35	20.92	3.11	2.7	0.132	1.81	100.56	12.28	232.4	184.9443	1018.9925	1203.9369	220.5601
Wabli	24WCRC017	24RRC1465	426669.00	7247791.00	24	25	478.31	9.13	18.05	12.11	18.51	3.87	258.02	2	39.73	146.2	45.82	23.79	3.12	2.98	0.14	1.89	110.17	12.87	219.9	201.4946	1166.7176	1368.2123	250.1084
Wabli	24WCRC017	24RRC1466	426669.00	7247791.00	25	26	447.23	10.53	17.02	11.15	18.33	3.53	240.76	1.83	38.99	139	43.32	22.75	3.14	2.85	0.137	1.74	100.28	11.88	221.8	184.6211	1095.3286	1279.9497	237.3548
Wabli	24WCRC017	24RRC1467	426669.00	7247791.00	26	27	465.03	10.87	17.09	11.19	18.34	3.59	253.61	1.82	38.95	141.87	44.46	22.98	3.05	2.83	0.139	1.77	105.97	11.94	204.3	192.1093	1137.3586	1329.4679	242.1365
Wabli	24WCRC017	24RRC1468	426669.00	7247791.00	27	28	519.94	11.16	19.42	12.92	20.98	4.06	285.07	2.09	42.63	158.61	50.21	26.24	3.7	3.18	0.15	2.03	117.96	13.78	231.2	215.637	1275.1356	1490.7727	271.695
Wabli	24WCRC017	24RRC1469	426669.00	7247791.00	28	29	470.3	10.53	17.55	11.66	18.77	3.74	250.77	1.9	41.37	147.28	45.49	23.73	3.59	2.92	0.145	1.8	104.7	12.27	224.5	192.3406	1149.3746	1341.7153	250.325
Wabli	24WCRC017	24RRC1470	426669.00	7247791.00	29	30	468.67	11.57	16.89	11.04	18.41	3.54	256.41	1.77	38.15	144.57	45.09	23.12	3.38	2.8	0.133	1.71	99.41	11.61	225.3	182.784	1149.2206	1332.0046	245.7821
Wabli	24WCRC017	24RRC1471	426669.00	7247791.00	30	31	515.26	11.84	18.28	11.86	19.74	3.8	282.77	1.89	40.39	157.39	49.51	25.68	3.6	3.13	0.143	1.86	107.51	12.41	226.4	197.5079	1262.2845	1459.7924	268.0591
Wabli	24WCRC017	24RRC1472	426669.00	7247791.00	31	32	499.24	12.67	18.93	12.69	19.86	4.01	273.32	2.09	42.59	153.28	47.67	24.78	3.86	3.23	0.155	2.01	117.02	13.46	260.6	213.2323	1223.5787	1436.811	261.9057
Wabli	24WCRC017	24RRC1473	426669.00	7247791.00	32	33	536.37	12.01	19.17	12.6	20.71	4.04	290.85	2.02	43.61	163.47	51.4	26.74	3.78	3.24	0.156	1.96	115.58	13.32	243.8	211.3262	1309.4704	1520.7966	278.5851
Wabli	24WCRC017	24RRC1474	426669.00	7247791.00	33	34	544.53	7.66	17.83	11.69	20.33	4	294.1	1.96	44.3	167.25	51.9	26.56	3.88	3.03	0.156	1.85	102.83	14.18	279.5	193.049	1327.6482	1520.6972	281.8133
Wabli	24WCRC017	24RRC1475	426669.00	7247791.00	34	35	532.94	9.85	18.27	12.05	20.37	4.03	291.22	1.91	42.13	166.27	51.3	26.91	3.96	3.22	0.15	1.93	106.53	12.9	241.1	197.4991	1308.6185	1506.1176	280.6738
Wabli	24WCRC017	24RRC1477	426669.00	7247791.00	35	36	502.52	5.6	13.78	8.89	16.97	2.83	275.89	1.61	40.2	153.96	48.48	24.13	3.74	2.39	0.138	1.49	73.8	9.42	220.8	140.0115	1228.2507	1368.2623	256.7789
Wabli	24WCRC017	24RRC1478	426669.00	7247791.00	36	37	484.2	11.63	19.54	13.06	19.82	4.17	268.24	2.11	42.83	151.19	46.48	25.17	4.02	3.18	0.139	2.03	116.17	13.63	289	213.6397	1195.7126	1409.3523	258.6715
Wabli	24WCRC017	24RRC1479	426669.00	7247791.00	37	38	488.89	14.63	18.86	12.47	19.03	3.95	264.46	1.98	44.12	149.73	46.54	24.22	3.62	3.11	0.153	1.93	112.47	13.27	276.5	206.4796	1193.3743	1399.854	256.1783
Wabli	24WCRC017	24RRC1480	426669.00	7247791.00	38	39	470.77	12.64	17.82	12.24	17.78	3.81	256.63	1.94	39.96	142.06	44.48	22.68	3.21	2.88	0.139	1.9	106.84	12.71	250.6	196.7252	1147.1802	1343.9054	243.2789
Wabli	24WCRC017	24RRC1481	426669.00	7247791.00	39	40	477.04	14.9	17.34	11.77	17.9	3.71	261.39	1.95	39.03	142.33	45.09	22.54	3.25	2.81	0.142	1.84	108.43	12.6	244.3	197.2767	1161.5499	1358.8266	243.6976
Wabli	24WCRC017	24RRC1482	426669.00	7247791.00	40	41	475.63	14.32	17.75	12.57	17.99	3.86	262.33	2.03	38.47	143.97	45.27	22.66	3.23	2.87	0.138	1.92	113.89	13.29	238.4	206.8061	1163.3169	1370.123	246.3691
Wabli	24WCRC017	24RRC1483	426669.00	7247791.00	41	42	447.09	12.89	16.03	10.66	16.4	3.35	244.71	1.76	36.37	133.86	41.93	21.17	2.82	2.6	0.129	1.67	96.26	11.29	206	176.4879	1088.0578	1264.5458	228.2498
Wabli	24WCRC017	24RRC1484	426669.00	7247791.00	42	43	395.25	12.83	16.1	10.8	15.89	3.41	207.14	1.75	39.07	123.6	39.56	19.78	3.28	2.56	0.129	1.65	103.25	11.53	253.6	185.8657	963.1281	1148.9939	213.4524
Wabli	24WCRC017	24RRC1485	426669.00	7247791.00	43	44	402.35	13.21	16.76	11.63	16.38	3.59	210.89	1.8	39.61	126.34	40.4	20.31	3.52	2.68	0.134	1.73	108.12	12.23	261.8	195.0494	981.6836	1176.733	218.5619
Wabli	24WCRC017	24RRC1486	426669.00	7247791.00	44	45	426.15	13.73	17.34	11.52	17.2	3.58	224.02	1.75	43	132.04	42.84	21.78	3.36	2.78	0.145	1.73	105.44	11.85	243.3	191.8025	1038.6317	1230.4343	228.9416
Wabli	24WCRC017	24RRC1487	426669.00	7247791.00	45	46	420.21	14.73	16.93	11.67	16.64	3.55	220.27	1.79	43.61	131.19	42.23	21.37	3.44	2.77	0.144	1.72	105.45	12	255.5	191.6749	1024.0651	1215.7401	226.7309
Wabli	24WCRC017	24RRC1488	426669.00	7247791.00	46	47	473.19	15.93	18.25	12.08	18.83	3.75	250.24	1.83	47.78	146.24	47.52	23.94	3.53	2.96	0.156	1.76	108.86	12.42	279.9	199.0111	1153.7393	1352.7504	252.415
Wabli	24WCRC017	24RRC1489	426669.00	7247791.00	47	48	391.45	13.39	16.04	10.69	15.99	3.33	206.56	1.67	38.39	123.66	39.32	19.99	2.92	2.57	0.127	1.6	97.99	11.39	237.1	178.604	957.9307	1136.5348	213.1753
Wabli	24WCRC017	24RRC1490	426669.00	7247791.00	48	49	414.56	13.75	16.62	10.95	16.42	3.41	212.93	1.71	41.66	129.08	41.29	21.08	2.74	2.66	0.136	1.63	97.36	11.46	263.5	179.1239	1004.2723	1183.3963	222.6489
Wabli	24WCRC017	24RRC1491	426669.00	7247791.00	49	50	425.8	14.98	17.72	12.03	17.21	3.66	221.66	1.87	41.77	132.22	42.39	22.02	3.07	2.82	0.139	1.8	109.16	12.64	272.1	198.8005	1035.3553	1234.1559	229.0911
Wabli	24WCRC017	24RRC1492	426669.00	7247791.00	50	51	417.81	14.38	17.29	11.47	17.2	3.63	221.03	1.78	39.59	131.04	42.19	21.47	3.03	2.79	0.133	1.73	102.1	12.15	252.4	187.8913	1022.5582	1210.4495	226.9443
Wabli	24WCRC017	24RRC1493	426669.00	7247791.00	51	52	412.11	15.7	18.12	12.48	16.97	3.78	213.37	1.96	41.91	126.43	40.75	20.68	3.31	2.82	0.135	1.85	109.98	13.1	268.4	201.6362	998.1709	1199.8072	220.8153
Wabli	24WCRC017	24RRC1494	426669.00	7247791.00	52	53	419.22	16.75	17.15	11.8	17.02	3.62	219.67	1.96	44.62	129.96	42.09	21.03	5.23	2.76	0.14	1.8	104.36	12.71	274.7	191.8535	1020.4695	1212.323	225.3678
Wabli	24WCRC017	24RRC1495	426669.00	7247791.00	53	54	374.03	14.26	15.59	10.56	15.21	3.33	195.01	1.69	34.71	115.67	36.71	19.2	2.48	2.44	0.121	1.59	94.68	11.37	241.1	173.5712	908.6072	1082.1785	200.033
Wabli	24WCRC017	24RRC1496	426669.00	7247791.00	54	55	456.12	13.49	17.75	11.62	18.46	3.61	243.44	1.86	37.85	143.32	46.46	23.36	2.6	2.94	0.136	1.74	103.42	12.06	285.9	190.4204	1119.081	1309.5015	247.1311
Wabli	24WCRC017	24RRC1497	426669.00	7247791.00	55	56	419.17	11.56	17.23	11.41	16.93	3.57	217.94	1.84	37.85	130.83	42.26	21.29	2.51	2.74	0.135	1.73	106.65	12.14	269.7	193.4611	1019.8897	1213.3509	226.6563
Wabli	24WCRC017	24RRC1498	426669.00	7247791.00	56	57	422.64	11.37	17.74	12.05	17.25	4.04	222.5	1.93	40.48	132.18	42.15	21.54	2.91	2.83	0.139	1.82	108.83	12.77	264.2	199.1134	1031.6119	1230.7254	228.7892
Wabli	24WCRC017	24RRC1499	426669.00	7247791.00	57	58	399.96	11.94	16.69	11.27	16.42	3.42	210.98	1.8	35.49	124.09	40.24	20.45	2.43	2.71	0.13	1.71	106.36	11.78	238.8	191.6276	976.2674	1167.8951	215.6991
Wabli	24WCRC017	24RRC1503	426669.00	7247791.00	58	59	414.49	11.64	16.51	10.6	16.05	3.41	227.58	1.89	35.32	129.89	39.11	20.34	2.43	2.5	0.132	2.08	105.06	12.17	214.4	189.7146	1018.4405	1208.1551	220.6454
Wabli	24WCRC017	24RRC1504	426669.00	7247791.00	59	60	401.31	10.99	15.32	9.95	15.53	3.11	220.99	1.68	34.53	122.65	36.88	19.42	2.19	2.42	0.129	1.64	93.31	10.77	187.1	169.911	981.6481	1151.5591	208.0465
Wabli	24WCRC017	24RRC1505	426669.00	7247791.00	60	61	405.51	11.77	16.19	10.16	16.01	3.34	223.66	1.75	35.59	124.65	37.93	20.22	2.17	2.49	0.134	1.68	100.88	11.41	189.6	181.9626	995.009	1176.9717	212.7287
Wabli	24WCRC017	24RRC1506	426669.00	7247791.00	61	62	423.9	11.77	17.53	11.52	17.49	3.67	235.41	2.03	37.04	132.17	40.07	21.71	2.47	2.72	0.133	1.88	113.44	12.88	232.5	203.8749	1046.2958	1250.1707	225.8941
Wabli	24WCRC017	24RRC1507	426669.00	7247791.00	62	63	436.7	10.44	18.66	12.19	17.95	3.83	237.37	2.17	37.92	133.52	40.83	21.78	2.88	2.89	0.133	2.04	117.13	13.69	213.8	212.2714	1067.3283	1279.5997	229.8838
Wabli	24WCRC017	24RRC1508	426669.00	7247791.00	63	64	429.88	10.35	17.84	11.42	17.22	3.66	237.88	2.05	37.35	133.62	39.9	21.34	2.93	2.7	0.133	1.91	107.93	13.09	206.7	197.3803	1057.214	1254.5944	227.7122
Wabli	24WCRC017	24RRC1509	426669.00	7247791.00	64	65	424.98	10.29	17.42	11.21	17.25	3.59	234.75	1.96	35.92	134.83	39.77	21.33	2.69	2.69	0.13	1.87	107.73	12.78	224.4	195.8112	1048.7901	1244.6014	228.4727
Wabli	24WCRC017	24RRC1510	426669.00	7247791.00	65	66	501.29	11.64	16.28	9.69	18.17	3.19	274.27	1.55	39.43	156.73	47.03	24.9	3.05	2.7	0.153	1.56	89.09	10.25	223.1	164.9462	1228.6414	1393.5876	261.4918
Wabli	24WCRC017	24RRC1511	426669.00	7247791.00	66	67	448.2	11.94	16.7	10.69	17.19	3.42	246.5	1.85	37.67	140.48	42.06	21.73	2.82	2.65	0.143	1.74	104	11.64	248.4	187.8401	1100.9822	1288.8223	236.9562
Wabli	24WCRC017	24RRC1512	426669.00	7247791.00	67	68	428.6	12.08	16.32	10.13	16.36	3.33	235.14	1.78	35.53	133.44	39.76	21.15	2.7	2.54	0.136	1.7	100.13	11.39	230.5	181.2066	1050.9187	1232.1254	225.4004
Wabli	24WCRC017	24RRC1513	426669.00	7247791.00	68	69	450.09	12.47	16.59	10.25	17.13	3.26	248.33	1.81	34.37	140.56	41.83	21.84	2.61	2.67	0.132	1.73	100.83	11.41	214.5	182.7065	1105.2543	1287.9609	236.6689
Wabli	24WCRC017	24RRC1514	426669.00	7247791.00	69	70	456.57	12.57	17.34	10.44	17.61	3.47	251.13	1.84	37.4	141.14	42.72	22.48	2.48	2.63	0.143	1.7	101.11	11.42	237.6	184.3449	1119.6374	1303.9823	239.2345
Wabli	24WCRC017	24RRC1515	426669.00	7247791.00	70	71	453.07	12.67	16.43	10.18	17.41	3.36	250.93	1.81	36.48	139.79	42.04	22.11	2.46	2.61	0.143	1.71	101.23	11.42	233.9	182.9833	1111.9901	1294.9734	235.7703
Wabli	24WCRC017	24RRC1516	426669.00	7247791.00	71	72	444.84	12.89	16.14	9.42	17.01	3.15	247.11	1.6	37.1	139.5	41.93	22.14	2.32	2.56	0.142	1.62	93.89	10.99	209.8	171.3298	1096.4921	1267.8219	234.9075
Wabli	24WCRC017	24RRC1517	426669.00	7247791.00	72	73	477.73	12.99	16.9	10.24	18.24	3.45	263.27	1.74	37.85	150.01	44.33	23.95	2.46	2.76	0.146	1.66	99.51	10.92	227.2	180.9806	1174.5416	1355.5222	251.1736
Wabli	24WCRC017	24RRC1518	426669.00	7247791.00	73	74	447.22	13.17	16.19	9.79	17.27	3.21	243.46	1.66	36.9	138.43	41.87	22.3	2.45	2.57	0.149	1.61	99.37	10.74	203.6	178.6219	1094.3573	1272.9793	233.6561
Wabli	24WCRC017	24RRC1519	426669.00	7247791.00	74	75	465.84	12.5	16.59	9.8	17.87	3.26	258.55	1.64	36.43	145.43	43.56	23.09	2.45	2.7	0.139	1.59	101.81	10.57	215.8	182.162	1146.7169	1328.879	244.4748
Wabli	24WCRC017	24RRC1520	426669.00	7247791.00	75	76	429.6	12.32	15.74	9.77	16.6	3.22	235.12	1.66	36.55	133.07	39.78	21	2.46	2.53	0.142	1.69	102.49	10.48	200.4	181.8044	1051.7957	1233.6001	224.3156
Wabli	24WCRC017	24RRC1521	426669.00	7247791.00	76	77	466.44	12.23	16.87	9.47	17.63	3.15	254.54	1.57	37.09	144.14	42.9	22.69	2.57	2.6	0.139	1.54	97.88	9.94	224.4	176.0176	1139.72	1315.7377	242.3764
Wabli	24WCRC017	24RRC1522	426669.00	7247791.00	77	78	421.55	12.06	15.09	9.12	16.13	3	233.72	1.51	37.18	132.74	39.5	20.8	2.57	2.42	0.138	1.44	91.63	9.72	213	164.8211	1038.7112	1203.5323	222.717
Wabli	24WCRC017	24RRC1523	426669.00	7247791.00	78	79	394.37	12.33	14.41	8.61	15.53	2.91	215.32	1.44	34.87	126.22	37.54	20.47	2.36	2.39	0.134	1.37	88.82	9.01	225.5	158.7827	972.7108	1131.4935	211.9283
Wabli	24WCRC017	24RRC1524	426669.00	7247791.00	79	80	471.35	12.65	16.51	9.85	18.14	3.22	256.74	1.63	39.2	145.44	44.04	23.08	2.67	2.7	0.146	1.59	96.75	10.23	231.6	175.2573	1152.2533	1327.5107	244.9746
Wabli	24WCRC018	24RRC1525	426622.00	7247776.00	0	1	327.41	14.06	18.31	12.69	15.36	3.97	165.56	2.2	76.19	96.21	28.46	16.89	9.94	2.67	0.091	2.12	123.35	14.11	167.6	220.8455	781.6913	1002.5368	170.7595
Wabli	24WCRC018	24RRC1526	426622.00	7247776.00	1	2	295.35	21.82	15.05	10.72	13.28	3.31	169.88	2.02	72.92	96.15	29.12	15.65	9.79	2.2	0.104	1.78	95.03	12.53	159.2	175.1868	744.0737	919.2606	167.1926
Wabli	24WCRC018	24RRC1527	426622.00	7247776.00	2	3	381.72	10.53	16.85	11.57	15.98	3.67	214.67	2.02	47.73	121.33	36.63	19.58	4.08	2.53	0.109	1.92	110.88	13.23	191.9	200.11	949.0245	1149.1346	208.0902
Wabli	24WCRC018	24RRC1528	426622.00	7247776.00	3	4	327.95	9.05	16.3	11.34	14.73	3.55	183.44	1.94	36.57	106.21	31.84	17.37	3.15	2.41	0.108	1.87	110.55	12.45	156.7	197.4819	818.8561	1016.338	183.8945
Wabli	24WCRC018	24RRC1529	426622.00	7247776.00	4	5	322.69	17.68	15.46	10.83	13.74	3.28	169.21	1.97	36.87	97.35	29.4	16.46	3.29	2.3	0.106	1.8	106.7	12.15	147.3	190.2194	780.1234	970.3429	169.5188

Wabli	24WCRC018	24RRC1530	426622.00	7247776.00	5	6	300.27	20.04	14.01	9.37	12.46	2.91	160.29	1.7	33.57	92.32	27.66	14.9	3.13	2.09	0.096	1.58	89.93	10.6	138.8	162.5954	730.7658	893.3612	159.6383
Wabli	24WCRC018	24RRC1531	426622.00	7247776.00	6	7	318.09	14.31	14.61	9.78	13.68	3.06	178.57	1.75	34.02	101.34	30.39	16.5	2.88	2.19	0.102	1.65	97.08	10.93	152.6	173.6347	791.2664	964.9011	174.2639
Wabli	24WCRC018	24RRC1532	426622.00	7247776.00	7	8	271.96	9.32	13.75	9.09	11.93	2.82	148.71	1.58	34.52	86.25	25.73	14.4	3.16	1.94	0.089	1.52	90.74	10.1	129.7	161.9516	671.7048	833.6565	149.7516
Wabli	24WCRC018	24RRC1533	426622.00	7247776.00	8	9	331.13	7.03	15.65	10.58	14.2	3.31	183.09	1.83	36.15	105.44	31.45	17.31	2.91	2.38	0.103	1.8	102.78	11.8	161.6	184.7443	820.2671	1005.0114	181.7439
Wabli	24WCRC018	24RRC1534	426622.00	7247776.00	9	10	317.08	6.08	15.66	10.91	14.09	3.34	172.07	1.93	35.75	99.91	29.61	16.2	2.92	2.32	0.102	1.84	107.18	12.26	179.9	191.3677	779.9517	971.3194	173.0115
Wabli	24WCRC018	24RRC1535	426622.00	7247776.00	10	11	313.3	7.53	17.8	11.78	15.57	4.01	175.19	2.13	37.89	102.7	30.23	17.23	3.85	2.62	0.101	1.98	108.5	13.33	189.2	199.2209	785.8598	985.0808	179.8238
Wabli	24WCRC018	24RRC1536	426622.00	7247776.00	11	12	383.03	8.56	22.38	13.61	19.57	4.54	200.95	2.53	33.16	126.92	37.15	22.79	3.58	3.4	0.088	2.28	115.42	15.83	203.3	220.5265	949.6671	1170.1937	222.6087
Wabli	24WCRC018	24RRC1537	426622.00	7247776.00	12	13	444.05	14.71	17.02	10.17	18.5	3.37	242.62	1.68	48.36	141.83	42.01	23.39	4.29	2.79	0.145	1.73	86.82	11.24	242.8	165.243	1096.5266	1261.7696	239.0024
Wabli	24WCRC018	24RRC1538	426622.00	7247776.00	13	14	414.85	12.22	12.79	6.56	16.12	2.33	226.52	1.18	33.59	131.04	38.25	21.42	3.09	2.26	0.13	1.04	59.65	6.9	243.3	113.6437	1019.4717	1133.1155	216.396
Wabli	24WCRC018	24RRC1539	426622.00	7247776.00	14	15	439.78	15.8	13.31	6.3	17.15	2.31	244.1	0.91	32.67	138.43	41.55	22.68	3.23	2.43	0.142	0.95	58.81	5.89	244.8	111.4937	1086.1745	1197.6682	229.7995
Wabli	24WCRC018	24RRC1540	426622.00	7247776.00	15	16	543.75	18.49	19.54	10.51	23.17	3.65	302.17	1.4	48.03	171.53	51.7	28.88	4.49	3.6	0.163	1.51	99.4	9.43	272.6	183.1421	1347.4941	1530.6362	289.1969
Wabli	24WCRC018	24RRC1541	426622.00	7247776.00	16	17	478.47	17.37	16.65	9.23	19.23	3.28	262.98	1.58	52.15	151.6	45.55	24.87	6.7	2.83	0.151	1.47	80.86	9.86	272.3	154.1367	1181.2374	1335.3742	254.2976
Wabli	24WCRC018	24RRC1542	426622.00	7247776.00	17	18	530.05	12.04	18.58	9.26	22.33	3.36	290.55	1.42	47.62	167.74	49.23	27.57	5.32	3.19	0.147	1.63	83.81	9.2	292.5	159.8966	1307.1694	1467.0661	280.2079
Wabli	24WCRC018	24RRC1543	426622.00	7247776.00	18	19	534.11	10.26	18.77	9.32	22.65	3.38	298.07	1.3	44.66	172.62	50.97	28.24	4.24	3.31	0.151	1.39	86.85	8.72	318.5	163.2507	1330.1706	1493.4213	288.3614
Wabli	24WCRC018	24RRC1544	426622.00	7247776.00	19	20	530.86	8.29	15.8	7.26	20.45	2.69	294.83	1	34.46	169.34	50.55	27.27	3.04	2.91	0.13	1.08	67.38	6.77	271.9	128.585	1314.1997	1442.7847	280.149
Wabli	24WCRC018	24RRC1545	426622.00	7247776.00	20	21	508.01	9.73	15.37	7.43	20.7	2.7	281.81	1.01	35.51	163.92	48.54	26.78	2.86	2.89	0.141	1.08	65.09	6.77	266.6	125.3771	1261.6127	1386.9899	270.8816
Wabli	24WCRC018	24RRC1546	426622.00	7247776.00	21	22	568.09	15.6	18.87	10.07	22.85	3.52	319.07	1.52	47.69	183.41	54.25	30.15	3.97	3.28	0.163	1.59	85.61	9.76	316.9	164.4364	1415.2991	1579.7355	304.9893
Wabli	24WCRC018	24RRC1547	426622.00	7247776.00	22	23	449.26	23.55	16.7	10.28	17.88	3.31	247.95	1.79	45.09	145.13	42.85	23.63	4.65	2.72	0.165	1.73	83.91	11.66	270.9	161.7584	1113.651	1275.4095	243.4168
Wabli	24WCRC018	24RRC1548	426622.00	7247776.00	23	24	22.26	7.46	1.7	1.18	1.22	0.36	9.74	0.25	8.51	7.25	2.07	1.34	1.45	0.23	0.014	0.22	7.42	1.55	18.7	15.7065	53.0877	68.7942	13.1789
Wabli	24WCRC018	24RRC1549	426622.00	7247776.00	24	25	27.51	11.48	10	8.46	5.06	2.4	17.32	2.13	3.99	10.7	2.73	3.24	0.92	1.16	0.005	1.61	64.96	12.52	5.3	126.2746	80.2241	206.4988	28.6202
Wabli	24WCRC018	24RRC1552	426622.00	7247776.00	25	26	10.63	11.26	1.68	1.35	0.84	0.38	8.2	0.32	4.87	2.8	0.82	0.6	1.08	0.21	0.005	0.25	8.36	1.94	2.8	17.6289	29.1733	46.8023	6.4317
Wabli	24WCRC018	24RRC1553	426622.00	7247776.00	26	27	8.48	6.61	1.61	1.29	0.89	0.36	4.81	0.39	8.57	3	0.8	0.73	1.77	0.19	0.005	0.26	7.86	2.19	18.3	17.1743	22.6615	39.8359	6.537
Wabli	24WCRC018	24RRC1554	426622.00	7247776.00	27	28	12.69	6.89	3.06	2.81	1.7	0.76	7.25	0.72	10.67	4.68	1.27	1.15	1.38	0.36	0.012	0.54	26.8	4.11	10.1	48.168	34.7697	82.9377	10.9285
Wabli	24WCRC018	24RRC1555	426622.00	7247776.00	28	29	352.38	11.63	14.92	9.2	15.27	2.97	181.65	1.75	30.14	111.74	35.05	19.38	2.8	2.37	0.09	1.44	81.34	10.74	198.8	152.9914	860.4627	1013.4541	192.5922
Wabli	24WCRC018	24RRC1559	426622.00	7247776.00	29	30	456.09	8.69	15.38	9.35	17.81	3.07	238.3	1.52	39.66	141.11	44.34	23.13	3.04	2.58	0.098	1.4	75.48	9.89	252.6	145.3357	1107.3357	1252.6715	238.8485
Wabli	24WCRC018	24RRC1560	426622.00	7247776.00	30	31	445.17	19.29	14.31	8.62	16.7	2.79	240.5	1.37	42.98	137.51	44	22.72	2.73	2.4	0.105	1.23	71.82	8.52	273.1	136.1679	1089.8719	1226.0398	232.7989
Wabli	24WCRC018	24RRC1561	426622.00	7247776.00	31	32	467.27	21.41	15.28	9.39	16.81	3.02	252.17	1.56	44.78	142.41	45.5	23.04	3.28	2.52	0.108	1.52	77.98	9.48	288.7	148.0293	1138.6947	1286.724	241.581
Wabli	24WCRC018	24RRC1562	426622.00	7247776.00	32	33	473.08	18.06	14.62	8.02	17.24	2.66	253.55	1.33	42.67	144.79	46.7	23.61	2.93	2.4	0.119	1.18	68	8.32	316.4	130.5073	1152.9594	1283.4667	244.9082
Wabli	24WCRC018	24RRC1563	426622.00	7247776.00	33	34	538.81	55.76	16.39	9.23	20.72	3.14	290.54	1.42	57.89	166.95	52.69	28.16	4.48	2.92	0.174	1.28	86.72	8.99	294.3	159.8358	1319.5881	1479.424	280.6358
Wabli	24WCRC018	24RRC1564	426622.00	7247776.00	34	35	480.86	52.18	13.14	6.46	17.76	2.28	257	1.05	55.49	150.85	47.35	25.14	4.24	2.39	0.158	0.93	64.47	6.53	279.1	119.4529	1176.6269	1296.0798	251.0516
Wabli	24WCRC018	24RRC1565	426622.00	7247776.00	35	36	519.8	47.64	15.08	8.15	19.28	2.82	272.51	1.35	57.6	162.29	50.88	27.64	4.44	2.68	0.186	1.24	73.83	8.56	326.8	139.4646	1265.1612	1404.6259	271.2278
Wabli	24WCRC018	24RRC1566	426622.00	7247776.00	36	37	556.99	57.12	18.67	10.8	22.11	3.57	293.48	1.77	60.77	170.96	54.02	29.37	4.9	3.21	0.195	1.59	97.38	11.4	393.6	182.115	1354.6792	1536.7943	289.8778
Wabli	24WCRC018	24RRC1567	426622.00	7247776.00	37	38	573.82	52.47	12.94	6.22	18.93	2.29	307.15	1.05	60.78	176.32	55.94	28.91	4.1	2.5	0.289	0.89	64.9	6.25	338.8	119.2713	1395.6756	1514.9469	291.038
Wabli	24WCRC018	24RRC1568	426622.00	7247776.00	38	39	584.84	21.79	16.16	7.76	21.25	2.83	317.06	1.17	39.13	180.91	56.9	29.79	2.69	2.98	0.173	1.15	72.48	7.92	304.7	137.8719	1431.5052	1569.3771	301.8119
Wabli	24WCRC018	24RRC1569	426622.00	7247776.00	39	40	556.76	16.93	17.7	9.18	22.01	3.25	297.4	1.34	33.94	176.09	55.49	30.07	2.35	3.12	0.105	1.28	81.25	9.02	300.9	154.6402	1367.925	1522.5653	296.4184
Wabli	24WCRC018	24RRC1571	426622.00	7247776.00	40	41	541.54	17.17	16.96	9.15	20.73	3.27	290.82	1.49	35.79	166.7	52.73	27.99	3.57	2.98	0.112	1.33	93.91	11.41	227.8	172.641	1323.1419	1495.783	281.1173
Wabli	24WCRC018	24RRC1572	426622.00	7247776.00	41	42	70.26	20.34	6.6	3.78	5.28	1.27	35.47	0.7	26.6	23.48	7.14	5.39	11.65	0.96	0.343	0.61	27.55	4.61	47.5	56.2089	176.967	233.176	44.7175
Wabli	24WCRC018	24RRC1573	426622.00	7247776.00	42	43	339.04	7.93	15.63	9.6	14.86	3.09	180.09	1.71	40.44	106.8	33.31	18.47	6.81	2.35	0.142	1.49	81.94	11.56	168.9	156.0849	832.566	988.651	185.5192
Wabli	24WCRC018	24RRC1574	426622.00	7247776.00	43	44	443.16	7.59	18.1	11.57	18.1	3.74	236.17	1.92	42.84	137.04	43.31	23.34	3.66	2.79	0.136	1.81	104.56	12.48	220	192.8115	1083.1134	1275.925	236.2255
Wabli	24WCRC018	24RRC1575	426622.00	7247776.00	44	45	470.9	9.34	18.04	11.09	19.08	3.67	249.01	1.85	42.71	146.48	45.86	24.2	3.15	2.88	0.14	1.64	102.72	11.86	227.7	188.9031	1148.5911	1337.4942	250.3542
Wabli	24WCRC018	24RRC1576	426622.00	7247776.00	45	46	427.2	8.03	17.24	10.84	17.08	3.53	227.28	1.88	43.29	132.47	41.65	22.45	4.42	2.65	0.14	1.68	97.45	12.05	252.8	180.8719	1043.4587	1224.3307	227.7378
Wabli	24WCRC018	24RRC1577	426622.00	7247776.00	46	47	437.12	6.41	15.88	10.1	17.24	3.19	233.14	1.66	40.55	134.91	42.03	22.72	3.5	2.6	0.138	1.5	88.7	10.9	241.7	165.1397	1066.3303	1231.4701	229.4232