13 January 2025

### Drilling update and activities ramp up for 2025

**Wia Gold Limited** (ASX: WIA) (**Wia** or the **Company**) is pleased to report assay results for ten (10) RC drillholes and eight (8) diamond drillholes (including diamond tails) completed and the acceleration of activities at the 2.12Moz<sup>1</sup> Kokoseb Gold discovery (**Kokoseb**) in Namibia.

#### **Highlights:**

- Central high-grade area delivers further significant intercepts, including:
  - o 19.8m at 2.28 g/t Au from 286.8m, including 6.0m at 4.52 g/t Au in KDD039
  - o 21.9m at 4.32 g/t Au from 329.7m, including 9.7m at 7.27 g/t Au in KDD040
- NW Zone strongly mineralised shoot depth extensional drilling returns thicker mineralisation, with an unconstrained intercept of 89.6m at 0.90 g/t Au in KDD042, including the following significant intercepts:
  - o 18.5m at 1.09 g/t Au from 358.0m
  - o 12.0m at 2.08 g/t Au from 383.0m
  - o 16.9m at 0.95 g/t Au from 430.7m
- Complementary and extensional drilling along strike of Kokoseb continues to return strong and coherent gold mineralisation, with most significant intercepts including:
  - 26.4m at 1.49 g/t Au from 164.7m in KDD044
  - 26m at 1.34 g/t Au from 335m in KRC305
  - 11.0m at 2.04 g/t Au from 284.8m in KRD307
  - 16.0m at 1.35 g/t Au from 299.8m in KRD307
- Activity ramp up planned for 2025 includes:
  - o The addition of 2 further RC rigs in addition to the existing 1 RC and 2 DD rigs.
  - Focus on proving up additional resources in Central, NW and Northern Zones, plus conversion of inferred to indicated
  - Appointment of consultants focussing on mine scheduling and design, additional metallurgical test work, environmental studies, hydrology studies, process plant engineering, non-process site infrastructure, tailings disposal, energy and power supply and capital and operating costs.

#### Commenting in the results, Wia Executive Chairman, Josef El-Raghy, said:

"The current and planned drilling campaigns are building upon the significant exploration success to date at Kokoseb, which has progressed rapidly from a greenfield discovery to the current resource of 2.12Moz¹. These results demonstrate the significant potential we have in the Central Zone at depth, demonstrating remarkable consistency of grade, which is also reflected along strike in the NW and Northern Zones. The deposit remains open in all directions, at depth and, with the newly discovered mineralisation in the Eastern Zone, there remains significant scope for additional resource growth. Wia is committed to delivering a Scoping Study during 2025 as Kokoseb moves into its next phase of its development whilst maintaining a firm focus on exploration."

130 Hay Street, Subiaco WA 6008 E info@wiagold.com.au

<sup>&</sup>lt;sup>1</sup> See ASX announcement dated 16 April 2024 for further information on previously reported Kokoseb MRE.






Figure 1 – Drill holes location on Kokoseb geology and interpreted surface mineralisation footprint, location of all cross sections of this announcement and significant intercepts on drill holes reported in this announcement<sup>2</sup>

<sup>&</sup>lt;sup>2</sup> Intercept calculated using 0.5 g/t cut-off grade and 2m max consecutive internal low grade.



#### **High-grade shoot extensions at Central Zone**

Extensional drilling to explore the continuation of high-grade mineralisation near KRC086 continues with latest success returned from diamond drillholes KDD039 and KDD040 (Figure 1). Diamond hole KDD040 has intersected 21.9m at 4.32 g/t Au, including a higher-grade portion of 9.7m at 7.27 g/t Au, located 50m north of KRC086. Further 230m north of KDD040, KDD039 has intersected 19.8m at 2.28 g/t Au, including a higher-grade portion of 6.0m at 4.52 g/t Au. The area between KDD039 and KDD040 has not been drilled to date, as previously drilling focussed on either the higher or lower depths along the same strike. This section is currently being tested. The high-grade shoot remains open on its southern side, where drillholes are also programmed.

#### NW Zone strongly mineralised shoot - getting thicker with depth

Diamond drillhole KDD042 is the deepest hole completed to date within the NW Zone's strongly mineralised shoot (Figures 1 and 2). It intersected gold mineralisation at a vertical depth of approximatively 340m, yielding an unconstrained intercept of 89.6m at 0.90 g/t Au. The overall mineralised envelope at this location corresponds to a true width of 95m, based on a 0.2 g/t Au cutoff grade. Within this broader intercept are higher-grade intervals, including 18.5m at 1.09 g/t Au and 12.0m at 2.08 g/t Au.

On the same cross-section, diamond drill hole KDD044 was drilled at mid-depth to collect a composite sample for detailed metallurgical test work. This hole returned significant results, including 26.4m at 1.49 g/t Au.

Additional drill holes reported here target the Gap Zone, Eastern Zone, and Northern Zone, providing extensional and complementary data to the current resource base. All significant intercepts are detailed below:




Figure 2 - Cross section at NW Zone, including KDD042 and KDD044 (intercepts in black previously reported)3

<sup>&</sup>lt;sup>3</sup> See ASX announcement dated 17 October 2022, 15 March 2023, 5 April 2023, 13 December 2023, 5 February 2024 and 20 May 2024.



19.8m at 2.28 g/t Au from 286.8m in KDD039 (Central Zone high-grade area)

4.6m at 1.35 g/t Au from 294.2m in KDD040 (Central Zone high-grade area)

21.9m at 4.32 g/t Au from 329.7m in KDD040 (Central Zone high-grade area)

11.0m at 1.28 g/t Au from 460.5m in KDD041 (Central Zone)

18.5m at 1.09 g/t Au from 358.0m in KDD042 (NW Zone)

12.0m at 2.08 g/t Au from 383.0m in KDD042 (NW Zone)

16.9m at 0.95 g/t Au from 430.7m in KDD042 (NW Zone)

26.4m at 1.49 g/t Au from 164.7m in KDD044 (NW Zone)

3m at 1.46 g/t Au from 324m in KRC305 (NW Zone)

26m at 1.34 g/t Au from 335m in KRC305 (NW Zone)

11m at 1.16 g/t Au from 315m in KRC308 (Gap Zone)

6m at 2.04 g/t Au from 299m in KRC309 (Gap Zone)

9.0m at 1.01 g/t Au from 132m in KRC310 (Eastern Zone)

13m at 1.18 g/t Au from 137m in KRC311 (Eastern Zone)

8m at 1.05 g/t Au from 51m in KRC312 (Eastern Zone)

7m at 1.95 g/t Au from 190m at KRC314 (Eastern Zone)

5m at 2.22 g/t Au from 109m at KRC315 (Eastern Zone)

4.0m at 1.12 g/t Au from 447.3 in KRD306 (Northern Zone)

5.0m at 1.16 g/t Au from 276.0m in KRD307 (Northern Zone)

11.0m at 2.04 g/t Au from 284.8m in KRD307 (Northern Zone)

16.0m at 1.35 g/t Au from 299.8m in KRD307 (Northern Zone)

Drilling activities will be bolstered in January with 2 additional RC rigs (a total of 3 RC Rigs). RC drilling will focus to shallow depth resource conversion, initially targeting infill drilling. The current 2 diamond rigs will continue depth exploration at the high-grade mineralised shoots (mainly at the Central Zone).

The Company is committed to being an exploration and development company and as such has ramped up activities to progress the project with many of these activities underway or due to commence in the current quarter.

This announcement has been authorised for release by the board of directors of Wia Gold Limited.

#### **Contact details**

Josef El-Raghy Executive Chairman +61 8 9420 8270 Bobby Morse/George Pope Burson Buchanan +44 20 7466 5000 wia@buchanancomms.co.uk

#### **Competent Person's Statement**

The information in this announcement that relates to exploration results at the Kokoseb Gold Deposit located on the Company's Damaran Gold Project is based on information compiled by Company geologists and reviewed by Mr Pierrick Couderc, in his capacity as Exploration Manager of Wia Gold Limited. Mr. Couderc is a member of both the Australian Institute of Mining and Metallurgy and the Australian Institute of Geoscientists and has sufficient experience which is relevant to the style of



mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2012 edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves. Mr. Couderc consents to the inclusion in the report of the matters based upon the information in the form and context in which it appears.

#### Reference to previous ASX Announcements

In relation to previously reported exploration results included in this announcement, the dates of which are referenced, the Company confirms that it is not aware of any new information or data that materially affects the information included in those announcements.

In relation to the information in this announcement that relates to the Mineral Resource Estimate for the Kokoseb Project that was first reported on 16 April 2024, other than subsequently released drilling results, WIA confirms that it is not aware of any new information or data that materially affects the information included in that release. All material assumptions and technical parameters underpinning the estimates in that ASX release continue to apply and have not materially changed.

#### **About The Kokoseb Gold Deposit**

The Kokoseb Gold Deposit is located in the north-west of Namibia, a country that is a well-recognised mining jurisdiction, with an established history as a significant producer of uranium, diamonds, gold and base metals. The Kokoseb gold deposit is situated 320km by road from the capital Windhoek.

Kokoseb lies in the Okombahe exploration licence, which is held under joint venture (Wia 80%) with the state-owed mining company Epangelo. The Okombahe licence is part of Wia's larger Damaran Project, which consist of 12 tenements with a total area of over 2,700km<sup>2</sup>.

An updated Inferred Mineral Resource Estimate of 2.12Moz at 1.0 g/t Au, at a cut-off grade of 0.5 g/t Au, including a higher-grade gold portion of 1.53Moz at 1.4 g/t Au using a cut-off grade of 0.8 g/t Au, was recently announced on 16 April 2024 and at a discovery cost of less than US\$3/oz.

The location of Kokoseb and the Company's Namibian Projects is shown in Figure 4 below.




Figure 3 - Location of Wia's Namibia Projects



| Cut-off | Tonnes | Au   | Au   |
|---------|--------|------|------|
| Au g/t  | (Mt)   | g/t  | Moz  |
| 0.20    | 130    | 0.69 | 2.88 |
| 0.25    | 115    | 0.75 | 2.77 |
| 0.30    | 100    | 0.80 | 2.57 |
| 0.40    | 83     | 0.91 | 2.43 |
| 0.50    | 66     | 1.0  | 2.12 |
| 0.60    | 53     | 1.2  | 2.04 |
| 0.80    | 34     | 1.4  | 1.53 |
| 1.00    | 23     | 1.7  | 1.26 |

Table 1 – Kokoseb Inferred Mineral Resource estimates for selected cut-off grades. The estimates in this table are rounded to reflect their precision. They are based on drilling data available at 4 April 2024. The Competent Person responsible for the data informing the estimates is Pierrick Couderc, Wia Group Exploration Manager. The Competent Person responsible for resource modelling is Jonathon Abbott MAIG, Director of Matrix Resource Consultants Pty Ltd. The Resources are constrained by an optimised pit shell using a metal price of US\$1,800/oz and process recovery of 92%.



Appendix 1. Kokoseb – Location of diamond and RC drillholes

| Hole ID | Easting | Northing | RL   | Length (m) | Dip (°) | Azi (°) |
|---------|---------|----------|------|------------|---------|---------|
| KDD039  | 525860  | 7660490  | 1073 | 375        | -60     | 110     |
| KDD040  | 525745  | 7660324  | 1069 | 387        | -60     | 118     |
| KDD041  | 526043  | 7660767  | 1072 | 519        | -60     | 80      |
| KDD042  | 526667  | 7661235  | 1080 | 471        | -60     | 200     |
| KDD044  | 526584  | 7661014  | 1078 | 237        | -60     | 200     |
| KRC305  | 526555  | 7661036  | 1077 | 391        | -60     | 280     |
| KRC308  | 525394  | 7659047  | 1059 | 376        | -60     | 75      |
| KRC309  | 525453  | 7658953  | 1058 | 342        | -60     | 78      |
| KRC310  | 528347  | 7660160  | 1072 | 162        | -60     | 220     |
| KRC311  | 528422  | 7660082  | 1071 | 180        | -60     | 220     |
| KRC312  | 528524  | 7659758  | 1068 | 151        | -55     | 270     |
| KRC313  | 528573  | 7659655  | 1067 | 137        | -55     | 270     |
| KRC314  | 528253  | 7660608  | 1076 | 230        | -60     | 200     |
| KRC315  | 528490  | 7659853  | 1071 | 175        | -60     | 270     |
| KRC316  | 528600  | 7659363  | 1064 | 200        | -60     | 270     |
| KRD300  | 526521  | 7661137  | 1078 | 351        | -60     | 280     |
| KRD306  | 526973  | 7661202  | 1085 | 603        | -60     | 200     |
| KRD307  | 526982  | 7661053  | 1081 | 375        | -60     | 195     |

Appendix 2. Diamond and RC drill holes gold assays, using a cut-off grade of 0.2 g/t gold and max 2m consecutive internal waste material

| Hole ID | From (m) | To (m) | Gold g/t |
|---------|----------|--------|----------|
| KDD039  | 259.66   | 260.6  | 0.426    |
| KDD039  | 260.6    | 261.6  | 0.036    |
| KDD039  | 261.6    | 262.6  | 0.143    |
| KDD039  | 262.6    | 263.6  | 0.582    |
| KDD039  | 274.1    | 275.1  | 0.305    |
| KDD039  | 275.1    | 276.1  | 0.181    |
| KDD039  | 276.1    | 277.1  | 0.303    |
| KDD039  | 277.1    | 278.1  | 0.078    |
| KDD039  | 278.1    | 279.1  | 0.675    |
| KDD039  | 279.1    | 280.1  | 0.16     |
| KDD039  | 280.1    | 280.8  | 0.041    |
| KDD039  | 280.8    | 281.8  | 0.956    |
| KDD039  | 281.8    | 282.8  | 0.366    |
| KDD039  | 282.8    | 283.8  | 0.089    |
| KDD039  | 283.8    | 284.8  | 0.211    |
| KDD039  | 284.8    | 285.8  | 0.193    |
| KDD039  | 285.8    | 286.8  | 0.161    |
| KDD039  | 286.8    | 287.8  | 0.654    |
| KDD039  | 287.8    | 288.8  | 0.38     |
| KDD039  | 288.8    | 289.8  | 4.21     |
| KDD039  | 289.8    | 290.8  | 0.656    |
| KDD039  | 290.8    | 291.8  | 0.904    |
| KDD039  | 291.8    | 292.7  | 0.57     |
| KDD039  | 292.7    | 293.7  | 1.11     |
| KDD039  | 293.7    | 294.7  | 0.41     |
| KDD039  | 294.7    | 295.7  | 0.581    |
| KDD039  | 295.7    | 296.7  | 0.36     |
| KDD039  | 296.7    | 297.7  | 1.155    |
| KDD039  | 297.7    | 298.7  | 3.31     |
| KDD039  | 298.7    | 299.7  | 2.76     |

| Hole ID | From (m) | To (m) | Gold g/t |
|---------|----------|--------|----------|
| KDD039  | 299.7    | 300.7  | 11.65    |
| KDD039  | 300.7    | 301.7  | 2.69     |
| KDD039  | 301.7    | 302.7  | 5.55     |
| KDD039  | 302.7    | 303.7  | 0.357    |
| KDD039  | 303.7    | 304.6  | 3.9      |
| KDD039  | 304.6    | 305.6  | 0.787    |
| KDD039  | 305.6    | 306.6  | 3.63     |
| KDD039  | 306.6    | 307.3  | 0.302    |
| KDD039  | 321.8    | 322.8  | 1.375    |
| KDD039  | 322.8    | 323.7  | 3.77     |
| KDD039  | 323.7    | 324.3  | 1.005    |
| KDD039  | 324.3    | 324.8  | 0.163    |
| KDD039  | 324.8    | 325.8  | 0.298    |
| KDD039  | 325.8    | 326.71 | 0.361    |
| KDD039  | 326.71   | 327.21 | 0.007    |
| KDD039  | 327.21   | 328.2  | 0.823    |
| KDD039  | 331.82   | 332.7  | 0.428    |
| KDD039  | 332.7    | 333.7  | 0.308    |
| KDD039  | 333.7    | 334.7  | 0.108    |
| KDD039  | 334.7    | 335.7  | 0.156    |
| KDD039  | 335.7    | 336.3  | 0.264    |
| KDD039  | 336.3    | 336.9  | 0.596    |
| KDD040  | 183.9    | 184.9  | 0.773    |
| KDD040  | 184.9    | 185.9  | 0.689    |
| KDD040  | 185.9    | 186.9  | 0.264    |
| KDD040  | 186.9    | 187.9  | 0.101    |
| KDD040  | 187.9    | 188.9  | 0.221    |
| KDD040  | 188.9    | 189.9  | 0.141    |
| KDD040  | 189.9    | 190.6  | 0.017    |
| KDD040  | 190.6    | 191.6  | 0.203    |



| Hole ID | From (m) | To (m) | Gold g/t |
|---------|----------|--------|----------|
| KDD040  | 191.6    | 192.4  | 0.022    |
| KDD040  | 192.4    | 193.2  | 0.446    |
| KDD040  | 233.6    | 234.6  | 1.25     |
| KDD040  | 234.6    | 235.6  | 0.038    |
| KDD040  | 235.6    | 236.6  | 0.066    |
| KDD040  | 236.6    | 237.6  | 0.324    |
| KDD040  | 237.6    | 238.6  | 0.028    |
| KDD040  | 238.6    | 239.6  | 0.061    |
| KDD040  | 239.6    | 240.6  | 0.488    |
| KDD040  | 240.6    | 241.6  | 0.248    |
| KDD040  | 241.6    | 242.6  | 0.4      |
| KDD040  | 242.6    | 243.6  | 0.17     |
| KDD040  | 243.6    | 244.6  | 0.203    |
| KDD040  | 244.6    | 245.6  | 0.039    |
| KDD040  | 245.6    | 246.6  | 0.128    |
| KDD040  | 246.6    | 247.6  | 0.321    |
| KDD040  | 294.2    | 295.2  | 1.54     |
| KDD040  | 295.2    | 296.2  | 0.872    |
| KDD040  | 296.2    | 296.9  | 0.19     |
| KDD040  | 296.9    | 297.8  | 0.151    |
| KDD040  | 297.8    | 298.8  | 3.54     |
| KDD040  | 298.8    | 299.8  | 0.08     |
| KDD040  | 299.8    | 300.2  | 0.173    |
| KDD040  | 300.2    | 301.15 | 0.307    |
| KDD040  | 301.15   | 301.65 | 0.04     |
| KDD040  | 301.65   | 302.6  | 0.187    |
| KDD040  | 302.6    | 303.6  | 0.301    |
| KDD040  | 303.6    | 304.6  | 0.299    |
| KDD040  | 304.6    | 305.6  | 0.656    |
| KDD040  | 305.6    | 306.6  | 0.163    |
| KDD040  | 306.6    | 307.6  | 0.515    |
| KDD040  | 307.6    | 308.6  | 0.476    |
| KDD040  | 308.6    | 309.6  | 0.165    |
| KDD040  | 309.6    | 310.3  | 0.541    |
| KDD040  | 310.3    | 311.3  | 0.035    |
| KDD040  | 311.3    | 311.8  | 0.062    |
| KDD040  | 311.8    | 312.5  | 0.611    |
| KDD040  | 312.5    | 313    | 0.017    |
| KDD040  | 313      | 314    | 0.274    |
| KDD040  | 314      | 315    | 0.382    |
| KDD040  | 315      | 316    | 0.127    |
| KDD040  | 316      | 317    | 0.311    |
| KDD040  | 317      | 318    | 0.219    |
| KDD040  | 329.7    | 330.7  | 0.528    |
| KDD040  | 330.7    | 331.3  | 0.057    |
| KDD040  | 331.3    | 332.3  | 1.485    |
| KDD040  | 332.3    | 332.8  | 0.551    |
| KDD040  | 332.8    | 333.4  | 0.117    |
| KDD040  | 333.4    | 333.9  | 4.9      |
| KDD040  | 333.9    | 334.9  | 30.9     |
| KDD040  | 334.9    | 335.9  | 22.3     |
| KDD040  | 335.9    | 336.5  | 8.3      |
| KDD040  | 336.5    | 337.5  | 0.145    |
| KDD040  | 337.5    | 338.5  | 0.244    |
| KDD040  | 338.5    | 339.5  | 0.72     |
| KDD040  | 339.5    | 340.5  | 5.97     |
| KDD040  | 340.5    | 341.2  | 2.48     |
| KDD040  | 341.2    | 342.1  | 0.297    |
| KDD040  | 342.1    | 343.1  | 0.799    |
| KDD040  | 343.1    | 344.1  | 3.03     |

| Hole ID          | From (m)       | To (m)         | Gold g/t       |
|------------------|----------------|----------------|----------------|
| KDD040           | 344.1          | 344.7          | 1.315          |
| KDD040           | 344.7          | 345.2          | 0.213          |
| KDD040           | 345.2          | 345.9          | 0.315          |
| KDD040           | 345.9          | 346.9          | 5.01           |
| KDD040           | 346.9          | 347.9          | 4.35           |
| KDD040           | 347.9          | 348.9          | 2.07           |
| KDD040           | 348.9          | 349.6          | 0.832          |
| KDD040           | 349.6          | 350.1          | 0.469          |
| KDD040           | 350.1          | 350.6          | 0.011          |
| KDD040           | 350.6          | 351.6          | 5.39           |
| KDD041           | 434.3          | 435.3          | 0.249          |
| KDD041           | 435.3          | 436.15         | 0.194          |
| KDD041           | 436.15         | 437.06         | 0.207          |
| KDD041           | 437.06         | 438.06         | 0.257          |
| KDD041           | 438.06         | 439.06         | 0.186          |
| KDD041           | 439.06         | 440.06         | 0.694          |
| KDD041           | 440.06         | 441.06         | 0.507          |
| KDD041           | 444.06         | 444.71         | 0.297          |
| KDD041           | 444.71         | 445.5          | 0.007          |
| KDD041           | 445.5          | 446.5          | 0.246          |
| KDD041           | 446.5          | 447.5          | 0.604          |
| KDD041           | 447.5          | 448.5          | 0.237          |
| KDD041           | 448.5          | 449.5          | 0.013          |
| KDD041           | 449.5          | 450.5          | 0.081          |
| KDD041           | 450.5          | 451.5          | 0.278          |
| KDD041           | 451.5          | 452.5          | 0.84           |
| KDD041           | 452.5          | 453.5          | 0.134          |
| KDD041           | 453.5          | 454.5          | 0.451          |
| KDD041           | 454.5          | 455.5          | 0.388          |
| KDD041           | 455.5          | 456.5          | 0.522          |
| KDD041           | 456.5          | 457.5          | 0.133          |
| KDD041           | 457.5          | 458.5          | 0.401          |
| KDD041           | 458.5          | 459.5          | 0.047          |
| KDD041           | 459.5          | 460.5          | 0.043          |
| KDD041           | 460.5          | 461.5          | 1.885          |
| KDD041<br>KDD041 | 461.5<br>462.5 | 462.5<br>463.5 | 0.359<br>0.382 |
| KDD041           |                |                |                |
| KDD041           | 463.5<br>464.5 | 464.5<br>465.5 | 0.554<br>0.062 |
| KDD041           | 465.5          | 466.5          | 0.636          |
| KDD041           | 466.5          | 467.5          | 2.11           |
| KDD041           | 467.5          | 468.5          | 1.82           |
| KDD041           | 468.5          | 469.5          | 4.18           |
| KDD041           | 469.5          | 470.5          | 0.249          |
| KDD041           | 470.5          | 471.5          | 1.855          |
| KDD041           | 471.5          | 472.5          | 0.291          |
| KDD041           | 472.5          | 473.5          | 0.326          |
| KDD041           | 473.5          | 474.5          | 0.204          |
| KDD041           | 474.5          | 475.5          | 0.48           |
| KDD041           | 475.5          | 476.5          | 0.385          |
| KDD041           | 476.5          | 477.5          | 0.076          |
| KDD041           | 477.5          | 478.5          | 0.525          |
| KDD041           | 478.5          | 479.5          | 0.334          |
| KDD041           | 479.5          | 480.5          | 0.212          |
| KDD041           | 480.5          | 481.5          | 0.534          |
| KDD041           | 481.5          | 482.5          | 0.12           |
| KDD041           | 482.5          | 483.5          | 1.515          |
| KDD041           | 491.75         | 492.75         | 0.41           |
| KDD041           | 492.75         | 493.75         | 0.075          |
| KDD041           | 493.75         | 494.55         | 7.25           |



| Hole ID | From (m) | To (m) | Gold g/t |
|---------|----------|--------|----------|
| KDD041  | 494.55   | 495.55 | 0.322    |
| KDD041  | 495.55   | 496.55 | 0.55     |
| KDD041  | 496.55   | 497.55 | 0.212    |
| KDD042  | 344      | 345    | 0.483    |
| KDD042  | 345      | 346    | 0.806    |
| KDD042  | 346      | 347    | 0.411    |
| KDD042  | 347      | 348    | 0.496    |
| KDD042  | 352      | 353    | 0.375    |
| KDD042  | 353      | 354    | 0.087    |
| KDD042  | 354      | 355    | 0.116    |
| KDD042  | 355      | 356    | 0.334    |
| KDD042  | 356      | 357    | 0.113    |
| KDD042  | 357      | 358    | 0.052    |
| KDD042  | 358      | 359    | 1.305    |
| KDD042  | 359      | 360    | 0.307    |
| KDD042  | 360      | 361    | 0.685    |
| KDD042  | 361      | 362    | 0.566    |
| KDD042  | 362      | 363    | 0.429    |
| KDD042  | 363      | 364    | 3.35     |
| KDD042  | 364      | 365.67 | 1.035    |
| KDD042  | 365.67   | 366.67 | 0.691    |
| KDD042  | 366.67   | 367.67 | 0.387    |
| KDD042  | 367.67   | 368.67 | 1.75     |
| KDD042  | 368.67   | 369.67 | 0.582    |
| KDD042  | 369.67   | 370.49 | 0.867    |
| KDD042  | 370.49   | 371.49 | 0.871    |
| KDD042  | 371.49   | 372.49 | 1.615    |
| KDD042  | 372.49   | 373.49 | 0.901    |
| KDD042  | 373.49   | 374.49 | 1.15     |
| KDD042  | 374.49   | 375.49 | 1.655    |
| KDD042  | 375.49   | 376.49 | 1.43     |
| KDD042  | 376.49   | 377.49 | 0.356    |
| KDD042  | 383      | 384    | 0.84     |
| KDD042  | 384      | 385    | 0.928    |
| KDD042  | 385      | 386    | 1.785    |
| KDD042  | 386      | 387    | 2.31     |
| KDD042  | 387      | 388    | 2.72     |
| KDD042  | 388      | 389    | 1.675    |
| KDD042  | 389      | 390    | 1.02     |
| KDD042  | 390      | 391    | 2.28     |
| KDD042  | 391      | 392    | 2.5      |
| KDD042  | 392      | 393    | 5.98     |
| KDD042  | 393      | 394    | 0.868    |
| KDD042  | 394      | 395    | 2.06     |
| KDD042  | 400.81   | 401.68 | 0.452    |
| KDD042  | 401.68   | 402.68 | 1.445    |
| KDD042  | 402.68   | 403.68 | 0.394    |
| KDD042  | 403.68   | 404.68 | 0.359    |
| KDD042  | 404.68   | 405.68 | 0.108    |
| KDD042  | 405.68   | 406.68 | 0.382    |
| KDD042  | 406.68   | 407.68 | 0.175    |
| KDD042  | 407.68   | 408.42 | 0.41     |
| KDD042  | 408.42   | 409.34 | 1.965    |
| KDD042  | 418.85   | 419.82 | 0.76     |
| KDD042  | 419.82   | 421.65 | 0.018    |
| KDD042  | 421.65   | 422.65 | 1.035    |
| KDD042  | 422.65   | 423.65 | 1.005    |
| KDD042  | 423.65   | 424.65 | 0.925    |
| KDD042  | 424.65   | 425.65 | 1.105    |
| KDD042  | 425.65   | 426.65 | 1.64     |
|         |          |        |          |

| Hole ID          | From (m)       | To (m)         | Gold g/t       |
|------------------|----------------|----------------|----------------|
| KDD042           | 426.65         | 427.28         | 0.477          |
| KDD042           | 429.79         | 430.7          | 0.284          |
| KDD042           | 430.7          | 431.7          | 1.075          |
| KDD042           | 431.7          | 432.7          | 0.156          |
| KDD042           | 432.7          | 433.7          | 0.677          |
| KDD042           | 433.7          | 434.7          | 2.11           |
| KDD042           | 434.7          | 435.7          | 1.21           |
| KDD042           | 435.7          | 436.7          | 0.119          |
| KDD042           | 436.7          | 437.7          | 0.152          |
| KDD042           | 437.7          | 438.41         | 2.76           |
| KDD042           | 438.41         | 438.99         | 0.028          |
| KDD042           | 438.99         | 439.8          | 0.515          |
| KDD042           | 439.8          | 440.62         | 0.912          |
| KDD042           | 440.62         | 441.62         | 1.73           |
| KDD042           | 441.62         | 442.62         | 0.326          |
| KDD042           | 442.62         | 443.62         | 1.65           |
| KDD042           | 443.62         | 444.62         | 0.632          |
| KDD042           | 444.62         | 445.62         | 0.757          |
| KDD042           | 445.62         | 446.62         | 1.2            |
| KDD042           | 446.62         | 447.62         | 1.125          |
| KDD042           | 447.62         | 448.62         | 0.463          |
| KDD042           | 448.62         | 449.62         | 0.42           |
| KDD042           | 449.62         | 450.62         | 0.043          |
| KDD042           | 450.62         | 451.58         | 0.417          |
| KDD042           | 451.58         | 452.32         | 0.323          |
| KDD042           | 452.32         | 453.27         | 0.481          |
| KDD044           | 153.7          | 154.7          | 0.246          |
| KDD044           | 154.7          | 155.7          | 0.156          |
| KDD044           | 155.7          | 156.7          | 0.259          |
| KDD044<br>KDD044 | 156.7<br>157.7 | 157.7<br>158.7 | 0.301<br>0.307 |
| KDD044           | 158.7          | 159.7          | 0.307          |
| KDD044           | 159.7          | 160.7          | 0.23           |
| KDD044           | 163.7          | 164.7          | 0.368          |
| KDD044           | 164.7          | 165.7          | 0.708          |
| KDD044           | 165.7          | 166.7          | 1.84           |
| KDD044           | 166.7          | 167.7          | 1.055          |
| KDD044           | 167.7          | 168.7          | 0.661          |
| KDD044           | 168.7          | 169.7          | 0.146          |
| KDD044           | 169.7          | 170.7          | 0.274          |
| KDD044           | 170.7          | 171.7          | 0.535          |
| KDD044           | 171.7          | 172.7          | 0.263          |
| KDD044           | 172.7          | 173.7          | 1.64           |
| KDD044           | 173.7          | 174.7          | 1.915          |
| KDD044           | 174.7          | 175.7          | 1.295          |
| KDD044           | 175.7          | 176.7          | 1.045          |
| KDD044           | 176.7          | 177.7          | 2.72           |
| KDD044           | 177.7          | 178.7          | 1.665          |
| KDD044           | 178.7          | 179.6          | 1.135          |
| KDD044           | 179.6          | 180.1          | 2.59           |
| KDD044           | 180.1          | 180.8          | 0.779          |
| KDD044           | 180.8          | 181.8          | 5.12           |
| KDD044           | 181.8          | 182.8          | 1.125          |
| KDD044           | 182.8          | 183.8          | 1.47           |
| KDD044           | 183.8          | 184.8          | 2.53           |
| KDD044           | 184.8          | 185.8          | 4.28           |
| KDD044           | 185.8          | 186.8          | 0.837          |
| KDD044           | 186.8          | 187.8          | 1.02           |
| KDD044           | 187.8          | 188.8          | 1.03           |
| KDD044           | 188.8          | 189.8          | 2.3            |



| Hole ID          | From (m)   | To (m)     | Gold g/t       |
|------------------|------------|------------|----------------|
| KDD044           | 189.8      | 190.3      | 0.091          |
| KDD044           | 190.3      | 191.1      | 1.22           |
| KDD044           | 195.3      | 196.3      | 0.206          |
| KDD044           | 196.3      | 197.3      | 0.363          |
| KDD044           | 197.3      | 198.25     | 0.462          |
| KDD044           | 198.25     | 198.75     | 0.049          |
| KDD044           | 198.75     | 199.7      | 0.299          |
| KDD044           | 199.7      | 200.7      | 0.18           |
| KDD044           | 200.7      | 201.7      | 0.637          |
| KDD044           | 201.7      | 202.7      | 0.138          |
| KDD044           | 202.7      | 203.7      | 3.27           |
| KDD044           | 203.7      | 204.7      | 0.4            |
| KDD044           | 204.7      | 205.7      | 0.331          |
| KDD044           | 205.7      | 206.7      | 1.675          |
| KDD044           | 206.7      | 207.7      | 0.549          |
| KDD044           | 207.7      | 208.7      | 0.196          |
| KDD044           | 208.7      | 209.7      | 0.162          |
| KDD044           | 209.7      | 210.6      | 0.201          |
| KRC305           | 245        | 246        | 0.218          |
| KRC305           | 246        | 247        | 0.111          |
| KRC305           | 247        | 248        | 1.255          |
| KRC305           | 248        | 249        | 0.209          |
| KRC305           | 249        | 250        | 0.534          |
| KRC305           | 250        | 251        | 0.984          |
| KRC305           | 251        | 252        | 0.807          |
| KRC305           | 252        | 253        | 0.173          |
| KRC305           | 253        | 254        | 0.401          |
| KRC305           | 254        | 255        | 0.584          |
| KRC305           | 255        | 256        | 0.453          |
| KRC305           | 256        | 257        | 0.68           |
| KRC305           | 257        | 258        | 1.3            |
| KRC305           | 258        | 259        | 1.045          |
| KRC305           | 259        | 260        | 0.405          |
| KRC305           | 260        | 261        | 0.42           |
| KRC305           | 261        | 262        | 1.155          |
| KRC305           | 262        | 263        | 1.13           |
| KRC305           | 263        | 264        | 0.294          |
| KRC305           | 264<br>265 | 265        | 0.057          |
| KRC305<br>KRC305 |            | 266<br>267 | 0.016<br>0.431 |
| KRC305           | 266<br>267 | 268        | 0.431          |
| KRC305           | 268        | 269        | 0.312          |
| KRC305           | 269        | 270        | 0.457          |
| KRC305           | 270        | 271        | 0.159          |
| KRC305           | 271        | 272        | 0.95           |
| KRC305           | 318        | 319        | 0.621          |
| KRC305           | 319        | 320        | 0.04           |
| KRC305           | 320        | 321        | 0.385          |
| KRC305           | 321        | 322        | 0.415          |
| KRC305           | 322        | 323        | 0.095          |
| KRC305           | 323        | 324        | 0.238          |
| KRC305           | 324        | 325        | 2.44           |
| KRC305           | 325        | 326        | 0.657          |
| KRC305           | 326        | 327        | 1.295          |
| KRC305           | 327        | 328        | 0.303          |
| KRC305           | 335        | 336        | 1.105          |
| KRC305           | 336        | 337        | 0.26           |
| KRC305           | 337        | 338        | 0.69           |
| KRC305           | 338        | 339        | 0.071          |
| KRC305           | 339        | 340        | 0.376          |
|                  |            |            |                |

| Hole ID          | From (m)   | To (m)     | Gold g/t       |
|------------------|------------|------------|----------------|
| KRC305           | 340        | 341        | 1.335          |
| KRC305           | 341        | 342        | 2.35           |
| KRC305           | 342        | 343        | 0.274          |
| KRC305           | 343        | 344        | 3.06           |
| KRC305           | 344        | 345        | 1.085          |
| KRC305           | 345        | 346        | 0.528          |
| KRC305           | 346        | 347        | 2.19           |
| KRC305           | 347        | 348        | 1.085          |
| KRC305           | 348        | 349        | 0.2            |
| KRC305           | 349        | 350        | 2.57           |
| KRC305           | 350        | 351        | 4.07           |
| KRC305           | 351        | 352        | 2.81           |
| KRC305           | 352        | 353        | 2.3            |
| KRC305           | 353        | 354        | 1.025          |
| KRC305           | 354        | 355        | 1.465          |
| KRC305           | 355        | 356        | 3.27           |
| KRC305           | 356        | 357        | 0.357          |
| KRC305           | 357        | 358        | 0.728          |
| KRC305           | 358        | 359        | 0.948          |
| KRC305           | 359        | 360        | 0.129          |
| KRC305           | 360        | 361        | 0.5            |
| KRC305<br>KRC308 | 361<br>307 | 362        | 0.246          |
| KRC308           |            | 308        | 0.207          |
| KRC308           | 308        | 309        | 0.248          |
| KRC308           | 309<br>310 | 310<br>311 | 0.222<br>0.156 |
| KRC308           | 311        | 312        | 0.158          |
| KRC308           | 312        | 313        | 0.138          |
| KRC308           | 313        | 313        | 0.33           |
| KRC308           | 314        | 315        | 0.357          |
| KRC308           | 315        | 316        | 1.005          |
| KRC308           | 316        | 317        | 0.891          |
| KRC308           | 317        | 318        | 1.67           |
| KRC308           | 318        | 319        | 2.08           |
| KRC308           | 319        | 320        | 1.04           |
| KRC308           | 320        | 321        | 2.06           |
| KRC308           | 321        | 322        | 1.75           |
| KRC308           | 322        | 323        | 0.507          |
| KRC308           | 323        | 324        | 0.183          |
| KRC308           | 324        | 325        | 0.382          |
| KRC308           | 325        | 326        | 1.235          |
| KRC308           | 326        | 327        | 0.147          |
| KRC308           | 327        | 328        | 0.28           |
| KRC308           | 328        | 329        | 0.278          |
| KRC309           | 281        | 282        | 0.261          |
| KRC309           | 282        | 283        | 0.417          |
| KRC309           | 283        | 284        | 0.869          |
| KRC309           | 284        | 285        | 0.287          |
| KRC309           | 285        | 286        | 0.079          |
| KRC309           | 286        | 287        | 0.234          |
| KRC309           | 287        | 288        | 2.3            |
| KRC309           | 293        | 294        | 0.22           |
| KRC309           | 294        | 295        | 0.121          |
| KRC309           | 295        | 296        | 0.794          |
| KRC309           | 296        | 297        | 0.257          |
| KRC309           | 297        | 298        | 0.304          |
| KRC309<br>KRC309 | 298        | 299<br>300 | 0.038<br>1.355 |
| KRC309           | 299<br>300 | 300<br>301 | 3.82           |
|                  |            |            |                |
| KRC309           | 301        | 302        | 1.905          |



| Hole ID | From (m) | To (m) | Gold g/t |
|---------|----------|--------|----------|
| KRC309  | 302      | 303    | 2.01     |
| KRC309  | 303      | 304    | 1.715    |
| KRC309  | 304      | 305    | 1.44     |
| KRC309  | 308      | 309    | 1.57     |
| KRC309  | 309      | 310    | 0.349    |
| KRC309  | 310      | 311    | 0.899    |
| KRC309  | 311      | 312    | 0.087    |
| KRC309  | 312      | 313    | 0.249    |
| KRC309  | 313      | 314    | 0.26     |
| KRC309  | 314      | 315    | 0.301    |
| KRC309  | 315      | 316    | 0.053    |
| KRC309  | 316      | 317    | 0.167    |
| KRC309  | 317      | 318    | 0.475    |
| KRC311  | 137      | 138    | 0.632    |
| KRC311  | 138      | 139    | 1.01     |
| KRC311  | 139      | 140    | 0.57     |
| KRC311  | 140      | 141    | 0.878    |
| KRC311  | 141      | 142    | 1.57     |
| KRC311  | 142      | 143    | 1.07     |
| KRC311  | 143      | 144    | 1.885    |
| KRC311  | 144      | 145    | 2.1      |
| KRC311  | 145      | 146    | 1.08     |
| KRC311  | 146      | 147    | 0.926    |
| KRC311  | 147      | 148    | 0.985    |
| KRC311  | 148      | 149    | 1.825    |
| KRC311  | 149      | 150    | 0.869    |
| KRC312  | 51       | 52     | 0.994    |
| KRC312  | 52       | 53     | 0.409    |
| KRC312  | 53       | 54     | 1.59     |
| KRC312  | 54       | 55     | 0.657    |
| KRC312  | 55       | 56     | 0.177    |
| KRC312  | 56       | 57     | 0.806    |
| KRC312  | 57       | 58     | 0.789    |
| KRC312  | 58       | 59     | 2.95     |
| KRC313  | 104      | 105    | 0.505    |
| KRC313  | 105      | 106    | 0.155    |
| KRC313  | 106      | 107    | 0.883    |
| KRC313  | 107      | 108    | 0.458    |
| KRC313  | 108      | 109    | 0.247    |
| KRC313  | 109      | 110    | 0.328    |
| KRC314  | 126      | 127    | 0.359    |
| KRC314  | 127      | 128    | 0.179    |
| KRC314  | 128      | 129    | 0.249    |
| KRC314  | 129      | 130    | 0.104    |
| KRC314  | 130      | 131    | 0.226    |
| KRC314  | 131      | 132    | 0.273    |
| KRC314  | 132      | 133    | 1.01     |
| KRC314  | 185      | 186    | 0.268    |
| KRC314  | 186      | 187    | 0.367    |
| KRC314  | 187      | 188    | 0.092    |
| KRC314  | 188      | 189    | 0.314    |
| KRC314  | 189      | 190    | 0.098    |
| KRC314  | 190      | 191    | 0.67     |
| KRC314  | 191      | 192    | 0.313    |
| KRC314  | 192      | 193    | 0.398    |
| KRC314  | 193      | 194    | 1.855    |
| KRC314  | 194      | 195    | 7.78     |
| KRC314  | 195      | 196    | 1.475    |
| KRC314  | 196      | 197    | 1.155    |
| KRC314  | 197      | 198    | 0.148    |

| KRC314         198         199         0.285           KRC314         199         200         0.457           KRC314         200         201         0.178           KRC315         69         70         0.999           KRC315         70         71         0.155           KRC315         72         73         0.237           KRC315         72         73         0.237           KRC315         73         74         0.034           KRC315         108         109         0.467           KRC315         108         109         0.467           KRC315         109         110         1.71           KRC315         110         111         0.238           KRC315         110         111         0.238           KRC315         111         112         0.929           KRC315         111         112         0.929           KRC315         113         114         115         0.33           KRC315         113         114         115         0.33           KRC315         115         116         117         0.158           KRC316         120 </th <th>Hole ID</th> <th>From (m)</th> <th>To (m)</th> <th>Gold g/t</th>                                                                              | Hole ID  | From (m) | To (m) | Gold g/t |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|--------|----------|
| KRC314         200         201         0.178           KRC315         69         70         0.999           KRC315         69         70         0.999           KRC315         70         71         0.155           KRC315         71         72         0.063           KRC315         72         73         0.237           KRC315         74         75         0.259           KRC315         108         109         0.467           KRC315         109         110         1.71           KRC315         109         110         1.71           KRC315         110         111         0.238           KRC315         110         111         0.238           KRC315         111         112         0.929           KRC315         113         114         0.787           KRC315         113         114         0.787           KRC315         114         115         0.33           KRC315         116         117         0.158           KRC315         116         117         0.158           KRC315         116         117         0.158 <tr< th=""><th>KRC314</th><th>198</th><th>199</th><th>0.285</th></tr<>                                                                                             | KRC314   | 198      | 199    | 0.285    |
| KRC314         201         202         1.155           KRC315         69         70         0.999           KRC315         70         71         0.155           KRC315         71         72         0.063           KRC315         72         73         0.237           KRC315         74         75         0.259           KRC315         108         109         0.467           KRC315         110         111         0.238           KRC315         110         111         0.238           KRC315         110         111         0.238           KRC315         110         111         0.238           KRC315         112         113         7.42           KRC315         112         113         7.42           KRC315         114         115         0.787           KRC315         114         115         0.33           KRC315         114         115         0.421           KRC316         112         118         0.21           KRC316         126         127         0.203           KRC316         128         129         0.024 <t< th=""><th>KRC314</th><th>199</th><th>200</th><th>0.457</th></t<>                                                                                              | KRC314   | 199      | 200    | 0.457    |
| KRC315         69         70         0.999           KRC315         70         71         0.155           KRC315         71         72         0.063           KRC315         72         73         0.237           KRC315         73         74         0.034           KRC315         108         109         0.467           KRC315         109         110         1.71           KRC315         110         111         10.238           KRC315         110         111         10.238           KRC315         111         112         0.929           KRC315         113         114         0.787           KRC315         113         114         0.787           KRC315         113         114         0.787           KRC315         115         116         0.421           KRC315         117         118         0.213           KRC316         126         127         0.203           KRC316         126         127         0.203           KRC316         128         129         0.024           KRC316         158         159         0.413                                                                                                                                                              | KRC314   | 200      | 201    | 0.178    |
| KRC315         70         71         0.155           KRC315         71         72         0.063           KRC315         72         73         0.237           KRC315         74         75         0.259           KRC315         108         109         0.467           KRC315         108         109         0.467           KRC315         110         111         0.238           KRC315         110         111         0.238           KRC315         112         113         7.42           KRC315         112         113         7.42           KRC315         113         114         0.787           KRC315         113         114         0.787           KRC315         115         116         0.421           KRC315         115         116         0.421           KRC316         126         127         0.158           KRC316         126         127         128         0.224           KRC316         128         129         0.024           KRC316         158         159         0.413           KRC316         159         160         0.                                                                                                                                                      | KRC314   | 201      | 202    | 1.155    |
| KRC315         71         72         73         0.237           KRC315         72         73         0.237           KRC315         73         74         0.034           KRC315         108         109         0.0467           KRC315         108         109         110         1.71           KRC315         110         111         0.238           KRC315         111         112         0.929           KRC315         111         112         0.929           KRC315         113         114         0.787           KRC315         113         114         115         0.33           KRC315         114         115         0.33           KRC315         116         117         0.158           KRC315         116         117         0.158           KRC316         126         127         0.203           KRC316         128         129         0.024           KRC316         128         129         0.024           KRC316         130         131         0.563           KRC316         159         160         0.2           KRC316         159                                                                                                                                                      | KRC315   | 69       | 70     | 0.999    |
| KRC315         72         73         74         0.034           KRC315         73         74         0.034           KRC315         108         109         0.467           KRC315         108         109         0.467           KRC315         110         111         0.238           KRC315         111         112         0.929           KRC315         111         112         0.929           KRC315         113         114         0.787           KRC315         113         114         0.787           KRC315         115         116         0.421           KRC315         115         116         0.421           KRC315         117         118         0.213           KRC316         126         127         0.203           KRC316         126         127         0.203           KRC316         128         129         0.024           KRC316         129         130         0.615           KRC316         158         159         0.413           KRC316         159         160         0.2           KRD306         437.25         438.25                                                                                                                                                        | KRC315   | 70       | 71     | 0.155    |
| KRC315         73         74         0.034           KRC315         74         75         0.259           KRC315         108         109         0.467           KRC315         109         110         1.71           KRC315         110         111         0.238           KRC315         111         112         0.929           KRC315         113         114         0.787           KRC315         113         114         0.787           KRC315         115         116         0.421           KRC315         115         116         0.421           KRC315         117         118         0.213           KRC315         117         118         0.213           KRC316         126         127         0.203           KRC316         128         129         0.024           KRC316         129         130         0.615           KRC316         159         160         0.2           KRC316         159         160         0.2           KRC316         161         162         0.337           KRD306         438.25         438.25         0.308     <                                                                                                                                                  | KRC315   | 71       | 72     | 0.063    |
| KRC315         74         75         0.259           KRC315         108         109         0.467           KRC315         109         110         1.71           KRC315         110         111         0.238           KRC315         111         112         0.929           KRC315         113         114         0.787           KRC315         113         114         0.787           KRC315         115         116         0.421           KRC315         115         116         0.421           KRC315         117         118         0.213           KRC316         126         127         0.203           KRC316         126         127         0.203           KRC316         128         129         0.024           KRC316         129         130         0.615           KRC316         130         131         0.563           KRC316         158         159         0.413           KRC316         159         160         0.2           KRC316         160         161         0.203           KRC316         160         161         0.203 <th>KRC315</th> <th>72</th> <th>73</th> <th>0.237</th>                                                                                                   | KRC315   | 72       | 73     | 0.237    |
| KRC315         108         109         0.467           KRC315         109         110         1.71           KRC315         110         111         0.238           KRC315         111         112         0.929           KRC315         112         113         7.42           KRC315         113         114         0.787           KRC315         114         115         0.33           KRC315         116         117         0.158           KRC315         116         117         0.158           KRC315         116         117         0.158           KRC316         126         127         0.203           KRC316         126         127         0.203           KRC316         128         129         0.024           KRC316         129         130         0.615           KRC316         158         159         0.413           KRC316         159         160         0.2           KRC316         161         162         0.337           KRC316         161         162         0.337           KRD306         437.25         438.25         0.308                                                                                                                                                    | KRC315   | 73       | 74     | 0.034    |
| KRC315         109         110         1.71           KRC315         110         111         0.238           KRC315         111         112         0.929           KRC315         111         112         0.929           KRC315         113         114         0.787           KRC315         113         114         115         0.33           KRC315         115         116         0.421         0.421           KRC315         116         117         0.158         0.421           KRC315         116         117         0.158         0.421           KRC316         126         127         0.203         0.131         0.563           KRC316         128         129         0.024         0.615         0.631         0.615         0.633         0.615         0.633         0.615         0.633         0.615         0.633         0.615         0.633         0.615         0.633         0.615         0.633         0.615         0.633         0.615         0.633         0.615         0.633         0.615         0.633         0.615         0.633         0.615         0.633         0.615         0.633         0.615         0.633 </th <th>KRC315</th> <th>74</th> <th>75</th> <th>0.259</th> | KRC315   | 74       | 75     | 0.259    |
| KRC315         110         111         0.238           KRC315         111         112         0.929           KRC315         112         113         7.42           KRC315         113         114         0.787           KRC315         114         115         0.33           KRC315         116         117         0.158           KRC315         116         117         0.158           KRC315         116         117         0.158           KRC315         117         118         0.213           KRC316         126         127         0.203           KRC316         128         129         0.024           KRC316         128         129         0.024           KRC316         130         131         0.563           KRC316         158         159         0.413           KRC316         159         160         0.2           KRC316         160         161         0.203           KRC316         160         161         0.203           KRC316         159         160         0.2           KRC316         160         161         0.203 <th></th> <th>108</th> <th>109</th> <th>0.467</th>                                                                                                        |          | 108      | 109    | 0.467    |
| KRC315         111         112         0.929           KRC315         112         113         7.42           KRC315         113         114         0.787           KRC315         114         115         0.33           KRC315         116         117         0.158           KRC315         116         117         0.158           KRC316         126         127         0.203           KRC316         126         127         0.203           KRC316         128         129         0.024           KRC316         129         130         0.615           KRC316         130         131         0.563           KRC316         158         159         0.413           KRC316         159         160         0.2           KRC316         159         160         0.2           KRC316         161         162         0.337           KRC316         169         161         162         0.337           KRC316         161         162         0.337           KRC316         160         161         162         0.337           KRC316         160 <t< th=""><th></th><th></th><th></th><th></th></t<>                                                                                                         |          |          |        |          |
| KRC315         112         113         7.42           KRC315         113         114         0.787           KRC315         114         115         0.33           KRC315         115         116         0.421           KRC315         117         118         0.213           KRC316         126         127         0.203           KRC316         128         129         0.024           KRC316         128         129         0.024           KRC316         129         130         0.615           KRC316         130         131         0.563           KRC316         158         159         0.413           KRC316         159         160         0.2           KRC316         159         160         0.2           KRC316         160         161         0.203           KRC316         161         162         0.337           KRC316         160         161         0.203           KRC316         160         161         0.203           KRC316         160         161         0.203           KRC316         160         161         0.203 <th></th> <th>-</th> <th></th> <th></th>                                                                                                                  |          | -        |        |          |
| KRC315         113         114         0.787           KRC315         114         115         0.33           KRC315         115         116         0.421           KRC315         116         117         0.158           KRC315         117         118         0.213           KRC316         126         127         0.203           KRC316         128         129         0.024           KRC316         128         129         0.024           KRC316         129         130         0.615           KRC316         130         131         0.563           KRC316         158         159         0.413           KRC316         159         160         0.2           KRC316         159         160         0.2           KRC316         161         162         0.337           KRC316         161         162         0.337           KRC316         160         161         0.203           KRC316         160         161         0.203           KRC316         160         161         0.203           KRC316         160         0.6         0.2                                                                                                                                                            |          |          |        |          |
| KRC315         114         115         0.33           KRC315         115         116         0.421           KRC315         116         117         0.158           KRC315         117         118         0.213           KRC316         126         127         0.203           KRC316         128         129         0.024           KRC316         128         129         0.024           KRC316         130         131         0.563           KRC316         158         159         0.413           KRC316         158         159         0.413           KRC316         159         160         0.2           KRC316         159         160         0.2           KRC316         160         161         0.203           KRC316         160         161         0.203           KRC316         160         161         0.203           KRC316         159         160         0.2           KRC316         160         161         0.203           KRC316         160         161         0.203           KRC316         160         161         0.203                                                                                                                                                            |          |          |        |          |
| KRC315         115         116         0.421           KRC315         116         117         0.158           KRC316         126         127         0.203           KRC316         126         127         0.203           KRC316         128         129         0.024           KRC316         128         129         0.024           KRC316         130         131         0.563           KRC316         158         159         0.413           KRC316         158         159         0.413           KRC316         159         160         0.2           KRC316         160         161         0.203           KRC316         160         161         0.203           KRC316         160         161         0.203           KRC316         161         162         0.337           KRD306         437.25         438.25         0.308           KRD306         438.25         439.25         0.128           KRD306         439.25         440.25         0.245           KRD306         441.25         442.25         0.23           KRD306         442.25         443.25 <th></th> <th>-</th> <th></th> <th></th>                                                                                               |          | -        |        |          |
| KRC315         116         117         0.158           KRC315         117         118         0.213           KRC316         126         127         0.203           KRC316         127         128         0.224           KRC316         128         129         0.024           KRC316         129         130         0.615           KRC316         130         131         0.563           KRC316         158         159         0.413           KRC316         159         160         0.2           KRC316         160         161         0.203           KRC316         160         161         0.203           KRC316         160         161         0.203           KRC316         161         162         0.337           KRD306         437.25         438.25         0.308           KRD306         438.25         439.25         0.128           KRD306         439.25         440.25         0.245           KRD306         441.25         442.25         0.123           KRD306         442.25         443.25         0.13           KRD306         444.25         442.                                                                                                                                    | 11110000 |          |        |          |
| KRC315         117         118         0.213           KRC316         126         127         0.203           KRC316         127         128         0.224           KRC316         128         129         0.024           KRC316         129         130         0.615           KRC316         130         131         0.563           KRC316         158         159         0.413           KRC316         159         160         0.2           KRC316         160         161         0.203           KRC316         160         161         0.203           KRC316         160         161         0.203           KRC316         161         162         0.337           KRD306         437.25         438.25         0.308           KRD306         438.25         439.25         0.128           KRD306         439.25         440.25         0.082           KRD306         440.25         441.25         0.245           KRD306         442.25         442.25         0.123           KRD306         443.25         444.25         0.14           KRD306         445.25 <t< th=""><th>11110000</th><th></th><th></th><th></th></t<>                                                                               | 11110000 |          |        |          |
| KRC316         126         127         0.203           KRC316         127         128         0.224           KRC316         128         129         0.024           KRC316         129         130         0.615           KRC316         130         131         0.563           KRC316         158         159         0.413           KRC316         159         160         0.2           KRC316         160         161         0.203           KRC316         161         162         0.337           KRD306         437.25         438.25         0.308           KRD306         437.25         438.25         0.308           KRD306         438.25         439.25         0.128           KRD306         439.25         440.25         0.082           KRD306         440.25         441.25         0.245           KRD306         441.25         442.25         0.123           KRD306         443.25         443.25         0.113           KRD306         444.25         445.25         0.14           KRD306         445.25         446.25         0.14           KRD306         447.2                                                                                                                           |          |          |        |          |
| KRC316         127         128         0.224           KRC316         128         129         0.024           KRC316         129         130         0.615           KRC316         130         131         0.563           KRC316         158         159         0.413           KRC316         159         160         0.2           KRC316         160         161         0.203           KRC316         161         162         0.337           KRD306         437.25         438.25         0.308           KRD306         437.25         438.25         0.308           KRD306         438.25         439.25         0.128           KRD306         439.25         440.25         0.082           KRD306         440.25         441.25         0.245           KRD306         441.25         442.25         0.123           KRD306         442.25         443.25         0.113           KRD306         443.25         444.25         0.309           KRD306         444.25         445.25         0.14           KRD306         445.25         446.25         0.14           KRD306 <th< th=""><th></th><th></th><th>-</th><th></th></th<>                                                                            |          |          | -      |          |
| KRC316         128         129         0.024           KRC316         129         130         0.615           KRC316         130         131         0.563           KRC316         158         159         0.413           KRC316         159         160         0.2           KRC316         160         161         0.203           KRC316         161         162         0.337           KRD306         437.25         438.25         0.308           KRD306         438.25         439.25         0.128           KRD306         439.25         440.25         0.082           KRD306         443.25         440.25         0.082           KRD306         441.25         442.25         0.123           KRD306         441.25         442.25         0.123           KRD306         443.25         443.25         0.113           KRD306         444.25         442.25         0.14           KRD306         444.25         445.25         0.14           KRD306         446.25         447.25         0.236           KRD306         447.25         448.25         0.24           KRD306                                                                                                                              | 11110000 |          |        |          |
| KRC316         129         130         0.615           KRC316         130         131         0.563           KRC316         158         159         0.413           KRC316         159         160         0.2           KRC316         160         161         0.203           KRC316         161         162         0.337           KRD306         437.25         438.25         0.308           KRD306         438.25         439.25         0.128           KRD306         438.25         439.25         0.128           KRD306         440.25         440.25         0.082           KRD306         440.25         441.25         0.245           KRD306         441.25         442.25         0.123           KRD306         442.25         443.25         0.123           KRD306         443.25         444.25         0.309           KRD306         444.25         445.25         0.14           KRD306         444.25         445.25         0.14           KRD306         447.25         448.25         0.236           KRD306         447.25         448.25         0.244           KRD306                                                                                                                       |          |          |        |          |
| KRC316         130         131         0.563           KRC316         158         159         0.413           KRC316         159         160         0.2           KRC316         160         161         0.203           KRC316         161         162         0.337           KRD306         437.25         438.25         0.308           KRD306         438.25         439.25         0.128           KRD306         439.25         440.25         0.082           KRD306         440.25         441.25         0.245           KRD306         441.25         442.25         0.123           KRD306         441.25         442.25         0.123           KRD306         442.25         443.25         0.113           KRD306         443.25         444.25         0.309           KRD306         444.25         445.25         0.14           KRD306         444.25         445.25         0.14           KRD306         447.25         448.25         0.236           KRD306         447.25         448.25         1.035           KRD306         449.25         450.25         0.711           KRD30                                                                                                                  |          | -        |        |          |
| KRC316         158         159         0.413           KRC316         159         160         0.2           KRC316         160         161         0.203           KRC316         161         162         0.337           KRD306         437.25         438.25         0.308           KRD306         438.25         439.25         0.128           KRD306         439.25         440.25         0.082           KRD306         440.25         441.25         0.245           KRD306         441.25         442.25         0.123           KRD306         444.25         443.25         0.113           KRD306         444.25         445.25         0.14           KRD306         444.25         445.25         0.14           KRD306         445.25         446.25         0.14           KRD306         446.25         447.25         0.236           KRD306         447.25         448.25         2.04           KRD306         448.25         449.25         1.035           KRD306         450.25         450.25         0.711           KRD306         450.25         450.25         0.407           K                                                                                                                  |          |          |        |          |
| KRC316         159         160         0.2           KRC316         160         161         0.203           KRC316         161         162         0.337           KRD306         437.25         438.25         0.308           KRD306         438.25         439.25         0.128           KRD306         439.25         440.25         0.082           KRD306         440.25         441.25         0.245           KRD306         441.25         442.25         0.123           KRD306         442.25         443.25         0.113           KRD306         444.25         445.25         0.14           KRD306         444.25         445.25         0.14           KRD306         445.25         446.25         0.14           KRD306         446.25         447.25         0.236           KRD306         447.25         448.25         2.04           KRD306         447.25         448.25         1.035           KRD306         449.25         450.25         0.711           KRD306         450.25         451.25         0.686           KRD306         451.25         452.25         0.407                                                                                                                        |          |          |        |          |
| KRC316         160         161         0.203           KRC316         161         162         0.337           KRD306         437.25         438.25         0.308           KRD306         438.25         439.25         0.128           KRD306         439.25         440.25         0.082           KRD306         440.25         441.25         0.245           KRD306         441.25         442.25         0.123           KRD306         443.25         443.25         0.113           KRD306         444.25         443.25         0.14           KRD306         444.25         445.25         0.14           KRD306         445.25         446.25         0.14           KRD306         446.25         447.25         0.236           KRD306         447.25         448.25         2.04           KRD306         447.25         448.25         0.24           KRD306         449.25         450.25         0.711           KRD306         450.25         451.25         0.686           KRD306         452.25         452.25         0.407           KRD306         453.25         452.25         0.174                                                                                                                 |          |          |        |          |
| KRC316         161         162         0.337           KRD306         437.25         438.25         0.308           KRD306         438.25         439.25         0.128           KRD306         439.25         440.25         0.082           KRD306         440.25         441.25         0.245           KRD306         441.25         442.25         0.123           KRD306         442.25         443.25         0.113           KRD306         443.25         444.25         0.309           KRD306         444.25         445.25         0.14           KRD306         445.25         446.25         0.14           KRD306         446.25         447.25         0.236           KRD306         447.25         448.25         2.04           KRD306         447.25         448.25         2.04           KRD306         449.25         450.25         0.711           KRD306         450.25         451.25         0.686           KRD306         451.25         452.25         0.407           KRD306         452.25         453.25         0.25           KRD306         454.25         456.25         0.009                                                                                                           |          |          |        |          |
| KRD306         437.25         438.25         0.308           KRD306         438.25         439.25         0.128           KRD306         439.25         440.25         0.082           KRD306         440.25         441.25         0.245           KRD306         441.25         442.25         0.123           KRD306         442.25         443.25         0.113           KRD306         443.25         444.25         0.309           KRD306         444.25         445.25         0.14           KRD306         445.25         446.25         0.14           KRD306         446.25         447.25         0.236           KRD306         447.25         448.25         2.04           KRD306         449.25         449.25         1.035           KRD306         449.25         450.25         0.711           KRD306         450.25         451.25         0.686           KRD306         451.25         452.25         0.407           KRD306         452.25         453.25         0.25           KRD306         453.25         454.25         0.174           KRD306         455.25         456.25         0.009 </th <th></th> <th></th> <th>-</th> <th></th>                                                      |          |          | -      |          |
| KRD306         439.25         440.25         0.082           KRD306         440.25         441.25         0.245           KRD306         441.25         442.25         0.123           KRD306         442.25         443.25         0.113           KRD306         443.25         444.25         0.309           KRD306         444.25         445.25         0.14           KRD306         445.25         446.25         0.14           KRD306         446.25         447.25         0.236           KRD306         447.25         448.25         2.04           KRD306         448.25         449.25         1.035           KRD306         449.25         450.25         0.711           KRD306         450.25         451.25         0.686           KRD306         451.25         452.25         0.407           KRD306         452.25         453.25         0.25           KRD306         453.25         454.25         0.408           KRD306         454.25         456.25         0.009           KRD306         456.25         457.25         0.378           KRD306         456.25         459.25         0.659 </th <th>KRD306</th> <th>437.25</th> <th>438.25</th> <th>0.308</th>                                | KRD306   | 437.25   | 438.25 | 0.308    |
| KRD306         440.25         441.25         0.245           KRD306         441.25         442.25         0.123           KRD306         442.25         443.25         0.113           KRD306         443.25         444.25         0.309           KRD306         444.25         445.25         0.14           KRD306         445.25         446.25         0.14           KRD306         446.25         447.25         0.236           KRD306         447.25         448.25         2.04           KRD306         448.25         449.25         1.035           KRD306         449.25         450.25         0.711           KRD306         450.25         451.25         0.686           KRD306         451.25         452.25         0.407           KRD306         452.25         453.25         0.25           KRD306         453.25         454.25         0.408           KRD306         455.25         456.25         0.009           KRD306         456.25         457.25         0.378           KRD306         458.25         459.25         0.784           KRD306         459.25         460.25         0.917 </th <th>KRD306</th> <th>438.25</th> <th>439.25</th> <th>0.128</th>                                | KRD306   | 438.25   | 439.25 | 0.128    |
| KRD306         441.25         442.25         0.123           KRD306         442.25         443.25         0.113           KRD306         443.25         444.25         0.309           KRD306         444.25         445.25         0.14           KRD306         445.25         446.25         0.14           KRD306         446.25         447.25         0.236           KRD306         447.25         448.25         2.04           KRD306         448.25         449.25         1.035           KRD306         449.25         450.25         0.711           KRD306         450.25         451.25         0.686           KRD306         451.25         452.25         0.407           KRD306         452.25         453.25         0.25           KRD306         453.25         454.25         0.408           KRD306         455.25         456.25         0.174           KRD306         456.25         457.25         0.378           KRD306         457.25         458.25         0.659           KRD306         458.25         459.25         0.784           KRD306         459.25         460.25         0.917 </th <th>KRD306</th> <th>439.25</th> <th>440.25</th> <th>0.082</th>                                | KRD306   | 439.25   | 440.25 | 0.082    |
| KRD306         442.25         443.25         0.113           KRD306         443.25         444.25         0.309           KRD306         444.25         445.25         0.14           KRD306         445.25         446.25         0.14           KRD306         446.25         447.25         0.236           KRD306         447.25         448.25         2.04           KRD306         448.25         449.25         1.035           KRD306         449.25         450.25         0.711           KRD306         450.25         451.25         0.686           KRD306         451.25         452.25         0.407           KRD306         452.25         453.25         0.25           KRD306         453.25         454.25         0.408           KRD306         454.25         456.25         0.174           KRD306         455.25         456.25         0.009           KRD306         457.25         458.25         0.659           KRD306         458.25         459.25         0.784           KRD306         459.25         460.25         0.917           KRD306         460.25         461.25         0.188 </th <th>KRD306</th> <th>440.25</th> <th>441.25</th> <th>0.245</th>                                | KRD306   | 440.25   | 441.25 | 0.245    |
| KRD306         443.25         444.25         0.309           KRD306         444.25         445.25         0.14           KRD306         445.25         446.25         0.14           KRD306         446.25         447.25         0.236           KRD306         447.25         448.25         2.04           KRD306         448.25         449.25         1.035           KRD306         449.25         450.25         0.711           KRD306         450.25         451.25         0.686           KRD306         451.25         452.25         0.407           KRD306         452.25         453.25         0.25           KRD306         453.25         454.25         0.408           KRD306         454.25         455.25         0.174           KRD306         455.25         456.25         0.009           KRD306         456.25         457.25         0.378           KRD306         458.25         459.25         0.784           KRD306         459.25         460.25         0.917           KRD306         461.25         462.25         1.935           KRD306         461.25         462.25         1.935 </th <th>KRD306</th> <th>441.25</th> <th>442.25</th> <th>0.123</th>                                | KRD306   | 441.25   | 442.25 | 0.123    |
| KRD306         444.25         445.25         0.14           KRD306         445.25         446.25         0.14           KRD306         446.25         447.25         0.236           KRD306         447.25         448.25         2.04           KRD306         448.25         449.25         1.035           KRD306         449.25         450.25         0.711           KRD306         450.25         451.25         0.686           KRD306         451.25         452.25         0.407           KRD306         452.25         453.25         0.25           KRD306         453.25         454.25         0.408           KRD306         454.25         455.25         0.174           KRD306         455.25         456.25         0.009           KRD306         456.25         457.25         0.378           KRD306         457.25         458.25         0.659           KRD306         459.25         460.25         0.917           KRD306         460.25         461.25         0.188           KRD306         461.25         462.25         1.935           KRD306         462.25         463.25         0.448 </th <th>KRD306</th> <th>442.25</th> <th>443.25</th> <th>0.113</th>                                | KRD306   | 442.25   | 443.25 | 0.113    |
| KRD306         445.25         446.25         0.14           KRD306         446.25         447.25         0.236           KRD306         447.25         448.25         2.04           KRD306         448.25         449.25         1.035           KRD306         449.25         450.25         0.711           KRD306         450.25         451.25         0.686           KRD306         451.25         452.25         0.407           KRD306         452.25         453.25         0.25           KRD306         453.25         454.25         0.408           KRD306         454.25         455.25         0.174           KRD306         455.25         456.25         0.009           KRD306         456.25         457.25         0.378           KRD306         457.25         458.25         0.659           KRD306         459.25         460.25         0.917           KRD306         460.25         461.25         0.188           KRD306         461.25         462.25         1.935           KRD306         462.25         463.25         0.448           KRD306         462.25         463.25         0.554     <                                                                                             | KRD306   | 443.25   | 444.25 | 0.309    |
| KRD306         446.25         447.25         0.236           KRD306         447.25         448.25         2.04           KRD306         448.25         449.25         1.035           KRD306         449.25         450.25         0.711           KRD306         450.25         451.25         0.686           KRD306         451.25         452.25         0.407           KRD306         452.25         453.25         0.25           KRD306         453.25         454.25         0.408           KRD306         455.25         456.25         0.074           KRD306         455.25         456.25         0.099           KRD306         456.25         457.25         0.378           KRD306         457.25         458.25         0.659           KRD306         458.25         459.25         0.784           KRD306         459.25         460.25         0.917           KRD306         461.25         462.25         1.935           KRD306         461.25         462.25         1.935           KRD306         463.25         463.25         0.554           KRD306         463.25         464.25         0.554                                                                                                  | KRD306   | 444.25   | 445.25 | 0.14     |
| KRD306         447.25         448.25         2.04           KRD306         448.25         449.25         1.035           KRD306         449.25         450.25         0.711           KRD306         450.25         451.25         0.686           KRD306         451.25         452.25         0.407           KRD306         452.25         453.25         0.25           KRD306         453.25         454.25         0.408           KRD306         454.25         456.25         0.074           KRD306         455.25         456.25         0.009           KRD306         456.25         457.25         0.378           KRD306         457.25         458.25         0.659           KRD306         458.25         459.25         0.784           KRD306         459.25         460.25         0.917           KRD306         460.25         461.25         0.188           KRD306         461.25         462.25         1.935           KRD306         463.25         464.25         0.554           KRD306         463.25         464.25         0.554           KRD306         464.25         465.25         0.274                                                                                                  | KRD306   | 445.25   | 446.25 | 0.14     |
| KRD306         448.25         449.25         1.035           KRD306         449.25         450.25         0.711           KRD306         450.25         451.25         0.686           KRD306         451.25         452.25         0.407           KRD306         452.25         453.25         0.25           KRD306         453.25         454.25         0.408           KRD306         455.25         456.25         0.009           KRD306         456.25         457.25         0.378           KRD306         457.25         458.25         0.659           KRD306         458.25         459.25         0.784           KRD306         459.25         460.25         0.917           KRD306         460.25         461.25         0.188           KRD306         461.25         462.25         1.935           KRD306         462.25         463.25         0.448           KRD306         463.25         464.25         0.554           KRD306         464.25         465.25         0.274                                                                                                                                                                                                                           | KRD306   | 446.25   | 447.25 | 0.236    |
| KRD306         449.25         450.25         0.711           KRD306         450.25         451.25         0.686           KRD306         451.25         452.25         0.407           KRD306         452.25         453.25         0.25           KRD306         453.25         454.25         0.408           KRD306         454.25         455.25         0.174           KRD306         455.25         456.25         0.009           KRD306         456.25         457.25         0.378           KRD306         457.25         458.25         0.659           KRD306         458.25         459.25         0.784           KRD306         459.25         460.25         0.917           KRD306         461.25         462.25         1.935           KRD306         461.25         462.25         1.935           KRD306         462.25         463.25         0.448           KRD306         463.25         464.25         0.554           KRD306         464.25         465.25         0.274                                                                                                                                                                                                                           | KRD306   | 447.25   | 448.25 | 2.04     |
| KRD306         450.25         451.25         0.686           KRD306         451.25         452.25         0.407           KRD306         452.25         453.25         0.25           KRD306         453.25         454.25         0.408           KRD306         454.25         455.25         0.174           KRD306         455.25         456.25         0.009           KRD306         457.25         458.25         0.659           KRD306         458.25         459.25         0.784           KRD306         459.25         460.25         0.917           KRD306         460.25         461.25         0.188           KRD306         461.25         462.25         1.935           KRD306         462.25         463.25         0.448           KRD306         463.25         464.25         0.554           KRD306         464.25         465.25         0.274                                                                                                                                                                                                                                                                                                                                                     | KRD306   | 448.25   | 449.25 | 1.035    |
| KRD306         451.25         452.25         0.407           KRD306         452.25         453.25         0.25           KRD306         453.25         454.25         0.408           KRD306         454.25         455.25         0.174           KRD306         455.25         456.25         0.009           KRD306         456.25         457.25         0.378           KRD306         457.25         458.25         0.659           KRD306         458.25         459.25         0.784           KRD306         459.25         460.25         0.917           KRD306         461.25         461.25         0.188           KRD306         462.25         463.25         0.448           KRD306         463.25         464.25         0.554           KRD306         464.25         465.25         0.274                                                                                                                                                                                                                                                                                                                                                                                                                  |          |          |        |          |
| KRD306         452.25         453.25         0.25           KRD306         453.25         454.25         0.408           KRD306         454.25         455.25         0.174           KRD306         455.25         456.25         0.009           KRD306         456.25         457.25         0.378           KRD306         457.25         458.25         0.659           KRD306         458.25         459.25         0.784           KRD306         459.25         460.25         0.917           KRD306         461.25         461.25         0.188           KRD306         462.25         463.25         0.448           KRD306         463.25         464.25         0.554           KRD306         464.25         465.25         0.274                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |          |          |        |          |
| KRD306         453.25         454.25         0.408           KRD306         454.25         455.25         0.174           KRD306         455.25         456.25         0.009           KRD306         456.25         457.25         0.378           KRD306         457.25         458.25         0.659           KRD306         458.25         459.25         0.784           KRD306         459.25         460.25         0.917           KRD306         460.25         461.25         0.188           KRD306         462.25         463.25         0.448           KRD306         463.25         464.25         0.554           KRD306         464.25         465.25         0.274                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |          |          |        |          |
| KRD306         454.25         455.25         0.174           KRD306         455.25         456.25         0.009           KRD306         456.25         457.25         0.378           KRD306         457.25         458.25         0.659           KRD306         458.25         459.25         0.784           KRD306         459.25         460.25         0.917           KRD306         460.25         461.25         0.188           KRD306         461.25         462.25         1.935           KRD306         463.25         464.25         0.554           KRD306         464.25         465.25         0.274                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |          |          |        |          |
| KRD306         455.25         456.25         0.009           KRD306         456.25         457.25         0.378           KRD306         457.25         458.25         0.659           KRD306         458.25         459.25         0.784           KRD306         459.25         460.25         0.917           KRD306         460.25         461.25         0.188           KRD306         461.25         462.25         1.935           KRD306         463.25         463.25         0.448           KRD306         464.25         465.25         0.554           KRD306         464.25         465.25         0.274                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |          |          |        |          |
| KRD306         456.25         457.25         0.378           KRD306         457.25         458.25         0.659           KRD306         458.25         459.25         0.784           KRD306         459.25         460.25         0.917           KRD306         460.25         461.25         0.188           KRD306         461.25         462.25         1.935           KRD306         463.25         464.25         0.554           KRD306         464.25         465.25         0.274                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |          |          |        |          |
| KRD306         457.25         458.25         0.659           KRD306         458.25         459.25         0.784           KRD306         459.25         460.25         0.917           KRD306         460.25         461.25         0.188           KRD306         461.25         462.25         1.935           KRD306         462.25         463.25         0.448           KRD306         463.25         464.25         0.554           KRD306         464.25         465.25         0.274                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |          |          |        |          |
| KRD306       458.25       459.25       0.784         KRD306       459.25       460.25       0.917         KRD306       460.25       461.25       0.188         KRD306       461.25       462.25       1.935         KRD306       462.25       463.25       0.448         KRD306       463.25       464.25       0.554         KRD306       464.25       465.25       0.274                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |          |          |        |          |
| KRD306       459.25       460.25       0.917         KRD306       460.25       461.25       0.188         KRD306       461.25       462.25       1.935         KRD306       462.25       463.25       0.448         KRD306       463.25       464.25       0.554         KRD306       464.25       465.25       0.274                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |          |          |        |          |
| KRD306         460.25         461.25         0.188           KRD306         461.25         462.25         1.935           KRD306         462.25         463.25         0.448           KRD306         463.25         464.25         0.554           KRD306         464.25         465.25         0.274                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |          |          |        |          |
| KRD306         461.25         462.25         1.935           KRD306         462.25         463.25         0.448           KRD306         463.25         464.25         0.554           KRD306         464.25         465.25         0.274                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |          |          |        |          |
| KRD306         462.25         463.25         0.448           KRD306         463.25         464.25         0.554           KRD306         464.25         465.25         0.274                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |          |          |        |          |
| KRD306         463.25         464.25         0.554           KRD306         464.25         465.25         0.274                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |          |          |        |          |
| KRD306 464.25 465.25 0.274                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |          |          |        |          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |          |          |        |          |
| <b>KRD306</b> 465.25 466.25 0.202                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |          |          |        |          |
| KRD306 466.25 467.25 0.651                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | KRD306   | 466.25   | 467.25 | 0.651    |
| KRD306 467.25 468.25 0.054                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | KRD306   | 467.25   | 468.25 | 0.054    |



| Hole ID | From (m) | To (m) | Gold g/t |
|---------|----------|--------|----------|
| KRD306  | 468.25   | 469.25 | 1.07     |
| KRD306  | 469.25   | 470.25 | 0.184    |
| KRD306  | 470.25   | 471.25 | 1.125    |
| KRD306  | 471.25   | 472.25 | 0.664    |
| KRD306  | 472.25   | 473.25 | 0.369    |
| KRD306  | 473.25   | 474.25 | 0.595    |
| KRD306  | 474.25   | 475.25 | 0.39     |
| KRD306  | 475.25   | 476.25 | 0.324    |
| KRD306  | 476.25   | 477.25 | 0.03     |
| KRD306  | 477.25   | 478.25 | 0.061    |
| KRD306  | 478.25   | 479.25 | 0.458    |
| KRD306  | 479.25   | 480.25 | 0.89     |
| KRD306  | 485.25   | 486.25 | 0.266    |
| KRD306  | 486.25   | 487.25 | 0.141    |
| KRD306  | 487.25   | 488.25 | 0.221    |
| KRD306  | 488.25   | 489.25 | 0.035    |
| KRD306  | 489.25   | 490.25 | 0.039    |
| KRD306  | 490.25   | 491.25 | 1.185    |
| KRD306  | 491.25   | 492.25 | 0.324    |
| KRD306  | 492.25   | 493.25 | 0.704    |
| KRD306  | 580.25   | 581.25 | 0.326    |
| KRD306  | 581.25   | 582.25 | 0.429    |
| KRD306  | 582.25   | 583.25 | 0.072    |
| KRD306  | 583.25   | 584.25 | 0.502    |
| KRD307  | 270      | 271    | 0.304    |
| KRD307  | 271      | 272    | 0.355    |
| KRD307  | 272      | 273    | 0.769    |
| KRD307  | 273      | 274    | 0.251    |
| KRD307  | 274      | 275    | 0.364    |
| KRD307  | 275      | 276    | 0.461    |
| KRD307  | 276      | 277    | 0.534    |
| KRD307  | 277      | 278    | 1.485    |
| KRD307  | 278      | 279    | 2.21     |
| KRD307  | 279      | 280    | 0.724    |

| Hole ID | From (m) | To (m) | Gold g/t |
|---------|----------|--------|----------|
| KRD307  | 280      | 281    | 0.842    |
| KRD307  | 283.75   | 284.75 | 0.497    |
| KRD307  | 284.75   | 285.75 | 1.38     |
| KRD307  | 285.75   | 286.75 | 0.284    |
| KRD307  | 286.75   | 287.75 | 0.214    |
| KRD307  | 287.75   | 288.75 | 1.205    |
| KRD307  | 288.75   | 289.75 | 0.16     |
| KRD307  | 289.75   | 290.75 | 1.155    |
| KRD307  | 290.75   | 291.75 | 0.761    |
| KRD307  | 291.75   | 292.75 | 1.055    |
| KRD307  | 292.75   | 293.75 | 9.91     |
| KRD307  | 293.75   | 294.75 | 5.38     |
| KRD307  | 294.75   | 295.75 | 0.905    |
| KRD307  | 295.75   | 296.75 | 0.452    |
| KRD307  | 296.75   | 297.75 | 0.323    |
| KRD307  | 297.75   | 298.75 | 0.279    |
| KRD307  | 298.75   | 299.75 | 0.246    |
| KRD307  | 299.75   | 300.75 | 1.69     |
| KRD307  | 300.75   | 301.75 | 0.578    |
| KRD307  | 301.75   | 302.75 | 0.54     |
| KRD307  | 302.75   | 303.75 | 0.456    |
| KRD307  | 303.75   | 304.75 | 1.605    |
| KRD307  | 304.75   | 305.75 | 0.414    |
| KRD307  | 305.75   | 306.75 | 1.74     |
| KRD307  | 306.75   | 307.75 | 2.68     |
| KRD307  | 307.75   | 308.75 | 1.93     |
| KRD307  | 308.75   | 309.75 | 2.14     |
| KRD307  | 309.75   | 310.75 | 3.96     |
| KRD307  | 310.75   | 311.75 | 0.695    |
| KRD307  | 311.75   | 312.75 | 0.701    |
| KRD307  | 312.75   | 313.75 | 0.549    |
| KRD307  | 313.75   | 314.75 | 0.625    |
| KRD307  | 314.75   | 315.75 | 1.36     |



### **Appendix 3. JORC Table 1 Reporting**

Section 1 Sampling Techniques and Data

| Criteria               | JORC Code explanation                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Sampling techniques    | <ul> <li>Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</li> <li>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</li> <li>Aspects of the determination of mineralisation that are Material to the Public Report.</li> <li>In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases, more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.</li> </ul> | <ul> <li>Reverse circulation (RC) drilling was completed using a dedicated RC rig.</li> <li>RC samples were collected from the drill rig cyclone over 1 m down-hole intervals and subsampled by cone-splitting; full length of the drill holes was sampled.</li> <li>Samples are typically circa 2-4kg weight. A duplicate sample was retained on site for future reference.</li> <li>Diamond drilling was completed using a dedicated diamond rig. Drillholes were angled at -60° from surface.</li> <li>Diamond core was cut in half using a core saw for HQ diameters; NQ diameters were sampled full core. Sampling intervals are decided by a Company Geologist, based on the lithological contacts and on any change in alteration or mineralisation style.</li> <li>Core sample length vary between 0.5m and 1.4m. The half core sampling is done by a Company Geologist.</li> </ul> |
| Drilling<br>techniques | <ul> <li>Drill type (eg core, reverse circulation,<br/>open-hole hammer, rotary air blast,<br/>auger, Bangka, sonic, etc) and details<br/>(eg core diameter, triple or standard<br/>tube, depth of diamond tails, face-<br/>sampling bit or other type, whether core<br/>is oriented and if so, by what method,<br/>etc).</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | <ul> <li>RC drilling was carried out using a 140mm (5.5 inch) face sampling hammer.</li> <li>Coring was completed using HQ size from surface – KDD drill holes – or NQ size for tails after RC pre-collars – KRD drill holes.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Drill sample recovery  | <ul> <li>Method of recording and assessing core and chip sample recoveries and results assessed.</li> <li>Measures taken to maximise sample recovery and ensure representative nature of the samples.</li> <li>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | <ul> <li>RC recoveries were determined by weighting each drill metre bag. Samples are sieved and logged by supervising Geologist; sample weight, quality, moisture and any contamination are recorded.</li> <li>RC samples quality and recovery was excellent, with dry samples and consistent weight obtained.</li> <li>Drill core recoveries were recorded at the drill rig. Core recoveries were excellent for all the drill programs.</li> <li>Sample bias is not expected with the cut core.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                |
| Logging                | <ul> <li>Whether core and chip samples have<br/>been geologically and geotechnically<br/>logged to a level of detail to support<br/>appropriate Mineral Resource<br/>estimation, mining studies and</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | <ul> <li>All drill holes were logged in the field by<br/>Company Geologists.</li> <li>On the RC holes, lithologies, alteration,<br/>minerals were recorded. Samples chips are<br/>collected and sorted into chip trays for future</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |



| Criteria                                                    | JORC Code explanation                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                             | <ul> <li>metallurgical studies.</li> <li>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</li> <li>The total length and percentage of the relevant intersections logged.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | <ul> <li>geological references.</li> <li>On the diamond holes, lithologies, alteration, minerals geotechnical measurements and structural data were recorded and uploaded into the Company database. Photography was taken on dry and wet core and on plain and cut core for further references.</li> <li>Drill holes were logged in full. Logging was qualitative and quantitative in nature.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Sub-<br>sampling<br>techniques<br>and sample<br>preparation | <ul> <li>If core, whether cut or sawn and whether quarter, half or all core taken.</li> <li>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</li> <li>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</li> <li>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</li> <li>Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling.</li> <li>Whether sample sizes are appropriate to the grain size of the material being sampled.</li> </ul> | <ul> <li>The RC samples were collected from the rig cyclone and passed through a riffle splitter to reduce sample weight to a circa 2-4kg.</li> <li>The sampling technique is considered industry standard and effective for this style of drilling.</li> <li>Samples were crushed and pulverized at the ALS laboratory in Okahandja before being shipped to Johannesburg for assay.</li> <li>RC samples were assayed using method Au-AA24 for gold.</li> <li>The sample preparation procedures carried out are considered acceptable. Blanks, standards (CRM) and duplicates are used to monitor Quality Control and representativeness of samples.</li> <li>The diamond core was cut longitudinally using a core saw on HQ diameters, to sample half core; NQ diameters were sampled full core.</li> <li>Core samples were collected by a Company Geologist and sent off to the laboratory for assay.</li> <li>Core samples were crushed and pulverized at the ALS laboratory in Okahandja before being shipped to Johannesburg for assay.</li> <li>Drilling samples were assayed using methods Au-AA24 for gold.</li> <li>The sample preparation procedures carried out are considered acceptable. Blanks and standards (CRM) are used to monitor Quality Control and representativeness of samples.</li> </ul> |
| Quality of<br>assay data<br>and<br>laboratory<br>tests      | <ul> <li>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</li> <li>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</li> <li>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.</li> </ul>                                                                             | <ul> <li>RC samples and core samples were assayed by 50g Lead collection fire assay in new pots and analysed by Atomic Absorption Spectroscopy (AAS) for gold.</li> <li>Industry best practice procedures were followed and included submitting blanks, field duplicates and Certified Reference Material. Acceptable levels of accuracy and precision have been confirmed.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |



| Criteria                                                            | JORC Code explanation                                                                                                                                                                                                                                                                                                                                                                              | Commentary                                                                                                                                                                                                                                                                                                                                                                                          |
|---------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Verification<br>of sampling<br>and<br>assaying                      | <ul> <li>The verification of significant intersections by either independent or alternative company personnel.</li> <li>The use of twinned holes.</li> <li>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</li> <li>Discuss any adjustment to assay data.</li> </ul>                                                    | <ul> <li>At this stage, the intersections have been verified by the Company Geologists.</li> <li>All field data is manually collected, entered into excel spreadsheets, validated and loaded into a database.</li> <li>Electronic data is stored on a cloud server and routinely backed up.</li> <li>Data is exported from the database for processing in a number of software packages.</li> </ul> |
| Location of data points                                             | <ul> <li>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</li> <li>Specification of the grid system used.</li> <li>Quality and adequacy of topographic control.</li> </ul>                                                                                              | <ul> <li>Drill holes collar locations were recorded at the completion of each hole by hand-held GPS.</li> <li>Coordinates collected are in the WGS84 Zone 33S grid system</li> </ul>                                                                                                                                                                                                                |
| Data<br>spacing and<br>distribution                                 | <ul> <li>Data spacing for reporting of Exploration Results.</li> <li>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</li> <li>Whether sample compositing has been applied.</li> </ul>                                 | <ul> <li>RC drill holes and diamond drill holes reported here were planned on a set grid with spacing of 100m in plan view and 50m between holes on sections.</li> <li>The data spacing and distribution of sampling is sufficient to establish the degree of geological and grade continuity appropriate for Mineral Resource estimation procedures.</li> </ul>                                    |
| Orientation<br>of data in<br>relation to<br>geological<br>structure | <ul> <li>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</li> <li>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</li> </ul> | Drill holes were positioned using geological information collected from the trenches and from the detailed mapping completed over the prospect. They are positioned perpendicular to the main schistosity and so to the inferred mineralisation main controls.                                                                                                                                      |
| Sample<br>security                                                  | The measures taken to ensure sample security.                                                                                                                                                                                                                                                                                                                                                      | <ul> <li>Sampling is supervised by a Company<br/>Geologist and all samples are delivered to the<br/>laboratory in Okahandja by company staff.</li> </ul>                                                                                                                                                                                                                                            |
| Audits or reviews                                                   | <ul> <li>The results of any audits or reviews of<br/>sampling techniques and data.</li> </ul>                                                                                                                                                                                                                                                                                                      | <ul> <li>No reviews or audits have been conducted on<br/>the drilling reported in this announcement.</li> </ul>                                                                                                                                                                                                                                                                                     |

### Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

| Criteria                                            | JORC Code explanation                                                                                                                                                                                                                                                                                                    | Commentary                                                                                                                                                                                                                                                                                |
|-----------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Mineral<br>tenement<br>and land<br>tenure<br>status | <ul> <li>Type, reference name/number, location<br/>and ownership including agreements or<br/>material issues with third parties such as<br/>joint ventures, partnerships, overriding<br/>royalties, native title interests, historical<br/>sites, wilderness or national park and<br/>environmental settings.</li> </ul> | <ul> <li>The Damaran Project comprises 12 exclusive prospecting licenses (EPLs 6226, 4833, 8039, 7246, 4818, 4953, 6534, 6535, 6536, 8249,7327,7980) and located in central Namibia.</li> <li>EPL6226 is 100% held by Wia Gold in the name of Aloe Investments One Hundred and</li> </ul> |



| Criteria                          | JORC Code explanation                                                                                                                                                                                                                                                                                                                                 | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-----------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                   | The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.                                                                                                                                                                                                              | Ninety Two (Pty) Ltd. EPL4833, 4818, 7246, 8039 and 8249 are held under an 80% earn-in and join venture agreement with Epangelo Mining Limited, a private mining investment company with the Government of the Republic of Namibia as the sole shareholder. EPL6534, 6535, 6536, and 4953 are held under a company called Gazina Investments which is owned 90% by Wia and 10% by the vendor.  • EPL7980 is 100% held by WiaGold in the name of Damaran Exploration Namibia (PTY) Ltd.  • EPL7327 is under an agreement with an exclusive option to acquire the permit under a NewCo at Wia election. All granted tenements are in good standing and there are no material issues affecting the tenements.                                                                                                                                                                                                                                                                                                             |
| Exploration done by other parties | <ul> <li>Acknowledgment and appraisal of<br/>exploration by other parties.</li> </ul>                                                                                                                                                                                                                                                                 | <ul> <li>Work completed prior to WiaGold includes<br/>stream sediment sampling, mapping, soil and<br/>rock chip sampling by Teck Cominco Namibia<br/>but data is unavailable.</li> <li>This work did not cover the Okombahe permit,<br/>host of the Kokoseb gold discovery.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Geology                           | Deposit type, geological setting and style of mineralisation.                                                                                                                                                                                                                                                                                         | <ul> <li>The Kokoseb Gold Project lies withing the Northern Central Zone of the Pan-African Damaran Orogenic Belt. The project area is underlain by neo-Proterozoic metasediments, including the Kuiseb schist formation, host of most of the known gold mineralisation in Namibia. Known gold deposits, including Kokoseb, are orogenic type deposits by nature.</li> <li>Kokoseb gold mineralisation is hosted by the Kuiseb schist formation, biotite-schists (metasediments) which have been intruded by several granitic phases. The gold mineralised zone appears as a contact like aureole of the central granitic pluton, with a diameter of approximately 3km in each direction.</li> <li>Gold mineralisation is present as native gold grains and lesser silver bearing gold grains been spacially associated with sulphides dominated by pyrrhotite, löllingite and arsenopyrite. Gold grains have developed at the contact between löllingite and arsenopyrite following a retrograde reaction.</li> </ul> |
| Drill hole<br>Information         | <ul> <li>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:         <ul> <li>easting and northing of the drill hole collar</li> <li>elevation or RL (Reduced Level – elevation above sea level in metres)</li> </ul> </li> </ul> | see tables in the appendix.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |



| Criteria                                                                             | JORC Code explanation                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Commentary                                                                                                                                                                                                                                                                               |
|--------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                      | of the drill hole collar     dip and azimuth of the hole     down hole length and interception depth     hole length.  If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                          |
| Data<br>aggregation<br>methods                                                       | <ul> <li>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated.</li> <li>Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</li> <li>The assumptions used for any reporting of metal equivalent values should be clearly stated.</li> </ul> | Reported intercepts are calculated using weighted average at a cut-off grade of 0.5 g/t Au and allowing internal dilution of maximum 2m consecutive low-grade material.                                                                                                                  |
| Relationshi<br>p between<br>mineralisati<br>on widths<br>and<br>intercept<br>lengths | <ul> <li>These relationships are particularly important in the reporting of Exploration Results.</li> <li>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</li> <li>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known').</li> </ul>                                                                                                                                                                             | <ul> <li>Drill holes are inclined at around 55 to 60 degrees, with azimuths generally perpendicular to local mineralisation trends, implying a true thickness around half the down-hole intercept lengths.</li> <li>Intercepts are reported as they appear from the sampling.</li> </ul> |
| Diagrams                                                                             | Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.                                                                                                                                                                                                                                                                                                                             | Plan view maps of all drillhole are included.                                                                                                                                                                                                                                            |
| Balanced<br>reporting                                                                | Where comprehensive reporting of all<br>Exploration Results is not practicable,<br>representative reporting of both low and<br>high grades and/or widths should be<br>practiced to avoid misleading reporting<br>of Exploration Results.                                                                                                                                                                                                                                                                                                                                                      | All samples with assays have been reported.                                                                                                                                                                                                                                              |
| Other<br>substantive<br>exploration<br>data                                          | Other exploration data, if meaningful<br>and material, should be reported<br>including (but not limited to): geological<br>observations; geophysical survey<br>results; geochemical survey results; bulk<br>samples – size and method of<br>treatment; metallurgical test results; bulk                                                                                                                                                                                                                                                                                                       | No other exploration data is being reported at this time.                                                                                                                                                                                                                                |



| Criteria        | JORC Code explanation                                                                                                                                                                                                                                                                                                                                               | Commentary                                                                                    |
|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|
|                 | density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.                                                                                                                                                                                                                                                     |                                                                                               |
| Further<br>work | <ul> <li>The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling).</li> <li>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</li> </ul> | Refer to the text in the announcement for information on follow-up and/or next work programs. |