


WAF grade control drilling returns 5m at 27.2 g/t gold at Kiaka

Unhedged gold mining company West African Resources Limited ('WAF' or the 'Company', ASX: WAF, and together with its subsidiaries 'West African' or the 'Group') is pleased to report further results from the maiden grade control drilling program at its Kiaka Gold Project, Burkina Faso ('Kiaka').

Highlights

- Maiden grade control drilling of Kiaka Main Pit Stage 1 completed, with mining to start in Q1 2025.
- Grade control results continue to deliver thick and consistent zones of mineralisation.
- Significant results include:
 - 5m at 27.2 g/t gold
 - 11m at 8.7g/t gold
 - 24m at 2.3g/t gold
 - 27m at 2g/t gold
 - 26m at 2g/t gold
 - 28m at 1.9g/t gold
- Drilling confirms gold mineralisation is over 400m wide at surface.
- Waste stripping to commence in Q1 2025, first ore mining in early Q2.
- Kiaka tracking to schedule and budget for first gold production in Q3 2025.



West African Executive Chairman Richard Hyde commented:

“Kiaka’s maiden grade control drilling has returned further thick and consistent zones of near-surface gold mineralisation including 5m at 27.2 g/t gold and 11m at 8.7 g/t gold.

“We have now completed the maiden grade control drilling program on-budget and on-schedule ahead of starting open pit mining at Kiaka. Results reinforce WAF’s geological model for the Kiaka Main Stage 1 open pit with gold mineralisation over 400m wide at surface and a very low strip ratio of 0.8 to 1 (waste to ore).

“Mining of our large 20-year Kiaka Main Pit is scheduled to start in late Q1 2025 followed by processing and gold production in Q3 2025, which will see WAF become a +420,000 ounce per annum gold producer.”

Kiaka Main Grade Control Drilling Program

The maiden grade control (“GC”) drilling program for Kiaka Main Pit Stage 1 has been completed on-schedule for commencement of mining in Q1 2025. A total of 2,636 GC holes for 79,913 metres have been drilled to date at Kiaka, with today’s release reporting the results of 1,317 holes.

This GC drilling program has improved the confidence level in the geological model and grade estimation for the top 20 metres of the deposit, which covers the first 12 months of open pit ore production from Kiaka Main Stage 1 open pit. The two reverse circulation rigs currently operating at Kiaka will now move to Kiaka Main Pit Stages 2 and 3.

GC drilling has been conducted on a nominal grid spacing of 12.5m x 12.5m, targeting the top 20 metres of the mineralisation within Kiaka Main Pit Stage 1 (Figure 2). Results align closely with WAF’s Mineral Resource Estimate, confirming mineralisation widths of up to 400 metres at surface. The initial grade control model for Kiaka Main Stage 1 open pit has been finalised and dig block design is well underway ahead of the commencement of mining. Waste stripping will commence in late Q1 2025 and first ore mining is expected to start in early Q2 2025.

Significant results from the Kiaka Main GC drilling program are presented in Table 1 attached to this announcement, and location plans and representative sections are set out below (Figures 1 – 14). Those significant results include the following:

KMGC_2250_0674: 27m at 1.6g/t Au from 4m*	KMGC_2250_0679: 29m at 1.1g/t Au from 1m*
KMGC_2250_0712: 24m at 1.4g/t Au from 6m*	KMGC_2250_0713: 24m at 1.4g/t Au from Surface
KMGC_2250_0771: 30m at 1.4g/t Au from Surface*	KMGC_2250_0774: 27m at 1.4g/t Au from 2m*
KMGC_2250_0808: 29m at 1.4g/t Au from 1m*	KMGC_2250_0809: 28m at 1.6g/t Au from 1m*
KMGC_2250_0810: 9m at 3.4g/t Au from 20m*	KMGC_2250_0851: 27m at 1.3g/t Au from 3m*
KMGC_2250_0852: 23m at 1.4g/t Au from 2m	KMGC_2250_0884: 24m at 1.4g/t Au from 8m*
KMGC_2250_0890: 24m at 1.6g/t Au from 6m*	KMGC_2250_0932: 27m at 1.3g/t Au from 3m*
KMGC_2250_0974: 24m at 1.8g/t Au from 6m*	KMGC_2250_0975: 29m at 1.1g/t Au from 1m*
KMGC_2250_1018: 27m at 2g/t Au from 3m*	KMGC_2250_1030: 5m at 27.2g/t Au from 1m
KMGC_2250_1060: 28m at 1.3g/t Au from 3m*	KMGC_2250_1061: 29m at 1.6g/t Au from 1m*
KMGC_2250_1231: 23m at 1.8g/t Au from 2m*	KMGC_2250_1232: 22m at 1.5g/t Au from 2m*
KMGC_2250_1390: 27m at 1.2g/t Au from Surface*	KMGC_2250_1391: 27m at 1.2g/t Au from Surface*
KMGC_2250_1396: 25m at 1.4g/t Au from Surface*	KMGC_2250_1430: 25m at 1.5g/t Au from 1m*
KMGC_2250_1436: 25m at 1.3g/t Au from Surface*	KMGC_2250_1454A: 28m at 1.9g/t Au from 2m*
KMGC_2250_1458: 14m at 3.6g/t Au from 14m*	KMGC_2250_1463: 26m at 2g/t Au from Surface*

KMGC_2250_1500: 26m at 1.3g/t Au from Surface*	KMGC_2250_1539: 27m at 1.4g/t Au from Surface*
KMGC_2250_1542: 25m at 1.5g/t Au from Surface*	KMGC_2250_1652: 23m at 1.9g/t Au from 4m
KMGC_2250_1656: 27m at 1.2g/t Au from Surface*	KMGC_2250_1658: 23m at 1.4g/t Au from Surface
KMGC_2250_1690: 24m at 2.3g/t Au from Surface	KMGC_2250_1695: 24m at 1.5g/t Au from 3m*
KMGC_2250_1696: 23m at 1.4g/t Au from 3m*	KMGC_2250_1758: 12m at 2.7g/t Au from 7m
KMGC_2250_1761: 7m at 4.5g/t Au from 5m	KMGC_2250_1765: 28m at 1.3g/t Au from 1m*
KMGC_2250_1774: 27m at 1.3g/t Au from Surface*	KMGC_2250_1803: 14m at 2.6g/t Au from 15m
KMGC_2250_1824: 22m at 2.1g/t Au from 3m*	KMGC_2250_2059: 11m at 8.7g/t Au from 21m*
KMGC_2250_2111: 28m at 1.2g/t Au from Surface*	KMGC_2250_2359: 13m at 2.4g/t Au from Surface
KMGC_2250_2362: 4m at 10.9g/t Au from 6m	KMGC_2250_3276: 24m at 1.8g/t Au from 6m*

* hole ends in mineralisation

Figure 1: Kiaka Gold Project Layout




Figure 2: Plan View of Kiaka Main Grade Control Collars




Figure 3: Plan View of Kiaka Main Grade Control showing cross section locations




Figure 4: Kiaka Main GC – Section P-P'




Figure 5: Kiaka Main GC – Section Q-Q'




Figure 6: Kiaka Main GC – Section R-R'




Figure 7: Kiaka Main GC – Section S-S'




Figure 8: Kiaka Main GC – Section T-T'




Figure 9: Kiaka Main GC – Section U-U'




Figure 10: Kiaka Main GC – Section V-V'




Figure 11: Kiaka Main GC – Section W-W'




Figure 12: Kiaka Main GC – Section X-X'




Figure 13: Kiaka Main GC – Section Y-Y'





Figure 14: Kiaka Main GC – Section Z-Z'



This announcement was authorised for release by Mr Richard Hyde, Executive Chairman and CEO.

Further information is available at www.westafricanresources.com

For further information, contact:

Richard Hyde
Executive Chairman and CEO
Ph: 08 9481 7344
Email: info@westafricanresources.com

Nathan Ryan
Investor Relations
Ph: 0420 582 887

Competent Person's Statement

Information in this announcement that relates to exploration results is based on, and fairly represents, information and supporting documentation prepared by Mr Richard Hyde, an employee and director of the Company. Mr Hyde is a Member of the Australian Institute of Geoscientists and of the Australian Institute of Mining and Metallurgy. Mr Hyde has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves ('JORC Code 2012'). Mr Hyde has reviewed the contents of this announcement and consents to the inclusion in this announcement of all technical statements based on his information in the form and context in which they appear.

Forward Looking Information

This announcement contains "forward-looking information" including information relating to West African's future production impacting its financial or operating performance. All statements in this announcement, other than statements of historical fact, that address events or developments that the Company expects to occur, are "forward-looking statements". Forward-looking statements are statements that are not historical facts and are generally, but not always, identified by the words "expects", "does not expect", "plans", "anticipates", "does not anticipate", "believes", "intends", "estimates", "projects", "potential", "scheduled", "forecast", "budget" and similar expressions, or that events or conditions "will", "would", "may", "could", "should" or "might" occur.

All such forward-looking statements are based on the opinions and estimates of the relevant management as of the date such statements are made and are subject to important risk factors and uncertainties, many of which are beyond the Company's ability to control or predict. Forward-looking statements are necessarily based on estimates and assumptions that are inherently subject to known and unknown risks, uncertainties and other factors that may cause actual results, level of activity, performance or achievements to be materially different from those expressed or implied by such forward-looking statements. Should one or more of these risks and uncertainties materialise, or should underlying assumptions prove incorrect, actual results, level of activity, performance or achievements may vary materially from those described in the forward-looking information.

The Company cannot and does not give any assurance that the results, performance or achievements expressed or implied by the forward-looking information contained in this announcement will actually

occur. Forward-looking information in this announcement is based on the reasonable beliefs, expectations and opinions of the relevant management on the date the statements are made and the Company does not assume any obligation to update or revise forward looking information if circumstances or management's beliefs, expectations or opinions change, or to publish prospective financial information in the future, regardless of whether new information, future events or any other factors affect the information contained in this announcement, except where required by applicable law. For the reasons set out above, investors are cautioned not to place undue reliance on forward-looking information. For additional information, please refer to the Company's financial statements and other filings all of which are filed on the ASX at www.asx.com.au and the Company's website www.westafricanresources.com.

Mineral Resources, Ore Reserves and Production Targets

The Company's estimate of Ore Reserves and the production target for the Sanbrado Project (including the Toega Deposit) and the Company's estimate of Mineral Resources for the Group are set out in the announcement titled "WAF Resource, Reserve and 10 year production update 2024" released on 28 February 2024. The Company confirms it is not aware of any new information or data that materially affects that information as set out in that announcement and that all material assumptions and technical parameters underpinning the estimates of Mineral Resources for the Group and Ore Reserves for the Sanbrado Project and all the material assumptions underpinning the production target and forecast financial information derived from it continue to apply and have not materially changed.

The Company's estimates of Ore Reserves and the production target for the Kiaka Project are set out in the announcement titled "Kiaka Feasibility Update Delivers 4.8Moz Gold Ore Reserve 20 Year Mine Life" released on 2 July 2024. The Company confirms it is not aware of any new information or data that materially affects that information as set out in that announcement and that all material assumptions and technical parameters underpinning the estimate of Ore Reserves for the Kiaka Project and all the material assumptions underpinning the production target for the Kiaka Project and the forecast financial information derived from it continue to apply and have not materially changed.

Table 1 Kiaka Main RC Grade Control Significant Intercepts > 0.3 g/t											
Hole ID	From	To	Interval	Au g/t	Dip	Azi	EOH	Easting	Northing	RL	Prospect
KMGC_2250_0225	13	19	6	0.45	-55	135	30	739247.94	1289142.1	2240.912	Kiaka Main
KMGC_2250_0252	16	18	2	8.87	-55	135	30	739261.33	1289146.5	2241.018	Kiaka Main
KMGC_2250_0285	8	10	2	0.57	-55	135	30	739265.7	1289159.8	2240.778	Kiaka Main
KMGC_2250_0285											
KMGC_2250_0288	17	18	1	1.55	-55	135	30	739292.04	1289133.3	2240.619	Kiaka Main
KMGC_2250_0321	4	8	4	0.82	-55	135	35	739053.48	1289407.4	2245.368	Kiaka Main
KMGC_2250_0322	28	32	4	0.56	-55	135	35	739062.45	1289398.5	2245.084	Kiaka Main
KMGC_2250_0322											
KMGC_2250_0347	25	30	5	0.50	-55	135	30	739292.04	1289168.8	2240.704	Kiaka Main
KMGC_2250_0347											
KMGC_2250_0347											
KMGC_2250_0371	24	28	4	0.37	-55	135	29	739296.56	1289182.1	2240.507	Kiaka Main
KMGC_2250_0372	6	8	2	1.02	-55	135	29	739305.45	1289173.1	2240.571	Kiaka Main
KMGC_2250_0375	6	8	2	1.18	-55	135	29	739332.1	1289146.5	2240.37	Kiaka Main
KMGC_2250_0381	0	5	5	0.64	-55	135	35	739071.02	1289425.1	2245.146	Kiaka Main
KMGC_2250_0382	24	29	5	0.53	-55	135	35	739079.97	1289416.3	2245.03	Kiaka Main
KMGC_2250_0410	4	5	1	2.14	-55	135	29	739327.5	1289168.7	2240.112	Kiaka Main
KMGC_2250_0410											
KMGC_2250_0412	2	5	3	0.34	-55	135	29	739345.23	1289150.9	2240.151	Kiaka Main
KMGC_2250_0416	3	11	8	0.37	-55	135	36	739066.55	1289447.1	2245.485	Kiaka Main
KMGC_2250_0417	12	17	5	0.32	-55	135	36	739075.4	1289438.1	2245.266	Kiaka Main
KMGC_2250_0418	19	22	3	0.71	-55	135	35	739084.28	1289429.4	2245.114	Kiaka Main
KMGC_2250_0418											
KMGC_2250_0472	18	20	2	0.87	-55	135	29	739327.44	1289204.3	2240.556	Kiaka Main
KMGC_2250_0474	1	2	1	11.82	-55	135	29	739345.15	1289186.5	2240.176	Kiaka Main
KMGC_2250_0475	19	25	6	0.44	-55	135	29	739354.01	1289177.4	2239.92	Kiaka Main
KMGC_2250_0475											
KMGC_2250_0476	0	2	2	0.44	-55	135	29	739362.89	1289168.6	2239.824	Kiaka Main
KMGC_2250_0495	6	29	23	0.83	-55	135	30	739307	1289245.1	2240.003	Kiaka Main
KMGC_2250_0496	4	12	8	0.57	-55	135	29	739322.93	1289226.2	2240.875	Kiaka Main
KMGC_2250_0499	27	29	2	0.92	-55	135	29	739358.59	1289190.8	2239.933	Kiaka Main
KMGC_2250_0499											
KMGC_2250_0500	23	28	5	1.12	-55	135	29	739367.35	1289181.8	2239.779	Kiaka Main
KMGC_2250_0526	0	11	11	0.32	-55	135	29	739336.44	1289230.5	2240.744	Kiaka Main
KMGC_2250_0527	14	17	3	1.49	-55	135	29	739345.41	1289221.8	2240.344	Kiaka Main
KMGC_2250_0528	20	27	7	0.58	-55	135	29	739354.09	1289212.9	2240.005	Kiaka Main
KMGC_2250_0530	0	8	8	0.31	-55	135	28	739380.55	1289186.2	2239.589	Kiaka Main
KMGC_2250_0554	6	19	13	0.53	-55	135	29	739358.15	1289226.2	2240.283	Kiaka Main

Table 1 Kiaka Main RC Grade Control Significant Intercepts > 0.3 g/t											
Hole ID	From	To	Interval	Au g/t	Dip	Azi	EOH	Easting	Northing	RL	Prospect
KMGC_2250_0555	1	24	23	0.46	-55	135	29	739367.31	1289217.1	2239.885	Kiaka Main
KMGC_2250_0556	20	23	3	0.83	-55	135	29	739376.02	1289208.4	2239.798	Kiaka Main
KMGC_2250_0557	23	28	5	0.35	-55	135	28	739384.75	1289199.6	2239.385	Kiaka Main
KMGC_2250_0584	12	15	3	0.53	-55	135	29	739354.17	1289247.9	2240.269	Kiaka Main
KMGC_2250_0585	12	20	8	0.88	-55	135	29	739362.88	1289239.5	2240.248	Kiaka Main
KMGC_2250_0586	20	29	9	0.39	-55	135	29	739371.87	1289230.4	2239.976	Kiaka Main
KMGC_2250_0586											
KMGC_2250_0586											
KMGC_2250_0587	4	5	1	1.43	-55	135	29	739380.53	1289221.6	2239.614	Kiaka Main
KMGC_2250_0588	7	9	2	1.19	-55	135	29	739389.22	1289212.9	2239.74	Kiaka Main
KMGC_2250_0589	4	22	18	0.31	-55	135	28	739398.04	1289204	2239.442	Kiaka Main
KMGC_2250_0612	0	15	15	0.95	-55	135	29	739358.54	1289261.4	2240.254	Kiaka Main
KMGC_2250_0612											
KMGC_2250_0613	0	6	6	0.83	-55	135	29	739367.14	1289252.7	2240.289	Kiaka Main
KMGC_2250_0613											
KMGC_2250_0614	5	12	7	0.87	-55	135	29	739376.38	1289243.6	2240.284	Kiaka Main
KMGC_2250_0615	10	16	6	1.04	-55	135	29	739385.03	1289234.9	2239.944	Kiaka Main
KMGC_2250_0615											
KMGC_2250_0616	12	17	5	0.30	-55	135	29	739393.7	1289226.2	2239.758	Kiaka Main
KMGC_2250_0645	2	24	22	1.05	-55	135	29	739363.59	1289275	2240.395	Kiaka Main
KMGC_2250_0646	2	13	11	1.18	-55	135	29	739371.68	1289265.8	2240.534	Kiaka Main
KMGC_2250_0647	3	19	16	0.51	-55	135	29	739381.09	1289257.2	2240.002	Kiaka Main
KMGC_2250_0647											
KMGC_2250_0648	16	23	7	1.25	-55	135	29	739389.51	1289248.3	2239.874	Kiaka Main
KMGC_2250_0648											
KMGC_2250_0649	12	16	4	0.72	-55	135	29	739398.32	1289239.5	2239.924	Kiaka Main
KMGC_2250_0649											
KMGC_2250_0649											
KMGC_2250_0651	1	27	26	0.37	-55	135	28	739415.98	1289221.7	2239.528	Kiaka Main
KMGC_2250_0674	4	31	27	1.61	-55	135	31	739322.95	1289332.3	2241.438	Kiaka Main
KMGC_2250_0677	2	20	18	0.52	-55	135	30	739349.96	1289306	2240.552	Kiaka Main
KMGC_2250_0678	16	30	14	0.55	-55	135	30	739358.52	1289297.3	2240.536	Kiaka Main
KMGC_2250_0678											
KMGC_2250_0679	1	30	29	1.10	-55	135	30	739367.18	1289288.2	2240.718	Kiaka Main
KMGC_2250_0680	2	26	24	1.11	-55	135	29	739376.11	1289279.2	2240.186	Kiaka Main
KMGC_2250_0681	2	28	26	0.58	-55	135	29	739385.17	1289270.6	2240.414	Kiaka Main
KMGC_2250_0682	26	29	3	1.34	-55	135	29	739394.07	1289261.5	2240.023	Kiaka Main
KMGC_2250_0682											

Table 1 Kiaka Main RC Grade Control Significant Intercepts > 0.3 g/t											
Hole ID	From	To	Interval	Au g/t	Dip	Azi	EOH	Easting	Northing	RL	Prospect
KMGC_2250_0683	2	16	14	0.64	-55	135	29	739402.99	1289252.6	2239.85	Kiaka Main
KMGC_2250_0683											
KMGC_2250_0685	23	25	2	0.45	-55	135	28	739420.37	1289235.2	2239.699	Kiaka Main
KMGC_2250_0686	2	12	10	0.55	-55	135	28	739429.14	1289226.1	2239.336	Kiaka Main
KMGC_2250_0708	1	20	19	0.93	-55	135	31	739336.56	1289336.5	2240.811	Kiaka Main
KMGC_2250_0708											
KMGC_2250_0709	13	29	16	0.38	-55	135	29	739345.48	1289328.1	2240.77	Kiaka Main
KMGC_2250_0709											
KMGC_2250_0710	2	14	12	0.53	-55	135	30	739354.15	1289319.5	2240.625	Kiaka Main
KMGC_2250_0711	7	30	23	1.31	-55	135	30	739363.11	1289310.3	2240.838	Kiaka Main
KMGC_2250_0712	6	30	24	1.38	-55	135	30	739371.6	1289301.4	2240.745	Kiaka Main
KMGC_2250_0713	0	24	24	1.41	-55	135	29	739380.67	1289292.5	2240.419	Kiaka Main
KMGC_2250_0714	18	28	10	0.74	-55	135	28	739389.52	1289283.7	2240.177	Kiaka Main
KMGC_2250_0714											
KMGC_2250_0715	3	26	23	0.50	-55	135	28	739398.41	1289274.8	2239.946	Kiaka Main
KMGC_2250_0716	10	23	13	0.39	-55	135	28	739407.05	1289266.3	2239.583	Kiaka Main
KMGC_2250_0716											
KMGC_2250_0717	14	19	5	0.38	-55	135	28	739415.93	1289257.3	2239.561	Kiaka Main
KMGC_2250_0718	9	11	2	0.40	-55	135	28	739424.83	1289248.2	2239.406	Kiaka Main
KMGC_2250_0719	17	27	10	1.04	-55	135	28	739433.55	1289239.5	2239.278	Kiaka Main
KMGC_2250_0719											
KMGC_2250_0739	3	24	21	0.67	-55	135	30	739358.48	1289332.2	2241.117	Kiaka Main
KMGC_2250_0740	18	30	12	0.74	-55	135	30	739367.32	1289323.7	2241.002	Kiaka Main
KMGC_2250_0740											
KMGC_2250_0741	2	29	27	1.01	-55	135	30	739376.08	1289314.8	2240.772	Kiaka Main
KMGC_2250_0742	3	28	25	0.98	-55	135	30	739384.85	1289305.8	2240.569	Kiaka Main
KMGC_2250_0743	1	29	28	0.95	-55	135	29	739393.85	1289297.1	2240.366	Kiaka Main
KMGC_2250_0744	22	24	2	0.49	-55	135	28	739411.37	1289279.4	2239.754	Kiaka Main
KMGC_2250_0744											
KMGC_2250_0745	16	23	7	0.33	-55	135	28	739429.05	1289261.7	2239.428	Kiaka Main
KMGC_2250_0745											
KMGC_2250_0746	3	6	3	0.59	-55	135	28	739438.21	1289252.7	2239.086	Kiaka Main
KMGC_2250_0746											
KMGC_2250_0768	14	31	17	0.59	-55	135	31	739345.29	1289362.9	2241.861	Kiaka Main
KMGC_2250_0768											
KMGC_2250_0769	1	10	9	0.82	-55	135	31	739353.92	1289354.4	2241.93	Kiaka Main
KMGC_2250_0769											
KMGC_2250_0770	17	30	13	0.54	-55	135	31	739362.74	1289345.4	2241.281	Kiaka Main

Table 1 Kiaka Main RC Grade Control Significant Intercepts > 0.3 g/t											
Hole ID	From	To	Interval	Au g/t	Dip	Azi	EOH	Easting	Northing	RL	Prospect
KMGC_2250_0770											
KMGC_2250_0770A	1	14	13	0.39	-55	135	31	739371.93	1289336.5	2240.96	Kiaka Main
KMGC_2250_0770A	23	29	6	0.58							
KMGC_2250_0771	0	30	30	1.37	-55	135	30	739380.53	1289327.8	2240.512	Kiaka Main
KMGC_2250_0772	2	30	28	0.95	-55	135	30	739389.2	1289319	2240.6	Kiaka Main
KMGC_2250_0773	2	29	27	0.98	-55	135	29	739397.91	1289310.2	2240.394	Kiaka Main
KMGC_2250_0774	2	29	27	1.40	-55	135	29	739406.96	1289301.3	2240.198	Kiaka Main
KMGC_2250_0775	3	10	7	0.55	-55	135	29	739415.8	1289292.4	2239.963	Kiaka Main
KMGC_2250_0775											
KMGC_2250_0775											
KMGC_2250_0776	8	13	5	0.38	-55	135	28	739424.81	1289283.5	2239.637	Kiaka Main
KMGC_2250_0777	6	11	5	0.44	-55	135	28	739433.57	1289274.8	2239.603	Kiaka Main
KMGC_2250_0778	3	13	10	0.40	-55	135	28	739442.4	1289265.9	2239.208	Kiaka Main
KMGC_2250_0779	1	11	10	0.60	-55	135	28	739451.31	1289257.3	2238.957	Kiaka Main
KMGC_2250_0781	13	15	2	0.41	-55	135	28	739468.82	1289239.5	2238.865	Kiaka Main
KMGC_2250_0805	2	16	14	0.64	-55	135	31	739357.61	1289366.9	2242.076	Kiaka Main
KMGC_2250_0805											
KMGC_2250_0806	7	20	13	0.84	-55	135	30	739375.95	1289349.9	2241.24	Kiaka Main
KMGC_2250_0807	2	30	28	0.79	-55	135	30	739385.05	1289341	2240.763	Kiaka Main
KMGC_2250_0808	1	30	29	1.36	-55	135	30	739393.96	1289331.8	2240.515	Kiaka Main
KMGC_2250_0809	1	29	28	1.59	-55	135	29	739402.73	1289323.3	2240.408	Kiaka Main
KMGC_2250_0810	20	29	9	3.38	-55	135	29	739411.59	1289314.4	2240.179	Kiaka Main
KMGC_2250_0810											
KMGC_2250_0811	5	20	15	0.44	-55	135	29	739420.3	1289306	2240.009	Kiaka Main
KMGC_2250_0812	15	22	7	0.46	-55	135	29	739429.16	1289296.7	2239.638	Kiaka Main
KMGC_2250_0812											
KMGC_2250_0813	22	28	6	0.39	-55	135	28	739437.88	1289288	2239.407	Kiaka Main
KMGC_2250_0813											
KMGC_2250_0814	3	10	7	0.40	-55	135	28	739446.58	1289279.6	2239.198	Kiaka Main
KMGC_2250_0814											
KMGC_2250_0815	8	22	14	0.98	-55	135	27	739455.55	1289270.4	2238.963	Kiaka Main
KMGC_2250_0817	16	18	2	0.37	-55	135	27	739473.41	1289252.6	2238.707	Kiaka Main
KMGC_2250_0849	12	14	2	0.59	-55	135	30	739389.43	1289354.3	2241.171	Kiaka Main
KMGC_2250_0850	16	28	12	0.73	-55	135	30	739398.46	1289345.3	2240.833	Kiaka Main
KMGC_2250_0851	3	30	27	1.27	-55	135	30	739407	1289336.5	2240.729	Kiaka Main
KMGC_2250_0852	2	25	23	1.37	-55	135	29	739416.04	1289327.7	2240.342	Kiaka Main
KMGC_2250_0853	11	29	18	1.64	-55	135	29	739424.78	1289318.9	2240.2	Kiaka Main
KMGC_2250_0853											

Table 1 Kiaka Main RC Grade Control Significant Intercepts > 0.3 g/t											
Hole ID	From	To	Interval	Au g/t	Dip	Azi	EOH	Easting	Northing	RL	Prospect
KMGC_2250_0854	26	29	3	1.76	-55	135	29	739433.63	1289310.2	2239.94	Kiaka Main
KMGC_2250_0854											
KMGC_2250_0854											
KMGC_2250_0855	6	15	9	0.38	-55	135	28	739442.37	1289301.2	2239.546	Kiaka Main
KMGC_2250_0856	26	28	2	0.35	-55	135	28	739451.18	1289292.4	2239.23	Kiaka Main
KMGC_2250_0856											
KMGC_2250_0857	18	26	8	0.50	-55	135	28	739460.11	1289283.7	2238.974	Kiaka Main
KMGC_2250_0857											
KMGC_2250_0858	2	10	8	0.42	-55	135	27	739468.93	1289274.8	2238.806	Kiaka Main
KMGC_2250_0860	0	6	6	0.65	-55	135	27	739486.54	1289257.2	2238.772	Kiaka Main
KMGC_2250_0884	8	32	24	1.35	-55	135	32	739359.32	1289403.3	2242.294	Kiaka Main
KMGC_2250_0888	18	25	7	2.56	-55	135	31	739393.91	1289367.6	2241.514	Kiaka Main
KMGC_2250_0888											
KMGC_2250_0889	24	31	7	0.49	-55	135	31	739402.59	1289358.6	2240.954	Kiaka Main
KMGC_2250_0889											
KMGC_2250_0890	6	30	24	1.62	-55	135	30	739411.35	1289350	2240.833	Kiaka Main
KMGC_2250_0891	1	21	20	1.30	-55	135	29	739428.96	1289332.3	2240.256	Kiaka Main
KMGC_2250_0891											
KMGC_2250_0892	3	16	13	0.51	-55	135	29	739437.92	1289323.4	2240.015	Kiaka Main
KMGC_2250_0893	12	20	8	1.38	-55	135	28	739446.91	1289314.7	2239.801	Kiaka Main
KMGC_2250_0894	1	22	21	0.50	-55	135	28	739455.55	1289305.7	2239.684	Kiaka Main
KMGC_2250_0895	14	23	9	0.52	-55	135	28	739464.45	1289296.7	2239.237	Kiaka Main
KMGC_2250_0895											
KMGC_2250_0896	21	24	3	1.57	-55	135	28	739473.18	1289288.1	2238.942	Kiaka Main
KMGC_2250_0896											
KMGC_2250_0900	9	11	2	1.16	-55	135	27	739508.84	1289252.6	2238.403	Kiaka Main
KMGC_2250_0901	20	21	1	2.38	-55	135	27	739517.44	1289243.8	2238.278	Kiaka Main
KMGC_2250_0930	6	22	16	1.62	-55	135	30	739406.99	1289371.9	2241.215	Kiaka Main
KMGC_2250_0931	15	30	15	0.81	-55	135	30	739416.01	1289363	2240.835	Kiaka Main
KMGC_2250_0931											
KMGC_2250_0932	3	30	27	1.28	-55	135	30	739424.86	1289354.3	2240.614	Kiaka Main
KMGC_2250_0933	4	28	24	0.58	-55	135	29	739433.62	1289345.4	2240.312	Kiaka Main
KMGC_2250_0934	1	22	21	0.88	-55	135	29	739442.41	1289336.7	2239.967	Kiaka Main
KMGC_2250_0935	16	29	13	0.97	-55	135	29	739451.33	1289327.8	2239.814	Kiaka Main
KMGC_2250_0935											
KMGC_2250_0936	4	28	24	0.72	-55	135	28	739460.06	1289318.9	2239.708	Kiaka Main
KMGC_2250_0937	1	24	23	0.66	-55	135	28	739468.74	1289310.2	2239.419	Kiaka Main
KMGC_2250_0938	18	20	2	1.44	-55	135	28	739477.57	1289301.4	2239.314	Kiaka Main

Table 1 Kiaka Main RC Grade Control Significant Intercepts > 0.3 g/t											
Hole ID	From	To	Interval	Au g/t	Dip	Azi	EOH	Easting	Northing	RL	Prospect
KMGC_2250_0938											
KMGC_2250_0939	6	18	12	0.31	-55	135	28	739486.61	1289292.5	2239.072	Kiaka Main
KMGC_2250_0951	38	43	5	0.35	-55	135	43	739172.81	1289623.7	2250.322	Kiaka Main
KMGC_2250_0951											
KMGC_2250_0973	24	29	5	1.10	-55	135	29	739420.24	1289376.6	2240.977	Kiaka Main
KMGC_2250_0973											
KMGC_2250_0974	6	30	24	1.80	-55	135	30	739429.14	1289367.8	2240.636	Kiaka Main
KMGC_2250_0975	1	30	29	1.09	-55	135	30	739437.96	1289358.8	2240.239	Kiaka Main
KMGC_2250_0976	1	29	28	0.51	-55	135	29	739447.02	1289349.9	2240.245	Kiaka Main
KMGC_2250_0977	4	17	13	0.60	-55	135	29	739455.6	1289341.3	2240.059	Kiaka Main
KMGC_2250_0977											
KMGC_2250_0978	0	29	29	0.76	-55	135	29	739464.6	1289332.2	2239.966	Kiaka Main
KMGC_2250_0979	3	27	24	0.36	-55	135	29	739473.26	1289323.2	2239.58	Kiaka Main
KMGC_2250_0980	11	21	10	0.30	-55	135	29	739482.3	1289314.6	2239.577	Kiaka Main
KMGC_2250_0980											
KMGC_2250_0981	1	17	16	0.34	-55	135	28	739490.87	1289305.7	2239.414	Kiaka Main
KMGC_2250_0981											
KMGC_2250_0982	1	6	5	0.41	-55	135	28	739499.65	1289297	2239.087	Kiaka Main
KMGC_2250_0985	11	13	2	0.85	-55	135	27	739526.33	1289270.7	2238.764	Kiaka Main
KMGC_2250_0993	34	40	6	0.71	-55	135	43	739177.23	1289637.1	2250.418	Kiaka Main
KMGC_2250_0994	37	42	5	0.44	-55	135	43	739186.01	1289628.3	2250.271	Kiaka Main
KMGC_2250_0994											
KMGC_2250_0994											
KMGC_2250_1016A	5	31	26	0.84	-55	135	31	739415.86	1289398.7	2241.398	Kiaka Main
KMGC_2250_1017	2	30	28	0.78	-55	135	30	739433.53	1289380.6	2240.641	Kiaka Main
KMGC_2250_1017A	1	22	21	1.29	-55	135	31	739424.8	1289389.7	2241.179	Kiaka Main
KMGC_2250_1018	3	30	27	1.96	-55	135	30	739442.24	1289372.3	2240.578	Kiaka Main
KMGC_2250_1019	2	14	12	1.19	-55	135	30	739451.15	1289363.4	2240.395	Kiaka Main
KMGC_2250_1019											
KMGC_2250_1020	12	19	7	0.35	-55	135	29	739460.06	1289354.6	2240.338	Kiaka Main
KMGC_2250_1021	18	27	9	1.05	-55	135	29	739468.93	1289345.6	2239.961	Kiaka Main
KMGC_2250_1022	21	23	2	0.76	-55	135	29	739477.82	1289336.6	2239.773	Kiaka Main
KMGC_2250_1022											
KMGC_2250_1023	1	23	22	0.35	-55	135	28	739486.69	1289327.8	2239.523	Kiaka Main
KMGC_2250_1024	20	28	8	0.57	-55	135	28	739495.45	1289319	2239.582	Kiaka Main
KMGC_2250_1024											
KMGC_2250_1024											
KMGC_2250_1025	9	28	19	0.49	-55	135	28	739504.29	1289310	2239.257	Kiaka Main

Table 1 Kiaka Main RC Grade Control Significant Intercepts > 0.3 g/t											
Hole ID	From	To	Interval	Au g/t	Dip	Azi	EOH	Easting	Northing	RL	Prospect
KMGC_2250_1028	20	21	1	8.09	-55	135	27	739530.81	1289283.7	2238.832	Kiaka Main
KMGC_2250_1030	1	6	5	27.18	-55	135	27	739548.38	1289265.9	2238.093	Kiaka Main
KMGC_2250_1035	30	36	6	0.55	-55	135	43	739181.72	1289650.3	2250.066	Kiaka Main
KMGC_2250_1036	5	6	1	4.50	-55	135	41	739190.5	1289641.7	2249.983	Kiaka Main
KMGC_2250_1036											
KMGC_2250_1036											
KMGC_2250_1059	3	31	28	1.05	-55	135	31	739429.18	1289403	2241.83	Kiaka Main
KMGC_2250_1060	3	31	28	1.30	-55	135	31	739438.46	1289393.8	2241.01	Kiaka Main
KMGC_2250_1061	1	30	29	1.62	-55	135	30	739446.73	1289385.4	2240.542	Kiaka Main
KMGC_2250_1062	5	14	9	0.80	-55	135	29	739464.35	1289367.8	2240.286	Kiaka Main
KMGC_2250_1062											
KMGC_2250_1063	3	29	26	0.49	-55	135	29	739473.45	1289358.8	2240.112	Kiaka Main
KMGC_2250_1064	2	28	26	0.77	-55	135	29	739482.07	1289349.9	2239.804	Kiaka Main
KMGC_2250_1065	9	28	19	0.86	-55	135	28	739490.99	1289341	2239.665	Kiaka Main
KMGC_2250_1065											
KMGC_2250_1066	8	19	11	0.40	-55	135	28	739499.78	1289332.2	2239.309	Kiaka Main
KMGC_2250_1067	4	28	24	0.72	-55	135	28	739508.55	1289323.5	2239.261	Kiaka Main
KMGC_2250_1071	21	23	2	0.49	-55	135	27	739552.48	1289278.8	2238.06	Kiaka Main
KMGC_2250_1077	21	23	2	0.79	-55	135	41	739194.95	1289654.9	2249.475	Kiaka Main
KMGC_2250_1077											
KMGC_2250_1077											
KMGC_2250_1078	22	37	15	1.83	-55	135	39	739203.9	1289645.9	2249.072	Kiaka Main
KMGC_2250_1103	2	30	28	0.87	-55	135	31	739442.68	1289407.3	2241.684	Kiaka Main
KMGC_2250_1104	3	31	28	0.70	-55	135	31	739451.66	1289398.3	2240.656	Kiaka Main
KMGC_2250_1105	2	13	11	0.83	-55	135	30	739460.18	1289390.1	2240.681	Kiaka Main
KMGC_2250_1105											
KMGC_2250_1106	16	30	14	0.41	-55	135	30	739468.96	1289380.9	2240.539	Kiaka Main
KMGC_2250_1106											
KMGC_2250_1107	2	28	26	0.66	-55	135	29	739477.87	1289372.2	2240.26	Kiaka Main
KMGC_2250_1108	2	27	25	0.88	-55	135	29	739486.68	1289363.3	2240.321	Kiaka Main
KMGC_2250_1109	16	28	12	0.61	-55	135	28	739495.59	1289354.1	2239.775	Kiaka Main
KMGC_2250_1109											
KMGC_2250_1110	17	28	11	0.59	-55	135	28	739504.39	1289345.2	2239.431	Kiaka Main
KMGC_2250_1111	24	28	4	0.49	-55	135	28	739513.07	1289336.7	2239.207	Kiaka Main
KMGC_2250_1111											
KMGC_2250_1112	10	17	7	0.32	-55	135	27	739521.91	1289327.8	2238.904	Kiaka Main
KMGC_2250_1112											
KMGC_2250_1123	16	29	13	0.62	-55	135	42	739199.4	1289668.1	2250.055	Kiaka Main

Table 1 Kiaka Main RC Grade Control Significant Intercepts > 0.3 g/t											
Hole ID	From	To	Interval	Au g/t	Dip	Azi	EOH	Easting	Northing	RL	Prospect
KMGC_2250_1123											
KMGC_2250_1123											
KMGC_2250_1124	32	40	8	1.81	-55	135	40	739208.25	1289659.2	2249.044	Kiaka Main
KMGC_2250_1124											
KMGC_2250_1124											
KMGC_2250_1144	0	31	31	0.64	-55	135	31	739446.83	1289420.6	2241.897	Kiaka Main
KMGC_2250_1145	1	30	29	0.74	-55	135	31	739455.92	1289411.6	2241.312	Kiaka Main
KMGC_2250_1146	1	30	29	0.74	-55	135	30	739464.86	1289403	2240.737	Kiaka Main
KMGC_2250_1147	2	15	13	1.03	-55	135	30	739473.61	1289394.2	2240.556	Kiaka Main
KMGC_2250_1147											
KMGC_2250_1148	1	30	29	0.69	-55	135	30	739482.32	1289385.3	2240.433	Kiaka Main
KMGC_2250_1149	2	28	26	0.56	-55	135	29	739491.26	1289376.6	2240.235	Kiaka Main
KMGC_2250_1150	2	17	15	0.52	-55	135	29	739500.07	1289367.5	2240.128	Kiaka Main
KMGC_2250_1150											
KMGC_2250_1151	17	25	8	0.36	-55	135	28	739508.73	1289358.8	2239.709	Kiaka Main
KMGC_2250_1151											
KMGC_2250_1152	4	6	2	0.37	-55	135	28	739517.67	1289349.6	2239.403	Kiaka Main
KMGC_2250_1153	9	28	19	0.46	-55	135	28	739526.01	1289341.5	2239.278	Kiaka Main
KMGC_2250_1154	8	10	2	0.53	-55	135	27	739535.08	1289332.2	2238.867	Kiaka Main
KMGC_2250_1165	32	39	7	0.43	-55	135	42	739212.6	1289672.6	2249.09	Kiaka Main
KMGC_2250_1165											
KMGC_2250_1166	25	34	9	0.71	-55	135	39	739221.57	1289663.6	2248.244	Kiaka Main
KMGC_2250_1166											
KMGC_2250_1192	2	31	29	0.52	-55	135	31	739460.04	1289424.9	2241.77	Kiaka Main
KMGC_2250_1193	2	31	29	0.68	-55	135	31	739469.01	1289416	2241.035	Kiaka Main
KMGC_2250_1194	1	29	28	0.59	-55	135	30	739477.89	1289407.2	2240.751	Kiaka Main
KMGC_2250_1195	11	30	19	0.46	-55	135	30	739486.55	1289398.5	2240.689	Kiaka Main
KMGC_2250_1195											
KMGC_2250_1200	11	29	18	0.66	-55	135	29	739530.91	1289354.2	2239.289	Kiaka Main
KMGC_2250_1201	17	21	4	1.54	-55	135	28	739539.48	1289345.7	2239.132	Kiaka Main
KMGC_2250_1201											
KMGC_2250_1206	22	23	1	5.56	-55	135	26	739583.79	1289301.3	2237.994	Kiaka Main
KMGC_2250_1211	25	33	8	0.37	-55	135	35	739225.97	1289676.8	2248.651	Kiaka Main
KMGC_2250_1211											
KMGC_2250_1214	0	7	7	0.46	-55	135	31	739270.04	1289632.6	2246.149	Kiaka Main
KMGC_2250_1230	0	24	24	0.71	-55	135	25	739464.54	1289438.2	2241.895	Kiaka Main
KMGC_2250_1231	2	25	23	1.82	-55	135	25	739473.56	1289429.4	2241.21	Kiaka Main
KMGC_2250_1232	2	24	22	1.49	-55	135	24	739482.01	1289420.5	2241.08	Kiaka Main

Table 1 Kiaka Main RC Grade Control Significant Intercepts > 0.3 g/t											
Hole ID	From	To	Interval	Au g/t	Dip	Azi	EOH	Easting	Northing	RL	Prospect
KMGC_2250_1236	0	16	16	0.32	-55	135	23	739535.08	1289367.4	2239.89	Kiaka Main
KMGC_2250_1237	10	13	3	0.55	-55	135	22	739543.93	1289358.5	2239.334	Kiaka Main
KMGC_2250_1237											
KMGC_2250_1238	2	11	9	0.45	-55	135	22	739552.86	1289349.7	2238.998	Kiaka Main
KMGC_2250_1240	11	13	2	0.32	-55	135	21	739570.48	1289332.1	2238.364	Kiaka Main
KMGC_2250_1242	3	5	2	0.40	-55	135	20	739588.3	1289314.5	2238.038	Kiaka Main
KMGC_2250_1286	1	3	2	1.19	-55	135	21	739566.16	1289354.2	2238.973	Kiaka Main
KMGC_2250_1378A	2	13	11	0.62	-55	135	30	739288.06	1289685.7	2246.413	Kiaka Main
KMGC_2250_1380	24	30	6	0.60	-55	135	30	739323.17	1289650.4	2245.493	Kiaka Main
KMGC_2250_1381	5	14	9	1.13	-55	135	29	739332.01	1289641.5	2245.302	Kiaka Main
KMGC_2250_1382	22	29	7	0.30	-55	135	29	739340.63	1289632.7	2245.197	Kiaka Main
KMGC_2250_1383	28	29	1	1.90	-55	135	29	739358.52	1289615	2244.847	Kiaka Main
KMGC_2250_1384	0	3	3	0.53	-55	135	29	739367.31	1289606.2	2244.701	Kiaka Main
KMGC_2250_1384											
KMGC_2250_1385	21	28	7	0.50	-55	135	28	739376.15	1289597.5	2244.308	Kiaka Main
KMGC_2250_1385											
KMGC_2250_1387	13	17	4	1.15	-55	135	27	739402.71	1289571	2243.811	Kiaka Main
KMGC_2250_1387											
KMGC_2250_1389	18	26	8	1.38	-55	135	27	739428.79	1289544.6	2243.643	Kiaka Main
KMGC_2250_1389											
KMGC_2250_1390	0	27	27	1.17	-55	135	27	739437.91	1289535.6	2243.541	Kiaka Main
KMGC_2250_1391	0	27	27	1.16	-55	135	27	739446.63	1289526.8	2243.301	Kiaka Main
KMGC_2250_1392	12	26	14	0.95	-55	135	26	739464.34	1289509.3	2242.907	Kiaka Main
KMGC_2250_1392											
KMGC_2250_1393	8	18	10	0.38	-55	135	26	739473.08	1289500.5	2243.018	Kiaka Main
KMGC_2250_1395	2	25	23	1.17	-55	135	25	739499.78	1289473.8	2241.989	Kiaka Main
KMGC_2250_1396	0	25	25	1.36	-55	135	25	739508.49	1289465	2241.912	Kiaka Main
KMGC_2250_1397	0	24	24	0.82	-55	135	25	739517.75	1289455.9	2241.085	Kiaka Main
KMGC_2250_1398	0	9	9	0.67	-55	135	24	739534.83	1289438.8	2241.2	Kiaka Main
KMGC_2250_1398											
KMGC_2250_1399	0	9	9	0.34	-55	135	24	739544.04	1289429.4	2241.137	Kiaka Main
KMGC_2250_1399											
KMGC_2250_1400	1	18	17	0.33	-55	135	24	739552.73	1289420.8	2241.001	Kiaka Main
KMGC_2250_1401	1	9	8	0.47	-55	135	24	739561.63	1289411.9	2240.785	Kiaka Main
KMGC_2250_1403	19	22	3	0.51	-55	135	22	739579.42	1289394	2239.882	Kiaka Main
KMGC_2250_1403											
KMGC_2250_1404	2	7	5	0.30	-55	135	22	739588.15	1289385.3	2239.475	Kiaka Main
KMGC_2250_1409	22	23	1	4.19	-55	135	32	739283.18	1289707.9	2247.006	Kiaka Main

Table 1 Kiaka Main RC Grade Control Significant Intercepts > 0.3 g/t											
Hole ID	From	To	Interval	Au g/t	Dip	Azi	EOH	Easting	Northing	RL	Prospect
KMGC_2250_1409											
KMGC_2250_1409											
KMGC_2250_1410	14	21	7	0.48	-55	135	31	739291.98	1289699.2	2246.793	Kiaka Main
KMGC_2250_1411	12	15	3	1.26	-55	135	31	739301	1289690.2	2246.339	Kiaka Main
KMGC_2250_1411											
KMGC_2250_1413	21	30	9	0.58	-55	135	30	739318.71	1289672.6	2245.762	Kiaka Main
KMGC_2250_1414	17	30	13	1.22	-55	135	30	739327.54	1289663.9	2245.432	Kiaka Main
KMGC_2250_1415	0	28	28	0.33	-55	135	30	739336.35	1289655.2	2245.14	Kiaka Main
KMGC_2250_1416	24	30	6	0.46	-55	135	30	739345.2	1289646	2245.158	Kiaka Main
KMGC_2250_1416											
KMGC_2250_1417	25	28	3	0.38	-55	135	29	739354.01	1289637.2	2245.077	Kiaka Main
KMGC_2250_1419	2	3	1	18.70	-55	135	29	739371.76	1289619.4	2244.609	Kiaka Main
KMGC_2250_1419											
KMGC_2250_1419											
KMGC_2250_1420	1	8	7	0.41	-55	135	28	739380.69	1289610.6	2244.447	Kiaka Main
KMGC_2250_1421	10	25	15	0.71	-55	135	28	739389.4	1289601.8	2244.275	Kiaka Main
KMGC_2250_1421											
KMGC_2250_1422	9	28	19	0.80	-55	135	28	739398.28	1289592.9	2243.942	Kiaka Main
KMGC_2250_1422											
KMGC_2250_1423	1	5	4	1.86	-55	135	28	739407.29	1289583.9	2243.906	Kiaka Main
KMGC_2250_1423											
KMGC_2250_1425	0	12	12	0.60	-55	135	27	739424.93	1289566.2	2243.317	Kiaka Main
KMGC_2250_1426	6	15	9	0.34	-55	135	27	739433.6	1289557.7	2243.42	Kiaka Main
KMGC_2250_1427	8	27	19	0.79	-55	135	27	739442.36	1289548.8	2243.432	Kiaka Main
KMGC_2250_1428	10	27	17	0.53	-55	135	27	739451.12	1289540	2243.174	Kiaka Main
KMGC_2250_1429	0	26	26	0.92	-55	135	26	739459.96	1289531.1	2243.068	Kiaka Main
KMGC_2250_1430	1	26	25	1.48	-55	135	26	739468.77	1289522.3	2242.941	Kiaka Main
KMGC_2250_1431	0	26	26	0.97	-55	135	26	739477.84	1289513.5	2242.742	Kiaka Main
KMGC_2250_1432	8	19	11	1.37	-55	135	26	739486.57	1289504.7	2242.719	Kiaka Main
KMGC_2250_1432											
KMGC_2250_1433	0	7	7	1.08	-55	135	26	739495.38	1289495.8	2242.573	Kiaka Main
KMGC_2250_1434	16	26	10	1.60	-55	135	26	739504.26	1289486.9	2242.098	Kiaka Main
KMGC_2250_1435	10	25	15	1.36	-55	135	25	739513.07	1289478	2241.915	Kiaka Main
KMGC_2250_1436	0	25	25	1.35	-55	135	25	739521.97	1289469.1	2241.481	Kiaka Main
KMGC_2250_1437	2	24	22	0.73	-55	135	24	739530.84	1289460.3	2241.294	Kiaka Main
KMGC_2250_1438	0	15	15	0.77	-55	135	24	739539.55	1289451.6	2241.109	Kiaka Main
KMGC_2250_1438											
KMGC_2250_1439	13	15	2	2.00	-55	135	24	739548.68	1289442.6	2241.166	Kiaka Main

Table 1 Kiaka Main RC Grade Control Significant Intercepts > 0.3 g/t											
Hole ID	From	To	Interval	Au g/t	Dip	Azi	EOH	Easting	Northing	RL	Prospect
KMGC_2250_1439											
KMGC_2250_1440	1	23	22	0.55	-55	135	24	739557.48	1289433.8	2240.679	Kiaka Main
KMGC_2250_1441	3	11	8	0.44	-55	135	24	739566.26	1289424.7	2240.517	Kiaka Main
KMGC_2250_1443	15	21	6	0.68	-55	135	23	739583.87	1289407.3	2239.678	Kiaka Main
KMGC_2250_1444	11	20	9	0.65	-55	135	22	739592.61	1289398.6	2239.022	Kiaka Main
KMGC_2250_1446	19	20	1	1.03	-55	135	21	739610.26	1289380.9	2238.739	Kiaka Main
KMGC_2250_1450	26	31	5	2.80	-55	135	31	739296.51	1289712.5	2246.891	Kiaka Main
KMGC_2250_1450											
KMGC_2250_1451	10	22	12	0.87	-55	135	31	739305.42	1289703.3	2246.557	Kiaka Main
KMGC_2250_1451											
KMGC_2250_1453	24	27	3	1.67	-55	135	30	739323.09	1289685.9	2245.837	Kiaka Main
KMGC_2250_1454	0	26	26	0.51	-55	135	30	739349.52	1289659.5	2245.234	Kiaka Main
KMGC_2250_1454A	2	30	28	1.87	-55	135	30	739340.73	1289668.2	2245.25	Kiaka Main
KMGC_2250_1455	3	4	1	1.28	-55	135	29	739358.52	1289650.6	2245.006	Kiaka Main
KMGC_2250_1456	14	22	8	0.74	-55	135	29	739375.93	1289632.9	2244.547	Kiaka Main
KMGC_2250_1456											
KMGC_2250_1457	8	11	3	0.40	-55	135	28	739384.89	1289624	2244.392	Kiaka Main
KMGC_2250_1457											
KMGC_2250_1458	14	28	14	3.58	-55	135	28	739393.88	1289615	2244.057	Kiaka Main
KMGC_2250_1459	9	27	18	0.57	-55	135	27	739420.48	1289588.5	2243.805	Kiaka Main
KMGC_2250_1459A	1	27	26	0.97	-55	135	27	739411.5	1289597.3	2243.916	Kiaka Main
KMGC_2250_1460	0	18	18	0.34	-55	135	27	739429.04	1289579.9	2243.715	Kiaka Main
KMGC_2250_1461	6	16	10	0.39	-55	135	27	739446.82	1289562.1	2243.325	Kiaka Main
KMGC_2250_1462	0	2	2	0.57	-55	135	27	739455.45	1289553.5	2242.973	Kiaka Main
KMGC_2250_1463	0	26	26	2.02	-55	135	26	739464.38	1289544.6	2242.956	Kiaka Main
KMGC_2250_1464	0	25	25	0.69	-55	135	26	739481.87	1289526.7	2242.709	Kiaka Main
KMGC_2250_1465	8	16	8	0.56	-55	135	26	739490.85	1289518	2242.589	Kiaka Main
KMGC_2250_1465											
KMGC_2250_1465											
KMGC_2250_1466	0	26	26	0.99	-55	135	26	739499.68	1289509.1	2242.403	Kiaka Main
KMGC_2250_1467	0	12	12	1.30	-55	135	25	739517.67	1289491.1	2241.901	Kiaka Main
KMGC_2250_1468	17	25	8	1.78	-55	135	25	739526.32	1289482.7	2241.798	Kiaka Main
KMGC_2250_1468											
KMGC_2250_1469	0	25	25	0.88	-55	135	25	739535.15	1289473.7	2241.503	Kiaka Main
KMGC_2250_1470	0	24	24	0.83	-55	135	24	739543.91	1289465	2241.133	Kiaka Main
KMGC_2250_1471	0	24	24	0.68	-55	135	24	739552.88	1289456	2240.836	Kiaka Main
KMGC_2250_1472	16	21	5	0.57	-55	135	24	739561.52	1289447.2	2240.564	Kiaka Main
KMGC_2250_1472											

Table 1 Kiaka Main RC Grade Control Significant Intercepts > 0.3 g/t											
Hole ID	From	To	Interval	Au g/t	Dip	Azi	EOH	Easting	Northing	RL	Prospect
KMGC_2250_1472											
KMGC_2250_1473	4	21	17	0.55	-55	135	23	739570.63	1289438.3	2240.259	Kiaka Main
KMGC_2250_1476	2	12	10	0.32	-55	135	21	739596.96	1289412	2239.689	Kiaka Main
KMGC_2250_1477	2	3	1	1.82	-55	135	21	739605.76	1289402.9	2239.361	Kiaka Main
KMGC_2250_1478	11	12	1	1.45	-55	135	21	739614.77	1289394.1	2238.929	Kiaka Main
KMGC_2250_1482	2	10	8	1.81	-55	135	31	739301.13	1289725.4	2246.699	Kiaka Main
KMGC_2250_1483	21	27	6	0.68	-55	135	31	739309.62	1289716.7	2246.542	Kiaka Main
KMGC_2250_1483											
KMGC_2250_1484	0	16	16	0.81	-55	135	31	739318.67	1289707.8	2246.117	Kiaka Main
KMGC_2250_1486	1	21	20	0.45	-55	135	30	739336.45	1289690.1	2245.642	Kiaka Main
KMGC_2250_1486											
KMGC_2250_1487	3	30	27	0.93	-55	135	30	739345.23	1289681.3	2245.349	Kiaka Main
KMGC_2250_1488	5	30	25	0.63	-55	135	30	739354.07	1289672.6	2245.349	Kiaka Main
KMGC_2250_1489	4	20	16	0.44	-55	135	29	739362.95	1289663.5	2245.435	Kiaka Main
KMGC_2250_1490	20	30	10	0.34	-55	135	30	739371.8	1289654.8	2245.042	Kiaka Main
KMGC_2250_1490											
KMGC_2250_1491	25	28	3	0.43	-55	135	29	739380.65	1289646.1	2244.822	Kiaka Main
KMGC_2250_1491											
KMGC_2250_1492	20	29	9	0.78	-55	135	29	739389.49	1289637.1	2244.463	Kiaka Main
KMGC_2250_1492											
KMGC_2250_1492A	5	7	2	3.49	-55	135	29	739398.22	1289628.3	2244.241	Kiaka Main
KMGC_2250_1492A	13	18	5	0.75							
KMGC_2250_1492A	23	29	6	0.38							
KMGC_2250_1493	0	28	28	0.87	-55	135	28	739407.17	1289619.2	2243.971	Kiaka Main
KMGC_2250_1494	0	28	28	0.90	-55	135	28	739415.84	1289610.6	2244.01	Kiaka Main
KMGC_2250_1495	2	19	17	0.45	-55	135	27	739424.64	1289602	2244.018	Kiaka Main
KMGC_2250_1495											
KMGC_2250_1496	18	25	7	0.85	-55	135	28	739433.3	1289593.2	2243.995	Kiaka Main
KMGC_2250_1497	1	24	23	0.48	-55	135	27	739442.18	1289584.4	2244.085	Kiaka Main
KMGC_2250_1498	9	15	6	0.68	-55	135	27	739451.13	1289575.3	2243.533	Kiaka Main
KMGC_2250_1498											
KMGC_2250_1499	19	21	2	0.37	-55	135	27	739460.01	1289566.6	2243.455	Kiaka Main
KMGC_2250_1500	0	26	26	1.30	-55	135	26	739468.8	1289557.7	2243.185	Kiaka Main
KMGC_2250_1501	0	26	26	0.92	-55	135	26	739477.63	1289548.9	2242.95	Kiaka Main
KMGC_2250_1502	17	26	9	1.00	-55	135	26	739486.45	1289539.9	2242.808	Kiaka Main
KMGC_2250_1502											
KMGC_2250_1503	0	26	26	0.84	-55	135	26	739495.31	1289531.3	2242.634	Kiaka Main
KMGC_2250_1504	4	25	21	0.91	-55	135	26	739504.07	1289522.4	2242.445	Kiaka Main

Table 1 Kiaka Main RC Grade Control Significant Intercepts > 0.3 g/t											
Hole ID	From	To	Interval	Au g/t	Dip	Azi	EOH	Easting	Northing	RL	Prospect
KMGC_2250_1505	4	26	22	1.22	-55	135	26	739512.99	1289513.5	2242.354	Kiaka Main
KMGC_2250_1506	2	24	22	1.29	-55	135	26	739521.76	1289504.7	2241.864	Kiaka Main
KMGC_2250_1507	1	13	12	1.95	-55	135	25	739530.86	1289495.9	2241.413	Kiaka Main
KMGC_2250_1507											
KMGC_2250_1508	1	22	21	1.14	-55	135	25	739539.44	1289486.9	2241.207	Kiaka Main
KMGC_2250_1509	1	25	24	1.05	-55	135	25	739548.47	1289478.1	2240.978	Kiaka Main
KMGC_2250_1510	2	24	22	1.15	-55	135	24	739557.44	1289469	2240.641	Kiaka Main
KMGC_2250_1511	0	24	24	0.67	-55	135	24	739566.14	1289460.2	2240.51	Kiaka Main
KMGC_2250_1512	4	20	16	0.47	-55	135	23	739574.91	1289451.6	2240.384	Kiaka Main
KMGC_2250_1513	6	9	3	0.35	-55	135	22	739583.78	1289442.8	2240.332	Kiaka Main
KMGC_2250_1513											
KMGC_2250_1517	11	22	11	0.37	-55	135	22	739619.22	1289407.4	2239.547	Kiaka Main
KMGC_2250_1517											
KMGC_2250_1522	17	23	6	0.81	-55	135	31	739322.96	1289721.1	2246.404	Kiaka Main
KMGC_2250_1523	3	12	9	0.49	-55	135	31	739331.78	1289712.6	2245.967	Kiaka Main
KMGC_2250_1524	14	16	2	0.45	-55	135	30	739340.75	1289703.5	2245.79	Kiaka Main
KMGC_2250_1525	6	21	15	0.73	-55	135	30	739358.42	1289685.8	2245.274	Kiaka Main
KMGC_2250_1525											
KMGC_2250_1526	18	26	8	0.49	-55	135	29	739367.24	1289677	2245.319	Kiaka Main
KMGC_2250_1527	18	28	10	0.48	-55	135	29	739376.32	1289668	2245.03	Kiaka Main
KMGC_2250_1528	0	11	11	0.65	-55	135	29	739393.85	1289650.5	2244.761	Kiaka Main
KMGC_2250_1529	10	23	13	0.41	-55	135	29	739402.64	1289641.7	2244.52	Kiaka Main
KMGC_2250_1529											
KMGC_2250_1530	2	11	9	0.31	-55	135	28	739411.38	1289632.5	2244.365	Kiaka Main
KMGC_2250_1531	18	28	10	0.86	-55	135	28	739429.1	1289615	2244.057	Kiaka Main
KMGC_2250_1531											
KMGC_2250_1532	0	27	27	0.45	-55	135	28	739437.97	1289606.1	2244.043	Kiaka Main
KMGC_2250_1533	9	25	16	0.40	-55	135	28	739446.85	1289597.4	2243.844	Kiaka Main
KMGC_2250_1533											
KMGC_2250_1534	0	15	15	0.44	-55	135	27	739455.55	1289588.6	2243.728	Kiaka Main
KMGC_2250_1535	5	27	22	0.41	-55	135	27	739464.48	1289579.7	2243.585	Kiaka Main
KMGC_2250_1536	0	27	27	1.12	-55	135	27	739473.28	1289570.9	2243.264	Kiaka Main
KMGC_2250_1537	0	27	27	0.91	-55	135	27	739482.09	1289562.1	2243.054	Kiaka Main
KMGC_2250_1538	0	16	16	0.47	-55	135	27	739490.89	1289553.2	2242.914	Kiaka Main
KMGC_2250_1538											
KMGC_2250_1539	0	27	27	1.42	-55	135	27	739499.82	1289544.4	2242.719	Kiaka Main
KMGC_2250_1540	1	26	25	0.81	-55	135	26	739508.77	1289535.6	2242.523	Kiaka Main
KMGC_2250_1541	8	26	18	1.37	-55	135	26	739517.51	1289526.6	2242.767	Kiaka Main

Table 1 Kiaka Main RC Grade Control Significant Intercepts > 0.3 g/t											
Hole ID	From	To	Interval	Au g/t	Dip	Azi	EOH	Easting	Northing	RL	Prospect
KMGC_2250_1541											
KMGC_2250_1542	0	25	25	1.46	-55	135	25	739535.15	1289508.9	2242.096	Kiaka Main
KMGC_2250_1543	2	13	11	0.49	-55	135	25	739543.91	1289500.2	2241.655	Kiaka Main
KMGC_2250_1543											
KMGC_2250_1544	19	25	6	0.76	-55	135	25	739552.8	1289491.4	2241.657	Kiaka Main
KMGC_2250_1544											
KMGC_2250_1545	0	8	8	0.63	-55	135	24	739570.48	1289473.7	2240.979	Kiaka Main
KMGC_2250_1546	2	23	21	0.38	-55	135	24	739579.34	1289464.7	2240.763	Kiaka Main
KMGC_2250_1547	4	23	19	0.45	-55	135	23	739588.1	1289456	2240.78	Kiaka Main
KMGC_2250_1548	7	21	14	0.32	-55	135	23	739596.98	1289447.1	2240.669	Kiaka Main
KMGC_2250_1549	22	23	1	2.05	-55	135	23	739605.89	1289438.3	2240.661	Kiaka Main
KMGC_2250_1551	19	21	2	1.96	-55	135	23	739623.64	1289420.5	2240.182	Kiaka Main
KMGC_2250_1551											
KMGC_2250_1552	6	11	5	1.37	-55	135	22	739632.52	1289411.7	2239.577	Kiaka Main
KMGC_2250_1557	19	25	6	1.59	-55	135	31	739318.7	1289743.2	2246.624	Kiaka Main
KMGC_2250_1558	23	30	7	0.71	-55	135	31	739327.42	1289734.4	2246.67	Kiaka Main
KMGC_2250_1559	10	15	5	1.24	-55	135	31	739336.35	1289725.4	2246.298	Kiaka Main
KMGC_2250_1560	17	30	13	0.66	-55	135	30	739345.2	1289716.8	2245.943	Kiaka Main
KMGC_2250_1561	25	30	5	0.58	-55	135	30	739353.99	1289707.8	2245.613	Kiaka Main
KMGC_2250_1561											
KMGC_2250_1561											
KMGC_2250_1562	8	29	21	0.54	-55	135	29	739362.82	1289699.2	2245.338	Kiaka Main
KMGC_2250_1562											
KMGC_2250_1563	18	26	8	0.43	-55	135	30	739371.57	1289690.2	2245.084	Kiaka Main
KMGC_2250_1563											
KMGC_2250_1564	27	28	1	1.07	-55	135	30	739380.35	1289681.4	2245.134	Kiaka Main
KMGC_2250_1566	0	7	7	0.49	-55	135	29	739398.26	1289663.7	2244.874	Kiaka Main
KMGC_2250_1566											
KMGC_2250_1567	2	28	26	0.39	-55	135	29	739406.9	1289655	2244.715	Kiaka Main
KMGC_2250_1568	8	21	13	0.39	-55	135	28	739415.81	1289646.1	2244.517	Kiaka Main
KMGC_2250_1568											
KMGC_2250_1569	0	16	16	0.40	-55	135	28	739424.5	1289637.4	2244.305	Kiaka Main
KMGC_2250_1570	14	26	12	0.51	-55	135	28	739433.58	1289628.4	2244.153	Kiaka Main
KMGC_2250_1570											
KMGC_2250_1571	1	24	23	0.44	-55	135	28	739442.34	1289619.5	2243.905	Kiaka Main
KMGC_2250_1572	20	28	8	0.42	-55	135	28	739450.96	1289610.8	2243.929	Kiaka Main
KMGC_2250_1572											
KMGC_2250_1574	16	22	6	0.32	-55	135	27	739468.76	1289593.1	2243.788	Kiaka Main

Table 1 Kiaka Main RC Grade Control Significant Intercepts > 0.3 g/t											
Hole ID	From	To	Interval	Au g/t	Dip	Azi	EOH	Easting	Northing	RL	Prospect
KMGC_2250_1575	0	27	27	0.94	-55	135	27	739477.54	1289584.3	2243.56	Kiaka Main
KMGC_2250_1576	1	27	26	1.12	-55	135	27	739486.44	1289575.4	2243.135	Kiaka Main
KMGC_2250_1577	5	27	22	1.37	-55	135	27	739494.97	1289566.7	2242.92	Kiaka Main
KMGC_2250_1578	2	27	25	0.60	-55	135	27	739504.27	1289557.4	2242.749	Kiaka Main
KMGC_2250_1579	1	27	26	0.73	-55	135	27	739513.1	1289548.8	2242.599	Kiaka Main
KMGC_2250_1580	1	26	25	0.84	-55	135	26	739521.92	1289539.9	2242.65	Kiaka Main
KMGC_2250_1581	2	26	24	0.92	-55	135	26	739530.8	1289531.1	2242.696	Kiaka Main
KMGC_2250_1582	1	26	25	0.92	-55	135	26	739539.86	1289522.1	2242.276	Kiaka Main
KMGC_2250_1583	1	24	23	0.55	-55	135	25	739548.71	1289513.1	2241.77	Kiaka Main
KMGC_2250_1584	24	25	1	12.13	-55	135	25	739557.42	1289504.5	2241.811	Kiaka Main
KMGC_2250_1584											
KMGC_2250_1585	17	24	7	1.41	-55	135	24	739565.94	1289495.7	2241.501	Kiaka Main
KMGC_2250_1586	0	19	19	0.73	-55	135	24	739574.89	1289486.9	2241.552	Kiaka Main
KMGC_2250_1587	3	21	18	0.39	-55	135	24	739583.68	1289478	2241.544	Kiaka Main
KMGC_2250_1588	0	7	7	0.72	-55	135	24	739592.65	1289469.3	2241.427	Kiaka Main
KMGC_2250_1588											
KMGC_2250_1589	9	24	15	0.36	-55	135	24	739601.45	1289460.4	2241.185	Kiaka Main
KMGC_2250_1590	1	17	16	0.36	-55	135	24	739610.18	1289451.5	2240.982	Kiaka Main
KMGC_2250_1592	15	24	9	1.49	-55	135	24	739627.96	1289433.8	2240.747	Kiaka Main
KMGC_2250_1593	10	18	8	0.74	-55	135	23	739636.72	1289425.1	2240.574	Kiaka Main
KMGC_2250_1599	24	32	8	0.55	-55	135	32	739331.8	1289747.7	2246.91	Kiaka Main
KMGC_2250_1600	17	18	1	2.55	-55	135	31	739340.79	1289738.8	2246.578	Kiaka Main
KMGC_2250_1600											
KMGC_2250_1601	22	26	4	1.48	-55	135	31	739349.8	1289729.9	2246.129	Kiaka Main
KMGC_2250_1602	7	19	12	0.64	-55	135	31	739358.47	1289721	2245.712	Kiaka Main
KMGC_2250_1603	0	30	30	0.48	-55	135	30	739367.08	1289712.1	2245.306	Kiaka Main
KMGC_2250_1604	3	15	12	0.56	-55	135	30	739376	1289703.4	2245.099	Kiaka Main
KMGC_2250_1604											
KMGC_2250_1605	5	7	2	0.43	-55	135	30	739385.09	1289694.7	2244.777	Kiaka Main
KMGC_2250_1606	0	5	5	0.45	-55	135	30	739393.88	1289685.9	2244.792	Kiaka Main
KMGC_2250_1608	20	28	8	0.90	-55	135	29	739411.45	1289668.2	2244.883	Kiaka Main
KMGC_2250_1608											
KMGC_2250_1609	3	28	25	0.74	-55	135	28	739420.2	1289659.4	2244.805	Kiaka Main
KMGC_2250_1610	1	16	15	0.40	-55	135	28	739428.99	1289650.6	2244.615	Kiaka Main
KMGC_2250_1611	2	15	13	0.41	-55	135	28	739446.81	1289633	2244.116	Kiaka Main
KMGC_2250_1611											
KMGC_2250_1612	2	13	11	0.49	-55	135	28	739455.61	1289624.1	2243.981	Kiaka Main
KMGC_2250_1614	0	27	27	0.79	-55	135	27	739482.44	1289597.2	2243.183	Kiaka Main

Table 1 Kiaka Main RC Grade Control Significant Intercepts > 0.3 g/t											
Hole ID	From	To	Interval	Au g/t	Dip	Azi	EOH	Easting	Northing	RL	Prospect
KMGC_2250_1615	0	27	27	1.06	-55	135	27	739491.15	1289588.4	2243.242	Kiaka Main
KMGC_2250_1616	0	27	27	1.10	-55	135	27	739499.92	1289579.6	2243.151	Kiaka Main
KMGC_2250_1617	1	27	26	0.80	-55	135	27	739517.45	1289562.1	2242.695	Kiaka Main
KMGC_2250_1618	1	26	25	0.61	-55	135	27	739526.24	1289553.4	2242.795	Kiaka Main
KMGC_2250_1619	2	26	24	1.00	-55	135	26	739535.08	1289544.4	2242.877	Kiaka Main
KMGC_2250_1620	0	26	26	0.70	-55	135	26	739552.82	1289526.7	2242.417	Kiaka Main
KMGC_2250_1621	1	25	24	1.10	-55	135	25	739561.74	1289517.7	2242.223	Kiaka Main
KMGC_2250_1622	2	9	7	0.52	-55	135	25	739570.42	1289509.1	2241.949	Kiaka Main
KMGC_2250_1623	11	24	13	0.70	-55	135	25	739578.88	1289499.6	2241.735	Kiaka Main
KMGC_2250_1624	1	6	5	0.91	-55	135	25	739588.32	1289491.3	2241.591	Kiaka Main
KMGC_2250_1624											
KMGC_2250_1625	1	18	17	0.73	-55	135	25	739597.01	1289482.3	2241.605	Kiaka Main
KMGC_2250_1626	15	25	10	0.67	-55	135	25	739606.01	1289473.6	2241.538	Kiaka Main
KMGC_2250_1626											
KMGC_2250_1627	13	22	9	0.35	-55	135	25	739614.46	1289465.2	2241.35	Kiaka Main
KMGC_2250_1628	4	5	1	1.93	-55	135	24	739623.71	1289455.8	2241.337	Kiaka Main
KMGC_2250_1629	1	7	6	0.58	-55	135	24	739632.42	1289447.1	2240.983	Kiaka Main
KMGC_2250_1629											
KMGC_2250_1630	10	24	14	1.40	-55	135	24	739641.24	1289438.1	2240.747	Kiaka Main
KMGC_2250_1638	20	30	10	0.74	-55	135	32	739336.37	1289760.8	2247.363	Kiaka Main
KMGC_2250_1638											
KMGC_2250_1639	7	14	7	0.81	-55	135	31	739345.15	1289752.1	2247.012	Kiaka Main
KMGC_2250_1640	1	3	2	0.74	-55	135	31	739354.04	1289743.2	2246.479	Kiaka Main
KMGC_2250_1641	14	18	4	0.41	-55	135	31	739362.88	1289734.4	2246.072	Kiaka Main
KMGC_2250_1642	2	31	29	0.92	-55	135	31	739371.53	1289725.7	2245.508	Kiaka Main
KMGC_2250_1643	2	20	18	0.60	-55	135	30	739380.55	1289716.8	2244.836	Kiaka Main
KMGC_2250_1643											
KMGC_2250_1644	4	14	10	0.41	-55	135	30	739389.37	1289707.9	2244.442	Kiaka Main
KMGC_2250_1645	6	11	5	0.65	-55	135	30	739398.17	1289699.2	2244.616	Kiaka Main
KMGC_2250_1647	12	28	16	0.40	-55	135	29	739415.86	1289681.5	2244.841	Kiaka Main
KMGC_2250_1648	1	14	13	0.56	-55	135	29	739424.66	1289672.8	2244.699	Kiaka Main
KMGC_2250_1648											
KMGC_2250_1649	4	21	17	0.36	-55	135	29	739433.51	1289663.9	2244.622	Kiaka Main
KMGC_2250_1650	19	26	7	0.48	-55	135	28	739442.47	1289655	2244.268	Kiaka Main
KMGC_2250_1650											
KMGC_2250_1652	4	27	23	1.93	-55	135	28	739459.95	1289637.3	2244.19	Kiaka Main
KMGC_2250_1653	0	12	12	0.56	-55	135	27	739468.76	1289628.5	2243.97	Kiaka Main
KMGC_2250_1654	23	27	4	1.40	-55	135	27	739477.58	1289619.5	2243.744	Kiaka Main

Table 1 Kiaka Main RC Grade Control Significant Intercepts > 0.3 g/t											
Hole ID	From	To	Interval	Au g/t	Dip	Azi	EOH	Easting	Northing	RL	Prospect
KMGC_2250_1655	18	27	9	0.44	-55	135	27	739486.17	1289610.9	2243.918	Kiaka Main
KMGC_2250_1655											
KMGC_2250_1656	0	27	27	1.22	-55	135	27	739495.25	1289602	2243.447	Kiaka Main
KMGC_2250_1657	11	27	16	1.16	-55	135	27	739504.14	1289593.1	2243.191	Kiaka Main
KMGC_2250_1658	0	23	23	1.40	-55	135	27	739512.91	1289584.2	2243.023	Kiaka Main
KMGC_2250_1659	0	24	24	0.65	-55	135	27	739521.85	1289575.4	2242.706	Kiaka Main
KMGC_2250_1660	7	27	20	0.78	-55	135	27	739530.57	1289566.7	2242.852	Kiaka Main
KMGC_2250_1660											
KMGC_2250_1661	5	26	21	1.14	-55	135	26	739539.28	1289557.8	2242.888	Kiaka Main
KMGC_2250_1662	5	26	21	1.26	-55	135	26	739548.37	1289548.9	2242.563	Kiaka Main
KMGC_2250_1663	3	26	23	1.12	-55	135	26	739556.97	1289540.2	2242.505	Kiaka Main
KMGC_2250_1664	0	24	24	1.11	-55	135	26	739565.73	1289531.3	2242.667	Kiaka Main
KMGC_2250_1665	1	22	21	1.17	-55	135	26	739574.94	1289522.4	2242.207	Kiaka Main
KMGC_2250_1666	19	25	6	4.52	-55	135	25	739583.67	1289513.4	2241.943	Kiaka Main
KMGC_2250_1666											
KMGC_2250_1667	3	24	21	1.11	-55	135	25	739592.6	1289504.6	2241.858	Kiaka Main
KMGC_2250_1668	3	24	21	0.39	-55	135	25	739601.39	1289495.8	2241.706	Kiaka Main
KMGC_2250_1669	17	25	8	0.53	-55	135	25	739610.28	1289486.9	2241.481	Kiaka Main
KMGC_2250_1669											
KMGC_2250_1670	1	3	2	1.21	-55	135	25	739619.09	1289478.1	2241.54	Kiaka Main
KMGC_2250_1671	4	8	4	0.43	-55	135	24	739627.95	1289469.2	2241.348	Kiaka Main
KMGC_2250_1672	2	10	8	0.48	-55	135	24	739636.74	1289460.4	2241.088	Kiaka Main
KMGC_2250_1673	2	4	2	0.44	-55	135	24	739645.6	1289451.6	2240.893	Kiaka Main
KMGC_2250_1673											
KMGC_2250_1674	3	15	12	0.37	-55	135	24	739654.42	1289442.7	2240.624	Kiaka Main
KMGC_2250_1678	24	29	5	2.21	-55	135	34	739340.71	1289774.1	2247.798	Kiaka Main
KMGC_2250_1679	4	16	12	1.64	-55	135	32	739349.59	1289765.3	2247.127	Kiaka Main
KMGC_2250_1679											
KMGC_2250_1680	2	8	6	1.05	-55	135	31	739358.43	1289756.4	2246.693	Kiaka Main
KMGC_2250_1681	17	24	7	0.93	-55	135	31	739375.9	1289739	2245.717	Kiaka Main
KMGC_2250_1681											
KMGC_2250_1682	10	16	6	0.38	-55	135	30	739393.68	1289721.2	2244.546	Kiaka Main
KMGC_2250_1683	2	7	5	0.50	-55	135	30	739402.71	1289712.4	2244.388	Kiaka Main
KMGC_2250_1683											
KMGC_2250_1684	16	22	6	0.92	-55	135	30	739411.45	1289703.5	2244.648	Kiaka Main
KMGC_2250_1685	3	20	17	0.69	-55	135	29	739429.29	1289685.7	2244.377	Kiaka Main
KMGC_2250_1685											
KMGC_2250_1686	4	14	10	0.68	-55	135	29	739437.98	1289677	2244.423	Kiaka Main

Table 1 Kiaka Main RC Grade Control Significant Intercepts > 0.3 g/t											
Hole ID	From	To	Interval	Au g/t	Dip	Azi	EOH	Easting	Northing	RL	Prospect
KMGC_2250_1687	0	15	15	0.75	-55	135	28	739446.43	1289668.4	2244.335	Kiaka Main
KMGC_2250_1687											
KMGC_2250_1688	9	16	7	0.45	-55	135	28	739455.68	1289659.4	2244.363	Kiaka Main
KMGC_2250_1688											
KMGC_2250_1689	0	28	28	0.80	-55	135	28	739464.23	1289650.6	2244.22	Kiaka Main
KMGC_2250_1690	0	24	24	2.26	-55	135	28	739482.16	1289632.8	2244.012	Kiaka Main
KMGC_2250_1691	15	28	13	0.47	-55	135	28	739490.95	1289624	2243.933	Kiaka Main
KMGC_2250_1692	10	13	3	0.91	-55	135	27	739508.64	1289606.3	2243.438	Kiaka Main
KMGC_2250_1692											
KMGC_2250_1693	3	27	24	0.99	-55	135	27	739517.55	1289597.3	2243.106	Kiaka Main
KMGC_2250_1694	12	26	14	1.44	-55	135	27	739535.34	1289579.6	2242.946	Kiaka Main
KMGC_2250_1695	3	27	24	1.55	-55	135	27	739544.01	1289570.8	2243.109	Kiaka Main
KMGC_2250_1696	3	26	23	1.45	-55	135	26	739552.84	1289562.1	2243.01	Kiaka Main
KMGC_2250_1697	0	26	26	0.97	-55	135	26	739570.17	1289544.5	2242.638	Kiaka Main
KMGC_2250_1698	3	17	14	1.71	-55	135	26	739579.49	1289535.4	2242.071	Kiaka Main
KMGC_2250_1699	1	9	8	0.41	-55	135	26	739588.17	1289526.6	2241.912	Kiaka Main
KMGC_2250_1699											
KMGC_2250_1700	2	25	23	0.67	-55	135	25	739605.99	1289508.9	2241.796	Kiaka Main
KMGC_2250_1701	0	15	15	0.81	-55	135	25	739615.02	1289499.9	2241.639	Kiaka Main
KMGC_2250_1702	2	9	7	0.74	-55	135	25	739623.65	1289491.2	2241.538	Kiaka Main
KMGC_2250_1702											
KMGC_2250_1702											
KMGC_2250_1703	4	25	21	0.37	-55	135	25	739632.39	1289482.4	2241.509	Kiaka Main
KMGC_2250_1704	10	24	14	0.34	-55	135	24	739641.25	1289473.5	2241.396	Kiaka Main
KMGC_2250_1712	14	21	7	0.53	-55	135	34	739345.21	1289787.3	2247.913	Kiaka Main
KMGC_2250_1712											
KMGC_2250_1713	18	33	15	1.35	-55	135	33	739354.05	1289778.4	2247.739	Kiaka Main
KMGC_2250_1713											
KMGC_2250_1714	0	5	5	0.47	-55	135	32	739362.84	1289769.8	2247.297	Kiaka Main
KMGC_2250_1715	9	31	22	0.86	-55	135	31	739371.72	1289760.9	2246.713	Kiaka Main
KMGC_2250_1716	21	31	10	2.11	-55	135	31	739380.33	1289751.9	2246.298	Kiaka Main
KMGC_2250_1716											
KMGC_2250_1717	6	18	12	0.97	-55	135	31	739389.57	1289743	2245.693	Kiaka Main
KMGC_2250_1717											
KMGC_2250_1718	17	29	12	0.48	-55	135	30	739398.17	1289734.5	2244.862	Kiaka Main
KMGC_2250_1718											
KMGC_2250_1719	1	8	7	0.37	-55	135	30	739407.08	1289725.6	2244.624	Kiaka Main
KMGC_2250_1721	18	29	11	0.55	-55	135	30	739424.67	1289708.1	2244.347	Kiaka Main

Table 1 Kiaka Main RC Grade Control Significant Intercepts > 0.3 g/t											
Hole ID	From	To	Interval	Au g/t	Dip	Azi	EOH	Easting	Northing	RL	Prospect
KMGC_2250_1721											
KMGC_2250_1722	8	27	19	0.51	-55	135	29	739433.47	1289699.1	2244.586	Kiaka Main
KMGC_2250_1723	0	19	19	0.52	-55	135	29	739442.41	1289690.1	2244.59	Kiaka Main
KMGC_2250_1724	7	23	16	1.73	-55	135	29	739451.05	1289681.6	2244.641	Kiaka Main
KMGC_2250_1725	14	27	13	0.47	-55	135	28	739460.01	1289672.7	2244.553	Kiaka Main
KMGC_2250_1725											
KMGC_2250_1726	8	28	20	0.45	-55	135	28	739468.77	1289663.8	2244.384	Kiaka Main
KMGC_2250_1726											
KMGC_2250_1727	12	27	15	0.57	-55	135	28	739477.63	1289655.1	2244.252	Kiaka Main
KMGC_2250_1727											
KMGC_2250_1728	2	23	21	0.73	-55	135	28	739486.33	1289646.3	2243.985	Kiaka Main
KMGC_2250_1729	0	26	26	0.59	-55	135	28	739495.4	1289637.2	2243.937	Kiaka Main
KMGC_2250_1730	9	28	19	0.53	-55	135	28	739504.28	1289628.4	2243.908	Kiaka Main
KMGC_2250_1732	5	27	22	0.84	-55	135	27	739521.97	1289610.6	2243.269	Kiaka Main
KMGC_2250_1733	6	16	10	1.71	-55	135	27	739530.66	1289602	2243.434	Kiaka Main
KMGC_2250_1733											
KMGC_2250_1734	0	25	25	0.65	-55	135	26	739539.62	1289592.8	2242.943	Kiaka Main
KMGC_2250_1735	1	27	26	0.63	-55	135	27	739548.46	1289584.1	2242.789	Kiaka Main
KMGC_2250_1736	1	26	25	0.91	-55	135	26	739557.03	1289575.2	2242.881	Kiaka Main
KMGC_2250_1737	2	25	23	0.83	-55	135	26	739566.15	1289566.5	2242.741	Kiaka Main
KMGC_2250_1738	2	25	23	0.50	-55	135	26	739575	1289557.6	2242.585	Kiaka Main
KMGC_2250_1739	5	23	18	0.53	-55	135	26	739583.82	1289548.4	2242.434	Kiaka Main
KMGC_2250_1740	1	8	7	0.64	-55	135	26	739592.51	1289539.9	2242.131	Kiaka Main
KMGC_2250_1740											
KMGC_2250_1741	9	26	17	0.83	-55	135	26	739601.28	1289531	2242.244	Kiaka Main
KMGC_2250_1742	1	25	24	0.57	-55	135	25	739610.39	1289522.2	2242.129	Kiaka Main
KMGC_2250_1743	14	20	6	0.90	-55	135	25	739619.17	1289513.5	2241.716	Kiaka Main
KMGC_2250_1744	17	24	7	0.90	-55	135	25	739628.1	1289504.4	2241.673	Kiaka Main
KMGC_2250_1744											
KMGC_2250_1745	11	24	13	0.73	-55	135	25	739636.86	1289495.4	2241.622	Kiaka Main
KMGC_2250_1745											
KMGC_2250_1746	2	13	11	0.37	-55	135	25	739645.57	1289486.9	2241.497	Kiaka Main
KMGC_2250_1748	14	22	8	0.54	-55	135	24	739663.26	1289469.4	2240.898	Kiaka Main
KMGC_2250_1749	8	13	5	0.57	-55	135	24	739672.29	1289460.3	2240.515	Kiaka Main
KMGC_2250_1749											
KMGC_2250_1754	30	34	4	0.31	-55	135	35	739349.58	1289800.6	2247.981	Kiaka Main
KMGC_2250_1755	26	30	4	0.35	-55	135	33	739358.34	1289791.8	2248.115	Kiaka Main
KMGC_2250_1755											

Table 1 Kiaka Main RC Grade Control Significant Intercepts > 0.3 g/t											
Hole ID	From	To	Interval	Au g/t	Dip	Azi	EOH	Easting	Northing	RL	Prospect
KMGC_2250_1757	12	25	13	1.38	-55	135	32	739376.05	1289774.2	2247.213	Kiaka Main
KMGC_2250_1758	7	19	12	2.73	-55	135	31	739384.99	1289765.4	2246.511	Kiaka Main
KMGC_2250_1758											
KMGC_2250_1759	27	29	2	0.33	-55	135	31	739402.46	1289747.4	2245.001	Kiaka Main
KMGC_2250_1760	1	3	2	0.53	-55	135	29	739411.27	1289738.7	2244.839	Kiaka Main
KMGC_2250_1760											
KMGC_2250_1761	5	12	7	4.49	-55	135	30	739420.18	1289730.1	2244.845	Kiaka Main
KMGC_2250_1762	22	23	1	9.34	-55	135	30	739429.12	1289721.1	2244.476	Kiaka Main
KMGC_2250_1763	13	24	11	0.49	-55	135	30	739437.98	1289712.3	2244.487	Kiaka Main
KMGC_2250_1764	7	10	3	0.68	-55	135	29	739446.91	1289703.5	2244.693	Kiaka Main
KMGC_2250_1764											
KMGC_2250_1765	1	29	28	1.31	-55	135	29	739455.7	1289694.7	2244.777	Kiaka Main
KMGC_2250_1766	14	29	15	0.35	-55	135	29	739464.54	1289685.8	2244.609	Kiaka Main
KMGC_2250_1767	3	28	25	0.38	-55	135	28	739473.23	1289677.2	2244.55	Kiaka Main
KMGC_2250_1768	1	13	12	0.52	-55	135	28	739482.2	1289668.2	2244.391	Kiaka Main
KMGC_2250_1768											
KMGC_2250_1769	22	28	6	0.42	-55	135	28	739490.75	1289659.4	2244.388	Kiaka Main
KMGC_2250_1769											
KMGC_2250_1769											
KMGC_2250_1770	1	28	27	0.64	-55	135	28	739499.63	1289650.7	2244.105	Kiaka Main
KMGC_2250_1771	19	28	9	0.62	-55	135	28	739508.73	1289641.6	2243.685	Kiaka Main
KMGC_2250_1771											
KMGC_2250_1771											
KMGC_2250_1772	2	27	25	0.76	-55	135	27	739517.36	1289633	2243.642	Kiaka Main
KMGC_2250_1773	0	26	26	0.84	-55	135	27	739526.31	1289624	2243.542	Kiaka Main
KMGC_2250_1774	0	27	27	1.35	-55	135	27	739535.16	1289615.1	2243.338	Kiaka Main
KMGC_2250_1775	7	15	8	1.24	-55	135	27	739544.03	1289606.3	2243.171	Kiaka Main
KMGC_2250_1775											
KMGC_2250_1776	11	26	15	0.74	-55	135	27	739552.99	1289597.4	2242.991	Kiaka Main
KMGC_2250_1777	1	27	26	0.65	-55	135	27	739561.78	1289588.6	2242.86	Kiaka Main
KMGC_2250_1778	2	26	24	0.47	-55	135	26	739570.49	1289579.6	2242.844	Kiaka Main
KMGC_2250_1779	4	26	22	0.65	-55	135	26	739579.16	1289571.1	2242.773	Kiaka Main
KMGC_2250_1780	20	26	6	2.24	-55	135	26	739588.03	1289562.2	2242.606	Kiaka Main
KMGC_2250_1780											
KMGC_2250_1781	0	14	14	0.65	-55	135	26	739597.02	1289553.2	2242.486	Kiaka Main
KMGC_2250_1782	22	24	2	0.94	-55	135	26	739606.16	1289544.2	2242.222	Kiaka Main
KMGC_2250_1783	1	26	25	1.09	-55	135	26	739614.78	1289535.2	2242.043	Kiaka Main
KMGC_2250_1784	1	20	19	0.49	-55	135	25	739623.44	1289526.6	2242.222	Kiaka Main

Table 1 Kiaka Main RC Grade Control Significant Intercepts > 0.3 g/t											
Hole ID	From	To	Interval	Au g/t	Dip	Azi	EOH	Easting	Northing	RL	Prospect
KMGC_2250_1785	4	17	13	0.37	-55	135	25	739632.27	1289517.7	2241.815	Kiaka Main
KMGC_2250_1786	6	25	19	0.58	-55	135	25	739641.11	1289509	2241.852	Kiaka Main
KMGC_2250_1787	2	14	12	0.63	-55	135	25	739650.05	1289500.3	2241.741	Kiaka Main
KMGC_2250_1789	6	16	10	0.33	-55	135	25	739667.85	1289482.2	2241.226	Kiaka Main
KMGC_2250_1790	5	12	7	0.45	-55	135	24	739676.52	1289473.5	2241.286	Kiaka Main
KMGC_2250_1796	28	32	4	0.32	-55	135	32	739380.57	1289787.5	2247.448	Kiaka Main
KMGC_2250_1797	4	11	7	0.57	-55	135	31	739389.4	1289778.6	2246.959	Kiaka Main
KMGC_2250_1798	25	30	5	0.46	-55	135	31	739398.21	1289769.7	2246.522	Kiaka Main
KMGC_2250_1799	17	28	11	0.91	-55	135	31	739406.99	1289760.9	2245.36	Kiaka Main
KMGC_2250_1800	4	15	11	0.40	-55	135	28	739415.83	1289752	2244.992	Kiaka Main
KMGC_2250_1803	15	29	14	2.57	-55	135	30	739442.37	1289725.7	2245.106	Kiaka Main
KMGC_2250_1805	8	29	21	0.50	-55	135	29	739459.96	1289708	2245.082	Kiaka Main
KMGC_2250_1807	7	28	21	0.50	-55	135	28	739477.59	1289690.4	2244.772	Kiaka Main
KMGC_2250_1808	9	15	6	0.42	-55	135	28	739486.55	1289681.4	2244.734	Kiaka Main
KMGC_2250_1808											
KMGC_2250_1810	6	21	15	0.82	-55	135	28	739504.18	1289663.7	2244.494	Kiaka Main
KMGC_2250_1812	8	27	19	1.00	-55	135	27	739521.53	1289646.1	2243.916	Kiaka Main
KMGC_2250_1812											
KMGC_2250_1813	4	27	23	1.00	-55	135	27	739530.68	1289637.3	2243.989	Kiaka Main
KMGC_2250_1814	11	23	12	0.56	-55	135	27	739539.47	1289628.6	2243.692	Kiaka Main
KMGC_2250_1814											
KMGC_2250_1815	0	5	5	0.61	-55	135	27	739548.46	1289619.4	2243.407	Kiaka Main
KMGC_2250_1816	1	27	26	0.44	-55	135	27	739557.16	1289610.9	2243.19	Kiaka Main
KMGC_2250_1817	10	27	17	0.49	-55	135	27	739566	1289601.9	2243.048	Kiaka Main
KMGC_2250_1818	13	14	1	1.10	-55	135	27	739574.97	1289593	2242.931	Kiaka Main
KMGC_2250_1819	1	26	25	0.49	-55	135	26	739583.82	1289584.1	2242.711	Kiaka Main
KMGC_2250_1820	1	26	25	0.85	-55	135	26	739592.64	1289575.4	2242.706	Kiaka Main
KMGC_2250_1821	2	26	24	0.52	-55	135	26	739601.41	1289566.5	2242.663	Kiaka Main
KMGC_2250_1823	15	20	5	0.54	-55	135	26	739619.13	1289548.8	2242.271	Kiaka Main
KMGC_2250_1823											
KMGC_2250_1824	3	25	22	2.11	-55	135	25	739627.63	1289540.3	2242.182	Kiaka Main
KMGC_2250_1825	0	25	25	0.47	-55	135	25	739636.73	1289531.2	2242.093	Kiaka Main
KMGC_2250_1826	2	25	23	0.75	-55	135	25	739645.76	1289522.1	2241.767	Kiaka Main
KMGC_2250_1827	7	22	15	0.38	-55	135	25	739654.38	1289513.6	2241.942	Kiaka Main
KMGC_2250_1828	13	18	5	0.30	-55	135	25	739663.44	1289504.5	2241.887	Kiaka Main
KMGC_2250_1829	9	12	3	0.38	-55	135	25	739672.06	1289495.6	2241.753	Kiaka Main
KMGC_2250_1830	21	23	2	0.59	-55	135	25	739680.94	1289487.1	2241.697	Kiaka Main
KMGC_2250_1836	7	8	1	3.13	-55	135	32	739402.84	1289783	2246.497	Kiaka Main

Table 1 Kiaka Main RC Grade Control Significant Intercepts > 0.3 g/t											
Hole ID	From	To	Interval	Au g/t	Dip	Azi	EOH	Easting	Northing	RL	Prospect
KMGC_2250_1836											
KMGC_2250_1837	14	25	11	0.69	-55	135	31	739411.62	1289774.1	2246.05	Kiaka Main
KMGC_2250_1837											
KMGC_2250_1838	8	11	3	0.55	-55	135	30	739429.05	1289756.5	2245.341	Kiaka Main
KMGC_2250_1840	18	28	10	0.37	-55	135	29	739464.22	1289721.3	2244.995	Kiaka Main
KMGC_2250_1840											
KMGC_2250_1841	20	23	3	0.84	-55	135	29	739473.43	1289712.2	2244.769	Kiaka Main
KMGC_2250_1842	16	29	13	0.62	-55	135	29	739481.87	1289703.6	2245.066	Kiaka Main
KMGC_2250_1842											
KMGC_2250_1843	6	10	4	0.58	-55	135	29	739490.78	1289694.6	2245.017	Kiaka Main
KMGC_2250_1843											
KMGC_2250_1844	21	24	3	0.39	-55	135	29	739499.59	1289685.9	2245.007	Kiaka Main
KMGC_2250_1845	6	13	7	0.35	-55	135	28	739508.66	1289676.9	2244.801	Kiaka Main
KMGC_2250_1846	24	28	4	0.32	-55	135	28	739517.64	1289668.4	2244.326	Kiaka Main
KMGC_2250_1847	19	21	2	0.37	-55	135	28	739526.32	1289659.4	2244.215	Kiaka Main
KMGC_2250_1848	20	24	4	0.67	-55	135	28	739535.16	1289650.7	2243.896	Kiaka Main
KMGC_2250_1849	3	15	12	0.43	-55	135	27	739544.14	1289641.5	2243.772	Kiaka Main
KMGC_2250_1849											
KMGC_2250_1850	13	27	14	0.78	-55	135	27	739552.83	1289632.7	2243.5	Kiaka Main
KMGC_2250_1851	12	22	10	0.51	-55	135	27	739570.93	1289614.7	2243.226	Kiaka Main
KMGC_2250_1851											
KMGC_2250_1852	14	23	9	0.31	-55	135	27	739579.39	1289606.1	2242.933	Kiaka Main
KMGC_2250_1853	6	19	13	0.36	-55	135	26	739588.36	1289597.3	2242.781	Kiaka Main
KMGC_2250_1854	3	14	11	0.49	-55	135	26	739605.99	1289579.6	2242.69	Kiaka Main
KMGC_2250_1854											
KMGC_2250_1855	16	24	8	0.74	-55	135	26	739614.94	1289570.7	2242.778	Kiaka Main
KMGC_2250_1855											
KMGC_2250_1856	9	18	9	0.68	-55	135	26	739632.09	1289553.4	2242.511	Kiaka Main
KMGC_2250_1857	3	25	22	0.32	-55	135	25	739641.6	1289544.2	2242.392	Kiaka Main
KMGC_2250_1858	4	17	13	0.30	-55	135	25	739650.13	1289535.6	2242.025	Kiaka Main
KMGC_2250_1859	12	18	6	0.31	-55	135	25	739659.03	1289526.7	2241.961	Kiaka Main
KMGC_2250_1859											
KMGC_2250_1861	10	11	1	1.03	-55	135	25	739676.57	1289508.8	2241.531	Kiaka Main
KMGC_2250_1862	10	13	3	1.19	-55	135	25	739685.4	1289500.3	2241.367	Kiaka Main
KMGC_2250_1867	25	33	8	0.31	-55	135	33	739389.81	1289813.6	2248.142	Kiaka Main
KMGC_2250_1868	0	9	9	0.30	-55	135	32	739398.19	1289805.1	2247.354	Kiaka Main
KMGC_2250_1869	2	8	6	0.53	-55	135	32	739406.82	1289795.9	2246.989	Kiaka Main
KMGC_2250_1869											

Table 1 Kiaka Main RC Grade Control Significant Intercepts > 0.3 g/t											
Hole ID	From	To	Interval	Au g/t	Dip	Azi	EOH	Easting	Northing	RL	Prospect
KMGC_2250_1870	30	31	1	1.46	-55	135	31	739415.65	1289787.4	2246.67	Kiaka Main
KMGC_2250_1871	15	31	16	0.68	-55	135	31	739424.87	1289778.4	2245.941	Kiaka Main
KMGC_2250_1872	2	13	11	1.36	-55	135	30	739433.57	1289769.8	2245.503	Kiaka Main
KMGC_2250_1872											
KMGC_2250_1872											
KMGC_2250_1875	2	6	4	0.48	-55	135	30	739460.16	1289743.2	2245.61	Kiaka Main
KMGC_2250_1875											
KMGC_2250_1875											
KMGC_2250_1876	10	30	20	0.32	-55	135	30	739468.68	1289734.5	2245.504	Kiaka Main
KMGC_2250_1877	2	8	6	0.39	-55	135	29	739477.74	1289725.7	2245.328	Kiaka Main
KMGC_2250_1877											
KMGC_2250_1878	1	6	5	0.49	-55	135	29	739486.54	1289716.8	2245.367	Kiaka Main
KMGC_2250_1878											
KMGC_2250_1879	10	26	16	0.81	-55	135	29	739495.23	1289707.9	2245.378	Kiaka Main
KMGC_2250_1883	5	7	2	0.57	-55	135	28	739530.8	1289672.5	2244.231	Kiaka Main
KMGC_2250_1883											
KMGC_2250_1884	20	28	8	1.33	-55	135	28	739539.75	1289663.7	2244.049	Kiaka Main
KMGC_2250_1884											
KMGC_2250_1885	9	21	12	0.33	-55	135	27	739548.56	1289654.9	2243.844	Kiaka Main
KMGC_2250_1886	0	13	13	0.35	-55	135	27	739557.17	1289645.9	2243.535	Kiaka Main
KMGC_2250_1886											
KMGC_2250_1887	1	25	24	0.46	-55	135	27	739566.2	1289637	2243.402	Kiaka Main
KMGC_2250_1888	8	17	9	1.00	-55	135	27	739575.04	1289628.2	2243.3	Kiaka Main
KMGC_2250_1888											
KMGC_2250_1889	25	27	2	0.45	-55	135	27	739583.71	1289619.2	2243.255	Kiaka Main
KMGC_2250_1890	12	17	5	0.41	-55	135	27	739592.59	1289610.4	2242.993	Kiaka Main
KMGC_2250_1890											
KMGC_2250_1891	15	26	11	0.73	-55	135	26	739601.6	1289601.6	2242.846	Kiaka Main
KMGC_2250_1891											
KMGC_2250_1892	13	24	11	0.91	-55	135	26	739610.26	1289593	2243.01	Kiaka Main
KMGC_2250_1893	17	19	2	0.53	-55	135	26	739619.28	1289584.2	2242.829	Kiaka Main
KMGC_2250_1893											
KMGC_2250_1894	7	13	6	0.45	-55	135	26	739628.39	1289575.1	2242.652	Kiaka Main
KMGC_2250_1895	0	2	2	1.49	-55	135	26	739636.98	1289566.3	2242.675	Kiaka Main
KMGC_2250_1895											
KMGC_2250_1896	6	18	12	0.48	-55	135	26	739645.51	1289557.4	2242.571	Kiaka Main
KMGC_2250_1897	6	12	6	0.32	-55	135	26	739654.32	1289548.7	2242.277	Kiaka Main
KMGC_2250_1897											

Table 1 Kiaka Main RC Grade Control Significant Intercepts > 0.3 g/t											
Hole ID	From	To	Interval	Au g/t	Dip	Azi	EOH	Easting	Northing	RL	Prospect
KMGC_2250_1898	2	4	2	1.01	-55	135	26	739662.97	1289539.8	2242.088	Kiaka Main
KMGC_2250_1899	8	13	5	0.38	-55	135	26	739671.87	1289531.1	2242.082	Kiaka Main
KMGC_2250_1909	15	28	13	0.34	-55	135	32	739420.48	1289800.6	2247.332	Kiaka Main
KMGC_2250_1909											
KMGC_2250_1910	1	27	26	0.72	-55	135	31	739429.33	1289791.7	2246.369	Kiaka Main
KMGC_2250_1911	3	30	27	0.66	-55	135	31	739437.82	1289783.1	2246.342	Kiaka Main
KMGC_2250_1912	0	9	9	1.01	-55	135	28	739446.66	1289774.3	2246.089	Kiaka Main
KMGC_2250_1912											
KMGC_2250_1913	21	22	1	2.84	-55	135	31	739455.54	1289765.4	2246.06	Kiaka Main
KMGC_2250_1914	1	4	3	0.40	-55	135	31	739464.5	1289756.5	2246.085	Kiaka Main
KMGC_2250_1915	27	30	3	0.42	-55	135	30	739473.25	1289747.8	2246.091	Kiaka Main
KMGC_2250_1916	3	7	4	0.43	-55	135	30	739482.2	1289738.7	2245.675	Kiaka Main
KMGC_2250_1918	11	27	16	0.45	-55	135	29	739499.83	1289721.3	2245.479	Kiaka Main
KMGC_2250_1919	21	23	2	0.41	-55	135	29	739508.43	1289712.7	2245.351	Kiaka Main
KMGC_2250_1920	1	3	2	0.54	-55	135	29	739517.18	1289704	2245.264	Kiaka Main
KMGC_2250_1924	19	28	9	1.00	-55	135	28	739552.99	1289668.1	2243.963	Kiaka Main
KMGC_2250_1925	1	16	15	0.45	-55	135	28	739561.81	1289659.2	2243.748	Kiaka Main
KMGC_2250_1925											
KMGC_2250_1926	6	18	12	0.32	-55	135	27	739570.16	1289650.1	2243.736	Kiaka Main
KMGC_2250_1927	2	18	16	0.62	-55	135	27	739579.15	1289641.3	2243.551	Kiaka Main
KMGC_2250_1927											
KMGC_2250_1929	9	27	18	0.56	-55	135	27	739597.01	1289623.8	2243.324	Kiaka Main
KMGC_2250_1930	12	27	15	0.46	-55	135	27	739606.01	1289614.9	2243.094	Kiaka Main
KMGC_2250_1931	8	27	19	0.51	-55	135	27	739614.69	1289606.4	2243.08	Kiaka Main
KMGC_2250_1932	23	24	1	1.50	-55	135	26	739622.93	1289598.1	2243.091	Kiaka Main
KMGC_2250_1932											
KMGC_2250_1933	14	19	5	0.71	-55	135	26	739632.48	1289588.4	2242.777	Kiaka Main
KMGC_2250_1933											
KMGC_2250_1934	17	24	7	0.57	-55	135	26	739641.22	1289579.6	2242.728	Kiaka Main
KMGC_2250_1934											
KMGC_2250_1935	0	9	9	0.36	-55	135	26	739650.17	1289570.7	2242.687	Kiaka Main
KMGC_2250_1935											
KMGC_2250_1935											
KMGC_2250_1936	8	12	4	1.27	-55	135	26	739659	1289561.9	2242.201	Kiaka Main
KMGC_2250_1936											
KMGC_2250_1937	15	16	1	4.81	-55	135	26	739667.79	1289553.1	2242.257	Kiaka Main
KMGC_2250_1937											
KMGC_2250_1938	25	26	1	1.96	-55	135	26	739676.48	1289544.4	2242.096	Kiaka Main

Table 1 Kiaka Main RC Grade Control Significant Intercepts > 0.3 g/t											
Hole ID	From	To	Interval	Au g/t	Dip	Azi	EOH	Easting	Northing	RL	Prospect
KMGC_2250_1941	5	11	6	0.59	-55	135	25	739703.02	1289517.9	2241.556	Kiaka Main
KMGC_2250_1945	27	33	6	0.37	-55	135	33	739407.08	1289831.6	2248.162	Kiaka Main
KMGC_2250_1946	2	21	19	0.63	-55	135	32	739415.82	1289822.7	2247.731	Kiaka Main
KMGC_2250_1947	31	32	1	1.42	-55	135	32	739424.87	1289813.9	2247.339	Kiaka Main
KMGC_2250_1948	9	30	21	0.45	-55	135	32	739433.63	1289805	2247.07	Kiaka Main
KMGC_2250_1949	4	22	18	0.35	-55	135	31	739442.45	1289795.9	2246.616	Kiaka Main
KMGC_2250_1949											
KMGC_2250_1951	7	8	1	1.22	-55	135	29	739459.9	1289778.8	2246.257	Kiaka Main
KMGC_2250_1952	16	18	2	1.85	-55	135	31	739468.82	1289769.9	2246.202	Kiaka Main
KMGC_2250_1952											
KMGC_2250_1952											
KMGC_2250_1953	5	12	7	0.38	-55	135	31	739477.66	1289761	2246.009	Kiaka Main
KMGC_2250_1953											
KMGC_2250_1956	26	30	4	0.54	-55	135	30	739504.16	1289734.5	2245.822	Kiaka Main
KMGC_2250_1957	21	29	8	1.70	-55	135	29	739513.06	1289725.7	2245.609	Kiaka Main
KMGC_2250_1957											
KMGC_2250_1958	5	14	9	1.00	-55	135	29	739522.02	1289716.7	2245.359	Kiaka Main
KMGC_2250_1962	22	27	5	0.34	-55	135	28	739557.58	1289681	2244.347	Kiaka Main
KMGC_2250_1963	9	18	9	0.35	-55	135	28	739566	1289672.5	2244.002	Kiaka Main
KMGC_2250_1963											
KMGC_2250_1965	14	27	13	0.42	-55	135	27	739583.94	1289654.9	2243.562	Kiaka Main
KMGC_2250_1966	5	14	9	0.89	-55	135	27	739592.64	1289646	2243.577	Kiaka Main
KMGC_2250_1967	3	19	16	1.01	-55	135	27	739601.58	1289637.2	2243.467	Kiaka Main
KMGC_2250_1968	0	14	14	0.81	-55	135	27	739610.26	1289628.3	2243.161	Kiaka Main
KMGC_2250_1968											
KMGC_2250_1969	2	6	4	0.78	-55	135	27	739619.03	1289619.5	2243.177	Kiaka Main
KMGC_2250_1969											
KMGC_2250_1969											
KMGC_2250_1970	0	1	1	2.02	-55	135	27	739627.9	1289610.7	2243.346	Kiaka Main
KMGC_2250_1971	11	25	14	0.68	-55	135	27	739636.95	1289601.6	2243.155	Kiaka Main
KMGC_2250_1972	3	26	23	0.86	-55	135	26	739645.55	1289593.1	2242.955	Kiaka Main
KMGC_2250_1973	3	11	8	1.49	-55	135	27	739654.46	1289584	2243.033	Kiaka Main
KMGC_2250_1974	9	16	7	0.33	-55	135	26	739663.29	1289575.3	2242.85	Kiaka Main
KMGC_2250_1975	0	10	10	0.35	-55	135	26	739672.31	1289566.6	2242.353	Kiaka Main
KMGC_2250_1977	5	11	6	1.43	-55	135	26	739689.77	1289548.5	2242.051	Kiaka Main
KMGC_2250_1977											
KMGC_2250_1979	16	20	4	0.90	-55	135	25	739707.66	1289531.1	2241.735	Kiaka Main
KMGC_2250_1979											

Table 1 Kiaka Main RC Grade Control Significant Intercepts > 0.3 g/t											
Hole ID	From	To	Interval	Au g/t	Dip	Azi	EOH	Easting	Northing	RL	Prospect
KMGC_2250_1980	2	3	1	1.74	-55	135	25	739716.56	1289522.1	2241.301	Kiaka Main
KMGC_2250_1981	14	16	2	0.57	-55	135	24	739725.32	1289513.3	2240.917	Kiaka Main
KMGC_2250_1985	21	25	4	1.48	-55	135	32	739437.88	1289818.5	2247.103	Kiaka Main
KMGC_2250_1985											
KMGC_2250_1986	3	31	28	0.64	-55	135	32	739446.93	1289809.4	2246.937	Kiaka Main
KMGC_2250_1987	0	5	5	0.86	-55	135	31	739464.43	1289791.9	2246.529	Kiaka Main
KMGC_2250_1987											
KMGC_2250_1988	29	31	2	10.35	-55	135	31	739473.47	1289782.8	2246.352	Kiaka Main
KMGC_2250_1989	11	17	6	0.47	-55	135	31	739482.11	1289774.3	2246.241	Kiaka Main
KMGC_2250_1989											
KMGC_2250_1991	26	28	2	0.42	-55	135	30	739499.79	1289756.6	2246.195	Kiaka Main
KMGC_2250_1991A	15	19	4	0.42	-55	135	29	739517.4	1289739	2245.81	Kiaka Main
KMGC_2250_1991A	4	8	4	0.40							
KMGC_2250_1993	27	28	1	1.43	-55	135	29	739543.96	1289712.6	2245.106	Kiaka Main
KMGC_2250_1994	15	18	3	0.42	-55	135	29	739552.98	1289703.4	2244.822	Kiaka Main
KMGC_2250_1996	1	4	3	0.71	-55	135	28	739570.36	1289685.9	2244.426	Kiaka Main
KMGC_2250_1996											
KMGC_2250_1996											
KMGC_2250_1997	14	28	14	0.35	-55	135	28	739579.42	1289676.9	2244.13	Kiaka Main
KMGC_2250_1997											
KMGC_2250_1998	0	20	20	0.52	-55	135	28	739588.27	1289668.1	2243.928	Kiaka Main
KMGC_2250_1999	1	25	24	0.47	-55	135	27	739606.01	1289650.4	2243.61	Kiaka Main
KMGC_2250_2000	10	27	17	0.48	-55	135	27	739614.82	1289641.5	2243.38	Kiaka Main
KMGC_2250_2000											
KMGC_2250_2001	1	9	8	0.77	-55	135	27	739623.59	1289632.6	2243.25	Kiaka Main
KMGC_2250_2001											
KMGC_2250_2002	11	13	2	6.18	-55	135	27	739632.53	1289623.9	2243.278	Kiaka Main
KMGC_2250_2003	12	16	4	0.53	-55	135	27	739640.97	1289615.2	2243.272	Kiaka Main
KMGC_2250_2004	9	18	9	0.64	-55	135	27	739650	1289606.4	2243.19	Kiaka Main
KMGC_2250_2005	1	7	6	0.40	-55	135	27	739658.15	1289596.6	2243.047	Kiaka Main
KMGC_2250_2006	11	24	13	0.48	-55	135	26	739676.54	1289579.6	2242.582	Kiaka Main
KMGC_2250_2008	22	26	4	0.48	-55	135	26	739694.46	1289561.9	2242.309	Kiaka Main
KMGC_2250_2009	8	21	13	0.33	-55	135	26	739703.1	1289553.3	2242.125	Kiaka Main
KMGC_2250_2010	10	22	12	0.36	-55	135	25	739711.95	1289544.4	2241.794	Kiaka Main
KMGC_2250_2011	2	18	16	1.84	-55	135	25	739720.84	1289535.6	2241.545	Kiaka Main
KMGC_2250_2012	12	22	10	0.48	-55	135	24	739729.57	1289526.7	2241.176	Kiaka Main
KMGC_2250_2017	11	21	10	0.80	-55	135	32	739442.32	1289831.7	2247.592	Kiaka Main
KMGC_2250_2017											

Table 1 Kiaka Main RC Grade Control Significant Intercepts > 0.3 g/t											
Hole ID	From	To	Interval	Au g/t	Dip	Azi	EOH	Easting	Northing	RL	Prospect
KMGC_2250_2018	2	32	30	0.57	-55	135	32	739451.08	1289822.9	2247.396	Kiaka Main
KMGC_2250_2019	10	13	3	1.80	-55	135	32	739460	1289814	2247.248	Kiaka Main
KMGC_2250_2019											
KMGC_2250_2020	10	24	14	1.57	-55	135	31	739468.79	1289805.1	2247.013	Kiaka Main
KMGC_2250_2021	7	23	16	0.48	-55	135	31	739477.77	1289796.4	2246.532	Kiaka Main
KMGC_2250_2022	8	14	6	0.56	-55	135	31	739486.99	1289787.3	2246.324	Kiaka Main
KMGC_2250_2022											
KMGC_2250_2023	0	6	6	0.37	-55	135	31	739495.45	1289778.5	2246.304	Kiaka Main
KMGC_2250_2023											
KMGC_2250_2023											
KMGC_2250_2024	7	10	3	1.11	-55	135	31	739504.19	1289769.7	2246.327	Kiaka Main
KMGC_2250_2024											
KMGC_2250_2025	21	25	4	0.34	-55	135	30	739513.16	1289761.1	2246.211	Kiaka Main
KMGC_2250_2026	17	25	8	0.33	-55	135	30	739521.89	1289752	2246.186	Kiaka Main
KMGC_2250_2026											
KMGC_2250_2027	10	20	10	0.38	-55	135	30	739530.48	1289743.5	2245.965	Kiaka Main
KMGC_2250_2028	2	13	11	0.43	-55	135	30	739539.4	1289734.6	2245.723	Kiaka Main
KMGC_2250_2029	11	16	5	0.74	-55	135	29	739548.67	1289725.4	2245.461	Kiaka Main
KMGC_2250_2029											
KMGC_2250_2029											
KMGC_2250_2032	15	29	14	0.67	-55	135	29	739575.06	1289698.9	2244.537	Kiaka Main
KMGC_2250_2032											
KMGC_2250_2033	6	16	10	0.67	-55	135	28	739583.82	1289690.1	2244.238	Kiaka Main
KMGC_2250_2034	4	17	13	0.74	-55	135	28	739592.6	1289681.4	2244.075	Kiaka Main
KMGC_2250_2034											
KMGC_2250_2035	1	18	17	0.73	-55	135	28	739601.29	1289672.5	2243.991	Kiaka Main
KMGC_2250_2036	3	28	25	0.72	-55	135	28	739609.98	1289663.5	2243.971	Kiaka Main
KMGC_2250_2037	9	27	18	0.63	-55	135	27	739618.82	1289654.6	2243.772	Kiaka Main
KMGC_2250_2037											
KMGC_2250_2038	0	4	4	0.35	-55	135	27	739627.82	1289645.9	2243.55	Kiaka Main
KMGC_2250_2039	23	26	3	0.36	-55	135	27	739636.51	1289637.1	2243.411	Kiaka Main
KMGC_2250_2040	20	25	5	0.82	-55	135	27	739645.34	1289628.2	2243.517	Kiaka Main
KMGC_2250_2040											
KMGC_2250_2041	6	17	11	0.53	-55	135	27	739654.22	1289619.3	2243.443	Kiaka Main
KMGC_2250_2041											
KMGC_2250_2043	12	21	9	0.41	-55	135	27	739672.12	1289601.8	2243.094	Kiaka Main
KMGC_2250_2044	12	26	14	0.37	-55	135	27	739681.11	1289592.9	2243.023	Kiaka Main
KMGC_2250_2045	1	14	13	0.36	-55	135	26	739689.95	1289584.2	2242.677	Kiaka Main

Table 1 Kiaka Main RC Grade Control Significant Intercepts > 0.3 g/t											
Hole ID	From	To	Interval	Au g/t	Dip	Azi	EOH	Easting	Northing	RL	Prospect
KMGC_2250_2046	6	11	5	0.59	-55	135	26	739699.08	1289574.9	2242.593	Kiaka Main
KMGC_2250_2047	10	22	12	0.39	-55	135	26	739707.56	1289566.4	2242.266	Kiaka Main
KMGC_2250_2048	17	25	8	0.44	-55	135	25	739716.42	1289557.4	2241.89	Kiaka Main
KMGC_2250_2049	6	25	19	0.78	-55	135	25	739725.32	1289548.6	2241.628	Kiaka Main
KMGC_2250_2050	0	12	12	0.59	-55	135	25	739734.09	1289539.9	2241.521	Kiaka Main
KMGC_2250_2050											
KMGC_2250_2056	29	33	4	0.50	-55	135	33	739446.78	1289844.9	2248.35	Kiaka Main
KMGC_2250_2056											
KMGC_2250_2057	10	33	23	1.14	-55	135	33	739455.81	1289836	2248.046	Kiaka Main
KMGC_2250_2058	21	30	9	0.74	-55	135	33	739464.38	1289827.3	2247.647	Kiaka Main
KMGC_2250_2058											
KMGC_2250_2059	21	32	11	8.69	-55	135	32	739473.24	1289818.5	2247.775	Kiaka Main
KMGC_2250_2059											
KMGC_2250_2060	7	18	11	0.33	-55	135	32	739482.19	1289809.4	2247.142	Kiaka Main
KMGC_2250_2061	25	28	3	0.49	-55	135	31	739490.91	1289800.8	2246.459	Kiaka Main
KMGC_2250_2062	9	12	3	0.34	-55	135	32	739500.01	1289791.8	2246.318	Kiaka Main
KMGC_2250_2062											
KMGC_2250_2062											
KMGC_2250_2063	14	31	17	0.44	-55	135	32	739508.75	1289783.1	2246.358	Kiaka Main
KMGC_2250_2064	22	24	2	0.36	-55	135	31	739517.51	1289774.2	2246.648	Kiaka Main
KMGC_2250_2065	0	25	25	0.43	-55	135	31	739526.42	1289765.3	2246.652	Kiaka Main
KMGC_2250_2066	1	11	10	0.33	-55	135	31	739535.16	1289756.2	2246.514	Kiaka Main
KMGC_2250_2067	2	15	13	0.36	-55	135	30	739543.92	1289747.5	2246.114	Kiaka Main
KMGC_2250_2068	12	16	4	0.47	-55	135	30	739552.87	1289738.9	2245.964	Kiaka Main
KMGC_2250_2070	12	15	3	0.31	-55	135	29	739570.6	1289721.1	2245.281	Kiaka Main
KMGC_2250_2071	1	27	26	0.45	-55	135	29	739579.6	1289712.1	2245.038	Kiaka Main
KMGC_2250_2072	18	29	11	0.49	-55	135	29	739588.36	1289703.5	2244.488	Kiaka Main
KMGC_2250_2072											
KMGC_2250_2073	6	28	22	0.74	-55	135	28	739597.01	1289694.6	2244.271	Kiaka Main
KMGC_2250_2074	0	28	28	0.73	-55	135	28	739605.89	1289685.8	2244.382	Kiaka Main
KMGC_2250_2075	3	12	9	0.74	-55	135	28	739614.76	1289677	2244.353	Kiaka Main
KMGC_2250_2075											
KMGC_2250_2076	19	21	2	0.67	-55	135	28	739623.7	1289667.8	2244.026	Kiaka Main
KMGC_2250_2077	10	13	3	0.53	-55	135	27	739632.44	1289659.3	2243.953	Kiaka Main
KMGC_2250_2079	19	23	4	2.37	-55	135	27	739649.91	1289641.3	2243.544	Kiaka Main
KMGC_2250_2080	6	14	8	1.25	-55	135	27	739658.75	1289632.5	2243.594	Kiaka Main
KMGC_2250_2080											
KMGC_2250_2085	22	23	1	2.14	-55	135	26	739703.12	1289588.5	2242.536	Kiaka Main

Table 1 Kiaka Main RC Grade Control Significant Intercepts > 0.3 g/t											
Hole ID	From	To	Interval	Au g/t	Dip	Azi	EOH	Easting	Northing	RL	Prospect
KMGC_2250_2086	18	20	2	0.59	-55	135	26	739711.97	1289579.6	2242.363	Kiaka Main
KMGC_2250_2087	16	25	9	0.34	-55	135	26	739720.76	1289570.7	2242.261	Kiaka Main
KMGC_2250_2088	14	18	4	0.48	-55	135	25	739729.65	1289562	2242.055	Kiaka Main
KMGC_2250_2092	32	33	1	2.28	-55	135	33	739442.44	1289867	2249.308	Kiaka Main
KMGC_2250_2093	30	32	2	1.72	-55	135	33	739451.3	1289858.1	2248.53	Kiaka Main
KMGC_2250_2093											
KMGC_2250_2094	0	5	5	0.52	-55	135	33	739460.28	1289849.2	2248.516	Kiaka Main
KMGC_2250_2094											
KMGC_2250_2095	16	32	16	0.37	-55	135	33	739468.96	1289840.4	2248.351	Kiaka Main
KMGC_2250_2096	17	33	16	0.94	-55	135	33	739477.75	1289831.7	2248.078	Kiaka Main
KMGC_2250_2096											
KMGC_2250_2097	11	14	3	1.47	-55	135	33	739486.65	1289822.7	2247.736	Kiaka Main
KMGC_2250_2097											
KMGC_2250_2098	2	17	15	0.49	-55	135	32	739495.33	1289813.9	2247.096	Kiaka Main
KMGC_2250_2098											
KMGC_2250_2099	0	21	21	0.39	-55	135	32	739503.96	1289805.4	2247.298	Kiaka Main
KMGC_2250_2099											
KMGC_2250_2102	0	6	6	0.31	-55	135	31	739530.91	1289778.5	2246.997	Kiaka Main
KMGC_2250_2103	11	18	7	0.96	-55	135	31	739539.66	1289769.7	2246.908	Kiaka Main
KMGC_2250_2104	8	13	5	0.30	-55	135	31	739548.27	1289761	2246.637	Kiaka Main
KMGC_2250_2105	6	9	3	0.47	-55	135	30	739557.24	1289752.2	2246.114	Kiaka Main
KMGC_2250_2105											
KMGC_2250_2106	6	8	2	0.54	-55	135	30	739566.16	1289743	2245.765	Kiaka Main
KMGC_2250_2107	21	27	6	0.30	-55	135	30	739575.09	1289734.2	2245.565	Kiaka Main
KMGC_2250_2107											
KMGC_2250_2108	24	29	5	0.61	-55	135	29	739583.87	1289725.4	2245.074	Kiaka Main
KMGC_2250_2108											
KMGC_2250_2108											
KMGC_2250_2109	25	29	4	0.55	-55	135	29	739592.85	1289716.6	2244.778	Kiaka Main
KMGC_2250_2110	2	29	27	0.53	-55	135	29	739601.54	1289707.9	2244.449	Kiaka Main
KMGC_2250_2111	0	28	28	1.23	-55	135	28	739610.23	1289699	2244.451	Kiaka Main
KMGC_2250_2112	6	28	22	0.42	-55	135	28	739619.14	1289690.3	2244.408	Kiaka Main
KMGC_2250_2113	8	16	8	0.53	-55	135	28	739628.07	1289681.3	2244.49	Kiaka Main
KMGC_2250_2114	2	3	1	1.64	-55	135	28	739636.76	1289672.6	2244.14	Kiaka Main
KMGC_2250_2117	18	22	4	0.59	-55	135	28	739663.37	1289646	2243.467	Kiaka Main
KMGC_2250_2117											
KMGC_2250_2118	1	5	4	0.48	-55	135	27	739672.16	1289637.2	2243.5	Kiaka Main
KMGC_2250_2135	8	13	5	0.33	-55	135	32	739535.33	1289791.9	2247.735	Kiaka Main

Table 1 Kiaka Main RC Grade Control Significant Intercepts > 0.3 g/t											
Hole ID	From	To	Interval	Au g/t	Dip	Azi	EOH	Easting	Northing	RL	Prospect
KMGC_2250_2136	2	5	3	0.68	-55	135	32	739544.11	1289783	2247.696	Kiaka Main
KMGC_2250_2137	13	18	5	0.52	-55	135	31	739552.96	1289774	2247.216	Kiaka Main
KMGC_2250_2138	9	16	7	0.43	-55	135	30	739570.6	1289756.5	2246.332	Kiaka Main
KMGC_2250_2139	13	19	6	0.37	-55	135	30	739579.56	1289747.7	2246.008	Kiaka Main
KMGC_2250_2140	10	13	3	0.59	-55	135	30	739588.39	1289738.8	2245.573	Kiaka Main
KMGC_2250_2140											
KMGC_2250_2140											
KMGC_2250_2141	3	29	26	1.03	-55	135	29	739605.61	1289721.3	2244.77	Kiaka Main
KMGC_2250_2142	14	16	2	0.47	-55	135	29	739614.68	1289712.2	2244.471	Kiaka Main
KMGC_2250_2143	22	26	4	0.38	-55	135	28	739623.68	1289703.3	2244.501	Kiaka Main
KMGC_2250_2143											
KMGC_2250_2144	21	25	4	0.74	-55	135	29	739641.35	1289685.7	2244.232	Kiaka Main
KMGC_2250_2147	15	18	3	0.46	-55	135	28	739676.69	1289650.5	2243.853	Kiaka Main
KMGC_2250_2148	0	3	3	0.40	-55	135	28	739685.49	1289641.5	2243.933	Kiaka Main
KMGC_2250_2150	17	18	1	1.04	-55	135	27	739711.98	1289615	2243.072	Kiaka Main
KMGC_2250_2151	2	8	6	0.37	-55	135	26	739720.86	1289606.1	2242.86	Kiaka Main
KMGC_2250_2166	14	23	9	0.36	-55	135	32	739539.64	1289805.1	2248.054	Kiaka Main
KMGC_2250_2167	28	32	4	0.32	-55	135	32	739548.45	1289796.3	2248.177	Kiaka Main
KMGC_2250_2168	4	27	23	0.62	-55	135	32	739557.48	1289787.3	2247.85	Kiaka Main
KMGC_2250_2169	9	28	19	0.42	-55	135	31	739566.39	1289778.4	2247.192	Kiaka Main
KMGC_2250_2169											
KMGC_2250_2172	17	24	7	0.65	-55	135	30	739592.67	1289751.8	2245.894	Kiaka Main
KMGC_2250_2173	12	19	7	0.34	-55	135	29	739601.43	1289743.2	2245.486	Kiaka Main
KMGC_2250_2173											
KMGC_2250_2174	0	29	29	0.48	-55	135	29	739610.29	1289734.5	2245.3	Kiaka Main
KMGC_2250_2175	17	20	3	0.36	-55	135	28	739619.06	1289725.8	2245.059	Kiaka Main
KMGC_2250_2175											
KMGC_2250_2176	12	15	3	0.35	-55	135	29	739628.14	1289717	2244.735	Kiaka Main
KMGC_2250_2177	7	26	19	1.15	-55	135	28	739636.73	1289708.1	2244.605	Kiaka Main
KMGC_2250_2178	3	12	9	0.41	-55	135	28	739645.68	1289699.1	2244.385	Kiaka Main
KMGC_2250_2179	8	12	4	1.28	-55	135	28	739654.45	1289690.3	2244.402	Kiaka Main
KMGC_2250_2180	3	9	6	0.30	-55	135	28	739663.39	1289681.4	2244.37	Kiaka Main
KMGC_2250_2180											
KMGC_2250_2181	0	9	9	0.44	-55	135	28	739680.68	1289663.7	2243.969	Kiaka Main
KMGC_2250_2182	0	4	4	0.49	-55	135	28	739680.84	1289663.5	2243.817	Kiaka Main
KMGC_2250_2184	21	25	4	0.60	-55	135	28	739698.86	1289645.9	2243.904	Kiaka Main
KMGC_2250_2185	9	18	9	0.48	-55	135	27	739707.19	1289637.3	2243.675	Kiaka Main
KMGC_2250_2186	20	21	1	1.85	-55	135	27	739716.23	1289628.4	2243.422	Kiaka Main

Table 1 Kiaka Main RC Grade Control Significant Intercepts > 0.3 g/t											
Hole ID	From	To	Interval	Au g/t	Dip	Azi	EOH	Easting	Northing	RL	Prospect
KMGC_2250_2187	11	14	3	0.89	-55	135	27	739725.07	1289619.4	2243.139	Kiaka Main
KMGC_2250_2190	16	21	5	0.40	-55	135	26	739752.01	1289592.8	2242.606	Kiaka Main
KMGC_2250_2193	6	8	2	0.70	-55	135	26	739778.12	1289566.5	2242.108	Kiaka Main
KMGC_2250_2209	0	11	11	0.78	-55	135	32	739570.53	1289791.8	2247.991	Kiaka Main
KMGC_2250_2209											
KMGC_2250_2210	7	11	4	0.30	-55	135	32	739579.39	1289783.1	2247.441	Kiaka Main
KMGC_2250_2210											
KMGC_2250_2211	8	10	2	0.69	-55	135	31	739588.17	1289774.4	2246.999	Kiaka Main
KMGC_2250_2212	23	28	5	0.59	-55	135	31	739597.01	1289765.3	2246.266	Kiaka Main
KMGC_2250_2212											
KMGC_2250_2213	25	29	4	1.97	-55	135	30	739605.86	1289756.5	2245.863	Kiaka Main
KMGC_2250_2213											
KMGC_2250_2214	10	29	19	0.74	-55	135	29	739614.78	1289747.6	2245.553	Kiaka Main
KMGC_2250_2215	0	17	17	0.38	-55	135	29	739623.78	1289738.8	2245.074	Kiaka Main
KMGC_2250_2216	4	6	2	0.59	-55	135	29	739632.66	1289729.8	2244.81	Kiaka Main
KMGC_2250_2217	21	29	8	0.30	-55	135	29	739641.22	1289721	2244.863	Kiaka Main
KMGC_2250_2219	13	26	13	0.33	-55	135	29	739658.96	1289703.6	2244.48	Kiaka Main
KMGC_2250_2219											
KMGC_2250_2220	23	26	3	2.29	-55	135	28	739667.75	1289694.5	2244.487	Kiaka Main
KMGC_2250_2220											
KMGC_2250_2221	20	24	4	0.93	-55	135	28	739676.87	1289685.8	2244.061	Kiaka Main
KMGC_2250_2221											
KMGC_2250_2223	12	17	5	0.65	-55	135	28	739694.38	1289668.1	2244.016	Kiaka Main
KMGC_2250_2225	12	25	13	0.90	-55	135	27	739712.09	1289650.3	2243.818	Kiaka Main
KMGC_2250_2225											
KMGC_2250_2226	3	6	3	0.69	-55	135	27	739720.65	1289641.8	2243.628	Kiaka Main
KMGC_2250_2227	4	9	5	0.43	-55	135	27	739729.6	1289632.7	2243.537	Kiaka Main
KMGC_2250_2230	18	20	2	0.39	-55	135	26	739756.14	1289606.3	2242.913	Kiaka Main
KMGC_2250_2231	22	25	3	0.32	-55	135	26	739765.02	1289597.3	2242.844	Kiaka Main
KMGC_2250_2232	15	21	6	0.46	-55	135	26	739773.82	1289588.7	2242.698	Kiaka Main
KMGC_2250_2233	4	6	2	0.46	-55	135	26	739782.9	1289579.4	2242.391	Kiaka Main
KMGC_2250_2246	2	6	4	0.56	-55	135	33	739557.33	1289822.7	2248.466	Kiaka Main
KMGC_2250_2247	0	1	1	1.71	-55	135	33	739566.34	1289813.8	2248.365	Kiaka Main
KMGC_2250_2247											
KMGC_2250_2248	1	13	12	0.40	-55	135	33	739575.11	1289805.1	2248.105	Kiaka Main
KMGC_2250_2248											
KMGC_2250_2249	10	21	11	0.94	-55	135	32	739583.89	1289796.4	2247.885	Kiaka Main
KMGC_2250_2250	1	3	2	0.34	-55	135	32	739592.88	1289787.3	2247.308	Kiaka Main

Table 1 Kiaka Main RC Grade Control Significant Intercepts > 0.3 g/t											
Hole ID	From	To	Interval	Au g/t	Dip	Azi	EOH	Easting	Northing	RL	Prospect
KMGC_2250_2251	1	12	11	0.33	-55	135	31	739601.64	1289778.5	2246.703	Kiaka Main
KMGC_2250_2251											
KMGC_2250_2252	1	31	30	0.43	-55	135	31	739610.19	1289769.6	2246.227	Kiaka Main
KMGC_2250_2253	4	22	18	1.66	-55	135	30	739619.12	1289760.9	2245.713	Kiaka Main
KMGC_2250_2253											
KMGC_2250_2256	27	29	2	1.88	-55	135	29	739645.4	1289734.3	2245.246	Kiaka Main
KMGC_2250_2258	23	28	5	0.46	-55	135	29	739663.39	1289716.8	2244.62	Kiaka Main
KMGC_2250_2258											
KMGC_2250_2259	2	4	2	0.78	-55	135	28	739672.07	1289708	2244.732	Kiaka Main
KMGC_2250_2259											
KMGC_2250_2260	7	15	8	0.57	-55	135	29	739681.15	1289698.9	2244.425	Kiaka Main
KMGC_2250_2260											
KMGC_2250_2261	3	9	6	0.69	-55	135	28	739689.72	1289690.5	2244.417	Kiaka Main
KMGC_2250_2262	19	24	5	1.36	-55	135	28	739698.64	1289681.7	2244.199	Kiaka Main
KMGC_2250_2263	21	24	3	1.04	-55	135	28	739707.29	1289672.8	2244.054	Kiaka Main
KMGC_2250_2264	6	9	3	0.63	-55	135	28	739716.3	1289663.8	2244.018	Kiaka Main
KMGC_2250_2265	0	5	5	1.89	-55	135	28	739725.22	1289654.8	2243.874	Kiaka Main
KMGC_2250_2265											
KMGC_2250_2272	2	10	8	0.46	-55	135	26	739787.07	1289592.9	2242.821	Kiaka Main
KMGC_2250_2272											
KMGC_2250_2281	27	29	2	0.74	-55	135	33	739570.55	1289827.1	2248.391	Kiaka Main
KMGC_2250_2282	7	11	4	0.36	-55	135	33	739579.52	1289818.3	2248.07	Kiaka Main
KMGC_2250_2283	26	29	3	0.44	-55	135	32	739588.44	1289809.6	2247.85	Kiaka Main
KMGC_2250_2284	3	8	5	0.31	-55	135	31	739605.83	1289791.8	2246.941	Kiaka Main
KMGC_2250_2285	25	29	4	1.02	-55	135	31	739614.73	1289783	2246.456	Kiaka Main
KMGC_2250_2285											
KMGC_2250_2285											
KMGC_2250_2286	1	13	12	0.56	-55	135	30	739623.59	1289774.2	2246.115	Kiaka Main
KMGC_2250_2286											
KMGC_2250_2290	4	19	15	1.42	-55	135	29	739676.82	1289721.1	2244.859	Kiaka Main
KMGC_2250_2291	5	28	23	0.68	-55	135	29	739685.47	1289712.3	2244.502	Kiaka Main
KMGC_2250_2292	3	18	15	0.42	-55	135	29	739694.28	1289703.5	2244.554	Kiaka Main
KMGC_2250_2292											
KMGC_2250_2293	0	2	2	0.61	-55	135	28	739711.98	1289685.9	2244.376	Kiaka Main
KMGC_2250_2296	18	23	5	0.39	-55	135	27	739747.34	1289650.4	2243.882	Kiaka Main
KMGC_2250_2300	6	21	15	0.58	-55	135	26	739791.59	1289606.2	2243.01	Kiaka Main
KMGC_2250_2301	0	6	6	0.39	-55	135	26	739800.34	1289597.5	2242.779	Kiaka Main
KMGC_2250_2315	0	12	12	0.40	-55	135	32	739601.44	1289814	2247.317	Kiaka Main

Table 1 Kiaka Main RC Grade Control Significant Intercepts > 0.3 g/t											
Hole ID	From	To	Interval	Au g/t	Dip	Azi	EOH	Easting	Northing	RL	Prospect
KMGC_2250_2315											
KMGC_2250_2316	10	12	2	0.67	-55	135	31	739610.32	1289805.2	2246.951	Kiaka Main
KMGC_2250_2317	6	21	15	0.35	-55	135	31	739619.1	1289796.3	2246.819	Kiaka Main
KMGC_2250_2317											
KMGC_2250_2318	7	12	5	0.40	-55	135	31	739628.04	1289787.4	2246.197	Kiaka Main
KMGC_2250_2321	8	10	2	0.42	-55	135	30	739654.44	1289760.9	2245.636	Kiaka Main
KMGC_2250_2323	20	23	3	0.31	-55	135	29	739672.38	1289743.1	2245.124	Kiaka Main
KMGC_2250_2324	27	29	2	0.59	-55	135	29	739681.07	1289734.4	2245.024	Kiaka Main
KMGC_2250_2324											
KMGC_2250_2325	1	11	10	0.62	-55	135	29	739689.68	1289725.7	2244.733	Kiaka Main
KMGC_2250_2325											
KMGC_2250_2326	0	25	25	0.45	-55	135	29	739698.58	1289716.7	2244.636	Kiaka Main
KMGC_2250_2327	16	28	12	0.78	-55	135	28	739707.46	1289707.9	2244.409	Kiaka Main
KMGC_2250_2328	8	12	4	1.32	-55	135	28	739716.01	1289699.2	2244.453	Kiaka Main
KMGC_2250_2330	9	11	2	0.37	-55	135	28	739734.12	1289681.1	2244.252	Kiaka Main
KMGC_2250_2331	15	20	5	0.48	-55	135	28	739743.22	1289672.2	2244.171	Kiaka Main
KMGC_2250_2331											
KMGC_2250_2333	10	17	7	0.32	-55	135	28	739760.47	1289654.9	2244.14	Kiaka Main
KMGC_2250_2333											
KMGC_2250_2335	24	25	1	1.25	-55	135	27	739778.47	1289636.8	2243.42	Kiaka Main
KMGC_2250_2335											
KMGC_2250_2337	14	27	13	0.44	-55	135	27	739795.94	1289619.5	2243.129	Kiaka Main
KMGC_2250_2340	5	7	2	0.47	-55	135	26	739822.51	1289593	2243.462	Kiaka Main
KMGC_2250_2341	4	7	3	0.64	-55	135	25	739831.35	1289584.1	2243.061	Kiaka Main
KMGC_2250_2359	0	13	13	2.39	-55	135	33	739588.24	1289844.9	2248.401	Kiaka Main
KMGC_2250_2360	2	10	8	0.55	-55	135	33	739596.98	1289836.1	2248.162	Kiaka Main
KMGC_2250_2361	24	27	3	0.96	-55	135	33	739605.93	1289827.1	2247.363	Kiaka Main
KMGC_2250_2361											
KMGC_2250_2362	6	10	4	10.93	-55	135	32	739614.87	1289818.4	2247.015	Kiaka Main
KMGC_2250_2362											
KMGC_2250_2362											
KMGC_2250_2363	8	12	4	2.11	-55	135	31	739623.55	1289809.6	2246.885	Kiaka Main
KMGC_2250_2363											
KMGC_2250_2363											
KMGC_2250_2364	4	20	16	0.47	-55	135	31	739632.37	1289800.8	2246.469	Kiaka Main
KMGC_2250_2367	5	9	4	0.38	-55	135	30	739658.98	1289774.1	2245.894	Kiaka Main
KMGC_2250_2370	18	24	6	0.52	-55	135	29	739685.41	1289747.7	2245.072	Kiaka Main
KMGC_2250_2371	2	29	27	0.61	-55	135	29	739694.31	1289738.7	2244.894	Kiaka Main

Table 1 Kiaka Main RC Grade Control Significant Intercepts > 0.3 g/t											
Hole ID	From	To	Interval	Au g/t	Dip	Azi	EOH	Easting	Northing	RL	Prospect
KMGC_2250_2372	17	19	2	0.46	-55	135	29	739703.21	1289729.8	2244.647	Kiaka Main
KMGC_2250_2372											
KMGC_2250_2373	1	13	12	0.48	-55	135	29	739712.07	1289721.1	2244.699	Kiaka Main
KMGC_2250_2373											
KMGC_2250_2374	8	13	5	0.44	-55	135	29	739720.75	1289712.3	2244.678	Kiaka Main
KMGC_2250_2376	18	20	2	1.06	-55	135	28	739738.45	1289694.5	2244.53	Kiaka Main
KMGC_2250_2379	9	15	6	0.33	-55	135	28	739764.98	1289668	2244.203	Kiaka Main
KMGC_2250_2380	4	11	7	0.76	-55	135	28	739773.91	1289659.3	2243.924	Kiaka Main
KMGC_2250_2383	19	26	7	0.45	-55	135	27	739800.41	1289632.7	2244.203	Kiaka Main
KMGC_2250_2384	10	25	15	0.53	-55	135	26	739809.25	1289623.9	2243.873	Kiaka Main
KMGC_2250_2385	2	10	8	0.36	-55	135	26	739818.09	1289615.1	2243.74	Kiaka Main
KMGC_2250_2385											
KMGC_2250_2386	17	21	4	0.56	-55	135	26	739826.93	1289606.2	2243.535	Kiaka Main
KMGC_2250_2387	3	6	3	2.25	-55	135	26	739835.77	1289597.4	2243.264	Kiaka Main
KMGC_2250_2407	12	31	19	0.36	-55	135	33	739601.89	1289849	2248.389	Kiaka Main
KMGC_2250_2408	27	33	6	1.00	-55	135	33	739610.39	1289840.6	2247.943	Kiaka Main
KMGC_2250_2408											
KMGC_2250_2409	10	24	14	0.55	-55	135	32	739619.24	1289831.8	2247.527	Kiaka Main
KMGC_2250_2410	28	32	4	0.58	-55	135	32	739628.04	1289822.9	2247.22	Kiaka Main
KMGC_2250_2411	6	11	5	1.18	-55	135	31	739636.89	1289814	2246.695	Kiaka Main
KMGC_2250_2418	15	29	14	0.82	-55	135	29	739698.8	1289752.2	2245.085	Kiaka Main
KMGC_2250_2419	1	29	28	0.94	-55	135	29	739707.52	1289743.8	2244.96	Kiaka Main
KMGC_2250_2420	3	28	25	0.36	-55	135	29	739716.47	1289734.4	2244.855	Kiaka Main
KMGC_2250_2421	5	12	7	0.32	-55	135	29	739725.29	1289725.6	2244.719	Kiaka Main
KMGC_2250_2422	3	4	1	1.09	-55	135	29	739734.09	1289716.5	2244.775	Kiaka Main
KMGC_2250_2424	5	8	3	0.40	-55	135	29	739752	1289699.1	2244.691	Kiaka Main
KMGC_2250_2424											
KMGC_2250_2425	20	24	4	1.44	-55	135	28	739760.61	1289690.3	2244.38	Kiaka Main
KMGC_2250_2426	4	6	2	0.39	-55	135	28	739769.29	1289681.7	2244.267	Kiaka Main
KMGC_2250_2427	7	21	14	0.59	-55	135	28	739778.38	1289672.5	2243.99	Kiaka Main
KMGC_2250_3209	18	24	6	0.34	-55	135	28	739199.8	1289101.8	2241.011	Kiaka Main
KMGC_2250_3209											
KMGC_2250_3212	4	11	7	1.01	-55	135	27	739288.49	1289154.6	2240.869	Kiaka Main
KMGC_2250_3215	2	4	2	0.88	-55	135	27	739310.81	1289150	2240.643	Kiaka Main
KMGC_2250_3219	0	10	10	0.32	-55	135	24	739742.89	1289531	2241.105	Kiaka Main
KMGC_2250_3220	4	9	5	0.50	-55	135	24	739738.34	1289553.2	2241.809	Kiaka Main
KMGC_2250_3221	2	3	1	2.43	-55	135	24	739747.12	1289544	2241.698	Kiaka Main
KMGC_2250_3221											

Table 1 Kiaka Main RC Grade Control Significant Intercepts > 0.3 g/t											
Hole ID	From	To	Interval	Au g/t	Dip	Azi	EOH	Easting	Northing	RL	Prospect
KMGC_2250_3230	24	26	2	0.44	-55	135	30	739528.64	1289771.9	2246.783	Kiaka Main
KMGC_2250_3231	6	12	6	0.44	-55	135	30	739537.45	1289763.1	2246.694	Kiaka Main
KMGC_2250_3232	0	30	30	0.43	-55	135	30	739546.26	1289754.3	2246.409	Kiaka Main
KMGC_2250_3233	9	12	3	5.40	-55	135	29	739555.05	1289745.5	2246.067	Kiaka Main
KMGC_2250_3234	3	7	4	0.43	-55	135	29	739563.95	1289736.6	2245.758	Kiaka Main
KMGC_2250_3235	1	2	1	1.82	-55	135	31	739524.11	1289794.2	2247.126	Kiaka Main
KMGC_2250_3235											
KMGC_2250_3236	24	25	1	1.27	-55	135	31	739532.91	1289785.3	2247.33	Kiaka Main
KMGC_2250_3236											
KMGC_2250_3237	0	14	14	0.33	-55	135	31	739541.87	1289776.3	2247.274	Kiaka Main
KMGC_2250_3238	23	28	5	0.32	-55	135	30	739550.71	1289767.5	2246.823	Kiaka Main
KMGC_2250_3238											
KMGC_2250_3240	24	26	2	0.53	-55	135	29	739568.43	1289749.8	2246.104	Kiaka Main
KMGC_2250_3240											
KMGC_2250_3242	22	24	2	0.58	-55	135	32	739537.87	1289798.8	2247.811	Kiaka Main
KMGC_2250_3242											
KMGC_2250_3244	21	27	6	0.43	-55	135	31	739555.17	1289780.4	2247.451	Kiaka Main
KMGC_2250_3244											
KMGC_2250_3245	11	21	10	0.34	-55	135	30	739563.97	1289771.8	2246.976	Kiaka Main
KMGC_2250_3246	5	13	8	0.88	-55	135	30	739572.84	1289763.1	2246.661	Kiaka Main
KMGC_2250_3247	11	12	1	1.10	-55	135	30	739581.64	1289754.1	2246.331	Kiaka Main
KMGC_2250_3248	25	28	3	0.59	-55	135	32	739541.62	1289812	2248.425	Kiaka Main
KMGC_2250_3248											
KMGC_2250_3250	20	24	4	0.90	-55	135	32	739559.48	1289794.1	2248.12	Kiaka Main
KMGC_2250_3251	15	29	14	0.48	-55	135	32	739568.34	1289785.2	2247.662	Kiaka Main
KMGC_2250_3253	16	18	2	0.67	-55	135	30	739586.28	1289767.2	2246.596	Kiaka Main
KMGC_2250_3254	0	20	20	0.36	-55	135	29	739595.15	1289758.4	2246.119	Kiaka Main
KMGC_2250_3255	16	29	13	1.02	-55	135	29	739603.68	1289749.8	2245.758	Kiaka Main
KMGC_2250_3255											
KMGC_2250_3256	11	23	12	0.48	-55	135	29	739612.61	1289741.1	2245.376	Kiaka Main
KMGC_2250_3256											
KMGC_2250_3257	0	15	15	0.58	-55	135	28	739621.34	1289732.1	2245.037	Kiaka Main
KMGC_2250_3262	4	14	10	2.80	-55	135	32	739572.71	1289798.5	2248.26	Kiaka Main
KMGC_2250_3262											
KMGC_2250_3263	10	20	10	0.70	-55	135	32	739581.68	1289789.6	2247.764	Kiaka Main
KMGC_2250_3264	17	19	2	0.49	-55	135	31	739590.27	1289780.7	2247.348	Kiaka Main
KMGC_2250_3265	0	10	10	0.70	-55	135	31	739599.32	1289772	2246.581	Kiaka Main
KMGC_2250_3265											

Table 1 Kiaka Main RC Grade Control Significant Intercepts > 0.3 g/t											
Hole ID	From	To	Interval	Au g/t	Dip	Azi	EOH	Easting	Northing	RL	Prospect
KMGC_2250_3266	19	29	10	0.68	-55	135	30	739607.93	1289763.3	2246.106	Kiaka Main
KMGC_2250_3266											
KMGC_2250_3267	1	29	28	0.36	-55	135	29	739616.91	1289754.4	2245.716	Kiaka Main
KMGC_2250_3268	13	16	3	0.60	-55	135	29	739625.71	1289745.5	2245.448	Kiaka Main
KMGC_2250_3269	25	27	2	0.62	-55	135	28	739637.13	1289739	2245.425	Kiaka Main
KMGC_2250_3271	2	4	2	3.98	-55	135	32	739568.34	1289820.5	2248.428	Kiaka Main
KMGC_2250_3271											
KMGC_2250_3272	8	17	9	0.69	-55	135	32	739577.26	1289811.6	2248.095	Kiaka Main
KMGC_2250_3272											
KMGC_2250_3272											
KMGC_2250_3273	17	27	10	0.31	-55	135	32	739585.8	1289802.8	2247.996	Kiaka Main
KMGC_2250_3273											
KMGC_2250_3274	0	8	8	0.40	-55	135	32	739594.79	1289794.1	2247.369	Kiaka Main
KMGC_2250_3276	6	30	24	1.83	-55	135	30	739612.6	1289776.2	2246.306	Kiaka Main
KMGC_2250_3277	21	29	8	0.89	-55	135	29	739621.51	1289767.3	2245.922	Kiaka Main
KMGC_2250_3279	6	8	2	0.33	-55	135	29	739638.81	1289750	2245.438	Kiaka Main
KMGC_2250_3282	13	15	2	0.34	-55	135	32	739581.34	1289825	2248.278	Kiaka Main
KMGC_2250_3283	21	32	11	0.30	-55	135	32	739590.28	1289816.1	2247.89	Kiaka Main
KMGC_2250_3284	24	28	4	0.35	-55	135	32	739599.25	1289807.4	2247.372	Kiaka Main
KMGC_2250_3285	5	11	6	0.32	-55	135	31	739608.05	1289798.5	2247.149	Kiaka Main
KMGC_2250_3285											
KMGC_2250_3286	4	8	4	0.43	-55	135	31	739617.13	1289789.5	2246.704	Kiaka Main
KMGC_2250_3287	7	12	5	0.61	-55	135	30	739625.9	1289780.6	2246.302	Kiaka Main
KMGC_2250_3287											
KMGC_2250_3291	4	9	5	0.82	-55	135	32	739585.98	1289838.3	2248.379	Kiaka Main
KMGC_2250_3292	2	6	4	0.48	-55	135	32	739594.78	1289829.5	2247.875	Kiaka Main
KMGC_2250_3293	27	30	3	0.32	-55	135	31	739603.81	1289820.5	2247.478	Kiaka Main
KMGC_2250_3294	11	18	7	0.32	-55	135	31	739612.46	1289811.7	2247.24	Kiaka Main
KMGC_2250_3295	1	14	13	0.44	-55	135	30	739621.37	1289802.9	2246.876	Kiaka Main
KMGC_2250_3295											
KMGC_2250_3296	19	21	2	0.84	-55	135	30	739630.56	1289793.7	2246.478	Kiaka Main
KMGC_2250_3296											
KMGC_2250_3298	4	14	10	1.10	-55	135	30	739647.84	1289776.3	2245.94	Kiaka Main
KMGC_2250_3299	2	7	5	0.59	-55	135	29	739656.72	1289767.4	2245.745	Kiaka Main
KMGC_2250_3301	14	29	15	0.34	-55	135	32	739590.17	1289851.8	2248.796	Kiaka Main
KMGC_2250_3301											
KMGC_2250_3303	17	29	12	0.41	-55	135	32	739608.11	1289834	2247.711	Kiaka Main
KMGC_2250_3304	1	5	4	0.79	-55	135	32	739616.92	1289825	2247.469	Kiaka Main

Table 1 Kiaka Main RC Grade Control Significant Intercepts > 0.3 g/t											
Hole ID	From	To	Interval	Au g/t	Dip	Azi	EOH	Easting	Northing	RL	Prospect
KMGC_2250_3304											
KMGC_2250_3304											
KMGC_2250_3305	5	12	7	0.30	-55	135	31	739625.77	1289816.1	2247.17	Kiaka Main
KMGC_2250_3306	6	12	6	0.38	-55	135	30	739634.82	1289807.3	2246.677	Kiaka Main
KMGC_2250_3308	13	15	2	0.34	-55	135	30	739652.33	1289789.6	2246.271	Kiaka Main
KMGC_2250_3309	3	20	17	0.43	-55	135	29	739661.15	1289780.8	2245.963	Kiaka Main

- All reported intersections from the drilling program are assayed at 1m intervals.
- Sample preparation and fire assay conducted by SGS Laboratory in Ouagadougou. Assayed by 50g fire assay with AAS finish.
- Mineralised intervals for drilling reported with a maximum of 4m of consecutive internal dilution of less than 0.3g/t gold. No top cut applied.
- QA/QC protocol: one blank, one standard and one duplicate are inserted for every 17 samples (3 QA/QC within every 20 samples).

Appendix 1: JORC Table 1 Kiaka

Section 1 Sampling Techniques and Data

Criteria	JORC Code Explanation	Commentary
Sampling Techniques	- Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as downhole gamma sondes, or handheld XRF instruments, etc.). These examples should not be taken as limiting the broad meaning of sampling. - Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. - Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (e.g. 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g. submarine nodules) may warrant disclosure of detailed information.	- The area of the Kiaka resource was drilled using Reverse Circulation (RC) and Diamond Drill (DD) holes on a nominal 50 m x 50 m grid spacing. A total of 351 DD holes (110,626 m), 394 RC holes (28,337 m) and 124 combined RC/DD holes (21,140 m) were drilled between 2005 and 2019. Holes were predominantly angled toward 135° (UTM) at declinations of -55° to optimally intersect the mineralised zones. A total of 2,636 RC holes (79,913m) have been drilled by West African in 2024 for Grade Control (GC) Purposes. All holes were drilled on a nominal 12.5m x 12.5m drill hole spacing and were angled at 135° (UTM) at declinations of -55° to optimally intersect mineralised zones. - The area of the Kiaka South resource was drilled using RC and DD on a nominal 25 m x 12.5 m grid spacing. A total of 74 DD holes (13,512 m), 307 RC holes (23,645 m) and 21 combined RC/DD holes (2,509 m) were drilled between 2005 and 2012. Holes were predominantly angled toward 135° (local grid) at declinations of -55° to optimally intersect the mineralised zones. - All RC samples were weighed to determine recoveries. RC samples were split and sampled at 1 m intervals using a cyclone splitter. Diamond core is a combination of HQ and NQ sizes and all diamond core was logged for lithological, alteration, geotechnical, density and other attributes. Half-core sampling was completed at predominantly 1 m intervals. QAQC procedures were completed as per industry standard practices (i.e. certified standards, blanks and duplicate sampling were sent with laboratory sample dispatches). - Diamond Core and RC samples were assayed at the ALS Chemex laboratory in Ouagadougou, Burkina Faso using laboratory code Au-AA26. Due to slow reporting times, SGS (Ouagadougou, AU_FAA505) and BIGS (Ouagadougou, Au_FPF500) were utilised, while a portion of the submissions were prepared in Burkina Faso before being shipped to the ALS laboratory in Johannesburg, South Africa. Diamond core samples were crushed, dried and pulverised (total prep) to produce a sub sample for analysis for gold by 50 g standard fire assay (FA) method followed by an atomic absorption spectrometry (AAS) finish with a detection limit of 0.01 g/t Au. Samples from the 2024 GC program have been assayed at SGS (Ouagadougou, AU_FAA505). Samples were dried, crushed and pulverised to produce a sub sample for analysis for gold by 50 g standard FA method followed by AAS finish with a detection limit of 0.01 g/t Au.
Drilling Techniques	Drill type (e.g. core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc.) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc.).	Diamond drilling in the resource area comprises HQ sized core for the softer saprolite, switching to NQ diameter in fresh rock. RC depths range from 13 m to 166 m and DD depths range from 15 m to 706 m. Diamond core was oriented using a digital Reflex Ez-shot orientation system. Downhole surveys were completed on all holes at intervals of 30-50 m. RC drilling within the resource area comprises 5.5 inch diameter face sampling hammer. Holes drilled for the 2024 West African GC program were drilled to an average depth of 28m and utilised a 5.5 inch face sampling hammer. No downhole surveys were completed for holes <40m. Holes >40 depth were surveyed using a Reflex EZ-Gyro at intervals of 5m downhole.
Drill Sample Recovery	- Method of recording and assessing core and chip sample recoveries and results assessed. - Measures taken to maximise sample recovery and ensure representative nature of the samples. - Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.	- Diamond core and RC recoveries are logged and recorded in the database. Overall recoveries are >90 % for the diamond core and >70 % for the RC; there are no core loss issues or significant sample recovery problems. A technician is always present at the rig to monitor and record recovery. - Diamond core is reconstructed into continuous runs on an angle iron cradle for orientation marking. Depths are checked against the depth given on the core blocks and rod counts are routinely carried out by the drillers. RC samples were visually checked for recovery, moisture and contamination. - The resource is defined by DD and RC drilling, which have high sample recoveries. No relationship between sample recovery and grade have been identified at Kiaka. The consistency of the mineralised intervals and density of drilling is considered to preclude any issue of sample bias due to material loss or gain.
Logging	- Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. - Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc.) photography. - The total length and percentage of the relevant intersections logged.	- Geotechnical logging was carried out on all DDs for recovery, RQD and number of defects (per interval). Information on structure type, dip, dip direction, alpha angle, beta angle, texture, shape, roughness and fill material is stored in the structure/geotechnical table of the database. - Logging of diamond core and RC samples recorded lithology, mineralogy, mineralisation, structural (DD only), weathering, alteration, colour and other features of the samples. Core was photographed in both dry and wet form. - All drilling has been logged to a standard that is appropriate for the category of Resource which is being reported.

Criteria	JORC Code Explanation	Commentary
Sub-Sampling Techniques and Sample Preparation	■ If core, whether cut or sawn and whether quarter, half or all core taken. ■ If non-core, whether riffled, tube sampled, rotary split, etc. and whether sampled wet or dry. ■ For all sample types, the nature, quality and appropriateness of the sample preparation technique. ■ Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. ■ Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling. ■ Whether sample sizes are appropriate to the grain size of the material being sampled.	■ Core was cut in half onsite using a TS-650 core cutter. All samples were collected from the same side of the core. ■ RC samples were collected on the rig using a cyclone splitter. All samples were dry. ■ The sample preparation for all samples follows industry standard practice. The samples were dispatched to the laboratory (as per section 'Sampling Techniques') where they were crushed, dried and pulverised to produce a sub sample for analysis. Sample preparation involved oven drying, coarse crushing, followed by total pulverisation in LM2 grinding mills to a grind size of 85 % passing 75 microns. ■ Field QC procedures involve the use of certified reference material as assay standards, blanks and duplicates. The insertion rate of these averaged 3:20. ■ Field RC duplicates were taken on 1 m composites at the rig, using a riffle splitter. ■ The sample sizes are considered to be appropriate to correctly represent the style of mineralisation, the thickness and consistency of the intersections.
Quality of Assay Data and Laboratory Tests	■ The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. ■ For geophysical tools, spectrometers, handheld XRF instruments, etc., the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. ■ Nature of quality control procedures adopted (e.g. standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.	■ The laboratory used an aqua regia digest followed by FA with an AAS finish for gold analysis. ■ No geophysical tools were used to determine any element concentrations used in this Resource Estimate. ■ Sample preparation checks for fineness were carried out by the laboratory as part of their internal procedures to ensure the grind size of 85 % passing 75 micron was being attained. Laboratory QAQC involves the use of internal lab standards using certified reference material, blanks, splits and duplicates as part of the in house procedures. Certified reference materials, having a good range of values, were inserted blindly and randomly. Results highlight that sample assay values are accurate and that contamination has been contained. ■ Repeat or duplicate analysis for samples reveals that precision of samples is within acceptable limits. ■ For on-site QAQC checking, certified standards and blank samples represented 6 % of the total samples submitted for Kiaka Main, and 9 % for Kiaka South.
Verification of Sampling and Assaying	■ The verification of significant intersections by either independent or alternative company personnel. ■ The use of twinned holes. ■ Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. ■ Discuss any adjustment to assay data.	■ Between 2014 and 2019 B2Gold drilled 56 verification diamond core holes (16,675 m) including 6 metallurgical test work holes (2,485 m). ■ Some areas of the resource have been drilled in < 25 m x 25 m patterns providing verification of mineralised zones. ■ Primary data was collected using a set of company standard templates in an acQuire database with data management completed under the guidance of the Senior Exploration Geologist and the Database Administrator. ■ From 2024, primary data was collected using Max Geo Logchief Software on Toughbook™ laptop computers. The information was validated on-site by the Company's database technicians and then merged and validated into an SQL database by the Company's database manager. ■ The results confirmed the initial intersection geology. ■ No adjustments or calibrations were made to any assay data used in this estimate.
Location of Data Points	■ Accuracy and quality of surveys used to locate drillholes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. ■ Specification of the grid system used. ■ Quality and adequacy of topographic control.	■ All drillholes drilled prior to 2024 were located by a theodolite in UTM grid WGS84 Z30N and a local grid. Local grid is rotated -45°E from UTM, the rotation origin is 738961.00E / 1289304.63N (2000E / 5000N in local grid). Downhole surveys were completed at nominally every 30 m, after surface and 6 m, and at the end of hole using a Reflex EZ-Shot downhole survey tool. ■ Drillhole collars and DTM surveys were carried out on contract using the Company's Total Station (Power Set 2C) with Sokkia Data Logger (SDR33) survey equipment. ■ In 2023, all drillhole collar elevations were adjusted from the WGS84 datum to reference mean sea level (-25.02m). A large number of drillhole collar surveys covering both resource areas were checked and found to be within acceptable tolerances. Additionally, an elevation adjustment of +2,000m was made in preparation for mining activities and to maintain consistency between the Kiaka and Sanbrado operations. ■ From 2024, all drillholes are located by a DGPS in UTM grid WGS84 Z30N for X, Y (Eastings and Northings), and referenced to MSL for Z (Elevation) by the West African survey department. ■ Ground DGPS, Real time topographical survey and a drone survey was used for topographic control.
Data Spacing and Distribution	■ Data spacing for reporting of Exploration Results. ■ Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. ■ Whether sample compositing has been applied.	■ The nominal drillhole spacing is 50 m (north) by 20 m (east) for the Kiaka Main prospect and 25 m (north) by 12.5 m (east) for the Kiaka South prospect. ■ West African GC drillhole spacing at the Kiaka Main Deposit was conducted at nominal spacing of 12.5m x 12.5m ■ West African GC drillhole spacing at the Kiaka South Deposit was conducted at nominal spacing of 12.5m x 6.25m

Criteria	JORC Code Explanation	Commentary
		The mineralised domains have demonstrated sufficient continuity in both geology and grade to support the definition of Inferred and Indicated Mineral Resources as per the guidelines of the 2012 JORC Code.
Orientation of Data in Relation to Geological Structure	- Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. - If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.	- The majority of the data is drilled to 135° (UTM) at Kiaka Main and Kiaka South Deposits, which is orthogonal/perpendicular to the orientation of the mineralised trend. The bulk of the drilling is almost perpendicular to the mineralised domains. At least one scissor hole on every alternating section is drilled to 270° (local grid). Structural logging based on oriented core indicates that the main mineralisation controls are largely perpendicular to drill direction. - No orientation based sampling bias has been identified in the data at this point.
Sample Security	The measures taken to ensure sample security.	- For drilling prior to 2024, chain of custody on site was managed by B2Gold technicians and geologists. Samples were stored on site at the Kiaka camp and delivered by B2Gold personnel to ALS Ouagadougou for sample preparation. Whilst in storage, they were kept under guard in a locked yard. Tracking sheets were used to track the progress of batches of samples. - For the 2024 drilling, chain of custody on site was managed by West African geologists and technicians. Samples were stored in a secure area within the Kiaka site in preparation for transportation to the SGS laboratory in Ouagadougou. Whilst in storage, they were kept under guard in a locked yard. Tracking sheets were used to track the progress of batches of samples.
Audits or Reviews	The results of any audits or reviews of sampling techniques and data.	West African personnel completed extensive reviews of the available data associated with the Kiaka project and a site visit was completed by senior West African personnel and the Competent Person in October 2021.

Section 2 Reporting of Exploration Results

Criteria	JORC Code Explanation	Commentary
Mineral Tenement and Land Tenure Status	- Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. - The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.	- Kiaka SA was granted an industrial gold mine operation permit in 2016 by Decree No. 2016-590/PRES/PM/MEMC/MINEFID/MEEVCC, valid for a period of 20 years and renewable for consecutive periods of 5 years. - All permits granted to West African subsidiaries are for gold. All fees in respect of the permit referred to above have been paid and the permit is valid and up to date with the Burkinabe authorities. The Mining Code of Burkina Faso requires the payment of gross production royalties to the government as follows: 3 % <\$1000/oz; 4 % from \$1000 to < \$1300/oz; 5% from \$1300 to < \$1500/oz; 6% from \$1500 to < \$1700/oz; 6.5% from \$1700 to < \$2000/oz; and 7% >\$2000. An additional 1% community development levy is also payable to the Burkina Faso government.
Exploration Done by Other Parties	Acknowledgment and appraisal of exploration by other parties.	Exploration activities on the original Kiaka permit by persons prior to West African have included geological mapping, rock and chip sampling, geophysical surveys, geochemical sampling and drilling, both RC and core. This work was undertaken by Randgold Resources and Volta Resources personnel and their consultants from 2004 until 2012.
Geology	Deposit type, geological setting and style of mineralisation.	- Kiaka is located at the intersection of the Tenkodogo belt and the Markoye Fault Zone within Lower Proterozoic rocks of the Birimian Orogeny. Amphibole-rich mafic volcanic rocks are predominant in the lower (southern) portion of the deposit area, overlain by a sequence of clastic sediments. Several quartz-feldspar porphyritic sills intrude through the sequence at the northern end, the most significant of which is 90 m thick, interpreted to be an important rheological barrier to gold mineralisation. At least two generations of post-mineralisation mafic intrusions occur: steeply dipping, medium to coarse grained diorite dykes up to 80 m wide, and fine grained dolerite dykes 2-3 m wide, with well defined, sharp contacts. Structural patterns are the product of protracted northwest-southeast directed shortening, producing a major F2 antiform several hundred metres wide, that is thought to be a primary control on localisation of gold mineralisation, evidenced by steep north-easterly plunging mineralisation zones. - Gold mineralisation at Kiaka occurs within the subvertical southwest dipping Kiaka Shear Zone (KSZ), comprising an anastomosing network of ductile to brittle-ductile shears, localised along the axial surface of the Kiaka antiform. The KSZ ranges from 100-260 m, with a strike length of approximately 2.3 km. Gold mineralisation exhibits both disseminated and vein-related characteristics, and is spatially associated with fine grained disseminated pyrrhotite, lesser pyrite and rare chalcopyrite and arsenopyrite. Higher gold grades are frequently associated with the presence of quartz, both as veins, and wall rock silicification.
Drillhole Information	- A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drillholes: - easting and northing of the drillhole collar	Significant intercepts that form the basis of this Resource Estimate have been released to the ASX in previous announcements with appropriate tables incorporating Hole ID, Easting, Northing, Dip, Azimuth, Depth and

Criteria	JORC Code Explanation	Commentary
	- elevation or RL (Reduced Level - elevation above sea level in metres) of the drillhole collar - dip and azimuth of the hole - downhole length and interception depth - hole length. - If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.	Assay Data. Appropriate maps and plans also accompany this Resource Estimate announcement. - Drilling completed by Volta Resources is documented in the publicly available report "An Updated Mineral Resource Estimate on the Kiaka Gold Project, Burkina Faso, October 2012", prepared by SRK, published November 2012. - A complete listing of all drillhole details is not necessary for this report which describes the Kiaka Gold Resource. In the Competent Person's opinion the exclusion of this data does not detract from the understanding of this report.
Data Aggregation Methods	- In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cutoff grades are usually Material and should be stated. - Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. - The assumptions used for any reporting of metal equivalent values should be clearly stated.	All intersections were assayed on predominantly one metre intervals. No top cuts have been applied to exploration results. At Kiaka South, mineralised intervals are reported with a maximum of 4 m of consecutive internal dilution of less than 0.4 g/t Au. At Kiaka Main, mineralised intervals are reported with a maximum of 4 m of consecutive internal dilution of less than 0.3 g/t Au. Mineralised intervals are reported on a weighted average basis.
Relationship Between Mineralisation Widths and Intercept Lengths	- These relationships are particularly important in the reporting of Exploration Results. - If the geometry of the mineralisation with respect to the drillhole angle is known, its nature should be reported. - If it is not known and only the downhole lengths are reported, there should be a clear statement to this effect (e.g. 'downhole length, true width not known').	The orientation of the mineralised zone has been established and the majority of the drilling was planned in such a way as to intersect mineralisation in a perpendicular manner or as close as practicable. Topographic limitations were evident for some holes and these were drilled from less than ideal orientations. However, where possible, earthworks were carried out in order to accomplish drilling along optimum orientations.
Diagrams	Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drillhole collar locations and appropriate sectional views.	The appropriate plans and sections have been included in the body of this announcement.
Balanced Reporting	Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.	All grades, high and low, are reported accurately with "from" and "to" depths and "hole identification" shown.
Other Substantive Exploration Data	Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.	Detailed metallurgical test work was carried out as part of B2Gold's feasibility studies. Test work shows that the ore is amenable to conventional crushing, grinding and CIP processing. LOM recoveries have been determined to be 90 %.
Further Work	- The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large-scale step-out drilling). - Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.	West African has commenced construction of the Kiaka mine and processing plant and is anticipating first gold in Q3 2025. Findings of the updated feasibility study can be found under the 02/07/2024 ASX release titled "Kiaka Feasibility Update Delivers 4.8moz Gold Ore Reserve 20 Year Mine Life".