

Black Cat Syndicate Limited ("Black Cat" or "the Company") is pleased to provide an update on drilling activities at the 100% owned Paulsens Gold Operation ("Paulsens").

HIGHLIGHTS

- Ongoing underground diamond drilling at Paulsens continues to target both Resource growth and near-mine
 production optimisation with >20,000m drilled in the current program. Recent intercepts in the Gabbro Veins and
 Hangingwall Zone have retuned bonanza grades and visible gold, including:
 - 1.60m @ 623.94g/t Au from 37.40m (25PGGC087) Gabbro Veins
 - Incl. 0.65m @ 1,530.00g/t Au from 37.40m
 - 3.90m @ 33.02g/t Au from 18.00m (25PGGC079) Gabbro Veins
 - 1.90m @ 27.49g/t Au from 137.00m (25PGGC036A) Gabbro Veins
 - 1.33m @ 27.24g/t Au from 24.00m (25PGGC116) Gabbro Veins
 - 0.65m @ 48.50g/t Au from 48.44m (25PGGC112) Gabbro Veins
 - 0.58m @ 31.60g/t Au from 57.00m (25PGGC013) Gabbro Veins
 - 0.53m @ 27.00g/t Au from 18.52m (25PGGC089) Gabbro Veins
 - 0.77m @ 24.75g/t Au from 31.67m (25PGGC119A) Gabbro Veins
 - 0.70m @ 6.30g/t Au from 32.30m (25PGGC124) Hangingwall Zone
- As part of the mine ramp up, multiple development drives are underway to establish access into these areas.




Figure 1: Core photo of 25PGOGC087 showing significant assays. The photo inset shows the visible gold within the interval.

Black Cat's Managing Director, Gareth Solly, said: "Underground drilling at Paulsens continues to deliver great results and visible gold in multiple areas is always exciting. These bonanza results provide further excitement as development into the footwall Gabbro Veins and other areas advances.

The Gabbro Vein area and Hangingwall Zone remain open and drilling will be ongoing over the next 12 months, providing excellent opportunity to discover and produce more gold, sooner."

BACKGROUND

Underground drilling commenced at Paulsens in February 2025 and 153 holes (20,014m) have been in the current program. Recently, the program has focussed on infilling the footwall Gabbro Veins and on expanding Resources in the middle portion of the Main Zone and in the Hangingwall Zone (Figure 2).

Recent significant results from the Gabbro Veins and Hangingwall Zone include:

- 1.60m @ 623.94g/t Au from 37.40m (25PGGC087) Gabbro Veins
 - Incl. 0.65m @ 1,530.00g/t Au from 37.40m
- 3.90m @ 33.02g/t Au from 18.00m (25PGGC079) Gabbro Veins
- 1.90m @ 27.49g/t Au from 137.00m (25PGGC036A) Gabbro Veins
- 1.33m @ 27.24g/t Au from 24.00m (25PGGC116) Gabbro Veins
- 0.65m @ 48.50g/t Au from 48.44m (25PGGC112) Gabbro Veins
- 0.58m @ 31.60g/t Au from 57.00m (25PGGC013) Gabbro Veins
- 0.53m @ 27.00g/t Au from 18.52m (25PGGC089) Gabbro Veins
- 0.77m @ 24.75g/t Au from 31.67m (25PGGC119A) Gabbro Veins
- 0.70m @ 6.30g/t Au from 32.30m (25PGGC124) Hangingwall Zone

These results are also consistent with other recent results from the Gabbro Veins and Main Zone1, which included:

- 0.88m @ 93.20g/t Au from 11.12m (25PGOGC060) Main Zone
- 2.50m @ 32.11g/t Au from 37.00m (25PGOGC058) Main Zone
- 1.11m @ 15.89g/t Au from 20.15m (25PGOGC056) Main Zone
- 0.99m @ 25.73g/t Au from 57.86m (25PGOGC054) Main Zone
- 1.70m @ 37.62g/t Au from 11.00m (25PGOGC062) Gabbro Veins
- 1.26m @ 29.89g/t Au from 15.74m (25PGOGC021) Gabbro Veins
- 1.00m @ 28.30g/t Au from 51.00m (25PGOGC030) Gabbro Veins
- 0.75m @ 23.20g/t Au from 74.73m and
 - 1.90m @ 27.49g/t Au from 137.00m (25PGOGC036A) Gabbro Veins
- 1.22m @ 11.96g/t Au from 14.92m and
 - 5.35m @ 4.03g/t Au from 100.25m (25PGOGC001)
- 3.55m @ 13.21g/t Au from 181.45m (25PGOGC002)
- 1.11m @ 12.02g/t Au from 85.82m (25PGOGC003)
- 0.25m @ 96.50g/t Au from 67.64m and
 - 4.63m @ 4.67g/t Au from 188.37m (25PGOGC004)
- 0.27m @ 58.10g/t Au from 67.73m (25PGOGC006)
- 1.05m @ 36.04g/t Au from 114.95m (25PGOGC011)
- 1.55m @ 34.16g/t Au from 61.45m (25PGOGC018)
- 0.50m @ 122.00g/t Au from 113.28m (25PGGC021A)
- 3.16m @ 8.75g/t Au from 170.38m (25PGGC024)
- 3.00m @ 7.50g/t Au from 161.00m (25PGGC027)
- 1.17m @ 13.28g/t Au from 41.00m and
 - 4.01m @ 6.72g/t Au from 71.00m (25PGGC032)

¹ BC8 ASX announcements 29 May 2025, 30 June 2025, 28 July 2025




Figure 2: Plan view showing the underground drilling in the lower part of the mine with recent significant results and current development. Historical drill intercepts are also shown².

² BC8 ASX announcements 31 October 2023; 29 May 2025, 30 June 2025, 28 July 2025




Figure 3: Plan view showing the drilling in the upper part of the mine with recent significant results and current development. Historical drill intercepts are also shown3.

³ BC8 ASX announcements 31 October 2023; 29 May 2025, 30 June 2025, 28 July 2025




Figure 4: Map of the Paulsens near-mine area showing some of the historical high-grade intercepts requiring follow-up, recent surface samples, mapped surface veins, interpreted vein orientations and high-priority, near-mine targets⁴

⁴ BC8 ASX announcements 31 October 2023

PLANNED ACTIVITIES

As at the date of this announcement, the proposed activities and timing for the Company over the coming months includes:

Ongoing Paulsens regional exploration

Ongoing Paulsens West seismic target drilling (EIS Co-funded)

Sep 2025 Commencement of mining Fingals open pit (Kal East)

Sep 2025 Beaver Creek and Denver Gold Conference

Sep - Oct 2025 Mt Clement Eastern Zone antimony drilling

Sept - Oct 2025 Ashburton MT survey (Geophysics Programme Co-funded)

Oct - Mar 2026 Mt Clement metallurgical testwork

For further information, please contact:

Gareth Solly Managing Director +61 458 007 713 admin@bc8.com.au

This announcement has been approved for release by the Board of Black Cat Syndicate Limited.

Table 1: Drill Hole Locations – Paulsens Gold Operation

	Paulsens U	nderground	Diamond Di	rilling				Do	wnhole	
Hole ID	Local East	Local North	RL Local	Dip	Azimuth Local	End of Hole (m)	From (m)	To (m)	Interval (m)	Au Grade (g/t)
25PGOGC005	8685	50340	425	-6	208	53.40		Assay	rs Pending	
25PGOGC005A	8685	50340	425	-6	208	170.40	23.00	24.00	1.00	1.56
							69.00	70.15	1.15	3.27
							74.72	78.55	3.83	4.41
25PGOGC008	8686	50340	425	-21	193	254.00	14.67	15.27	0.60	1.95
							21.44	22.00	0.56	12.40
							37.30	37.80	0.50	1.13
							59.23	62.05	2.82	2.92
							138.47	139.04	0.57	4.08
25PGOGC010	8686	50340	425	-3	180	188.35		Assay	s Pending	
25PGOGC012	8686	50340	425	-4	171	224.60		Assay	rs Pending	
25PGOGC013	8687	50340	426	3	157	209.60	54.00	55.93	1.93	3.49
							57.00	57.58	0.58	31.60
							128.66	129.77	1.11	1.75
							136.00	136.77	0.77	4.70
							165.20	167.07	1.87	5.01
25PGOGC014	8416	50301	325	-45	220	284.60		Assay	s Pending	
25PGOGC015	8416	50301	325	-35	220	306.00		Assay	rs Pending	
25PGOGC020	8685	50341	425	-28	230	353.50		Assay	rs Pending	
25PGOGC023	8686	50340	424	-32	230	377.60		Assay	rs Pending	
25PGOGC035	8418	50380	223	28	65	50.00			s Pending	
25PGOGC035A	8422	50303	324	-8	152	171.00	64.97	66.00	1.03	6.65
							93.00	94.12	1.12	2.55
							98.48	99.00	0.52	2.03
25PGOGC036	8402	50378	222	23	58	70.00			rs Pending	
25PGOGC036A							27.45	28.19	0.74	9.77
							50.10	50.90	0.80	2.45
							62.43	62.94	0.51	4.04
							66.25	67.00	0.75	4.87
							74.73	75.48	0.75	23.20
							109.48	110.73	1.25	10.11
							122.00	123.00	1.00	1.86
							137.00	138.90	1.90	27.49
							216.00	217.00	1.00	3.86
							223.73	224.50	0.77	2.31
25PGOGC039	8413	50381	223	4	25	35.12	220.70		ficant Results	2.01
25PGOGC044	9532	50272	812	23	48	71.40			s Pending	
25PGOGC045	9532	50272	812	24	31	63.00			s Pending	
25PGOGC046	0002	00272	012		01	00.00	60.00	64.20	4.20	1.68
25PGOGC048							71.20	71.80	0.60	4.47
25PGOGC049	9532	50272	812	25	14	57.60	0		s Pending	
25PGOGC074	8869	50352	497	15	221	116.10	69.58	71.00	1.42	1.63
							77.00	77.62	0.62	2.08
25PGOGC075	8869	50352	497	25	211	110.00	20.00	21.00	1.00	1.20
	5009	J0002	701	20	4 11	. 10.00	29.28	30.00	0.72	1.01
							65.14	65.78	0.72	5.60
							69.17	69.67	0.50	1.02
25PGOGC076	8869	50352	497	15	208	107.10	18.05	19.81	1.76	6.69
20, 0000070	5008	JUJJZ	701	10	200	107.10	23.30	24.00	0.70	5.73
							30.00	30.50	0.70	1.66
							32.43	33.00	0.57	1.72
250000000000000000000000000000000000000	0000	E0050	407	05	470	140.00	64.94	65.50	0.56	1.85
25PGOGC079	8869	50352	497	25	179	119.00	12.00	13.00	1.00	3.64
							18.00	21.90	3.90	33.02
							23.30	23.80	0.50	8.47
							25.27	26.00	0.73	2.01
							58.29	59.00	0.71	6.02

							69.80	72.00	2.20	7.66
							75.72	76.43	0.71	1.15
							84.50	85.11	0.61	1.65
25PGOGC080	8869	50352	497	-8	172	182.70			cant Results	
25PGOGC081	8869	50352	497	5	172	188.60	91.00	91.69	0.69	1.08
							166.00	166.53	0.53	4.90
25PGOGC082	8869	50352	497	17	166	116.60	21.00	24.00	3.00	4.30
25PGOGC083	8869	50352	497	26	164	137.40	21.14	22.79	1.65	5.00
25PGOGC085	8869	50352	497	5	159	113.60			cant Results	
25PGOGC086	8869	50352	497	18	142	158.08			cant Results	
25PGOGC087	8869	50352	497	25	142	157.80	29.00	30.00	1.00	4.91
							37.40	39.00	1.60	623.94
						incl.	37.40	38.05	0.65	1530.00
							41.00	42.00	1.00	6.26
							79.40	80.04	0.64	1.32
							139.00	140.00	1.00	10.40
25PGOGC088	8866	50353	497	10	232	135.00		No Signif	cant Results	
25PGOGC089	8866	50353	497	19	233	128.27	18.52	19.05	0.53	27.00
							28.03	29.57	1.54	2.98
25PGOGC092	8866	50353	497	17	226	123.00	33.50	35.02	1.52	7.86
							81.68	84.00	2.32	1.56
25PGOGC093	8866	50353	497	25	219	122.48	53.33	53.84	0.51	1.11
25PGOGC107	8533	50305	343	28	221	58	0.00	2.00	2.00	9.18
							26.50	27.03	0.53	2.38
25PGOGC108	8533	50305	343	-11	227	92.2	3.15	3.77	0.62	28.20
							11.00	12.00	1.00	1.61
							25.00	25.50	0.50	5.49
							27.00	29.00	2.00	5.06
							31.78	33.14	1.36	3.16
							34.43	35.35	0.92	15.70
							43.84	44.48	0.64	6.94
							49.00	49.80	0.80	13.50
25PGOGC109	8533	50305	343	-34	217	95.7	62.00	63.00	1.00	1.51
							65.26	66.00	0.74	1.41
							72.00	72.92	0.92	1.75
25PGOGC110	8533	50305	343	24	204	95.7	0.00	1.48	1.48	7.10
							21.09	23.00	1.91	2.56
							38.00	39.00	1.00	1.32
25PGOGC111	8533	50305	343	-12	206	113.6	2.58	3.40	0.82	2.34
							72.70	74.44	1.74	1.85
							76.72	77.59	0.87	2.89
25PGOGC112	8533	50305	343	-26	208	95.7	16.45	17.30	0.85	1.02
							24.00	24.88	0.88	4.41
							32.63	33.42	0.79	3.85
							36.50	37.00	0.50	1.48
							48.44	49.09	0.65	48.50
							59.60	60.53	0.93	1.36
							67.37	68.00	0.63	1.25
							75.67	76.32	0.65	11.90
25PGOGC113	8533	50305	343	-36	206	98.7	4.11	4.93	0.82	1.05
_3, 3333110	3000	50000	J-10	-00	200	50.1	14.00	15.91	1.91	1.69
							30.55	33.30	2.75	4.22
							39.00	40.00	1.00	2.75
2500000112	0544	E0040	0.40	40	400	475	59.57	61.00	1.43	1.09
25PGOGC116	8541	50310	343	-16	188	175	24.00	25.33	1.33	27.24
							44.58	45.44	0.86	4.20
							70.01	71.77	1.76	7.95
							90.40	91.00	0.60	1.13
							95.13	97.38	2.25	2.24
	:									
25PGOGC118 25PGOGC119	8541 8541	50310 50310	343 343	22 -2	164 162	61.97 20	10.08 4.00	10.63 5.34	0.55	1.81

							12.27	13.61	1.34	9.62
25PGOGC119A							4.53	5.30	0.77	3.81
							27.70	29.19	1.49	5.09
							31.67	32.44	0.77	24.75
							40.00	41.00	1.00	1.39
							42.46	43.22	0.76	3.55
							47.35	49.30	1.95	1.19
							58.95	59.50	0.55	1.17
25PGOGC121	8753	50554	412	23	62	125		No Signifi	cant Results	
25PGOGC122	8753	50554	412	9	56	110	60.54	61.07	0.53	4.42
25PGOGC123	8753	50554	412	30	26	140	38.26	38.87	0.61	1.83
							43.00	44.00	1.00	3.21
25PGOGC123A							48.00	49.00	1.00	1.19
25PGOGC124	8753	50554	412	15	11	110	32.30	33.00	0.70	6.30
25PGOGC128	8753	50554	412	38	67	126		No Signifi	cant Results	
25PGOGC129	8753	50554	412	50	40	120	67.00	68.00	1.00	3.26
25PGOGC130	8753	50554	412	45	27	75	41.00	41.50	0.50	1.06
25PGOGC131	8753	50554	412	48	10	99			cant Results	
25PGOGC134	8749	50556	414	17	327	186.9			s Pending	
25PGOGC136	9615	50383	757	7	304	94.24			s Pending	
25PGOGC137	9615	50383	757	-25	321	65.35			s Pending	
25PGOGC138	9615	50383	757	-5	322	77.42			s Pending	
25PGOGC139	9615	50383	757	9	315	81.5			s Pending	
25PGOGC140	9615	50383	757	12	324	98.88			s Pending	
25PGOGC141	9625	50383	758	9	328	93.56			s Pending	
25PGOGC150	8751	50546	414	-34	147	119.4			s Pending	
25PGOGC151	8751	50546	414	-36	166	115.36			s Pending	
25PGOGC152	9733	50287	995	-14	306	74.6			s Pending	
25PGOGC153	9733	50287	994	11	308	85.6			s Pending	
25PGOGC154	9733	50287	994	11	320	80.26			s Pending	
25PGOGC155	9736	50298	993	3	79	86.56		-	s Pending	
25PGOGC156	9736	50297	993	10	97	62.9			s Pending	
25PGOGC157	9736	50297	993	12	115	39.88		-	s Pending	
25PGOGC158	9751	50284	996	13	334	71.68			s Pending	
25PGOGC159	9751	50284	997	-20	336	73.89			s Pending	
25PGOGC160	9752	50284	995	28	340	80.82			s Pending	
25PGOGC161	9752	50284	997	-14	360	71.49			s Pending	
25PGOGC161 25PGOGC162	9752	50284	996	11	3	71.49			s Pending s Pending	
25PGOGC162 25PGOGC163	9751	50284	995	36	328	92.54	26.61	27.73	1.12	7.77
23FGUGU 103	9132	JUZ04	990	30	320	92.04				
2500000464	0750	E0304	995	31	358	90 24	34.88	38.03	3.15	5.89
25PGOGC164	9752	50284		٥١	J30	89.34			s Pending	
25PGOGC165	9727	50281	974	0.4	220	89.65			s Pending	
25PGOGC166	9727	50281	974	24	320	101.2			s Pending	
25PGOGC167	9727	50281	974	35	335	98.76			s Pending	
25PGOGC168	9727	50281	974	26	336	80.63			s Pending	
25PGOGC169	9727	50281	974	12	340	73.2			s Pending	
25PGOGC170	9727	50281	974	26	8	89.66			s Pending	
25PGOGC171	8751	50546	414	-39	180	125.35			s Pending	
25PGOGC172	8751	50546	414	-40	158	127		Assays	s Pending	

Note: *Significant intercepts calculated using 1g/t Au minimum cut-off grade with a minimum composite length of 0.2m and 1m internal waste. Note positive dip points downward

ABOUT BLACK CAT SYNDICATE (ASX: BC8)

Black Cat is a gold producer with operating mines and processing facilities at two of its three 100% owned operations.

Gold production occurs at:


Kal East: comprising ~650km² of highly prospective ground to the east of the world class mining centre of Kalgoorlie, WA. Kal East contains a Resource of 18.8Mt @ 2.1g/t Au for 1,294koz, including a preliminary JORC 2012 Reserve of 3.7Mt @ 2.0 g/t Au for 243koz. A turn-key funding, development & processing arrangement to mine and mill the Myhree and Boundary open pit deposits is underway⁵. Black Cat 100% owns and operates the 1.2Mtpa Lakewood gold processing facility, located ~6km east of Kalgoorlie.

Paulsens: comprising ~3,650km² of tenure located ~180km west of Paraburdoo in WA. Paulsens is an operational underground mine, with a 450ktpa processing facility, 128-person camp and other related infrastructure. Gold production restarted in December 2024 and will move to full production during 2025. Paulsens has a regional Resource of 4.3Mt @ 4.0g/t Au for 548koz and significant exploration and growth potential.

The Company also has significant regional exploration potential at both Paulsens and Kal East. In addition, the Company has two major organic growth projects at:

Coyote: comprising 1,050km² of prospective ground in Western Australia within ~20km of the WA/NT border, on the Tanami Highway. Coyote has substantial infrastructure including an airstrip, underground mine, 300ktpa processing facility, +180-person camp and other related infrastructure. The operation has a Resource of 3.7Mt @ 5.5g/t Au for 645koz with numerous high-grade targets in the surrounding area. Operations are planned to restart in the future.

Mt Clement: is located 30 km from Paulsens and is currently the 4th largest antimony deposit in Australia. Significant upside potential for growth of the antimony Resource exists with the Company actively advancing the project.



COMPETENT PERSON'S STATEMENT

The information in this announcement that relates to geology, exploration results (including visual observations) and planning was compiled by Dr. Wesley Groome, RPGeo, who is a Registered Professional Geoscientist (Mineral Exploration) in the AIG and an employee, shareholder and option holder of the Company. Dr. Groome has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Dr. Groome consents to the inclusion in the report of the matters based on the information in the form and context in which it appears.

The Company confirms that it is not aware of any new information or data that materially affects the information in the original reports, and that the form and context in which the Competent Person's findings are presented have not been materially modified from the original reports.

Where the Company refers to the exploration results, Mineral Resources, and Reserves in this report (referencing previous releases made to the ASX), it confirms that it is not aware of any new information or data that materially affects the information included in that announcement and all material assumptions and technical parameters underpinning the Mineral Resource and Reserve estimates with that announcement continue to apply and have not materially changed.

The Company confirms that all material assumptions underpinning the production targets, or the forecast information derived from the production targets, included in the original ASX announcements dated, 8 May 2024, 9 May 2024 and 15 May 2024 continue to apply and have not materially changed.

⁵ BC8 ASX announcement 20/05/24

APPENDIX A - JORC 2012 GOLD RESOURCE TABLE - BLACK CAT (100% OWNED)

		Meas	ured Re	source	Indica	ated Res	source	Inferi	ed Reso	ource	Total Resource		
Mining Centre		Tonnes ('000)	Grade (g/t Au)	Metal ('000 oz)									
Kal East Operat	<u>ion</u>												
	Myhree/Boundary OP	-	-	-	903	2.7	78	300	1.8	17	1,203	2.5	95
	Myhree/Boundary UG	-	-	-	230	4.6	34	585	3.8	71	815	4.0	105
Bulong	Other Open Pits	-	-	-	97.5	2.5	7.8	1,079.40	1.8	61.8	1,176.80	1.8	69.6
	Other Underground	-	-	-	-	•	-	351.6	3.2	35.7	351.6	3.2	35.7
	Sub Total	-	-	-	1,230	3.0	120	2,316	2.5	185	3,546	2.7	305
	Open Pit	13	3.2	1	7,198	1.8	407	6,044	1.5	291	13,253	1.6	699
Mt Monger	Underground	-	-	-	1,178	4.5	169	710	4.6	104	1,888	4.5	274
	Sub Total	-	-	-	8,375	2.1	576	6,754	1.8	395	15,142	2.0	972
Rowes Find	Open Pit	-	-	-	-	-	-	148	3.6	17	148	3.6	17
Kal East Resource		13	3.2	1	9,605	2.3	696	9,219	2.0	597	18,836	2.1	1,294
Coyote Gold Op	oeration_			•	•					•			
	Open Pit	_	_	-	608	2.8	55	203	3.0	19	811	2.9	75
Coyote Central	Underground	-	-	-	240	23.4	181	516	10.5	175	757	14.6	356
	Sub Total	-	-	-	849	8.7	236	719	8.4	194	1,568	8.5	430
	Open Pit	-	-	-	560	2.8	51	613	3.2	63	1,174	3.0	114
Bald Hill	Underground	-	-	-	34	2.7	3	513	5.0	82	547	4.8	84
	Sub Total	-	-	-	594	2.8	54	1,126	4.0	145	1,721	3.6	198
Stockpiles		-	-	-	375	1.4	17	-	-	-	375	1.4	17
Coyote Resource		-	-	-	1,818	5.3	307	1,845	5.7	339	3,664	5.5	645
Paulsens Gold (<u>Operation</u>												
	Underground	159	10.8	55	827	9.6	254	348	8.6	97	1,334	9.5	406
Paulsens	Stockpile	11	1.6	1	-	-	-	-	-	-	11	1.6	1
	Sub Total	170	10.2	56	827	9.6	254	348	8.6	97	1,345	9.4	407
	Open Pit	-	-	-	-	-	-	1,249	1.5	61	1,249	1.5	61
Mt Clement	Underground	-	-	-	-	-	-	492	0.3	5	492	0.3	5
	Sub Total	-	-	-	-	-	-	1,741	1.2	66	1,741	1.2	66
Belvedere	Underground	-	-	-	95	5.9	18	44	8.3	12	139	6.6	30
Northern Anticline	Open Pit	-	-	-	-	-	-	523	1.4	24	523	1.4	24
Electric Dingo	Open Pit	-	-	-	98	1.6	5	444	1.2	17	542	1.3	22
Paulsens Resource	e	170	10.2	56	1,019	8.4	277	3,100	2.2	216	4,289	4.0	548
TOTAL Resourc	e	183	9.7	57	12,442	3.2	1,280	14,164	2.5	1,152	26,789	2.9	2,488

Notes on Resources:

- The preceding statements of Mineral Resources conforms to the 'Australasian Code for Reporting of Exploration Results Mineral Resources and Ore Reserves (JORC Code) 2012 Edition'.
- All tonnages reported are dry metric tonnes.
- 3. Data is rounded to thousands of tonnes and thousands of ounces gold. Discrepancies in totals may occur due to rounding.
- Resources have been reported as both open pit and underground with varying cut-offs based off several factors discussed in the corresponding Table 1 which can be found with the original ASX announcements for each Resource.
- 5. Resources are reported inclusive of any Reserves
- 6. Paulsens Inferred Resource includes Mt Clement Eastern Zone Au of 7koz @ 0.3g/t Au accounting for lower grades reported.

The announcements containing the Table 1 Checklists of Assessment and Reporting Criteria relating for the 2012 JORC compliant Resources are:

Kal East Gold Operation

- Boundary, Trump, Myhree Black Cat ASX announcement on 9 October 2020 "Strong Resource Growth Continues including 53% Increase at Fingals Fortune"
- Strathfield Black Cat ASX announcement on 31 March 2020 "Bulong Resource Jumps by 21% to 294,000 oz"
- Majestic Black Cat ASX announcement on 25 January 2022 "Majestic Resource Growth and Works Approval Granted"
- Sovereign, Imperial Black Cat ASX announcement on 11 March 2021 "1 Million Oz in Resource & New Gold Targets"
- Jones Find Black Cat ASX announcement 04 March 2022 "Resource Growth Continues at Jones Find"
 Crown Black Cat ASX announcement on 02 September 2021 "Maiden Resources Grow Kal East to 1.2Moz"
- Fingals Fortune Black Cat ASX announcement on 23 November 2021 "Upgraded Resource Delivers More Gold at Fingals Fortune"
- ingais Forting Diack Cat ASY appointment on 23 November 2021 opgradue resource Delivers while Solid at Ingais Forting
- Fingals East Black Cat ASX announcement on 31 May 2021 "Strong Resource Growth Continues at Fingals".
- Trojan Black Cat ASX announcement on 7 October 2020 "Black Cat Acquisition adds 115,000oz to the Fingals Gold Project".
- Queen Margaret, Melbourne United Black Cat ASX announcement on 18 February 2019 "Robust Maiden Mineral Resource Estimate at Bulong"
- Anomaly 38 Black Cat ASX announcement on 31 March 2020 "Bulong Resource Jumps by 21% to 294,000 oz"
- Wombola Dam Black Cat ASX announcement on 28 May 2020 "Significant Increase in Resources Strategic Transaction with Silver Lake"
- Hammer and Tap, Rowe's Find Black Cat ASX announcement on 10 July 2020 "JORC 2004 Resources Converted to JORC 2012 Resources"

Coyote Gold Operation

- Coyote OP&UG Black Cat ASX announcement on 16 January 2022 "Coyote Underground Resource increases to 356koz @ 14.6g/t Au One of the highest-grade deposits in Australia"
- Sandpiper OP&UG, Kookaburra OP, Pebbles OP, Stockpiles, SP (Coyote) Black Cat ASX announcement on 25 May 2022 "Coyote & Paulsens High-Grade JORC Resources Confirmed"

Paulsens Gold Operation

- Paulsens UG Black Cat ASX announcement on 31 October 2023 "24% Resource Increase, Paulsens Underground 406koz @ 9.5g/t Au"
- Paulsens SP Black Cat ASX announcement on 19 April 2022 "Funded Acquisition of Covote & Paulsens Gold Operations Supporting Documents"
- Belvedere UG Black Cat ASX announcement on 21 November 2023 "Enhanced Restart Plan for Paulsens"
- Mt Clement Black Cat ASX announcement on 24 November 2022 "High-Grade Au-Cu-Sb-Ag-Pb Resource at Paulsens"
- Merlin, Electric Dingo Black Cat ASX announcement on 25 May 2022 "Coyote & Paulsens High-Grade JORC Resources Confirmed"

APPENDIX B - JORC 2012 POLYMETALLIC RESOURCES - BLACK CAT (100% OWNED)

Resource	Tonnes	Grade					Contained Metal					
Deposit	Category	(,000 t)	Au (g/t)	Cu (%)	Sb (%)	Ag (g/t)	Pb (%)	Au (koz)	Cu (kt)	Sb (kt)	Ag (koz)	Pb (kt)
Western	Inferred	415	-	0.4	0.2	76.9	-	*	1.6	0.7	1,026	-
vvestem	Total	415	-	0.4	0.2	76.9	-	*	1.6	0.7	1,026	-
Central	Inferred	532	-	-	-	-	-	*	-	-	-	-
Central	Total	532	-	-	-	-	-	*	-	-	-	-
Fastara	Inferred	794	-	-	1.7	17.0	2.4	*	-	13.2	434	18.7
Eastern	Total	794	-	-	1.7	17.0	2.4	*	-	13.2	434	18.7
Total	•	1,741	-	-	-	-	-	*	1.6	13.9	1,460	18.7

Notes on Resources:

- The preceding statements of Mineral Resources conforms to the 'Australasian Code for Reporting of Exploration Results Mineral Resources and Ore Reserves (JORC Code) 2012 Edition'.
- All tonnages reported are dry metric tonnes.

 Data is rounded to thousands of tonnes and thousands of ounces/tonnes for copper, antimony, silver, and lead. Discrepancies in totals may occur due to rounding.
- Resources have been reported as both open pit and underground with varying cut-offs based off several factors discussed in the corresponding Table 1 which can be found with the original ASX announcements for each Resource.
- Resources are reported inclusive of any Reserves
- Gold is reported in the previous table for Mt Clement, and so is not reported here. A total of 66koz of gold is contained within the Mt Clement Resource.

The announcements containing the Table 1 Checklists of Assessment and Reporting Criteria relating for the 2012 JORC compliant Reserves are:

Paulsens Gold Operation

Mt Clement - Black Cat ASX announcement on 24 November 2022 "High-Grade Au-Cu-Sb-Ag-Pb Resource at Paulsens'

APPENDIX C - JORC 2012 GOLD RESERVE TABLE - BLACK CAT (100% OWNED)

	Proven Reserve			Pr	Probable Reserve			Total Reserve		
	Tonnes ('000s)	Grade (g/t Au)	Metal ('000s oz)	Tonnes ('000s)	Grade (g/t Au)	Metal ('000s oz)	Tonnes ('000s)	Grade (g/t Au)	Metal ('000s oz)	
Kal East Operation										
Myhree Open Pit	-	-	-	545	2.4	46	545	2.4	46	
Boundary Open Pit	-	-	-	120	1.5	6	120	1.5	6	
Other Open Pits	-	-	-	2,623	1.7	141	2,584	1.7	142	
Sub total Open Pits	-	-	-	3,288	1.8	193	3,288	1.8	193	
Underground	-	-	-	437	3.6	50	437	3.6	50	
Kal East Reserve	-	-	-	3,725	2.0	243	3,725	2.0	243	
Paulsens Gold Operation										
Underground	93	4.5	14	537	4.3	74	631	4.3	87	
Paulsens Reserve	93	4.5	14	537	4.3	74	631	4.3	87	
TOTAL Reserves	93	4.5	14	4,262	2.3	317	4,356	2.4	330	

Notes on Reserve:

- The preceding statements of Mineral Reserves conforms to the 'Australasian Code for Reporting of Exploration Results Mineral Resources and Ore Reserves (JORC Code) 2012
- All tonnages reported are dry metric tonnes.

 Data is rounded to thousands of tonnes and thousands of ounces gold. Discrepancies in totals may occur due to rounding. Cut-off Grade:
 - Open Pit The Ore Reserves are based upon an internal cut-off grade greater than or equal to the break-even cut-off grade. Underground - The Ore Reserves are based upon an internal cut-off grade greater than the break-even cut-off grade.
- The commodity price used for the Revenue calculations for Kal East was AUD \$2,300 per ounce
- The commodity price used for the Revenue calculations for Paulsens was AUD \$2,500 per ounce.
- The Ore Reserves are based upon a State Royalty of 2.5% and a refining charge of 0.2%

The announcements containing the Table 1 Checklists of Assessment and Reporting Criteria relating for the 2012 JORC compliant Reserves are:

Kal East Gold Operation

Black Cat ASX announcement on 03 June 2022 "Robust Base Case Production Plan of 302koz for Kal East"

Paulsens Gold Operation

Black Cat ASX announcement on 10 July 2023 "Robust Restart Plan for Paulsens"

APPENDIX D - PAULSENS DRILLING UNDERGROUND- JORC TABLE 1

Section 1: Sampling Technique	s and Data						
Criteria	JORC Code Explanation	Commentary					
	Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.	Diamond core is sampled based on geological logging of mineralised intervals. Samples range in width from 0.10m to 1.20m. Adequate buffers of surrounding non-mineralised rock are sampled around primary samples of between 1 and 5m depending on the nature of the interval to characterise the mineralised boundaries as "hard" or "soft". Samples are collected on whole NQ2 core.					
Consuling to the horizone	Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.	Core is aligned and measured by tape, comparing back to down hole core blocks consistent with industry practice. For the current drill program, downhole orientation of the core is done via True Core and hole orientation is measured downhole using a Devi Gyro.					
Sampling techniques	Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (e.g. 'reverse circulation drilling was used to obtain 1m samples from which 3kg was pulverised to produce a 30g charge for fire assay'). In other cases, more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g. submarine nodules) may warrant disclosure of detailed information.	Diamond core is sampled In intervals ranging from 0.10 to 1.20m depending on the nature of the logged interval. Co is half-cut along a cut line just off the orientation line (where available) and core from the same side of the cut line is submitted for assay to avoid human bias of sample selection. Samples are crushed and pulverised at a commercial to produce a ~200g pulp sub sample to use in the assay process. Samples are analysed via fire assay using a 40g charge. Visible gold has been reported in recent and historic logging.					
Drilling techniques	Drill type (e.g. core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).	Current core drilling is via NQ2 core size. Core is currently oriented using a True Core tool, which is a commercially available product.					
	Method of recording and assessing core and chip sample recoveries and results assessed.	Diamond drill recoveries are recorded as a percentage calculated from measured core versus drilled intervals. Achieving >95% recovery. Greater than 0.2 metre discrepancies are resolved with the drill supervisor.					
Drill sample recovery	Measures taken to maximise sample recovery and ensure representative nature of the samples.	Standard diamond drilling practice results in high recovery due to competent nature of the ground.					
	Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.	There is no known relationship between sample recovery and grade, sample recovery is very high.					
	Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.	Core logging is carried out by company and contract geologists. Holes are routinely logged for lithology, alteration and mineralisation and where oriented and appropriate structural measurements are collected. Geotechnical logging is limited to recording RQD data for exploration holes.					
Logging	Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.	Logging is qualitative and all core is photographed. Visual estimates are made of sulphide, quartz vein and alteration percentages.					
	The total length and percentage of the relevant intersections logged.	100% of the drill core is logged.					
	If core, whether cut or sawn and whether quarter, half or all core taken.	Current sampling is via whole core. All major mineralised zones are sampled plus associated visibly barren host rock between 1 and 5m depending on the thickness of the primary sample interval. Sample intervals range from 0.1 to 1.2m in length. Historic sampling was a mixture of whole core and half core sampling as above.					
	If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.	Current drilling is only via diamond coring.					
Sub-sampling techniques and sample preparation	For all sample types, the nature, quality and appropriateness of the sample preparation technique.	Sample preparation is conducted at a commercial laboratory to an acceptable standard. Blank samples are routinely submitted to assess the preparation QAQC.					
	Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.	For drill core the external labs coarse duplicates are used. CRM standards are inserted into the sample stream on a 1:20 ratio in addition to internal laboratory CRMs. Blanks are inserted into the sample stream routinely to assess the QAQC of the sample preparation stage.					
	Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second half sampling.	Field duplicates are not utilised in the current drill program. Duplicate lab analysis is routinely undertaken at regular sampling intervals on crushed material.					

Criteria	JORC Code Explanation	Commentary					
	Whether sample sizes are appropriate to the grain size of the material being sampled.	Sample sizes are considered appropriate.					
	The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.	For all drill core samples, gold concentration is determined by fire assay using the lead collection technique with a 40 gram sample charge weight. An AAS finish is used, considered to be total gold.					
	For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.	No other sources of data reported.					
Quality of assay data and laboratory tests	Nature of quality control procedures adopted (e.g. standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.	The QAQC protocols used include the following for all drill samples: -Commercial coarse blanks are inserted at an incidence of 1 in 40 samples or after intervals of significant visual mineralisation. -Commercially prepared certified reference materials are inserted at an incidence of 1 in 20 samples. The CRM used is not identifiable to the laboratory. The primary laboratory QAQC protocols used include the following for all drill samples: -Repeat of pulps at a rate of 5%Screen tests (percentage of pulverised sample passing a 75µm mesh) are undertaken on 1 in 100 samplesFailed standards are followed up by re-assaying a second 40 g pulp sample of the failed standard ± 10 samples either side by the same method at the primary laboratory. Both the accuracy component (CRM's and umpire checks) and the precision component (duplicates and repeats) are deemed acceptable.					
	The verification of significant intersections by either independent or alternative company personnel.	Significant intercepts have been reviewed by the competent person as part of the due diligence process.					
Verification of sampling and	The use of twinned holes.	No twinned holes have been drilled as part of this drill program.					
assaying	Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.	Current logging is done via a protected Excel spreadsheet and uploaded into an external Acquire database at the completion of each drillhole. The original logs are archived.					
	Discuss any adjustment to assay data.	No adjustments to assay data have been made.					
	Accuracy and quality of surveys used to locate drill holes (collar and downhole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.	Drill hole collar positions are picked up by survey using a calibrated total station Leica 1203+ instrument. Drill hole, downhole surveys are recorded at the collar and then every 50m downhole using a Devi Gyro, north-seeking tool with the Paulsens Local Grid transformation pre-loaded.					
Location of data points	Specification of the grid system used.	A local grid system (Paulsen Mine Grid) is used. It is rotated 41.7 degrees to the west of GDA94 – MGA zone 50 grid. Local origin is 50,000N and 10,000E Conversion. MGA E = (East_LOC*0.75107808+North_LOC*0.659680194+381644.16) MGA N = (North_LOC*0.75107808-East_LOC*0.659680194+7571963.75) MGA RL = mRL_LOC-1000					
	Quality and adequacy of topographic control.	Topographic control is not relevant to the underground mine. For general use, an airborne survey was flown in 2023. Resolution is +/- 0.5m.					
	Data spacing for reporting of Exploration Results.	Exploration result data spacing can be highly variable, up to 100m and down to 10m.					
Data spacing and distribution	Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.	Measured data spacing is better than 7m x 7m and restricted to areas in immediate proximity to mined development. Data spacing for indicated material is approximately, or better than, 20m x 20m. All other areas where sample data is greater than 20m x 20m, or where intercept angle is low, is classified as inferred.					
	Whether sample compositing has been applied.	Core sampling is conducted on geologic intervals and is not field-composited. Assay data is composited using a 1g/t cut-off with up to 2m total internal dilution and 1m continuous dilution.					
Orientation of data in relation to geological structure	Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.	Drilling is designed to be as close to perpendicular to the known mineralised trend being tested as achievable given collar location constraints. Core is routinely oriented and structural measurements taken of significant mineralisation zones to calculate true thickness during Resource Estimation. Hanging-wall drill drives provide excellent intercept orientation to the geological structures used in the estimate.					
	If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.	The drill orientation to mineralised structures biases the number of samples per drill hole. It is not thought to make a material difference in the Resource estimation as opportunity arises, better angled holes are drilled with higher intersection angles.					
Sample security	The measures taken to ensure sample security.	All samples are selected, cut and bagged in tied pre-numbered calico bags, grouped in larger tied plastic bags, and placed in large bulka bags with a sample submission sheet.					

Section 1: Sampling Techniques	and Data	
Criteria	JORC Code Explanation	Commentary
		The bulka bags are transported via freight truck to Perth, with consignment note and receipts. Sample pulp splits are returned to BC8 via return freight and stored in shelved containers on site. Pre BC8 operator sample security assumed to be similar and adequate.
Audits or reviews	The results of any audits or reviews of sampling techniques and data.	Recent external review confirmed core and face sampling techniques are to industry standard. Data handling is considered adequate and was further improved recently with a new database. Pre BC8 data audits found less QAQC reports, though in line with industry standards at that time.
Section 2: Reporting of Exploration		
Criteria	JORC Code Explanation	Commentary
Mineral tenement and land tenure status	Type, reference name/number, location and ownership including agreements or material issues with third parties such as Joint Ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.	Paulsens Gold Mine is located on tenements M08/99 and M08/196, both of which are held by Black Cat (Paulsens)Pty Ltd, a subsidiary of Black Cat Syndicate Ltd and are in good standing. All production is subject to a Western Australian state government Net Smelter Return ("NSR") royalty of 2.5%. There are several registered heritage sites on surface around the Paulsens Gold Mine, but they do not impact underground operations.
	The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.	No known impediment to obtaining a licence to operate exists and the remainder of the tenements are in good standing.
Exploration done by other parties	Acknowledgment and appraisal of exploration by other parties.	Extensive exploration and development have been conducted around Paulsens dating from the 1970s for various commodities, including gold and base metals. Several operators have conducted exploration, much of which is recorded digitally in the Black Cat database. Most recently, Paulsens was owned by Northern Star, who conducted significant underground and surface exploration, which Black Cat has in digital form. Work activities included: - Extensive underground drilling and development work - Surface RC and diamond drilling around Paulsens Gold Mine and on regional tenure - Several campaigns of surface and underground bedrock mapping to constrain the local and district-scale structural architecture as an aid in exploration targeting - Several rounds of geophysical acquisitions including airborne magnetics and radiometrics, surface gravity surveys, ground and airborne EM surveying and 2D and 3D seismic surveys over the Paulsens Gold Mine
Geology	Deposit type, geological setting and style of mineralisation.	Paulsens is a narrow vein orogenic gold deposit hosted in the Wyloo dome within the Ashburton Basin. Mineralisation is hosted in quartz-sulphide (pyrite, pyrrhotite, chalcopyrite and galena) veins ranging in thickness from a few centimetres to several metres, as well as in semi-massive sulphidic shear zones containing milled sulphides (primarily pyrite and chalcopyrite). Most of the mined ore zone at Paulsens is hosted in veins within a highly sheared argillic sandstone/siltstone within a broad shear zone that forms a subsidiary structure to the regionally extensive Nanjilgardy Fault system. A second set of mineralised quartz veins are hosted in tension gash structures within the Paulsens Mine Gabbro, which is a medium grained gabbro/dolerite sill that intrudes the sedimentary succession. The mined portion of the Paulsens Deposit is hosted in a shear zone that cuts through the Paulsens Mine Gabbro and offsets the gabbro several 10s to 100s of metres.
Drill hole information	A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: • easting and northing of the drill hole collar; • elevation or Reduced Level ("RL") (elevation above sea level in metres) of the drill hole collar; • dip and azimuth of the hole; • down hole length and interception depth; • hole length; and • if the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the	All drill collar location details are reported in the body of this report.

Section 1: Sampling Techniques a	nd Data						
Criteria	JORC Code Explanation	Commentary					
	understanding of the report, the Competent Person should clearly explain why this is the case.						
Section 2: Reporting of Exploration	n Results						
Criteria	JORC Code Explanation	Commentary					
	In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g., cutting of high-grades) and cut-off grades are usually Material and should be stated.	Composite assay results are reported using a 1g/t Au lower cut-off. No top-cut is applied to assay data.					
Data aggregation methods	Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.	All composites are reported with a maximum total internal waste of 2m, with up to 1m of contiguous waste included between mineralised intervals. The minimum composite grade reported is 1g/t. Internal high grades are reported in the body of the text as "including" intervals. Typically, these high-grade sub-intervals are reported if they are more than 10x the composite grade.					
	The assumptions used for any reporting of metal equivalent values should be clearly stated.	Not applicable, as no metal equivalent values have been reported.					
Relationship between mineralisation widths and intercept lengths	These relationships are particularly important in the reporting of Exploration Results. If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known').	All intercepts are reported as downhole depths which is considered close to true width for most intercepts.					
Diagrams	Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.	Appropriate diagrams have been included in the body of the announcement.					
Balanced reporting	Where comprehensive reporting of all Exploration. Results are not practicable, representative reporting of both low and high- grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.	All significant results have been tabulated in this release, including drillholes with no significant results.					
Other substantive exploration data	Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.	Geophysical surveys including aeromagnetic surveys and seismic have been carried out by previous owners to highlight and interpret prospective structures in the project area.					
Further work	The nature and scale of planned further work (e.g., tests for lateral extensions or depth extensions or large-scale step-out drilling). Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.	Black Cat is continuing an exploration program which will target extension of mineralisation and regional targets within the Paulsens area.					