







Organic Growth Strategy Yielding Results

Rod Antal, President & Chief Executive Officer

April 5, 2017

Cautionary Statements



Certain statements contained in this document constitute "forward-looking information", "future oriented financial information" or "financial outlooks" (collectively, "forward looking information") within the meaning of applicable securities laws. Forward-looking information often relates to statements concerning Alacer's future outlook and anticipated events or results, and in some cases, can be identified by terminology such as "may," "will," "could," "should," "expect," "plan," "anticipate," "believe," "intend," "estimate," "projects," "predict," "potential," "continue" or other similar expressions concerning matters that are not historical facts.

Forward-looking information includes statements concerning, among other things, production, cost, and capital expenditure guidance; the results of any gold reconciliations; matters relating to proposed exploration; communications with local stakeholders; maintaining community and government relations; negotiations of joint ventures; negotiation and completion of transactions; commodity prices; mineral resources, mineral reserves, realization of mineral reserves, and the existence or realization of mineral resource estimates; the timing and amount of future production; the timing of studies, announcements, and analysis; the timing of construction and development of proposed mines and process facilities; capital and operating expenditures; economic conditions; availability of sufficient financing; exploration plans; receipt of regulatory approvals; and any and all other timing, exploration, development, operational, financial, budgetary, economic, legal, social, regulatory, and political matters that may influence or be influenced by future events or conditions.

Such forward-looking information and statements are based on a number of material factors and assumptions, including, but not limited in any manner to, those disclosed in any of Alacer's other public filings, and include the inherent speculative nature of exploration results; the ability to explore; communications with local stakeholders; maintaining community and governmental relations; status of negotiations of joint ventures; weather conditions at Alacer's operations; commodity prices; the ultimate determination of and realization of mineral reserves; existence or realization of mineral resources; the development approach; availability and receipt of required approvals, titles, licenses and permits; sufficient working capital to develop and operate the mines and implement development plans; access to adequate services and supplies; foreign currency exchange rates; interest rates; access to capital markets and associated cost of funds; availability of a qualified work force; ability to negotiate, finalize, and execute relevant agreements; lack of social opposition to the mines or facilities; lack of legal challenges with respect to the property of Alacer; the timing and amount of future production; the ability to meet production, cost, and capital expenditure targets; timing and ability to produce studies and analyses; capital and operating expenditures; economic conditions; availability of sufficient financing; the ultimate ability to mine, process, and sell mineral products on economically favorable terms; and any and all other timing, exploration, development, operational, financial, budgetary, economic, legal, social, geopolitical, regulatory and political factors that may influence future events or conditions. While we consider these factors and assumptions to be reasonable based on information currently available to us, they may prove to be incorrect.

You should not place undue reliance on forward-looking information and statements. Forward-looking information and statements are only predictions based on our current expectations and our projections about future events. Actual results may vary from such forward-looking information for a variety of reasons including, but not limited to, risks and uncertainties disclosed in Alacer's Annual Information Form and other public filings, as well as other unforeseen events or circumstances.

Other than as required by law, Alacer does not intend, and undertakes no obligation to update any forward-looking information to reflect, among other things, new information or future events. For additional information you should refer to Alacer's public filings available at www.alacergold.com, www.sedar.com and www.asx.com.au.

Scientific and technical information presented in this document has been prepared in accordance with National Instrument 43-101 ("NI 43-101") standards and the 2012 Edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves ("JORC Code"). The scientific and technical information in this document has been reviewed and approved by Stephen Statham, Alacer's Manager, Mining Services, who is a Qualified Person pursuant to NI 43-101 and a Competent Person as defined in the JORC Code.

The information in this presentation that relates to Çöpler District exploration results is based on, and fairly represents, the information and supporting documentation prepared by Mr. Smolonogov who is a Qualified Person pursuant to NI 43-101 and a Competent Person as defined in the JORC Code. Further information is available in the press release entitled "Alacer Gold Announces Additional Exploration Results for Çakmaktepe and an Initial Mineral Resource in the Cöpler District" dated December 19, 2016.

The information in this document that relates to the Çöpler Mineral Resource and Mineral Reserve estimate is based on, and fairly represents, the information and supporting documentation prepared by Dr. Parker, Mr. Seibel, Mr. Statham and Mr. Ligocki. Dr. Parker and Messrs. Seibel, Statham and Ligocki are Qualified Persons pursuant to NI 43-101 and qualify as Competent Persons as defined in the JORC Code. Further information is available in NI 43-101 technical report entitled "Cöpler Mine Technical Report" dated June 9, 2016.

The information in this document relating to the Gediktepe Mineral Resource and Mineral Reserve estimate are based on, and fairly represents, the information and supporting documentation prepared by Mr. Marek who is a Qualified Person pursuant to NI 43-101 and qualifies as Competent Persons as defined in the JORC Code. Further information is available in the NI 43-101 technical report entitled "Technical Report Prefeasibility Study Gediktepe Project" dated June 1, 2016.

Alacer confirms that it is not aware of any new information or data that materially affects the scientific and technical information included in this document, and in the case of Mineral Resources and Mineral Reserves and exploration results, that all material assumptions or technical parameters underpinning such estimates, production targets and forecast financial information continue to apply and have not materially changed from the original public disclosure. Alacer also confirms that the form and content in which such scientific and technical information is presented in this document has not materially changed from the original public disclosure.

Delivering Value Through Organic Growth





Delivering

Çöpler Sulfide

Expansion Project



Leveraging
Existing Infrastructure
with Oxide Ore from the
Çöpler District



Realizing Growth through Exploration Success

Organic Growth Strategy Yielding Results

Company Snapshot



Asset Locations



CN = Cakmaktepe North (Resource); CM = Cakmaktepe Main (Prospect); CC = Cakmaktepe Central (Resource & New Discovery); CE = Cakmaktepe East (Resource); CSE = Cakmaktepe Southeast (Resource); CFN = Cakmaktepe Far North (Prospect); B = Bayramdere (Resource).

Balance Sheet Supports Growth

| Balance Sneet Suppo | rts Growth |
|--------------------------|-------------|
| Balance Shee | t |
| Cash | US\$215M |
| Working Capital | US\$270M |
| Undrawn Credit Facility | US\$350M |
| Capital Structu | re |
| Shares on Issue | 292M |
| Fully Diluted | 295M |
| Avg Daily Trading Volume | 2.1M shares |

Market Capitalization

| Recent Share Price ¹ | C\$2.86 |
|---------------------------------|---------|
| | |

Market Cap ~C\$840M





Delivering Çöpler Sulfide Expansion Project

Expansion Project On Track



| 200 | | n • 1 | | |
|-----|--------|-------|-------------------|-----|
| | | | 2 CT $^{\circ}$ | nes |
| | 6 / IV | | | |

Autoclaves Arrived on Site Complete

Equipment Procurement Complete

Engineering Design Complete Q2 2017

Electrical & Instrumentation Work Begins Q2 2017


Major Plant Civil Works Complete Q3 2017

> Oxygen Plant Complete Q4 2017

Major Project Milestones

Dry Commissioning Begins Q1 2018

> First Gold Pour Q3 2018



Project Construction Underway





Expansion Project Progress










Project remains on track for first gold pour Q3 2018

Çöpler Sulfide Project Fully Funded¹





Over \$100 million FCF through September 2018

Based on 250,000 ounces of oxide production and includes 142,000 ounces hedged at an average \$1,282 gold price

Remaining Sulfide Project Capital Spend of \$586 million^{2,4}


- 1 All numbers are on a 100% basis.
- 2 As of January 1, 2017
- 3 Advances under the facility are subject to customary conditions precedent and a minimum of \$220 million capital spend at Cöpler.
- 4 This represents an accounting-based number and includes accruals.





Leveraging Existing Infrastructure with Oxide Ore from the Çöpler District

Çöpler District Initial Resource Confirms Oxide Ounces




ÇN = Çakmaktepe North (Resource); ÇM = Çakmaktepe Main (Prospect); ÇC = Çakmaktepe Central (Resource & New Discovery);
ÇE = Çakmaktepe East (Resource); ÇSE = Çakmaktepe Southeast (Resource); ÇFN = Çakmaktepe Far North (Prospect);
B = Bayramdere (Resource).

Initial Measured & Indicated Mineral Resource of 140,000 contained ounces¹

Access road is permitted

Mineral Resource does not include most recent Çakmaktepe Central drilling






¹ Further information, including complete drill hole data, is in the Çöpler District Resource Release dated December 19, 2016 entitled "Alacer Gold Announces Additional Exploration Results for Çakmaktepe and an Initial Mineral Resource in the Çöpler District," (the Çöpler District Resource Release"), available on www.sedar.com and on www.asx.com.au.

Çakmaktepe Central Resource Growth Potential





Çakmaktepe Central discovered late 2016; most recent drilling not included in initial Resource¹

Identified mineralization from 5m to over 20m thick over a 400m strike length

Mineral Resource remains open

2017 drilling program to define development plans

Çakmaktepe Central Significant Assays: Significant gold assays drilled June 1, 2016 to November 15, 2016. Assays from intervals ≥10m and ≥1g/t gold only. Blue hole collars represent drilling previously reported. Red hole collars represent drilling covered in this news release. The red outline marks the footprint of the USD1,400 per gold ounce 2016 Çakmaktepe North resource pit shells. Northern Çakmaktepe Central included as part of 2016 Çakmaktepe North Mineral Resource. To view the complete drill assay results referenced in this presentation, please visit our website at www.alacergold.com.

Targeting 2018 Oxide Production Utilizing Çöpler Infrastructure





Realizing Growth through Exploration Success

Gediktepe Delivers Organic Growth







270 Km

PFS defined Project as technically and economically viable

After tax NPV at 5% of \$475M and IRR of 47%¹

Alacer owns 50% with JV Partner Lidya Mining

Life-of-mine payable metals of 400,000 ozs of gold, 8M ozs of silver, 315M lbs of copper and 780M lbs of zinc¹

Life-of-mine **production >12 years of 1.8M ozs**² on a Gold Equivalent Ounce³
("AuEq") basis


Definitive Feasibility Study June 2018

¹ The material assumptions on which the production targets and forward-looking financial information on the Gediktepe project are based are included in the Alacer press release entitled "Alacer Gold Announces a New Reserve for its Gediktepe Project Providing Future Growth" dated September 13, 2016 and the NI 43-101 Technical Report filed simultaneously with the press release, both of which are available on www.asx.com.au.

² Gold Equivalent Ounce (AuEq) is a non-IFRS measure with no standardized definition under IFRS which converts non-gold production into gold equivalent ounces. Calculation of AuEq converts payable metals into revenue using metal prices of \$1,250 per ounce for gold, \$18.25 per ounce for silver, \$2.75 per pound for copper, \$1.00 per pound for zinc, and then the total revenue is divided by the gold price of \$1,250 per ounce.

Building a Portfolio of Assets





Directional 4 Year Growth Profile


Appendix









Production Increasing^{2, 3}



Total Cash Costs⁴ Decreasing



AISC⁴ Decreasing



2017 production is weighted ~40% towards the first half of the year

| Sustaining capital expenditure | \$12 million |
|--|---------------|
| Sulfide capital expenditure | \$420 million |
| Gediktepe capital expenditure ⁵ | \$16 million |
| Exploration expenditure | \$15 million |
| G&A | \$12 million |

¹ All numbers are on 100% basis. 2017 production, Total Cash Costs and AISC are based on mid-point of guidance.

² Assumes receipt of pastoral permit to access West Pit, which contains ~20,000 ounces and access to waste dump areas that could impact financial metrics.

³ Gold production is based on 100% basis and Alacer's attributable portion is 80%.

⁴ Total Cash Costs and All-in Sustaining Costs are non-IFRS financial performance measures with no standardized definitions under IFRS. For further information and detailed reconciliations to IFRS, see the "Non-IFRS Measures" section of the most recent MD&A.

2016 Highlights



Strategic

- Sulfide Project advancing on time and on budget
- Initial Mineral Resource for Çöpler District confirms satellite oxides
- Positive PFS released for Gediktepe demonstrating economically and technically viable project



Operational

- Produced 119,036 gold ozs
- Total Cash Costs¹ of \$738/oz and AISC¹ of \$966/oz
- Heap leach pad expansion to 58Mt advancing
- Sulfide stockpiles continue to grow at 7.1Mt at avg grade of 3.38 gpt gold, or ~770k ozs of contained gold



Financial

ALACER GOLD

- Cash of \$215M
- Operating cash flows of \$37M
- Attributable net profit² of \$6.2M or \$0.02 per share
- \$350M undrawn finance facility³
- Hedge program for >195,000 ozs of oxide production at avg gold price of \$1,282 secures gold price through Sulfide Project construction


¹ Total Cash Costs and All-in Sustaining Costs are all non-IFRS financial performance measures with no standardized definitions under IFRS. For further information and a detailed reconciliation to IFRS, please see the "Non-IFRS Measures" section of the most recent MD&A.

² Attributable net profit is reduced by the 20% non-controlling interest at the Çöpler Gold Mine.

³ Advances under the facility are subject to customary conditions precedent including execution of security documentation and a minimum of \$220 million capital spend at Çöpler.

Çöpler Geology – Plan of Deposit





Alacer's Mineral Resources



| Deposit | Resource Category Material | Tonnes (x1000) | Au (g/t) | Ag (g/t) | Cu (%) | Zn (%) | Contained Au (oz x 1000) | | Contained Cu (lb x 1000) | |
|------------------|-------------------------------|-------------------|----------|----------|--------|--------|-----------------------------|-------------|--------------------------|----------|
| • | Measured | (X1000) | _ | 72 | _ | _ | (62 X 1000) | (oz x 1000) | X 1000) | x 1000 |
| | Indicated | 21,289 | 1.02 | 3.49 | 0.12 | _ | 696 | _ | _ | |
| Çöpler Mine - | Indicated - Oxide Stockpile | 7 | 0.84 | - | - | _ | 0 | _ | _ | |
| Oxide | Measured + Indicated | 21,296 | 1.02 | 3.49 | 0.12 | - | 697 | | _ | |
| | Inferred | 19,800 | 0.84 | 6.72 | 0.14 | _ | 537 | _ | | |
| | Measured | _ | - | _ | - | _ | - | _ | _ | |
| 0" 1.1 | Indicated | 66,644 | 2.12 | 6.00 | _ | _ | 4,536 | | _ | |
| Çöpler Mine - | Indicated - Sulfide Stockpile | 7,071 | 3.38 | _ | - | _ | 767 | _ | _ | |
| Sulfide | Measured + Indicated | 73,714 | 2.24 | 5.42 | - | - | 5,303 | _ | | |
| | Inferred | 12,716 | 1.99 | 12.02 | _ | _ | 814 | _ | _ | |
| | Measured | - | - | _ | - | - | - | _ | _ | |
| Çöpler Mine - | Indicated | 95,010 | 1.96 | 4.99 | 0.03 | _ | 6,000 | _ | - | |
| Total | Measured + Indicated | 95,010 | 1.96 | 4.99 | 0.03 | - | 6,000 | _ | - | |
| 70101 | Inferred | 32,516 | 1.29 | 8.79 | 0.08 | _ | 1,350 | _ | _ | |
| | Measured | _ | - | - | - | _ | - | _ | _ | |
| Çakmaktepe - | Indicated | 2,278 | 1.76 | 10.94 | - | _ | 129,000 | _ | _ | |
| Oxide | Measured + Indicated | 2,278 | 1.76 | 10.94 | - | _ | 129,000 | _ | _ | |
| | Inferred | 373 | 1.89 | 0.92 | - | - | 23,000 | _ | - | |
| | Measured | - | - | _ | - | _ | - | _ | _ | |
| Bayramdere - | Indicated | 145 | 2.34 | 20.82 | - | - | 11,000 | _ | - | |
| Oxide | Measured + Indicated | 145 | 2.34 | 20.82 | - | - | 11,000 | _ | - | |
| | Inferred | 8 | 2.17 | 19.95 | - | _ | 1,000 | _ | _ | |
| | Measured | - | - | - | - | - | - | _ | - | |
| Çöpler District | Indicated | 2,422 | 1.80 | 11.53 | - | - | 140 | _ | - | |
| Total | Measured + Indicated | 2,422 | 1.80 | 11.53 | - | _ | 140 | _ | _ | |
| | Inferred | 381 | 1.89 | 1.35 | - | - | 24 | _ | | |
| | Measured | 1,722 | 2.65 | 66.50 | - | - | 146 | 3,690 | - | |
| Gediktepe - | Indicated | 2,110 | 2.56 | 71.00 | - | - | 174 | 4,817 | - | |
| Oxide | Measured + Indicated | 3,832 | 2.60 | 69.00 | 1- | - | 320 | 8,497 | - | |
| | Inferred | 213 | 1.57 | 63.10 | - | _ | 11 | 432 | _ | |
| | Measured | 12,027 | 0.78 | 28.50 | 1.00 | 1.89 | 300 | 11,030 | 263,824 | 501,13 |
| Gediktepe - | Indicated | 20,180 | 0.77 | 30.10 | 0.85 | 1.95 | 502 | 19,506 | 378,158 | 867,54 |
| Sulfide | Measured + Indicated | 32,207 | 0.77 | 29.50 | 0.90 | 1.93 | 802 | 30,536 | 641,982 | 1,368,67 |
| | Inferred | 1,685 | 0.81 | 31.70 | 0.98 | 1.80 | 44 | 1,719 | 36,256 | 66,8 |
| | Measured | 13,749 | 1.01 | 33.30 | 0.89 | 1.67 | 447 | 14,710 | 263,824 | 501,1 |
| - 10 A T - 1 | Indicated | 22,290 | 0.94 | 33.90 | 0.79 | 1.80 | 675 | 24,323 | 378,158 | 867,5 |
| ediktepe - Total | Measured + Indicated | 36,039 | 0.97 | 33.70 | 0.82 | 1.75 | 1,122 | 39,033 | 641,982 | 1,368,6 |
| | Inferred | 1,898 | 0.89 | 35.30 | 0.88 | 1.62 | 55 | 2,151 | 36,256 | 66,8 |
| | Measured | 13,749 | 1.01 | 33.30 | 0.89 | 1.67 | 447 | 14,710 | 263,824 | 501,1 |
| Alacer Gold - | Indicated | 133,475 | 1.59 | 9.42 | 0.15 | 0.30 | 6,815 | 24,323 | 378,158 | 867,5 |
| Total | Measured + Indicated | 133,471 | 1.69 | 12.86 | 0.24 | 0.47 | 7,262 | 39,033 | 641,982 | 1,368,67 |
| | Inferred | 34,795 | 1.28 | 10.16 | 0.13 | 0.09 | 1,429 | 2,151 | 36,256 | 66,86 |

Notes: Further information on this resource estimate is in the Çöpler Mine Technical Report, the Çöpler District Resource Release, and in the press release dated September 13, 2016, entitled "Alacer Gold Announces a New Reserve for its Gediktepe Project Providing Future Growth" and the corresponding NI 43-101 technical report filed simultaneously with the release (the "Gediktepe PFS"), all of which can be found on www.sedar.com and on www.asx.com.au. Mineral Resources are quoted after mining depletion and are inclusive of Mineral Resources are shown on a 100% basis. The key assumptions, parameters, and methods used to estimate the Mineral Resources are provided in the Çöpler Mine Technical Report, Çöpler District Resource Release and the Gediktepe PFS. The Corporation is not aware of any new information or data that materially affects the information included in these tables and that all material assumptions and technical parameters underpinning the estimates in these tables continue to apply and have not materially changed. Rounding differences will occur.

Alacer's Mineral Reserves



| Alacer Gold - Proven and Probable Mineral Reserve Summary (As of December 31, 2016) | | | | | | | | | | |
|---|------------------------------|-------------------|----------|-------|------|--------|-----------------------------|--------|--------------------------|----------------------------|
| Deposit | Reserve Category Material | Tonnes (x1000) | Au (g/t) | | | Zn (%) | Contained Au (oz x 1000) | | Contained Cu (lb x 1000) | Contained Zn (lk x 1000 |
| | Proven | - | - | - | - | - | - | - | - | |
| Çöpler Mine - | Probable | 14,298 | 1.11 | 4.04 | 0.11 | - | 512 | _ | _ | |
| Oxide | Probable - Oxide Stockpile | 7 | 0.84 | - | - | - | 0 | = | - | |
| | Proven + Probable | 14,305 | 1.11 | 4.04 | 0.11 | - | 512 | - | - | |
| | Proven | - | _ | - | - | - | - | _ | - | |
| Çöpler Mine - | Probable | 32,530 | 2.63 | 7.35 | - | - | 2,754 | - | = | |
| Sulfide | Probable - Sulfide Stockpile | 7,071 | 3.38 | - | _ | - | 767 | - | - | |
| | Proven + Probable | 39,601 | 2.77 | 6.04 | - | - | 3,522 | _ | _ | |
| C"-IM | Proven | - | - | - | _ | - | - | - | - | |
| Çöpler Mine - | Probable | 53,905 | 2.33 | 5.51 | 0.03 | - | 4,034 | - | - | |
| Total | Proven + Probable | 53,905 | 2.33 | 5.51 | 0.03 | - | 4,034 | _ | - | |
| Gediktepe - | Proven | 1,456 | 2.98 | 74.70 | - | - | 139 | 3,497 | - | |
| design to consider the factors | Probable | 1,767 | 2.93 | 80.30 | - | - | 166 | 4,562 | - | |
| Oxide | Proven + Probable | 3,223 | 2.95 | 77.70 | - | - | 306 | 8,051 | _ | |
| Gediktepe - | Proven | 10,425 | 0.84 | 31.00 | 1.04 | 2.05 | 282 | 10,390 | 239,025 | 471,15 |
| CONTRACTOR OF THE PROPERTY OF | Probable | 11,267 | 1.00 | 39.30 | 0.93 | 2.63 | 362 | 14,236 | 231,007 | 653,27 |
| Sulfide | Proven + Probable | 21,692 | 0.93 | 35.30 | 0.99 | 2.35 | 649 | 24,619 | 473,444 | 1,123,83 |
| | Proven | 11,881 | 1.11 | 36.30 | 0.93 | 1.82 | 424 | 13,866 | 243,596 | 476,71 |
| Gediktepe - Total | Probable | 13,034 | 1.26 | 44.90 | 0.83 | 2.32 | 528 | 18,815 | 238,501 | 666,65 |
| • | Proven + Probable | 24,915 | 1.19 | 40.80 | 0.88 | 2.08 | 953 | 32,682 | 483,367 | 1,142,50 |
| Alacer Gold - | Proven | 11,881 | 1.11 | 36.30 | 0.93 | 1.82 | 424 | 13,866 | 243,596 | 476,71 |
| | Probable | 66,939 | 2.12 | 13.18 | 0.19 | 0.45 | 4,562 | 18,815 | 238,501 | 666,65 |
| Total | Proven + Probable | 78,820 | 1.97 | 16.66 | 0.30 | 0.66 | 4,987 | 32,682 | 483,367 | 1,142,50 |

Notes: Further information on this resource estimate is in the Çöpler Mine Technical Report and the Gediktepe PFS, all of which can be found on the Corporation's website and the Corporation's public filings. The Mineral Reserve methodology and cut-off grades are discussed in the Çöpler Mine Technical Report and the Gediktepe PFS. Mineral Reserves are shown on a 100% basis. The key assumptions, parameters, and methods used to estimate the Mineral Reserves are provided in the Çöpler Mine Technical Report and the Gediktepe PFS. The Corporation is not aware of any new information or data that materially affects the information included in these tables and that all material assumptions and technical parameters underpinning the estimates in these tables continue to apply and have not materially changed. Rounding differences will occur.