



Echo Resources Limited

ACN 108 513 113

24 May 2017
ASX Announcement
ASX Code: EAR

QUALITY GOLD HITS ELEVATE ANOTHER EMPIRE DISTRICT TARGET

HIGHLIGHTS

- Aircore drilling at the Wimbledon gold prospect has returned excellent near-surface gold results
- The mineralised zone, as logged, varies between 4 and 12 metres of true thickness and is open at depth and along strike
- Significant intersections (4m composites) to date from Wimbledon include:
 - **28 metres @ 4.47 g/t Au** from 24 metres (EWAC116, incl. 4m @ 27.60)
 - **32 metres @ 3.79 g/t Au** from 20 metres (EWAC101, incl. 8m @ 8.36)
 - **32 metres @ 2.68 g/t Au** from 32 metres (EWAC096)
 - **52 metres @ 1.18 g/t Au** from 32 metres (EWAC113, incl. 4m @ 4.77 and 12m @ 3.02)
- Follow-up RC drilling is planned to investigate Wimbledon's full potential
- Drilling is currently in progress at Orelia and Julius with further results due soon.

Echo Resources Limited (ASX: EAR) ('Echo' or the 'Company') is pleased to advise the Empire District drilling program continues to return significant gold intersections. These latest results, from the Wimbledon Prospect, have identified mineralisation over at least 280 metres of strike.

Results from Wimbledon have highlighted potential for another open pit mine within Echo's large prospective landholding. Further drilling is required to map out the extent of the system along strike and at depth and plans have already been made for a follow-up, deeper RC drilling program.

Wimbledon's mineralisation is related to a quartz shear-vein that outcrops for approximately 400m. Mineralisation and shearing is localized on the contact of a felsic to intermediate sedimentary/volcaniclastic unit. The quartz vein dips sub-vertically in outcrop and current drilling suggests some variation in the dip direction along the prospect from steeply west, to steeply east.

Echo's CEO, Simon Coxhell commented that despite decades of active drilling, the Company believed the Yandal gold belt remained significantly underexplored. "Our review work of historical data has shown that regional exploration had been largely constrained to wide spaced RAB traverses which have inadequately tested vast tracks of the Yandal gold belt."


"By following up on significant drill results in the historical data Echo is yielding positive and consistent results.

"Using smart geology, the lessons of 20 years of research into orogenic gold deposits, and consolidating a large drilling and geochemical database, we plan to re-invigorate the Yandal Belt as a greenfields exploration district. Our approach integrates all the modern exploration tools with an understanding of the fundamental geological controls on mineralisation and the overlying regolith, and provides us with an opportunity to discover the next world-class deposit in an exciting exploration district."




Results from the southern half of the drilling campaign have been returned, with a number of encouraging results highlighting continuous, high-grade mineralisation along ~250m strike length (see plan view). Results from the northern half of the drilling campaign are expected in the coming weeks. One metre resplits have been collected for analysis and are expected to reveal two anastomosing sub parallel mineralised gold lodes. Drilling at depth has been minimal in the area and deeper RC drilling is being planned to further explore this mineralised system.

The shallow depth of cover and near surface mineralisation make Wimbledon an attractive prospect and follow-up of Wimbledon style targets gives Echo a chance to build substantial gold resources, and ultimately reserves, in the Empire District.



Wimbledon Plan View with New Holes and Key Intersections (see Appendix 1 for full results)



Wimbeldon Cross-Section with New Intersections

Upcoming Drilling Program & Exploration Strategy

The current exploration program will take approximately four months to complete and will see around 22,000 meters of drilling conducted across targets in the Empire and Bronzewing Districts.

The Bronzewing District is an area within a 40km radius of the Bronzewing Processing Hub and contains the Orelia gold deposit, where current drilling is targeting known high grade mineralisation at the base of the existing open pit and is located only 8km from the processing hub.

The Empire District covers an area 40-80km north of the Bronzewing Processing Hub and contains the Julius gold deposit, which will provide a key plank in any production re-start following a positive Bankable Feasibility Study result in January 2017.

Julius


AC drilling continues at the Julius gold deposit which will then switch to RC and focus on depth extensions below the existing mineralisation.

Orelia

RC drilling at the Orelia gold deposit in the Bronzewing District continues with further results expected to be available for release within the next three weeks.

Regional

A number of conceptual targets will be assessed by first pass auger geochemistry over the coming months.



For further information please contact:

Simon Coxhell, CEO

simon@echoresources.com.au

Office Phone +61 8 9389 8726



Appendix 1: Detailed Results

(note: all results are 4m composites)

Hole	From	To	Width	Grade (g/t Au)	Easting	Northing	Total Depth	Dip	Azimuth
EWAC0095	NSR				290469	7023254	24	-60	90
EWAC0096	32	64	32	2.68	290445	7023255	100	-60	90
EWAC0097	NSR				290420	7023254	119	-60	90
EWAC0098	36	40	4	0.48	290406	7023254	119	-60	90
EWAC0099	NSR				290477	7023291	68	-60	90
EWAC0100	40	68	28	1.07	290456	7023292	87	-60	90
EWAC0101	20	52	32	3.79	290441	7023295	87	-60	90
including	28	36	8	8.36	290441	7023295	87	-60	90
EWAC0102	96	100	4	0.91	290419	7023293	119	-60	90
EWAC0103	NSR				290478	7023334	54	-60	90
EWAC0104	20	24	4	0.89	290460	7023332	80	-60	90
EWAC0105	92	100	8	1.31	290441	7023335	100	-60	90
EWAC0106	NSR				290469	7023372	52	-60	90
EWAC0107	24	28	4	1.18	290449	7023374	72	-60	90
EWAC0108	84	91	7	0.78	290430	7023372	91	-60	90
EWAC0109	NSR				290477	7023408	64	-60	90
EWAC0110	16	21	5	2.53	290447	7023405	21	-60	90
EWAC0111	64	72	8	5.30	290432	7023413	75	-60	90
EWAC0112	20	26	6	2.72	290445	7023441	26	-60	90
EWAC0113	32	48	16	1.10	290430	7023432	94	-60	90
EWAC0113	60	64	4	4.77	290430	7023432	94	-60	90
EWAC0113	72	84	12	3.02	290430	7023432	94	-60	90
EWAC0114	20	32	12	1.63	290431	7023465	76	-60	90
EWAC0114	44	52	8	1.97	290431	7023465	76	-60	90
EWAC0115	56	64	8	1.78	290413	7023464	106	-60	90
EWAC0115	88	92	4	5.76	290413	7023464	106	-60	90
EWAC0116	24	52	28	4.47	290431	7023491	80	-60	90
including	44	48	4	27.60	290431	7023491	80	-60	90

Note: True thickness of intersections is interpreted to be approximately half of the downhole width.



Appendix 2: Cautionary and Competent Persons Statements

Forward Looking Statements and Disclaimers

This announcement is for information purposes only and does not constitute a prospectus or prospectus equivalent document. It is not intended to and does not constitute, or form part of, an offer, invitation or the solicitation of an offer to purchase or otherwise acquire, subscribe for, sell or otherwise dispose of any securities, or the solicitation of any vote or approval in any jurisdiction, nor shall there be any offer, sale, issuance or transfer of securities in any jurisdiction in contravention of any applicable law.

This announcement contains forward looking statements. Forward looking statements are often, but not always, identified by the use of words such as "seek", "target", "anticipate", "forecast", "believe", "plan", "estimate", "expect" and "intend" and statements that an event or result "may", "will", "should", "could" or "might" occur or be achieved and other similar expressions.

The forward looking statements in this announcement are based on current expectations, estimates, forecasts and projections about Echo and Metaliko and the industry in which they operate. They do, however, relate to future matters and are subject to various inherent risks and uncertainties. Actual events or results may differ materially from the events or results expressed or implied by any forward looking statements. The past performance of Echo or Metaliko is no guarantee of future performance.

None of Echo, Metaliko or any of their directors, officers, employees, agents or contractors makes any representation or warranty (either express or implied) as to the accuracy or likelihood of fulfilment of any forward looking statement, or any events or results expressed or implied in any forward looking statement, except to the extent required by law.

You are cautioned not to place undue reliance on any forward looking statement. The forward looking statements in this announcement reflect views held only as at the date of this announcement.

No New Information or Data

This report contains references to Mineral Resource estimates, which have been cross referenced to previous market announcements made by Echo and Metaliko. Echo and Metaliko confirm they are not aware of any new information or data that materially affects the information included in the relevant market announcements and, in the case of estimates of Mineral Resources that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed.

Competent Persons Statements

The information in this announcement that relates to Exploration Results and previous historic drilling results is based on information compiled by Simon Coxhell, a Director of Echo Resources and a member of the Australasian Institute of Mining and Metallurgy. He has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity that they are undertaking to qualify as a Competent Person as defined in the 2012 Edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves". Mr Coxhell consents to the inclusion in the report of the matters based on the information in the form and context in which it appears



JORC Code, 2012 Edition

Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections)

Criteria	JORC Code explanation	Commentary
Sampling techniques	<ul style="list-style-type: none"> Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc.). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (e.g. 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g. submarine nodules) may warrant disclosure of detailed information. 	<ul style="list-style-type: none"> Recent exploration in the Empire District, located approximately 8 kilometres south of the Julius Gold Deposit has comprised aircore drilling of 39 holes for 2,953 metres. Initially, and relating to this ASX release, 4 metre composite samples were collected from all drilling Results relating to this release are for the first 22 holes and 1,714 metres of the Wimbledon drill program. 4 metre composite samples consist of ~2 kilogram samples, collected via spear from the drill spoils. One metre samples were collected for follow up analysis. For the 1m samples approximately 2kg of material collected from each metre by riffle splitting of the sample interval collected via the rig cyclone. Drill hole collar locations were recorded by handheld GPS survey with accuracy +/-2 metres. Analysis was conducted by submitting the 2kg sample whole for preparation by crushing, drying and pulverising at Intertek/Genalysis Laboratories for gold analysis via aqua regia/ICP-MS
Drilling techniques	<ul style="list-style-type: none"> Drill type (e.g. core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc.) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc.). 	<ul style="list-style-type: none"> Aircore drilling with a 4-inch blade bit. Drilling was conducted until blade refusal.
Drill sample recovery	<ul style="list-style-type: none"> Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure representative nature of the samples. Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. 	<ul style="list-style-type: none"> Drill sample returns as recorded were considered excellent. There is insufficient data available at the present stage to evaluate potential sampling bias.
Logging	<ul style="list-style-type: none"> Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc.) photography. The total length and percentage of the relevant intersections logged. 	<ul style="list-style-type: none"> Drill chip logging is a qualitative activity with pertinent relevant features recorded: lithology, mineralogy, mineralisation, structural, weathering, alteration, colour and other features of the samples. Rock chip boxes of all sample intervals were collected. All samples were logged.
Sub-sampling techniques and sample preparation	<ul style="list-style-type: none"> If core, whether cut or sawn and whether quarter, half or all core taken. If non-core, whether riffled, tube sampled, rotary split, etc. and whether sampled wet or dry. For all sample types, the nature, quality and appropriateness of the sample preparation technique. Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling. Whether sample sizes are appropriate to the grain size of the material being sampled. 	<ul style="list-style-type: none"> No core was sampled-Aircore drilling only. Sample preparation for all samples follows industry best practice and was undertaken by Genalysis/Intertek Laboratories in Perth where they were crushed, dried and pulverised to produce a sub-sample for analysis. Sample preparation involving oven drying, fine crushing to 95% passing 4mm, followed by rotary splitting and pulverisation to 85% passing 75 microns. QC for sub sampling follows Intertek procedures. Field duplicates were taken at a rate of 1:30. Blanks were inserted at a rate of 1:30 Standards were inserted at a rate of 1:30. Sample sizes are considered appropriate to the grain size of the material being sampled.
Quality of assay data and laboratory tests	<ul style="list-style-type: none"> The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. For geophysical tools, spectrometers, handheld XRF instruments, etc., the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (e.g. standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) 	<ul style="list-style-type: none"> The methods are considered appropriate to the style of mineralisation. Extractions are considered near total. No geophysical tools were used to determine any element concentrations at this stage. Laboratory QA/QC involves the use of internal lab standards using certified reference material, blanks, splits and duplicates as part of the in-house procedures. Repeat and duplicate analysis for samples shows that the precision of analytical methods is within acceptable limits.



Criteria	JORC Code explanation	Commentary
	<i>and precision have been established.</i>	
Verification of sampling and assaying	<ul style="list-style-type: none"> The verification of significant intersections by either independent or alternative company personnel. The use of twinned holes. Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. Discuss any adjustment to assay data. 	<ul style="list-style-type: none"> The Company's Geologist has visually reviewed the samples collected. No twin holes drilled Data and related information is stored in a validated Mapinfo or Micromine database. Data has been visually checked for import errors. No adjustments to assay data have been made.
Location of data points	<ul style="list-style-type: none"> Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. Specification of the grid system used. Quality and adequacy of topographic control. 	<ul style="list-style-type: none"> All drillholes have been located by handheld GPS with precision of sample locations considered +/-2m. Location grid of plans and cross sections and coordinates in this release use MGA94, Z51 datum. Topographic data was assigned based on a DTM of the Empire district.
Data spacing and distribution	<ul style="list-style-type: none"> Data spacing for reporting of Exploration Results. Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. Whether sample compositing has been applied. 	<ul style="list-style-type: none"> The holes are nominally spaced on a 20 metre (E-W spacing) with hole spacing along each section ranging from 15 metres spacing along each section line. Data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for Mineral Resource estimation procedures. Sample compositing has occurred on all samples in this release (4 metre composite samples).
Orientation of data in relation to geological structure	<ul style="list-style-type: none"> Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material. 	<ul style="list-style-type: none"> The orientation of sampling is considered adequate and there is not enough data to determine bias if any. Interpreted lithologies strike north-north-west. Drilling was approximately orthogonal to this apparent strike and comprised angled I drill holes.
Sample security	<ul style="list-style-type: none"> The measures taken to ensure sample security. 	<ul style="list-style-type: none"> Chain of custody is managed by the Company and samples are transported to the laboratory via Company staff with samples safely consigned to Intertek for preparation and analysis. Whilst in storage, they are kept in a locked yard. Tracking sheets are used track the progress of batches of samples.
Audits or reviews	<ul style="list-style-type: none"> The results of any audits or reviews of sampling techniques and data. 	<ul style="list-style-type: none"> No review or audit of sampling techniques or data compilation has been undertaken at this stage.

Section 2 Reporting of Exploration Results

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	<ul style="list-style-type: none"> Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area. 	<ul style="list-style-type: none"> The Empire District is located within the central Yandal Greenstone Belt. The Empire District covers a number of 100% owned granted mining leases held by Echo Resources Ltd. Newmont Yandal Operations has the right to buy back a 60% interest in any gold discovery containing aggregate Inferred Mineral Resources of at least 2 million ounces of gold. A third-party net smelter royalty of 1.5% applies in respect of all minerals produced from the tenement. The tenement is in good standing No impediments to operating on the permit are known to exist.
Exploration done by other parties	<ul style="list-style-type: none"> Acknowledgment and appraisal of exploration by other parties. 	<ul style="list-style-type: none"> Exploration in the Empire district has been completed by Asarco, Chevron, Newmont and others. Anomalous RAB, aircore and RC drilling in the area by previous operators have been returned.
Geology	<ul style="list-style-type: none"> Deposit type, geological setting and style of mineralisation. 	<ul style="list-style-type: none"> Highly oxidized/weathered greenstones, sediments and intrusive felsic rocks, with quartz veining with minor sulphides.
Drill hole Information	<ul style="list-style-type: none"> A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: <ul style="list-style-type: none"> easting and northing of the drill hole collar 	<ul style="list-style-type: none"> A total of 39 drillholes for 2,953 metres were drilled on nominal 20 metre centres and focused on the oxide zone. Full Drillhole details for the results from 22 of the 39 holes received are provided in this announcement. The remaining results are due in the coming weeks.



Criteria	JORC Code explanation	Commentary
	<ul style="list-style-type: none"> ○ elevation or RL (<i>Reduced Level – elevation above sea level in metres</i>) of the drill hole collar ○ dip and azimuth of the hole ○ down hole length and interception depth ○ hole length. ● If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case. 	<ul style="list-style-type: none"> ● Appropriate maps and plans also accompany this announcement.
Data aggregation methods	<ul style="list-style-type: none"> ● In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated. ● Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. ● The assumptions used for any reporting of metal equivalent values should be clearly stated. 	<ul style="list-style-type: none"> ● No averaging or aggregation techniques have been applied. ● No top cuts have been applied to exploration results. ● No metal equivalent values are used in this report.
Relationship between mineralisation widths and intercept lengths	<ul style="list-style-type: none"> ● These relationships are particularly important in the reporting of Exploration Results. ● If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. ● If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known'). 	<ul style="list-style-type: none"> ● The orientation or geometry of the mineralised zones strikes in a north-northwest direction and dips shallowly to the southwest. ● True width is variable and further work to clarify is required.
Diagrams	<ul style="list-style-type: none"> ● Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views. 	<ul style="list-style-type: none"> ● Appropriate maps are included in main body of report with gold results and full details are in the tables reported.
Balanced reporting	<ul style="list-style-type: none"> ● Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results. 	<ul style="list-style-type: none"> ● All results for the target economic mineral being gold have been reported.
Other substantive exploration data	<ul style="list-style-type: none"> ● Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances. 	<ul style="list-style-type: none"> ● Previous work in the district by others has estimated total gold resources within the Empire District to total 100,00 ounces.
Further work	<ul style="list-style-type: none"> ● The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large-scale step-out drilling). ● Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive. 	<ul style="list-style-type: none"> ● Future RC, diamond and aircore drilling is being considered to further evaluate the Julius Gold Deposit. ● Refer to maps in main body of report for potential target areas.