



June 2017 Quarterly Report

27 July 2017

## New high grade gold zone at Boorara

- ▶ At the Boorara Gold Project, potentially new high grade quartz vein gold mineralisation associated with faults and visible gold now identified in three drill holes at Crown Jewel (CJ) and Southern Stockwork (SSW) is a new distinctly different style of gold mineralisation from the dolerite hosted quartz vein arrays.

|                  |            |    |   |                                   |
|------------------|------------|----|---|-----------------------------------|
| ▪ BODH 033 (SSW) | 452 - 455m | 3m | @ | 4.06 g/t                          |
| Incl             | 452 - 453m | 1m | @ | 10.25 g/t laminated quartz vein   |
| ▪ BORCD 184 (CJ) | 200 - 201m | 1m | @ | 105 g/t fault hosted quartz vein  |
| ▪ BORCD 185 (CJ) | 173 - 174m | 1m | @ | 8.33 g/t fault hosted quartz vein |

- ▶ Strong drill results continue at Boorara with gold assay intersections reported in all diamond and reverse circulation drill holes drilled within the dolerite hosted quartz veins:

|                  |            |     |   |          |
|------------------|------------|-----|---|----------|
| ▪ BODH 042 (SSW) | 31 - 49m   | 18m | @ | 2.46 g/t |
|                  | 184 - 215  | 31m | @ | 3.56 g/t |
| Incl             | 214 - 215  | 1m  | @ | 68.2 g/t |
| ▪ BODH 043 (SSW) | 230 - 250m | 20m | @ | 2.58 g/t |
| Incl             | 243 - 248m | 5m  | @ | 6.97 g/t |
| ▪ BORC 176 (CJ)  | 42 - 59m   | 17m | @ | 1.48 g/t |
|                  | 70 - 72m   | 2m  | @ | 3.77 g/t |
|                  | 107-125m   | 18m | @ | 2.1 g/t  |

- ▶ MRP is pleased to announce excellent Gold Recoveries of 89 to 96% has been achieved from test work using ALS Laboratory in Perth.
- ▶ The company is confident it will grow Boorara Mineral Resource of 232,000 ounces (0.4 g/t cut).
- ▶ Cash balance at 30 June 2017 was A\$2.8m.

## Boorara Drilling Summary

MacPhersons Resources Limited (ASX: MRP) is pleased to announce the total number of holes drilled at Boorara is now 35 for 9,811 metres (20 diamond holes (BODH) for 5481 metres, 15 Reverse Circulation (RC) holes for 4330 metres of which seven (7) had diamond tails) since 22nd of January 2017. We believe that we have discovered a significant gold system and a series of drill hole intercepts suggest there is at least two styles of gold mineralisation (refer to discussion on BORCD 184 and BORCD 185).

The Boorara Gold Project is 10 kilometres east of Kalgoorlie, Western Australia. The Boorara Project contains over 1.5 kilometres of gold mineralisation striking north-west at 330 degrees. The project is divided into Southern Stockwork (SSW), Crown Jewel (CJ) and Northern Stockwork (NSW) deposits.

Your company has since confirmed an extension of the Boorara Southern Stock Work deposit at a vertical depth below 200 metres from the surface and some 330 metres along strike.

Located about one kilometre to the North West of BODH 025 and BORC 173 is the historic Cataract Gold Mine (30,000 oz; 1897-1907) that is hosted within the Boorara dolerite. The deposit has two major stope geometries, one striking 040° dipping to the North West and the other striking 330° and dipping near vertical. The significance of these stope geometries is that structural controls on historically mined high-grade gold veins is the same as the NW dipping quartz vein arrays encountered in the current drilling program.

A recent reinterpretation of the geometry of mineralisation at Boorara is due to structural mapping and interpretation of the Boorara gold project. The new Boorara structural geological model has allowed MacPhersons to make a better estimate of the true gold grade and size of the existing Boorara resource based on an interpretation of mineralised NW-dipping quartz vein arrays. From the structural mapping and the quartz veins exposed within the trial pit completed in October 2016, the drill orientation must be 115 degrees.

The ongoing drilling strategy continued to test the geology model and scope out the extent of mineralisation associated with the two styles of gold mineralisation:

- Dolerite hosted NW dipping quartz vein arrays with associated weak to strong pervasive hematite alteration, iron carbonate alteration, with >1% pyrite and >1% arsenopyrite mineralisation, and
- High grade narrow vein gold mineralisation with >1% pyrite and >1% arsenopyrite. A laminated high grade gold quartz vein was previously identified in diamond hole BODH 033 (452-453m) 1m @ 10.25 g/t with visible gold, recent RC holes BORCD 184 (200-201m) 1m @ 105 g/t & BORCD 185 (173-174m) 1m @ 8.33 g/t have both intercepted high grade gold mineralisation that is distinctly different to the quartz vein arrays and appear to be quartz veins associated with faults. This new high grade gold mineralisation is potentially a significant host for future gold mineralisation and will be targeted by future diamond drilling.

The scale of alteration and mineralisation intercepted by drilling to date is typical and indicative of a large-scale gold mineralised system. The iron carbonate alteration and pyrite mineralisation -dolerite host -can be traced for 1.2 km along strike from the current Southern Stockwork drilling to the north at the historical Cataract gold mine workings situated within the Northern Stockwork deposit.

## Southern Stockwork Drilling

During the quarter the focus of drilling has been at SSW continuing to expand the strike and depth extension of gold mineralisation associated with discovery hole BODH 025 163m @ 1.94 g/t (cut). Drilling undertaken during the quarter has resulted in exceptional drill intercepts confirming the Boorara geological model (see figure 7).



Results from the drilling include:

|            |                 |     |   |                                                   |
|------------|-----------------|-----|---|---------------------------------------------------|
| ▪ BODH 029 | 35 - 102m       | 67m | @ | 1.07 g/t                                          |
|            | 107 - 151m      | 44m | @ | 0.83 g/t                                          |
|            | 215 - 287m      | 72m | @ | 0.96 g/t                                          |
| ▪ BODH 030 | 31- 59m         | 28m | @ | 1.59 g/t                                          |
|            | 67 - 74m        | 12m | @ | 1.06 g/t                                          |
|            | 79 - 118m       | 39m | @ | 0.78 g/t                                          |
|            | 121 - 129m      | 8m  | @ | 1.12 g/t                                          |
|            | 146 - 165m      | 19m | @ | 1.23 g/t                                          |
| ▪ BODH 031 | 2 - 11m         | 9m  | @ | 0.95 g/t                                          |
|            | 14 -19m         | 5m  | @ | 1.96 g/t                                          |
|            | 75 - 93m        | 18m | @ | 1.54 g/t                                          |
|            | Incl 76 - 77m   | 1m  | @ | 10.25 g/t                                         |
|            | 106 - 109m      | 3m  | @ | 2.68 g/t                                          |
|            | 124 - 126m      | 2m  | @ | 3.92 g/t                                          |
|            | 169 - 198m      | 29m | @ | 1.22 g/t                                          |
|            | Incl 171 - 172m | 1m  | @ | 10.95 g/t                                         |
|            | 201 - 238m      | 37m | @ | 1.12 g/t                                          |
|            | 246 - 288m      | 42m | @ | 1.32 g/t                                          |
|            | Incl 265 - 266m | 1m  | @ | 9.84 g/t                                          |
|            | Incl 285 -286m  | 1m  | @ | 10.05 g/t                                         |
| ▪ BODH 032 | 35 - 65m        | 30m | @ | 1.72 g/t                                          |
|            | 79 - 86m        | 7m  | @ | 1.27 g/t                                          |
|            | 124 - 133m      | 9m  | @ | 0.86 g/t                                          |
| ▪ BODH 033 | 336 - 367m      | 1m  | @ | 2.3 g/t                                           |
|            | 452 - 455m      | 3m  | @ | 4.06 g/t                                          |
|            | Incl 452 - 453m | 1m  | @ | 10.25 g/t (visible gold in laminated quartz vein) |
| ▪ BODH 034 | 347 - 356m      | 9m  | @ | 3.61 g/t                                          |
|            | Incl 352 - 353m | 1m  | @ | 21.8 g/t                                          |
| ▪ BODH 035 | 106 - 117m      | 11m | @ | 0.47 g/t                                          |
|            | 132 - 138m      | 6m  | @ | 0.62 g/t                                          |

|   |           |            |     |   |           |
|---|-----------|------------|-----|---|-----------|
|   |           | 162 - 167m | 4m  | @ | 0.84 g/t  |
|   |           | 170 - 177m | 7m  | @ | 0.84 g/t  |
|   |           | 180 - 203m | 22m | @ | 2.22 g/t  |
|   | Incl      | 190 - 191m | 1m  | @ | 13.05 g/t |
| ▪ | BODH 038  | 36 - 53m   | 17m | @ | 1.28 g/t  |
|   |           | 57 - 78m   | 21m | @ | 1.09 g/t  |
|   | Incl.     | 61 - 62m   | 1m  | @ | 7.05 g/t  |
| ▪ | BODH 039  | 20 - 21m   | 1m  | @ | 5.35 g/t  |
| ▪ | BODH 040  | 85 - 92m   | 7m  | @ | 1.14 g/t  |
|   |           | 104 - 109m | 5m  | @ | 3.67 g/t  |
|   | Incl.     | 108 - 109m | 1m  | @ | 14.75 g/t |
|   |           | 154 - 176m | 22m | @ | 1.06 g/t  |
|   |           | 233 - 249m | 16m | @ | 1.08 g/t  |
| ▪ | BODH 041  | 109 - 113m | 4m  | @ | 1.14 g/t  |
| ▪ | BODH 042  | 0 - 6m     | 6m  | @ | 1.85 g/t  |
|   |           | 9 - 12m    | 3m  | @ | 2.33 g/t  |
|   |           | 15 - 27m   | 12m | @ | 1.23 g/t  |
|   |           | 31 - 49m   | 18m | @ | 2.46 g/t  |
|   |           | 112 - 123m | 11m | @ | 1.55 g/t  |
|   |           | 157 - 181m | 24m | @ | 1.26 g/t  |
|   |           | 184 - 211m | 31m | @ | 3.56 g/t  |
|   | Incl      | 214 - 215m | 1m  | @ | 68.2 g/t  |
| ▪ | BODH 043  | 230 - 250m | 20m | @ | 2.58 g/t  |
|   |           | 243 - 248m | 5m  | @ | 6.97 g/t  |
| ▪ | BORC 180  | 0 - 14m    | 14m | @ | 1.13 g/t  |
|   |           | 99 - 104m  | 5m  | @ | 2.23 g/t  |
|   | Incl.     | 99 - 100m  | 1m  | @ | 7.98 g/t  |
| ▪ | BORC 181B | 0 - 21m    | 21m | @ | 1.39 g/t  |
| ▪ | BORC 182  | 12 - 53m   | 43m | @ | 1.41 g/t  |
|   | Incl.     | 34 - 35m   | 1m  | @ | 22.8 g/t  |
|   |           | 61 - 76m   | 15m | @ | 1.19 g/t  |

|            |     |   |          |
|------------|-----|---|----------|
| 165 - 180m | 15m | @ | 1.29 g/t |
| 230 - 233m | 3m  | @ | 1.94 g/t |

We have reported up to BODH 043 with assay results of BODH 044-047 all expected by the end of July/early August.

### Crown Jewel Drilling

Recently completed RC drill hole BORCD 184 with a HQ diamond tail has intersected significant high grade gold mineralisation in a RC sample from 200 metres downhole: 1 m @ 105 g/t. This intersection and others from recent drilling highlight the potential of the historic Crown Jewel gold mine to be a significant new high grade gold discovery at Boorara. Strike and depth extensions of this high-grade gold intersection will be the future focus of drilling at Crown Jewel.

Significant Crown Jewel composite intersections and drill holes drilled are below:

|   |                  |                            |     |   |                        |
|---|------------------|----------------------------|-----|---|------------------------|
| ▪ | <b>BODH 036</b>  | <b>Drilled in Sediment</b> |     |   |                        |
| ▪ | <b>BORC 176</b>  | 49 - 52m                   | 17m | @ | 1.48 g/t               |
|   |                  | 70 - 72m                   | 2m  | @ | 3.77 g/t               |
|   | Incl             | 70 - 71m                   | 1m  | @ | 5.91 g/t               |
|   |                  | 91 - 102m                  | 11m | @ | 0.61 g/t               |
|   |                  | 107 - 125m                 | 18m | @ | 2.1 g/t                |
| ▪ | <b>BORCD 177</b> | 7 - 59m                    | 52m | @ | 0.78 g/t               |
|   |                  | 242 - 260m                 | 18m | @ | 0.63 g/t               |
|   | Incl             | 242 - 243m                 | 1m  | @ | 3.09 g/t               |
| ▪ | <b>BORC 178</b>  | <b>Drilled in Sediment</b> |     |   |                        |
| ▪ | <b>BORCD 179</b> | 335 - 336m                 | 1m  | @ | 4.2 g/t                |
|   |                  | 344 - 354m                 | 10m | @ | 6.2 g/t (visible gold) |
|   | Incl             | 344 - 345m                 | 1m  | @ | 17.85 g/t              |
|   | Incl             | 349 - 350m                 | 1m  | @ | 25.4 g/t               |
|   | Incl             | 350 - 351m                 | 1m  | @ | 10.9 g/t               |
| ▪ | <b>BORCD 183</b> | 0 - 15m                    | 15m | @ | 0.96 g/t               |
|   |                  | 41 - 46m                   | 5m  | @ | 1.42 g/t               |
|   |                  | 186 - 195m                 | 9m  | @ | 0.79 g/t               |
|   |                  | 209 - 215m                 | 6m  | @ | 0.84 g/t               |
|   |                  | 237 - 239m                 | 2m  | @ | 4.72 g/t               |
|   |                  | 281 - 282m                 | 1m  | @ | 3.59 g/t               |
|   |                  | 319 - 339m                 | 20m | @ | 1.19 g/t               |

|                    |                        |            |          |                               |
|--------------------|------------------------|------------|----------|-------------------------------|
| ▪ <b>BORCD 184</b> | <b>56 - 77m</b>        | <b>21m</b> | <b>@</b> | <b>0.72 g/t</b>               |
|                    | <b>200 -201m</b>       | <b>1m</b>  | <b>@</b> | <b>105 g/t (visible gold)</b> |
|                    | <b>201-202m</b>        | <b>1m</b>  | <b>@</b> | <b>1.78 g/t</b>               |
| ▪ <b>BORCD 185</b> | <b>160 - 178m</b>      | <b>18m</b> | <b>@</b> | <b>1.00g/t</b>                |
|                    | <b>Incl 173 - 174m</b> | <b>1m</b>  | <b>@</b> | <b>8.33 g/t</b>               |

### Northern Stockwork deposit

As reported in the December and March quarters, seven RC drill holes (BORC 163-170) were drilled into the newly identified Western Contact confirming this trend as being gold mineralised with a number of reverse circulation holes and three air-core holes intercepting significant gold mineralisation.

There was no further RC drilling in the Western Contact for the June quarter as the focus has been on the Southern Stockwork and Crown Jewel deposits.

The western contact is a lithological contact of the Boorara dolerite and sediments that has a potential strike length of 750 metres. Initial observations of mineralised drill intervals indicate that gold mineralisation is shear zone hosted with associated quartz veining, the true width of mineralisation is unclear at this stage.

A diamond drill hole BODH 037 was drilled at the 115° azimuth in the Northern Stockwork near the western contact to better understand controls on gold mineralisation associated with the Zani Shoot which is part of the historic Cataract Underground Gold Mine. Significant BODH 037 composite intersections are below:

|                   |                         |            |          |                 |
|-------------------|-------------------------|------------|----------|-----------------|
| ▪ <b>BODH 037</b> | <b>59 - 71m</b>         | <b>12m</b> | <b>@</b> | <b>1.16 g/t</b> |
|                   | <b>101 - 104m</b>       | <b>3m</b>  | <b>@</b> | <b>1.81 g/t</b> |
|                   | <b>147 - 150m</b>       | <b>3m</b>  | <b>@</b> | <b>8.6 g/t</b>  |
|                   | <b>Incl. 148 - 149m</b> | <b>1m</b>  | <b>@</b> | <b>22.1 g/t</b> |

### Drilling Progress on site

The Company has contracted the diamond drill rig to continue diamond drilling on the same azimuth 115° and dip - 60° to test the strike extent of mineralisation, test the current geology model and scope out the extent of mineralisation associated with the first successful diamond hole BODH 025 (163 metres grading 1.94 g/t cut). The company has commenced BODH 048 and BODH 049 at the Crown Jewel to test for high grade quartz vein gold mineralisation.

### Diamond Core Re-logging

A re-logging program has been undertaken on all MRP Boorara diamond drill hole core and RC drill chips at the Southern Stockwork and Crown Jewel areas. Key outcomes have been previously unrecognised lithological and structural complexity with cross faulting resulting in movement of mineralised ore blocks in the order of 10's of metres horizontally and vertically. Previously unrecognised ultramafic and sediment lithologies have been logged adjacent to the Boorara dolerite. It is expected that future diamond drill holes will enable faulting to be better understood. The Boorara faulting is not dissimilar to that seen at the Mt Charlotte gold mine at Kalgoorlie (see figure




2 below) note the scale the Reward quartz vein array orebody has strike length of approximately 150 metres on the three level. Although the Mt Charlotte orebody has a short strike length it extends vertically for over 1200 metres depth and again faulting has resulted in the orebodies being moved considerable distances (see figure 3 below). The iron enrichment present within the Boorara quartz dolerite provides an oxidised chemical composition favourable to wall rock reaction with reduced gold fluids, this is a well-known host rock setting for major gold deposits in the Eastern Goldfields such as Mt Charlotte (6 Moz) and Darlot-Centenary (3.2 Moz). Reverse fault controlled quartz veins are interpreted for Boorara that is similar to the sub-horizontal quartz veins that are controlled by reverse faults at the Darlot-Centenary gold deposit (3.2 Moz).

During the structural relogging visible gold was observed in most diamond drill holes.

Structural logging and measurements of quartz veins taken from current diamond holes and previous MRP drilled holes has determined three dominant quartz vein geometries (see figure 1 below);

1. Striking 020° and dipping 48° west
2. Striking 060° and dipping 40° north west
3. Striking 100° and dipping 43° north



**Figure 1: 3D view of Boorara dolerite contact with schematic of 3 dominant quartz vein orientation planes with 060° drill azimuth –quartz planes are for illustration purposes only.**


### Mt Charlotte History

The Mt Charlotte mine is located close to the original gold discovery at Kalgoorlie by Paddy Hannan in June 1893 and it is most probable that Hannan's original gold originated from the Mt Charlotte orebody (Haycraft 1979). Mining by open methods at Mt Charlotte from 1893 -1916 produced 71,000 ounces of gold and then mining ceased shortly after reaching the pyritic ores.



It was in 1962 after a detailed evaluation by Western Mining Corporation Ltd (WMC) and its associated company Gold Mines of Kalgoorlie (Australia) Limited that an ore reserve of 2.97 Mt @ 4.9 g/t and a large scale underground mining operation was considered viable (Haycraft 1979). The work in 1962 involved dewatering the mine and structural mapping that identified the three principle sets of veins within the quartz dolerite host. Based on this work it was determined by WMC that to estimate the true grade of the orebody close spaced drilling was required using a drill azimuth of 156.5° to intersect all 3 principle vein sets. This strategy has proved to be the only method of accurately determining the grade of the Mt Charlotte orebody to this day.

It took from discovery of gold near Mt Charlotte in 1893 to 1962 -over 69 years for the Mt Charlotte orebody to be recognised and its gold endowment now is 6 million ounces.



**Figure 2: Boorara Project Long Section with current MRP drilling hole values with Mt Charlotte ore bodies in background to illustrate the depth extent of the Mt Charlotte mine compared to strike extent.**






Figure 3: Mt Charlotte 3 level structural plan (Mueller 2015) showing the GMF (Golden Mile Fault) the quartz dolerite host (GMD unit 8), Golden Mile Dolerite (GMD units 4, 7, 8 & 9), Paringa Basalt (PB) and the Williamstown Dolerite (WD). The quartz vein array orebodies are the Charlotte (COB), Reward (ROB) and Northern (NOB). The Cassidy Shaft is shown along with the Charlotte Shaft (CHS), Reward Shaft (RWS) and the Man and Supply Shaft (MSS). Porphyry dykes and shown as red lines. Faults are shown as black lines including the Charlotte Fault (CF), Reward Fault (RF) and Maritana Fault (MF).




Figure 4: Long section of current Boorara drilling




Figure 5: Boorara Project interpreted geology plan with selected MRP collar locations



Figure 6: Diamond Drill Core BODH 033 – Laminated Quartz Vein with visible gold 452-453m (10.25 g/t Au)




Figure 7: Boorara geological model schematic showing quartz vein arrays and current drill azimuth

## Metallurgical Test Work, Comminution Test Work and Geotechnical Update

CIL metallurgical sighter test work was conducted at ALS Metallurgy Balcatta and resulted in excellent gold recoveries on Boorara oxide, transition and fresh composite samples from Southern Stockwork (SSW), Crown Jewel (CJ) and Northern Stockwork (NSW) deposits with excellent recoveries of up to 99%. The grind size of samples was 80% passing 106 microns.

### ALS Metallurgy CIL Test Work Recoveries:

|                                   |     |
|-----------------------------------|-----|
| Northern Stockwork Fresh Ore      | 95% |
| Northern Stockwork Transition Ore | 97% |
| Northern Stockwork Oxide Ore      | 93% |
| Crown Jewel Transition Ore        | 99% |
| Crown Jewel Oxide Ore             | 98% |
| Southern Stockwork Fresh Ore      | 96% |
| Southern Stockwork Transition Ore | 94% |
| Southern Stockwork Oxide Ore      | 98% |

Further sighter CIL metallurgical test work has been undertaken on a RC composite fresh ore sample from SSW (BORC 171: 171 -209 metres downhole) at Bureau Veritas Kalgoorlie that resulted in 89% gold recovery. The grind size of the composite sample was 80% passing 75 microns.

Comminution test work was undertaken on Boorara composite samples at ALS Metallurgy last year that indicates Boorara gold ore has very favourable comminution properties potentially resulting in lower crushing costs due to the low wear rates of crushing consumables. The results of the comminution test work are below:

|                                       |                                |              |
|---------------------------------------|--------------------------------|--------------|
| Bond Impact Crushing Work Index (CWI) | Boorara Oxide Composite        | 1.7 (kWh/t)  |
|                                       | Boorara Transitional Composite | 5.8 (kWh/t)  |
|                                       | Boorara Fresh Composite        | 9.1 (kWh/t)  |
| Unconfined Compressive Strength (UCS) | Boorara Oxide Average          | 6 (MPa)      |
|                                       | Boorara Transitional Average   | 73 (MPa)     |
|                                       | Boorara fresh Average          | 123(MPa)     |
| Bond Abrasion Index (Ai)              | Boorara Oxide Composite        | 0.0301       |
|                                       | Boorara Transitional Composite | 0.0899       |
|                                       | Boorara Fresh Composite        | 0.0957       |
| Bond Ball Mill Work Index (BWI)       | Boorara Oxide Composite        | 8.71 (kWh/t) |
|                                       | Boorara Transitional Composite | 16.9 (kWh/t) |
|                                       | Boorara Fresh Composite        | 17.7 (kWh/t) |

Geotechnical studies were completed last year based on the shallow open pit designs at NSW, CJ and SSW and it is intended that further geotechnical work will be undertaken to incorporate potentially deeper pit designs.

## Corporate

### Cash balance at 30 June 2017 was A\$2.8m

Cash used during the quarter amounted to A\$1.8m, representing mainly payments for exploration drilling at Boorara and administration costs. The cash balance as at 30th June 2017 stood at A\$2.8m. Forecast expenditure for the next quarter is about A\$2.0m. A further and final payment of A\$1.5m from the sale of the Coolgardie gold assets is due on 7 December 2017.

### For further information please contact:

Jeff Williams  
 Managing Director  
 +61 418 594 324

OR


Andrew Pumphrey  
 General Manager  
 +61 419 965 976

## About MacPhersons

MacPhersons Resources Ltd (MRP) is a Western Australian resource company with a number of advanced gold, silver and zinc projects.

The company's long term objective is the development of its existing assets and unlocking the full potential of its 100% owned highly prospective Boorara/Nimbus and Coolgardie projects.

For more information on MacPhersons Resources Limited and to subscribe for regular updates, please visit our website at: [www.mrpresources.com.au](http://www.mrpresources.com.au) or contact our Kalgoorlie office on [info@mrpresources.com.au](mailto:info@mrpresources.com.au) or - 08 9068 1300



## Competent Person's Statement

The information in this report that relates to exploration results is based on information compiled by Andrew Pumphrey who is a Member of the Australian Institute of Geoscientists and is a Member of the Australasian Institute of Mining and Metallurgy. Andrew Pumphrey is a full time employee of Macphersons Resources Ltd and has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves". Mr Pumphrey has given his consent to the inclusion in this report of the matters based on the information in the form and context in which it appears.

Full details of results of the Boorara Gold Project drill holes can be found in the below announcements:

| ASX Announcement Date | Drill Hole Reference                                                                                           |
|-----------------------|----------------------------------------------------------------------------------------------------------------|
| 14 February 2017      | BODH 25                                                                                                        |
| 1 March 2017          | BORC 171, BORC 172, BORC 173                                                                                   |
| 28 March 2017         | BORCD 174, BORCD 175, BODH 27, BODH 28                                                                         |
| 27 April 2017         | BODH 29, BODH 30, BODH 31, BODH 32                                                                             |
| 30 May 2017           | BODH 33, BODH 34, BODH 35, BORC 176                                                                            |
| 3 July 2017           | BODH 36, BODH 37, BODH 38, BODH 39, BODH 40, BORDC 177, BORCD 178, BORCD 179, BORCD 180, BORCD 181B, BORDC 182 |
| 19 July 2017          | BORCD 183, BORC 184, BORCD 185, BODH 41, BODH 42, BODH 43                                                      |



## Schedule of Mining Tenements

| Project        | Location       | Tenement Number | Economic Entity's Interest at Quarter End | Change in Economic Entity's Interest During Quarter |
|----------------|----------------|-----------------|-------------------------------------------|-----------------------------------------------------|
| Nimbus/Boorara | Kalgoorlie, WA | E25/511         | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | L25/0032        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | L26/0240        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | L26/0252        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | L26/0266        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | L26/0275        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | L25/0035        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | L25/0036        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | L26/0270        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | L26/0274        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | M25/0355        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | M26/0029        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | M26/0161        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | M26/0277        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | M26/0318        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | M26/0490        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | M26/0598        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | P25/2068        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | P25/2069        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | P25/2192        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | P25/2193        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | P25/2194        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | P25/2195        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | P25/2196        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | P25/2247        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | P25/2261        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | P25/2292        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | P25/2322        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | P25/2393        | 100%                                      | Acquired                                            |

| Project        | Location       | Tenement Number | Economic Entity's Interest at Quarter End | Change in Economic Entity's Interest During Quarter |
|----------------|----------------|-----------------|-------------------------------------------|-----------------------------------------------------|
| Nimbus/Boorara | Kalgoorlie, WA | P25/2394        | 100%                                      | Acquired                                            |
| Nimbus/Boorara | Kalgoorlie, WA | PLA25/2450      | 100%                                      | Under Application                                   |
| Nimbus/Boorara | Kalgoorlie, WA | P26/3704        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | P26/3741        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | P26/3742        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | P26/3791        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | P26/3792        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | P26/3793        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | P26/3794        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | P26/3795        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | P26/3796        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | P26/3797        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | P26/3798        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | P26/3799        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | P26/3800        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | P26/4020        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | P26/4035        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | P26/4036        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | P26/4053        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | P26/4054        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | P26/4055        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | PLA26/4199      | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | PLA26/4200      | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | PLA26/4201      | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | PLA26/4202      | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | PLA26/4203      | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | PLA26/4204      | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | PLA26/4205      | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | PLA26/4206      | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | PLA26/4207      | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | PLA26/4208      | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | P27/2041        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | P27/2042        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | P27/2043        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | P27/2044        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | P27/2045        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | P27/2050        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | P27/2051        | 100%                                      | No Change                                           |

| Project        | Location       | Tenement Number | Economic Entity's Interest at Quarter End | Change in Economic Entity's Interest During Quarter |
|----------------|----------------|-----------------|-------------------------------------------|-----------------------------------------------------|
| Nimbus/Boorara | Kalgoorlie, WA | P27/2052        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | P27/2138        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | P27/2139        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | P27/2140        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | P27/2141        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | P27/2142        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | P27/2146        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | P27/2147        | 100%                                      | No Change                                           |
| Nimbus/Boorara | Kalgoorlie, WA | P27/2148        | 100%                                      | No Change                                           |