



Quarterly Report

Period ended 30th September 2017

About Legacy Iron Ore

Legacy Iron Ore Limited ("Legacy Iron" or the "Company") is a Western Australian based Company, focused on iron ore, base metals, gold, REE and Tungsten project development and mineral discovery.

Legacy Iron's mission is to increase shareholder wealth through capital growth, created via the discovery, development and operation of profitable mining assets.

The Company was listed on the Australian Securities Exchange on 8 July 2008. Since then, Legacy Iron has had a number of iron ore, base metals and gold discoveries which are now undergoing drilling and resource definition.

Board

Narendra Kumar Nanda, Non-Executive Chairman

Devinder Singh Ahluwalia, Non-Executive Director

Tangula Rama Kishan Rao, Non-Executive Director

Devanathan Ramachandran, Non-Executive Director

Rakesh Gupta, Executive Director

Ben Donovan, Company Secretary

Key Projects

Mt Bevan Iron Ore Project

South Laverton Gold Project

East Kimberley Gold, Base Metals and REE Project

Enquiries

Rakesh Gupta

Chief Executive Officer

Phone: +61 8 9421 2005

ASX Codes: LCY

LEVEL 2, 1-5 HAVELOCK STREET,
WEST PERTH
WA 6005

PO BOX 5768
ST GEORGES TERRACE WA 6831

Phone: +61 8 9421 2005

Fax: +61 8 9421 2001

Email: info@legacyiron.com.au

Web: www.legacyiron.com.au

31 October 2017

The Company Announcements Office
ASX Limited

Via E Lodgement

REPORT FOR THE QUARTER ENDED 30 September 2017

Please find attached the Company's Quarterly Activities Report and Appendix 5B for the quarter ended 30 September 2017.

Yours faithfully
LEGACY IRON ORE LIMITED

Rakesh Gupta
Chief Executive Officer

HIGHLIGHTS

EXPLORATION AND DEVELOPMENT

Mt Bevan Project (Legacy Iron: 60% interest)

- Results of the 1,100 auger samples received in this quarter. All the geophysical/geological targets identified from the Ground mag and EM were covered by geochemical sampling (Auger Drill Samples) during May/June 2017.
- Results highlights some additional areas of anomalism in close proximity of interpreted location of some regional and local scale structure (including Mt Ida fault)
- The Joint venture plans to follow-up all the high priority anomalies and conduct any drilling during March to June 2018.

South Laverton Projects (Gold) –

Mt Celia Project

- Resource modelling/upgrade work for Mt Celia project commenced this quarter. SRK Consulting carrying out a resource study for Kangaroo bore and Blue Peter prospects of the Mt Celia Project.
- The resource modelling estimation work is progressing well, and it is likely to be completed by mid-Nov 2017.
- An additional 22 RC (approximately 2,200m) hole QAQC drill program has also been completed during the quarter at Kangaroo bore to further support the resource upgrade work.
- Results of this drilling will be available by mid-November 2017.

Sunrise Bore Project

- The results from the latest auger soil geochemical sampling program (Approximately 1,500 samples) were received towards end of this quarter.
- QAQC evaluation is underway, once interpreted a separate announcement will be made within the next few weeks.

Koongie Park Project (Base Metal)–

-
- Geological traversing was done in the project area to ground truth all the significant base metal and REE anomalies identified from the auger sampling completed in previous quarters.
 - Geological traversing identified a number of oxidised/gossanous outcrops for base metals (with Zn values ranging from 50 ppm to 2000 ppm) and rocks enriched in heavy rare earth elements (~1000 ppm Y).
 - Further work on these anomalies is under planning which is likely to include some ground geophysics and drill testing.

New Tenements

- No new tenements granted or applied during this quarter.
- Three new exploration tenement applications were made in the Kimberley region of WA in the month of Feb 2017. All three tenements have some known tungsten occurrences and prospective geology to host polymetallic mineralisation which includes (Tungsten, Copper, Zinc, REE and Gold).

Potential Acquisitions

- Legacy Iron continues to review opportunities to acquire projects that add value.

CORPORATE

- Focus remained on reducing costs.

EXPLORATION

Legacy Iron is an active exploration company with a diverse portfolio of assets spanning iron ore, gold and base metals (Figure 1). The Company is in a Joint Venture with Hawthorn Resources Limited (Hawthorn) on the Mt Bevan Project, north of Kalgoorlie in Western Australia, where the Company is progressing a potentially world class magnetite project and exploring for nickel-copper mineralisation at an early stage.

The Company also has significant landholdings in the Eastern Goldfields (Yilgarn) and East Kimberley districts of WA. In the Eastern Goldfields, the company holds tenements with a number of gold prospects/resources, whilst the Koongie Park project in the East Kimberley region has excellent potential to host VHMS base metal – gold and REE mineralisation.




Figure 1: Legacy Iron – Project Locations

IRON ORE and NICKEL-COPPER

Mt Bevan Project

Mt Bevan Project is a joint venture between Legacy Iron (60% interest) and Hawthorn. The project is a large tenement which hosts 1,170 Mt of magnetite resource @ 34.9% Fe (refer Table 1 below) as well as a great potential for discovery of nickel–copper mineralisation in northern most part of the tenement.

Mt Bevan Iron Ore:

Mt Bevan is considered to hold excellent potential for the definition of major magnetite resources located relatively close to existing road, rail and port facilities. The project also has potential for DSO hematite discoveries.

Successful exploration and resource definition program carried out now underpins the potential for a large scale development at Mt Bevan (refer Table 1 below for the current resource estimate and Figure 2 for a representative cross section). Legacy Iron continues to work with its 40% JV partner, Hawthorn, regarding the scope, timing and funding of further phases for the project.

The next phase of work is likely to require the completion of further resource definition and development studies required to convert existing mineral resources into JORC reserves, and further define the scope, design and capital cost of the Project and to comprehensively demonstrate the projects viability.




Figure 2: Drilling Cross Section - Lines 3

Mt Bevan Fresh BIF Resource											
Class	Material	Tonnes x 10 ⁶	Fe %	SiO ₂ %	Al ₂ O ₃ %	CaO %	P %	S %	LOI %	MgO %	Mn %
Indicated	<i>In situ</i> Total	322	34.7	46.2	0.57	1.35	0.054	0.131	-1.05	1.91	0.31
	<i>In situ</i> Magnetic*	44.18%	30.0	2.4	0.01	0.08	0.005	0.053	-1.38	0.05	0.01
	Concentrate	142	68.0	5.5	0.02	0.18	0.012	0.130	-3.12	0.12	0.03
Inferred	<i>In situ</i> Total	847	35.0	45.6	0.77	2.00	0.063	0.39	-1.15	1.77	0.04
	<i>In situ</i> Magnetic*	45.70%	30.8	2.8	0.01	0.06	0.004	0.042	-1.37	0.03	0.01
	Concentrate	387	67.5	5.9	0.03	0.14	0.009	0.096	-3.00	0.06	0.02
Total	<i>In situ</i> Total	1,170	34.9	45.8	0.71	1.82	0.060	0.137	-1.12	1.81	0.11
	<i>In situ</i> Magnetic*	45.28%	30.6	2.7	0.01	0.07	0.004	0.045	-1.37	0.03	0.01
	Concentrate	530	67.7	5.80	0.03	0.15	0.010	0.105	-3.03	0.07	0.02

Table 1: Mt Bevan Resource Estimate

*In situ Magnetic is the material that is expected to report to the magnetic fraction. The in situ Magnetic quantities in the Tonnes column are expressed as the percentage of the in situ Total tonnes (as estimated from Davis Tube Mass recovery). - See Announcements from 2014 and 2015

(Full details of the project are available at the Company website www.legacyiron.com.au)

Also, the joint venture has successfully identified multiple targets for DSO iron ore mineralisation in the tenement. For DSO, particularly at Mt Mason North where a hematite resource (DSO) lies across the tenement boundary with Jupiter Mines Limited. Several geological mapping traverses were made in the area (Mt Mason and Eastern BIFs) during the past two years and a large number of rock chip samples was collected for geochemical analysis to support the delineation of some drill targets.

There are still substantial areas of the Mezzo/Eastern BIF to be mapped and sampled. It is planned to continue the mapping/sampling program over the Eastern/Mezzo BIF.

Additionally, during past few quarters, a thorough prospectivity assessment of the tenement was completed for the minerals other than iron. This review led the Company to identify a number of early stage exploration targets, including one in the northern most part of the tenement (Figure 3).

Mt Bevan Nickel – Copper:

The Mt Bevan project is located immediately south and adjacent of St George Mining Limited's (ASX: SGQ) Mt Alexander Project/ tenement. St George has recently had significant success in identifying nickel-copper sulphide mineralisation at Cathedrals, Stricklands and Investigators along the Cathedrals Shear zone (Figure 3). These targets and the latest round of follow up work on them has been discussed below.




Figure 3: Mt Bevan Project – Airborne Magnetic data image (TMI) showing area of interest for the nickel sulphide exploration

Previous exploratory work done by Legacy Iron included, ground magnetic and ground electromagnetic surveys on priority target areas in the northern most part of the tenement.

Ground magnetic survey identified six different target zones in the project, including three high priority targets, which have significant potential to host nickel sulphide mineralization, based on their structural and geological setting and similarities to the adjoining Cathedrals fault. It is interpreted that this fault controls the mineralisation recently identified by St Georges Mining Limited. These targets have been discussed in detail in the previous ASX announcements. As a follow up, a Moving Loop Ground Electromagnetic survey (MLEM) was completed during early 2017 on the priority one target areas to delineate highly conductive bedrock sources consistent with massive nickel sulphide mineralisation (refer previous ASX announcements).




Figure 4: Detailed structural interpretation on recently acquired ground magnetic data image (TMI)




Figure 5: Mt Bevan MLEM Slingram late time gridded (linear colour Stretch image) of CH25 (17.9ms)/

As discussed in the previous reports, the MLEM data interpretation, completed by Newexco Services Pty Ltd, did not identify any Category 1 or very high priority anomaly in this initially targeted area, however, a lower order anomalous response was observed over three lines (232250E, 232050E and 231850E). This anomalous response coincides with the fault/shear zone similar to the Cathedral fault zone.

Due to the nature of the ground, further EM work employing a different configuration or other surface exploration technique was recommended to determine if the response is due to a bedrock conductor and upgrade the anomalies. Based on the above recommendation, joint venture decided to carry out auger geochemical sampling across all the targets identified by the EM or Ground magnetic survey.

During the previous quarter the auger sampling work (Auger Samples) was completed during mid to late June 2017. A total of approximately 1,100 samples were analysed for base metal suite of element at SGS lab (Figure 6).

Initial review of the results (received during this quarter) shows that the absolute values of the nickel and related elements are relatively low (subdued) however it can potentially be explained by the semi transported nature of the cover (soil profile) in the area. Some of the anomalous results are coincident with the interpreted low order EM and Mag anomalies in northern and central part of the sampling area.

A major anomalous response in the southern part of the sampling area is more or less coincident with a regional and other numerous local scale structures (Figure 6). To determine the source of the anomalies the joint venture plans a further detailed evaluation of these results by combining all the relevant data sets and drill test the key targets areas during Mar to June 2018.

Figure 6 below shows the results for nickel and copper values on the ground EM data.




Figure 6: Mt Bevan Project: Auger Sampling Results (Ni and Cu in ppm) on MLEM Silngram Late Time Gridded Image (linear colour stretch) of CH25

All the auger sampling results are attached as appendix 1 at end of this report.

Follow up Program

- As discussed above, complete a detailed interpretation by combining ground geophysical, remote sensing and the recent geochemical sampling results to define the potential drill targets
- Drill test the high priority targets (1,500-2,000m RC drilling) in Mar -June 2018.
- Geological mapping and sampling for remaining two target areas and if required some ground geophysics.
- Continue exploration (mapping/sampling) for shallow DSO iron ore mineralisation on tenement and identify drill targets.

GOLD

South Laverton Gold Project

Figure 7 shows the location of current projects at South Laverton. The projects Mt Celia, Yarrilla and Yilgangi has gold occurrences with some known gold resource estimates from prior years (prior to the change in JORC code reporting in 2012). Legacy Iron plans to upgrade the resource upgrade for all the significant occurrence. A Resource upgrade for the Mt Celia project is currently underway.

Exploration on the South Laverton Project in the quarter focussed on the Mt Celia project, and lesser work on the Patricia North and Sunrise Bore projects.

Mt Celia Project




Figure 7: South Laverton Gold Project – Mt Celia

The Mt Celia Project lies within the Laverton Tectonic Zone some 40km south of the Sunrise Dam gold mine (approximately, 8Moz gold resource), as shown in Figure 7.

The Project currently contains several known gold occurrences including Kangaroo Bore and Blue Peter projects (Figure 8). At Kangaroo Bore a significant amount of the historical drilling is already available indicating that the mineralisation extends for length of over 1 km.

At Blue Peter, the shear system contains several small historic gold workings (Figures 9). The shear system extends over a distance of at least 2 kilometers, and consists of single, parallel or

enechelon quartz filled shears within mafic and lesser ultramafic lithologies, that flank an eastern granitoid. This geometry coupled with the widespread gold dry blowings is favourable for a bulk tonnage gold potential for the system.

The upgraded JORC compliant resource is currently being estimated by SRK Consulting for both the prospects. It is likely to be completed by mid-November 2017.




Figure 8: Mt Celia Project- Aerial image showing Kangaroo Bore, Blue Peter, Coronation and other prospects

The Kangaroo Bore prospect has seen a significant amount of exploration since 1987. A total of over 250 holes including 24 diamond holes have been drilled. These holes are along 45 drill sections which are located at approximately 25m apart from each other and perpendicular to the length of the mineralisation.

An additional 22 RC drill hole QAQC program has also been drilled in the month of September 2017 to further support the resource upgrade and provide higher levels of confidence. This program is likely to be available by mid Nov 2017.

At Blue Peter and Coronation prospects, a total of 115 RC holes have been drilled to date and like Kangaroo Bore the resource estimate is underway currently.




Figure 9: Mt Celia Project- Historical and current drill hole locations for Kangaroo Bore, Blue Peter, Coronation and other prospects

Future Plan:

- Complete the resource update by mid Nov 2017 (latest).
- Carry out pit optimisation study for the project and plan the next step to assist with the project development (if supported by the study outcome).
- Plan for the next round of drilling on other prospects present with in the Mt Celia project.
- Drill test the multiple Auger and RAB drilling anomalies known in the project area.

Sunrise Bore Project

The Sunrise Bore project lies some 12 km east of the world class Sunrise Dam gold mine operated by AngloGold Ashanti (Figure 7). A number of prospective shear structures have been identified within the project area associated either with gold anomalism noted in earlier field work and/or nugget gold found by recent prospecting.

Towards the end of the last quarter, the company completed the third phase of the auger soil geochemical sampling program and geological traversing in the project. The Auger sampling covered the target areas that were not been adequately tested in past and historical sampling, and showed anomalism for gold and rare earth elements (Figure 10). All of these areas are associated with mapped regional geological structures and some gold anomalism.

The sampling work was mainly focused in the northern and southern part of the tenement. The central area of the tenement has already been sampled in the first two successful rounds of the auger sampling (ASX announcement - Aug 2016 & Figure 10 & 11). A number of anomalies have already been defined in the central part of the tenement and will be followed up/drill tested along with the additional anomalies identified from this third phase of the auger sampling.

During this quarter, no major field activity has been completed.

A total of 1,587 auger samples were collected and results of these samples were received towards end of this quarter. QAQC assessment of the results and interpretation is underway currently.




Figure 10: Sunrise Bore Project showing magnetic image with Phase 3 sampling areas




Figure 11: Sunrise Bore Phase 1 & 2 Sampling Results

Follow up Program

Once the analytical results of this latest round of auger sampling interpreted, a follow-up strategy will be developed for the project and is likely to include infill geochemical sampling (auger, stream and rock chip sampling) along with ground based geophysical survey and RC/RAB drilling where necessary.

Given the Sunrise Bore project is a large tenement, some additional work including regional geochemical sampling, mapping and geophysical survey will also be undertaken over other areas of the tenement.

GOLD/BASEMETALS – EAST KIMBERLEY

The East Kimberley Project tenement is located in the Halls Creek area, 347km south of Kununurra and is readily accessible via the sealed Great Northern Highway. The project currently comprises exploration licence “Koongie Park - E80/4221” (Figure 12).




Figure 12: East Kimberley Project

Koongie Park Project

Legacy Iron holds exploration licence E80/4221 that is contiguous with ground under exploration by Anglo Australian Resources Limited (AAR) at its Koongie Park VHMS base metals deposit. AAR has defined substantial base metal/gold/silver mineralisation in two deposits to date, with a total JORC resource (Indicated and Inferred) of 8Mt at 3.3% zinc, 1.2% copper, 0.3g/t gold and 23g/t silver. AAR has also recently outlined a shallow supergene high grade copper resource.

The style of mineralisation (VHMS) is similar to that found at Sandfire Resources' Doolgunna and Monty discoveries and at the Teutonic Bore/Jaguar/Bentley deposits of Independence Group. This style of deposit is known worldwide to occur in clusters and often the early discoveries in these camps are not the largest.

Historical exploration done by Legacy Iron has consisted of:

- Field reconnaissance and minor rock chip sampling. Most of the northern part of the tenement is under shallow alluvial cover with very little rock outcrop.

-
- The flying of a helicopter borne geophysical survey over the northern part of the tenement. This was conducted by Fugro Geophysical Surveys and comprised a HELITEM survey measuring the electrical conductivity of the ground at depth.
 - Drill testing (drilled 12 RC drill holes for 2,133 metres) over some of the high priority EM targets (HELITEM targets) but none of the drill hole intersected any mineralisation, however the drilling to date has only tested a small part of this unit (less than 1 km strike), and at a wide spacing.
 - A detailed geological review of the tenement was completed based on all the available data sets during Oct – Nov 2016. An area of 25 sq km was outlined for soil geochemical sampling with spacing of 200x80m grid and geological traversing.
 - A total of 1,436 location at 200x80m spacing have been sampled (auger soil geochemical samples) in the target area of 25 sq km. (Figure 13). The results of this work identified a number of anomalies for Base metals and REE (Figure 14-16 and ASX announcement on 31 July 2017).
 - Geological traversing by the company in the past has identified an additional mineralised outcrop with anomalous values of Zn and Cu. These values were measured by using hand held XRF (portable XRF) unit and are indicative only and used in project as an additional tool to further assist the visual assessment of rock samples in the field. The outcrop is approximately 30-50m wide and 400-500m long. This outcrop is located approximately 1.5km ENE of the Sandiego deposit and 800m N of the known gossanous outcrop with in the tenement area (Figure 13).

Work completed during the quarter:

- A follow up ground traversing was completed across all the all the anomalies identified from the augur sampling program (Base Metals and REE anomalies) in the project area.
- Within the above areas of initial interest for follow-up, geological traversing identified a number of oxidised/gossanous outcrops for base metals (with Zn values ranging from 50 ppm to 2000 ppm) and rocks enriched in heavy rare earth minerals (~1000 ppm Y) - Figure 13.




Figure 13: Koongie Park Project: Work Completed and Results




Figure 14: Koongie Park project auger sampling – results







Figure 15: Koongie Park project auger sampling – results




Figure 16: Koongie Park project auger sampling – results

Future Plan:

The follow-up steps/plan for the project includes-

- Complete a detailed analysis of the geochemical results along with geological and geophysical data sets to define anomalies for follow-up.
- Geological mapping and sampling in the southern part of the tenement where a number of occurrences are known for base metals.
- Follow-up by ground geophysics if required and Drill testing (approximately 3,000m)

PLANNED ACTIVITIES – DECEMBER 2017 QUARTER

Principal activities planned for the December 2017 quarter will comprise:

Mt Bevan Project: Data interpretation and follow-up planning including finalising drill location for with JV partner for testing any potential the nickel targets in the project area

South Laverton: Complete the resource estimation for Mt Celia project which is likely to increase the resource estimate for the project from the known historical resource numbers.

Decision on the next step for the project.

Sunrise Bore – Geochemical data interpretation of the latest round of the Auger sampling

East Kimberley: Detail interpretation of the geochemical sampling results and review the HeliTEM data in the light of the latest information.

New Tenements: Develop a follow-up strategy/work plan for each of the tenement to act once they are granted.

Project Generation: Continue to review new potential opportunities.

Competent Person's Statement:

The information in this report that relates to Exploration Results is based on information compiled by Bhupendra Dashora who is a member of AusIMM and a consultant to Legacy Iron Ore Limited. Mr. Dashora has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves". Mr. Dashora consents to the inclusion in this report of the matters based on his information in the form and the context in which it appears.

Appendix -1

Auger Sampling results for the Mt Bevan Project

Mt Devan Auger Sampling Results																								
Sample ID	Easting	Northing	Elevation	Colour	Hydrochloric Acid Reaction	Depth of Best Reaction	Comments	Ag_ppm	As_ppm	Au_ppb	Ba_ppm	Be_ppm	Bi_ppm	Cd_ppm	Ce_ppm	Co_ppm	Cs_ppm	Cu_ppm	Dy_ppm	Er_ppm	Eu_ppm	Ga_ppm	Gd_ppm	Hf_ppm
Reaction																								
MBA0001	230478	6802792	550.1	Red Brown	0	1.5		0.06	1.8	1	11.9	0.55	0.45	0.02	21.7	7.7	0.7	19.2	0.9	0.5	0.25	5.15	1.15	0.21
MBA0002	230607	6802750	420.7	Red Brown	0	1.5		0.08	1.3	X	11.5	0.44	0.43	0.01	15.4	5.2	0.61	16.1	0.7	0.39	0.2	5.83	0.97	0.22
MBA0003	230600	6802798	425.4	Red Brown	0	1.5		0.07	1.6	1	9.1	0.34	0.33	0.01	14.6	3.3	0.66	17.5	0.65	0.37	0.19	4.98	0.89	0.23
MBA0004	230606	6802844	424.2	Red Brown	0	1.5		0.06	1.3	X	12.4	0.43	0.33	0.01	16.8	4.6	0.62	14.5	0.66	0.37	0.2	4.91	0.96	0.22
MBA0005	230600	6802903	423.6	Red Brown	0	1.5		0.09	1.6	X	16.4	0.44	0.35	0.03	18.2	5.1	0.6	19.4	1.05	0.58	0.31	4.79	1.45	0.15
MBA0006	230609	6802953	423.4	Red Brown	0	1.5		0.07	1.9	X	19.5	0.67	0.4	0.02	24.4	8.6	0.86	23	0.98	0.56	0.28	6.17	1.23	0.22
MBA0007	230606	6803000	422.5	Red Brown	0	1.5		0.06	1.7	X	12.5	0.6	0.46	0.02	24.5	8.3	0.92	22.9	1.03	0.58	0.31	6.35	1.35	0.23
MBA0008	230601	6803053	425.5	Red Brown	0	1		0.06	1.6	X	13.6	0.5	0.39	0.02	20.9	7.3	0.83	20.8	0.97	0.54	0.28	6.02	1.29	0.18
MBA0009	230602	6803102	427.9	Red Brown	0	1.5		0.06	1.5	X	10.6	0.41	0.36	0.01	14.9	4.8	0.66	17.7	0.72	0.41	0.21	5.38	1.02	0.17
MBA0010	230606	6803148	428.3	Red Brown	0	1		0.06	1.7	X	21.6	0.53	0.41	0.03	20.7	8	0.88	25.9	1.14	0.63	0.33	5.93	1.57	0.12
MBA0011	230603	6803200	412.3	Red Brown	0	1.5		0.05	1.9	X	11.8	0.3	0.33	X	12.4	2.9	0.63	15	0.58	0.34	0.17	4.94	0.82	0.2
MBA0012	230608	6803250	421.3	Red Brown	0	1.5		0.08	1.3	X	10.8	0.35	0.31	0.01	11.9	4.4	0.57	14.5	0.5	0.28	0.14	4.3	0.71	0.18
MBA0013	230601	6803299	423.2	Red Brown	0	1.5		0.07	1.5	1	11.1	0.43	0.35	0.02	14.9	5.3	0.67	15.6	0.67	0.37	0.19	4.85	0.92	0.17
MBA0014	230600	6803349	420.9	Red Brown	0	1		0.07	1.8	X	39.4	0.81	0.48	0.03	33.1	12.2	1.26	31.5	1.47	0.84	0.45	7.69	1.86	0.16
MBA0015	230611	6803399	425.6	Red Brown	0	1.5		0.05	1.9	1	23.1	0.78	0.46	0.01	24.9	12.5	1.05	25.8	1.06	0.59	0.31	7.17	1.33	0.2
MBA0016	231000	6802795	432.8	Red Brown	0	1.5		0.03	1.2	X	12.2	0.31	0.29	0.02	12.6	4	0.48	15.9	0.58	0.33	0.16	3.69	0.84	0.15
MBA0017	231001	6802853	434.1	Red Brown	0	1.5		0.03	1.2	X	10.2	0.35	0.31	0.02	13.1	4.5	0.59	15	0.64	0.36	0.18	4.08	0.88	0.14
MBA0018	230993	6802898	432.1	Red Brown	0	1		0.04	1.4	X	24.6	0.68	0.5	0.03	24.6	10.4	1.21	30.4	1.27	0.74	0.39	7.19	1.65	0.16
MBA0019	230992	6802949	432	Red Brown	0	1		0.08	1.9	X	23.8	0.73	0.49	0.03	24.8	11.3	1.31	34.7	1.6	0.88	0.46	7.54	2.03	0.12
MBA0020	231006	6803001	430.4	Red Brown	0	1		0.06	1.4	X	25.7	0.58	0.47	0.04	20.6	11.5	1.21	33.5	1.26	0.72	0.42	6.64	1.61	0.16
MBA0021	230997	6803048	430.7	Red Brown	0	1		0.05	1.7	X	23.9	0.69	0.51	0.03	24.8	11.8	1.11	30.4	1.29	0.74	0.38	6.72	1.67	0.19
MBA0022	230998	6803102	431.8	Light Brown	0	1.5		0.06	1.8	2	40	0.53	0.61	0.05	18.6	7.8	0.8	29.9	1.25	0.72	0.32	7.21	1.61	0.16
MBA0023	230998	6803155	431.1	Red Brown	0	1.5		0.06	1.6	1	18.4	0.39	0.33	0.03	16.4	5.3	0.67	18.5	0.83	0.47	0.23	4.07	1.18	0.15
MBA0024	231003	6803201	429.1	Red Brown	0	1		0.05	1.1	X	23.3	0.63	0.48	0.02	21.7	10.3	1.01	29	1.25	0.7	0.36	6.75	1.61	0.15
MBA0026	230997	6803250	431.2	Red Brown	0	1.5		0.05	1	X	19.7	0.44	0.44	0.04	16.3	6.4	0.65	20.6	0.96	0.54	0.27	4.81	1.27	0.12
MBA0027	230998	6803310	426.9	Red Brown	0	1.5		0.05	1	1	31.8	0.66	0.6	0.03	23.4	10.3	1.08	29	1.3	0.76	0.37	7.3	1.62	0.17
MBA0028	231016	6803352	431.1	Red Brown	3	1.5	Off coordinates due to thick bush;	0.03	0.9	1	41	0.56	0.7	0.04	21.1	9.7	0.95	28.4	1.3	0.73	0.38	7	1.65	0.08
MBA0029	230997	6803400	432.5	Red Brown	0	1.5		0.07	1.2	2	19.3	0.46	0.39	0.03	16.1	6.2	0.78	21	0.84	0.5	0.25	5.21	1.15	0.18
MBA0030	230997	6803458	429.1	Red Brown	0	1.5		0.04	1	3	29.9	0.54	0.49	0.03	22.2	9	1.02	24.9	1.22	0.69	0.36	5.87	1.59	0.17
MBA0031	230997	6803508	432.6	Red Brown	1	1.5		0.05	1.1	X	33.2	0.59	0.76	0.04	22	9	0.98	27.4	1.29	0.72	0.38	6.99	1.67	0.15
MBA0032	231197	6802450	427.2	Red Brown	0	1.5		0.05	1.1	X	25.9	0.73	0.65	0.04	31.3	10.2	1.01	27.1	1.46	0.82	0.43	8.1	1.95	0.18
MBA0033	231195	6802405	427.8	Red Brown	0	0.5		0.02	0.9	X	18.5	0.5	0.59	0.03	20.3	6.8	0.81	23.6	0.95	0.52	0.28	6.82	1.32	0.16
MBA0034	231208	6802352	427	Red Brown	0	1		0.04	1.8	X	18.6	0.7	0.7	0.03	24.4	9.5	1.14	26.5	1.3	0.72	0.4	8.14	1.77	0.19
MBA0035	231302	6802656	418.4	Red Brown	0	1.5		0.04	1.1	1	31.4	0.57	0.47	0.04	24.1	8.7	0.99	26.9	1.2	0.68	0.35	6.2	1.62	0.18
MBA0036	231304	6802603	428.4	Red Brown	1	1		0.04	0.9	X	15.9	0.45	0.43	0.03	18.1	6.3	0.74	20.8	0.88	0.51	0.26	5.35	1.23	0.16
MBA0037	231309	6802558	430.6	Red Brown	0	1		0.03	1.4	X	10.8	0.53	0.52	0.02	17	5.8	0.85	20.1	0.82	0.45	0.24	6.71	1.15	0.26
MBA0038	231302	6802502	428.4	Red Brown	0	1		0.03	1.2	X	25.5	0.55	0.47	0.02	22.1	8	0.86	19.4	1.06	0.6	0.32	6.59	1.43	0.24
MBA0039	231306	6802455	426.8	Red Brown	0	0.5		0.06	1.1	X	94.8	0.68	0.48	0.07	22.7	8.1	0.81	27.6	1.49	0.89	0.43	6.01	1.86	0.2
MBA0040	231313	6802405	429.3	Red Brown	0	1.5		0.05	1.4	2	23.5	0.65	0.54	0.04	26.3	9.2	1.02	26.1	1.37	0.77	0.42	6.65	1.81	0.2
MBA0041	231303	6802354	424	Red Brown	0	1		0.03	1.1	X	26.5	0.66	0.67	0.04	26.2	10.7	1.32	32.3	1.52	0.85	0.46	8.44	2	0.14
MBA0042	231302	6802304	429.9	Red Brown	0	1.5		0.04	1.1	X	18.6	0.6	0.58	0.04	23.9	6.8	0.76	21.7	1.08	0.6	0.32	6.86	1.48	0.19
MBA0043	231301	6802258	429.7	Red Brown	0	1.5		0.03	1.1	X	14.6	0.4	0.48	0.02	17.3	4.6	0.53	15.5	0.77	0.42	0.23	5.34	1.05	0.24
MBA0044	231403	6802255	429.9	Red Brown	0	1.5		0.03	1.3	X	10.6	0.42	0.5	0.02	17.9	4.3	0.74	15.6	0.78	0.45	0.24	6	1.13	0.26
MBA0045	231405	6802309	432.6	Red Brown	0	1.5		0.02	1.3	X	12.8	0.39	0.51	0.02	24.2	4.9	0.66	16.7	0.86	0.46	0.22	5.94	1.5	0.19
MBA0046	231405	6802358	433.2	Red Brown	0	1.5		0.03	2.1	X	25.5	0.69	0.53	0.03	26.7	9.6	0.98	27.5	1.44	0.83	0.44	7.39	2.01	0.19
MBA0047	231407	6802401	436	Red Brown	1	1		0.04	2.3	X	19.8	0.83	0.68	0.03	29.3	11.1	1.09	27.5	1.37	0.78	0.42	9.96	1.81	0.23
MBA0048	231403	6802452	434.3	Red Brown	0	1		0.03	2.1	X	15	0.48	0.46	0.02	20.6	8.8	0.7	19	0.89	0.51	0.26	6.55	1.17	0.18
MBA0049	231398	6802504	433.6	Red Brown																				

Sample ID W_ppm Y_ppm Yb_ppm Zn_ppm Zr_ppm

MBA0001	X	3.93	0.47	13	7.2
MBA0002	X	3.44	0.37	14	7.6
MBA0003	X	3.08	0.33	13	7.9
MBA0004	X	3.25	0.34	13	6.9
MBA0005	X	5.68	0.51	15	6
MBA0006	X	4.57	0.52	16	7.4
MBA0007	X	4.51	0.54	17	7.4
MBA0008	X	4.68	0.48	16	6.3
MBA0009	X	3.67	0.38	14	6.7
MBA0010	X	5.98	0.56	21	5.2
MBA0011	X	2.95	0.32	13	7.1
MBA0012	X	2.46	0.27	13	5.8
MBA0013	X	3.5	0.36	13	5.8
MBA0014	X	7.21	0.77	23	5.2
MBA0015	X	5.08	0.57	18	6.4
MBA0016	X	2.99	0.31	13	5.3
MBA0017	X	3.14	0.35	14	5.3
MBA0018	X	6.47	0.67	26	5.1
MBA0019	X	8.04	0.81	29	4.8
MBA0020	X	6.89	0.67	28	5
MBA0021	X	6.47	0.69	23	6.8
MBA0022	X	6.79	0.66	22	6.7
MBA0023	X	4.25	0.44	25	4.6
MBA0024	X	6.23	0.66	21	4.5
MBA0026	X	5.1	0.48	17	3.6
MBA0027	X	6.79	0.7	21	4.6
MBA0028	X	7.04	0.68	22	3.1

MBA0029	X	4.54	0.46	17	5.3
MBA0030	X	6.09	0.62	18	4.4
MBA0031	X	6.8	0.65	20	4.6
MBA0032	X	7.81	0.73	22	6
MBA0033	X	5.11	0.48	20	5.9
MBA0034	X	6.52	0.66	22	7.1
MBA0035	X	6.63	0.62	20	5.1
MBA0036	X	4.63	0.5	16	5
MBA0037	X	4.04	0.45	15	7.8
MBA0038	X	5.46	0.57	15	7.6
MBA0039	X	10.4	0.74	24	6.8
MBA0040	X	6.8	0.67	19	6.5
MBA0041	X	7.88	0.74	30	5.3
MBA0042	X	5.72	0.54	18	6.2
MBA0043	X	3.84	0.38	13	6.7
MBA0044	X	3.81	0.43	16	8.1
MBA0045	X	4.1	0.4	17	6.6
MBA0046	X	7.78	0.73	22	7.2
MBA0047	X	6.83	0.73	19	7.4
MBA0048	X	4.56	0.48	16	7.1
MBA0049	X	5.2	0.52	16	7.4
MBA0050	X	4.08	0.42	14	6
MBA0052	X	5.47	0.51	16	6.2
MBA0053	X	4.93	0.48	15	5.3
MBA0054	X	7.2	0.71	23	5.7

Note: x - Assays below detection limit for the element

Mt Devan Auger Sampling Results

Sample ID		Easting	Northing	Elevation	Colour	Hydrochloric Acid Reaction	Depth of Best Reaction	Comments	Mt Devan Auger Sampling Results																
									Ag_ppm	As_ppm	Au_ppb	Ba_ppm	Be_ppm	Bi_ppm	Cd_ppm	Ce_ppm	Co_ppm	Cs_ppm	Cu_ppm	Dy_ppm	Er_ppm	Eu_ppm	Ga_ppm	Gd_ppm	Hf_ppm
MBA0055	231402	6802753	431.5	Red Brown	0	0.5			0.03	2	X	30.6	0.79	0.49	0.05	33.1	14.4	1.18	38.1	1.86	1.05	0.56	7.33	2.49	0.14
MBA0056	231402	6802805	431.7	Red Brown	0	1			0.03	2.1	X	28.8	0.7	0.44	0.05	23.2	12.8	1.16	37.3	1.59	0.94	0.46	6.82	1.99	0.18
MBA0057	231498	6802901	429.8	Red Brown	0	1			0.04	2.2	X	39	0.87	0.58	0.06	31	16.4	1.45	45.5	2.1	1.25	0.62	8.26	2.71	0.15
MBA0058	231504	6802849	431.3	Red Brown	0	0.5			0.14	1.8	1	33.9	0.63	0.44	0.05	22.6	12.4	1.05	36.3	1.48	0.85	0.44	5.92	1.87	0.14
MBA0059	231503	6802794	429.4	Red Brown	0	1.5			0.03	1.8	X	34.7	0.72	0.52	0.06	26.4	13.1	1.24	40	1.8	1.07	0.54	6.49	2.28	0.13
MBA0060	231494	6802751	429.2	Red Brown	0	1			0.06	1.9	X	32.6	0.62	0.49	0.07	24.6	10.3	0.94	33.7	1.48	0.85	0.42	6.48	1.89	0.09
MBA0061	231506	6802703	431.7	Red Brown	0	0.5			0.03	1.8	X	30.6	0.78	0.59	0.05	29.9	14.4	1.22	39.8	1.85	1.07	0.53	7.66	2.43	0.13
MBA0062	231502	6802646	431.3	Red Brown	0	1			0.03	2	X	29.1	0.68	0.56	0.05	26	11.8	1.04	32.9	1.5	0.85	0.44	6.66	1.95	0.15
MBA0063	231502	6802600	432.8	Red Brown	0	1.5			0.02	1.5	X	16.2	0.5	0.34	0.02	21.8	6.2	0.7	20.5	0.87	0.48	0.22	5.35	1.46	0.16
MBA0064	231500	6802551	432	Red Brown	0	1.5			0.02	1.4	X	14.2	0.44	0.4	0.02	16.9	5.9	0.62	20	0.9	0.51	0.25	4.79	1.18	0.12
MBA0065	231503	6802495	432.5	Red Brown	0	1.5			0.03	1.7	X	11.6	0.48	0.49	0.02	17.3	6.7	0.65	20.1	0.87	0.48	0.25	6.27	1.14	0.19
MBA0066	231499	6802449	430.0	Red Brown	0	0.5			0.02	1.8	X	14.5	0.42	0.4	0.02	17.3	5.4	0.64	19	0.79	0.44	0.23	5.55	1.12	0.17
MBA0067	231504	6802396	428.8	Red Brown	0	0.5			0.04	2.4	X	25.6	0.81	0.6	0.04	28.1	12.7	1.23	36.8	1.61	0.9	0.48	9.03	2.14	0.16
MBA0068	231503	6802348	428.4	Red Brown	0	1			0.03	1.9	X	13.6	0.55	0.53	0.02	22.4	7.8	0.8	23	1.18	0.64	0.36	7.41	1.58	0.2
MBA0069	231502	6802303	429.2	Red Brown	0	1			0.02	1.6	X	10.7	0.49	0.55	0.02	20.6	5.8	0.67	17.7	0.9	0.5	0.28	7.65	1.25	0.22
MBA0070	231503	6802258	434	Red Brown	0	1			X	1.5	X	8	0.26	0.4	X	14.1	3	0.61	13.3	0.62	0.34	0.19	5.62	0.91	0.21
MBA0071	231604	6802254	434.9	Red Brown	0	0.5			X	1.4	X	11.4	0.4	0.4	0.01	17.5	5.4	0.73	17.7	0.82	0.47	0.25	6.58	1.15	0.23
MBA0072	231603	6802299	434.3	Red Brown	0	1			0.02	1.7	X	8.3	0.41	0.51	0.02	15.9	4	0.65	16.1	0.76	0.42	0.24	6.85	1.05	0.29
MBA0073	231596	6802354	436.3	Red Brown	0	1			0.02	1.6	X	14.9	0.47	0.46	0.02	19.9	6.9	0.77	21.5	0.92	0.51	0.28	6.67	1.27	0.21
MBA0074	231603	6802404	434.4	Red Brown	0	1.5			0.03	1.4	X	35.9	0.7	0.72	0.05	27.7	11	0.97	30.3	1.58	0.87	0.49	7.71	2.03	0.14
MBA0076	231602	6802458	435.2	Red Brown	0	1.5			0.04	1.5	X	15.9	0.59	0.52	0.02	21.3	8.9	0.85	24.1	1.1	0.63	0.33	6.95	1.49	0.21
MBA0077	231598	6802505	434.7	Red Brown	0	1			0.02	1.4	X	24.5	0.51	0.38	0.04	18.4	7.9	0.74	24.9	1.07	0.62	0.32	5.64	1.43	0.1
MBA0078	231600	6802557	430.7	Red Brown	0	1			0.04	1.8	X	39.1	0.82	0.53	0.07	29.9	14.8	1.36	43	1.88	1.05	0.57	8.22	2.48	0.16
MBA0079	231600	6802604	433.6	Red Brown	0	1			0.05	1.7	X	62.2	0.74	0.51	0.06	27.8	19.1	1.15	36.6	1.64	0.96	0.5	7.11	2.12	0.15
MBA0080	231600	6802657	430.4	Red Brown	0	1			0.03	1.9	X	32.4	0.76	0.51	0.05	28.6	14.4	1.23	42.7	1.83	1.03	0.54	7.61	2.36	0.13
MBA0081	231599	6802702	430	Red Brown	0	1			0.03	1.6	X	29.2	0.69	0.52	0.05	33.8	14.3	1.11	40.6	1.92	1.06	0.54	6.64	2.7	0.1
MBA0082	231600	6802756	429.9	Red Brown	0	1.5			0.04	1.7	X	36.8	0.71	0.53	0.05	24.5	12.7	1.21	38.5	1.63	0.94	0.49	7.26	2.11	0.16
MBA0083	231597	6802804	434.3	Red Brown	0	1.5			0.04	1.8	X	39.3	0.73	0.49	0.06	34.5	12.6	1.33	38.8	1.79	1.03	0.52	7.1	2.66	0.15
MBA0084	231603	6802850	433.5	Red Brown	0	1			0.03	1.8	X	35.4	0.84	0.55	0.05	27.3	14.6	1.5	41.7	1.75	1.01	0.54	8.41	2.28	0.17
MBA0085	231603	6802903	430	Red Brown	0	1			0.04	1.6	1	27.4	0.72	0.49	0.05	25.9	12.6	1.11	35.3	1.58	0.91	0.47	7.61	1.98	0.16
MBA0086	231603	6802954	431.3	Red Brown	0	0.5			0.03	2.2	X	40.2	0.69	0.49	0.06	25.3	13.4	1.16	38.3	1.77	1.01	0.52	6.97	2.21	0.1
MBA0087	231598	6802997	431.3	Red Brown	0	1.5			0.08	1.5	X	16.1	0.5	0.46	0.02	17.7	7	0.77	22	0.94	0.55	0.28	6.63	1.26	0.16
MBA0088	231701	6803450	431.2	Red Brown	0	1			0.02	1.7	X	11.6	0.36	0.38	0.02	17.8	3.8	0.66	16.6	0.8	0.47	0.24	6.97	1.13	0.25
MBA0089	231702	6803399	429.3	Red Brown	0	1			0.04	2.1	X	11	0.46	0.44	0.02	16.2	5.6	0.69	19.1	0.86	0.5	0.26	7.63	1.17	0.33
MBA0090	231709	6803352	425.4	Red Brown	0	1.5			0.02	1.7	1	7.9	0.33	0.31	0.01	14.3	4	0.54	15.5	0.65	0.37	0.19	5.86	0.9	0.22
MBA0091	231702	6803300	429.2	Red Brown	0	1			0.03	1.9	2	8.9	0.23	0.34	0.01	13	2.5	0.53	14.5	0.52	0.27	0.15	5.75	0.74	0.24
MBA0092	231709	6803047	439.5	Red Brown	0	1			0.03	2.1	1	36.4	0.73	0.53	0.05	28.1	15.3	1.1	39.8	1.7	0.97	0.49	7.85	2.1	0.12
MBA0093	231699	6802997	426	Red Brown	0	0.5			0.03	1.7	2	24.8	0.54	0.51	0.04	21.4	11.9	0.81	30.9	1.32	0.75	0.38	5.97	1.64	0.11
MBA0094	231704	6802945	425.8	Red Brown	0	1			0.03	2	1	33.7	0.67	0.49	0.05	24.9	14.1	1.05	37.4	1.65	0.95	0.47	7.33	2.01	0.16
MBA0095	231714	6803252	426.8	Red Brown	0	1			X	1.8	2	7.1	0.32	0.33	0.01	14.2	4.9	0.49	14.4	0.68	0.37	0.2	5.34	0.9	0.09
MBA0096	231691	6803195	431.9	Red Brown	0	1			0.04	2.3	3	28	0.69	0.49	0.05	30.7	13.5	0.99	33	1.73	0.99	0.52	7.73	2.22	0.12
MBA0097	231702	6803147	435.6	Red Brown	0	1			0.03	2.3	3	34.4	0.68	0.46	0.06	28.5	14.7	1.08	36.8	1.74	0.98	0.5	7.16	2.19	0.14
MBA0098	231709	6803099	436.8	Red Brown	0	1.5			0.03	2.3	3	33.6	0.66	0.5	0.05	26.8	13.2	1.05	36.3	1.76	0.98	0.53	7.43	2.19	0.13
MBA0099	231690	6802890	431.7	Red Brown	0	0.5			0.02	1.9	X	24.8	0.55	0.42	0.05	22.3	11.8	0.93	32.8	1.51	0.89	0.44	6.07	1.88	0.14
MBA0100	231704	6802844	434.7	Red Brown	0	1			0.03	1.8	2	21.6	0.51	0.43	0.03	21.9	9.3	0.79	27.2	1.23	0.7	0.32	5.4	1.56	0.15
MBA0102	231702	6802800	432.6	Red Brown	0	1			0.04	1.9	2	31.6	0.64	0.49	0.04	23.9	11.3	1.03	32.6	1.43	0.82	0.41	7.3	1.77	0.2
MBA0103	231702	6802745	427	Red Brown	0	1.5			0.05	1.6	2	28	0.5	0.47	0.04	23.8	9.3	0.86	30.3	1.28	0.74	0.32	5.39	1.7	0.19
MBA0104	231702	6802698	428.7	Red Brown	0	1			0.03	1.8	2	37.6	0.63	0.44	0.06	24.3	13.4	1.15	40.3	1.6	0.92	0.44	6.51	1.99	0.14
MBA0105	231709	6802652	434.2	Red Brown	0	0.5			0.03	1.8	2	34	0.65	0.47	0.06	24.6	13.9	1.15	40.2	1.66	0.95	0.47	6.38	2	0.13
MBA0106	231704	6802598	436.2	Red Brown	0	1			0.04	1.6	2	31	0.66	0.46	0.05	24.4	13.7	1.09	40.9	1.59	0.93	0.43	6.74	1.99	0.13
MBA0107	231705	6802547	436.2	Red Brown	0	1			0.05	1.7	2	33.6	0.5	0.58	0.01	27.4	12.6	1.17	40.9	1.64	0.91	0.53	7.4	1.36	0.14
MBA0108	231703	6802500	430.9	Red Brown	0	1			0.03	1.7	1	28.6	0.59	0.44	0.05	22.1	11.8	0.92	36.3	1.41	0.79	0.4	5.68	1.73	0.13
MBA0109	231705	6802553	430.9	Red Brown	0	1			0.04	1.6	X	25.2	0.54	0.45	0.04	22.1	9.6	0.85	28.3	1.18	0.66	0.34	6.07	1.52	0.13

Mt Devan Auger Sampling Results																											
Sample ID	Hg_ppm	Ho_ppm	In_ppm	La_ppm	U_ppm	Lu_ppm	Mo_ppm	Mn_ppm	Nb_ppm	Nd_ppm	Ni_ppm	Pb_ppm	Pr_ppm	Rb_ppm	Re_ppm	Sb_ppm	Sc_ppm	Se_ppm	Sm_ppm	Sr_ppm	Ta_ppm	Tb_ppm	Te_ppm	Th_ppm	Ti_ppm	U_ppm	
MBA0055	0.02	0.36	0.038	13.9	8.8	0.127	585	1.22	0.05	13.9	26.4	10.5	3.52	16.9	X	0.09	10.9	X	2.94	1.05	6.2	X	0.348	0.05	8.1	0.17	1.02
MBA0056	0.02	0.32	0.031	10.4	9.3	0.112	522	1.14	0.06	10.6	24.8	8.6	2.65	17.4	X	0.09	9.9	X	2.41	1.1	6.1	X	0.295	0.04	6.58	0.16	0.81
MBA0057	0.03	0.42	0.04	13.9	10.7	0.143	699	1.28	0.04	14.3	30.2	11	3.6	21.4	X	0.1	11.9	X	3.2	1.13	6.5	X	0.383	0.05	8.12	0.2	1.03
MBA0058	0.03	0.29	0.03	9.79	7.9	0.1	549	1.01	0.05	10.1	23	8.1	2.5	15.4	X	0.08	8.4	X	2.22	0.97	6.1	X	0.269	0.04	5.7	0.14	0.75
MBA0059	0.03	0.36	0.033	11.7	8.1	0.121	547	1.15	0.05	12.3	24.8	9.5	3.13	16.6	X	0.1	9.7	X	2.64	0.95	6.5	X	0.325	0.04	6.9	0.16	0.88
MBA0060	0.03	0.28	0.033	11.4	6.1	0.105	463	1.87	0.08	10.5	22.5	8.5	2.69	13.4	X	0.1	8.1	X	2.26	0.98	8.1	X	0.27	0.04	6.4	0.15	0.57
MBA0061	0.02	0.36	0.037	13.4	9.3	0.127	591	1.26	0.04	13.5	26.9	10	3.36	18.1	X	0.09	10.5	X	2.89	1.04	5.9	X	0.346	0.05	7.75	0.19	0.94
MBA0062	X	0.29	0.032	11.4	8.3	0.101	496	1.26	0.11	10.9	22.6	9.1	2.76	15.9	X	0.09	8.7	X	2.38	1.08	5.9	X	0.283	0.04	6.79	0.15	0.85
MBA0063	0.02	0.16	0.024	9.73	5.8	0.061	244	1.05	0.06	9.17	16.2	6.6	2.47	9.87	X	0.09	5.6	X	2.21	0.8	3.7	X	0.18	0.03	6.6	0.1	0.57
MBA0064	X	0.17	0.022	8.67	4.8	0.061	254	0.97	0.06	7.36	16	6.6	1.98	9.78	X	0.08	5.4	X	1.5	0.85	3.7	X	0.166	0.03	5.89	0.09	0.52
MBA0065	X	0.16	0.031	8.05	5.1	0.062	204	1.34	0.08	7.38	14.5	8.3	1.94	9.64	X	0.1	6.7	X	1.52	0.79	2.7	X	0.157	0.05	7.15	0.1	0.71
MBA0066	X	0.15	0.026	9.1	4.7	0.053	240	1.24	0.08	7.6	14.7	7.5	1.99	9.73	X	0.1	5.4	X	1.46	0.96	3.1	X	0.151	0.04	6.81	0.09	0.59
MBA0067	X	0.31	0.037	12.5	10.4	0.104	459	1.66	0.05	12.4	25.7	11.5	3.13	19.1	X	0.1	10.4	0.5	2.59	1.11	5.9	X	0.297	0.06	8.33	0.16	1.14
MBA0068	X	0.22	0.037	9.9	6.8	0.075	246	1.65	0.06	9.4	15.6	10.9	2.41	11.9	X	0.1	8.1	X	1.77	0.96	3.6	X	0.219	0.05	8.2	0.12	1.02
MBA0069	X	0.17	0.034	8.99	5.2	0.061	252	1.62	0.09	8.15	13.7	11.2	2.16	9.66	X	0.11	6.4	X	1.53	0.9	2.5	X	0.177	0.06	8.45	0.11	0.84
MBA0070	X	0.11	0.026	7.38	3.5	0.042	137	1.08	0.16	6.04	10.5	8.1	1.64	8.12	X	0.1	4.8	X	1.14	0.93	1.7	X	0.123	0.04	6.55	0.08	0.69
MBA0071	X	0.15	0.03	8.7	4.9	0.058	246	1.26	0.08	7.62	14.1	8.9	1.99	9.76	X	0.11	6.3	X	1.38	0.85	2.2	X	0.16	0.06	7.3	0.1	0.73
MBA0072	X	0.14	0.034	7.68	4.4	0.054	155	1.57	0.11	7.09	11.4	10.6	1.83	8.68	X	0.11	7	X	1.29	0.88	1.8	X	0.146	0.06	8.04	0.09	0.88
MBA0073	X	0.17	0.029	9.05	5.8	0.064	256	1.53	0.09	7.95	16.3	8.9	2.11	11.5	X	0.12	7.3	X	1.53	0.91	3.1	X	0.173	0.05	7.81	0.11	0.86
MBA0074	X	0.3	0.038	12.6	8.1	0.104	427	1.3	0.03	12.4	23.8	11.1	3.1	14.7	X	0.07	8.9	X	2.29	1.06	5.6	X	0.291	0.05	8.43	0.15	1.01
MBA0076	X	0.21	0.035	9.94	7	0.079	239	1.56	0.05	9.18	19.3	10.1	2.35	11.3	X	0.09	7.4	X	1.68	0.92	3.9	X	0.21	0.06	7.51	0.12	0.93
MBA0077	X	0.21	0.024	9.21	6.4	0.075	358	0.98	0.08	8.41	20.6	7.3	2.14	12.6	X	0.09	6.4	X	1.57	0.92	6	X	0.204	0.03	5.74	0.11	0.57
MBA0078	0.03	0.37	0.038	13.6	11.1	0.127	653	1.26	0.05	13.6	31.5	10.5	3.4	21	X	0.09	10.9	X	2.69	1.11	7	X	0.349	0.04	7.52	0.18	0.97
MBA0079	0.03	0.32	0.034	11.9	9.1	0.113	883	1.33	0.04	11.7	26.7	9.5	2.94	17	X	0.09	9.5	X	2.35	1.14	6.5	X	0.3	0.05	7.06	0.23	0.9
MBA0080	0.04	0.35	0.035	12.4	9.6	0.127	586	1.22	0.05	12.8	28.2	9.5	3.14	17.7	X	0.08	10.9	X	2.58	0.97	6.8	X	0.332	0.06	7.2	0.17	0.88
MBA0081	0.02	0.36	0.036	14.6	8.1	0.124	571	1.07	0.03	15.4	24.5	10.2	3.86	16	X	0.07	10.5	X	3.18	0.98	6	X	0.363	0.04	8.59	0.17	0.94
MBA0082	0.03	0.32	0.035	10.9	8.7	0.115	555	1.51	0.03	10.9	27.4	9	2.74	17.2	X	0.08	9.6	X	2.19	0.93	6.8	X	0.291	0.05	6.61	0.15	0.83
MBA0083	X	0.34	0.036	15.2	8.5	0.118	527	1.17	0.03	15.9	26.7	9.3	4.08	17.9	X	0.08	9.9	X	3.12	1	7.8	X	0.346	0.05	9.52	0.17	0.84
MBA0084	0.02	0.34	0.039	11.9	11.1	0.124	587	1.24	0.03	11.9	28.7	9.7	2.98	20.5	X	0.09	11.2	X	2.36	1.1	6.5	X	0.318	0.05	7.47	0.18	0.93
MBA0085	0.03	0.31	0.035	11.7	9.1	0.112	493	1.18	0.04	11.1	24.9	9.3	2.87	15.8	X	0.08	10.1	X	2.18	1.13	5.7	X	0.284	0.04	7.33	0.15	0.89
MBA0086	0.03	0.34	0.036	11.7	8.2	0.117	638	1.09	0.12	11.8	24.4	10	2.95	16.7	X	0.08	10.5	X	2.38	0.93	6.4	X	0.32	0.05	6.8	0.15	0.92
MBA0087	0.03	0.18	0.03	8.72	5.5	0.068	306	1.18	0.06	7.81	16.4	30	2.02	11.1	X	0.08	7.1	X	1.46	0.92	3.4	X	0.18	0.05	7.05	0.11	0.7
MBA0088	X	0.15	0.036	9.41	4	0.054	154	1.58	0.13	7.78	14	10.2	2.11	9.72	X	0.13	6.2	X	1.38	0.96	2.2	X	0.156	0.07	8.92	0.09	0.77
MBA0089	X	0.16	0.04	7.93	5.1	0.064	144	1.6	0.15	7.4	16.3	11	1.87	9.05	X	0.12	7.8	X	1.36	1.08	2.5	X	0.166	0.05	8.73	0.09	0.96
MBA0090	X	0.12	0.027	6.93	3.9	0.048	114	1.45	0.13	5.66	11.3	7.9	1.53	8	X	0.13	5.6	X	1.07	0.77	2	X	0.122	0.05	6.87	0.07	0.7
MBA0091	X	0.09	0.024	6.68	2.7	0.033	116	1.34	0.14	5.32	10.4	6.9	1.43	7.79	X	0.12	4.5	X	0.93	0.91	1.6	X	0.097	0.03	6.56	0.07	0.55
MBA0092	0.02	0.32	0.038	11.5	8.5	0.118	635	1.12	0.06	11.3	25	11	2.83	17.2	X	0.07	10.9	X	2.26	1.06	6.4	X	0.295	0.05	7.89	0.17	1.05
MBA0093	X	0.25	0.028	8.57	6.2	0.09	498	1.09	0.04	8.46	18.8	8.6	2.15	12.9	X	0.07	8.2	X	1.75	0.88	4.9	X	0.232	0.04	6.08	0.14	0.79
MBA0094	0.03	0.32	0.035	10.6	7.7	0.116	582	1.24	0.06	10.5	23.5	10.1	2.6	15.8	X	0.1	9.7	X	2.13	1.1	5.2	X	0.281	0.06	7.12	0.17	0.92
MBA0095	X	0.12	0.024	6.7	3.1	0.044	230	1.2	0.17	5.6	10.3	7.2	1.51	6.97	X	0.12	5.2	X	1.07	0.75	1.9	X	0.124	0.05	5.96	0.07	0.6
MBA0096	X	0.34	0.037	12.6	7.2	0.121	585	1.44	0.07	11.9	23	11.5	2.96	15.2	X	0.13	10.2	X	2.36	1.17	6.1	X	0.303	0.06	8.21	0.17	1.13
MBA0097	X	0.33	0.036	12.2	7.2	0.112	644	1.17	0.07	11.9	23.6	14.5	2.99	16	X	0.11	10.3	0.5	2.36	1.07	6.3	X	0.32	0.05	7.72	0.16	1.03
MBA0098	X	0.33	0.037	12.2	6.8	0.113	593	1.43	0.05	11.3	22.7	10.8	2.85	15.3	X	0.13	10.4	X	2.24	1.11	5.1	X	0.296	0.06	7.82	0.16	0.98
MBA0099	0.03	0.29	0.028	9.99	6.3	0.104	499	1.04	0.09	9.67	19.7	8.2	2.46	13.7	X	0.11	8.3	X	1.97	0.98	4.7	X	0.26	0.05	6.01	0.13	0.83
MBA0100	0.02	0.24	0.027	9.47	5.3	0.088	377	1.23	0.09	8.89	16.3	7.6	2.34	10.6	X	0.11	7	X	1.77	0.85	3.7	X	0.218	0.04	6.28	0.11	0.65
MBA0102	X	0.28	0.033	10.5	6.7	0.102	406	1.49	0.04	9.83	23.6	8.8	2.45	13.8	X	0.12	8.8	X	1.94	0.96	6.4	X	0.247	0.06	6.68	0.13	0.69
MBA0103	0.02	0.24	0.024	9.98	5	0.095	393	1.94	0.09	9.57	19.7	7.4	2.51	10.7	X	0.1	6.8	X	2.06	0.88	5.7	X	0.23	0.04	6.16	0.11	0.62
MBA0104	0.03	0.31	0.029	10.8	8	0.117	649	1.24	0.06	10.2	24.9	8	2.56	16	X	0.11	8.9	X	2.1	0.91	6.4	X	0.281	0.05	5.86	0.15	0.8
MBA0105	0.03	0.31	0.031	10.4	7.9	0.113	595	1.13	0.06	10.7	24.7	8.5	2.64	16.4	X	0.1	9.4	X	2.18	1.09	6.2	X	0.284	0.06	5.96	0.15	0.83
MBA0106	0.02	0.31	0.03	11.1	8.2	0.11	570	1.19	0.05	10.4	26.6	8.6	2.58	15.7	X	0.09	9.2	X	2.06	0.97	6.6						

Mt Devan Auger Sampling Results																									
Sample ID	Easting	Northing	Elevation	Colour	Hydrochloric Acid Reaction	Depth of Best Reaction	Comments	Ag_ppm	As_ppm	Au_ppb	Ba_ppm	Be_ppm	Bi_ppm	Cd_ppm	Ce_ppm	Co_ppm	Cs_ppm	Cu_ppm	Dy_ppm	Er_ppm	Eu_ppm	Ga_ppm	Gd_ppm	Hf_ppm	
MBAD110	231710	6802398	431.2	Red Brown	0	1		0.05	1.8	X	33.8	0.7	0.52	0.05	25.1	12.3	1.06	37.5	1.51	0.85	0.44	7.18	1.95	0.11	
MBAD111	231700	6802346	433.6	Red Brown	0	1		X	1.6	2	16.3	0.51	0.46	0.02	20.2	8.1	0.83	25.7	1.1	0.62	0.32	7.07	1.45	0.14	
MBAD112	231701	6802297	434.6	Red Brown	0	1		X	1.6	X	15.5	0.25	0.46	0.01	12.9	2.9	0.51	15.6	0.5	0.27	0.15	5.19	0.76	0.19	
MBAD113	231795	6802351	432	Red Brown	0	1		0.02	2	X	14.4	0.44	0.54	0.02	18.8	6.6	0.56	16.9	0.86	0.51	0.26	7.03	1.18	0.25	
MBAD114	231805	6802393	434	Red Brown	0	0.5	X	X	1.5	2	29.2	0.48	0.51	0.06	24.9	6.9	0.61	23.2	1.04	0.61	0.28	6.56	1.52	0.17	
MBAD115	231800	6802446	432.8	Red Brown	0	1.5		0.02	1.7	X	27.3	0.62	0.52	0.06	23.4	11.7	0.85	35.3	1.41	0.79	0.42	6.52	1.8	0.12	
MBAD116	231793	6802496	431	Red Brown	0	0.5		0.02	1.5	X	30.2	0.54	0.45	0.05	21.1	11.4	0.84	33.5	1.25	0.73	0.37	5.57	1.64	0.15	
MBAD117	231810	6802545	429.6	Red Brown	0	0.5		0.03	1.9	1	40.2	0.73	0.57	0.07	27.4	16.7	1.13	44.5	1.8	1.07	0.51	7.21	2.23	0.15	
MBAD118	231807	6802596	426	Red Brown	0	1		X	1.1	X	27.3	0.41	0.41	0.04	14.2	8	0.68	25.6	0.87	0.51	0.24	4.14	1.07	0.15	
MBAD119	231801	6802646	439.4	Red Brown	0	1.5		0.03	1.7	1	42.8	0.65	0.45	0.07	23.6	12.3	1.06	39.9	1.6	0.89	0.45	6.52	1.93	0.12	
MBAD120	231812	6802704	433.8	Red Brown	0	0.5		X	X	X	7.3	0.13	0.13	X	4.66	2.6	0.29	8.7	0.31	0.18	0.08	1.32	0.37	0.05	
MBAD121	231810	6802755	432.5	Red Brown	0	1		0.03	1.8	2	38.9	0.69	0.61	0.06	27	13.8	1.15	38.5	1.67	0.93	0.47	7.11	2.06	0.17	
MBAD122	231806	6802805	432.5	Red Brown	0	0.5		0.03	2	X	38.7	0.75	0.53	0.06	26	14.9	1.17	41.9	1.72	0.99	0.48	7.52	2.13	0.13	
MBAD123	231799	6802855	435.4	Red Brown	0	1		0.02	1.9	X	30.6	0.68	0.55	0.05	23.6	13.6	1.17	38.7	1.56	0.92	0.44	7.26	1.94	0.15	
MBAD124	231811	6802906	432.3	Red Brown	0	0.5		0.02	2.1	2	34.9	0.72	0.55	0.06	27.7	15.4	1.13	42.9	1.87	1.05	0.54	7.32	2.3	0.15	
MBAD126	231801	6802952	434.8	Red Brown	0	0.5		0.02	2	1	29.9	0.58	0.5	0.06	22.2	12	0.86	33.1	1.42	0.81	0.4	6.59	1.76	0.14	
MBAD127	231803	6803000	431.3	Red Brown	0	1		0.03	2.2	X	31.6	0.67	0.51	0.05	26.5	12.7	1.04	33.7	1.62	0.93	0.47	7.44	2.08	0.19	
MBAD128	231801	6803051	433.6	Red Brown	0	1		X	1.8	X	19.5	0.54	0.47	0.04	21.7	10	0.79	27.8	1.26	0.71	0.36	6.2	1.58	0.15	
MBAD129	231799	6803102	434.7	Red Brown	0	1		0.03	1.7	X	18.3	0.58	0.46	0.03	25.5	8.8	0.92	27.7	1.41	0.8	0.41	7.5	1.94	0.15	
MBAD130	231802	6803150	433.1	Red Brown	0	1		X	2.2	X	8.2	0.31	0.41	0.02	15.4	4.3	0.63	18.8	0.89	0.48	0.26	5.97	1.17	0.19	
MBAD131	231802	6803202	429.4	Red Brown	0	0.5		X	1.8	X	7.5	0.22	0.4	0.01	12.4	2.4	0.52	15.1	0.51	0.27	0.15	6.42	0.73	0.24	
MBAD132	231808	6803252	433.2	Red Brown	0	0.5		X	1.8	1	6.4	0.22	0.34	0.02	11	2.5	0.41	12.5	0.49	0.26	0.14	5.15	0.7	0.19	
MBAD133	231804	6803302	432.7	Red Brown	0	1		X	1.8	2	330	0.53	0.33	0.04	22.5	6.6	0.59	21.6	1.24	0.69	0.37	6.74	1.55	0.18	
MBAD134	231797	6803350	433.8	Red Brown	0	0.5		X	2.1	1	11.3	0.22	0.37	0.01	11.6	2.5	0.43	14.4	0.53	0.28	0.16	6.56	0.76	0.23	
MBAD135	231799	6803401	432.6	Red Brown	0	0.5		0.02	2.4	2	11.9	0.32	0.47	0.02	16.8	3.4	0.61	20.2	0.84	0.46	0.25	9.43	1.16	0.32	
MBAD136	231803	6803451	434.7	Red Brown	0	1		0.06	2.7	1	13.8	0.46	0.6	0.02	21.4	5.9	0.74	20.3	1.03	0.57	0.31	11.4	1.37	0.43	
MBAD137	231802	6803501	434.3	Red Brown	0	1.5		0.05	2.5	1	10.8	0.37	0.71	0.02	18.2	3.9	0.57	19.8	0.87	0.48	0.26	11.7	1.11	0.45	
MBAD138	231802	6803549	436.5	Red Brown	0	1		0.02	2.7	2	7.1	0.31	0.54	0.02	15	3.3	0.5	15.6	0.76	0.41	0.22	9.4	1.03	0.39	
MBAD139	231805	6803999	441.1	Red Brown	0	1.5		X	1.9	2	7.6	0.25	0.3	0.01	17.2	3.3	0.52	13.9	0.71	0.4	0.21	6.41	1.02	0.28	
MBAD140	231802	6804053	433.4	Red Brown	0	1.5		0.03	2.4	1	19.7	0.39	0.45	0.01	23.5	6.5	0.67	17.4	1.01	0.58	0.3	8.16	1.39	0.33	
MBAD141	231798	6804102	428.3	Red Brown	0	1.5		0.04	2.3	X	8.8	0.33	0.41	0.01	20	3.7	0.63	15.7	0.9	0.51	0.27	8.03	1.23	0.35	
MBAD142	231801	6804150	433.7	Red Brown	0	1.5		0.03	2.2	1	8.9	0.37	0.46	X	22.6	2.9	0.71	18.8	0.94	0.53	0.28	10.2	1.3	0.22	
MBAD143	231807	6804206	432.9	Red Brown	0	1.5		0.06	1.9	1	8.2	0.28	0.36	X	24.2	2.8	0.62	13.7	0.91	0.53	0.27	7.45	1.32	0.3	
MBAD144	231809	6804900	434	Red Brown	0	1		X	1.5	3	8	0.22	0.15	X	28.5	1.9	0.55	10.3	0.63	0.32	0.18	4.79	1.05	0.22	
MBAD145	231800	6804954	426.6	Red Brown	0	0.5		0.03	1.4	2	13	0.18	0.13	0.01	32.6	1.5	0.4	7.3	0.51	0.24	0.13	3.53	0.98	0.13	
MBAD146	231802	6805006	427.9	Red Brown	0	1.5		0.04	1.3	X	8.5	0.19	0.12	X	32.8	1.5	0.42	8.4	0.58	0.28	0.14	3.6	1.05	0.13	
MBAD147	231803	6805054	430.1	Red Brown	0	1.5		0.02	1.3	X	6.3	0.17	0.12	X	32.1	1.5	0.41	7.4	0.54	0.26	0.14	3.42	1.03	0.17	
MBAD148	231801	6805105	433	Red Brown	0	0.5		X	1.4	1	17.7	0.23	0.12	0.01	42.8	2.3	0.43	10.1	0.62	0.29	0.14	3.94	1.25	0.19	
MBAD149	231800	6805157	432.1	Red Brown	0	1.5		X	1.4	2	7.2	0.15	0.12	X	31.8	1.3	0.43	7.7	0.56	0.28	0.14	3.44	1.05	0.19	
MBAD150	231799	6805207	429.7	Red Brown	0	1		X	1.1	X	8.5	0.2	0.13	X	37.8	1.7	0.46	8.6	0.62	0.29	0.16	3.86	1.19	0.16	
MBAD152	231798	6805250	427.9	Red Brown	0	1		0.03	1.3	X	9.8	0.14	0.12	X	42.7	1.3	0.45	8.6	0.61	0.27	0.14	3.77	1.22	0.18	
MBAD153	231803	6805304	427	Red Brown	0	1.5		0.02	1	2	7.5	0.1	0.11	X	35.4	0.9	0.37	6.2	0.49	0.23	0.12	3.06	1	0.16	
MBAD154	231804	6805351	430.4	Red Brown	0	1.5		X	1.4	2	8.8	0.16	0.13	X	49.4	1.2	0.5	8.4	0.72	0.33	0.18	3.92	1.44	0.23	
MBAD155	231805	6805411	431	Red Brown	0	1		X	1.2	X	9.7	0.14	0.12	X	49.2	1.2	0.52	8.6	0.69	0.3	0.16	4.1	1.42	0.21	
MBAD156	231810	6805457	431.5	Red Brown	0	1.5		0.02	1.4	1	8.8	0.24	0.14	X	45.5	1.7	0.64	11.1	0.83	0.41	0.23	4.97	1.51	0.19	
MBAD157	231808	6805504	433.3	Red Brown	0	1.5		X	1	X	7.5	0.23	0.14	X	40.5	1.4	0.55	8.8	0.76	0.35	0.2	4.63	1.36	0.17	
MBAD158	231902	6805498	430.5	Red Brown	0	1.5		X	0.8	X	11.8	0.21	0.12	X	43.1	1.6	0.53	8.2	0.68	0.32	0.17	4	1.31	0.14	
MBAD159	231904	6805455	423.9	Red Brown	0	1.5		X	1	2	8.7	0.23	0.12	X	40.2	1.7	0.55	8	0.84	0.43	0.24	4.2	1.47	0.18	
MBAD160	231912	6805408	420.9	Red Brown	0	1.5		0.03	1.1	1	9.7	0.3	0.14	X	44.4	2.2	0.59	11.4	0.89	0.44	0.24	5.04	1.55	0.18	
MBAD161	231904	6805351	421.4	Red Brown	0	1		0.03	1.1	X	8.9	0.15	0.16	X	45.8	1.3	0.47	8.4	0.68	0.31	0.16	3.69	1.35	0.17	
MBAD162	231906	6805297	421.1	Red Brown	0	1		X	0.9	X	13.2	0.14	0.12	X	51.5	1.3	0.46	9.5	0.66	0.29	0.15	4.01	1.45	0.18	
MBAD163	231905	6805249	426.2	Red Brown	0	1		0.03	1.1	2	9.5	0.19	0.13	X	42.2	1.7	0.45	8.1	0.73	0.34	0.19	3.83	1.34	0.17	
MBAD164	231909	6805195	426.4	Red Brown	0	0.5		X	1.1	1	10.7	0.16	0.13	X	39.4	1.4	0.47	9.5	0.61	0.28	0.15	4.04	1.2	0.17	

Note: x - Assays below detection limit for the element

Mt Devan Auger Sampling Results																												
Sample ID	He_ppm	Ho_ppm	In_ppm	La_ppm	U_ppm	Lu_ppm	Mn_ppm	Mo_ppm	Nb_ppm	Nd_ppm	Ni_ppm	Pb_ppm	Pr_ppm	Rb_ppm	Sb_ppm	Sc_ppm	Se_ppm	Sm_ppm	Sr_ppm	Ta_ppm	Tb_ppm	Te_ppm	Th_ppm	Ti_ppm	U_ppm			
MBAD0110	0.03	0.28	0.031	11.1	8.9	0.1	500	1.37	0.05	10.6	25.7	9.5	2.66	17.8	X	0.1	9.1	X	2.09	1.02	5.7	X	0.267	0.04	7.01	0.15	0.87	
MBAD0111	X	0.21	0.028	9.58	6.4	0.075	303	1.2	0.08	8.31	17.5	8.6	2.16	13.1	X	0.09	7.4	X	1.59	1.08	4.1	X	0.2	0.04	7.07	0.1	0.85	
MBAD0112	X	0.09	0.023	6.62	2.7	0.037	136	1.35	0.19	5.2	10.7	7.1	1.4	7.41	X	0.14	4.6	X	0.93	0.81	1.6	X	0.098	0.04	6.2	0.06	0.54	
MBAD0113	X	0.17	0.032	8.06	4.2	0.07	210	1.37	0.09	7.14	11.6	10.2	1.49	11.6	X	0.13	6.9	X	1.37	0.96	2.2	X	0.186	0.06	8.05	0.12	0.89	
MBAD0114	X	0.12	0.022	11.5	5.3	0.081	181	1.89	0.08	10.1	18.3	8.6	2.73	11.7	X	0.13	6.9	X	1.86	0.77	3.2	X	0.192	0.05	7.77	0.07	0.61	
MBAD0115	X	0.26	0.028	9.96	7.3	0.105	490	1.14	0.04	9.82	22.5	8.8	2.49	15.1	X	0.07	8.4	X	1.95	0.92	6.3	X	0.249	0.04	6.36	0.14	0.83	
MBAD0116	X	0.24	0.027	9.04	6.8	0.094	477	1.01	0.04	8.83	21.5	7.6	2.25	13.3	X	0.08	7.6	X	1.77	0.78	5.7	X	0.225	0.04	5.49	0.13	0.7	
MBAD0117	X	0.35	0.033	11.6	8.8	0.138	681	1.31	0.05	11.3	27.8	9.5	2.81	18	X	0.1	10.3	X	2.32	1.06	6.8	X	0.309	0.06	6.56	0.17	0.9	
MBAD0118	X	0.17	0.018	6.09	4.6	0.07	363	1.04	0.05	5.7	16.2	5.5	1.45	9.81	X	0.06	5.1	X	1.12	0.59	4.7	X	0.152	0.03	3.86	0.09	0.46	
MBAD0119	X	0.31	0.03	11.1	6.1	0.115	490	1.36	0.03	10.6	25.5	8.1	2.64	15.7	X	0.07	8.7	X	2.03	0.88	12.1	X	0.276	0.04	5.96	0.14	0.56	
MBAD0120	X	0.06	0.007	2.11	1.4	0.023	111	0.39	0.07	1.94	5	1.8	0.49	3.14	X	0.02	1.7	X	0.39	0.18	1.6	X	0.052	X	1.2	0.03	0.16	
MBAD0121	X	0.32	0.034	11.0	6.9	0.11	550	1.17	0.05	11.1	25.6	8.2	2.76	12.7	X	0.09	10.2	X	2.22	0.97	5.2	X	0.202	0.05	7.08	0.12	0.68	
MBAD0122	0.02	0.33	0.033	11.5	9	0.133	646	1.32	0.04	11	27.4	9.1	2.81	18.2	X	0.09	10.7	X	2.19	0.95	6.8	X	0.301	0.05	6.62	0.16	0.83	
MBAD0123	X	0.31	0.034	10.4	8.9	0.121	567	1.2	0.04	9.86	25.6	8.9	2.5	16.8	X	0.09	9	X	1.99	1.02	6.1	X	0.266	0.06	6.49	0.15	0.86	
MBAD0124	0.02	0.35	0.037	12.2	8.5	0.134	679	1.41	0.04	11.9	24.6	10.4	2.95	17.1	X	0.09	10.6	X	2.42	1	6	X	0.326	0.06	7.51	0.17	0.96	
MBAD0126	X	0.27	0.03	9.93	6.6	0.109	559	1.3	0.09	9.44	21	8.6	2.35	13.6	X	0.11	8.6	X	1.85	0.97	5.7	X	0.247	0.06	6.76	0.13	0.78	
MBAD0127	0.02	0.32	0.036	11.6	8	0.128	526	1.3	0.05	11.1	22.5	10.2	2.77	16.2	X	0.11	9.7	X	2.16	1.03	5.8	X	0.289	0.06	7.74	0.16	1.01	
MBAD0128	X	0.24	0.029	9.26	6.2	0.099	454	1.16	0.09	8.88	17.5	8.4	2.29	11.9	X	0.1	7.8	X	1.75	0.88	4	X	0.222	0.05	6.62	0.12	0.88	
MBAD0129	X	0.26	0.032	11.6	7.4	0.109	486	1.25	0.07	11.1	18.8	10	2.8	14	X	0.11	8.7	X	2.17	0.97	4.4	X	0.253	0.05	7.92	0.13	1.16	
MBAD0130	X	0.26	0.028	12.8	5.3	0.067	140	1.2	0.16	7.2	11.1	8.5	1.86	5.4	X	0.13	8.6	X	1.36	0.68	1.4	X	0.12	0.05	0.85	0.08	0.45	
MBAD0131	X	0.09	0.026	6.16	2.4	0.036	97.6	1.28	0.19	5.2	10	7.5	1.4	7.81	X	0.12	5.1	X	0.96	0.73	1.5	X	0.097	0.05	6.49	0.07	0.63	
MBAD0132	X	0.09	0.024	5.58	2.2	0.037	102	1.17	0.18	4.61	8.7	7	1.22	5.94	X	0.11	4.4	X	0.85	0.7	1.4	X	0.094	0.06	5.92	0.05	0.51	
MBAD0133	X	0.24	0.029	11.1	5.5	0.086	369	1.33	0.05	9.24	25.2	8.1	2.41	11.1	X	0.11	6.7	X	1.87	0.83	19.2	X	0.214	0.05	6.98	0.11	0.65	
MBAD0134	X	0.1	0.028	5.82	2	0.034	94.3	1.33	0.11	4.99	10.1	8.4	1.34	6.35	X	0.11	5.7	X	1.05	0.77	2.3	X	0.102	0.05	6.79	0.05	0.67	
MBAD0135	X	0.15	0.044	8.49	3.1	0.057	141	1.92	0.1	7.62	13.6	11.5	2	8.83	X	0.13	8.3	X	1.55	1.06	1.9	X	0.156	0.08	9.53	0.08	1.05	
MBAD0136	X	0.19	0.05	9.21	4.7	0.075	276	2.28	0.06	8.48	14.6	14.3	2.15	10.5	X	0.17	9.5	0.5	1.68	1.2	2.2	X	0.185	0.1	13.6	0.11	1.13	
MBAD0137	X	0.03	0.053	3.45	3.4	0.055	74	0.62	0.18	3.45	12.8	14.7	0.8	10.8	X	0.16	7.1	X	1.48	1.1	1.7	X	0.153	0.1	10.09	0.15	0.85	
MBAD0138	X	0.14	0.045	7.47	3.1	0.053	116	2.06	0.13	6.45	11	12.5	6.69	7.15	X	0.16	7.7	X	1.35	1.02	1.8	X	0.11	0.09	9.91	0.07	0.91	
MBAD0139	X	0.13	0.027	8.7	3	0.05	92.7	1.34	0.22	7.29	10.1	8.4	1.92	7.49	X	0.13	5.3	X	1.39	0.78	1.7	X	0.132	0.05	7.57	0.07	0.83	
MBAD0140	X	0.2	0.043	10.4	4.7	0.075	309	1.71	0.07	8.93	12.5	13.1	2.38	9.45	X	0.12	8.1	X	1.72	1.08	2.3	X	0.186	0.07	10.2	0.15	1.12	
MBAD0141	X	0.17	0.035	9.75	3.9	0.066	151	1.57	0.1	8.08	10.9	11.4	2.19	8.81	X	0.14	7.1	X	1.59	0.98	1.9	X	0.165	0.07	9.33	0.09	1.03	
MBAD0142	X	0.17	0.044	10.6	4.7	0.071	118	1.35	0.05	8.77	13	13	2.33	10.8	X	0.03	9.3	0.5	1.75	0.93	1.9	X	0.174	0.05	11.1	0.1	1.36	
MBAD0143	X	0.17	0.033	10.3	4.3	0.068	149	1.78	0.08	9.03	9.9	10.7	2.37	8.51	X	0.1	6.4	X	1.73	0.94	1.7	X	0.175	0.06	9.09	0.07	1.07	
MBAD0144	X	0.11	0.036	14.6	3.1	0.034	86.9	0.79	0.24	9.29	8.2	6.7	2.73	8.02	X	0.09	3.2	X	1.56	0.68	1.5	X	0.131	0.03	8.43	0.07	0.7	
MBAD0145	X	0.11	0.028	12.8	2.2	0.032	118	0.6	0.2	10.31	6.9	5.4	1.12	6.06	X	0.09	2.1	X	1.56	0.71	3.4	X	0.154	X	6.57	0.05	0.85	
MBAD0146	X	0.1	0.012	18.1	2.6	0.027	97.8	0.6	0.63	0.18	10.1	6.9	5.7	3.08	6.53	X	0.09	2.3	X	1.61	0.58	1.8	X	0.126	0.02	8.68	0.06	0.62
MBAD0147	X	0.09	0.012	18.4	2.5	0.025	69	0.52	0.18	10	6.3	5.7	3.03	5.72	X	0.08	2.3	X	1.54	0.59	1.4	X	0.12	X	8.56	0.05	0.56	
MBAD0148	X	0.1	0.012	24.1	3.2	0.025	155	0.89	0.61	12.9	9.2	6.2	3.91	7.73	X	0.13	2.2	X	1.96	0.73	6.8	X	0.144	0.02	10.9	0.07	0.58	
MBAD0149	X	0.1	0.012	18.1	2.3	0.025	73	0.62	0.26	10.2	6.1	5.6	3.03	6.42	X	0.08	2.3	X	1.62	0.65	1.2	X	0.123	0.02	8.81	0.05	0.62	
MBAD0150	X	0.1	0.013	21.2	2.8	0.026	109	0.6	0.46	11.6	7.1	6.5	3.49	7.27	X	0.09	2.4	X	1.83	0.6	1.9	X	0.141	0.02	10.3	0.06	0.7	
MBAD0152	0.03	0.1	0.012	24.3	2	0.024	88.7	0.6	0.23	12.7	7	6.5	3.96	7.17	X	0.08	2.4	X	1.93	0.59	1.2	X	0.138	X	11.5	0.06	0.72	
MBAD0153	X	0.06	0.009	7.4	1.5	0.014	74	0.61	0.1	7.4	5.4	7.4	6.16	5.1	X	0.06	1.7	X	1.59	0.63	1.1	X	0.132	X	9.15	0.05	0.58	
MBAD0154	X	0.12	0.013	27.2	2.8	0.032	81.9	0.61	0.36	15.1	6.5	7	4.56	7.59	X	0.1	2.5	X	2.29	0.63	1.1	X	0.165	0.02	12.8	0.06	0.82	
MBAD0155	X	0.11	0.012	27.5	2.3	0.026	97.8	0.57	0.26	15.1	5.9	7.4	4.49	7.94	X	0.09	2.6	X	2.31	0.82	1.1	X	0.163	X	13.4	0.06	0.9	
MBAD0156	X	0.15	0.016	24.9	3.8	0.04	99.2	0.74	0.24	14.5	7.2	8.4	4.61	10.4	X	0.09	3.6	X	2.1	0.72	1.5	X	0.176	X	12.8	0.08	1.27	
MBAD0157	X	0.13	0.015	22.6	4.5	0.035	91.7	0.49	0.18	13	6.5	7.5	4.18	9.51	X	0.05	3.4	X	1.83	0.72	1.6	X	0.161	X	11.7	0.07	1.26	
MBAD0158	X	0.12	0.011	24.1	3.6	0.032	101	0.45	0.2	13.1	6.5	7.3	4.3	9.6	X	0.04	2.3	X	1.83	0.62	1.6	X	0.152	X	11.9	0.07	1.1	
MBAD0159	X	0.14	0.014	21.9	4.2	0.047	93.9	0.49	0.21	13.3	6.2	7.2	4.17	8.63	X	0.06	3.1	X	1.98	0.77	1.5	X	0.179	X	10.9	0.07	1.25	
MBAD0160	X	0.15	0.016	24.5	5	0.048	109	0.61	0.27	14.2	8.1	8.3	4.55	10.1	X	0.06	3.8	X	2.06	0.73	2.1	X	0.185	0.02	12.4	0.09	1.35	
MBAD0161	X	0.12	0.013	25.3	2.4	0.029	83	0.4	0.23	14.1	6.1	7.2	4.9	7.57	X	0.05	2.7	X	1.92	0.71	1.3	X	0.154	X	12.7	0.06	0.85	
MBAD0162	X	0.11	0.012	29.7	2.3	0.024	103	0.53	0.21	15.2	7.1	6.7	5.26	12.1	X	0.06	2.3	X	2.15	0.65	1.3	X	0.189	X	12.5	0.06	0.75	
MBAD0163	X	0.12	0.013	23.4	2.																							

Sample ID W_ppm Y_ppm Vb_ppm Zn_ppm Zr_ppm

Mt Devan Auger Sampling Results

MBAD110	X	8.68	0.79	31	4.9
MBAD111	X	6.21	0.57	22	6
MBAD112	X	2.5	0.26	14	6.9
MBAD113	X	4.52	0.5	12	8.5
MBAD114	X	6.06	0.59	22	6.5
MBAD115	X	7.84	0.73	28	4.3
MBAD116	X	6.97	0.69	25	4.9
MBAD117	X	10	0.98	35	5.1
MBAD118	X	4.94	0.49	19	4.6
MBAD119	X	9.16	0.83	30	3.8
MBAD120	X	1.71	0.18	7	1.7
MBAD121	X	9.42	0.86	27	4.8
MBAD122	X	9.99	0.93	34	4.7
MBAD123	X	8.59	0.87	32	4.9
MBAD124	X	10	0.98	38	4.9
MBAD126	X	7.81	0.76	28	5.4
MBAD127	X	9.11	0.88	26	6.1
MBAD128	X	6.94	0.69	24	5.5
MBAD129	X	7.92	0.77	24	5.6
MBAD130	X	4.12	0.45	14	7.2
MBAD131	X	2.46	0.26	13	8.8
MBAD132	X	2.33	0.26	12	6.9
MBAD133	X	7.25	0.68	16	5.8
MBAD134	X	2.65	0.28	12	7.7
MBAD135	X	4.11	0.44	16	9.9
MBAD136	X	5.06	0.57	16	11.8
MBAD137	X	4.26	0.49	14	12.5
MBAD138	X	3.78	0.43	13	11.3
MBAD139	X	3.65	0.38	10	9
MBAD140	X	5.41	0.55	13	8.8
MBAD141	X	4.72	0.5	12	9.8
MBAD142	X	4.94	0.54	14	6.1
MBAD143	X	5.1	0.52	10	8.2
MBAD144	X	3.11	0.28	10	6.8
MBAD145	X	2.44	0.18	10	4.7
MBAD146	X	2.72	0.22	8	4.5
MBAD147	X	2.63	0.2	7	5.3
MBAD148	X	2.98	0.2	10	6.2
MBAD149	X	2.68	0.22	7	6
MBAD150	X	2.97	0.22	8	5.4
MBAD152	X	2.76	0.19	10	5.5
MBAD153	X	2.33	0.16	7	4.7
MBAD154	X	3.28	0.25	8	6.6
MBAD155	X	2.92	0.22	9	5.8
MBAD156	X	3.88	0.33	11	6.7
MBAD157	X	3.47	0.28	9	6.1
MBAD158	X	3.3	0.25	9	4.9
MBAD159	X	4.15	0.36	9	6
MBAD160	X	4.35	0.37	11	6.3
MBAD161	X	2.98	0.24	8	5.9
MBAD162	X	3.06	0.2	9	5.7
MBAD163	X	3.41	0.27	9	5.4
MBAD164	X	2.89	0.21	10	5.9

Note: x - Assays below detection limit for the element

Mt Devan Auger Sampling Results																									
Sample ID	Eastng	Northing	Elevation	Colour	Hydrochloric Acid Reaction	Depth of Reaction	Comments	Ag_ppm	As_ppm	Au_ppb	Ba_ppm	Be_ppm	Bi_ppm	Cd_ppm	Ce_ppm	Co_ppm	Cs_ppm	Cu_ppm	Dy_ppm	Er_ppm	Eu_ppm	Ga_ppm	Gd_ppm	Hf_ppm	
MBAD165	231905	6805149	428.9	Red Brown	0	1		X	1.2	X	10	0.17	0.15	X	35	1.7	0.44	7.1	0.53	0.23	0.12	3.54	1.03	0.16	
MBAD166	231900	6805096	430.7	Red Brown	0	1		X	1.3	X	10	0.19	0.13	X	38.2	2	0.4	8.5	0.59	0.27	0.14	3.63	1.16	0.17	
MBAD167	231909	6805052	432.5	Red Brown	0	1		X	1.3	5	9	0.14	0.13	X	33.5	1.2	0.43	7.3	0.5	0.24	0.12	3.57	0.96	0.19	
MBAD168	231902	6805001	428.8	Red Brown	0	1		X	1.2	1	11.8	0.2	0.12	X	35.8	2.1	0.42	9.4	0.6	0.28	0.15	3.72	1.13	0.16	
MBAD169	231906	6804952	430.9	Red Brown	0	1		0.03	1.5	2	7.9	0.16	0.15	X	32.4	1.4	0.49	8.6	0.58	0.28	0.15	4.45	1.08	0.21	
MBAD170	231911	6804900	430.9	Red Brown	0	1		X	1.2	1	10.1	0.19	0.16	X	34.5	1.7	0.55	11	0.61	0.31	0.17	4.7	1.15	0.21	
MBAD171	231907	6804849	428.6	Red Brown	0	0.5		X	1.2	X	5.4	0.13	0.13	X	22.4	1.2	0.38	7.7	0.44	0.21	0.12	3.64	0.75	0.14	
MBAD172	231901	6804801	428.2	Red Brown	0	1		0.02	1.3	4	8.1	0.21	0.16	X	30.5	2	0.55	11.4	0.62	0.31	0.17	5.36	1.08	0.23	
MBAD173	231907	6804747	430.7	Red Brown	0	1		0.02	1.2	3	7.1	0.21	0.19	X	25.9	2.1	0.51	9.8	0.62	0.33	0.17	5.37	1	0.25	
MBAD174	231906	6804295	430.7	Red Brown	0	1		0.03	1.7	3	7.7	0.27	0.37	0.01	20.1	2.4	0.65	15	0.81	0.45	0.23	7.38	1.16	0.35	
MBAD176	231908	6804247	428.6	Red Brown	0	1		0.02	2.1	X	8	0.28	0.35	0.01	20.2	2.6	0.61	14.3	0.86	0.48	0.25	7.47	1.18	0.33	
MBAD177	231902	6804203	426.9	Red Brown	0	1		0.03	1.9	2	6	0.26	0.33	0.01	19.4	2.6	0.57	15	0.81	0.45	0.24	6.7	1.12	0.25	
MBAD178	231905	6804157	433	Red Brown	0	1		X	1.6	1	9.1	0.28	0.36	0.01	19.9	3.3	0.57	13.9	0.74	0.41	0.2	7.23	1.03	0.32	
MBAD179	231902	6804100	431.1	Red Brown	0	0.5		X	1	2	15.2	0.34	0.28	0.01	16.3	5	0.5	14	0.65	0.36	0.18	6.03	0.85	0.23	
MBAD180	231910	6804048	432.6	Red Brown	0	0.5		X	1.5	2	8.2	0.28	0.41	0.02	15.2	3	0.63	18.7	0.81	0.44	0.25	7.64	1.12	0.26	
MBAD181	231900	6803997	428.6	Red Brown	0	1		X	1.1	X	10.9	0.33	0.4	0.01	22.9	3.6	0.75	19.4	1.06	0.6	0.3	7.86	1.5	0.3	
MBAD182	231900	6803654	428.7	Red Brown	0	0.5		X	1.5	2	5.9	0.21	0.38	0.01	11.5	2.1	0.38	12	0.45	0.24	0.13	6.18	0.68	0.16	
MBAD183	231901	6803600	430.1	Red Brown	0	1		0.03	1.6	X	7.3	0.23	0.45	0.02	13.2	2.2	0.5	13.5	0.55	0.3	0.15	7.67	0.81	0.35	
MBAD184	231893	6803552	428.8	Red Brown	0	1		0.03	1.5	1	7.2	0.29	0.42	0.01	14	3.1	0.46	13.8	0.62	0.33	0.18	7.23	0.85	0.27	
MBAD185	231903	6803497	426.6	Red Brown	0	0.5		0.03	1.7	1	7.9	0.28	0.53	0.02	14.8	3.5	0.52	15.5	0.68	0.36	0.2	8.74	0.91	0.39	
MBAD186	231900	6803453	429.7	Red Brown	0	0.5		X	2.1	2	7	0.28	0.58	0.02	12.5	2.9	0.5	15.4	0.66	0.36	0.19	9.54	0.86	0.45	
MBAD187	231900	6803397	429.4	Red Brown	0	1		0.02	2.2	2	8.9	0.35	0.6	0.02	17.1	3.3	0.72	20	0.91	0.5	0.27	10.8	1.18	0.5	
MBAD188	231905	6803349	432	Red Brown	0	0.5		0.02	2.6	2	393	0.46	0.58	0.02	16.6	5	0.64	23.3	0.96	0.52	0.31	10.3	1.23	0.32	
MBAD189	231901	6803294	432.4	Red Brown	0	0.5		X	1.7	1	18.1	0.36	0.42	0.02	15.3	4.4	0.58	18.2	0.76	0.42	0.21	7.87	1.02	0.29	
MBAD190	231906	6803248	434	Red Brown	0	0.5		X	1.7	2	11.1	0.25	0.29	0.01	12.4	2.9	0.44	13.5	0.53	0.28	0.15	5.3	0.77	0.15	
MBAD191	231899	6803201	430.1	Red Brown	0	1		0.02	2.4	2	7.2	0.41	0.56	0.02	17.1	3.7	0.57	17.8	0.95	0.52	0.28	9.82	1.25	0.41	
MBAD192	231900	6803157	429.1	Red Brown	0	1		X	1.6	2	8.3	0.32	0.37	0.02	14.6	4.1	0.46	14.7	0.63	0.34	0.18	6.06	0.87	0.25	
MBAD193	231904	6803092	431.7	Red Brown	0	0.5		X	1.7	X	8.7	0.31	0.41	0.01	16.1	3.4	0.64	18.6	0.79	0.42	0.23	7.8	1.09	0.31	
MBAD194	231907	6803036	429.9	Red Brown	0	1	Off coordinates due to thick bush;	0.02	1.6	1	7.8	0.34	0.42	0.01	15.2	3.5	0.57	16.6	0.76	0.44	0.22	7.73	1.06	0.37	
MBAD195	231901	6803001	426.2	Red Brown	0	1		X	1.5	2	9.6	0.34	0.45	0.01	15.7	4	0.61	19.1	0.8	0.44	0.23	7.28	1.07	0.28	
MBAD196	231902	6802948	431.2	Red Brown	0	1		X	1.4	2	9.9	0.34	0.43	0.01	15.8	4.9	0.61	18.7	0.82	0.45	0.24	7.21	1.09	0.24	
MBAD197	231902	6802898	433.7	Red Brown	0	0.5		X	1	1	12.7	0.35	0.42	0.02	17.6	4.8	0.67	22.2	0.8	0.44	0.21	6.35	1.09	0.17	
MBAD198	231905	6802841	431.3	Red Brown	0	1		0.02	1.5	2	19.6	0.48	0.42	0.03	20.2	9	0.74	26.3	1.17	0.67	0.32	6.45	1.47	0.17	
MBAD199	231906	6802793	430.7	Red Brown	0	1		0.03	1.1	1	22.1	0.48	0.46	0.03	19.9	8.8	0.82	26.8	1.08	0.59	0.28	6.81	1.36	0.13	
MBAD200	231902	6802749	430.9	Red Brown	0	1		0.03	0.9	1	27.3	0.47	0.4	0.04	20.4	10.2	0.72	29	1.05	0.6	0.28	5.05	1.34	0.14	
MBAD202	231897	6802692	431.2	Red Brown	0	0.5		0.03	1.3	1	40.3	0.84	0.6	0.07	27.7	19.3	1.29	51.7	1.97	1.14	0.56	8.63	2.36	0.12	
MBAD203	231902	6802643	431.9	Red Brown	0	0.5		0.03	0.9	X	34.9	0.86	0.54	0.06	24.8	14.7	1.12	43.5	1.56	0.9	0.42	7.04	1.85	0.14	
MBAD204	231901	6802591	431.3	Red Brown	0	1		X	1.1	1	26.9	0.5	0.45	0.04	22.9	10.1	0.78	34.8	1.15	0.65	0.3	5.11	1.48	0.17	
MBAD205	231896	6802548	428.7	Red Brown	0	0.5		0.03	1.6	2	38.5	0.74	0.55	0.07	27.1	18.4	1.11	50.9	1.77	1.03	0.5	7.36	2.2	0.14	
MBAD206	231906	6802502	431.8	Red Brown	0	0.5		0.03	1.5	1	37.2	0.7	0.54	0.07	25.4	15.7	1.06	47.5	1.66	0.97	0.48	7.27	2.09	0.12	
MBAD207	231908	6802448	431.2	Red Brown	0	0.5		0.02	1.2	1	33.4	0.69	0.61	0.06	27	13.8	0.99	43.4	1.57	0.88	0.43	7.31	2.04	0.13	
MBAD208	231909	6802399	430.4	Red Brown	0	1		0.02	0.9	2	27.4	0.6	0.66	0.04	22	9.8	0.85	33.1	1.25	0.71	0.35	7.32	1.62	0.13	
MBAD209	232002	6802011	437.1	Red Brown	0	1		0.02	1.4	2	15	0.53	0.5	0.01	19.8	7	0.86	25.6	1.04	0.57	0.3	7.03	1.36	0.25	
MBAD210	232004	6802054	436.7	Red Brown	0	0.5		X	1.4	1	7.3	0.28	0.36	0.01	13.1	3.1	0.53	15.9	0.61	0.32	0.17	5.04	0.87	0.14	
MBAD211	231996	6802105	434.4	Red Brown	0	1		X	1.4	1	7.1	0.28	0.71	0.02	12.5	2.6	0.56	14.3	0.62	0.34	0.17	6.02	0.85	0.28	
MBAD212	231932	430.8		Red Brown	0	1		X	0.2	1	13.5	0.25	0.45	0.02	12.6	0.5	0.6	0.33	0.67	0.33	0.57	0.29	0.26	0.29	
MBAD213	232002	6802101	434.7	Red Brown	0	1		X	1.4	2	6.5	0.21	0.49	0.01	3.1	2.2	0.53	13.8	0.62	0.33	0.18	6.26	0.83	0.26	
MBAD214	232001	6802156	437.7	Red Brown	0	1.5		X	1.2	1	10.8	0.26	0.35	0.01	13.6	3.4	0.47	12.4	0.55	0.3	0.15	4.9	0.82	0.22	
MBAD215	232001	6802301	436.7	Red Brown	0	1		X	1.2	1	8.7	0.33	0.36	0.02	13.9	3.8	0.47	13.6	0.57	0.31	0.15	4.75	0.8	0.22	

Mt Devan Auger Sampling Results																											
Sample ID	Hg_ppm	Ho_ppm	In_ppm	La_ppm	U_ppm	Lu_ppm	Mn_ppm	Mo_ppm	Nb_ppm	Nd_ppm	Ni_ppm	Pb_ppm	Pr_ppm	Rb_ppm	Re_ppm	Sb_ppm	Sc_ppm	Se_ppm	Sm_ppm	Sn_ppm	Sr_ppm	Ta_ppm	Tb_ppm	Te_ppm	Th_ppm	U_ppm	
MBA0165	X	0.09	0.011	20.1	2.6	0.022	135	0.5	0.23	10.6	6.7	5.8	3.48	6.66	X	0.04	2.1	X	1.47	0.74	2.7	X	0.117	X	9.43	0.05	0.6
MBA0166	X	0.1	0.011	21.9	2.4	0.024	124	0.79	0.25	11.9	7	6.2	3.89	6.76	X	0.09	2.2	X	1.61	0.6	1.3	X	0.133	X	9.92	0.07	0.57
MBA0167	X	0.08	0.013	19.3	2	0.022	101	0.59	0.4	10.3	6.3	5.9	3.42	6.57	X	0.08	2.1	X	1.41	0.85	1.2	X	0.112	0.02	8.85	0.05	0.56
MBA0168	X	0.1	0.012	19.8	2.6	0.028	145	0.71	0.36	11	7.7	5.9	3.58	6.93	X	0.09	2.3	X	1.57	0.64	1.6	X	0.133	X	8.98	0.06	0.63
MBA0169	X	0.1	0.015	18	2.6	0.03	91.8	0.74	0.31	10.5	6.8	6.8	3.34	7.55	X	0.09	3.1	X	1.51	0.82	1.3	X	0.128	0.03	9.48	0.06	0.78
MBA0170	X	0.1	0.016	19.3	3	0.03	93.4	0.84	0.2	10.9	8.2	7.2	3.52	8.79	X	0.07	3.1	X	1.59	0.75	1.5	X	0.138	X	10.1	0.07	0.73
MBA0171	X	0.07	0.012	11.5	1.7	0.021	90.4	0.66	0.48	6.97	5.7	5.4	2.23	5.82	X	0.08	2.3	X	1.04	0.64	1.2	X	0.092	0.02	6.86	0.05	0.54
MBA0172	X	0.11	0.016	15.4	3.3	0.035	109	0.97	0.24	10.1	8.1	7.2	3.17	8.45	X	0.09	3.6	X	1.47	0.75	1.5	X	0.132	0.03	9.15	0.07	0.8
MBA0173	X	0.11	0.018	13.2	2.9	0.039	122	0.99	0.27	8.6	7.2	7.3	2.7	7.76	X	0.09	3.7	X	1.31	0.86	1.3	X	0.126	0.03	8.56	0.07	0.78
MBA0174	X	0.15	0.031	10.2	3.8	0.06	126	1.53	0.15	8.17	9.5	10.6	2.34	9.28	X	0.11	6.2	X	1.38	0.87	1.6	X	0.152	0.05	9.15	0.09	1.07
MBA0176	X	0.16	0.03	9.74	3.2	0.059	134	1.56	0.24	8.02	9.4	11	2.31	8.69	X	0.13	6.2	X	1.38	0.99	1.5	X	0.157	0.05	8.78	0.09	1
MBA0177	X	0.15	0.029	9.28	3.3	0.061	135	1.32	0.22	7.69	9.7	10.3	2.22	7.89	X	0.11	6.2	X	1.34	0.83	1.8	X	0.149	0.04	8.39	0.07	1.02
MBA0178	X	0.14	0.031	9.21	3.7	0.055	187	1.54	0.13	7.34	10.8	10.4	1.99	8.57	X	0.14	5.7	X	1.22	1.08	1.7	X	0.135	0.06	9.3	0.09	0.92
MBA0179	X	0.12	0.024	6.68	4.5	0.049	307	1.08	0.08	5.85	11.2	8.1	1.58	8.34	X	0.09	4.9	X	1.03	0.75	2	X	0.12	0.03	6.66	0.1	0.75
MBA0180	X	0.15	0.033	7.55	3.2	0.057	141	1.4	0.11	6.93	12.5	10.3	1.8	9.34	X	0.11	6.5	X	1.28	1.01	1.8	X	0.148	0.05	8.46	0.08	1.1
MBA0181	X	0.2	0.032	10.8	4.5	0.079	173	1.4	0.14	9.67	13.6	11	2.54	10.9	X	0.12	6.9	X	1.7	0.98	2	X	0.197	0.04	9.27	0.1	1.27
MBA0182	X	0.08	0.027	5.92	2.2	0.03	137	1.74	0.31	4.87	9.3	8.1	1.35	6.16	X	0.15	4.4	X	0.86	0.92	2.4	X	0.086	0.06	6.76	0.05	0.57
MBA0183	X	0.1	0.034	6.92	2.5	0.038	96.9	1.91	0.14	5.7	10.2	9.5	1.54	7.16	X	0.16	5.5	X	1.01	0.93	1.4	X	0.108	0.07	8.23	0.06	0.75
MBA0184	X	0.11	0.032	6.93	3.1	0.041	129	1.63	0.1	5.92	10.5	9.6	1.6	7.09	X	0.13	5.6	X	1.03	1.05	1.9	X	0.113	0.05	7.99	0.06	0.66
MBA0185	X	0.12	0.041	7.32	3	0.049	165	2.16	0.12	6.31	11.3	11.9	1.68	7.43	X	0.19	6.6	X	1.12	1	1.7	X	0.122	0.08	9.53	0.08	0.81
MBA0186	X	0.12	0.045	6.29	2.6	0.048	128	2.56	0.14	5.65	11.4	13	1.51	6.91	X	0.2	7.6	0.5	1.01	1.27	1.8	X	0.117	0.09	11.7	0.06	0.96
MBA0187	X	0.16	0.05	7.95	4.4	0.063	125	2.41	0.14	7.6	13.3	13.5	1.96	9.8	X	0.2	9.2	0.5	1.38	1.22	2.1	X	0.164	0.08	11	0.09	1.28
MBA0188	X	0.18	0.045	8.16	4.4	0.068	257	1.86	0.11	7.62	17.8	12.9	1.93	10.6	X	0.13	9.2	0.6	1.39	1.24	5.9	X	0.17	0.07	9.81	0.11	1.11
MBA0189	X	0.14	0.034	7.59	3.9	0.053	197	1.78	0.15	6.48	14.7	9.9	1.76	9.58	X	0.16	6.6	X	1.16	0.97	2.2	X	0.134	0.06	8.15	0.08	0.87
MBA0190	X	0.09	0.022	6.79	2.5	0.033	166	1.12	0.16	5.43	11.4	6.7	1.5	7.5	X	0.11	4.1	X	0.92	0.89	1.7	X	0.1	0.04	6.23	0.06	0.53
MBA0191	X	0.17	0.047	8.55	3.9	0.069	110	1.97	0.1	7.91	13.6	12.5	2.08	7.99	X	0.16	8.6	X	1.4	0.99	1.8	X	0.17	0.07	10.4	0.08	1.12
MBA0192	X	0.11	0.028	6.18	3.1	0.046	206	1.29	0.11	5.59	11	8.3	1.53	7.35	X	0.13	5.6	X	1	0.85	1.8	X	0.116	0.04	7.09	0.08	0.61
MBA0193	X	0.14	0.03	7.99	3.7	0.051	161	1.53	0.14	7.23	13.1	8.6	1.94	9.89	X	0.15	6.9	X	1.31	0.95	2	X	0.143	0.06	8.24	0.08	0.93
MBA0194	X	0.14	0.038	7.25	3.8	0.058	144	1.38	0.11	6.74	11.7	9.4	1.77	8.51	X	0.14	7.5	X	1.22	0.98	1.9	X	0.143	0.05	7.93	0.09	0.91
MBA0195	X	0.14	0.031	7.26	3.9	0.056	158	1.36	0.13	6.67	12.7	9.5	1.77	9.32	X	0.12	6.9	X	1.22	0.86	2.1	X	0.143	0.05	7.8	0.1	0.85
MBA0196	X	0.15	0.032	7.62	4	0.059	157	1.5	0.16	6.74	12.3	8.7	1.79	9.08	X	0.12	6.3	X	1.23	1.04	2.1	X	0.15	0.07	7.7	0.08	0.77
MBA0197	X	0.15	0.028	8.79	4.4	0.056	175	1.51	0.11	7.31	16.1	8.3	2.01	10.3	X	0.11	6.5	X	1.27	0.92	2.9	X	0.147	0.04	7.56	0.08	0.72
MBA0198	X	0.22	0.03	9.28	5.6	0.083	408	1.52	0.17	8.51	17.7	8.6	2.24	11.9	X	0.13	6.9	X	1.61	1.06	4.2	X	0.199	0.06	7.06	0.11	0.82
MBA0199	X	0.2	0.027	9.05	6.1	0.076	345	1.52	0.13	8.12	18.7	8.3	2.13	13.1	X	0.12	7	X	1.46	0.94	4.2	X	0.187	0.05	6.72	0.1	0.75
MBA0200	X	0.19	0.021	8.28	5.3	0.076	495	0.99	0.04	7.69	19.2	6.9	1.97	12	X	0.08	6.2	X	1.43	0.91	4.9	X	0.184	0.04	5.38	0.11	0.63
MBA0202	X	0.37	0.036	12.2	10.6	0.144	816	1.04	0.03	12.3	33.5	10.6	3.1	23	X	0.07	12.3	X	2.51	1.25	9.3	X	0.337	0.05	7.34	0.19	1.02
MBA0203	X	0.29	0.029	10.5	8.4	0.115	675	1.01	0.03	10.4	27.6	8.9	2.6	17.3	X	0.07	9.5	X	1.97	1.06	7.9	X	0.267	0.04	6.46	0.15	0.82
MBA0204	X	0.21	0.023	9.88	5.5	0.085	494	1.05	0.04	9.33	20.9	7	2.46	11.8	X	0.1	6.3	X	1.65	0.94	5.4	X	0.201	0.03	6.52	0.11	0.62
MBA0205	X	0.34	0.031	11.5	9.2	0.126	767	1.08	0.03	11.8	31.4	9.4	2.95	19.3	X	0.08	10.6	X	2.35	1.07	7.5	X	0.303	0.05	6.82	0.17	0.92
MBA0206	X	0.32	0.03	10.6	8.8	0.12	703	0.94	0.03	11.1	29	9	2.75	18.7	X	0.06	10	X	2.1	1.03	7.6	X	0.287	0.04	6.41	0.16	0.88
MBA0207	X	0.29	0.029	11.5	9	0.105	632	1.07	0.03	11.6	27.8	11.2	2.93	17.9	X	0.07	9.1	X	2.24	1.02	7.3	X	0.28	0.04	7.31	0.15	0.87
MBA0208	X	0.23	0.029	10.1	7.8	0.09	440	0.98	0.03	9.25	23.4	9	2.39	15.8	X	0.04	7.8	X	1.72	1.01	6.5	X	0.22	0.05	7.18	0.13	0.81
MBA0209	X	0.19	0.027	8.61	6.7	0.072	273	1.37	0.1	8.3	15.1	12.8	2.16	14.2	X	0.11	7.2	X	1.56	1.11	4	X	0.186	0.05	7.59	0.14	1.04
MBA0210	X	0.11	0.02	6.27	3.1	0.04	167	1.22	0.19	5.56	10.5	8	1.51	8.98	X	0.11	4.2	X	1	0.81	1.9	X	0.111	0.05	5.78	0.08	0.65
MBA0211	X	0.11	0.023	6.43	3.5	0.044	124	1.49	0.22	5.76	10.3	9.4	1.51	8.65	X	0.12	4.7	X	1.02	0.94	1.9	X	0.115	0.07	6.35	0.07	0.78
MBA0212	X	0.11	0.026	6.46	3.1	0.045	121	1.74	0.09	5.64	10	9.2	1.5	7.73	X	0.11	4.7	X	1.01	0.89	1.6	X	0.108	0.06	8.34	0.07	0.74
MBA0213	X	0.11	0.025	6.44	2.9	0.043	92.1	1.32	0.12	5.61	9.7	9	1.49	7.37	X	0.11	5.2	X	1.03	0.84	1.6	X	0.11	0.06	7.66	0.06	0.86
MBA0214	X	0.1	0.02	6.85	3.2	0.041	152	1.04	0.09	5.76	9.3	6.9	1.56	7.14	X	0.1	4	X	1.04	0.79	1.8	X	0.108	0.04	6.09	0.07	0.59
MBA0215	X	0.1	0.019	7.35	3.7	0.039	171	1.51	0.1	5.75	11.6	6.4	1.58	7.48	X	0.13	3.7	X									

Note: x - Assays below detection limit for the element

Mt Bevan Auger Sampling Results					
Sample ID		W_ppm	Y_ppm	Zr_ppm	Zn_ppm
MBA0165	X	2.62	0.18	9	6
MBA0166	X	2.78	0.21	9	6
MBA0167	X	2.31	0.19	8	6.2
MBA0168	X	2.88	0.24	9	5.7
MBA0169	X	2.64	0.23	8	6.9
MBA0170	X	2.83	0.26	10	6.9
MBA0171	X	1.97	0.18	9	5.4
MBA0172	X	3.14	0.28	10	7.9
MBA0173	X	3.21	0.3	10	8.1
MBA0174	X	4.38	0.45	12	9.9
MBA0176	X	4.54	0.48	11	10.6
MBA0177	X	4.17	0.44	12	8.5
MBA0178	X	3.95	0.42	12	9.6
MBA0179	X	3.29	0.36	11	6.7
MBA0180	X	4.05	0.42	13	8.7
MBA0181	X	5.75	0.57	14	9.7
MBA0182	X	2.21	0.23	12	7
MBA0183	X	2.57	0.29	12	10.9
MBA0184	X	3.02	0.33	12	9.1
MBA0185	X	3.07	0.38	13	12
MBA0186	X	3.1	0.37	13	14.9
MBA0187	X	4.23	0.5	14	14.5
MBA0188	X	4.81	0.52	19	10.8
MBA0189	X	3.94	0.42	16	10.1
MBA0190	X	2.78	0.26	15	6.2
MBA0191	X	4.79	0.51	13	13
MBA0192	X	2.97	0.35	12	8.4
MBA0193	X	3.97	0.4	14	11.1
MBA0194	X	3.97	0.44	12	11.7
MBA0195	X	4.11	0.43	14	9.9
MBA0196	X	4.27	0.44	14	8.7
MBA0197	X	4.34	0.42	20	6.8
MBA0198	X	6.56	0.64	24	6.5
MBA0199	X	6.06	0.58	25	5.4
MBA0200	X	6.21	0.57	24	4.9
MBA0202	X	11.8	1.1	42	4.1
MBA0203	X	9.16	0.85	35	4.5
MBA0204	X	6.56	0.64	25	5.4
MBA0205	X	10.8	0.97	39	4.8
MBA0206	X	9.97	0.91	38	4.2
MBA0207	X	9.46	0.83	37	4.4
MBA0208	X	7.23	0.68	30	4.5
MBA0209	X	5.51	0.56	25	8.6
MBA0210	X	3.17	0.31	18	6.3
MBA0211	X	3.22	0.34	16	9.7
MBA0212	X	3.13	0.33	13	9.9
MBA0213	X	2.96	0.33	12	9.1
MBA0214	X	2.99	0.29	11	7.3
MBA0215	X	3.07	0.3	11	7.5

Mt Devan Auger Sampling Results																								
Sample ID	Eastng	Northing	Elevation	Colour	Hydrochloric Acid Reaction	Depth of Best Reaction	Comments	Ag_ppm	As_ppm	Au_ppb	Ba_ppm	Be_ppm	Bi_ppm	Cd_ppm	Ce_ppm	Co_ppm	Cs_ppm	Cu_ppm	Dy_ppm	Er_ppm	Eu_ppm	Ga_ppm	Gd_ppm	Hf_ppm
MBA0216	231998	6802459	433.1	Red Brown	0	0.5	Off coordinates due to watercourse;	0.03	1.4	1	44.5	0.72	0.6	0.07	27.9	16.3	1.21	50.1	1.78	1.03	0.5	7.46	2.21	0.14
MBA0217	231998	6802504	433	Red Brown	0	1.5		0.03	1.1	X	43.2	0.72	0.6	0.07	27.9	16.3	1.21	50.1	1.78	1.03	0.5	7.46	2.21	0.14
MBA0218	231999	6802553	429.4	Red Brown	0	0.5		0.02	1.1	X	31.5	0.58	0.47	0.05	22.1	11.8	0.89	38.5	1.35	0.77	0.37	5.95	1.72	0.18
MBA0219	231999	6802600	431.3	Red Brown	0	0.5		0.03	1.2	1	35.4	0.67	0.57	0.06	24.8	14.3	1.12	43.2	1.59	0.93	0.44	7.18	2	0.16
MBA0220	232011	6802657	433.2	Red Brown	0	1	Off coordinates due to watercourse;	0.03	1.6	1	26.9	0.66	0.52	0.04	25.8	12.9	0.98	36.4	1.55	0.88	0.42	7.16	1.91	0.14
MBA0221	231996	6802698	417.8	Red Brown	0	0.5		0.04	1.4	1	25.6	0.57	0.46	0.04	22.5	11	0.83	32.7	1.39	0.77	0.38	6.19	1.73	0.13
MBA0222	231991	6802746	420.6	Red Brown	0	1.5		X	1.2	1	15.9	0.66	0.29	0.02	20.3	8.7	0.65	22.2	1.17	0.79	0.31	5.52	1.46	0.11
MBA0223	232004	6802802	429.9	Red Brown	0	0.5		X	1.6	2	7.1	0.3	0.34	0.02	14.5	4.3	0.47	17.7	0.75	0.41	0.21	5.52	1.02	0.1
MBA0224	232001	6802847	431.9	Red Brown	0	1		X	1.1	2	7.7	0.31	0.35	0.01	15.6	5	0.49	15.4	0.71	0.4	0.2	6.01	0.94	0.19
MBA0226	232005	6802901	438.5	Red Brown	0	1		X	1.3	3	6.8	0.29	0.36	0.01	13.2	4	0.42	16.1	0.59	0.33	0.17	5.99	0.83	0.24
MBA0227	231999	6802950	432.4	Red Brown	0	1		X	1.8	2	6.2	0.31	0.57	0.02	16.3	3.3	0.53	18.5	0.88	0.49	0.26	8.56	1.17	0.33
MBA0228	231999	6802997	434.8	Red Brown	0	0.5		X	1.5	X	7.5	0.27	0.56	0.01	13.2	3.3	0.45	18.6	0.69	0.4	0.2	8.85	0.91	0.32
MBA0229	231994	6803049	431.7	Red Brown	0	1		X	1.5	X	8.3	0.29	0.52	0.01	15	4.6	0.5	17	0.8	0.45	0.23	8.14	1.05	0.31
MBA0230	232005	6803094	434.2	Red Brown	0	1		X	1.9	5	6.6	0.29	0.53	0.02	14.4	3.8	0.53	44.9	0.65	0.36	0.19	8.95	0.89	0.38
MBA0231	232002	6803147	430.6	Red Brown	0	1.5		X	1.5	2	6.1	0.31	0.44	0.02	12.8	3.5	0.41	13.7	0.58	0.31	0.17	7.22	0.79	0.32
MBA0232	232003	6803200	435.9	Red Brown	0	0.5		X	2.7	2	7	0.26	0.48	0.02	11.8	3.4	0.48	15	0.54	0.3	0.16	8.4	0.75	0.37
MBA0233	232003	6803248	434.6	Red Brown	0	1		0.03	2.2	2	76.3	0.61	0.47	0.02	20	8.5	0.69	20.3	0.86	0.48	0.25	10.11	1.1	0.43
MBA0234	231999	6803299	428.7	Red Brown	0	0.5		X	2.1	1	10.4	0.23	0.39	0.02	11.5	2.5	0.49	14.8	0.57	0.31	0.16	7.88	0.75	0.38
MBA0235	232006	6803345	429.9	Red Brown	0	0.5		0.03	2.4	2	11.7	0.33	0.48	0.03	18.6	3.7	0.65	19.3	0.9	0.49	0.27	9.74	1.2	0.43
MBA0236	232001	6803402	432.1	Red Brown	0	0.5		X	2.3	2	7.3	0.22	0.48	0.02	10.8	2.2	0.42	14.3	0.49	0.25	0.14	8.43	0.66	0.4
MBA0237	231999	6803446	429.6	Red Brown	1	1		0.03	2.5	3	10.8	0.46	0.76	0.03	23.7	5.1	0.49	17.8	0.86	0.44	0.23	12.9	1.33	0.49
MBA0238	232004	6803498	430.6	Red Brown	0	1		0.02	1.8	X	6.1	0.23	0.49	0.02	12	2.4	0.42	13.2	0.52	0.27	0.14	8.01	0.7	0.34
MBA0239	232003	6803549	430.9	Red Brown	0	1		X	1.5	2	7.4	0.29	0.48	0.02	14	3.7	0.46	15	0.62	0.33	0.18	8.12	0.82	0.36
MBA0240	232003	6803592	431.2	Red Brown	0	0.5		X	1.7	1	6.5	0.22	0.48	0.02	12.6	2.4	0.45	13.7	0.52	0.26	0.14	7.73	0.72	0.35
MBA0241	232001	6803644	417.3	Red Brown	0	1.5		0.02	1.1	1	10.9	0.34	0.4	0.02	15.8	4.5	0.49	14.5	0.7	0.38	0.2	6.93	0.97	0.3
MBA0242	231999	6803699	425.9	Red Brown	0	1.5		0.02	0.9	3	12.3	0.4	0.38	0.02	20	5.3	0.55	15.4	0.79	0.43	0.22	7.33	1.09	0.31
MBA0243	232006	6803949	426.9	Red Brown	0	1		X	1.5	1	7.4	0.36	0.45	0.02	20	4.8	0.64	18.8	0.95	0.53	0.25	8.75	1.23	0.39
MBA0244	232004	6803998	425.8	Red Brown	1	1		X	X	X	10.3	0.4	0.6	0.01	21	4.5	0.74	21.3	0.9	0.51	0.25	10.9	1.19	0.42
MBA0245	232005	6804046	426.7	Red Brown	0	1.5		X	X	2	8.8	0.46	0.27	0.01	21.8	4.9	0.68	19.5	1.04	0.59	0.29	11.5	1.33	0.35
MBA0246	231998	6804091	424.1	Red Brown	0	1		X	X	2	9.7	0.38	0.2	0.01	19.5	4.3	0.71	18	0.8	0.45	0.22	8.24	1.09	0.25
MBA0247	232002	6804144	425.7	Red Brown	0	1.5		X	X	1	9.9	0.43	0.17	X	21.7	4.5	0.65	17	0.84	0.48	0.23	7.33	1.12	0.18
MBA0248	232005	6804197	425.1	Red Brown	0	1.5		X	X	X	7.3	0.23	0.17	0.01	16.2	2.6	0.52	12.8	0.64	0.35	0.17	5.92	0.93	0.19
MBA0249	231999	6804247	425.4	Red Brown	0	1.5		X	X	X	7.5	0.37	0.18	0.01	22.9	3.8	0.7	16	0.97	0.55	0.27	7.49	1	0.25
MBA0250	232003	6804295	429.5	Red Brown	0	1		X	X	X	9.6	0.29	0.23	X	22.2	2.7	0.67	17.7	0.75	0.4	0.2	8.93	1.07	0.26
MBA0252	231991	6804361	446.1	Red Brown	1	1.5		X	X	2	21.5	0.69	0.2	0.02	27.2	6.6	0.65	17.7	1.05	0.6	0.29	9.38	1.37	0.32
MBA0253	232002	6804404	425.4	Red Brown	0	1		X	X	X	6.7	0.26	0.16	0.01	17	2.1	0.57	12.7	0.65	0.38	0.18	6.84	0.9	0.23
MBA0254	232001	6804650	424.7	Red Brown	0	1		X	X	2	8.3	0.21	0.14	0.01	30.9	1.8	0.58	12.1	0.61	0.3	0.16	6.07	1.08	0.24
MBA0255	232001	6804704	425.2	Red Brown	0	0.5		X	0.6	2	11.9	0.21	0.16	0.01	26.3	1.9	0.6	11.4	0.63	0.32	0.17	6.79	1.04	0.28
MBA0256	231997	6804752	423	Red Brown	0	1.5		X	X	X	12	0.24	0.14	X	34.2	1.9	0.64	13.4	0.77	0.37	0.2	6.99	1.24	0.25
MBA0257	231999	6804800	423.7	Red Brown	0	1.5		X	X	1	8.6	0.3	0.11	0.01	30	2.6	0.67	11.6	0.79	0.4	0.21	6.29	1.23	0.25
MBA0258	232006	6804856	428	Red Brown	0	0.5		X	X	X	10	0.18	0.1	X	30.7	1.8	0.68	12.7	0.56	0.25	0.14	5.74	1.05	0.21
MBA0259	231995	6804895	426.8	Red Brown	0	0.5		X	X	X	10.1	0.18	0.1	X	29.5	1.6	0.47	9	0.52	0.25	0.13	4.25	0.94	0.14
MBA0260	232002	6804952	425.4	Red Brown	0	1		X	X	X	8.1	0.18	0.1	X	31.3	1.7	0.45	9.8	0.56	0.26	0.14	4.51	1.02	0.15
MBA0261	231999	6804997	430.5	Red Brown	0	1.5		X	X	1	7.9	0.2	0.1	X	33.8	1.5	0.48	8.7	0.58	0.27	0.14	4.61	1.08	0.18
MBA0262	232004	6805056	429.8	Red Brown	0	1		X	X	X	8.4	0.16	0.09	X	33.4	1.3	0.43	8.9	0.56	0.24	0.13	3.76	1.08	0.13
MBA0263	232003	6805105	427.3	Red Brown	0	1.5		X	X	X	8	0.16	0.09	X	38.4	1.5	0.45	8.5	0.62	0.29	0.15	4.04	1.24	0.16
MBA0264	232002	6805156	429.4	Red Brown	0	0.5		X	X	X	19.2	0.19	0.09	X	37.1	1.6	0.43	9.5	0.64	0.29	0.15	3.89	1.23	0.1
MBA0265	231994	6805198	426.9	Red Brown	0	1.5		X	X	X	14.9	0.21	0.09	X	37.8	1.7	0.47	8.8	0.63	0.3	0.16	4.42	1.19	0.13
MBA0266	232000	6805250	428	Red Brown	0	1.5		X	1.1	X	9.1	0.15	0.1	X	41.5	1.2	0.43	7.1	0.66	0.32	0.15	3.13	1.41	0.15

Note: x - Assays below detection limit for the element

Mt Devan Auger Sampling Results																											
Sample ID	He_ppm	Ho_ppm	In_ppm	La_ppm	Li_ppm	Mn_ppm	Mo_ppm	Nb_ppm	Nd_ppm	Ni_ppm	Pb_ppm	Pr_ppm	Rb_ppm	Re_ppm	Sb_ppm	Sc_ppm	Se_ppm	Sm_ppm	Sr_ppm	Ta_ppm	Tb_ppm	Te_ppm	Th_ppm	Ti_ppm	U_ppm		
MBA0216	0.02	0.33	0.031	11.6	8.3	0.122	764	1.23	0.04	12	29	10	2.99	19	X	0.1	9.9	X	2.27	1.15	9.2	X	0.3	0.06	7.17	0.17	0.9
MBA0217	X	0.33	0.032	11.9	8.3	0.126	733	1.11	0.02	12.1	31.2	10	3.06	21.8	X	0.07	10.4	X	2.29	1.06	9	X	0.308	0.05	6.89	0.12	0.88
MBA0218	0.02	0.26	0.025	9.91	6.7	0.098	529	1.04	0.07	9.24	24.7	7.7	2.35	13.5	X	0.09	7.4	X	1.78	0.95	7.4	X	0.233	0.05	6.19	0.12	0.69
MBA0219	0.02	0.29	0.03	10.7	7.6	0.116	623	1.27	0.05	10.9	26.7	9	2.75	16.8	X	0.1	9.1	X	2.11	1.06	6.9	X	0.277	0.05	6.51	0.15	0.86
MBA0220	0.03	0.29	0.031	11	8	0.112	549	1.2	0.05	10.9	24.6	9.2	2.78	15.5	X	0.09	9.1	X	2.07	1.07	5.9	X	0.269	0.06	7.13	0.15	0.89
MBA0221	X	0.26	0.027	10.2	6.4	0.097	524	1.24	0.05	9.83	21.6	8.4	2.49	13.9	X	0.12	8	X	1.79	1.03	5.2	X	0.242	0.04	6.89	0.12	0.79
MBA0222	X	0.16	0.021	6.95	3.1	0.089	316	1.41	0.06	8.22	15.2	8.1	2.16	9.89	X	0.08	7.1	X	1.68	0.77	3.6	X	0.206	0.04	6.76	0.08	0.82
MBA0223	X	0.14	0.022	6.97	3.4	0.051	154	1.08	0.14	6.33	11.5	7.3	1.69	7.74	X	0.09	5.5	X	1.33	0.78	2.2	X	0.135	0.04	6.48	0.06	0.72
MBA0224	X	0.13	0.025	7.25	3.8	0.052	160	1.01	0.06	6.18	11.3	7.7	1.66	7.67	X	0.08	5.8	X	1.27	0.86	1.9	X	0.129	0.05	6.73	0.07	0.74
MBA0226	X	0.11	0.027	6.3	3.1	0.043	144	1.35	0.11	5.56	10.5	7.8	1.49	6.5	X	0.13	5.6	X	1.14	0.86	1.6	X	0.11	0.06	6.73	0.06	0.63
MBA0227	X	0.16	0.038	8	3.4	0.064	119	1.52	0.12	7.47	12.4	10.2	1.95	7.63	X	0.14	8.4	X	1.57	0.96	1.8	X	0.155	0.09	8.88	0.08	1.02
MBA0228	X	0.13	0.04	6.7	2.7	0.055	144	1.26	0.08	6	12.8	10.1	1.59	6.84	X	0.13	8.3	X	1.26	1	1.8	X	0.124	0.09	7.89	0.06	0.77
MBA0229	X	0.14	0.038	7.26	3.1	0.056	169	1.3	0.13	6.81	11.7	9.1	1.78	7.23	X	0.15	7.8	X	1.41	0.98	1.8	X	0.139	0.08	7.96	0.07	0.83
MBA0230	X	0.11	0.04	7.15	3	0.055	161	1.81	0.17	6.35	12.9	10.7	1.64	8.02	X	0.17	7.6	X	1.3	1.1	2	X	0.117	0.09	9.25	0.08	0.9
MBA0231	X	0.1	0.031	6.32	3	0.039	137	1.38	0.12	5.48	10.7	8.9	1.47	6.23	X	0.14	6.1	X	1.08	0.87	1.7	X	0.107	0.07	7.56	0.07	0.74
MBA0232	X	0.1	0.039	5.81	2.4	0.041	136	2.05	0.16	5.08	11.1	10.6	1.38	6.95	X	0.17	6.9	0.5	1.02	0.98	1.4	X	0.101	0.09	8.8	0.06	0.84
MBA0233	X	0.16	0.044	7.19	6.1	0.064	213	2.3	0.16	6.83	16.4	12.8	1.85	9.81	X	0.17	9.5	0.6	1.49	1.24	3.4	X	0.151	0.09	10.3	0.12	1.34
MBA0234	X	0.1	0.035	5.75	2.1	0.039	117	1.92	0.27	5.05	10.1	10.7	1.34	6.6	X	0.16	6.3	X	1.05	0.99	1.5	X	0.103	0.09	8.61	0.06	0.9
MBA0235	X	0.16	0.042	8.15	3.2	0.061	227	2.19	0.2	7.78	13.1	12	2.05	9.28	X	0.2	8.3	0.5	1.58	1.16	1.9	X	0.165	0.11	10.1	0.08	1.11
MBA0236	X	0.08	0.038	5.67	1.7	0.032	111	2.07	0.35	4.63	10	10.7	1.28	6.23	X	0.2	6	X	0.94	0.99	1.5	X	0.092	0.1	8.69	0.05	0.73
MBA0237	X	0.15	0.055	9.92	3.7	0.056	189	3.1	0.17	9.36	13.2	15.8	2.52	7.99	X	0.22	9.8	0.7	1.96	1.31	2.8	X	0.168	0.14	13.1	0.09	0.99
MBA0238	X	0.09	0.035	5.99	1.1	0.034	113	1.87	0.2	5.04	9.3	10.5	1.37	5.55	X	0.17	5.8	X	1.01	1.01	1.6	X	0.096	0.09	8.62	0.06	0.7
MBA0239	X	0.11	0.036	6.76	3.2	0.045	161	1.87	0.12	5.72	10.6	10.3	1.54	7.19	X	0.16	6.4	X	1.14	1.08	1.8	X	0.112	0.09	8.26	0.07	0.71
MBA0240	X	0.09	0.036	6.56	2.2	0.035	123	2.12	0.22	5.2	10	10.1	1.45	6.63	X	0.17	5.6	X	1.03	1.04	1.9	X	0.095	0.09	8	0.05	0.65
MBA0241	X	0.13	0.029	7.79	3.8	0.048	235	2.01	0.1	6.63	11.5	8.9	1.77	7.91	X	0.14	5.4	X	1.34	0.96	2.5	X	0.129	0.07	7.17	0.08	0.6
MBA0242	X	0.14	0.03	8.94	4.6	0.054	358	1.83	0.08	7.46	12.4	9.2	2.01	8.62	X	0.15	5.7	X	1.44	0.89	2.2	X	0.146	0.06	7.86	0.1	0.64
MBA0243	X	0.17	0.04	8.81	4.2	0.054	287	1.87	0.16	8.02	12.9	12.3	2.14	9.42	X	0.15	8.2	0.5	1.6	1.14	2	X	0.163	0.08	9.61	0.1	1.16
MBA0244	X	0.16	0.042	9.67	5.1	0.07	205	1.89	0.16	7.91	14.9	12.7	2.35	10.6	X	0.17	8.7	X	1.38	1.07	1.1	X	0.163	0.07	10.1	0.1	1.11
MBA0245	X	0.19	0.048	9.49	4.8	0.079	244	1.87	0.13	8.49	15.8	14.7	2.47	10.47	X	0.18	9.4	X	1.23	1.23	2.9	X	0.174	0.08	10.24	0.08	1.39
MBA0246	X	0.14	0.03	9.22	4.9	0.062	174	1.59	0.35	7.24	13.1	11.1	2.21	10.4	X	0.03	6.9	X	1.25	0.94	2.9	X	0.143	0.04	8.92	0.08	0.91
MBA0247	X	0.15	0.028	9.8	5.3	0.064	185	1.17	0.23	7.88	13.2	10.6	2.36	10.1	X	X	6.5	X	1.3	0.97	3.2	X	0.154	0.03	8.77	0.09	0.89
MBA0248	X	0.12	0.022	8.58	2.8	0.048	120	1.15	0.37	6.57	9.4	7.9	2.02	7.87	X	0.02	4.4	X	1.11	0.73	1.9	X	0.121	0.04	6.97	0.06	0.67
MBA0249	X	0.18	0.028	10.3	5.1	0.073	176	1.52	0.43	8.88	11.5	10.4	2.6	9.47	X	0.05	6.3	X	1.5	1.04	2.8	X	0.176	0.05	9.08	0.08	1.02
MBA0250	X	0.13	0.034	11.2	3.4	0.051	150	2.01	0.41	8.33	12.6	11.9	2.57	10.3	X	0.02	6.5	X	1.39	1.03	2.5	X	0.142	0.05	10.07	0.08	1.03
MBA0252	X	0.19	0.037	11.6	6.5	0.056	262	2.45	0.34	9.47	17.1	13.9	2.82	10.8	X	0.06	8	X	1.66	1.03	4.2	X	0.19	0.06	11.02	0.13	1.13
MBA0253	X	0.12	0.026	9.3	3.8	0.043	147	1.47	0.43	6.68	9.3	8.5	2.05	9.24	X	0.04	5.3	X	1.36	0.97	1.8	X	0.136	0.04	8.55	0.08	0.9
MBA0254	X	0.1	0.021	15.7	2.8	0.036	123	1.47	0.86	9.86	9.4	8.4	3.31	8.25	X	0.1	4.4	X	1.53	0.89	1.9	X	0.131	0.04	10.07	0.07	0.92
MBA0255	X	0.11	0.023	13.6	2.7	0.039	136	1.66	0.74	8.96	9.2	9.5	2.93	8.79	X	0.1	4.3	X	1.4	1.2	2.1	X	0.131	0.04	10.3	0.08	0.96
MBA0256	X	0.13	0.024	18.8	3.5	0.043	122	1.67	0.59	11.4	9.9	10	3.69	9.37	X	0.05	4.7	X	1.72	0.93	2.4	X	0.157	0.03	12.1	0.07	1.1
MBA0257	X	0.13	0.024	15.1	4.3	0.045	129	1.32	0.54	10.2	8.9	9.1	3.16	9.66	X	0.06	4.5	X	1.58	0.96	2.6	X	0.154	0.03	11.3	0.09	1.16
MBA0258	X	0.09	0.018	17.1	2.6	0.025	120	1.04	0.58	10.2	9.6	7.4	3.31	9.56	X	0.07	3.7	X	1.47	0.9	2.2	X	0.121	0.03	10.8	0.08	0.89
MBA0259	X	0.09	0.013	15.7	2.4	0.025	140	0.75	0.69	9.44	7.8	6.5	3.15	7.78	X	0.06	2.5	X	1.33	1.04	2	X	0.113	0.02	8.81	0.08	0.64
MBA0260	X	0.09	0.014	17.3	2.2	0.026	119	0.93	0.74	9.96	7.4	6.7	3.27	7.25	X	0.05	2.6	X	1.22	1.02	2.2	X	0.122	0.02	9.21	0.08	0.69
MBA0261	X	0.1	0.014	19.1	1.9	0.028	114	0.79	0.66	10.5	7.1	6.1	3.68	5.6	X	0.03	2.8	X	1.14	0.87	1.8	X	0.128	0.02	8.02	0.07	0.74
MBA0262	X	0.09	0.012	19.1	2.1	0.023	110	0.68	0.65	10.6	7	6	3.5	6.9	X	0.03	2.2	X	1.46	0.63	1.8	X	0.123	X	9.14	0.06	0.62
MBA0263	X	0.1	0.012	21.9	2.3	0.027	123	0.61	0.71	12.3	6.9	6.7	4.09	7.17	X	0.04	2.3	X	1.66	0.85	1.8	X	0.14	X	10.8	0.07	0.67
MBA0264	X	0.1	0.012	21	2.4	0.026	130	0.79	0.85	11.9	7.9	6.3	3.95	7.01	X	0.06	2.4	X	1.66	0.66	2.3	X	0.138	0.02	10.3	0.06	0.64
MBA0265	X	0.1	0.013	21.5	3.1	0.028	122	0.62	0.45	12.1	8.1	6.9	3.99	7.92	X	X	2.8	X	1.66	0.77	2.3	X	0.141	X	10.8	0.06	0.74
MBA0266	X	0.11	0.011	23.4	2.3	0.031	53.1	0.57	1.18	13.6	5.6	6.1	4.09	6.77	X	0.08	1.9	X	1.96	0.58	1.1	X	0.162	X	11.1	0.05	0.7

Sample ID W_ppm Y_ppm Yb_ppm Zn_ppm Zr_ppm

MBA0216 X 9.9 0.94 35 5.8

MBA0217 X 10.7 0.94 38 4.6
MBA0218 X 7.91 0.74 30 6.3
MBA0219 X 9.49 0.88 32 5.8
MBA0220 X 8.66 0.85 29 4.8

MBA0221 X 7.89 0.74 26 4.8
MBA0222 X 6.02 0.63 16 5.3
MBA0223 X 4.15 0.59 16 5.1
MBA0224 X 3.89 0.4 12 6.7
MBA0226 X 3.17 0.33 11 8.9
MBA0227 X 4.51 0.48 12 11.3
MBA0228 X 3.55 0.4 12 10.9
MBA0229 X 4.09 0.43 13 11
MBA0230 X 3.15 0.34 16 13.3
MBA0231 X 2.93 0.3 11 10.4
MBA0232 X 2.63 0.31 12 12.6
MBA0233 X 4.4 0.49 16 14
MBA0234 X 2.59 0.3 12 12
MBA0235 X 4.53 0.48 16 14.2
MBA0236 X 2.17 0.26 13 13.2
MBA0237 X 4.14 0.44 14 17.4
MBA0238 X 2.34 0.28 12 12.3
MBA0239 X 3.11 0.34 12 11.4
MBA0240 X 2.43 0.26 13 11.4
MBA0241 X 3.78 0.37 12 9.7
MBA0242 X 4.28 0.41 13 9.6
MBA0243 X 4.97 0.55 15 11.9
MBA0244 X 4.35 0.52 16 12.7
MBA0245 X 4.97 0.6 14 10.6
MBA0246 X 3.86 0.46 15 8
MBA0247 X 4.12 0.49 14 5.9
MBA0248 X 3.16 0.36 11 5.9
MBA0249 X 4.83 0.54 14 7.7
MBA0250 X 3.3 0.39 16 7.9
MBA0252 X 4.98 0.58 14 9.2
MBA0253 X 3.14 0.36 11 7.2
MBA0254 X 2.49 0.27 12 7.4
MBA0255 X 2.78 0.29 12 8.2
MBA0256 X 3.12 0.33 13 7.8
MBA0257 X 3.32 0.36 12 7.7
MBA0258 X 2.14 0.21 13 6.1
MBA0259 X 2.22 0.23 11 4.4
MBA0260 X 2.33 0.21 10 4.8
MBA0261 X 2.47 0.22 10 5.6
MBA0262 X 2.23 0.19 10 3.8
MBA0263 X 2.66 0.22 10 4.9
MBA0264 X 2.7 0.21 11 3.4
MBA0265 X 2.86 0.23 11 4.3
MBA0266 X 2.94 0.23 6 5

Note: x - Assays below detection limit for the element

Mt Devan Auger Sampling Results

Mt Devan Auger Sampling Results																										
Sample ID	Eastng	Northing	Elevation	Colour	Hydrochloric Acid Reaction	Depth of Best Reaction	Comments	Ag_ppm	As_ppm	Au_ppb	Ba_ppm	Be_ppm	Bi_ppm	Cd_ppm	Ce_ppm	Co_ppm	Cs_ppm	Cu_ppm	Dy_ppm	Er_ppm	Eu_ppm	Ga_ppm	Gd_ppm	Hf_ppm		
MBA0267	232007	6805308	429.8	Red Brown	0	1.5		X	1.3	2	5.9	0.12	0.1	X	35.8	0.9	0.39	6.3	0.57	0.27	0.14	3.04	1.17	0.12		
MBA0268	232003	6805354	429.6	Red Brown	0	1		X	1.3	X	10.1	0.14	0.12	X	45.1	1.2	0.53	8.8	0.73	0.34	0.18	4.11	1.49	0.18		
MBA0269	232001	6805404	422.1	Red Brown	1	1		X	1.5	X	8.6	0.14	0.11	X	36.5	1.3	0.56	8.5	0.67	0.31	0.16	3.81	1.28	0.15		
MBA0270	232003	6805459	423.6	Red Brown	0	1		X	1.3	X	10.8	0.17	0.1	X	38.3	1.3	0.53	8	0.72	0.34	0.19	3.63	1.36	0.17		
MBA0271	232000	6805507	419.1	Red Brown	0	1		X	1.3	X	8.4	0.18	0.1	X	37.7	1.2	0.47	7.1	0.68	0.32	0.18	3.44	1.3	0.14		
MBA0272	232098	6805502	429.8	Red Brown	0	0.5		X	1.2	1	10.1	0.17	0.1	0.01	42.7	1.2	0.46	7.2	0.72	0.33	0.18	3.27	1.43	0.13		
MBA0273	232107	6805465	427.5	Red Brown	1	1.5		X	1.3	X	8.6	0.12	0.09	X	44.5	1	0.46	6.2	0.71	0.31	0.17	3.47	1.39	0.15		
MBA0274	232106	6805408	425.4	Creem Brown	0	1.5		X	1.4	X	13.1	0.31	0.1	X	81.8	1.9	0.64	8.4	1.33	0.55	0.27	4.67	3.01	0.19		
MBA0276	232104	6805349	427.7	Red Brown	0	1.5		X	1.5	1	7.8	0.14	0.12	0.01	41.7	1.3	0.55	8	0.74	0.33	0.18	3.89	1.39	0.18		
MBA0277	232100	6805303	426.4	Red Brown	0	1.5		X	1.3	1	9.9	0.15	0.11	X	51	1.2	0.47	8.1	0.78	0.35	0.18	3.82	1.58	0.15		
MBA0278	232105	6805256	426.2	Red Brown	0	1		X	1.2	X	7.4	0.1	0.1	X	39.9	0.9	0.41	6	0.57	0.25	0.14	3.03	1.21	0.15		
MBA0279	232105	6805204	423.4	Red Brown	0	0.04		X	1.2	2	9.4	0.13	0.11	X	49.6	1.4	0.46	7.1	0.73	0.3	0.15	3.54	1.58	0.17		
MBA0280	232103	6805156	432.6	Red Brown	0	1.5		X	1.5	1	8.8	0.15	0.14	X	40.2	1.2	0.47	7.8	0.67	0.31	0.16	3.97	1.3	0.19		
MBA0281	232097	6805107	430.1	Red Brown	0	1		X	1.2	1	7.6	0.12	0.11	X	31.9	1	0.46	7.6	0.54	0.25	0.13	3.76	1.11	0.16		
MBA0282	232100	6805052	428.5	Red Brown	0	0.5		X	1.4	X	7.7	0.13	0.12	X	35.3	1.1	0.46	6.9	0.56	0.25	0.13	3.72	1.16	0.15		
MBA0283	232104	6805005	427.1	Red Brown	0	0.5		X	1.2	X	6.3	0.1	0.11	X	32.2	1	0.42	7.1	0.48	0.21	0.11	3.73	1.05	0.15		
MBA0284	232097	6804951	429.2	Red Brown	0	1		X	1.9	X	6.3	0.18	0.14	X	30.2	1.6	0.53	9.3	0.64	0.3	0.17	5.12	1.18	0.21		
MBA0285	232106	6804899	426.4	Red Brown	0	0.5		0.02	1.6	X	7.6	0.13	0.14	X	30.5	1.2	0.52	8.9	0.52	0.24	0.13	4.54	1.01	0.21		
MBA0286	232098	6804854	424.9	Red Brown	0	1		X	2.3	X	6.8	0.21	0.19	0.01	26.5	1.6	0.64	10.5	0.69	0.35	0.19	6.14	1.16	0.27		
MBA0287	232098	6804799	425.6	Red Brown	0	0.5		0.03	1.9	X	8.7	0.22	0.16	0.01	30.5	1.8	0.69	11.5	0.66	0.33	0.18	5.79	1.18	0.24		
MBA0288	232100	6804748	427.2	Red Brown	0	1.5		X	1.6	X	5.1	0.14	0.15	X	25.3	1.2	0.48	8.6	0.61	0.31	0.17	4.23	1.07	0.17		
MBA0289	232101	6804700	424.2	Red Brown	0	1		X	1.7	X	8.4	0.18	0.17	0.01	27.2	1.5	0.56	9.5	0.64	0.31	0.17	5.21	1.08	0.21		
MBA0290	232095	6804652	423.7	Red Brown	0	0.5		X	2	X	6.9	0.14	0.24	0.01	21.1	1.2	0.46	8.3	0.48	0.23	0.13	5.36	0.83	0.25		
MBA0291	232105	6804459	426.8	Red Brown	0	0.5		X	2.1	X	7.6	0.17	0.26	0.01	19	1.7	0.62	10.9	0.52	0.26	0.15	6.26	0.84	0.28		
MBA0292	232105	6804410	428.2	Red Brown	0	1		0.03	2.2	X	6.2	0.21	0.29	0.01	18.9	2	0.58	10.9	0.69	0.38	0.2	5.93	1.03	0.27		
MBA0293	232103	6804353	427.4	Red Brown	0	1		X	2	X	5.4	0.17	0.27	0.01	16.6	1.6	0.56	11	0.61	0.32	0.18	5.75	0.94	0.25		
MBA0294	232105	6804302	435.4	Red Brown	0	0.5		X	1.9	X	6.5	0.13	0.26	0.01	12.4	1.2	0.42	9	0.4	0.2	0.1	4.8	0.61	0.24		
MBA0295	232103	6804250	423.4	Red Brown	0	1.5		X	1.8	1	5.3	0.16	0.23	0.01	13.5	1.6	0.44	9.4	0.57	0.32	0.16	4.63	0.84	0.23		
MBA0296	232112	6804194	442.2	Red Brown	0	1		X	2	X	6.1	0.19	0.29	0.01	14.1	1.8	0.59	12.5	0.61	0.32	0.17	5.55	0.9	0.26		
MBA0297	232101	6804155	437.7	Red Brown	0	1		X	1.8	X	7.3	0.28	0.25	0.01	22.2	3.6	0.64	13.4	0.87	0.46	0.23	5.11	1.21	0.2		
MBA0298	232097	6804098	431.5	Red Brown	0	1		X	2.1	X	7.6	0.31	0.34	0.02	22	3.4	0.78	17.4	0.98	0.55	0.27	6.64	1.41	0.28		
MBA0299	232105	6804050	432.5	Red Brown	0	1		X	2.1	X	6.7	0.26	0.3	0.01	18.5	2.8	0.67	16.4	0.81	0.43	0.23	6.1	1.15	0.25		
MBA0300	232097	6804000	430.9	Red Brown	0	0.5		X	2.1	X	7	0.22	0.35	0.02	16.2	2.3	0.74	16.2	0.78	0.42	0.23	6.56	1.07	0.3		
MBA0302	232095	6803949	430.5	Red Brown	0	1		0.02	1.9	X	8	0.26	0.35	0.02	15.4	3.2	0.66	15.5	0.79	0.43	0.23	6.22	1.09	0.28		
MBA0303	232095	6803743	427.9	Red Brown	0	1		0.03	1.8	X	9.7	0.29	0.33	0.02	21.1	4.3	0.64	14.1	0.91	0.5	0.26	6.18	1.29	0.22		
MBA0304	232101	6803697	429.1	Red Brown	0	1.5		0.02	1.6	X	5.9	0.21	0.38	0.02	15	2.2	0.49	11.6	0.76	0.41	0.22	5.79	1.06	0.27		
MBA0305	232112	6803644	430.8	Red Brown	0	1.5		0.03	1.9	X	6.6	0.25	0.33	0.02	14.8	3	0.45	11.4	0.61	0.33	0.17	5.38	0.92	0.21		
MBA0306	232103	6803606	431.6	Red Brown	0	1		X	1.9	X	7.5	0.28	0.5	0.02	14.5	3.4	0.49	13.2	0.64	0.35	0.18	6.89	0.9	0.27		
MBA0307	232097	6803548	432.3	Red Brown	0	1		X	2	X	6.2	0.2	0.46	0.02	18	2.1	0.5	12.9	0.66	0.36	0.17	6.88	1.09	0.3		
MBA0308	232102	6803495	428.5	Red Brown	0	0.5		X	2.3	1	6	0.2	0.52	0.02	12.9	2.2	0.4	14.1	0.55	0.28	0.15	7.45	0.78	0.31		
MBA0309	232099	6803443	429.1	Red Brown	0	1		0.05	2.5	X	5.4	0.21	0.44	0.02	14.7	2.2	0.48	13.1	0.65	0.34	0.2	7.48	0.96	0.34		
MBA0310	232103	6803397	427.1	Red Brown	0	1		0.03	2.2	2	6.8	0.28	0.52	0.02	14.9	2.7	0.57	15.7	0.72	0.39	0.21	9.04	0.94	0.45		
MBA0311	232103	6803345	427	Red Brown	0	0.5		0.03	1.9	1	9.4	0.3	0.44	0.03	14	3.2	0.51	14.1	0.66	0.36	0.19	7.89	0.91	0.32		
MBA0312	232093	6803294	431	Red Brown	0	0.5		0.04	2.6	2	7	0.27	0.53	0.02	14.6	2.9	0.71	17.1	0.72	0.39	0.21	9.61	0.98	0.42		
MBA0313	232094	6803243	431.7	Red Brown	0	0.5		0.04	2	1	6.6	0.25	0.46	0.02	13.4	2.6	0.58	14.5	0.64	0.35	0.19	7.95	0.87	0.32		
MBA0314	232105	6803197	429.8	Red Brown	0	0.5		0.02	1.7	2	7.2	0.25	0.35	0.02	11.8	2.4	0.57	13.5	0.56	0.3	0.16	6.69	0.78	0.2		
MBA0315	232099	6803142	431.1	Red Brown	0	1.5		0.04	2.1	3	6.5	0.28	0.35	0.02	14.3	2.9	0.61	13.6	0.72	0.39	0.2	6.48	0.98	0.27		
MBA0316	232107	6803096	432.8	Red Brown	0	1		0.04	2.1	1	7.4	0.23	0.4	0.03	13.6	2.6	0.5	14.3	0.57	0.31	0.16	7.16	0.79	0.32		
MBA0317	232100	6803040	430.8	Red Brown	0	1	Off coordinates due to thick bush;	0.03	2.2	2	8	0.29	0.46	0.01	13.4	3.7	0.44	15.3	0.63	0.35	0.18	7.76	0.82	0.28		
MBA0318	232098	6802993	433.3	Red Brown	0	1.5		0.04	2.5	X	9	0.33	0.55	0.02	13.1	3.2	0.47	17.3	0.7	0.41	0.2	9.3	0.87	0.38		
MBA0319	232094	6802949	432.4	Red Brown	0	1.5		0.05	2.3	1	5.8	0.31	0.56	0.01	14.1	2.8	0.43	16.2	0.71	0.4	0.2	8.03	0.95	0.32		

Mt Devan Auger Sampling Results																											
Sample ID	Hg_ppm	Ho_ppm	In_ppm	La_ppm	U_ppm	Lu_ppm	Mo_ppm	Mn_ppm	Nb_ppm	Nd_ppm	Ni_ppm	Pb_ppm	Pr_ppm	Rb_ppm	Re_ppm	Sb_ppm	Sc_ppm	Se_ppm	Sm_ppm	Sr_ppm	Ta_ppm	Tb_ppm	Te_ppm	Th_ppm	Ti_ppm	U_ppm	
MBA0267	X	0.09	0.011	20.1	1.6	0.032	53.2	0.56	0.26	11.3	4.5	5.8	3.47	5.87	X	0.08	1.9	X	1.63	0.54	1.2	X	0.137	X	9.93	0.05	0.7
MBA0268	X	0.12	0.014	25.1	2.2	0.031	57.3	0.69	0.23	14.6	6	7.4	4.36	8.75	X	0.1	2.5	X	2.13	0.66	1.1	X	0.177	X	13	0.07	0.99
MBA0269	X	0.11	0.014	19.9	2.1	0.031	63.1	0.63	0.29	11.8	5.8	6.9	3.6	8.95	X	0.09	2.4	X	1.81	0.79	1.1	X	0.154	X	11	0.07	1.03
MBA0270	X	0.12	0.013	21.4	2.5	0.036	58.3	0.61	0.25	12.7	5.6	7.1	3.83	9.23	X	0.1	2.4	X	1.92	0.65	1	X	0.166	X	11.1	0.07	1.15
MBA0271	X	0.11	0.012	20.9	2.5	0.033	63	0.51	0.24	12.5	5.1	6.6	3.69	8.59	X	0.07	2.3	X	1.79	0.64	1.1	X	0.152	X	10.7	0.07	1.06
MBA0272	X	0.12	0.012	23.3	2.1	0.031	68.9	0.55	0.43	13.6	5	7.1	4.13	8.5	X	0.09	1.8	X	2	0.57	1.1	X	0.169	X	11.6	0.06	0.99
MBA0273	X	0.11	0.011	24.2	2.1	0.029	51.6	0.55	0.3	13.7	4.7	7.1	4.27	8.51	X	0.08	2.1	X	2.03	0.65	1	X	0.163	X	12.5	0.06	0.98
MBA0274	X	0.2	0.014	43.3	4.7	0.05	70.9	0.72	0.2	26.8	6.5	12.6	8.05	13.1	X	0.09	2.8	X	4.22	0.74	1.9	X	0.332	X	19.9	0.1	1.33
MBA0276	X	0.12	0.014	22.8	2.2	0.032	62.1	0.57	0.24	13.1	5.7	7.3	4.01	7.97	X	0.1	2.6	X	1.97	0.77	1.1	X	0.167	X	12	0.06	1.05
MBA0277	X	0.12	0.013	28.7	2.2	0.031	65.6	0.59	0.25	16.5	6.2	6.9	4.99	7.97	X	0.08	2.2	X	2.28	0.61	1.2	X	0.184	X	13.4	0.06	0.83
MBA0278	X	0.09	0.01	22.2	1.4	0.023	50.5	0.51	0.26	12.1	4.6	5.9	3.81	6.16	X	0.08	1.7	X	1.7	0.59	1	X	0.139	X	10.3	0.05	0.64
MBA0279	X	0.11	0.012	28.8	1.7	0.027	53.2	0.61	0.27	16.1	5.7	7.1	4.83	7.05	X	0.09	2	X	2.29	0.59	1.2	X	0.176	X	15.6	0.05	0.77
MBA0280	X	0.11	0.015	22.2	2.1	0.029	55.3	0.78	0.24	12.9	6.1	7	3.92	7.35	X	0.09	2.7	X	1.88	0.7	1.1	X	0.154	X	11.4	0.06	0.77
MBA0281	X	0.09	0.013	18.1	1.8	0.025	51.2	0.79	0.25	10.3	5.9	6	3.15	6.74	X	0.08	2.2	X	1.56	0.59	1.2	X	0.131	X	9.41	0.05	0.71
MBA0282	X	0.09	0.012	19.8	1.7	0.026	58.8	0.65	0.29	11.2	6.2	6.4	3.43	6.87	X	0.1	2.1	X	1.6	0.74	1.3	X	0.131	X	10.2	0.05	0.67
MBA0283	X	0.08	0.011	18.4	1.4	0.02	50.9	0.72	0.29	10.5	5.6	5.8	3.18	6.01	X	0.09	2	X	1.56	0.56	1.1	X	0.122	X	9.74	0.05	0.62
MBA0284	X	0.11	0.018	15.3	2.4	0.036	62.4	1.19	0.25	10.3	6.8	7.2	3.03	8.07	X	0.1	3.5	X	1.64	0.76	1.3	X	0.139	0.02	11.2	0.06	0.92
MBA0285	X	0.08	0.016	15.8	1.6	0.023	47.9	0.89	0.18	9.64	6.3	6.9	2.95	7.44	X	0.1	3	X	1.46	0.64	1	X	0.118	X	10.7	0.06	0.88
MBA0286	X	0.12	0.024	13.4	2.9	0.042	59.8	1.54	0.18	9.3	7.8	8.8	2.73	9	X	0.13	4.1	X	1.5	0.86	1.3	X	0.144	0.04	11.9	0.08	1.25
MBA0287	X	0.11	0.019	15.1	3.1	0.039	71.8	1.08	0.2	9.89	9.3	8	2.9	10.3	X	0.11	3.8	X	1.57	0.8	1.5	X	0.144	0.02	10.5	0.08	1.05
MBA0288	X	0.11	0.016	12.6	2	0.039	52	0.94	0.28	8.79	5.6	6.7	2.51	7.23	X	0.1	3.1	X	1.45	0.71	1.1	X	0.134	0.02	8.54	0.06	0.9
MBA0289	X	0.11	0.019	13.7	2.5	0.037	64.2	1.16	0.18	9.48	7.4	8	2.72	8.44	X	0.11	3.5	X	1.45	0.73	1.3	X	0.135	0.02	9.93	0.07	0.92
MBA0290	X	0.08	0.023	11	1.5	0.027	55.5	1.56	0.3	7.09	6.3	8.6	2.14	6.43	X	0.12	3.5	X	1.13	0.81	1	X	0.101	0.04	9.32	0.05	0.79
MBA0291	X	0.09	0.026	9.62	2.2	0.034	87.9	1.59	0.23	6.99	9.7	8.8	2	8.72	X	0.14	4.3	X	1.16	0.81	1.1	X	0.11	0.04	9.58	0.08	0.99
MBA0292	X	0.13	0.028	8.68	2.6	0.051	84.6	1.54	0.2	7.14	7.4	10.1	1.97	7.7	X	0.13	5.1	X	1.27	0.88	1.1	X	0.134	0.04	9.08	0.09	1.05
MBA0293	X	0.11	0.025	8.6	2.1	0.046	65	1.47	0.25	6.89	6.9	8.6	1.91	7.38	X	0.12	4.3	X	1.21	0.83	1	X	0.12	0.04	7.94	0.07	0.91
MBA0294	X	0.07	0.022	6.39	1.3	0.028	56.2	1.28	0.22	4.66	6.1	8	1.37	6.28	X	0.12	3.4	X	0.8	0.64	0.9	X	0.079	0.04	7	0.06	0.66
MBA0295	X	0.1	0.02	7.28	1.8	0.043	70.9	1.12	0.31	5.57	6.5	7.2	1.56	6.38	X	0.11	3.6	X	1.02	0.68	1	X	0.113	0.03	6.29	0.06	0.61
MBA0296	X	0.11	0.026	7.09	2.1	0.045	72.9	1.34	0.27	6.1	8	8.5	1.67	8.45	X	0.12	4.7	X	1.11	0.74	1.3	X	0.118	0.04	7.19	0.08	0.78
MBA0297	X	0.16	0.024	9.99	3.3	0.065	169	1.06	0.2	8.39	8.9	7.7	2.34	8.81	X	0.12	4.7	X	1.49	0.82	1.3	X	0.164	0.03	7.37	0.09	0.84
MBA0298	X	0.18	0.031	9.65	3.9	0.078	130	1.44	0.19	8.9	10.4	9.2	2.35	10.8	X	0.14	6.1	X	1.67	0.92	1.6	X	0.187	0.05	8.24	0.1	1.05
MBA0299	X	0.15	0.027	8.78	3.1	0.059	117	1.33	0.17	7.41	9.8	8.8	2.06	9.78	X	0.13	5.9	X	1.38	0.97	1.5	X	0.149	0.03	7.61	0.08	0.93
MBA0300	X	0.14	0.029	8.25	2.7	0.058	99.5	1.45	0.22	7.2	9.8	8.9	1.97	9.85	X	0.14	5.8	X	1.34	0.9	1.6	X	0.148	0.04	8.01	0.08	0.95
MBA0302	X	0.14	0.031	8.03	3.3	0.062	115	1.37	0.18	6.68	9.8	8.9	1.87	9.45	X	0.14	5.8	X	1.26	0.83	1.6	X	0.147	0.04	7.55	0.09	0.86
MBA0303	X	0.16	0.028	9.19	3.6	0.066	243	1.29	0.14	7.99	10.3	9.1	2.16	9.3	X	0.13	5.5	X	1.51	0.96	1.5	X	0.172	0.04	7.32	0.11	0.74
MBA0304	X	0.14	0.03	7.49	2.4	0.056	95.9	1.58	0.12	6.71	8.2	8.7	1.8	7.04	X	0.14	4.7	X	1.26	0.78	1.5	X	0.142	0.05	7.09	0.07	0.66
MBA0305	X	0.11	0.028	7.6	2.7	0.043	130	1.48	0.17	6.43	8.2	7.3	1.74	6.58	X	0.13	4.3	X	1.15	0.8	1.5	X	0.119	0.04	6.57	0.07	0.55
MBA0306	X	0.12	0.035	7.11	3	0.049	134	1.74	0.11	6.06	9.4	9.3	1.63	6.47	X	0.15	5.5	X	1.07	0.84	1.5	X	0.123	0.06	7.62	0.07	0.72
MBA0307	X	0.12	0.036	8.42	2.2	0.045	78.4	1.4	0.13	7.81	8.4	9.3	2.1	6.36	X	0.16	5.5	X	1.44	0.9	1.3	X	0.136	0.07	8.8	0.06	0.71
MBA0308	X	0.1	0.041	6.97	1.8	0.035	94.9	1.78	0.18	5.4	8.9	10.7	1.49	5.61	X	0.19	5.7	X	0.95	0.98	1.3	X	0.104	0.07	8.51	0.05	0.66
MBA0309	X	0.11	0.04	7.37	2.2	0.046	89	1.64	0.16	6.5	8.7	10.6	1.79	6.39	X	0.18	6.4	X	1.17	1.06	1.5	X	0.128	0.07	8.98	0.05	0.77
MBA0310	X	0.13	0.046	7.23	3	0.053	98.9	2.05	0.18	6.22	10.9	12.7	1.64	7.18	X	0.21	7.8	0.5	1.16	1.1	1.6	X	0.13	0.07	10.3	0.07	0.97
MBA0311	X	0.12	0.04	7.1	3.2	0.043	193	1.57	0.2	5.96	11.3	10.1	1.62	7.37	X	0.16	6.1	X	1.13	1.19	2.9	X	0.123	0.07	8.4	0.07	0.77
MBA0312	X	0.13	0.047	7.22	3.1	0.051	105	2.17	0.13	6.35	12.7	12.6	1.7	8.87	0.0015	0.19	8.2	0.5	1.25	1.13	1.7	X	0.137	0.09	10.6	0.08	1.1
MBA0313	X	0.11	0.038	6.95	2.8	0.047	101	1.96	0.09	5.93	11	10.9	1.57	7.99	0.001	0.16	6.7	X	1.11	1.09	1.7	X	0.122	0.07	9.31	0.07	0.96
MBA0314	X	0.1	0.032	5.97	2.8	0.034	106	1.78	0.31	5.11	10.9	9.1	1.38	7.93	X	0.16	5.8	X	0.96	0.9	2.2	X	0.106	0.05	7.49	0.07	0.76
MBA0315	X	0.12	0.032	7.4	3.3	0.05	101	1.41	0.13	6.39	10.9	8.7	1.7	7.8	X	0.14	6.1	X	1.19	0.95	2.2	X	0.134	0.06	8.03	0.08	0.84
MBA0316	X	0.1	0.035	6.49	2.7	0.039	93.4	1.35	0.1	5.61	10.2	9.6	1.51	6.76	X	0.17	6.5	X	1.03	0.87	1.4	X	0.109	0.05	8.18	0.07	0.83
MBA0317	X	0.11	0.037	6.49	2.9	0.048	288	1.34	0.06	5.43	11.8	9.3	1.45	6.22	X	0.16	7.7	X	1.03	0.95	1.4	X	0.115	0.06	7.96	0.07	0.81
MBA0318	X	0.13	0.047	6.34	2.9	0.057	100	1.59	0.09	5.66	12.8	11.5	1.47	6.13	X	0.19	9.7	0.5	1.1	0.92	1.7	X	0.123	0.08	9.31	0.07	0.97
MBA0319	X	0.13	0.044	6.56	3.2	0.057	90	1.43	0.09	5.94	11.6	10.3	1.59	5.82	X												

Mt Devan Auger Sampling Results																								
Sample ID	Easting	Northing	Elevation	Colour	Hydrochloric Acid Reaction	Depth of Best Reaction	Comments	Ag_ppm	As_ppm	Au_ppb	Ba_ppm	Be_ppm	Bi_ppm	Cd_ppm	Ce_ppm	Co_ppm	Cs_ppm	Cu_ppm	Dy_ppm	Er_ppm	Eu_ppm	Ga_ppm	Gd_ppm	Hf_ppm
MBA0320	232101	6802902	434.1	Red Brown	0	1.5		0.04	2.3	1	6.3	0.24	0.42	0.01	16.2	2.3	0.55	15.4	0.8	0.43	0.24	7.59	1.08	0.33
MBA0321	232097	6802849	433.7	Red Brown	0	1		0.03	1.8	X	5.4	0.18	0.37	0.01	11.1	2	0.39	12.5	0.58	0.31	0.16	6.03	0.76	0.29
MBA0322	232104	6802795	435	Red Brown	0	1		0.04	2	1	11	0.38	0.44	0.02	16.1	3	0.47	14.8	0.69	0.4	0.19	8.15	0.9	0.26
MBA0323	232103	6802745	433.3	Red Brown	0	1		0.03	1.9	X	7.7	0.29	0.31	0.01	13.3	3.6	0.48	12.4	0.57	0.32	0.16	5.77	0.77	0.21
MBA0324	232100	6802691	434.5	Red Brown	0	1		0.02	1.3	2	7.8	0.26	0.29	0.01	13.3	3	0.48	13.2	0.57	0.32	0.15	4.85	0.85	0.11
MBA0326	232103	6802645	433.6	Red Brown	0	1		0.04	1.4	1	13.9	0.42	0.31	0.02	15.9	7.1	0.67	19.4	0.9	0.53	0.25	5.47	1.18	0.12
MBA0327	232099	6802598	432.3	Red Brown	0	0.5		0.04	1.2	1	34	0.64	0.43	0.06	22.7	12.8	1.13	37.6	1.59	0.91	0.43	7.01	1.86	0.16
MBA0328	232105	6802547	434.5	Red Brown	0	0.5		0.09	1.7	2	36.1	0.65	0.43	0.08	30	18.1	1.29	41.4	1.66	0.96	0.46	6.06	2.01	0.12
MBA0329	232113	6802505	434.8	Red Brown	0	0.5		0.04	1.9	1	44.4	0.8	0.49	0.08	30.7	20.3	1.4	53.2	2.1	1.19	0.58	7.91	2.44	0.12
MBA0330	232099	6802399	433.5	Red Brown	0	1.5		0.04	1.3	X	24.5	0.51	0.43	0.04	16.1	8.6	0.79	28.1	1.04	0.62	0.27	5.27	1.27	0.18
MBA0331	232107	6802347	436.1	Red Brown	1	1.5		0.03	1.5	1	6.6	0.24	0.33	0.02	11.8	2.9	0.43	13.6	0.54	0.3	0.14	4.62	0.77	0.13
MBA0332	232105	6802291	438.2	Red Brown	0	1.5		0.03	1.3	X	6.7	0.27	0.27	0.01	12.4	3	0.42	10.9	0.57	0.31	0.16	4.31	0.8	0.21
MBA0333	232101	6802249	438.6	Red Brown	0	1		0.02	0.9	X	8.1	0.23	0.32	0.02	11.6	2.4	0.45	11.3	0.46	0.25	0.13	4.64	0.65	0.15
MBA0334	232109	6802194	437.2	Red Brown	0	0.5		X	1	X	7.5	0.23	0.29	0.02	9.3	2.7	0.37	9.6	0.4	0.21	0.11	4.02	0.55	0.17
MBA0335	232097	6802142	437.4	Red Brown	0	1.5		0.02	1.1	1	8.3	0.3	0.32	0.01	12.8	3.2	0.45	13.5	0.58	0.32	0.16	5.62	0.8	0.19
MBA0336	232108	6802102	435.7	Red Brown	0	0.5		0.03	1.3	1	7.7	0.27	0.33	0.01	11.4	2.7	0.52	11.1	0.54	0.29	0.16	6.21	0.75	0.21
MBA0337	232098	6802047	434.3	Red Brown	0	1		0.03	1.1	X	8	0.3	0.27	0.01	12.3	3.4	0.51	11.5	0.51	0.27	0.13	4.68	0.73	0.2
MBA0338	232102	6802000	435.3	Red Brown	0	1.5		0.03	1.1	X	10.9	0.32	0.26	0.02	12.1	3.3	0.46	11.4	0.53	0.3	0.14	4.02	0.75	0.15
MBA0339	232102	6801949	437.5	Red Brown	0	1		0.03	1.3	1	16.3	0.48	0.35	0.03	18.3	4.9	0.74	17.5	0.78	0.44	0.21	5.4	1.06	0.2
MBA0340	232200	6801952	441.2	Red Brown	0	0.5		0.03	1.3	1	11	0.36	0.34	0.02	15	4.5	0.68	16.9	0.9	0.48	0.25	4.94	1.21	0.13
MBA0341	232205	6802003	438.7	Red Brown	0	1		X	1.1	X	10.6	0.32	0.27	0.02	11.4	3.3	0.5	11.5	0.48	0.27	0.13	4.13	0.69	0.18
MBA0342	232201	6802053	438.8	Red Brown	0	1.5		X	1.7	X	7.2	0.27	0.24	0.01	9.98	2.1	0.52	10	0.45	0.25	0.13	4.51	0.63	0.22
MBA0343	232198	6802100	437.1	Red Brown	0	0.5		0.03	1.8	X	24.1	0.47	0.32	0.03	15.4	4.6	0.8	20.2	1.06	0.55	0.25	7.98	1.17	0.22
MBA0344	232199	6802150	438.7	Red Brown	0	0.5		0.02	1.5	X	9.4	0.22	0.25	0.02	9.77	2	0.36	8	0.35	0.18	0.09	4.01	0.54	0.2
MBA0345	232199	6802198	438.6	Red Brown	0	0.5		0.02	1.4	6	11.6	0.28	0.31	0.02	13.1	2.5	0.51	11.9	0.45	0.24	0.12	4.77	0.67	0.2
MBA0346	232204	6802252	439.7	Red Brown	0	0.5		0.03	1.8	X	10.4	0.3	0.31	0.03	13.5	3.3	0.55	13.1	0.58	0.31	0.15	5.58	0.79	0.2
MBA0347	232200	6802304	439	Red Brown	0	1		0.04	1.1	X	11.9	0.27	0.28	0.02	12.2	3.1	0.49	13.4	0.5	0.27	0.13	4.61	0.7	0.16
MBA0348	232203	6802353	434.4	Red Brown	0	0.5		0.05	1.4	1	8.1	0.33	0.49	0.02	11.6	3.7	0.47	16.9	0.68	0.38	0.17	7.82	0.84	0.27
MBA0349	232210	6802411	435.5	Red Brown	0	0.5		0.05	1.1	2	27.8	0.5	0.39	0.04	16.6	8.9	0.86	29.3	1.09	0.64	0.3	5.05	1.31	0.22
Off coordinates due to watercourse;																								
Off coordinates due to watercourse;																								
Duplicate;																								
MBA0350	232214	6802456	437	Red Brown	0	0.5		0.04	1.4	2	27.7	0.55	0.36	0.05	16.7	10.1	1.06	34.7	1.35	0.8	0.38	5.46	1.6	0.16
MBA0352	232207	6802505	432.3	Red Brown	0	0.5		0.05	1.1	X	30.3	0.58	0.37	0.05	17.5	10.2	0.92	32.9	1.19	0.71	0.3	5.31	1.41	0.2
MBA0353	232193	6802553	435.6	Red Brown	0	0.5		0.05	1.5	X	29.9	0.64	0.44	0.05	21.7	12.2	0.92	34.3	1.42	0.81	0.37	5.79	1.7	0.14
MBA0354	232198	6802602	435.3	Red Brown	0	0.5		X	1.2	X	15.5	0.43	0.29	0.03	14.4	5.5	0.57	17.2	0.72	0.4	0.18	5.3	0.95	0.14
MBA0355	232201	6802658	435.7	Red Brown	0	1		0.03	1.4	X	7.4	0.28	0.29	0.02	12.2	2.9	0.46	12.3	0.53	0.28	0.15	5.05	0.75	0.15
MBA0356	232202	6802701	435.9	Red Brown	0	1		X	1.3	X	8.7	0.3	0.27	0.02	12.4	2.7	0.45	11.4	0.45	0.24	0.12	4.87	0.65	0.14
MBA0357	232199	6802748	436.9	Red Brown	0	1		X	1.8	X	7.9	0.34	0.37	0.02	13.1	3	0.48	12.5	0.62	0.34	0.17	6.69	0.86	0.29
MBA0358	232200	6802807	437.1	Red Brown	0	1		0.02	2.5	X	8.8	0.26	0.49	0.02	11.1	2.7	0.46	14.4	0.55	0.3	0.16	8.36	0.76	0.37
MBA0359	232204	6802856	437.9	Red Brown	0	1		0.03	2.3	X	6.5	0.27	0.45	0.01	12.1	2.7	0.42	13.6	0.54	0.29	0.16	7.88	0.82	0.37
MBA0360	232202	6802902	438.8	Red Brown	0	1		0.03	3	1	9.1	0.36	0.57	0.02	13.7	3.6	0.45	18.2	0.77	0.41	0.22	9.79	1.04	0.45
MBA0361	232206	6802957	432.5	Red Brown	0	1.5		0.03	3.2	X	6.4	0.32	0.52	0.02	14.7	3.4	0.52	16.4	0.81	0.52	0.23	9.5	1.04	0.38
MBA0362	232201	6803004	435.5	Red Brown	0	0.5		0.03	2.5	X	10.7	0.3	0.39	0.02	12.9	9.8	0.66	21.1	0.72	0.39	0.21	8.73	0.97	0.34
MBA0363	232203	6803057	436.8	Red Brown	1	1.5		0.02	2.8	X	6.3	0.31	0.53	0.01	13.5	4	0.47	16.7	0.67	0.37	0.19	8.83	0.86	0.38
MBA0364	232207	6803101	435.1	Red Brown	1	1		0.02	2.6	1	8.8	0.42	0.54	0.02	15.3	4.5	0.61	17.3	0.75	0.41	0.22	9.54	1.02	0.4
MBA0365	232196	6803158	432.9	Red Brown	0	0.5		X	2.4	1	6.6	0.32	0.37	0.02	10.8	2.7	0.58	14.4	0.51	0.27	0.16	7.26	0.72	0.32
MBA0366	232198	6803207	432.4	Red Brown	0	0.5		0.02	2.2	X	6.9	0.25	0.37	0.01	12.2	2.3	0.56	13.4	0.54	0.27	0.16	6.67	0.77	0.25
MBA0367	232205	6803255	437.6	Red Brown	0	0.5		0.02	2.4	X	6.1	0.26	0.42	0.02	12	2.4	0.52	13.2						

Mt Devan Auger Sampling Results

Sample ID W_ppm Y_ppm Vb_ppm Zn_ppm Zr_ppm

MBA0320	X	3.53	0.43	10	10.8
MBA0321	X	2.44	0.32	9	9.4
MBA0322	X	3.4	0.39	13	9.2
MBA0323	X	2.98	0.31	12	7.8
MBA0324	X	3.04	0.3	13	5
MBA0326	X	5.05	0.52	18	4.5
MBA0327	X	8.81	0.85	36	5.3
MBA0328	X	9.36	0.88	36	4.5
MBA0329	X	11.9	1.11	42	4.2
MBA0330	X	5.8	0.62	25	6.3
MBA0331	X	2.82	0.3	11	5.2
MBA0332	X	3.08	0.3	10	7.1
MBA0333	X	2.37	0.23	12	6
MBA0334	X	2	0.2	11	6.2
MBA0335	X	2.94	0.3	12	7.6
MBA0336	X	2.64	0.27	13	8.4
MBA0337	X	2.5	0.25	13	7.6
MBA0338	X	2.74	0.27	14	5.5
MBA0339	X	4.08	0.41	21	7.2
MBA0340	X	4.72	0.45	23	5.6
MBA0341	X	2.54	0.25	14	6.6
MBA0342	X	2.29	0.24	12	8
MBA0343	X	4.86	0.52	24	9.1
MBA0344	X	1.67	0.17	12	7.2
MBA0345	X	2.25	0.23	13	7.3
MBA0346	X	2.85	0.28	17	7.9
MBA0347	X	2.51	0.25	15	6.2
MBA0348	X	3.54	0.39	16	10.2
MBA0349	X	5.87	0.6	25	7.1

MBA0350	X	7.67	0.75	30	5.1
---------	---	------	------	----	-----

MBA0352	X	6.28	0.7	27	6.1
MBA0353	X	7.57	0.79	28	5.4
MBA0354	X	3.75	0.39	20	5.4
MBA0355	X	2.5	0.27	13	6.3
MBA0356	X	2.15	0.22	11	6.2
MBA0357	X	2.87	0.33	11	10.1
MBA0358	X	2.39	0.3	11	12.7
MBA0359	X	2.75	0.3	10	12
MBA0360	X	3.41	0.41	13	15.9
MBA0361	X	3.65	0.47	11	12.7
MBA0362	X	3.39	0.37	30	11.2
MBA0363	X	2.82	0.37	11	12.7
MBA0364	X	3.33	0.4	14	13.4
MBA0365	X	2.25	0.27	13	11.2
MBA0366	X	2.26	0.26	12	9.5
MBA0367	X	2.48	0.3	12	10.3
MBA0368	X	2.86	0.35	13	12.4
MBA0369	X	2.4	0.32	11	13.4

Note: x - Assays below detection limit for the element

Mt Devan Auger Sampling Results

Sample ID Easting Northing Elevation Colour Hydrochloric Acid Reaction Depth of Reaction Comments Ag_ppm As_ppm Au_ppb Ba_ppm Be_ppm Bi_ppm Cd_ppm Ce_ppm Co_ppm Cs_ppm Cu_ppm Dy_ppm Er_ppm Eu_ppm Ga_ppm Gd_ppm Hf_ppm

MBA0370	232200	6803405	434.1	Red Brown	0	1	Reaction	0.12	2	2	6.5	0.26	0.46	0.02	12.6	2.4	0.48	12.7	0.59	0.32	0.18	7.99	0.81	0.37
MBA0371	232199	6803456	430.4	Red Brown	0	1		0.02	1.9	X	7.6	0.28	0.51	0.02	13.2	2.9	0.44	13.3	0.52	0.26	0.14	8.04	0.74	0.35
MBA0372	232202	6803505	430	Red Brown	0	0.5		X	2	X	8.4	0.33	0.51	0.02	15.1	3	0.53	16.2	0.62	0.32	0.17	8.83	0.87	0.33
MBA0373	232205	6803557	429	Red Brown	0	0.5		0.02	2.6	X	7.3	0.32	0.76	0.03	12.5	2.8	0.44	14.8	0.62	0.32	0.17	11.6	0.81	0.47
MBA0374	232198	6803610	430.3	Red Brown	0	0.5		X	1.3	1	7.6	0.24	0.36	0.02	13.4	2.3	0.41	11.4	0.45	0.24	0.12	5.3	0.71	0.26
MBA0376	232197	6803657	430.7	Red Brown	0	1.5		X	1.3	X	4.9	0.19	0.32	0.02	10.7	1.9	0.33	9	0.43	0.23	0.12	4.65	0.63	0.21
MBA0377	232196	6803704	430	Red Brown	0	1		X	0.9	1	6.6	0.27	0.37	0.01	14.4	3.3	0.48	12.7	0.67	0.37	0.19	5.75	0.91	0.25
MBA0378	232204	6803757	428.7	Red Brown	0	1		X	1.2	1	6.5	0.26	0.37	0.01	13.7	2.4	0.52	13.6	0.6	0.33	0.18	5.86	0.87	0.24
MBA0379	232199	6803801	426.9	Red Brown	0	1		0.02	1.5	2	8.3	0.39	0.35	0.02	19.3	4.7	0.57	15.5	0.77	0.42	0.2	6.5	1.1	0.23
MBA0380	232201	6803949	432.6	Red Brown	0	0.5		0.03	1.4	X	6.2	0.28	0.32	X	17.7	2.9	0.62	16.3	0.88	0.49	0.26	6.36	1.23	0.24
MBA0381	232202	6804000	431.9	Red Brown	0	1		0.03	1.6	1	7	0.39	0.38	0.01	20.7	4.2	0.65	17.7	1.06	0.6	0.29	7.23	1.43	0.28
MBA0382	232203	6804054	431.7	Red Brown	0	1		0.02	1.4	2	9.6	0.39	0.35	0.02	18.4	3.7	0.77	19.2	0.87	0.48	0.24	7	1.2	0.27
MBA0383	232202	6804101	432.9	Red Brown	0	1		X	0.9	1	7.6	0.36	0.36	X	20.8	3.5	0.64	17.2	0.95	0.54	0.27	6.85	1.33	0.22
MBA0384	232202	6804151	428.5	Red Brown	0	1		0.02	1.8	X	7.1	0.3	0.28	X	18	2.9	0.63	14.1	0.8	0.45	0.23	5.6	1.13	0.23
MBA0385	232204	6804197	442.7	Red Brown	0	1		X	1.4	2	6.3	0.26	0.3	X	17.8	2.5	0.55	13.7	0.77	0.43	0.22	5.89	1.08	0.24
MBA0386	232200	6804250	435.7	Red Brown	0	1		0.02	1.9	X	6.4	0.3	0.3	0.01	17.5	2.5	0.62	13.7	0.83	0.45	0.24	6.8	1.1	0.31
MBA0387	232201	6804300	433.1	Red Brown	0	1.5		X	1.6	1	5.2	0.24	0.28	X	15.8	1.9	0.57	12.1	0.69	0.37	0.2	5.73	0.98	0.26
MBA0388	232197	6804354	433.2	Red Brown	0	1		X	1.7	2	6.2	0.3	0.31	0.01	22.1	2.5	0.62	13.2	0.92	0.51	0.27	6.81	1.35	0.31
MBA0389	232205	6804403	435.6	Red Brown	0	1.5		0.05	1.4	1	5.5	0.18	0.22	X	15.9	1.5	0.43	8.5	0.48	0.25	0.14	4.69	0.77	0.24
MBA0390	232202	6804455	431.2	Red Brown	0	1		X	1.2	X	5.7	0.15	0.19	X	14	1.3	0.41	7.8	0.41	0.21	0.12	4.51	0.65	0.24
MBA0391	232198	6804503	427.2	Red Brown	0	0.5		X	1.6	X	6	0.19	0.21	X	15.6	1.5	0.45	9.2	0.43	0.21	0.12	5.12	0.71	0.23
MBA0392	232204	6804552	429.8	Red Brown	0	0.5		X	1.1	X	10.7	0.27	0.19	0.01	25.5	2.6	0.43	9.4	0.56	0.26	0.14	4.89	0.95	0.17
MBA0393	232203	6804700	429.2	Red Brown	0	0.5		X	1.2	X	5.6	0.14	0.16	X	21	1.2	0.39	7.8	0.41	0.19	0.11	4.11	0.75	0.17
MBA0394	232204	6804754	428.8	Red Brown	0	0.5		X	1.5	X	10.3	0.2	0.17	0.01	24.2	1.7	0.5	9.7	0.55	0.26	0.15	5.12	0.95	0.19
MBA0395	232196	6804806	427.9	Red Brown	0	1		0.03	1.2	X	12.5	0.18	0.14	X	25.9	1.5	0.55	9.9	0.59	0.29	0.17	4.63	1.01	0.21
MBA0396	232200	6804849	424.8	Red Brown	0	1.5		X	0.8	X	6.9	0.15	0.13	X	32	1.3	0.43	7.3	0.55	0.24	0.13	4.03	1.05	0.19
MBA0397	232197	6804903	427.1	Red Brown	0	1.5		X	0.9	X	6.6	0.19	0.14	X	30.5	1.5	0.46	9	0.59	0.27	0.15	4.58	1.09	0.24
MBA0398	232208	6804964	430.5	Red Brown	0	1	Off coordinates due to thick bush;	X	0.7	X	8	0.19	0.16	X	31.9	1.8	0.52	9.1	0.6	0.27	0.15	5.04	1.12	0.2
MBA0399	232190	6805000	422.5	Red Brown	0	1	Off coordinates due to thick bush;	X	0.6	1	8.4	0.14	0.13	X	36.3	1.3	0.43	6.8	0.55	0.24	0.12	3.75	1.13	0.18
MBA0400	232200	6805053	426.2	Red Brown	0	1		X	0.7	X	7	0.17	0.14	X	34.7	1.5	0.4	7	0.55	0.25	0.13	3.64	1.08	0.19
MBA0402	232196	6805098	424.8	Red Brown	0	1.5		X	0.8	X	6.2	0.23	0.12	X	31.7	1.9	0.38	6.7	0.56	0.26	0.13	3.42	1.09	0.16
MBA0403	232198	6805146	425.7	Red Brown	0	1		X	1.1	X	7.2	0.18	0.11	X	34.3	1.4	0.41	6.8	0.56	0.25	0.14	3.57	1.13	0.15
MBA0404	232195	6805197	429.5	Red Brown	0	1.5		X	1.1	X	6.2	0.16	0.12	X	36.5	1.2	0.4	7.2	0.63	0.28	0.16	3.75	1.19	0.16
MBA0405	232189	6805245	430	Red Brown	0	1	Off coordinates due to thick bush;	X	0.9	X	7	0.15	0.11	X	37.4	1.2	0.4	6.9	0.6	0.27	0.15	3.45	1.2	0.17
MBA0406	232198	6805301	426.9	Red Brown	0	1.5		X	1.1	X	8.4	0.15	0.12	X	42.3	1.2	0.45	7.1	0.69	0.31	0.17	3.68	1.35	0.2
MBA0407	232198	6805355	432	Red Brown	0	1.5		X	1.2	X	6.5	0.18	0.11	X	42.4	1.3	0.46	8.4	0.74	0.34	0.19	3.87	1.37	0.17
MBA0408	232198	6805403	429.1	Red Brown	0	1		0.03	1.3	2	7.9	0.23	0.12	X	43	1.5	0.52	9.3	0.78	0.37	0.2	4.16	1.47	0.17
MBA0409	232197	6805458	428.7	Red Brown	0	1.5		X	1.1	X	8.7	0.33	0.11	X	46.9	3	0.51	7.8	0.86	0.43	0.22	4.05	1.59	0.2
MBA0410	232208	6805509	426.7	Red Brown	0	1		X	0.8	X	9.1	0.29	0.11	X	40.9	1.8	0.49	8.6	0.79	0.37	0.2	4.1	1.48	0.15
MBA0411	232304	6805510	435.4	Red Brown	0	1		X	1.3	X	11.4	0.27	0.14	0.01	47.7	1.9	0.5	9.4	0.83	0.38	0.21	4.08	1.58	0.16
MBA0412	232296	6805450	431.4	Red Brown	0	1.5	Off coordinates due to thick bush;	X	1.1	X	9	0.23	0.12	X	46.7	1.6	0.54	9	0.88	0.43	0.24	4.42	1.61	0.21
MBA0413	232291	6805410	429.1	Red Brown	0	1.5	Off coordinates due to thick bush;	X	0.8	2	7.5	0.28	0.13	X	44.9	2	0.56	10.6	0.93	0.45	0.24	4.56	1.62	0.18
MBA0414	232293	6805350	426.3	Red Brown	0	1.5		X	0.8	X	8.4	0.23	0.12	X	44.1	1.9	0.42	7.3	0.73	0.33	0.17	3.56	1.41	0.18

Note: x - Assays below detection limit for the element

Mt Devan Auger Sampling Results

Sample ID	Hg_ppm	Ho_ppm	In_ppm	La_ppm	U_ppm	Lu_ppm	Mo_ppm	Mo_ppm	Nb_ppm	Nd_ppm	Ni_ppm	Pb_ppm	Pr_ppm	Rb_ppm	Re_ppm	Sb_ppm	Sc_ppm	Se_ppm	Sm_ppm	Sr_ppm	Sr_ppm	Ta_ppm	Tb_ppm	Te_ppm	Th_ppm	Ti_ppm	U_ppm
MBA0370	X	0.11	0.037	6.44	3	0.04	87.6	1.56	0.13	5.51	9.5	10.4	1.44	6.36	X	0.16	6.8	X	0.99	0.93	1.4	X	0.107	0.07	8.6	0.06	0.79
MBA0371	X	0.09	0.032	7.13	2.9	0.033	153	1.58	0.16	5.41	10.7	10.2	1.49	6.4	X	0.16	6.5	X	0.95	1.01	1.9	X	0.095	0.05	8.23	0.06	0.63
MBA0372	X	0.11	0.036	8.17	3.3	0.039	113	1.58	0.18	6.42	13.6	10.1	1.76	7.57	X	0.15	6.8	X	1.12	0.91	2	X	0.115	0.05	8.43	0.06	0.69
MBA0373	X	0.11	0.054	6.99	2.3	0.04	109	2.31	0.1	5.38	12.1	14.1	1.5	6.09	X	0.19	8.6	X	1	1.13	1.7	X	0.109	0.08	10.1	0.06	0.77
MBA0374	X	0.08	0.024	7.4	2.4	0.027	107	1.65	0.23	5.6	9.5	7.4	1.59	5.99	X	0.14	4	X	0.97	0.79	1.5	X	0.089	0.05	6.94	0.05	0.5
MBA0376	X	0.08	0.022	5.67	1.7	0.03	79	1.34	0.17	4.51	6.5	6.6	1.2	4.77	X	0.1	3.7	X	0.77	0.75	1.1	X	0.082	0.05	5.73	0.04	0.55
MBA0377	X	0.12	0.027	7.12	3.1	0.05	125	1.66	0.14	6.04	10.5	8.7	1.61	7.4	X	0.11	5.4	X	1.08	0.79	1.5	X	0.121	0.05	7.17	0.07	0.63
MBA0378	X	0.11	0.025	7.27	2.8	0.044	112	1.37	0.31	5.98	9.6	8	1.61	7.81	X	0.12	5.2	X	1.1	1	1.5	X	0.115	0.04	6.95	0.07	0.72
MBA0379	X	0.14	0.029	8.79	4.3	0.057	174	1.5	0.23	7.87	11.1	9	2.11	8.51	X	0.11	6.1	X	1.44	0.82	1.8	X	0.141	0.04	7.78	0.08	0.88
MBA0380	X	0.16	0.025	8.75	3.6	0.065	113	1.08	0.18	8.04	9.8	8.4	2.08	9.55	X	0.1	6.3	X	1.49	0.98	1.4	X	0.164	0.03	7.71	0.08	0.97
MBA0381	X	0.19	0.03	9.49	4.7	0.081	173	1.29	0.17	8.63	11.1	10.4	2.28	9.82	X	0.1	7	X	1.69	0.97	2.1	X	0.19	0.05	8.65	0.09	1.1
MBA0382	X	0.16	0.027	9.23	4.8	0.068	152	1.34	0.23	7.76	12.9	9.7	2.1	12.3	X	0.12	6.4	X	1.48	0.96	1.9	X	0.165	0.04	8.43	0.1	1
MBA0383	X	0.18	0.028	9.74	4.8	0.074	148	1.02	0.08	8.46	11.1	10.2	2.25	10.3	X	0.07	6.6	X	1.56	0.83	1.9	X	0.177	0.03	8.58	0.1	1.06
MBA0384	X	0.15	0.023	8.97	3.8	0.062	129	1.1	0.29	7.49	9.3	8.2	2.03	8.86	X	0.12	5.3	X	1.34	0.92	1.4	X	0.146	0.04	7.6	0.08	0.85
MBA0385	X	0.14	0.023	9.2	3	0.059	109	1.14	0.33	7.64	9.9	9	2.06	8.21	X	0.1	5.2	X	1.4	0.85	1.3	X	0.145	0.03	7.92	0.07	0.86
MBA0386	X	0.15	0.028	9.02	3.7	0.064	99.7	1.43	0.27	7.59	9.4	9.5	2.03	8.53	X	0.12	5.9	X	1.34	0.84	1.4	X	0.15	0.03	8.4	0.08	1.03
MBA0387	X	0.13	0.023	8.28	3	0.052	95.5	1.22	0.33	6.66	8.1	8.7	1.77	7.84	X	0.12	5.4	X	1.19	0.83	1.2	X	0.129	0.04	7.91	0.07	0.95
MBA0388	X	0.17	0.027	9.81	3.7	0.066	100	1.54	0.31	9.07	9	10	2.35	9.17	X	0.13	6	X	1.71	0.91	1.6	X	0.177	0.04	9.42	0.08	1.35
MBA0389	X	0.08	0.017	8.2	2.3	0.033	71.6	0.99	0.27	5.99	6.5	8	1.68	6.42	X	0.11	3.6	X	1.03	0.72	0.9	X	0.096	0.03	7.51	0.06	0.7
MBA0390	X	0.07	0.017	7.4	2.1	0.026	66.1	1.16	0.26	5.17	5.9	6.9	1.5	6.11	X	0.13	3	X	0.86	0.62	0.9	X	0.088	0.03	6.82	0.05	0.63
MBA0391	X	0.07	0.019	8.51	2.1	0.025	82.4	1.22	0.28	6.01	7.1	7.1	1.67	7.16	X	0.12	3.3	X	0.97	0.78	1.1	X	0.088	0.03	7.96	0.06	0.68
MBA0392	X	0.09	0.016	13.9	3.2	0.029	210	1.02	0.17	8.67	8.7	6.9	2.57	7.44	X	0.09	2.9	0.5	1.34	0.84	2.1	X	0.116	0.03	9.25	0.06	0.81
MBA0393	X	0.07	0.014	11	1.8	0.02	81.3	0.85	0.62	6.79	5.7	5.6	2.03	5.88	X	0.1	2.5	X	1.07	0.78	1.4	X	0.089	0.03	7.89	0.05	0.71
MBA0394	X	0.09	0.017	12.8	2.4	0.027	109	1.13	0.37	8.36	7.4	6.7	2.43	7.82	X	0.11	3.2	X	1.31	0.92	1.4	X	0.114	0.03	9.63	0.06	0.84
MBA0395	X	0.1	0.015	13.8	2.6	0.033	82.2	0.89	0.34	8.87	6.9	7	2.57	7.9	X	0.11	3.3	X	1.42	0.86	1.3	X	0.123	0.02	9.23	0.06	0.86
MBA0396	X	0.09	0.013	17.2	2	0.025	89.3	0.8	0.49	10.5	6.2	7.5	3.13	6.55	X	0.09	2.4	X	1.61	0.73	1.4	X	0.12	0.03	10	0.05	0.65
MBA0397	X	0.1	0.016	16.3	2.6	0.03	88.4	0.77	0.37	10.3	6.9	6.6	3.03	7.49	X	0.08	2.9	X	1.55	0.73	1.4	X	0.128	X	10.3	0.05	0.8
MBA0398	X	0.1	0.015	16.7	2.9	0.03	100	0.78	0.29	10.2	8	7.3	3.08	8.78	X	0.07	3.1	X	1.57	0.89	1.8	X	0.13	0.02	11	0.06	0.87

MBA0399	X	0.09	0.011	20.9	2.1	0.021	108	0.52	0.43	11.5	6.5	6	3.47	7.2	X	0.06	2.2	X	1.65	0.84	1.7	X	0.124	X	10.6	0.06	0.64
---------	---	------	-------	------	-----	-------	-----	------	------	------	-----	---	------	-----	---	------	-----	---	------	------	-----	---	-------	---	------	------	------

MBA0400	X	0.09	0.012	20.4	2.5	0.022	96.3	0.58	0.56	11.2	6.4	6.2	3.3	6.58	X	0.08	2.3	X	1.56	0.7	1.5	X	0.124	0.03	10.5	0.05	0.6
MBA0402	X	0.09	0.011	17.3	3	0.025	82.3	0.55	0.31	10.3	6.4	6	3.06	6.19	X	0.07	2.3	X	1.54	0.6	1.6	X	0.124	0.02	9.52	0.05	0.69
MBA0403	X	0.09	0.011	20.5	2.5	0.024	100	0.57	0.37	11.3	6.2	6.3	3.38	6.43	X	0.08	2.3	X	1.62	0.69	1.9	X	0.131	X	10.4	0.06	0.7
MBA0404	X	0.1	0.012	20.9	2.2	0.028	87	0.59	0.78	11.9	5.7	6.6	3.5	6.44	X	0.08	2.4	X	1.67	0.67	1.5	X	0.14	X	10.7	0.05	0.75
MBA0405	X	0.1	0.011	21.5	2	0.027	91.6	0.53	0.63	11.7	5.3	6.3	3.54	6.25	X	0.08	2.3	X	1.73	0.69	1.2	X	0.138	X	10.7	0.05	0.72

MBA0406	X	0.11	0.011	23.6	2.2	0.029	69.2	0.57	0.36	13.4	5.5	6.8	4.01	6.85	X	0.1	2.3	X	1.98	0.81	1.1	X	0.155	0.03	11.7	0.06	0.87
MBA0407	X	0.12	0.012	23.6	2.5	0.035	93.4	0.55	0.76	13.6	5.7	7.2	4.04	7.31	X	0.08	2.7	X	1.97	0.68	1.4	X	0.164	X	11.9	0.05	0.87
MBA0408	X	0.12	0.013	24	3.4	0.037	107	0.62	0.53	13.7	6.4	7.5	4.07	9.13	X	0.09	3	X	2.08	0.83	1.3	X	0.173	0.02	12.2	0.07	1.06
MBA0409	X	0.15	0.012	26.1	4.4	0.046	152	0.53	0.33	15	6.3	7.6	4.47	9.28	X	0.09	2.9	X	2.21	0.8	1.3	X	0.192	0.02	12.8	0.08	1.2
MBA0410	X	0.13	0.013	24.6	3.7	0.038	134	0.53	0.83	13.6	6.7	7.3	4.11	9.12	X	0.08	2.6	X	2.02	0.8	2.1	X	0.175	X	12	0.07	1.22
MBA0411	X	0.14	0.012	27.4	3.4	0.037	135	0.62	0.68	15.3	6.8	17	4.66	9.82	X	0.09	2.6	X	2.27	0.88	3.3	X	0.185	X	13.5	0.07	1.1
MBA0412	X	0.15	0.013	26.4	3.5	0.046	116	0.61	0.56	15.2	6.6	10.4	4.57	9.91	X	0.08	3.1	X	2.27	0.82	1.9	X	0.19	X	13	0.07	1.21

MBA0413	X	0.15	0.014	25.8	3.8	0.047	128	0.6	0.34	14.7	7.3	9.8	4.36	9.67	X	0.07	3.5	X	2.23	0.76	2	X	0.195	X	12.9	0.07	1.14
---------	---	------	-------	------	-----	-------	-----	-----	------	------	-----	-----	------	------	---	------	-----	---	------	------	---	---	-------	---	------	------	------

MBA0414	X	0.12	0.011	25.4	3	0.032	148	0.48	0.27	14.1	5.9	9.1	4.22	6.89	X	0.07	2.3	X	1.96	0.7	1.8	X	0.16	X	12	0.06	0.76
---------	---	------	-------	------	---	-------	-----	------	------	------	-----	-----	------	------	---	------	-----	---	------	-----	-----	---	------	---	----	------	------

Note: x - Assays below detection limit for the element

Mt Devan Auger Sampling Results

Sample ID W_ppm Y_ppm Zb_ppm Zr_ppm

MBA0370	X	2.64	0.32	10	11.8
MBA0371	X	2.17	0.26	12	11.4
MBA0372	X	2.66	0.31	16	11.3
MBA0373	X	2.43	0.31	14	15
MBA0374	X	1.95	0.22	10	8.2
MBA0376	X	1.96	0.22	8	7
MBA0377	X	3.19	0.37	10	8.2
MBA0378	X	2.84	0.34	11	8.5
MBA0379	X	3.83	0.41	13	8.3
MBA0380	X	4.52	0.48	12	7.8
MBA0381	X	5.27	0.59	13	9.1
MBA0382	X	4.43	0.49	15	9
MBA0383	X	5.16	0.53	13	7.2
MBA0384	X	3.83	0.44	11	7.9
MBA0385	X	3.67	0.42	10	8
MBA0386	X	3.9	0.47	10	9.5
MBA0387	X	3.23	0.38	9	8.7
MBA0388	X	4.29	0.48	10	10.2
MBA0389	X	2.2	0.25	8	7.7
MBA0390	X	1.85	0.21	7	7.5
MBA0391	X	1.83	0.18	10	8
MBA0392	X	2.69	0.22	12	6.7
MBA0393	X	1.65	0.16	9	6.1
MBA0394	X	2.33	0.21	11	7.2
MBA0395	X	2.44	0.24	9	6.9
MBA0396	X	2.17	0.19	9	6.3
MBA0397	X	2.58	0.23	9	8
MBA0398	X	2.54	0.22	11	7.7

MBA0399	X	2.34	0.18	9	6
---------	---	------	------	---	---

MBA0400	X	2.5	0.17	9	6.5
MBA0402	X	2.48	0.2	8	5.8
MBA0403	X	2.34	0.19	8	5.3
MBA0404	X	2.72	0.22	8	5.9
MBA0405	X	2.45	0.21	7	5.9

Mt Devan Auger Sampling Results																								
Sample ID	Eastng	Northng	Elevation	Colour	Hydrochloric Acid Reaction	Depth of Best Reaction	Comments	Ag_ppm	As_ppm	Au_ppb	Ba_ppm	Be_ppm	Bi_ppm	Cd_ppm	Ce_ppm	Co_ppm	Cs_ppm	Cu_ppm	Dy_ppm	Er_ppm	Eu_ppm	Ga_ppm	Gd_ppm	Hf_ppm
MBAD0415	232297	6805305	426.3	Red Brown	0	1.5		X	1.1	X	7.3	0.19	0.11	X	39.2	1.5	0.4	6.4	0.65	0.29	0.16	3.32	1.25	0.17
MBAD0416	232304	6805260	428.5	Red Brown	0	1.5		X	1.1	X	7.2	0.17	0.12	X	39.7	1.3	0.44	7	0.68	0.3	0.17	3.44	1.32	0.19
MBAD0417	232300	6805193	427.3	Red Brown	0	1		X	0.9	X	8.5	0.28	0.13	0.01	44.6	2.5	0.44	7.6	0.7	0.31	0.16	3.93	1.38	0.16
MBAD0418	232301	6805150	428.8	Red Brown	0	1		X	1.4	X	6.4	0.15	0.09	X	32.9	1.2	0.35	6	0.5	0.22	0.12	3.14	1.06	0.14
MBAD0419	232292	6805103	430.2	Red Brown	0	1.5		X	1.6	X	6.8	0.16	0.11	X	36.3	1.3	0.35	6.8	0.57	0.26	0.14	3.45	1.13	0.12
MBAD0420	232297	6805052	429.1	Red Brown	0	0.5		X	1.4	X	9.3	0.14	0.11	X	33.1	1.2	0.43	7.9	0.5	0.22	0.12	3.91	1.02	0.16
MBAD0421	232306	6805002	426	Red Brown	0	1		X	1.5	X	5.9	0.14	0.11	X	29.7	1.1	0.42	6.4	0.54	0.24	0.14	3.66	0.98	0.16
MBAD0422	232301	6804948	426	Red Brown	0	0.5		X	1.5	X	5.8	0.13	0.12	X	22.7	1	0.38	7.5	0.43	0.19	0.11	3.44	0.79	0.14
MBAD0423	232304	6804906	420.8	Red Brown	0	1		X	1.6	X	5.7	0.13	0.12	X	25.9	1.1	0.39	7	0.46	0.2	0.12	3.81	0.86	0.19
MBAD0424	232297	6804855	422.3	Red Brown	0	0.5		X	1.7	1	10.5	0.22	0.15	X	30.4	1.8	0.49	10.3	0.63	0.3	0.17	4.77	1.13	0.17
MBAD0426	232306	6804806	434.8	Red Brown	0	1		X	2	X	6.6	0.18	0.14	X	28.2	1.3	0.49	8.4	0.62	0.29	0.17	4.56	1.09	0.22
MBAD0427	232306	6804750	431.8	Red Brown	0	1		X	1.4	1	7	0.14	0.12	X	21.2	1.3	0.42	7.8	0.39	0.18	0.11	3.88	0.73	0.17
MBAD0428	232303	6804702	431.1	Red Brown	0	0.5		X	1.7	1	7.7	0.23	0.13	X	22.2	1.9	0.44	8.2	0.53	0.26	0.15	4.17	0.92	0.18
MBAD0429	232304	6804648	431.2	Red Brown	0	1		X	1.5	X	6.5	0.14	0.13	X	24.3	1.1	0.42	6.8	0.41	0.18	0.11	3.66	0.8	0.2
MBAD0430	232302	6804548	427	Red Brown	0	1.5		X	1.8	1	6.1	0.2	0.14	X	20.9	1.7	0.46	7.5	0.53	0.26	0.14	3.93	0.86	0.19
MBAD0431	232302	6804503	428.5	Red Brown	0	1.5		X	1.6	X	5.1	0.14	0.13	X	19.2	1.2	0.42	6.4	0.38	0.18	0.1	3.72	0.66	0.19
MBAD0432	232303	6804447	428.8	Red Brown	0	1		X	1.4	X	7	0.17	0.13	X	18.2	1.3	0.4	7.4	0.4	0.19	0.1	3.93	0.69	0.18
MBAD0433	232306	6804401	428.1	Red Brown	0	1		X	1.4	X	5	0.16	0.13	X	15.5	1.2	0.33	5.6	0.38	0.18	0.09	3.08	0.69	0.14
MBAD0434	232307	6804351	424.7	Red Brown	0	1		X	2.1	X	7.3	0.22	0.21	X	14.2	1.6	0.5	10.3	0.5	0.26	0.14	5.82	0.73	0.25
MBAD0435	232298	6804300	425.3	Red Brown	0	1		X	2.2	1	5.4	0.17	0.23	X	13.1	1.4	0.47	9.9	0.5	0.26	0.15	5.74	0.77	0.25
MBAD0436	232298	6804248	428.7	Red Brown	0	1.5		0.03	2.6	X	6.2	0.46	0.36	X	18.6	3.9	0.56	14.1	0.92	0.52	0.25	9.06	1.22	0.41
MBAD0437	232309	6804196	430.4	Red Brown	0	0.5		X	1.9	X	6.1	0.24	0.22	X	15.7	1.9	0.57	12.4	0.63	0.34	0.18	5.74	0.92	0.27
MBAD0438	232306	6804141	420.1	Red Brown	0	1	Off coordinates due to thick bush;	X	1.8	1	5.7	0.24	0.26	0.01	15.8	2.2	0.64	14.9	0.72	0.39	0.21	5.98	0.98	0.28
MBAD0439	232297	6804096	425.6	Red Brown	0	1	Off coordinates due to thick bush;	0.02	2	X	6.6	0.37	0.3	X	21.9	4	0.68	16.2	1.06	0.58	0.3	6	1.4	0.22
MBAD0440	232296	6804050	429.8	Red Brown	0	1	Off coordinates due to thick bush;	0.02	0.6	1	9.7	0.33	0.3	X	22	4.2	0.73	17.9	1.01	0.56	0.27	6.34	1.35	0.23
MBAD0441	232301	6803990	432.5	Red Brown	0	0.5	Off coordinates due to thick bush;	0.04	0.8	1	8.9	0.36	0.38	0.02	24.3	4.3	0.88	23.2	1.27	0.72	0.36	7.04	1.74	0.26
MBAD0442	232294	6803955	429.9	Red Brown	0	1		0.02	0.6	3	8.8	0.31	0.32	0.01	20.7	3.8	0.81	20.5	1.06	0.59	0.29	6.42	1.43	0.25
MBAD0443	232303	6803846	429.2	Red Brown	0	0.5		0.04	0.8	1	8.5	0.33	0.37	0.02	22	3.7	0.77	21.8	1.11	0.6	0.31	6.88	1.5	0.25
MBAD0444	232304	6803795	431.3	Red Brown	0	1		X	0.6	4	7.9	0.34	0.37	X	19.8	3.2	0.83	19.7	1.06	0.58	0.29	6.52	1.39	0.27
MBAD0445	232303	6803748	432.7	Red Brown	0	0.5		X	0.9	2	8.3	0.29	0.29	0.01	17.1	3.1	0.7	18	0.8	0.43	0.22	6.1	1.1	0.25
MBAD0446	232301	6803701	434.4	Red Brown	0	0.5		X	X	1	8.7	0.31	0.39	0.02	17.6	4	0.7	16.5	0.86	0.47	0.24	6.21	1.15	0.23
MBAD0447	232301	6803652	437.9	Red Brown	0	1		X	0.6	X	6.8	0.26	0.37	0.01	15	3.1	0.61	14.5	0.67	0.36	0.2	6.19	0.94	0.26
MBAD0448	232300	6803596	437.2	Red Brown	0	1		X	X	3	7.3	0.29	0.39	X	14.1	4.1	0.46	11.3	0.59	0.31	0.16	5.87	0.82	0.26
MBAD0449	232300	6803548	438.3	Red Brown	0	1		X	0.7	2	7.4	0.28	0.47	0.01	14.7	3.2	0.44	11.6	0.59	0.32	0.16	6.97	0.81	0.25
MBAD0450	232301	6803501	439.7	Red Brown	0	0.5		0.02	1.9	2	7.7	0.32	0.9	0.02	13.7	3.4	0.4	16.3	0.71	0.37	0.19	12.5	0.89	0.59
MBAD0452	232297	6803446	438.6	Red Brown	0	0.5		0.03	0.9	1	8.4	0.26	0.53	0.02	13.6	2.9	0.43	13.1	0.58	0.32	0.16	7.67	0.82	0.31
MBAD0453	232304	6803399	439.9	Red Brown	0	0.5		0.07	1.6	2	15.3	0.33	0.88	0.02	12.3	2.9	0.42	22.2	0.71	0.37	0.27	12.4	0.89	0.51
MBAD0454	232298	6803352	438	Red Brown	0	0.5		0.05	1.6	1	7.5	0.25	0.68	0.02	12.5	2.6	0.51	15.1	0.6	0.33	0.17	8.85	0.83	0.48
MBAD0455	232299	6803294	434.7	Red Brown	0	0.5		0.05	1.8	1	7.9	0.25	0.5	0.01	12.3	2.7	0.49	14.3	0.63	0.34	0.18	7.82	0.82	0.39
MBAD0456	232303	6803245	431.2	Red Brown	0	1		X	1	2	9.1	0.28	0.45	0.01	15.9	3.1	0.62	15.3	0.69	0.37	0.19	7.64	0.95	0.36
MBAD0457	232302	6803196	433.6	Red Brown	0	0.5		0.03	1.1	2	7.1	0.26	0.46	0.02	15.1	2.7	0.73	16.8	0.74	0.38	0.22	8.58	0.99	0.41
MBAD0458	232301	6803145	436.1	Red Brown	0	1		X	1	2	7.7	0.3	0.4	0.01	14.5	3.3	0.62	14.6	0.7	0.36	0.21	7.63	0.95	0.3
MBAD0459	232301	6803099	440.5	Red Brown	0	1		X	1.1	2	7.4	0.3	0.46	0.01	14.4	3.7	0.59	14.9	0.76	0.43	0.23	8.09	1.04	0.39
MBAD0460	232305	6803046	439.1	Red Brown	0	1		X	1.4	1	9.3	0.36	0.53	0.02	14.3	3.4	0.86	18.3	0.75	0.41	0.24	9.93	0.99	0.39
MBAD0461	232302	6803001	435.2	Red Brown	0	0.5		0.02	1.7	2	6.3	0.26	0.54	0.02	11.7	2.8	0.61	15.5	0.68	0.36	0.21	9.34	0.9	0.45

Note: x - Assays below detection limit for the element

Mt Devan Auger Sampling Results																											
Sample ID	He_ppm	Hg_ppm	In_ppm	La_ppm	Li_ppm	Lu_ppm	Mn_ppm	Mo_ppm	Nb_ppm	Nd_ppm	Ni_ppm	Pb_ppm	Pr_ppm	Rb_ppm	Re_ppm	Sb_ppm	Sc_ppm	Se_ppm	Sm_ppm	Sr_ppm	Ta_ppm	Tb_ppm	Te_ppm	Th_ppm	Tl_ppm	U_ppm	
MBAD0415	X	0.11	0.011	23	2.5	0.029	118	0.47	0.35	12.5	5.4	7.5	3.84	6.12	X	0.08	2.1	X	1.76	0.63	1.5	X	0.145	X	11.1	0.05	0.68
MBAD0416	X	0.11	0.012	22.8	2.2	0.029	90.9	0.57	0.65	12.6	5.5	7.8	3.87	6.56	X	0.09	2.3	X	1.88	0.7	1.5	X	0.152	0.03	11	0.05	0.72
MBAD0417	X	0.11	0.012	26.2	3.5	0.029	127	0.62	0.45	14.2	7.7	8	4.27	7.49	X	0.09	2.5	X	2.02	0.76	2.2	X	0.156	0.02	12.2	0.06	0.71
MBAD0418	X	0.08	0.01	18.5	2.1	0.02	51.6	0.55	0.22	10.6	5	6.9	3.53	5.62	X	0.08	2	X	1.58	0.6	1.2	X	0.117	X	9.23	0.05	0.59
MBAD0419	X	0.09	0.011	20.9	2	0.023	72.3	0.63	0.3	11.2	5.6	6.5	3.77	6.09	X	0.1	2.2	X	1.65	0.7	1.6	X	0.127	0.02	10.2	0.05	0.63
MBAD0420	X	0.08	0.012	18.4	1.9	0.019	56	0.71	0.22	10.3	6.5	6.4	3.53	6.82	X	0.1	2.1	X	1.5	0.66	1.2	X	0.116	X	9.97	0.05	0.62
MBAD0421	X	0.08	0.012	16	2	0.023	45.1	0.61	0.22	9.66	5.3	5.8	3.23	6.27	X	0.09	2.4	X	1.43	0.66	0.8	X	0.119	X	9.04	0.05	0.67
MBAD0422	X	0.07	0.012	11.9	1.4	0.02	46.1	0.79	0.38	7.59	5.1	5.3	2.47	5.75	X	0.1	2.1	X	1.13	0.54	0.9	X	0.094	0.02	7.85	0.05	0.62
MBAD0423	X	0.07	0.013	13.9	1.5	0.022	46.1	0.85	0.32	8.58	4.9	6.2	2.85	6.42	X	0.09	2.3	X	1.24	0.66	0.7	X	0.1	0.03	8.64	0.05	0.72
MBAD0424	X	0.11	0.017	15.9	2.7	0.031	82.3	1.19	0.16	10.4	7.5	8.2	3.37	8.61	X	0.11	3.2	X	1.58	0.68	1.2	X	0.134	0.02	9.96	0.07	0.84
MBAD0426	X	0.1	0.016	15.2	2.4	0.033	57.3	1.08	0.3	9.9	6	6.8	3.2	7.36	X	0.12	3	X	1.51	0.82	1	X	0.131	0.03	9.59	0.06	0.86
MBAD0427	X	0.06	0.012	11.3	1.7	0.017	55	1.01	0.27	7.08	6	5.5	2.33	6.47	X	0.1	2.2	X	1.08	0.63	0.9	X	0.085	X	7.81	0.05	0.63
MBAD0428	X	0.09	0.015	11.6	2.6	0.027	75.1	0.84	0.17	7.67	7.7	6.4	2.47	7.33	X	0.11	2.7	X	1.2	0.73	1.3	X	0.107	0.02	7.96	0.06	0.8
MBAD0429	X	0.07	0.011	12.7	1.8	0.019	47.2	0.78	0.29	7.89	5.3	5.5	2.54	6.25	X	0.11	2.1	X	1.14	0.59	0.8	X	0.093	0.03	7.87	0.05	0.63
MBAD0430	X	0.09	0.014	10.2	2.6	0.031	67.1	0.7	0.3	7.06	6.1	5.8	2.26	6.85	X	0.11	2.8	X	1.15	0.75	1.2	X	0.105	0.03	6.98	0.06	0.69
MBAD0431	X	0.06	0.013	9.61	2.1	0.021	46.3	0.65	0.22	6.25	5.1	5.8	2	6.12	X	0.09	2.6	X	0.99	0.65	0.8	X	0.081	X	6.88	0.05	0.76
MBAD0432	X	0.07	0.012	10.1	2.1	0.022	51	0.78	0.24	6.33	6.2	5.4	2.04	6.38	X	0.11	2.3	X	0.97	0.62	0.8	X	0.086	0.03	6.88	0.06	0.53
MBAD0433	X	0.08	0.011	8.21	1.8	0.022	50.5	0.64	0.3	5.9	4.7	4.9	1.84	4.88	X	0.09	1.9	X	0.97	0.61	0.9	X	0.08	X	5.62	0.04	0.47
MBAD0434	X	0.09	0.02	7.6	3	0.033	58.7	1.46	0.28	5.85	8	7.8	1.76	7.86	X	0.13	4.1	X	0.95	0.74	1.1	X	0.095	0.04	7.53	0.06	0.83
MBAD0435	X	0.07	0.022	6.91	2.1	0.035	60.3	1.39	0.5	5.48	7.9	8.2	1.63	6.47	X	0.13	4.6	X	1.01	0.93	0.9	X	0.102	0.04	7.17	0.05	0.8
MBAD0436	X	0.19	0.041	8.85	5	0.075	157	2.01	0.19	7.8	10.1	14.6	2.23	8.14	X	0.13	8.4	X	1.41	0.92	1.8	X	0.158	0.05	11.4	0.09	1.39
MBAD0437	X	0.11	0.022	8.35	2.7	0.047	100	1.26	0.31	6.6	8.5	8	2	8.18	X	0.12	4.9	X	1.14	0.92	1.1	X	0.12	0.04	7.78	0.07	0.9
MBAD0438	X	0.13	0.023	7.58	3.2	0.054	92	1.17	0.32	6.65	9.1	8.3	1.95	8.85	X	0.12	5.6	X	1.26	0.81	1.2	X	0.132	0.03	7.73	0.08	0.98
MBAD0439	X	0.2	0.026	9.76	4.1	0.081	198	1.34	0.27	9.06	10	9.4	2.57	9.53	X	0.13	6.2	X	1.68	0.98	1.4	X	0.187	0.05	8.26	0.09	1.05
MBAD0440	X	0.18	0.024	10.7	4.2	0.074	187	1.25	0.32	8.41	12.1	9.2	2.27	10.6	X	0.13	5.6	X	1.6	0.96	2.4	X	0.182	0.04	8.31	0.08	0.94
MBAD0441	X	0.23	0.029	11.4	4.1	0.089	190	1.25	0.19	10.2	14.2	10.6	2.69	12.9	X	0.12	7.6	X	2.08	1.17	2.9	X	0.233	0.04	9.43	0.11	1.24
MBAD0442	X	0.2	0.025	9.87	4.1	0.077	170	1.01	0.22	8.48	12.7	9	2.23	11.4	X	0.1	6.2	X	1.61	0.93	2.3	X	0.187	0.03	7.85	0.1	1.03
MBAD0443	X	0.2	0.031	10.3	4	0.076	176	1.3	0.26	9.2	13.8	10.5	2.4	12.1	X	0.12	6.9	X	1.8	1.15	2.7	X	0.2	0.05	8.63	0.1	1.13
MBAD0444	X	0.19	0.028	9.17	4.8	0.077	127	1.25	0.17	7.96	12.5	10	2.07	10.9	X	0.1	6.8	X	1.54	0.96	2.5	X	0.186	0.04	8.05	0.1	1.07
MBAD0445	X	0.15	0.024	8.29	4	0.055	152	1.21	0.28	6.97	12.2	8.3	1.86	10.8	X	0.12	5.9	X	1.29	1.13	2.4	X	0.148	0.04	7.61	0.09	0.89
MBAD0446	X	0.15	0.025	9.15	4	0.058	192	1.1	0.13	7.35	12.9	8.4	1.97	10.4	X	0.08	5.8	X	1.39	0.92	2.2	X	0.158	0.04	7.67	0.09	0.78
MBAD0447	X	0.12	0.028	7.28	3.4	0.048	125	1.25	0.13	5.94	10.2	9.6	1.6	7.75	X	0.1	4.9	X	1.19	1.01	2.2	X	0.125	0.04	7.18	0.08	0.88
MBAD0448	X	0.11	0.026	7.31	3.4	0.041	126	1.25	0.07	5.55	10	8.6	1.5	6.53	X	0.1	5.8	X	1.1	0.79	2	X	0.108	0.04	7.35	0.08	0.63
MBAD0449	X	0.11	0.031	7.98	3.9	0.041	139	1.61	0.16	5.94	13.6	10.1	1.56	6.36	X	0.1	8.4	X	1.03	1.05	2.4	X	0.128	0.04	7.37	0.09	0.8
MBAD0450	X	0.12	0.061	7.09	2.6	0.047	131	3.35	0.23	5.59	12.2	16.6	1.56	0.4	X	0.23	9.4	0.5	1.08	1.24	2.4	X	0.125	0.12	11.8	0.06	0.97
MBAD0452	X	0.11	0.034	7.43	2.7	0.044	134	1.86	0.32	5.51	11.2	9.9	1.57	6.42	X	0.17	5.7	X	1	0.97	2.2	X	0.106	0.06	8.39	0.05	0.69
MBAD0453	X	0.12	0.063	6.39	2.8	0.048	113	2.61	0.18	5.33	12.3	14.3	1.43	5.76	X	0.18	11.5	0.6	1.07	1.2	2.1	X	0.125	0.1	10.6	0.05	1.06
MBAD0454	X	0.11	0.043	6.19	2.4	0.045	110	2.31	0.19	5.21	10.7	12.8	1.43	5.54	X	0.22	7.4	X	1.06	1.12	1.7	X	0.112	0.09	10	0.06	0.89
MBAD0455	X	0.11	0.035	6.35	2.2	0.048	115	1.96	0.22	5.26	10.2	11.1	1.41	6.41	X	0.19	6.4	X	0.99	1.02	1.6	X	0.111	0.07	8.87	0.06	0.8
MBAD0456	X	0.12	0.034	8.16	3	0.048	125	1.75	0.15	6.43	12.5	11.1	1.75	7.93	X	0.18	6.1	X	1.18	1.03	2.1	X	0.128	0.06	9.69	0.07	0.92
MBAD0457	X	0.12	0.041	7.55	2.8	0.054	120	2.02	0.23	6.32	11.5	12.5	1.71	8.71	X	0.19	7.3	X	1.24	1.25	2.4	X	0.134	0.06	10.08	0.08	1.35
MBAD0458	X	0.12	0.032	7.28	3.4	0.044	129	1.92	0.17	6.11	11.4	10.4	1.59	8.19	X	0.17	6.5	X	1.18	0.95	2.3	X	0.128	0.06	9.15	0.08	0.9
MBAD0459	X	0.14	0.036	7.04	3	0.054	168	1.86	0.21	6.39	11.2	11	1.64	7.88	X	0.19	7.6	X	1.25	1.14	2	X	0.139	0.06	9.83	0.08	0.99
MBAD0460	X	0.13	0.043	7.27	4.7	0.052	121	2.3	0.15	6.07	15.7	13.1	1.61	10.3	X	0.22	9.3	X	1.16	1.16	2.5	X	0.133	0.08	11.6	0.1	1.24
MBAD0461	X	0.12	0.045	6.17	2.6	0.045	110	1.88	0.11	5.35	12.8	12.7	1.44	7.29	X	0.18	9.2	X	1.08	1.08	2	X	0.119	0.08	11.5	0.06	1.29

Sample ID
 W_ppm
 Y_ppm
 Yb_ppm
 Zn_ppm
 Zr_ppm
 Mt Devan Auger Sampling Results

MBAD415	X	2.79	0.22	8	5.5
MBAD416	X	2.86	0.23	8	6.4
MBAD417	X	2.97	0.23	10	6.2
MBAD418	X	2.12	0.16	6	4.7
MBAD419	X	2.52	0.19	7	4.8
MBAD420	X	2.11	0.16	7	5.7
MBAD421	X	2.14	0.19	6	5.4
MBAD422	X	1.73	0.14	7	4.8
MBAD423	X	1.89	0.17	6	5.8
MBAD424	X	2.82	0.25	10	6
MBAD426	X	2.53	0.26	7	7.4
MBAD427	X	1.61	0.14	7	5.8
MBAD428	X	2.42	0.21	11	6.2
MBAD429	X	1.58	0.15	6	6.1
MBAD430	X	2.2	0.23	7	6.2
MBAD431	X	1.57	0.16	6	6.2
MBAD432	X	1.72	0.17	7	6
MBAD433	X	1.59	0.16	5	4.9
MBAD434	X	2.36	0.25	8	8.5
MBAD435	X	2.14	0.25	8	8.2
MBAD436	X	4.61	0.52	9	12.5
MBAD437	X	2.9	0.34	10	8.4
MBAD438	X	3.16	0.38	10	8.7

MBAD439	X	5.12	0.6	11	7.9
---------	---	------	-----	----	-----

MBAD440	X	5.19	0.56	14	7.9
---------	---	------	------	----	-----

MBAD441	X	6.47	0.7	21	8.8
---------	---	------	-----	----	-----

MBAD442	X	5.25	0.58	17	8
MBAD443	X	5.27	0.57	21	8.6
MBAD444	X	5.11	0.57	15	8.4
MBAD445	X	3.96	0.43	17	8.3
MBAD446	X	4.31	0.45	15	7.6
MBAD447	X	3.16	0.36	13	8.3
MBAD448	X	2.86	0.32	10	8.1
MBAD449	X	2.69	0.31	11	9.1
MBAD450	X	2.88	0.37	13	18.2
MBAD452	X	2.59	0.31	15	11.1
MBAD453	X	2.87	0.38	14	16.9
MBAD454	X	2.52	0.33	14	15.4
MBAD455	X	2.61	0.33	15	12.3
MBAD456	X	3.07	0.38	15	11.4
MBAD457	X	3.01	0.38	17	13.5
MBAD458	X	3.2	0.35	14	10.8
MBAD459	X	3.46	0.43	13	13.3
MBAD460	X	3.24	0.42	15	13.5
MBAD461	X	2.92	0.36	13	14.3

Note: x - Assays below detection limit for the element

Mt Devan Auger Sampling Results																								
Sample ID	Easting	Northing	Elevation	Colour	Hydrochloric Acid Reaction	Depth of Best Reaction	Comments	Ag_ppm	As_ppm	Au_ppb	Ba_ppm	Be_ppm	Bi_ppm	Cd_ppm	Ce_ppm	Co_ppm	Cs_ppm	Cu_ppm	Dy_ppm	Er_ppm	Eu_ppm	Ga_ppm	Gd_ppm	Hf_ppm
MBAD462	232303	6802944	430.1	Red Brown	0	0.5		X	1.3	1	6.3	0.26	0.44	0.01	11.6	3.2	0.49	14.4	0.61	0.33	0.18	9.47	0.8	0.32
MBAD463	232301	6802898	431.7	Red Brown	0	0.5		X	1.6	3	6.9	0.29	0.61	0.02	12.7	3.3	0.53	15.8	0.63	0.34	0.18	11	0.84	0.4
MBAD464	232304	6802851	440.3	Red Brown	0	1		0.04	1.5	3	7.2	0.29	0.62	0.02	11.4	3.2	0.49	15.1	0.59	0.32	0.17	10.2	0.76	0.4
MBAD465	232298	6802800	438.5	Red Brown	0	0.5		0.02	1.2	2	8.7	0.3	0.58	0.02	13.4	3.5	0.46	13.8	0.69	0.37	0.19	9.13	0.91	0.37
MBAD466	232302	6802750	438.1	Red Brown	0	0.5		X	0.8	1	13.6	0.28	0.42	0.02	11.5	3.2	0.41	12.4	0.49	0.26	0.14	6.69	0.68	0.2
MBAD467	232302	6802699	436.7	Red Brown	0	1		0.05	0.9	2	8.2	0.2	0.3	0.02	11.5	2.4	0.44	9.7	0.4	0.21	0.12	4.93	0.6	0.16
MBAD468	232296	6802650	437.8	Red Brown	0	0.5		0.02	0.9	3	9.7	0.26	0.27	0.02	11.1	2.8	0.45	12.1	0.43	0.22	0.11	4.86	0.6	0.14
MBAD469	232301	6802603	439.1	Red Brown	0	0.5		0.08	1	5	12.7	0.31	0.26	0.03	14.9	4	0.59	13.9	0.59	0.31	0.16	4.58	0.81	0.23
MBAD470	232304	6802549	434.6	Tan Brown	3	0.5		X	1.6	4	6.8	0.15	0.15	X	29	1.4	0.5	8.8	0.61	0.3	0.16	4.62	1.07	0.24
MBAD471	232302	6802501	433.6	Red Brown	0	0.5		0.04	0.7	2	50.3	0.9	0.53	0.09	32.3	18.5	2.04	54.5	2.08	1.18	0.57	10.4	2.54	0.25
MBAD472	232305	6802450	431	Red Brown	0	0.5		0.03	1.3	2	34.9	0.58	0.4	0.06	24.4	12.6	1.12	38.6	1.42	0.81	0.38	6.31	1.76	0.19
MBAD473	232298	6802394	435.9	Red Brown	2	1		0.03	0.7	2	34.3	0.56	0.48	0.05	19	9.9	1.04	34.2	1.16	0.66	0.3	6.62	1.44	0.25
MBAD474	232299	6802346	434.4	Red Brown	2	0.5		0.05	1.7	4	14.8	0.47	0.63	0.03	16	7.5	0.55	22.3	1.01	0.58	0.26	8.27	1.26	0.27
MBAD476	232300	6802299	436.6	Red Brown	0	0.5		0.03	1.1	2	13.8	0.33	0.37	0.02	12.4	4.8	0.46	18.1	0.66	0.37	0.17	5.33	0.86	0.16
MBAD477	232300	6802248	434.7	Red Brown	0	1.5		0.03	1.5	1	26.3	0.45	0.56	0.02	15.2	5	0.5	17.2	0.78	0.45	0.21	8.05	1.04	0.31
MBAD478	232304	6802200	435.4	Red Brown	0	1		0.04	0.7	X	10.9	0.24	0.24	0.02	11.3	2.9	0.43	14.3	0.38	0.21	0.1	4.03	0.56	0.11
MBAD479	232300	6802155	435.6	Red Brown	0	1		X	1	3	10.7	0.3	0.27	0.01	11.6	3.5	0.48	11.4	0.46	0.25	0.13	4.44	0.65	0.2
MBAD480	232300	6802102	437.3	Red Brown	0	0.5		0.02	1.1	6	11.2	0.22	0.23	0.02	9.67	2.5	0.47	17.1	0.38	0.19	0.1	4.45	0.54	0.15
MBAD481	232297	6802050	437.6	Red Brown	0	1.5		0.02	1	3	7.4	0.26	0.26	0.01	11.9	2.8	0.52	11.1	0.53	0.29	0.15	4.55	0.74	0.19
MBAD482	232302	6802000	438.7	Red Brown	0	1.5		X	0.8	2	10.4	0.28	0.24	0.01	11.4	2.9	0.62	13.6	0.51	0.28	0.14	4.57	0.71	0.19
MBAD483	232294	6801947	438.1	Red Brown	0	0.5		X	0.9	1	21.4	0.4	0.28	0.05	14.9	6.3	0.67	18.7	0.87	0.49	0.23	4.64	1.1	0.17
MBAD484	232408	6801954	439.6	Red Brown	0	0.5		X	1.6	X	16.9	0.35	0.2	0.03	12.5	3.9	0.66	15.9	0.53	0.29	0.14	5.26	0.71	0.21
MBAD485	232398	6801997	439	Red Brown	0	0.5		X	1.8	X	12.2	0.36	0.23	0.01	12.4	3.6	0.67	13.6	0.63	0.34	0.18	5.41	0.83	0.08
MBAD486	232394	6802053	436.5	Red Brown	0	1		0.06	1.9	X	9.2	0.28	0.25	0.01	9.95	2.9	0.5	14.8	0.39	0.22	0.11	5.05	0.58	0.14
MBAD487	232398	6802101	439	Red Brown	0	1		X	1.6	X	8.6	0.25	0.2	X	9.22	2.5	0.48	9	0.36	0.19	0.1	4.3	0.51	0.13
MBAD488	232405	6802148	436.3	Red Brown	0	1.5		X	1.4	1	8	0.26	0.22	X	11.8	2.5	0.51	11.7	0.4	0.22	0.1	4.1	0.62	0.21
MBAD489	232404	6802196	436.6	Red Brown	3	1		X	1.8	2	64.4	0.31	0.25	0.03	8.21	4.4	0.64	20.2	0.5	0.27	0.13	4.44	0.62	0.1
MBAD490	232406	6802241	423.5	Red Brown	1	0.5		X	1.4	3	10.4	0.26	0.27	0.01	11.3	3.7	0.41	15.5	0.52	0.27	0.13	4.23	0.73	0.11
MBAD491	232404	6802297	430.4	Red Brown	0	0.5		X	1.8	1	13.6	0.37	0.56	0.03	18.4	5	0.47	16.5	0.72	0.41	0.17	8.52	1.01	0.24
MBAD492	232412	6802348	429	Red Brown	0	0.5		X	1	X	18.2	0.28	0.37	0.02	13.9	4.4	0.41	20.5	0.63	0.35	0.16	3.18	0.87	0.19
MBAD493	232403	6802394	439.1	Red Brown	0	1		0.03	1.6	2	36.4	0.71	0.62	0.06	25.7	13	1.43	40.6	1.69	0.97	0.47	7.38	2.09	0.21
MBAD494	232411	6802451	434.4	Red Brown	0	1	Off coordinates due to watercourse;	0.08	1.5	X	24.5	0.44	0.28	0.04	14.1	8.3	0.82	29.4	1.02	0.58	0.26	4.49	1.19	0.16
MBAD495	232406	6802493	434.5	Red Brown	0	0.5		0.03	2	1	36.7	0.65	0.36	0.06	19.1	13	1.44	37.4	1.63	0.93	0.43	7.22	1.94	0.2
MBAD496	232401	6802552	437.6	Red Brown	0	1		X	1.5	1	9.6	0.26	0.23	0.01	12.1	3.4	0.56	16	0.47	0.25	0.12	4.34	0.67	0.11
MBAD497	232408	6802599	435.4	Red Brown	0	1		X	1.7	X	11.3	0.24	0.21	0.01	11.8	2.7	0.65	10.7	0.41	0.21	0.1	4.54	0.59	0.13
MBAD498	232405	6802646	438.6	Red Brown	0	0.5		X	1.2	X	7.7	0.2	0.18	X	9.52	2.1	0.41	9.3	0.3	0.15	0.08	3.37	0.45	0.1
MBAD499	232405	6802700	440.2	Red Brown	0	0.5		X	1.6	1	15.3	0.27	0.22	0.01	11.3	3.3	0.5	10.6	0.42	0.22	0.11	4.94	0.58	0.17
MBAD500	232407	6802744	433.4	Red Brown	3	1		0.06	3.2	2	75.9	0.3	5.26	0.06	8.82	3.5	0.34	17.4	0.5	0.27	0.14	51.3	0.61	1.28
MBAD502	232403	6802803	434.8	Light Brown	3	0.5		X	2	1	233	0.38	0.42	0.05	14.7	4.6	0.56	15.1	0.62	0.35	0.19	8.52	0.88	0.17
MBAD503	232403	6802851	437	Red Brown	3	0.5		X	2.4	X	53.7	0.36	0.27	0.02	12	4.2	5.46	13.2	0.55	0.31	0.16	6.88	0.73	0.18
MBAD504	232402	6802902	437.5	Red Brown	0	1		X	2.8	1	15	0.3	0.5	0.02	11.2	3.1	0.63	16.9	0.55	0.31	0.16	9.26	0.73	0.34
MBAD505	232400	6802948	437.2	Red Brown	0	0.5		0.02	3.2	1	10.6	0.31	0.52	0.01	11.3	3.6	0.51	12.9	0.53	0.28	0.15	8.63	0.69	0.37
MBAD506	232400	6803000	434.5	Red Brown	1	0.5		0.02	3.1	1	9.5	0.35	0.58	0.02	12.9	4	0.68	20.2	0.64	0.36	0.2	10.2	0.86	0.42
MBAD507	232399	6803056	434.3	Red Brown	1	1		X	2.1	2	10	0.28	0.39	X	15.7	3	0.67	14.7	0.6	0.31	0.12	7.61	0.9	0.3
MBAD508	232406	6803105	431.6	Red Brown	1	0.5		X	1.6	X	8.2	0.24	0.36	0.01	11.5	2.9	0.4	13	0.44	0.23	0.12	5.55	0.63	0.21
MBAD509	232398	6803154	434.8	Red Brown	0	0.5		X	2.2	1	9.2	0.29	0.47	0.01	14.6	3.1	0.68	14.3	0.62	0.33	0.18	8.89	0.88	0.3
MBAD510	232406	6803204	439.8	Red Brown	0	1.5		0.14	2	1	9.6	0.32	0.55	0.01	12.9	3.6	0.48	15.1	0.87	0.45	0.21	8.61	1.05	0.28
MBAD511	232399	6803246	438.9	Red Brown	1	0.5		0.3	2.6	X	11.7	0.34	0.5	0.02	15.5	3.9	0.71	17.9	0.74	0.4	0.21	10.3	1.04	0.43
MBAD512	232407	6803301	434.1	Crean Brown	1	0.5		X	2.6	2	86.1	0.3	0.52	0.02	14.7	4.1	0.53	21.4	0.7	0.39	0.2	8.74	0.91	0.33
MBAD513	232404	6803350	437.2	Red Brown	0	1		X	1.7	3	13.1	0.22	0.41	0.01	13.6	2.5	0.53	12.6	0.49	0.26	0.13	6.96	0.73	0.31
MBAD514	232403	6803404	438.9	Red Brown	0	0.5		0.02	2.1	2	8.7	0.28	0.56	0.02	14.1	3.5	0.42	16.3	0.57	0.31	0.16	8.29	0.81	0.39

Mt Devan Auger Sampling Results																													
Sample ID	Hg_ppm	Ho_ppm	In_ppm	La_ppm	U_ppm	Lu_ppm	Mo_ppm	Mn_ppm	Nb_ppm	Nd_ppm	Ni_ppm	Pb_ppm	Pr_ppm	Rb_ppm	Re_ppm	Sb_ppm	Sc_ppm	Se_ppm	Sm_ppm	Sr_ppm	Ta_ppm	Tb_ppm	Ti_ppm	U_ppm	Yb_ppm	Zn_ppm	Zr_ppm		
MBAD462	X	0.11	0.041	6	2.7	0.05	116	2.08	0.18	4.98	12	12.4	1.42	6.04	X	0.18	8.7	X	0.98	0.97	1.7	X	0.109	0.07	12.2	0.05	1.18		
MBAD463	X	0.11	0.047	6.3	2.9	0.049	128	2.32	0.17	5.2	13.4	14.1	1.49	6.62	X	0.2	10.9	0.6	1.02	1.2	1.8	X	0.117	0.08	13.9	0.06	1.29		
MBAD464	X	0.11	0.046	5.83	2.8	0.048	109	2.21	0.1	4.93	12.6	13.8	1.39	6.16	X	0.18	9.3	X	0.95	0.98	1.8	X	0.107	0.07	13.2	0.06	1.15		
MBAD465	X	0.12	0.039	7.17	2.9	0.051	140	2.86	0.09	5.82	11.7	11.9	1.66	6.38	X	0.15	8.1	X	1.09	1.05	2.2	X	0.12	0.07	12	0.06	0.98		
MBAD466	X	0.09	0.027	6.08	3	0.033	170	2.32	0.26	4.5	11.9	8.1	1.32	6.71	X	0.09	4.8	X	0.82	0.86	5.5	X	0.09	0.05	8.24	0.06	0.69		
MBAD467	X	0.07	0.021	6.04	2.4	0.028	101	2.05	0.24	4.44	8.6	6.9	1.3	5.89	X	0.13	3.7	X	0.79	0.85	2.2	X	0.077	0.04	7.07	0.05	0.63		
MBAD468	X	0.07	0.019	5.9	2.9	0.03	145	2.1	0.23	4.21	10.3	6.6	1.27	6.95	X	0.14	3.8	X	0.78	0.77	2.7	X	0.079	0.04	6.44	0.06	0.57		
MBAD469	X	0.11	0.019	7.81	3.7	0.04	181	1.41	0.21	5.72	11.6	6.9	1.68	9.34	X	0.12	4.1	X	1.01	0.82	4.7	X	0.109	0.03	6.58	0.08	0.67		
MBAD470	X	0.1	0.016	14.7	2.2	0.036	79.8	1.04	0.38	9.34	7	7	2.86	7.04	X	0.11	2.9	X	1.5	0.85	1.1	X	0.131	0.03	9.96	0.06	0.93		
MBAD471	X	0.39	0.037	13.7	13.4	0.162	821	1.53	0.05	13	41.5	11.5	3.44	24	X	0.11	12.5	X	2.72	1.48	11.4	X	0.355	0.05	8.14	0.19	1.19		
MBAD472	X	0.27	0.026	10.2	7.3	0.113	600	1.22	0.06	9.37	25.9	8	2.53	15.2	X	0.09	8	X	1.96	1.3	6.8	X	0.249	0.04	6.14	0.13	0.73		
MBAD473	X	0.21	0.024	9.11	8.2	0.091	440	1.76	0.19	7.83	25.4	8	2.14	14.8	X	0.13	6.8	X	1.56	1.35	7.8	X	0.199	0.04	6.6	0.13	0.72		
MBAD474	X	0.18	0.037	8.14	4.4	0.083	374	2.7	0.18	7.1	17	10.7	1.92	8.24	X	0.17	7.9	X	1.43	1.43	3.2	X	0.171	0.07	8.45	0.08	0.93		
MBAD476	X	0.12	0.023	6.51	3.4	0.054	341	1.9	0.11	5.11	12.3	7	1.46	6.79	X	0.15	5	X	1.06	0.99	2.4	X	0.116	0.04	6.22	0.06	0.66		
MBAD477	X	0.15	0.032	7.8	3.8	0.063	188	3.21	0.15	6.37	13.9	11.9	1.82	6.92	X	0.18	6.5	X	1.25	1.28	3.8	X	0.144	0.07	9.1	0.07	0.85		
MBAD478	X	0.07	0.014	6.07	2.6	0.027	193	1.73	0.31	4.26	10.9	5.6	1.28	6.65	X	0.19	2.9	X	0.78	0.97	2.2	X	0.074	0.03	5.41	0.05	0.44		
MBAD479	X	0.09	0.017	6.22	3.7	0.034	195	2.05	0.13	4.61	10.2	6.6	1.29	7.23	X	0.13	3.3	X	0.81	1	2.8	X	0.087	0.03	6	0.07	0.51		
MBAD480	X	0.07	0.016	5.22	2.5	0.026	169	2.67	0.58	3.75	11	6.3	1.11	7.37	X	0.18	2.8	X	0.65	1.09	4.3	X	0.071	0.03	5.07	0.06	0.48		
MBAD481	X	0.1	0.017	6.24	3.1	0.043	127	1.9	0.21	4.88	8.8	7	1.36	7.18	X	0.12	3.5	X	0.91	1.08	2.5	X	0.099	0.03	6.12	0.06	0.66		
MBAD482	X	0.09	0.016	5.76	3.7	0.037	121	1.98	0.22	4.55	10.8	8	1.28	9.21	X	0.14	3.5	X	0.88	0.88	2.7	X	0.094	0.03	5.79	0.08	0.58		
MBAD483	X	0.16	0.019	7.51	4.6	0.068	378	1.93	0.14	6.31	13.5	8.2	1.73	11.2	X	0.13	4.8	X	1.27	1.41	5.8	X	0.154	0.04	5.53	0.09	0.72		
MBAD484	X	0.1	0.017	6.61	5	0.039	228	1.78	0.14	4.74	15	7	1.32	10.2	X	0.37	3.7	X	0.87	1.01	3.2	X	0.099	0.03	5.58	0.08	0.64		
MBAD485	X	0.11	0.018	6.49	5.2	0.042	140	1.88	0.22	5.15	12.6	7.7	1.4	10.2	X	0.18	4.4	X	1	1.06	3.8	X	0.113	0.03	5.05	0.08	0.78		
MBAD486	X	0.07	0.017	5.33	3.3	0.027	143	2.67	0.16	4	11.3	7.1	1.11	7.59	X	0.29	3.4	X	0.72	1.04	2.2	X	0.077	0.04	5.92	0.06	0.55		
MBAD487	X	0.06	0.014	4.76	3.2	0.023	93.7	1.65	0.27	3.57	8.9	5.4	0.97	6.94	X	0.29	2.9	X	0.65	0.9	2.2	X	0.068	0.03	4.74	0.05	0.44		
MBAD488	X	0.07	0.015	6.29	3.3	0.029	102	1.43	0.13	4.42	9.8	5.6	1.27	6.05	X	0.26	3.2	X	0.81	0.83	2	X	0.077	0.03	5.69	0.05	0.47		
MBAD489	X	0.09	0.014	4.5	4.2	0.036	178	1.23	0.21	3.63	18.3	4.8	0.97	7.36	X	0.16	3.7	X	0.7	0.7	62.3	X	0.085	0.04	4	0.07	0.47		
MBAD490	X	0.09	0.016	5.81	2.8	0.037	182	1.5	0.18	4.61	11.4	5.1	1.26	5.96	X	0.15	3.5	X	0.93	0.88	2.8	X	0.097	0.03	4.81	0.04	0.45		
MBAD491	X	0.13	0.03	7.6	4.6	0.059	296	2.52	0.08	7.43	14.8	8.2	1.68	7.45	X	0.14	5.9	X	1.36	1.3	3	X	0.132	0.05	8.2	0.06	0.78		
MBAD492	X	0.12	0.013	6.92	2.9	0.046	231	1.49	0.07	5.25	11.1	4.9	1.45	6.29	X	0.15	3.1	X	1.02	0.82	5.9	X	0.115	0.03	4.34	0.07	0.39		
MBAD493	X	0.32	0.031	10.9	9.7	0.115	549	1.46	0.04	10.5	28.1	9.4	2.62	18.8	X	0.1	9.4	X	2.16	1.31	6.8	X	0.292	0.04	6.84	0.17	0.91		
MBAD494	X	0.19	0.018	6.69	5.3	0.073	392	1.27	0.13	5.99	18.6	5.2	1.54	10	X	0.15	5.5	X	1.23	0.97	5.3	X	0.169	0.03	4.29	0.09	0.49		
MBAD495	X	0.3	0.027	9.08	9.2	0.115	579	1.19	0.07	8.99	28.5	7.8	2.19	17.2	X	0.12	8.8	X	1.92	1.43	8	X	0.271	0.04	5.62	0.15	0.8		
MBAD496	X	0.08	0.015	6.39	3.1	0.032	157	1.33	0.16	4.66	11.5	5.2	1.32	7.49	X	0.16	3.3	X	0.88	1.01	2.3	X	0.085	0.03	5.16	0.06	0.49		
MBAD497	X	0.04	0.015	6.28	3.2	0.029	137	1.27	0.14	4.32	10.9	5.5	1.24	7.97	X	0.11	3	X	0.77	1.14	2.1	X	0.074	0.03	5.38	0.07	0.54		
MBAD498	X	0.05	0.013	5.08	2.2	0.018	99	1.68	0.11	3.38	7.9	4.4	0.97	4.96	X	0.12	2.3	X	0.6	0.74	2.1	X	0.057	0.02	4.77	0.04	0.45		
MBAD499	X	0.08	0.017	5.86	3.3	0.029	195	2.24	0.22	4.04	11.9	5.2	1.17	7.1	X	0.15	3.1	X	0.71	1.48	3.6	X	0.08	0.03	5.62	0.06	0.64		
MBAD500	X	0.09	0.116	4.2	3	0.032	209	14.1	0.16	3.53	11	10.5	0.94	5.02	X	0.24	8	1.6	0.69	4.08	24.4	X	0.084	0.49	22.1	0.08	1.6		
MBAD502	X	0.12	0.027	7.7	4.1	0.042	216	2.43	0.09	5.61	19.4	7.1	1.55	7.56	X	0.16	4.5	X	1.02	1.23	16.1	X	0.112	0.07	8.37	0.08	0.8		
MBAD503	X	0.1	0.023	5.52	4.7	0.037	242	1.68	0.13	4.43	15	6.9	1.21	9.15	X	0.14	5	X	0.85	1.28	7.6	X	0.098	0.05	6.53	0.09	0.71		
MBAD504	X	0.1	0.04	5.75	3.4	0.037	143	2.56	0.18	4.69	14	12.1	1.27	7.45	X	0.24	7.6	0.5	0.89	1.23	3.2	X	0.102	0.07	10.7	0.07	0.99		
MBAD505	X	0.09	0.038	5.54	3	0.037	155	2.55	0.12	4.39	13.5	11.7	1.21	6.23	X	0.21	7.6	0.5	0.84	1.23	2.2	X	0.095	0.08	11.2	0.07	0.92		
MBAD506	X	0.11	0.044	6.51	3.9	0.047	178	3.11	0.07	5.46	16.6	13.5	1.5	8.22	X	0.25	9.4	0.5	1.04	1.39	2.2	X	0.117	0.08	11.9	0.08	1.14		
MBAD507	X	0.11	0.031	7.99	3.6	0.04	147	2.11	0.12	6.17	12.8	10.2	1.81	9.16	X	0.15	6.4	X	1.18	1.41	2.2	X	0.116	0.05	9.32	0.07	0.9		
MBAD508	X	0.08	0.025	6.09	2.8	0.031	181	2.39	0.12	4.48	9.6	7.8	1.3	5.97	X	0.14	4.5	X	0.81	0.95	2.4	X	0.083	0.04	7.44	0.06	0.62		
MBAD509	X	0.11	0.037	7.51	3.3	0.041	160	2.36	0.07	6.11	12.1	12.6	1.75	8.24	X	0.11	6.6	X	1.17	1.46	2.2	X	0.116	0.05	10.7	0.07	1.02		
MBAD510	X	0.15	0.045	6.36	3	0.06	151	2.13	0.12	5.81	12.1	13.7	1.6	6.86	X	0.09	7.8	X	1.26	1.17	2.1	X	0.155	0.06	10.9	0.07	1.55		
MBAD511	X	0.13	0.041	7.71	4.2	0.055	169	2.17	0.1	6.6	15.5	12.9	1.86	9.74	X	0.16	8.1	0.5	1.31	1.5	2.1	X	0.135	0.07	10.6	0.09	1.14		
MBAD512	X	0.12	0.037	7.47	2.6	0.05	163	2.63	0.1	5.94	15.1	11.7	1.68	8.14	X	0.2	7.6	X	1.11	1.27	3.1	X	0.124	0.06	9.21	0.07	0.9		
MBAD513	X	0.09	0.029	7.02	2.7	0.034	121																						

Mt Devon Auger Sampling Results																										
Sample ID	Easting	Northing	Elevation	Colour	Hydrochloric Acid Reaction	Depth of Best Reaction	Comments	Ag_ppm	As_ppm	Au_ppb	Ba_ppm	Be_ppm	Bi_ppm	Cd_ppm	Ce_ppm	Co_ppm	Cu_ppm	Cu_ppm	Cu_ppm	Dy_ppm	Er_ppm	Eu_ppm	Ga_ppm	Gd_ppm	Hf_ppm	
MBA0515	232405	6803452	436.9	Red Brown	0	1.5		0.06	1.5	X	10.4	0.3	0.4	0.01	14.7	3.5	0.53	11.6	0.56	0.3	0.16	6.39	0.8	0.28		
MBA0516	232406	6803503	437.3	Red Brown	0	1.5		X	1.9	1	9.7	0.4	0.37	0.01	15.3	4.5	0.47	14.7	0.57	0.31	0.16	6.17	0.81	0.33		
MBA0517	232403	6803552	436.1	Red Brown	0	1.5		0.46	2.1	X	7.7	0.31	0.45	0.01	16.5	3.5	0.53	12.7	0.64	0.35	0.18	6.98	0.93	0.29		
MBA0518	232402	6803662	436.3	Red Brown	1	1.5		0.03	2	X	8.4	0.38	0.41	0.01	21.8	3.9	0.78	19.1	0.85	0.48	0.25	7.29	1.19	0.36		
MBA0519	232406	6803659	432.5	Red Brown	1	1	Off coordinates due to thick bush;	0.07	2	2	10.1	0.31	0.33	0.01	21.5	3.2	0.86	17.3	0.74	0.41	0.2	6.96	1.1	0.33		
MBA0520	232401	6803705	434.6	Red Brown	0	1.5		X	1.8	2	27.9	0.7	0.35	0.02	35.2	12.9	0.78	23.1	1.2	0.69	0.33	6.38	1.52	0.25		
MBA0521	232406	6803754	434.7	Red Brown	0	1.5		X	1.9	1	11.7	0.61	0.34	0.01	24.3	9	0.98	21.8	1.02	0.58	0.27	7.19	1.3	0.28		
MBA0522	232395	6803803	435.9	Red Brown	0	1.5		X	0.04	1.3	X	33.9	0.71	0.34	0.02	29.8	14	0.91	21.9	1.04	0.61	0.28	5.92	1.34	0.21	
MBA0523	232399	6803855	436.6	Red Brown	0	1.5		X	1.5	1	13.2	0.51	0.36	X	23.5	5.3	0.97	20.8	1.05	0.61	0.28	7.17	1.37	0.27		
MBA0524	232406	6803907	436.7	Red Brown	0	1.5		X	1.5	2	13	0.64	0.31	0.01	25.1	8.9	0.94	23.8	1.01	0.56	0.27	6.32	1.35	0.25		
MBA0525	232402	6804001	435.5	Red Brown	0	1.5		0.02	2.1	X	9.8	0.18	0.34	X	22	5.6	0.87	19.4	0.56	0.25	6.88	1.18	0.31			
MBA0527	232404	6804053	433	Red Brown	0	1.5		X	1.5	2	14.7	0.38	0.36	0.01	29.6	11.3	0.72	20.9	1.02	0.61	0.27	7.16	1.29	0.29		
MBA0528	232403	6804111	434.5	Red Brown	0	1.5		0.21	2.1	X	10.5	0.47	0.26	0.01	20.8	5.8	0.63	13.8	0.69	0.4	0.18	5.67	0.94	0.27		
MBA0529	232405	6804157	434.6	Red Brown	0	1		0.04	2.2	X	14.3	0.51	0.26	0.01	20.9	5.6	0.56	13.5	0.68	0.4	0.19	7.25	0.87	0.34		
MBA0530	232400	6804207	432.7	Red Brown	0	1.5		0.03	3.6	1	97.7	1.01	0.48	0.03	58.9	15.7	0.51	20.8	1.14	0.69	0.3	15.3	1.31	0.45		
MBA0531	232403	6804259	428.2	Red Brown	0	1.5		0.02	4.5	X	384	1.96	0.34	0.06	141	31.7	0.36	21.4	1.41	0.82	0.42	1.71	1.65	0.48		
MBA0532	232403	6804303	434	Red Brown	0	1.5		X	2.2	X	76.3	0.24	0.2	0.01	16.1	2.7	0.52	9.8	0.57	0.32	0.16	5.87	0.82	0.26		
MBA0533	232397	6804356	435.6	Red Brown	0	1.5		X	8.1	X	1040	1.56	0.33	0.03	80.4	20.6	0.43	19.4	0.98	0.52	0.25	6.86	1.1	0.31		
MBA0534	232393	6804398	431.4	Red Brown	0	1.5		X	1.6	1	13.2	0.21	0.13	X	20.9	1.5	0.38	6	0.4	0.21	0.1	3.71	0.7	0.19		
MBA0535	232401	6804452	438.7	Red Brown	0	1.5		X	1.4	X	8.4	0.2	0.1	0.01	14.4	2.1	0.29	6.7	0.35	0.18	0.09	2.82	0.58	0.12		
MBA0536	232397	6804504	436.7	Red Brown	0	1.5		X	1.7	X	7	0.2	0.12	X	18.5	1.6	0.38	6.4	0.39	0.2	0.11	3.54	0.67	0.15		
MBA0537	232398	6804552	428.5	Red Brown	3	0.5		X	1.7	2	36.6	0.29	0.13	0.01	17.1	2.7	0.43	9.3	0.53	0.29	0.15	3.84	0.81	0.13		
MBA0538	232392	6804654	426.5	Red Brown	0	1.5		X	1.7	X	11.9	0.23	0.11	X	25.8	2	0.39	6.7	0.49	0.24	0.13	3.52	0.87	0.15		
MBA0539	232402	6804697	421.9	Red Brown	0	1.5		X	1.7	1	11.2	0.32	0.13	X	32.4	2.8	0.46	9.7	0.67	0.33	0.17	3.98	1.12	0.19		
MBA0540	232394	6804748	412.5	Red Brown	0	0.5		X	1.6	1	11.7	0.18	0.1	X	34.5	1.6	0.43	6.54	0.38	0.2	0.15	3.53	0.8	0.13		
MBA0541	232395	6804795	415.9	Red Brown	0	1.5		X	1.6	X	186	0.3	0.11	X	30.1	2.9	0.56	11.2	0.69	0.35	0.19	3.93	1.11	0.18		
MBA0542	232400	6804848	418.2	Red Brown	0	1.5		X	1.9	X	45.4	0.4	0.12	0.01	43.7	4.2	0.57	8.4	0.75	0.37	0.18	4.25	1.35	0.22		
MBA0543	232402	6804899	428.9	Light Brown	0	1.5		X	1.6	X	26.1	0.28	0.12	0.01	37.1	2.4	0.54	9.7	0.66	0.32	0.16	4.02	1.18	0.19		
MBA0544	232402	6804954	426.4	Light Brown	0	1		X	1.9	X	43	0.34	0.11	X	40.7	4.6	0.46	7.9	0.73	0.34	0.17	4.39	1.27	0.2		
MBA0545	232400	6805001	429.2	Red Brown	0	1.5		X	1.5	X	8.3	0.3	0.11	0.01	29	3.4	0.5	9.2	0.56	0.28	0.14	4.03	0.98	0.16		
MBA0546	232399	6805052	425.5	Red Brown	3	1	0.03	1.6	2	972	0.47	0.11	0.02	30.1	4.6	0.68	11.8	1.14	0.67	0.4	5.08	1.94	0.16			
MBA0547	232399	6805102	427.2	Light Brown	0	1.5		X	1.5	X	8.7	0.23	0.11	X	34.9	1.4	0.47	7	0.6	0.29	0.15	3.79	1.17	0.19		
MBA0548	232401	6805147	427.8	Light Brown	0	1.5		X	1.5	2	19	0.29	0.11	X	44.4	1.8	0.54	7.3	0.72	0.34	0.15	3.73	1.38	0.21		
MBA0549	232405	6805199	430.2	Red Brown	0	1.5		X	1.6	X	9	0.28	0.11	X	45.4	2.2	0.55	8.9	0.75	0.35	0.19	4.06	1.43	0.19		
MBA0550	232405	6805256	435	Red Brown	0	1.5		X	1.2	X	19.8	0.33	0.13	0.01	40.3	2.5	0.69	7.5	0.74	0.34	0.17	4.28	1.48	0.16		
MBA0552	232394	6805310	431.1	Light Brown	0	1.5	Off coordinates due to thick bush;	X	0.8	X	8.2	0.3	0.16	0.01	40.3	2.3	0.39	7	0.63	0.3	0.15	3.32	1.18	0.16		
MBA0553	232406	6805349	434.2	Red Brown	0	1.5		X	1.9	1	10.4	0.25	0.15	X	45.1	2.6	0.45	10	0.7	0.33	0.16	3.76	1.34	0.19		
MBA0559	232403	6805399	435.2	Red Brown	1	1.5		X	1.1	X	6.5	0.23	0.1	X	41	1.8	0.47	8.2	0.77	0.37	0.17	3.77	1.33	0.15		
MBA0555	232406	6805454	435.1	Red Brown	1	1.5		X	1.1	X	8	0.45	0.16	X	43.5	4.2	0.57	11.4	1.05	0.55	0.27	4.32	1.65	0.21		
MBA0556	232409	6805505	432.5	Red Brown	0	1.5		X	1.1	X	8	0.25	0.14	X	47.5	1.7	0.51	7.9	0.92	0.46	0.22	3.94	1.58	0.19		
MBA0557	232501	6805504	437.3	Red Brown	0	1.5		X	1	X	10.9	0.46	0.13	X	42.2	5	0.53	12.9	0.93	0.48	0.21	3.97	1.5	0.16		
MBA0558	232502	6805449	431.9	Red Brown	1	1.5		X	1.2	X	20.2	0.54	0.14	0.02	40.9	6.8	0.53	12.9	1.09	0.58	0.28	3.97	1.64	0.11		
MBA0559	232494	6805393	428.5	Red Brown	0	1.5		0.03	1	X	6.5	0.26	0.12	X	42.3	2.3	0.38	7.2	0.66	0.31	0.16	3.05	1.26	0.15		
MBA0560	232497	6805351	435.8	Red Brown	0	1.5		0.03	1.3	X	6.6	0.34	0.13	X	39.1	2.8	0.39	7.9	0.64	0.31	0.16	3.25	1.21	0.18		
MBA0561	232501	6805309	438	Light Brown	0	0.5	0.30	X	1.3	X	9.2	0.28	0.13	X	43	2	0.39	7.9	0.62	0.32	0.14	3.3	1.24	0.13		
MBA0562	232506	6805258	438.3	Light Brown	0	1.5		X	1.4	X	9.9	0.29	0.11	X	35.3	2.5	0.39	7.7	0.56	0.28	0.15	3.98	1.07	0.17		
MBA0563	232506	6805205	438.2	Red Brown	1	1.5		0.02	1.3	X	9.6	0.32	0.13	0.01	35.7	2.9	0.42	8.8	0.68	0.33	0.18	3.4	1.22	0.17		
MBA0564	232506	6805150	432.3	Red Brown	0	1.5		0.02	1.4	X	8.9	0.31	0.13	0.01	35.9	2.9	0.42	7.8	0.63	0.31	0.15	3.47	1.14	0.18		
MBA0565	232507	6805103	430.6	Red Brown	0	1.5		0.02	1.1	X	8.5	0.31	0.13	X	39.7	2.8	0.38	8.2	0.62	0.29	0.14	3.13	1.16	0.18		

Mt Devon Auger Sampling Results																											
Sample ID	He_gpm	He_ppm	In_gpm	La_gpm	U_gpm	Lu_gpm	Mn_gpm	Mg_gpm	Nb_gpm	Nd_gpm	Ni_gpm	Pb_gpm	Pb_ppm	Re_gpm	Sb_gpm	Sc_gpm	Se_gpm	Sr_gpm	Sr_ppm	Ta_gpm	Tb_gpm	Te_gpm	Ti_gpm	Tl_gpm	U_ppm		
MBA0515	X	0.1	0.026	8.03	3.7	0.037	178	1.58	0.09	5.81	11.9	8.4	1.7	7.72	X	0.23	5	X	1.01	1.14	1.9	X	0.105	0.05	7.38	0.07	0.55
MBA0516	X	0.1	0.026	7.81	4.1	0.039	173	2.08	0.12	5.57	12.5	8.6	1.65	6.86	X	0.13	4.9	X	1.03	1.07	2.3	X	0.108	0.06	7.55	0.08	0.63
MBA0517	X	0.12	0.03	8.52	3.6	0.047	134	1.65	0.15	6.45	10.7	9.4	1.87	7.13	X	0.16	5.7	X	1.16	1.1	1.7	X	0.122	0.06	8.49	0.07	0.71
MBA0518	X	0.15	0.031	9.08	4.9	0.064	164	1.85	0.14	7.38	12.4	10.7	2.1	9.52	X	0.2	7.1	X	1.46	1.24	1.9	X	0.158	0.05	9.34	0.11	0.97
MBA0519	X	0.13	0.027	9.42	4.3	0.054	161	1.41	0.25	7.76	13.9	9.1	2.21	12.3	X	0.15	6.1	X	1.51	1.47	1.9	X	0.144	0.04	8.37	0.11	0.85
MBA0520	X	0.22	0.027	10.8	6.6	0.096	483	1.62	0.08	9.27	23.7	10.8	2.63	10.4	X	0.17	7.3	X	1.81	1.13	4.6	X	0.213	0.05	7.73	0.17	0.87
MBA0521	X	0.19	0.027	9.32	8.7	0.078	324	1.33	0.09	7.94	17.4	9.9	2.21	14.1	X	0.13	7.4	X	1.52	1.36	3.2	X	0.178	0.04	7.94	0.15	1.15
MBA0522	X	0.19	0.023	10.3	7.2	0.084	503	1.33	0.05	8.48	21.5	9.6	2.4	11	X	0.13	6.2	X	1.6	1.06	3.5	X	0.183	0.04	7.31	0.2	0.82
MBA0523	X	0.2	0.028	10.1	8.6	0.085	230	1.15	0.07	8.21	15.8	9.8	2.35	13.7	X	0.11	7.3	X	1.57	1.19	3.2	X	0.185	0.04	8.08	0.15	1.11
MBA0524	X	0.19	0.024	10.1	7.8	0.081	313	1.4	0.09	8.49	16.7	9.5	2.38	12.5	X	0.14	7	X	1.63	1.06	3.7	X	0.182	0.05	7.88	0.14	1.03
MBA0525	X	0.18	0.028	8.16	8.9	0.086	158	1.63	0.17	7.45	14.9	11	2.2	11.1	X	0.14	7.3	X	1.38	1.3	2.6	X	0.164	0.05	8.24	0.3	1.17
MBA0527	X	0.19	0.03	9.14	7.6	0.082	322	1.59	0.07	7.81	16.5	11.6	2.26	10.7	X	0.14	7.5	X	1.53	1.08	3.4	X	0.182	0.05	9.4	0.17	1.06
MBA0528	X	0.13	0.024	7.69	5.8	0.057	129	1.22	0.13	6.48	10	9.5	1.75	10	X	0.12	5.6	X	1.14	1.13	2.2	X	0.125	0.04	8.02	0.12	0.89
MBA0529	X	0.13	0.029	7.23	5.9	0.055	228	2.18	0.13	6.21	11.1	11.6	1.67	8.85	X	0.17	6.2	X	1.12	1.12	2.3	X	0.123	0.05	10.9	0.15	1.1
MBA0530	X	0.22	0.053	8.93	13	0.103	713	7.22	0.07	8.25	23.4	27.4	2.15	7.75	X	0.12	12.4	0.6	1.47	1.6	3.3	X	0.195	0.09	16.6	0.39	2.17
MBA0531	X	0.27	0.051	11	9.2	0.116	1560	9.64	0.05	10.7	46.7	26.2	2.94	63.3	X	0.19	13.3	0.7	1.94	1.4	7.6	X	0.245	0.08	18.8	0.75	2.39
MBA0532	X	0.1	0.019	8.09	3.5	0.042	131	1.62	0.18	6.17	8.6	7.6	1.74	5.47	X	0.12	4.3	X	1.04	1.07	2.3	X	0.106	0.04	8.06	0.07	0.92
MBA0533	X	0.19	0.054	8.05	9.3	0.097	713	7.11	0.16	7.42	31.5	27.1	2.12	6.74	X	0.20	7.4	1.3	1.36	1.23	6.5	X	0.23	0.09	40.2	0.39	2.4
MBA0534	X	0.07	0.013	10.7	2.8	0.026	82.7	0.82	0.12	6.75	6.5	5.5	1.97	5.58	X	0.11	2.4	X	0.99	0.91	1.7	X	0.084	0.03	7.59	0.06	0.6
MBA0535	X	0.06	0.01	7.76	2.2	0.022	11.9	0.92	0.09	5.2	5.9	4.2	1.46	4.78	X	0.1	1.9	X	0.78	0.58	1.8	X	0.073	0.03	5.42	0.05	0.48
MBA0536	X	0.07	0.011	9.53	2.6	0.022	62.7	0.82	0.17	6.13	5.7	5.4	1.81	5.97	X	0.09	2.3	X	0.93	0.72	1.4	X	0.084	0.03	6.71	0.05	0.73
MBA0537	X	0.09	0.013	9.39	2.9	0.034	94.3	1.02	0.23	6.66	10.7	5.6	1.87	7.11	X	0.12	2.5	X	1.04	0.72	4.6	X	0.104	0.03	6.64	0.06	1.01
MBA0538	X	0.08	0.013	13.3	2.9	0.027	76.1	0.75	0.34	8.65	6.4	5.9	2.5	6.83	X	0.11	2.3	X	1.27	0.75	1.9	X	0.106	0.03	8.54	0.05	0.71
MBA0539	X	0.11	0.014	16.3	3.7	0.038	88.8	1.16	0.22	10.7	8.4	6.9	3.12	7.52	X	0.14	2.8	X	1.54	0.79	3.1	X	0.139	0.02	10.4	0.06	0.93
MBA0540	X	0.09	0.011	20.9	2.4	0.024	10.4	0.85	0.26	11.1	6.9	6.2	3.47	6.43	X	0.1	1.9	X	1.56	1.04	2	X	0.123	0.02	11.5	0.05	0.74
MBA0541	X	0.12	0.012	14.9	3.4	0.04	12.4	1.12	0.35	9.92	9.7	7	2.92	8.55	X	0.15	2.9	X	1.5	0.93	5.9	X	0.135	0.03	9.43	0.08	0.7
MBA0542	X	0.13	0.014	23.1	4.7	0.041	17.1	0.87	0.12	13.2	9.3	9.3	4.01	10.3	X	0.15	2.8	X	1.69	1.12	4.4	X	0.161	0.03	12.7	0.09	0.81
MBA0543	X	0.11	0.014	20.5	3.6	0.034	87.1	1.04	0.21	11.7	7.6	7.8	3.46	8.41	X	0.15	2.6	X	1.68	0.85	2.3	X	0.14	0.03	12	0.07	0.93
MBA0544	X	0.12	0.013	20.7	3.2	0.037	11.6	0.89	0.21	12	10.1	6.8	3.56	8.18	X	0.11	2.6	X	1.81	1.06	3	X	0.15	0.03	12	0.07	0.73
MBA0545	X	0.1	0.014	14.4	3.9	0.032	91.7	0.91	0.1	9.61	7.8	6.4	2.74	8.14	X	0.1	2.8	X	1.38	0.72	2.2	X	0.117	0.03	9.38	0.07	0.59
MBA0546	0.02	0.22	0.015	22.5	5.6	0.062	10.6	0.69	0.12	14.3	22.1	6	3.84	11.8	X	0.08	3.6	X	2.21	0.86	37.4	X	0.223	0.04	8.36	0.11	0.76
MBA0547	X	0.1	0.013	20.7	3.7	0.028	42.5	0.72	0.18	11.4	6.2	6.6	3.46	6.96	X	0.1	2.7	X	1.74	0.66	1.6	X	0.134	0.03	10.8	0.07	0.76
MBA0548	X	0.13	0.013	24.7	5.4	0.034	9.9	0.64	0.12	14.5	9.3	6.8	4.32	8.17	X	0.12	2.8	X	2.03	0.76	1.6	X	0.134	0.03	12.3	0.07	0.71
MBA0549	X	0.13	0.014	25.7	3.9	0.035	69.7	0.8	0.12	14.7	7.6	7.3	4.35	8.15	X	0.12	2.8	X	2.03	0.79	2	X	0.169	0.03	13	0.08	0.78
MBA0550	X	0.12	0.013	28.2	4.4	0.033	11.9	0.47	0.14	15.9	7.4	4.78	10	X	0.1	2.5	X	2.22	0.9	3.7	X	0.17	0.02	14.2	0.09	0.73	
MBA0552	X	0.1	0.012	23.1	3.5	0.031	103	0.41	0.07	12.6	7	6.7	3.81	6.97	X	0.08	2.4	X	1.72	0.71	2.7	X	0.142	0.03	11.9	0.07	0.63
MBA0553	X	0.11	0.013	25.6	3.8	0.033	156	0.73	0.12	14.2	7	7.2	4.28	8.01	X	0.11	2.5	X	1.97	0.83	1.6	X	0.159	0.03	13	0.08	0.87
MBA0554	X	0.13	0.014	22.5	39.3	0.041	99.3	0.62	0.11	13.1	5.8	7.7	3.87	7.65	X	0.11	3.1	X	1.99	0.76	1.7	X	0.162	0.03	12.15	0.08	1.15
MBA0555	X	0.19	0.015	23.2	5.3	0.068	135	0.75	0.15	14.1	7.5	9.2	4.22	9.47	X	0.09	3.1	X	2.18	0.78	2.3	X	0.206	0.03	12.9	0.1	1.44
MBA0556	X	0.16	0.012	26	3.8	0.054	103	0.68	0.22	15.4	5.5	8.5	4.52	8.95	X	0.09	3	X	2.19	0.82	1.2	X	0.189	0.03	13.4	0.08	1.33
MBA0557	X	0.16	0.014	23.5	4.8	0.056	21.8	0.8	0.17	13.4	8.4	8.6	4.05	10.4	X	0.1	3.6	X	2.01	0.76	2	X	0.185	0.02	12.2	0.1	1.23
MBA0558	X	0.2	0.014	21.1	4	0.07	235	0.7	0.14	13.5	9.6	9.5	3.85	9.22	X	0.08	4	X	2.17	0.75	4.2	X	0.212	0.02	10.8	0.13	1.25
MBA0559	X	0.11	0.011	24.1	2.9	0.031	98.9	0.55	0.22	13.2	5.8	6.5	4.02	6.28	X	0.09	2.2	X	1.88	0.59	1.8	X	0.149	0.02	12.3	0.06	0.72
MBA0560	X	0.11	0.011	21.6	3.4	0.033	85.8	0.51	0.26	12.5	6.8	6.5	3.68	6.55	X	0.1	2.3	X	1.77	0.65	2	X	0.145	0.03	11.3	0.06	0.64
MBA0561	X	0.1	0.012	24.1	3.3	0.027	127	0.6	0.18	13.5	7.1	6.6	4.03	6.53	X	0.12	2.2	X	1.87	0.72	2	X	0.144	0.03	12.8	0.07	0.71
MBA0562	X	0.12	0.012	18.9	2.9	0.029	97.4	0.62	0.12	13.8	6.8	6.1	3.68	6.11	X	0.12	2.3	X	1.54	0.72	3	X	0.143	0.03	10.6	0.07	0.65
MBA0563	X	0.12	0.013	19.2	3.2	0.035	105	0.63	0.12	11.6	8.5	6.9	3.45	8.34	X	0.12	2.5	X	1.71	0.71	4.9	X	0.144	0.03	10.6	0.08	0.5
MBA0564	X	0.11	0.012	19.6	3.3	0.034	96.6	0.55	0.11	11.3	8	6.7	3.36	8.12	X	0.1	2.6	X	1.62	0.74	3.5	X	0.135	0.03	10.8	0.08	0.58
MBA0565	X	0.1	0.011	21.7	3.2	0.029	116	0.69	0.12	12.5	7.7	6.5	3.72	6.96	X	0.12	2.2	X	1.71	0.73	2.7	X	0.137	0.03	11.3	0.07	0.55

Mt Devan Auger Sampling Results

Sample ID W_ppm Y_ppm Yb_ppm Zn_ppm Zr_ppm

MBA0515 X 2.78 0.28 11 8.9
MBA0516 X 2.82 0.3 10 10.3
MBA0517 X 3.36 0.33 10 10
MBA0518 X 4.16 0.48 13 10.5
MBA0519 X 3.72 0.41 15 10.1

MBA0520 X 6.4 0.7 14 7.3
MBA0521 X 5.63 0.61 17 8.2
MBA0522 X 5.84 0.63 14 6.1
MBA0523 X 5.91 0.63 16 7.4
MBA0524 X 5.85 0.61 15 7.6
MBA0526 X 4.82 0.59 13 8.5
MBA0527 X 5.37 0.63 13 8.1
MBA0528 X 3.4 0.42 10 7.3
MBA0529 X 3.5 0.41 8 9.8
MBA0530 X 5.74 0.73 9 9.9
MBA0531 X 6.31 0.9 7 11.6
MBA0532 X 2.93 0.31 8 8.3
MBA0533 X 4.93 0.63 8 16.5
MBA0534 X 1.88 0.19 6 6
MBA0535 X 1.69 0.16 5 4.2
MBA0536 X 1.95 0.17 7 5.4
MBA0537 X 2.81 0.25 9 4.9
MBA0538 X 2.39 0.2 7 5.7
MBA0539 X 3.3 0.28 8 6.6
MBA0540 X 2.39 0.18 8 5.1
MBA0541 X 3.27 0.3 9 5.9
MBA0542 X 3.58 0.31 9 7.2
MBA0543 X 2.87 0.26 8 6.7
MBA0544 X 3.36 0.28 8 7.7
MBA0545 X 2.48 0.24 8 5.5
MBA0546 X 8.34 0.44 11 5.3
MBA0547 X 2.68 0.22 7 6.1
MBA0548 X 3.4 0.27 8 6.8
MBA0549 X 3.31 0.28 7 6.2
MBA0550 X 3.23 0.27 10 6
MBA0552 X 3.01 0.22 8 5.1

MBA0553 X 3.41 0.25 9 6
MBA0554 X 3.65 0.34 8 5.9
MBA0555 X 5.24 0.49 10 5.9
MBA0556 X 4.68 0.39 9 6
MBA0557 X 4.66 0.42 10 4.9
MBA0558 X 5.76 0.52 11 4.2
MBA0559 X 3.01 0.23 7 5.1
MBA0560 X 3.05 0.24 7 6
MBA0561 X 2.74 0.21 8 6.1
MBA0562 X 2.42 0.21 7 5.9
MBA0563 X 3.41 0.28 8 6
MBA0564 X 2.94 0.27 8 6
MBA0565 X 2.67 0.23 8 5.8

Note: x - Assays below detection limit for the element

Mt Devan Auger Sampling Results

Sample ID	Eastng	Northing	Elevation	Colour	Hydrochloric Acid Reaction	Depth of Best Reaction	Comments	Ag_ppm	As_ppm	Au_ppb	Ba_ppm	Be_ppm	Bi_ppm	Cd_ppm	Ce_ppm	Co_ppm	Cs_ppm	Cu_ppm	Dy_ppm	Er_ppm	Eu_ppm	Ga_ppm	Gd_ppm	Hf_ppm
MBA0566	232505	6805060	429.2	Tan Brown	3	1.5		0.02	1.1	X	13.4	0.32	0.14	0.02	31.3	3	0.41	7.7	0.64	0.31	0.17	3.51	1.08	0.16
MBA0567	232505	6804995	425.6	Cream Brown	3	1.5		X	1.1	X	14.1	0.34	0.15	0.01	29.2	3.1	0.4	8.6	0.62	0.31	0.16	3.8	1.05	0.15
MBA0568	232506	6804948	433.4	Light Brown	0	1		X	1	X	7.2	0.25	0.14	X	33.3	2.7	0.38	7.1	0.63	0.31	0.16	3.34	1.11	0.15
MBA0569	232496	6804902	435	Light Brown	0	1		X	1.2	X	44.8	0.25	0.15	X	38.8	2.6	0.42	8.7	0.63	0.3	0.16	3.68	1.18	0.18
MBA0570	232500	6804852	430.2	Light Brown	3	0.5		X	1.4	X	7.9	0.34	0.13	0.02	36.6	3.8	0.38	8.7	0.75	0.4	0.21	4.03	1.25	0.09
MBA0571	232504	6804798	425.9	Light Brown	1	1.5		X	2.2	X	1.9	0.78	0.26	0.01	38.2	8.4	0.65	12.1	0.96	0.52	0.28	7.81	1.45	0.34
MBA0572	232506	6804746	426.3	Light Brown	1	1		X	1.6	X	7.5	0.19	0.12	0.02	31.1	1.9	0.39	8	0.58	0.27	0.14	3.72	1.04	0.12
MBA0573	232501	6804704	426.9	Red Brown	1	1.5		X	1	1	6.4	0.18	0.13	X	37.2	1.4	0.43	7.4	0.67	0.31	0.16	3.44	1.26	0.21
MBA0574	232503	6804652	428.3	Red Brown	0	1.5		X	1.4	2	10.6	0.34	0.15	0.02	31.5	3.9	0.47	9.1	0.86	0.5	0.2	4.28	1.25	0.21
MBA0576	232496	6804601	431.6	Red Brown	1	1.5		X	1.3	2	11.4	0.33	0.15	0.01	32	5	0.46	9.1	0.79	0.42	0.18	4.14	1.17	0.22
MBA0577	232506	6804552	432.2	Red Brown	0	1.5		X	1.4	3	16.1	0.3	0.16	0.01	27.7	3.1	0.5	8.6	0.67	0.35	0.16	4.32	1.07	0.24
MBA0578	232496	6804497	429.2	Light Brown	0	1.5		0.02	1.3	2	23.8	0.31	0.13	0.01	24	3.2	0.4	9.1	0.6	0.32	0.15	3.58	0.95	0.17
MBA0579	232498	6804448	426.3	Red Brown	0	1.5		X	0.9	1	7.8	0.28	0.15	0.01	21.6	2.9	0.36	6.6	0.51	0.26	0.12	3.42	0.84	0.21
MBA0580	232496	6804399	427.2	Light Brown	1	1.5		X	1	2	5	0.13	0.12	X	15.6	1.1	0.35	6	0.4	0.21	0.09	3.18	0.6	0.22
MBA0581	232506	6804352	429.5	Light Brown	2	1.5		X	1.6	2	153	1	0.2	0.02	80.4	25.6	0.26	13.1	0.99	0.56	0.25	9.01	1.21	0.21
MBA0582	232510	6804291	427.6	Light Brown	1	1	Off coordinates due to thick bush;	X	2.5	3	31.4	0.32	0.26	0.02	22.4	3.5	0.45	11.7	0.65	0.36	0.17	7.51	0.92	0.37
MBA0583	232500	6804254	427.2	Red Brown	0	1		X	1.8	X	5.1	0.21	0.26	0.01	16.3	1.7	0.46	9.7	0.59	0.33	0.15	6.39	0.85	0.34
MBA0584	232504	6804201	433.6	Light Brown	1	1		X	1.9	1	5.6	0.24	0.25	0.01	14.7	2.2	0.4	10.6	0.64	0.37	0.17	6.63	0.88	0.35
MBA0585	232499	6804148	433.4	Red Brown	0	1.5		0.04	2.3	2	35.3	0.65	0.26	0.02	36.9	9.7	0.61	15.1	0.89	0.5	0.22	7.12	1.12	0.38
MBA0586	232505	6804094	434	Red Brown	1	1.5		0.02	1.7	1	11.8	0.57	0.25	0.01	20.7	5.2	0.61	13.9	0.79	0.44	0.19	5.87	1	0.32
MBA0587	232496	6804048	431.6	Light Brown	0	1.5		0.03	1.7	1	8	0.46	0.23	0.01	21.6	4.6	0.53	12.7	0.81	0.46	0.2	5.19	1.04	0.29
MBA0588	232499	6804003	432	Light Brown	0	1.5		X	1.7	1	30.9	1.01	0.28	0.03	44.8	16.7	0.76	20.8	1.42	0.83	0.33	6.53	1.67	0.28
MBA0589	232499	6803950	438	Red Brown	1	1.5		X	1.9	X	28	0.92	0.34	0.03	42.9	12.4	0.73	22.1	1.72	1	0.41	5.87	2.1	0.28
MBA0590	232500	6803902	438.3	Red Brown	0	1.5		0.03	1.6	1	16.9	0.74	0.31	0.02	29	11.2	0.73	22.8	1.04	0.61	0.25	5.86	1.27	0.27
MBA0591	232495	6803841	431.8	Light Brown	1	1.5		0.03	1.8	X	24.6	0.77	0.41	0.02	32.6	12.2	0.8	23.5	1.65	0.97	0.39	5.62	1.97	0.25
MBA0592	232501	6803801	431.1	Light Brown	1	1.5		0.02	1.5	1	20.5	0.77	0.31	0.03	31.1	9.7	0.84	23.9	1.76	1.04	0.4	5.35	2.06	0.24
MBA0593	232500	6803748	431.3	Red Brown	0	1		0.07	1.6	X	16.9	0.9	0.27	0.02	34.6	15.3	0.85	25	1.61	0.97	0.39	5.92	1.9	0.25
MBA0594	232493	6803700	425.9	Red Brown	0	1.5		0.03	1.4	1	12.6	0.77	0.29	0.02	28.3	12.6	0.64	19.8	1.02	0.6	0.24	5.02	1.2	0.22
MBA0595	232503	6803646	430.1	Red Brown	1	1		0.05	1.9	X	23.2	0.79	0.29	0.02	35.4	12.1	0.65	19.4	1.2	0.69	0.28	4.86	1.43	0.21
MBA0596	232497	6803599	431	Light Brown	3	1.5		0.02	1.4	1	26.5	0.51	0.26	0.04	24.9	7.4	0.59	20.1	1.21	0.72	0.31	4.47	1.52	0.1
MBA0597	232501	6803545	430.1	Red Brown	1	1.5		0.03	1.9	X	7.6	0.53	0.46	0.02	17.4	6.3	0.5	14.6	0.81	0.46	0.2	6.91	0.99	0.38
MBA0598	232506	6803500	433.6	Red Brown	0	1.5		0.02	1.5	X	6.7	0.33	0.38	0.01	16.8	3.6	0.43	12.2	0.67	0.37	0.17	5.81	0.89	0.27
MBA0599	232503	6803445	431.2	Red Brown	0	1.5		0.03	1.7	1	6.1	0.33	0.36	0.02	12.9	3	0.39	10.7	0.58	0.32	0.15	5.79	0.77	0.29
MBA0600	232511	6803396	435.5	Red Brown	0	1.5		X	1.3	X	13.9	0.39	0.29	0.02	16.1	3.5	0.37	11.4	0.6	0.33	0.15	4.7	0.82	0.25
MBA0602	232505	6803352	436	Light Brown	3	1		0.02	1.5	1	136	0.43	0.45	0.02	17.7	4.8	0.36	12.6	0.71	0.39	0.18	6.74	0.93	0.29
MBA0603	232498	6803298	433.1	Red Brown	0	1		0.03	2.4	1	62.6	0.57	0.71	0.03	14.3	5.8	0.39	21.5	0.84	0.5	0.21	9.83	1.01	0.47
MBA0604	232499	6802849	434	Red Brown	0	0.5		0.02	2	X	30.9	0.42	0.75	0.04	14.1	7.3	0.59	18.7	0.72	0.39	0.18	11.4	0.88	0.25
MBA0605	232504	6802800	440	Red Brown	0	0.5		0.03	1.9	1	74	0.45	0.65	0.04	17.7	8.3	0.6	19.9	1.05	0.6	0.26	9.46	1.26	0.12
MBA0606	232508	6802747	439.9	Light Brown	3	0.5		0.03	1.9	2	43.9	0.47	0.83	0.06	18.2	6.7	0.68	32.6	1.22	0.68	0.32	10.2	1.53	0.25
MBA0607	232505	6802701	433.9	Light Brown	3	0.5		0.02	2.2	3	128	0.48	0.32	0.07	7.47	4.9	0.78	38.1	0.67	0.39	0.18	7.27	0.8	0.2
MBA0608	232499	6802649	437.3	Light Brown	3	0.5		0.02	1.6	2	84.9	0.49	0.24	0.07	16.5	7.3	1.04	25	1.06	0.59	0.3	5.79	1.37	0.06
MBA0609	232502	6802597	438.4	Light Brown	3	0.5		X	1.6	X	27	0.37	0.23	0.05	14.5	6.4	0.52	20.1	0.91	0.52	0.23	4.67	1.12	0.1
MBA0610	232500	6802553	438.9	Red Brown	3	0.5		0.06	1.1	3	26.3	0.28	0.2	0.03	10.3	5.5	0.4	15.4	0.65	0.38	0.14	3.29	0.76	0.07
MBA0611	232501	6802503	432.6	Light Brown	3	1.5		0.02	1.8	2	72.5	0.5	0.39	0.04	17.1	10.9	0.89	32.8	1.29	0.73	0.32	4.66	1.49	0.15
MBA0612	232498	6802446	436	Red Brown	1	1.5		0.03	1.5	X	38.1	0.6	0.46	0.04	22.3	11.2	1.09	39.8	1.53	0.89	0.39	5.44	1.93	0.17
MBA0613	232506	6802392	434.3	Red Brown	0	1.5		0.1	1.8	2	40.7	0.77	0.56	0.05	25.5	12.3	1.21	44.3	1.85	1.06	0.49	7.8	2.25	0.26
MBA0614	232501	6802350	433.6	Light Brown	3	1.5		0.06	1.1	2	50.2	0.53	0.82	0.06	16.7	7.3	0.61	32.4	1.26	0.7	0.32	12	1.5	0.25
MBA0615	232500	6802301	434	Red Brown	0	1.5		0.08	1.4	3	34.8	0.7	0.65	0.04	23.1	9.7	1.05	37.7	1.57	0.88	0.38	6.84	1.94	0.24
MBA0616	232493	6802253	436.2	Red Brown	0	1		0.07	1.7	3	24.1	0.6	0.55	0.03	20.1	8.7	0.76	26.7	1.12	0.64	0.31	6.35	1.38	0.18
MBA0617	232493	6802192	436.7	Cream	3	0.5		0.04	1.4	6	95.6	0.22	0.3	0.04	3.37	2.8	0.1	14.2	0.3	0.18	0.09	3.08	0.36	0.05
MBA0618	232504	6802150	434.2	Light Brown	3	0.5		0.04	1.5	2	23.8	0.27	0.27	0.02	9.4	2.7	0.33	9.2	0.4	0.23	0.11	3.77	0.56	0.13

Mt Devan Auger Sampling Results																											
Sample ID	Hg_ppm	Ho_ppm	In_ppm	La_ppm	U_ppm	Lu_ppm	Mo_ppm	Mn_ppm	Nb_ppm	Nd_ppm	Ni_ppm	Pb_ppm	Pr_ppm	Rb_ppm	Re_ppm	Sb_ppm	Sc_ppm	Se_ppm	Sm_ppm	Sr_ppm	Ta_ppm	Tb_ppm	Te_ppm	Th_ppm	Ti_ppm	U_ppm	
MBA0566	X	0.11	0.014	16.3	3.2	0.034	113	0.55	0.07	10.2	8.9	6.3	3.02	8.22	X	0.1	2.6	X	1.51	0.7	9.1	X	0.133	0.03	9.26	0.08	0.4
MBA0567	X	0.11	0.013	14.8	3.3	0.034	125	0.82	0.16	9.83	8.6	6.5	2.83	7.97	X	0.12	2.6	X	1.44	0.72	17.9	X	0.127	0.04	9.1	0.08	0.57
MBA0568	X	0.11	0.012	16.4	2.9	0.032	108	0.88	0.22	10.6	6.6	6.4	3.08	6.48	X	0.1	2.5	X	1.52	0.77	2.8	X	0.132	0.02	9.54	0.06	0.7
MBA0569	X	0.1	0.013	20.9	2.6	0.031	98.6	1.04	0.36	11.8	7	6.9	3.53	6.95	X	0.14	2.5	X	1.71	0.78	3	X	0.143	0.03	11.2	0.06	0.86
MBA0570	X	0.14	0.014	17.6	3.1	0.045	261	1.03	0.22	10.8	9.9	7.2	3.22	8.49	X	0.1	3	X	1.62	0.89	9.4	X	0.155	0.03	9.99	0.08	1.01
MBA0571	X	0.17	0.029	16.6	6.5	0.06	120	3.54	0.14	11.7	11.1	13.5	3.36	10.8	X	0.17	4.9	X	1.91	1.09	5.1	X	0.19	0.06	12.8	0.13	1.41
MBA0572	X	0.1	0.013	17	2.4	0.027	128	0.88	0.56	9.59	6.1	6.2	2.89	7.23	X	0.1	2.3	X	1.38	1.09	3	X	0.128	0.02	8.52	0.05	0.76
MBA0573	X	0.11	0.012	20.3	2.4	0.031	75.6	0.72	0.32	11.7	5.2	7	3.53	7.61	X	0.08	2.3	X	1.73	0.72	2.4	X	0.147	0.02	10.8	0.07	0.83
MBA0574	X	0.16	0.016	15.3	3.8	0.073	155	0.88	0.14	10.4	7.4	7.6	2.96	9.28	X	0.09	3.2	X	1.63	0.97	3.8	X	0.165	0.03	9.33	0.11	0.94
MBA0576	X	0.14	0.014	14.5	3.8	0.055	117	0.82	0.14	9.16	10.4	7	2.65	8.42	X	0.08	2.9	X	1.38	0.81	3	X	0.15	0.03	8.62	0.09	0.76
MBA0577	X	0.12	0.016	14.6	3.7	0.041	130	0.94	0.16	8.95	7.1	7.4	2.66	8.58	X	0.11	3	X	1.37	1.05	4	X	0.134	0.03	8.82	0.09	0.82
MBA0578	X	0.1	0.013	11.9	3.1	0.036	156	1.13	0.15	9	8.9	5.9	2.33	7.25	X	0.11	2.5	X	1.24	0.85	5.5	X	0.118	0.03	6.97	0.08	0.62
MBA0579	X	0.09	0.012	10.8	3.1	0.031	132	0.82	0.35	7.08	6.5	5.6	2.05	5.76	X	0.07	2.2	X	1.07	0.77	2.4	X	0.101	0.03	7.08	0.07	0.56
MBA0580	X	0.07	0.011	7.36	1.8	0.027	53.6	0.76	0.3	5	4	4.8	1.43	4.42	X	0.09	2.1	X	0.77	0.67	1.1	X	0.075	0.02	6.14	0.05	0.6
MBA0581	X	0.18	0.026	8.25	7.9	0.078	799	1.13	0.07	7.44	24.8	16.8	1.97	5.25	X	X	5.5	X	1.32	1.13	3.6	X	0.174	0.03	18	0.45	1.47
MBA0582	X	0.12	0.031	7.95	3.3	0.046	213	2.66	0.37	6.43	7.2	14.9	1.77	6.36	X	0.16	5.3	X	1.12	1.08	1.7	X	0.122	0.06	9.17	0.13	0.99
MBA0583	X	0.1	0.025	7.9	3	0.043	84.4	1.75	0.29	6.09	6.1	9.1	1.68	5.92	X	0.12	4.8	X	1.02	1.01	1.2	X	0.109	0.05	8.13	0.06	0.92
MBA0584	X	0.12	0.026	7.2	2.8	0.05	102	2.03	0.22	5.99	6.6	9.3	1.62	6.26	X	0.13	4.9	X	1.06	0.97	1.8	X	0.12	0.05	7.84	0.07	0.87
MBA0585	X	0.16	0.028	9.23	7.4	0.07	358	1.84	0.13	7.5	12.1	13.6	2.1	9.64	X	0.14	6.6	X	1.33	1.35	3.1	X	0.153	0.05	9.5	0.26	1.27
MBA0586	X	0.14	0.026	7.75	6.1	0.06	184	1.24	0.11	6.59	9.1	10.8	1.78	9.42	X	0.13	6	X	1.18	0.99	2.8	X	0.138	0.04	8.01	0.17	1.05
MBA0587	X	0.15	0.024	7.86	5.1	0.066	164	1.19	0.22	6.8	8.5	9.9	1.83	8.41	X	0.12	5.2	X	1.2	1.01	2.4	X	0.141	0.04	7.28	0.11	0.94
MBA0588	X	0.26	0.028	12.1	7.1	0.115	480	1.21	0.06	10.6	18.8	12.8	2.85	14	X	0.1	7.5	X	1.91	1.18	5.6	X	0.244	0.04	8.85	0.3	0.98
MBA0589	X	0.32	0.028	15	5.6	0.136	517	1.2	0.08	12.7	22.8	12	3.42	13.1	X	0.13	7.6	X	2.3	1.25	6.3	X	0.293	0.04	7.87	0.21	0.91
MBA0590	X	0.2	0.027	8.63	7.9	0.086	443	1.19	0.09	7.81	13	10.4	2.05	12.3	X	0.11	7.2	X	1.48	1.05	4	X	0.181	0.04	7.34	0.17	1.04
MBA0591	X	0.31	0.026	12.5	5.9	0.134	458	1.05	0.06	11.5	20.6	9.4	2.99	13.8	X	0.11	7.4	X	2.09	1.41	6.5	X	0.284	0.05	6.91	0.16	0.85
MBA0592	X	0.33	0.024	14.1	5.7	0.143	431	1.02	0.05	11.9	22.9	8.8	3.18	16.5	X	0.1	7.4	X	2.2	1	6.5	X	0.299	0.04	6.94	0.15	0.84
MBA0593	X	0.31	0.028	11.3	7.4	0.133	449	1.05	0.09	10.8	19.9	9.9	2.84	13.1	X	0.11	8.3	X	2.06	1.24	5	X	0.272	0.04	7.34	0.17	1.04
MBA0594	X	0.19	0.023	7.96	5.9	0.084	224	1.01	0.09	7.13	13.8	9.3	1.91	8.78	X	0.11	6.8	X	1.34	0.98	4.1	X	0.173	0.04	6.5	0.15	0.79
MBA0595	X	0.22	0.023	9.73	4.5	0.094	345	1.01	0.08	8.74	17.4	8.9	2.37	10.2	X	0.11	6.3	X	1.64	1.24	4.8	X	0.208	0.04	6.3	0.16	0.56
MBA0596	X	0.23	0.022	9.55	3.3	0.092	359	1.26	0.15	9.05	15.5	8.1	2.34	9.31	X	0.11	5.8	X	1.68	0.97	16.5	X	0.212	0.04	5.57	0.12	0.51
MBA0597	X	0.15	0.038	6.85	4.5	0.063	112	1.83	0.09	6.17	10.1	11.4	1.65	6.45	X	0.13	7.3	X	1.18	1.06	2.6	X	0.14	0.06	7.87	0.1	0.86
MBA0598	X	0.12	0.026	7.54	3.8	0.048	107	1.43	0.06	6.22	9.2	8.5	1.66	6.51	X	0.11	5.2	X	1.06	0.93	2.1	X	0.118	0.05	6.97	0.08	0.59
MBA0599	X	0.11	0.025	6.71	3.5	0.042	86.2	1.58	0.1	5.42	8.7	8.1	1.47	5.74	X	0.13	5.3	X	0.94	0.96	2.1	X	0.103	0.05	6.47	0.06	0.58
MBA0600	X	0.11	0.021	7.68	3.3	0.041	119	1.25	0.04	5.77	11.1	6.8	1.59	6.15	X	0.12	4.1	X	0.98	0.88	3	X	0.11	0.04	5.94	0.08	0.39
MBA0602	X	0.13	0.032	7.94	4.1	0.051	189	2	0.06	6.26	13	8.6	1.72	6.59	X	0.11	5.9	X	1.09	0.93	6.3	X	0.123	0.06	7	0.09	0.56
MBA0603	X	0.15	0.052	6.7	3.5	0.068	139	2.95	0.1	6.26	14.8	13.6	1.65	5.89	X	0.18	10	X	1.18	1.24	4.5	X	0.146	0.12	8.7	0.07	0.82
MBA0604	X	0.13	0.039	7	4.7	0.05	269	3.49	0.12	5.63	27.2	9.6	1.57	9.55	X	0.21	6.5	0.6	1.04	1.44	5.1	X	0.124	0.12	9.61	0.1	1.08
MBA0605	X	0.19	0.033	7.46	4.7	0.079	364	3.2	0.13	7.19	30.2	10.6	1.84	10.3	X	0.12	6.8	0.5	1.39	1.36	6.7	X	0.178	0.1	7.63	0.15	1.32
MBA0606	X	0.23	0.036	8.63	7.9	0.088	443	1.19	0.09	7.81	13	10.4	2.05	12.3	X	0.11	7.2	0.6	1.62	1.28	27.2	X	0.213	0.09	7.67	0.13	1.2
MBA0607	X	0.13	0.024	4.33	4.5	0.048	175	1.62	0.32	4.15	28.9	5.7	1.07	14.4	X	0.07	7.6	0.6	0.81	1.06	157	X	0.111	0.07	4.16	0.12	1.24
MBA0608	0.03	0.2	0.022	8.42	4.8	0.067	288	1.32	0.16	7.72	29.7	8.1	2.02	19.3	X	0.1	6.3	X	1.49	0.99	49	X	0.184	0.04	5.25	0.19	0.85
MBA0609	X	0.17	0.02	7.09	4.1	0.065	254	1.21	0.27	6.19	17.2	6.2	1.6	10	X	0.1	5	X	1.18	0.86	14	X	0.161	0.04	5.03	0.09	0.78
MBA0610	X	0.12	0.014	5.67	3	0.049	152	1.04	0.33	4.46	13.3	4.4	1.21	7.24	X	0.11	3.4	X	0.84	0.65	19.7	X	0.108	0.03	4.06	0.06	0.46
MBA0611	X	0.24	0.022	7.7	3.6	0.094	344	0.99	0.04	7.64	22.5	6.2	1.89	13.8	X	0.06	7.4	X	1.52	0.85	80.8	X	0.215	0.04	4.32	0.11	0.48
MBA0612	X	0.29	0.024	10	5.1	0.108	417	1.07	0.02	10.3	23	7.7	2.55	16.7	X	0.08	8.1	X	2.06	0.85	12	X	0.268	0.04	5.2	0.13	0.48
MBA0613	0.02	0.34	0.035	11.6	7.3	0.127	466	1.88	0.04	11.7	28.6	9.7	2.92	19	X	0.09	11	X	2.34	1.17	9.4	X	0.317	0.04	6.56	0.18	0.76
MBA0614	X	0.23	0.04	7.88	4	0.085	255	5.91	0.06	7.86	19.4	9.3	1.98	8.49	X	0.09	6.6	X	1.55	1.19	23.1	X	0.21	0.09	5.42	0.1	0.63
MBA0615	X	0.29	0.027	11	6	0.109	332	2.29	0.04	10.3	24.8	8.9	2.65	13.8	X	0.1	7.8	X	2.06	1.02	8.3	X	0.271	0.03</			

Mt Devan Auger Sampling Results																			
Sample ID	Eastng	Northing	Elevation	Colour	Hydrochloric Acid Reaction	Depth of Best Reaction	Comments	Ag_ppm	As_ppm	Au_ppb	Ba_ppm	Be_ppm	Bi_ppm	Cd_ppm	Ce_ppm	Co_ppm	Cs_ppm	Cu_ppm	Dy_ppm
MBA0619	232501	6802094	437.1	Light Brown	2	0.5		0.03	1.5	1	13.7	0.29	0.24	0.05	11.5	3.2	0.4	12	0.52
MBA0620	232500	6802044	432.9	Red Brown	0	1		0.06	2.1	2	7.7	0.4	0.48	0.03	10.3	3.3	0.39	11.1	0.53
MBA0621	232498	6801997	438.8	Red Brown	0	0.5		0.03	1.6	1	14.7	0.31	0.23	0.03	10.5	2.8	0.34	12.3	0.43
MBA0622	232607	6802049	433.3	Light Brown	3	1.5		0.03	1.6	1	28.9	0.36	0.3	0.02	11.5	3.7	0.39	11.3	0.61
MBA0623	232599	6802099	433.3	Light Brown	3	1.5		0.04	1.6	X	21	0.4	0.48	0.03	12.4	4.2	0.36	11.9	0.62
MBA0624	232597	6802154	433	Red Brown	0	1		0.05	1.7	2	11.9	0.45	0.66	0.03	12.7	4.6	0.48	16.5	0.75
MBA0626	232619	6802248	429.2	Red Brown	0	1.5		0.07	1.7	2	36.1	0.71	0.55	0.05	24.4	10.2	1.19	37.8	1.56
MBA0627	232607	6802302	434.8	Light Brown	3	1		0.06	2	3	148	0.63	0.77	0.08	17.5	10.4	0.59	40.3	1.57
MBA0628	232606	6802352	436.8	Red Brown	0	1.5		0.1	2	2	43	0.78	0.5	0.06	24.6	12.4	1.14	41.3	1.83
MBA0629	232604	6802410	436.8	Red Brown	0	1.5	Off coordinates due to watercourse;	0.07	2	X	38.3	0.77	0.45	0.06	27.1	14.4	1.24	42	1.93
MBA0630	232612	6802444	437.1	Red Brown	0	1	Off coordinates due to watercourse;	0.07	1.7	4	26.9	0.63	0.32	0.05	23.3	11.4	0.92	31.6	1.47
MBA0631	232598	6802508	438.9	Red Brown	0	1		0.03	1.8	X	17.6	0.41	0.26	0.03	13.6	6.5	0.68	20	0.88
MBA0632	232601	6802548	438.5	Light Brown	0	0.5		0.02	1.4	X	6	0.19	0.16	0.01	10.2	2.3	0.45	12.1	0.47
MBA0633	232606	6802605	439.1	Red Brown	0	1		0.02	1.7	X	11.6	0.35	0.18	0.02	12.3	3.2	0.6	12.3	0.55
MBA0634	232602	6802656	440.1	Light Brown	3	0.5		0.04	1.9	1	57.7	0.56	0.3	0.07	15.4	6.6	1.47	25.6	0.98
MBA0635	232596	6802705	440.3	Red Brown	1	0.5		0.03	2.4	X	34.3	0.67	0.3	0.07	22	7.4	1.29	27.6	1.19
MBA0636	232604	6802754	439.3	Light Brown	3	1.5		0.07	2.4	2	303	0.7	0.32	0.03	18.9	9.6	2.43	29	1.24
MBA0637	232603	6802807	441	Light Brown	3	0.5		0.09	2.5	4	257	0.65	0.24	0.05	22	8.8	1.39	23.5	1.18
MBA0638	232605	6802854	440	Light Brown	3	1.5		0.04	1.8	1	112	0.45	0.21	0.04	13.6	5.7	0.96	19.6	0.89
MBA0639	232594	6802901	439.6	Light Brown	3	0.5		0.04	2.1	1	48	0.4	0.18	0.03	11.7	4.7	0.65	14.3	0.75
MBA0640	232609	6803305	438.7	Light Brown	0	1.5		0.03	1.8	2	29.3	0.42	0.34	0.02	15.6	4.4	0.4	14.2	0.68
MBA0641	232602	6803351	437.5	Tan Brown	2	1.5		0.03	1.7	3	1550	0.48	0.34	0.04	12.4	5.1	0.42	21.5	2.68
MBA0642	232605	6803405	435.2	Tan Brown	0	1.5		0.03	1.8	X	78.5	0.47	0.35	0.02	17.7	5.6	0.47	15.3	0.76
MBA0643	232601	6803453	435	Red Brown	0	1.5		0.03	1.9	1	10.6	0.31	0.29	0.02	14.9	3.8	0.48	11.3	0.69
MBA0644	232609	6803507	433.3	Red Brown	0	1.5		0.03	1.5	X	9.6	0.34	0.23	0.02	13	3.7	0.45	12.4	0.53
MBA0645	232603	6803555	436.1	Red Brown	0	1.5		0.04	1.8	2	8.9	0.48	0.27	0.02	18.1	5.3	0.66	13.4	0.79
MBA0646	232603	6803608	439.7	Red Brown	0	1.5		0.04	1.9	X	25.2	1.09	0.28	0.03	39.6	15.6	0.95	26.2	1.53
MBA0647	232598	6803647	438.8	Tan Brown	0	1.5		0.03	1.8	X	19.8	0.89	0.27	0.03	35.2	12.8	0.86	21	1.58
MBA0648	232629	6803701	418.7	Red Brown	0	1.5		0.05	1.7	1	14.7	0.84	0.29	0.03	31.7	9.4	0.86	23.8	1.48
MBA0649	232604	6803754	434.9	Red Brown	0	1.5		0.05	1.9	X	26.9	0.8	0.36	0.03	33.9	10.4	1.03	24.7	1.18
MBA0650	232600	6803812	436.7	Tan Brown	1	1.5		0.03	2.1	2	40.2	0.79	0.31	0.05	41.2	14.2	0.92	27.9	2.39
MBA0652	232595	6803855	458	Red Brown	0	1.5		0.03	1.8	2	9.2	0.46	0.23	0.02	19.6	3.3	0.76	21.4	0.96
MBA0653	232613	6803904	431.9	Red Brown	0	1.5		0.03	1.8	X	15.1	0.34	0.22	0.02	21	3.5	0.61	12.2	0.89
MBA0654	232600	6803958	441.9	Red Brown	0	1.5		0.03	1.7	1	23.4	0.48	0.16	0.02	26.3	5.3	0.56	13.3	0.81
MBA0655	232601	6804011	434.9	Tan Brown	1	1.5		0.03	1.6	X	27.6	0.35	0.16	0.02	17.3	3.2	0.45	9.1	0.61
MBA0656	232600	6804053	437.5	Red Brown	0	1.5		0.02	1.5	1	5.8	0.2	0.19	0.01	15.5	1.8	0.46	10.8	0.57
MBA0657	232600	6804107	439.1	Tan Brown	1	1.5		0.04	2.4	4	52.7	0.68	0.2	0.02	56.7	10.2	0.45	12.4	0.74
MBA0658	232606	6804153	436.7	Tan Brown	0	1.5		0.02	2	1	8.5	0.43	0.18	0.02	17.7	4.5	0.47	11.9	0.67
MBA0659	232599	6804206	440.6	Tan Brown	0	1.5		0.02	3.6	2	56.8	0.83	0.17	0.02	63.9	9.3	0.31	13	0.65
MBA0660	232605	6804256	439	Tan Brown	3	1.5		X	0.5	1	270	0.73	0.13	0.03	25.9	8.4	0.48	15.6	1.08
MBA0661	232602	6804302	433.7	Red Brown	0	1.5		X	X	X	10.3	0.31	0.14	0.02	16.5	2	0.42	9.1	0.6
MBA0662	232599	6804358	433.1	Tan Brown	0	1		X	X	2	8.2	0.19	0.13	0.02	12.9	1.5	0.37	10.5	0.45
MBA0663	232601	6804406	430.7	Red Brown	0	1.5		X	X	X	6.6	0.23	0.11	0.02	18.8	1.4	0.39	7.3	0.53
MBA0664	232603	6804454	437.2	Red Brown	0	1.5		X	X	X	5.7	0.15	0.1	0.01	16.5	1.1	0.3	7.8	0.39
MBA0665	232599	6804503	431.2	Red Brown	0	1.5		X	0.6	X	11.3	0.36	0.13	0.01	24.2	2.7	0.42	8	0.59
MBA0666	232602	6804551	436.6	Creem Brown	2	1.5		X	X	X	15.9	0.41	0.12	0.02	25.8	4	0.41	11.5	0.68
MBA0667	232604	6804600	438.1	Red Brown	0	1.5		X	X	X	9.1	0.29	0.11	0.01	23.1	1.9	0.39	7.2	0.55
MBA0668	232596	6804652	431.6	Red Brown	0	1.5		0.03	X	X	10.3	0.34	0.11	0.01	30.6	2.9	0.44	7.6	0.69
MBA0669	232602	6804709	436.1	Tan Brown	3	1.5		0.04	X	X	52.2	0.53	0.12	0.04	30.8	6	0.48	16.6	1.26

Note: x - Assays below detection limit for the element

Mt Devan Auger Sampling Results																												
Sample ID	He_ppm	Hg_ppm	In_ppm	La_ppm	U_ppm	Lu_ppm	Mn_ppm	Mo_ppm	Nb_ppm	Nd_ppm	Ni_ppm	Pb_ppm	Pr_ppm	Rb_ppm	Re_ppm	Sb_ppm	Sc_ppm	Se_ppm	Sm_ppm	Sr_ppm	Ta_ppm	Tb_ppm	Te_ppm	Th_ppm	Ti_ppm	U_ppm		
MBA0619	X	0.1	0.018	6.04	3.9	0.035	188	1.46	0.35	4.9	10.6	5.6	1.3	7.15	X	0.11	3	X	0.83	0.8	7.2	X	0.098	0.03	4.53	0.06	0.45	
MBA0620	X	0.1	0.036	5.46	3.6	0.039	87	3.73	0.11	4.49	8.3	8.5	1.2	5.25	X	0.13	4.1	X	0.83	0.98	3.4	X	0.1	0.05	8.74	0.06	0.64	
MBA0621	X	0.08	0.02	5.49	2.9	0.029	92.8	2.81	0.14	4.14	9	6	1.14	5.35	X	0.11	3.7	X	0.72	0.67	1.2	X	0.087	0.03	4.82	0.05	0.55	
MBA0622	X	0.12	0.022	5.98	3.8	0.045	101	2.03	0.08	5.3	10	6.7	1.36	5.37	X	0.11	3.8	X	0.94	0.79	11.2	X	0.112	0.03	0.05	0.06	0.54	
MBA0623	X	0.11	0.027	6.08	3.8	0.047	84.1	3.16	0.06	5.33	10.8	8.6	1.42	5.22	X	0.11	4.4	X	0.96	0.81	7.4	X	0.112	0.05	6.68	0.06	0.63	
MBA0624	X	0.14	0.032	6.05	4.2	0.058	125	2.6	0.07	5.56	11.9	9.2	1.44	7	X	0.12	5.4	X	1.08	1.03	3.1	X	0.136	0.05	6.47	0.08	0.68	
MBA0626	0.02	0.29	0.031	11.1	8.1	0.109	403	1.94	0.03	11	25.5	9.5	2.75	21.2	X	0.11	8.8	X	2.17	11	9.4	X	0.279	0.04	6.61	0.15	0.8	
MBA0627	0.03	0.31	0.048	8.81	4.2	0.115	494	3.13	0.1	8.77	21.4	9.5	2.18	9.08	X	0.13	9.1	X	1.77	11.7	22.1	X	0.264	0.06	7.13	0.1	0.79	
MBA0628	0.03	0.35	0.043	11	7.1	0.127	454	2.81	0.02	11.5	27.9	10.4	2.83	15.9	X	0.11	11.5	X	2.29	1.24	9	X	0.315	0.05	6.93	0.14	0.97	
MBA0629	0.02	0.37	0.034	11.9	7.6	0.137	567	1.14	0.02	12.2	28.1	9.4	3.03	19.4	X	0.09	10.5	X	2.43	1.15	8	X	0.33	0.04	6.68	0.16	1.01	
MBA0630	X	0.28	0.028	9.82	6.5	0.106	442	1.2	0.03	9.74	21	8.3	2.41	13.7	X	0.11	8.4	X	1.92	1.01	5.8	X	0.253	0.03	5.83	0.14	0.86	
MBA0631	X	0.17	0.021	6.46	4.6	0.067	312	1.46	0.1	5.95	14.2	6.2	1.52	9.95	X	0.13	5.3	X	1.14	1.23	4.1	X	0.15	0.03	4.35	0.09	0.69	
MBA0632	X	0.08	0.014	4.95	3.5	0.033	110	1.48	0.4	4.37	7	5.5	1.17	8.61	X	0.14	2.8	X	0.81	0.92	1.4	X	0.089	0.02	4.3	0.07	0.88	
MBA0633	X	0.1	0.016	6.32	4.8	0.041	120	1.03	0.14	5.02	10.6	5.4	1.35	8.32	X	0.12	3.5	X	0.87	1.25	3.1	X	0.1	0.02	4.89	0.08	0.59	
MBA0634	X	0.18	0.026	7.99	7.4	0.074	341	2.55	0.11	7	26.9	8.3	1.81	22.3	X	0.15	5.7	X	1.34	1.29	35.8	X	0.176	0.04	6.52	0.2	0.93	
MBA0635	X	0.22	0.029	9.89	8.5	0.083	348	3.03	0.15	9.17	27.1	9.7	2.34	22.4	X	0.13	6.9	X	1.7	1.51	10	X	0.215	0.04	6.8	0.17	1.27	
MBA0636	X	0.24	0.03	9.12	7.7	0.095	261	2.4	0.04	8.35	55.5	9.2	2.1	29	X	0.11	7.8	X	1.58	1.27	76.3	X	0.214	0.04	6.6	0.28	0.85	
MBA0637	X	0.23	0.026	11.1	8.4	0.091	292	2.9	0.09	9.12	60.4	8.3	2.39	21.6	X	0.1	6.5	0.5	1.58	1.46	54.7	X	0.212	0.03	5.69	0.17	1.06	
MBA0638	X	0.15	0.022	6.99	5.3	0.063	218	1.88	0.06	6.08	24.6	7.6	1.75	12.9	X	0.09	5.6	X	1.12	1	29	X	0.143	0.03	5.62	0.11	0.77	
MBA0639	X	0.12	0.019	5.85	3.8	0.052	169	1.56	0.12	5.15	15.7	6.5	1.46	10.3	X	0.09	4.7	X	0.95	1.02	61.5	X	0.12	0.03	4.99	0.09	0.76	
MBA0640	X	0.11	0.028	6.96	4.7	0.053	98.1	1.39	0.03	5.66	12.1	8.4	1.67	7.39	X	0.08	5.4	X	1	1.1	4.1	X	0.116	0.03	7.22	0.07	0.74	
MBA0641	X	0.05	0.035	33.5	4.2	0.139	149	1.23	0.13	68.2	5.8	5.5	1.49	1.22	X	0.8	4.7	X	2.8	148	64.7	X	0.535	0.03	5.13	0.14	0.46	
MBA0642	X	0.13	0.03	31.31	5.1	0.058	145	1.69	0.04	6.09	13.4	8.7	1.77	6.54	X	0.14	6.1	X	1.08	1.22	1.09	X	0.139	0.03	3.3	0.08	0.8	
MBA0643	X	0.11	0.025	7.04	3.3	0.053	162	2.31	0.1	5.91	9	7.6	1.74	6.52	X	0.14	4.7	X	1.07	1.14	1.5	X	0.113	0.03	6.71	0.07	0.62	
MBA0644	X	0.09	0.019	6.34	3.8	0.037	104	1.65	0.06	4.89	8.9	6.1	1.47	5.91	X	0.14	3.9	X	0.85	1.01	2	X	0.091	0.03	5.9	0.07	0.51	
MBA0645	X	0.13	0.024	7.22	5.6	0.066	134	1.39	0.08	6.26	9.9	8.3	1.8	8.71	X	0.11	5.4	X	1.12	1.18	2.3	X	0.132	0.04	7.04	0.1	0.8	
MBA0646	X	0.26	0.026	10.8	7.6	0.127	359	1.33	0.03	10	24.5	9.1	2.92	13.8	X	0.13	7.5	X	1.84	1.29	5.6	X	0.244	0.03	7.21	0.18	0.59	
MBA0647	X	0.27	0.026	10.8	7.3	0.13	335	1.09	0.04	10	21.7	9.5	2.89	12.4	X	0.1	7	X	1.85	1.2	4.7	X	0.25	0.02	7.08	0.16	0.78	
MBA0648	X	0.25	0.026	9.8	6.2	0.123	332	1.41	0.06	9.44	20.5	9	2.64	12.1	X	0.16	7.3	X	1.76	1.19	4.5	X	0.236	0.03	6.98	0.15	0.77	
MBA0649	X	0.38	0.03	17.1	6.2	0.175	471	1.3	0.05	14.77	9.7	4.7	4.16	15.9	X	0.11	7.8	X	2.72	1.16	7.3	X	0.349	0.04	6.87	0.16	0.87	
MBA0650	X	0.43	0.026	18.9	3.9	0.193	698	1.37	0.03	15.2	32.9	9.6	3.29	15.6	X	0.17	7.4	X	2.73	1.24	10.6	X	0.381	0.03	0.07	0.16	0.69	
MBA0652	X	0.17	0.022	9	6.6	0.085	161	1.58	0.18	7.64	12.1	8	2.23	11.4	X	0.19	5.6	X	1.37	1.29	2.7	X	0.158	0.03	7.34	0.1	0.93	
MBA0653	X	0.16	0.021	8.37	4.4	0.078	186	0.98	0.14	6.92	8.9	9.5	2.03	9.34	X	0.14	4.3	X	1.21	1.14	1.7	X	0.147	0.03	6.63	0.16	0.92	
MBA0654	X	0.14	0.017	7.32	5.7	0.065	199	1.1	0.18	6.1	9.6	10.4	1.81	8.58	X	0.16	3.8	X	1.06	1.02	2	X	0.131	X	6.46	0.17	1.04	
MBA0655	X	0.1	0.015	7.08	3.5	0.047	235	0.71	0.1	5.45	8.3	6.2	1.68	7.51	X	0.11	2.8	X	0.94	0.92	3.7	X	0.104	0.02	5.75	0.12	0.54	
MBA0656	X	0.09	0.018	7.44	2.7	0.045	85.2	1.16	0.15	5.72	6.6	6.8	1.17	7.3	6.35	X	0.14	3.3	X	1.01	0.92	1.2	X	0.101	0.03	6.85	0.06	0.81
MBA0657	X	0.13	0.029	6.38	10.6	0.063	415	1.6	0.07	5.47	18.2	13.5	1.59	6.72	X	0.12	7.2	X	1	1.41	3	X	0.122	0.03	16.3	0.27	1.19	
MBA0658	X	0.11	0.026	6.36	5.4	0.052	132	0.36	0.14	5.45	8.4	7.8	1.57	5.72	X	0.17	1.9	X	0.97	1.19	1.8	X	0.122	0.03	10.2	0.12	1.15	
MBA0659	X	0.13	0.032	5.74	6.1	0.059	355	6.94	0.16	5.36	15.6	17.7	1.57	3.86	X	0.13	6.5	X	0.9	1.1	2	X	0.117	0.04	11.2	0.27	1.82	
MBA0660	X	0.21	0.022	11.6	4.3	0.08	252	1.78	0.27	9.15	19.3	7.2	2.67	7.53	X	0.1	4.8	X	1.57	1.25	13.6	X	0.195	0.03	6.96	0.12	0.72	
MBA0661	X	0.11	0.022	7.93	3.8	0.045	118	1.5	0.44	6.05	6.4	7.5	1.63	5.65	X	0.09	3.8	X	1.03	1.31	2.4	X	0.114	0.03	7.43	0.06	0.77	
MBA0662	X	0.08	0.016	7.01	2.3	0.033	101	1.32	0.77	5.07	5.7	5.8	1.4	5.23	X	0.1	2.8	X	0.84	1.02	1.8	X	0.088	X	5.88	0.05	0.66	
MBA0663	X	0.1	0.017	9.27	2.6	0.036	87.1	0.98	0.58	6.38	5.1	6.4	1.8	5.23	X	0.07	3	X	1.05	1.01	2.4	X	0.108	0.03	7.32	0.05	0.74	
MBA0664	X	0.07	0.012	8.64	1.7	0.023	96.2	0.98	0.71	5.55	4.4	4.9	1.61	4.21	X	0.1	2	X	0.86	0.82	1.5	X	0.08	X	5.76	0.04	0.51	
MBA0665	X	0.11	0.015	12.3	3.3	0.036	132	1.39	0.58	7.97	6.6	6.2	2.33	6.29	X	0.12	2.7	X	1.25	1.27	3.3	X	0.122	0.02	7.35	0.06	0.75	
MBA0666	X	0.12	0.017	11.7	3.4	0.042	181	1.71	0.35	8.1	8.3	6.7	2.29	6.73	X	0.11	3	X	1.28	1.07	6.1	X	0.254	0.03	7.34	0.08	0.89	
MBA0667	X	0.1	0.015	11.9	3.2	0.034	105	1.09	0.5	7.68	5.3	6.3	2.22	6.68	X	0.09	2.7	X	1.19	1.02	3.1	X	0.113	X	7.3	0.06	0.81	
MBA0668	X	0.12	0.015	16.7	3.5	0.041	126	0.79	0.33	10.1	6.2	7.1	2.92	7.67	X	0.08	2.6	X	1.57	1.11	5.4	X	0.143	0.02	8.61	0.07	0.96	
MBA0669	X	0.24	0.019	21.8	3.8	0.084	191	1.72	0.38	13	30.4	7.7	3.59	8.96	X	0.14	3.5	X	1.99	1.09	50.2	X	0.24	0.03	7.92	0.1	1.02	

Sample ID W_ppm Y_ppm Yb_ppm Zn_ppm Zr_ppm

MBA0619	X	2.74	0.25	13	3.9
MBA0620	X	2.44	0.29	9	11.7
MBA0621	X	2.15	0.22	10	6.5
MBA0622	X	3.33	0.33	9	5.2
MBA0623	X	3.1	0.34	8	7
MBA0624	X	3.75	0.41	10	7.6
MBA0626	X	8.54	0.8	29	5
MBA0627	X	8.36	0.86	20	5.9
MBA0628	X	9.5	0.93	29	5.7
MBA0629	X	10.1	1.02	29	4.2

MBA0630	X	7.99	0.81	21	3.8
---------	---	------	------	----	-----

MBA0631	X	4.93	0.48	17	4.6
MBA0632	X	2.38	0.24	9	3.6
MBA0633	X	2.61	0.3	10	5.4
MBA0634	X	5.43	0.52	20	4.4
MBA0635	X	6.2	0.6	28	3.5
MBA0636	X	6.88	0.66	26	6.8
MBA0637	X	7.65	0.63	22	3.7
MBA0638	X	4.09	0.41	19	3.1
MBA0639	X	3.37	0.35	13	2.6
MBA0640	X	3.15	0.35	8	4.8
MBA0641	X	27.5	1.06	10	1.5
MBA0642	X	3.5	0.37	8	10.3
MBA0643	X	3.15	0.35	9	7
MBA0644	X	2.44	0.25	7	5.8
MBA0645	X	3.61	0.42	10	6.2
MBA0646	X	6.58	0.85	15	4.1
MBA0647	X	7.35	0.84	13	4.5
MBA0648	X	6.83	0.8	13	5.7
MBA0649	X	12.3	1.15	16	4.7
MBA0650	X	13.6	1.23	14	4.3
MBA0652	X	4.88	0.52	11	6.6
MBA0653	X	4.79	0.49	8	6.2
MBA0654	X	3.61	0.43	7	5.7
MBA0655	X	2.86	0.31	8	5.2
MBA0656	X	2.53	0.29	7	6.3
MBA0657	X	3.44	0.41	7	9.5
MBA0658	X	3.02	0.35	6	9.2
MBA0659	X	3.22	0.39	5	7.4
MBA0660	X	6.12	0.56	10	4.3
MBA0661	X	2.89	0.31	9	6.5
MBA0662	X	1.97	0.21	8	5
MBA0663	X	2.26	0.26	8	5.1
MBA0664	X	1.71	0.18	8	5.1
MBA0665	X	2.69	0.27	10	5.7
MBA0666	X	3.08	0.32	10	4.6
MBA0667	X	2.37	0.25	9	5.4
MBA0668	X	3.06	0.31	10	4
MBA0669	X	8.69	0.6	12	5

Note: x - Assays below detection limit for the element

Mt Devan Auger Sampling Results

Mt Devan Auger Sampling Results																										
Sample ID	Eastng	Northng	Elevation	Colour	Hydrochloric Acid Reaction	Depth of Best Reaction	Comments	Ag_ppm	As_ppm	Au_ppb	Ba_ppm	Be_ppm	Bi_ppm	Cd_ppm	Ce_ppm	Co_ppm	Cs_ppm	Cu_ppm	Dy_ppm	Er_ppm	Eu_ppm	Ga_ppm	Gd_ppm	Hf_ppm		
MBA0670	232599	6804755	432.7	Tan Brown	0	1		X	0.8	X	11.8	0.26	0.12	0.01	26.5	2.1	0.4	7.2	0.63	0.33	0.16	3.21	1.01	0.13		
MBA0671	232608	6804809	429.6	Tan Brown	2	1		X	X	X	22.9	0.5	0.11	0.01	43.4	7.1	0.53	10.4	0.94	0.49	0.24	3.69	1.46	0.13		
MBA0672	232598	6804854	429	Light Brown	0	1		X	1	X	33.7	0.23	0.13	0.01	37.7	1.7	0.49	8.4	0.71	0.33	0.17	3.67	1.28	0.17		
MBA0673	232593	6804900	429.3	Tan Brown	3	1.5		X	X	X	27.7	0.28	0.12	0.01	30.3	2.4	0.4	9.6	0.83	0.31	0.16	3.54	1.1	0.14		
MBA0674	232601	6804955	429.9	Red Brown	0	1.5		X	X	X	8.2	0.24	0.11	0.02	33.7	1.6	0.44	7.9	0.68	0.33	0.17	3.66	1.18	0.18		
MBA0676	232600	6805002	432.1	Red Brown	0	1.5		X	1.5	X	10.1	0.32	0.1	0.02	31.6	2.7	0.38	9.7	0.63	0.3	0.16	3.35	1.08	0.15		
MBA0677	232597	6805054	430.2	Red Brown	0	1.5		X	0.8	X	11.3	0.37	0.11	0.02	40.1	2.8	0.46	8.5	0.71	0.34	0.17	3.77	1.34	0.18		
MBA0678	232604	6805101	427.4	Red Brown	0	1.5		X	0.5	X	11.6	0.36	0.11	0.02	40.3	2.8	0.39	9.4	0.73	0.36	0.18	3.44	1.36	0.14		
MBA0679	232606	6805150	429.1	Red Brown	0	1.5		X	0.6	1	10	0.3	0.11	0.01	36.8	1.9	0.39	7.3	0.64	0.31	0.15	3.34	1.18	0.17		
MBA0680	232605	6805200	432.7	Red Brown	0	1.5		X	X	X	8	0.32	0.1	0.02	36.1	2.6	0.35	8.3	0.64	0.31	0.15	3.11	1.18	0.13		
MBA0681	232607	6805251	433.7	Red Brown	0	1.5		X	X	X	10.6	0.34	0.1	X	37.4	2.6	0.39	7.3	0.64	0.31	0.15	3.35	1.21	0.14		
MBA0682	232606	6805302	430.5	Red Brown	0	1.5		X	1.1	X	8.5	0.24	0.13	X	33.3	2	0.38	6.8	0.57	0.27	0.12	2.98	1.05	0.09		
MBA0683	232603	6805351	432.3	Red Brown	0	1.5		0.09	1.1	X	11.4	0.25	0.13	0.01	44.2	1.9	0.41	6.3	0.68	0.3	0.14	3.07	1.34	0.08		
MBA0684	232607	6805403	433.4	Red Brown	0	1.5		0.1	1.1	X	8.2	0.2	0.13	X	44.8	1.2	0.43	7	0.76	0.36	0.16	3.11	1.43	0.16		
MBA0685	232602	6805452	433.9	Red Brown	0	1.5		0.11	1.2	X	10.1	0.36	0.15	0.01	46.1	2.3	0.6	8.6	1.04	0.53	0.22	4.09	1.87	0.15		
MBA0686	232601	6805500	436.2	Red Brown	0	1.5		0.1	1.1	X	13.9	0.43	0.14	0.01	41.2	4.2	0.54	13.2	0.99	0.55	0.2	3.76	1.6	0.1		
MBA0687	232704	6805505	429.1	Tan Brown	1	1.5		0.03	1.6	1	8	0.29	0.13	0.01	48.3	2.7	0.45	7.1	1	0.53	0.17	3.71	1.6	0.14		
MBA0688	232701	6805449	435.7	Tan Brown	1	1.5		0.02	1.5	X	22.2	0.44	0.12	0.01	58.1	7.4	0.49	8.4	0.82	0.42	0.16	3.72	1.34	0.16		
MBA0689	232701	6805399	430.2	Red Brown	0	1.5		0.03	1.3	1	9.7	0.2	0.14	0.01	44.1	1.4	0.5	6.6	0.82	0.41	0.17	3.53	1.46	0.15		
MBA0690	232703	6805351	429.6	Red Brown	0	1.5		0.03	1.2	X	8.7	0.24	0.13	0.02	41.6	1.6	0.39	6.1	0.64	0.3	0.13	3	1.26	0.13		
MBA0691	232696	6805297	428.5	Red Brown	0	1.5		0.02	1.3	X	12.5	0.18	0.12	0.02	36.4	1.4	0.34	4.8	0.51	0.23	0.1	2.71	1	0.11		
MBA0692	232702	6805258	437.5	Red Brown	0	1.5		0.04	1.2	X	11.7	0.24	0.15	0.02	37	1.7	0.38	6.6	0.59	0.27	0.12	2.97	1.11	0.11		
MBA0693	232702	6805205	439.7	Red Brown	0	1.5		0.02	1.2	X	8.6	0.2	0.15	0.01	39.5	1.1	0.48	5.5	0.75	0.38	0.17	3.32	1.35	0.17		
MBA0694	232703	6805155	440.7	Tan Brown	0	1.5		0.05	2.8	X	22.1	0.94	0.29	0.02	49.6	6.4	1.02	17.6	1.22	0.65	0.32	7.74	1.77	0.24		
MBA0695	232703	6805104	435.4	Red Brown	0	1		0.03	2.2	X	24.1	0.64	0.2	0.02	63	2.7	0.88	11.6	1.2	0.62	0.29	5.96	1.86	0.24		
MBA0696	232706	6805050	438.1	Red Brown	0	1.5		0.06	1.9	2	9.9	0.45	0.35	0.02	41	2.1	0.87	12	1.2	0.65	0.31	12.4	1.82	0.28		
MBA0697	232703	6805001	438.1	Red Brown	0	1.5		0.04	3.5	5	36.1	0.81	0.2	0.03	49.1	8	0.68	10	1.37	0.73	0.34	4.89	1.99	0.2		
MBA0698	232701	6804954	436.8	Red Brown	0	1.5		0.04	1.8	3	9.8	0.34	0.16	0.02	38.4	2.6	0.48	7.2	0.68	0.33	0.16	3.6	1.2	0.16		
MBA0699	232704	6804903	435.7	Red Brown	1	1.5		0.02	1.7	1	9.5	0.28	0.18	0.01	35.8	1.7	0.59	7.4	0.76	0.38	0.18	4.18	1.32	0.21		
MBA0700	232703	6804853	436.3	Red Brown	0	1.5		0.02	1.7	X	7.4	0.33	0.19	0.02	36.4	3.2	0.61	7.4	0.73	0.37	0.17	3.83	1.25	0.2		
MBA0702	232699	6804804	441.1	Light Brown	3	1		0.06	1.7	1	71.7	0.94	0.14	0.03	61.7	9.3	0.57	11.2	1.77	1	0.45	4.54	2.58	0.18		
MBA0703	232704	6804751	435.7	Light Brown	3	1		0.05	1.4	1	10.8	0.34	0.13	0.02	28.9	4.1	0.42	7.8	0.72	0.38	0.18	3.6	1.12	0.13		
MBA0704	232706	6804699	438.9	Light Brown	3	1		0.06	1.5	1	15	0.37	0.13	0.02	29.1	4.4	0.45	8.8	0.87	0.45	0.22	3.98	1.28	0.15		
MBA0705	232700	6804654	436.8	Light Brown	2	1.5		0.06	1.6	2	25	0.34	0.14	0.02	26.6	3.6	0.52	8.7	0.74	0.38	0.2	4.3	1.18	0.17		
MBA0706	232698	6804601	435.6	Red Brown	0	1.5		0.05	1.5	2	7.3	0.31	0.13	0.02	22.8	2.8	0.45	7.8	0.61	0.32	0.16	3.94	0.93	0.13		
MBA0707	232702	6804551	436.8	Red Brown	0	1.5		0.07	1.6	1	14.5	0.35	0.16	0.02	24.8	3	0.55	8.8	0.62	0.31	0.16	4.6	0.99	0.22		
MBA0708	232700	6804501	432.8	Red Brown	1	1.5		0.06	1.4	X	11.5	0.25	0.13	0.02	18.6	2.2	0.41	7.7	0.5	0.25	0.13	3.45	0.79	0.09		
MBA0709	232703	6804455	434.5	Red Brown	0	1.5		0.05	1.4	1	11.3	0.28	0.13	0.02	22.4	2.4	0.42	7	0.49	0.25	0.12	3.82	0.83	0.15		
MBA0710	232701	6804400	432.3	Red Brown	0	1.5		0.07	1.4	X	9.7	0.36	0.14	0.01	24	3.6	0.42	7.6	0.54	0.27	0.13	3.81	0.9	0.16		
MBA0711	232705	6804349	433.3	Red Brown	0	1.5		0.06	1.7	X	9.1	0.36	0.14	0.01	22.1	3.6	0.43	7.3	0.56	0.29	0.13	3.94	0.88	0.19		
MBA0712	232702	6804304	431.9	Red Brown	0	1.5		0.06	1.6	1	8.7	0.23	0.15	0.01	20.5	1.7	0.45	9.6	0.67	0.36	0.17	4.12	1.02	0.2		
MBA0713	232700	6804248	433.4	Red Brown	1	1.5		0.05	1.6	2	6.9	0.29	0.16	0.01	17.4	1.7	0.45	8.3	0.63	0.36	0.17	4.24	0.93	0.21		
MBA0714	232709	6804200	435.7	Light Brown	3	1.5		0.06	1.6	1	30.3	0.45	0.18	0.02	17.3	4.4	0.43	11	0.85	0.49	0.24	4.35	1.13	0.09		
MBA0715	232703	6804144	430.1	Light Brown	3	1.5		0.06	1.6	X	13.4	0.35	0.16	0.02	17.7	3.8	0.4	8.6	0.61	0.35	0.16	4.76	0.96	0.16		
MBA0716	232702	6804105	428.9	Light Brown	3	0.5		0.05	1.6	X	5.9	0.2	0.16	0.02	11.4	2.1	0.35	8.8	0.45	0.24	0.12	3.62	0.65	0.07		
MBA0717	232701	6804047	429.5	Red Brown	0	1.5		0.04	1.4	X	5.1	0.17	0.15	0.01	11.5	1.3	0.35	7	0.41	0.22	0.11	3.29	0.61	0.16		
MBA0718	232707	6804001	433.9	Red Brown	0	1.5		0.05	1.3	X	7.2	0.18	0.15	0.01	13	1.4	0.39	7.9	0.47	0.26	0.11	3.24	0.69	0.17		
MBA0719	232703	6803952	434.8	Red Brown	1	1.5		0.05	1.6	X	6.6	0.25	0.16	0.01	17.3	1.7	0.56	9.6	0.74	0.43	0.19	4.51	0.98	0.2		
MBA0720	232700	6803899	437.9	Red Brown	1	1.5		0.05	1.4	X	6.2	0.21	0.17	0.01	13.2	1.7	0.47	9	0.46	0.31	0.15	3.68	0.8	0.18		
MBA0721	232700	6803850	433.6	Red Brown	1	1.5		0.05	1.8	2	12.8	0.24	0.17	0.01	14.3	1.6	0.88	8.58	0.32	0.14	4.24	0.93	0.17	0.13		
MBA0722	232707	6803807	436.8	Red Brown	0	1.5		0.05	1.4	1	7.3	0.22	0.19	0.02	36.6	1.8	0.47	11.3	0.75	0.38	0.15	4.07	1.66	0.19		
MBA0723	232697	6803756	430.1	Red Brown	0	1.5		0.06	1.8	2	16.7	0.79	0.29	0.02	32.7	12.4	0.82	22.4	1.23	0.68	0.31	5.75	1.54	0.22		
MBA0724	232709	6803700	397.5	Tan Brown	1	1.5		0.06	1.6	1	20.8	0.69	0.34	0.03	29	10.7	0.88	26.1	1.9	1.1	0.47	5.74	2.26	0.16		

		Mt Devan Auger Sampling Results																									
Sample ID	Hg_ppm	Ho_ppm	In_ppm	La_ppm	U_ppm	Lu_ppm	Mo_ppm	Mo_ppm	Nb_ppm	Nd_ppm	Ni_ppm	Pb_ppm	Pr_ppm	Rb_ppm	Re_ppm	Sb_ppm	Sc_ppm	Se_ppm	Sm_ppm	Sr_ppm	Ta_ppm	Tb_ppm	Te_ppm	Th_ppm	Tl_ppm	U_ppm	
MBA0670	X	0.11	0.013	13.1	2.3	0.041	112	0.84	0.82	8.81	5	6.3	2.51	6.63	X	0.11	2.4	X	1.37	0.94	2.6	X	0.132	X	7.31	0.06	0.9
MBA0671	X	0.16	0.015	20.3	3.6	0.058	146	1.22	0.65	12.3	10.7	7.7	3.54	9.2	X	0.12	2.8	X	1.92	0.89	6.6	X	0.19	X	9.22	0.1	1.13
MBA0672	X	0.12	0.015	20.8	2.9	0.033	99.8	0.84	0.77	11.8	5.7	7.2	3.54	7.85	X	0.09	2.6	X	1.71	1.09	3.1	X	0.155	X	10.1	0.07	0.9
MBA0673	X	0.11	0.015	17.7	3	0.035	103	1.04	0.79	9.81	7.2	6.4	2.87	6.64	X	0.11	2.5	X	1.45	0.81	10.1	X	0.136	0.02	8.56	0.06	0.78
MBA0674	X	0.12	0.016	19.1	2.9	0.034	97.5	0.72	0.62	10.7	5.7	6.9	3.15	7.49	X	0.09	2.7	X	1.62	0.91	3.1	X	0.146	X	9.31	0.06	0.66
MBA0676	X	0.11	0.014	17.9	3.4	0.031	158	0.63	0.25	9.51	7.2	6.5	2.96	8.03	X	0.12	2.5	X	1.46	0.8	5.5	X	0.133	X	8.31	0.07	0.52
MBA0677	X	0.11	0.015	22	4.4	0.035	116	0.5	0.26	12.7	7.5	7.3	3.74	8.72	X	0.08	2.8	X	1.86	0.96	4.4	X	0.163	0.02	10.4	0.08	0.63
MBA0678	X	0.13	0.014	22.8	3.4	0.035	129	0.63	0.33	12.4	6.7	7.4	3.72	7.47	X	0.13	2.6	X	1.83	0.84	5.3	X	0.164	0.03	10.8	0.07	0.56
MBA0679	X	0.11	0.014	20.9	3.5	0.031	101	0.62	0.52	11.3	5.9	6.9	3.43	7.61	X	0.11	2.5	X	1.63	0.82	3.3	X	0.146	0.02	9.7	0.06	0.63
MBA0680	X	0.11	0.012	20.1	3.2	0.031	109	0.63	0.38	11.2	6.3	6.5	3.37	6.64	X	0.08	2.3	X	1.64	0.74	3.7	X	0.138	0.02	9.04	0.06	0.59
MBA0681	X	0.11	0.012	20.6	3.8	0.03	106	0.48	0.34	11.6	6.5	6.5	3.5	7.12	X	0.08	2.4	X	1.7	0.82	4.1	X	0.145	X	10.1	0.06	0.62
MBA0682	X	0.09	0.011	18.8	3.2	0.027	64.3	0.57	0.11	9.5	6.1	5.7	3.27	6.54	X	0.11	2	X	1.37	0.57	2.1	X	0.116	X	8.44	0.06	0.5
MBA0683	X	0.11	0.011	25.2	3.3	0.029	68.8	0.36	0.05	12.5	6.7	6.6	4.26	7.42	X	0.09	1.8	X	1.7	0.81	2.8	X	0.142	X	10.5	0.06	0.47
MBA0684	X	0.12	0.011	24.7	2.7	0.039	53.9	0.56	0.21	12.7	5.3	6.6	4.38	6.76	X	0.11	2.1	X	1.8	0.66	1.3	X	0.153	0.02	10.7	0.06	0.67
MBA0685	X	0.18	0.016	25	5.2	0.062	73.4	0.61	0.13	14.4	6.6	8.8	4.79	9.65	X	0.09	3.4	X	2.27	0.8	2.4	X	0.201	0.03	12.3	0.09	1.28
MBA0686	X	0.19	0.015	23.3	4.7	0.064	177	0.89	0.1	12.4	8	8.6	4.28	11.2	X	0.1	3.3	X	1.88	0.74	2.5	X	0.184	0.02	10.5	0.09	1.12
MBA0687	X	0.17	0.012	26.1	3.6	0.059	98.7	0.67	0.28	13.1	5.1	8.2	4.58	8.77	X	0.08	2.4	X	1.92	0.66	1.5	X	0.184	0.02	11.9	0.07	1.25
MBA0688	X	0.14	0.012	22	5.8	0.052	175	0.87	0.25	13.2	9.4	11.3	3.85	10.2	X	0.11	2.5	X	1.65	0.64	1.5	X	0.156	0.02	12.3	0.12	1.37
MBA0689	X	0.14	0.013	24.4	2.8	0.045	52.2	0.54	0.2	12.6	5.3	7.3	4.3	8.46	X	0.09	2.2	X	1.83	0.66	1.4	X	0.162	0.02	10.6	0.07	0.8
MBA0690	X	0.1	0.011	23.8	3.1	0.029	50.4	0.54	0.17	11.7	5.5	6.6	4.09	6.47	X	0.1	1.9	X	1.62	0.56	2.8	X	0.139	0.02	10.1	0.06	0.58
MBA0691	X	0.08	0.01	20.7	2.7	0.021	91.5	0.47	0.32	10	5.7	5.8	3.49	6.94	X	0.1	1.5	X	1.35	0.67	2.9	X	0.108	X	8.85	0.05	0.46
MBA0692	X	0.1	0.013	20.7	2.7	0.025	65	0.48	0.08	10.1	6.8	6.6	3.54	7.85	X	0.1	1.7	X	1.39	0.57	3.8	X	0.119	0.02	9.44	0.06	0.4
MBA0693	X	0.13	0.012	22.2	3	0.041	42.9	0.55	0.14	11.5	4.9	7.1	3.89	7.19	X	0.1	2.2	X	1.65	0.62	1.1	X	0.148	0.02	9.48	0.06	0.79
MBA0694	X	0.22	0.034	20.7	9	0.078	281	1.39	0.08	12.1	16	23.8	4.01	16.3	X	0.17	7.5	X	1.98	1.3	8.1	X	0.214	0.04	14.1	0.23	1.91
MBA0695	X	0.21	0.022	25.2	8	0.068	120	1.03	0.1	13.9	11.4	17.5	4.68	14.8	X	0.13	4.9	X	2.07	1.01	3.1	X	0.222	0.03	12.8	0.15	1.61
MBA0696	X	0.22	0.03	21.2	7.3	0.078	85.7	1.45	0.16	12.8	9.6	13.1	4.07	12.5	X	0.14	6.2	X	2.05	1.19	2.9	X	0.212	0.04	12.8	0.12	1.96
MBA0697	X	0.24	0.021	23.8	5.4	0.087	155	1.03	0.05	14.5	14	10.4	4.67	10.5	X	0.14	4.1	X	2.21	0.88	6.4	X	0.24	0.03	10.3	0.14	0.98
MBA0698	X	0.12	0.015	20	3.9	0.035	94.2	0.69	0.07	10.5	7.8	7	3.6	9.36	X	0.11	2.5	X	1.47	0.65	2.7	X	0.134	0.03	9.9	0.08	0.58
MBA0699	X	0.13	0.018	19.4	3.6	0.043	48.2	1.01	0.13	10.7	6.5	7.9	3.6	8.39	X	0.13	3.1	X	1.59	0.76	2.6	X	0.148	0.03	9.74	0.08	0.82
MBA0700	X	0.13	0.016	18.7	4	0.041	70.8	0.92	0.13	10.4	6.1	7.4	3.48	9.58	X	0.12	2.9	X	1.55	0.68	2.7	X	0.144	0.03	9.95	0.08	0.92
MBA0702	X	0.32	0.015	29.2	4.8	0.117	202	0.99	0.1	19.3	37.5	6.9	5.27	10.5	X	0.11	2.9	X	2.94	0.82	13.3	X	0.326	0.02	9.97	0.16	1.01
MBA0703	X	0.13	0.014	13.5	3.3	0.042	136	1.37	0.14	9.24	8.8	6.3	2.63	7.68	X	0.1	2.5	X	1.42	0.67	4.4	X	0.143	0.03	7.71	0.08	0.81
MBA0704	X	0.15	0.016	12.9	3.5	0.052	163	1.69	0.1	9.49	10.5	7	2.6	8.47	X	0.11	3	X	1.53	0.77	7.6	X	0.161	0.04	7.82	0.1	0.92
MBA0705	X	0.12	0.016	12.9	3.8	0.043	88	1.91	0.24	9.17	10.1	6.9	2.53	8.56	X	0.11	3	X	1.43	0.8	7.6	X	0.142	0.03	7.92	0.09	0.86
MBA0706	X	0.1	0.015	11	3.5	0.035	90	2.02	0.15	7.61	7.8	6.3	2.11	7.86	X	0.11	2.7	X	1.16	0.73	3.4	X	0.118	0.03	7.31	0.08	0.74
MBA0707	X	0.11	0.017	11.6	4.3	0.035	82	1.25	0.08	8.1	9.8	6.5	2.22	10.1	X	0.11	2.8	X	1.28	0.9	4.8	X	0.125	0.03	8.1	0.1	0.6
MBA0708	X	0.08	0.014	9.39	2.6	0.028	61.9	0.94	0.14	6.44	7.6	5.4	1.76	6.78	X	0.1	2.1	X	1.01	0.67	5.8	X	0.098	0.03	6	0.07	0.38
MBA0709	X	0.08	0.014	11.2	3.3	0.026	91	0.98	0.09	7.3	8.1	5.5	2.08	7.13	X	0.11	2.2	X	1.1	0.76	3.3	X	0.099	0.03	6.88	0.07	0.48
MBA0710	X	0.09	0.015	11.5	3.3	0.031	62.3	0.95	0.12	7.76	7.8	5.9	2.2	6.04	X	0.12	2.5	X	1.18	0.69	2.6	X	0.109	0.02	7.18	0.07	0.46
MBA0711	X	0.09	0.015	10.6	3.6	0.033	74.1	0.86	0.14	7.33	7.9	5.8	2.05	6.6	X	0.11	2.5	X	1.13	0.74	2.1	X	0.11	0.03	6.68	0.07	0.53
MBA0712	X	0.12	0.016	10	2.8	0.043	76.4	1.14	0.24	7.59	7.3	6.8	2.06	6.61	X	0.14	2.9	X	1.26	0.81	1.9	X	0.13	0.03	6.63	0.07	0.57
MBA0713	X	0.11	0.018	8.26	3.4	0.044	53.7	1.13	0.26	6.44	6.6	6.5	1.71	6	X	0.11	3.1	X	1.09	0.78	1.8	X	0.119	0.04	6.31	0.08	0.64
MBA0714	X	0.16	0.017	7.85	3	0.061	158	1.27	0.25	7.05	12	6.6	1.81	6.94	X	0.12	3.1	X	1.27	0.74	11.4	X	0.15	0.04	5.72	0.11	0.64
MBA0715	X	0.11	0.018	7.05	3.2	0.043	132	1.41	0.21	6.45	8.7	6.1	1.68	6.86	X	0.11	3.1	X	1.19	0.8	3.9	X	0.119	0.03	7.46	0.09	0.81
MBA0716	X	0.08	0.015	5.69	2	0.026	133	1.22	0.4	4.64	6.3	5.2	1.25	5.57	X	0.13	2.4	X	0.81	0.7	2.2	X	0.083	0.04	5.18	0.06	0.63
MBA0717	X	0.07	0.014	5.9	1.9	0.026	68	0.78	0.25	4.66	5.3	5	1.25	5.51	X	0.1	2.2	X	0.79	0.74	1.6	X	0.077	0.02	5.01	0.05	0.56
MBA0718	X	0.08	0.013	6.84	2.4	0.032	58	0.79	0.17	5.37	6.1	4.8	1.42	6.68	X	0.11	2.2	X	0.89	0.63	1.2	X	0.088	0.03	4.92	0.06	0.44
MBA0719	X	0.13	0.017	7.44	3.9	0.056	52.6	0.92	0.25	6.58	7.1	7.2	1.71	8.78	X	0.1	3.5	X	1.16	0.78	1.6	X	0.134	0.04	6.19	0.09	1.17
MBA0720	X	0.1	0.015	6.25	2.6	0.042	64.1	0.86	0.23	5.47	5.9	5.6	1.44	7.6	X	0.11	2.8	X	1	0.66	1.6	X	0.107	0.03	5.15	0.07	0.75
MBA0721	X	0.1	0.015	7.39	2.5	0.043	64.8	0.96	0.29	5.92	6.5	5.3	1.58	6.43	X	0.11	2.6	X	1.04	0.79	1.6	X	0.106	0.03	5.54	0.06	0.56
MBA0722	X	0.12	0.017	14.3	2.7	0.051</																					

Mt Devan Auger Sampling Results																								
Sample ID	Eastng	Northng	Elevation	Colour	Hydrochloric Acid Reaction	Depth of Best Reaction	Comments	Ag_ppm	As_ppm	Au_ppb	Ba_ppm	Be_ppm	Bi_ppm	Cd_ppm	Ce_ppm	Co_ppm	Cs_ppm	Cu_ppm	Dy_ppm	Er_ppm	Eu_ppm	Ga_ppm	Gd_ppm	Hf_ppm
MBA0726	232701	6803651	443.7	Red Brown	1	1.5		0.06	3	3	18.6	0.88	0.33	0.03	38	9.9	0.95	25.5	2.11	1.24	0.51	6.45	2.4	0.19
MBA0727	232705	6803604	439.7	Red Brown	0	1.5		0.06	2.2	3	22.5	0.72	0.32	0.01	30.8	10.3	0.89	23.8	1.23	0.7	0.32	6.32	1.56	0.22
MBA0728	232710	6803551	441.1	Red Brown	0	1.5		0.05	1.6	4	7.3	0.38	0.25	0.01	18.7	4	0.55	13.6	0.84	0.51	0.23	4.88	1.15	0.2
MBA0729	232701	6803503	431.9	Red Brown	0	1.5		0.06	1.6	2	5.7	0.23	0.23	0.02	14	2	0.44	11.5	0.65	0.35	0.17	4.74	0.93	0.17
MBA0730	232706	6803454	450.4	Red Brown	0	1.5		0.06	1.9	2	6.5	0.29	0.34	0.01	13.9	2.2	0.47	11	0.69	0.38	0.18	5.75	0.92	0.28
MBA0731	232703	6803402	437.8	Red Brown	1	1.5		0.09	3.3	2	13.2	0.69	0.62	0.03	19.5	6.5	0.47	19.6	1.18	0.68	0.32	13.3	1.42	0.47
MBA0732	232700	6803353	431.3	Light Brown	0	1		0.06	2.5	2	64	0.57	0.43	0.03	21.9	6.3	0.51	17.7	0.87	0.49	0.23	8.21	1.06	0.33
MBA0733	232703	6802947	429.1	Light Brown	3	0.5		0.06	2	3	273	0.59	0.24	0.04	19	6.9	0.75	21.3	1.08	0.61	0.31	8.65	1.55	0.15
MBA0734	232690	6802898	431.9	Red Brown	2	1		0.06	1.9	2	23	0.46	0.25	0.05	17	5.5	0.57	14.7	0.92	0.52	0.25	6.76	1.26	0.1
MBA0735	232702	6802851	435.7	Light Brown	3	1		0.05	1.9	2	38.6	0.48	0.2	0.05	17.2	5	0.6	16.4	0.74	0.42	0.2	5.1	0.97	0.05
MBA0736	232700	6802807	435.6	Light Brown	2	0.5		0.04	1.8	X	23.7	0.45	0.19	0.03	16.8	5	0.72	14.4	0.82	0.46	0.23	4.94	1.09	0.1
MBA0737	232700	6802750	438	Light Brown	3	1		0.05	2.5	1	149	0.64	0.27	0.03	20.2	8	1.44	21	0.91	0.5	0.26	6.92	1.13	0.15
MBA0738	232697	6802699	438	Light Brown	3	0.5		0.07	2.1	2	154	0.8	0.3	0.06	27	11.5	1.59	27.5	1.58	0.94	0.42	7.35	1.99	0.13
MBA0739	232701	6802650	437.7	Red Brown	2	0.5		0.09	1.7	X	14.8	0.48	0.21	0.03	13.2	6.6	0.10	18.8	0.81	0.45	0.21	4.49	1.03	0.13
MBA0740	232699	6802609	436.6	Light Brown	3	0.5		0.09	1.2	1	17.6	0.31	0.18	0.03	9.86	4.3	0.69	22.1	0.45	0.26	0.12	3.7	0.63	0.14
MBA0741	232698	6802555	431.6	Light Brown	3	0.5		0.06	1.3	X	21.8	0.3	0.21	0.03	13.6	4.9	0.54	16.8	0.6	0.35	0.15	4.02	0.82	0.13
MBA0742	232700	6802502	436.9	Light Brown	0	0.5		0.07	1.5	X	15.9	0.53	0.32	0.03	17.4	7.5	0.85	21.8	1.07	0.61	0.28	5.83	1.26	0.1
MBA0743	232699	6802453	434	Light Brown	2	0.5		0.08	1.7	2	38.3	0.67	0.42	0.06	23	11.2	1.05	42.4	1.62	0.94	0.43	6.49	1.95	0.1
MBA0744	232700	6802407	432.4	Red Brown	0	1		0.1	2.1	X	49.6	0.94	0.57	0.08	33.9	18.5	1.69	54.8	2.31	1.32	0.61	8.57	2.82	0.15
MBA0745	232699	6802351	435.3	Red Brown	0	1.5		0.09	2	3	45.9	0.8	0.48	0.06	28.5	14.5	1.4	49	2	1.12	0.57	8.71	2.54	0.2
MBA0746	232702	6802302	436.7	Red Brown	1	0.5		0.08	1.4	X	81.1	0.69	0.76	0.07	21.1	14.7	0.72	35.3	1.73	1.04	0.41	8.07	1.96	0.18
MBA0747	232699	6802253	437.3	Green	3	1.5		0.05	0.9	4	221	0.22	0.39	0.03	13.9	2.9	0.11	15.7	0.28	0.17	0.08	5.16	0.31	0.1
MBA0748	232700	6802203	437.3	Red Brown	0	1.5		0.07	1.3	1	35.4	0.71	0.71	0.06	23.7	9.1	1.02	39.5	1.63	0.9	0.45	12.6	2.03	0.24
MBA0749	232710	6802152		Red Brown	0	1.5		0.07	1.4	1	37.9	0.69	0.58	0.06	25	10.4	1.17	40.8	1.63	0.91	0.45	6.52	2.12	0.17
MBA0750	232710	6802106	436.1	Red Brown	0	1.5		0.07	1.5	1	38.9	0.7	0.65	0.05	26.8	11.3	1.21	40.1	1.69	0.92	0.47	6.94	2.13	0.18
MBA0752	232809	6802156	441.8	Light Brown	2	0.5		0.08	1	2	239	0.57	1.27	0.13	13.3	6.8	0.57	35.2	0.97	0.53	0.27	43.7	1.19	0.48
MBA0753	232808	6802201	440.5	Red Brown	0	0.5		0.08	1.5	2	451	0.96	1.15	0.09	31	8.9	0.47	30.1	2.19	1.24	0.58	36	2.47	0.46
MBA0754	232797	6802256	439.4	Red Brown	0	1		0.07	0.9	2	41	0.62	0.94	0.06	19	8.7	0.54	28.3	1.3	0.71	0.33	16.7	1.48	0.28
MBA0755	232797	6802207	436.9	Red Brown	0	1		0.06	1.4	2	57.9	0.59	0.65	0.06	14.6	8.3	0.61	30.4	1.21	0.67	0.32	15.5	1.44	0.22
MBA0756	232838	6802355	438.7	Light Brown	3	1.5	Off coordinates due to watercourse;	0.09	1.7	2	66.1	0.69	0.54	0.08	19.6	10.9	0.86	50.5	1.63	0.93	0.44	13.1	1.92	0.23
MBA0757	232813	6802415	438.6	Light Brown	2	1	Off coordinates due to watercourse;	0.06	1.2	X	33.2	0.54	0.37	0.05	17.8	10	0.89	34.3	1.26	0.71	0.32	5.18	1.44	0.11
MBA0758	232801	6802456	437.9	Red Brown	0	0.5		0.06	1.5	2	36.9	0.66	0.48	0.06	22.5	11.8	1.2	38.8	1.52	0.89	0.4	6.08	1.83	0.15
MBA0759	232801	6802503	439.9	Red Brown	0	0.5		0.05	1.6	1	10.4	0.43	0.24	0.03	17	4.6	0.65	0.22	0.96	0.49	0.23	4.93	1.08	0.11
MBA0760	232801	6802551	440.6	Light Brown	3	0.5		0.05	1.5	X	34.1	0.45	0.19	0.02	14.6	4.8	0.88	15.8	0.78	0.43	0.2	4.83	1.04	0.07
MBA0761	232803	6802609	440.2	Light Brown	3	1		0.05	1.5	1	32.3	0.4	0.19	0.03	13.6	4.7	1.35	16.6	0.71	0.39	0.17	4.41	0.96	0.1
MBA0762	232803	6802653	440	Light Brown	3	1		0.06	1.6	X	29.6	0.45	0.2	0.02	14.3	4.2	1.22	16.1	0.6	0.34	0.17	5.07	0.87	0.13
MBA0763	232802	6802704	437.5	Light Brown	3	1		0.06	1.8	X	23.9	0.61	0.24	0.04	19.8	6.6	1.38	17.5	0.94	0.54	0.25	5.79	1.19	0.14
MBA0764	232798	6802758	440.5	Light Brown	2	0.5		0.05	1.7	X	24.2	0.5	0.2	0.04	21.8	6.8	0.81	15.2	0.9	0.5	0.23	4.98	1.17	0.1
MBA0765	232798	6802804	440.1	Red Brown	3	1		0.05	1.8	X	30.2	0.48	0.18	0.03	14.9	5.8	0.83	17.2	0.8	0.46	0.21	5.11	1.05	0.13
MBA0766	232797	6802849	440.8	Light Brown	3	1.5		0.07	2.1	X	62	0.43	0.16	0.03	16.8	6.1	0.68	15.1	0.82	0.48	0.23	4.83	1.09	0.15
MBA0767	232809	6802904	441.5	Light Brown	3	1.5		0.05	1.6	X	25.2	0.41	0.14	0.02	14	4.6	0.61	14.5	0.66	0.36	0.17	4.38	0.84	0.12
MBA0768	232806	6802956	439.1	Light Brown	3	1.5		0.06	1.7	1	96.5	0.54	0.17	0.03	18.1	6.5	0.68	16.5	0.92	0.54	0.24	5.18	1.19	0.13
MBA0769	232802	6803005	439	Light Brown	3	1.5		0.05	1.8	7	54	0.39	0.16	0.02	10.4	4.5	0.82	21.4	0.62	0.37	0.16	4.52	0.79	0.09
MBA0770	232805	6803406	436	Light Brown	3	1.5		0.05	1.2	2	104	0.36	0.28	0.02	10.2	3.4	0.35	13.9	0.8	0.5	0.22	5.96	1.09	0.16
MBA0771	232796	6803453	439.7	Red Brown	0	1.5		0.05	1.3	1	6.7	0.23	0.22	0.01	12.7	1.8	0.48	9.9	0.52	0.28	0.14	4.54	0.75	0.22
MBA0772	232803	6803505	439.9	Red Brown	0	1.5		0.42	1.3	2	9	0.35	0.21	0.04	14.5	2.8	0.54	11.2	0.59	0.33	0.14	4.47	0.83	0.25
MBA0773	232802	6803559	434	Red Brown	0	1.5		0.06	1.6	1	7.6	0.37	0.19	0.01	14.7	4	0.53	12.4	0.65	0.37	0.16	4.04	0.89	0.19
MBA0774	232801	6803602	438.4	Red Brown	0	1.5		0.06	1.5	1	9.7	0.5												

Sample ID W_ppm Y_ppm Yb_ppm Zn_ppm Zr_ppm

MBA0726	X	11.5	1.23	17	5.3
MBA0727	X	5.81	0.71	16	6.7
MBA0728	X	4.44	0.49	10	6
MBA0729	X	3.09	0.34	9	6.3
MBA0730	X	3.43	0.36	9	8.6
MBA0731	X	5.36	0.69	11	12.6
MBA0732	X	4.05	0.48	15	10.4
MBA0733	X	5.87	0.58	19	5.3
MBA0734	X	5.01	0.46	13	4.7
MBA0735	X	3.77	0.37	16	2.5
MBA0736	X	4.17	0.41	14	4.1
MBA0737	X	4.37	0.49	23	5.2
MBA0738	X	9.67	0.83	29	5.1
MBA0739	X	4.32	0.44	15	5.3
MBA0740	X	2.24	0.23	14	5.9
MBA0741	X	2.95	0.3	17	5
MBA0742	X	5.18	0.63	18	4.4
MBA0743	X	8.25	0.84	29	4
MBA0744	X	13	1.21	40	5.5
MBA0745	X	10.4	1.01	37	5.8
MBA0746	X	10.1	1.05	32	6.5
MBA0747	X	2.28	0.14	4	3
MBA0748	X	8.09	0.81	26	7
MBA0749	X	8.48	0.82	29	5.2
MBA0750	X	8.54	0.84	31	5.4
MBA0752	X	4.53	0.5	19	16.4
MBA0753	X	11.6	1.06	16	15.7
MBA0754	X	6.08	0.68	17	9.1
MBA0755	X	6.13	0.62	18	7.2
MBA0756	X	8.63	0.86	29	9.8

MBA0757 X 6.6 0.69 26 4.2

MBA0758	X	8.02	0.81	29	4.9
MBA0759	X	4.39	0.43	18	4.5
MBA0760	X	4.23	0.4	17	3.3
MBA0761	X	3.58	0.39	16	4.1
MBA0762	X	3.01	0.33	17	5.1
MBA0763	X	4.74	0.57	18	5.7
MBA0764	X	5.08	0.44	15	4.2
MBA0765	X	4.49	0.42	15	5
MBA0766	X	4.93	0.43	12	5.6
MBA0767	X	3.22	0.35	11	4.3
MBA0768	X	5.04	0.53	14	5.2
MBA0769	X	3.3	0.35	14	3.4
MBA0770	X	6.24	0.39	8	5
MBA0771	X	2.6	0.27	9	6.9
MBA0772	X	2.87	0.33	12	7.8
MBA0773	X	3.22	0.39	10	6.3
MBA0774	X	4.27	0.51	14	6.8
MBA0776	X	9.08	1.01	21	4.7

Note: x - Assays below detection limit for the element

Mt Devan Auger Sampling Results

Mt Devan Auger Sampling Results																								
Sample ID	Easting	Northing	Elevation	Colour	Hydrochloric Acid Reaction	Depth of Best Reaction	Comments	Al_ppm	As_ppm	Au_ppb	Ba_ppm	Bi_ppm	Cd_ppm	Ce_ppm	Co_ppm	Cs_ppm	Cu_ppm	Dy_ppm	Er_ppm	Eu_ppm	Ga_ppm	Gd_ppm	Hf_ppm	
MBA0777	232803	6803706	435.7	Red Brown	0	1.5		0.06	1.9	2	51.5	0.69	0.3	0.04	29.5	9.3	1.05	25.6	2.09	1.23	0.54	6.07	2.66	0.14
MBA0778	232804	6803753	438.7	Creem Brown	3	1.5		0.07	1.5	2	645	0.44	0.16	0.02	13	4.4	0.53	10.9	0.63	0.39	0.19	4.02	0.82	0.17
MBA0779	232802	6803806	441	Red Brown	0	1.5		0.05	1.3	X	10.2	0.24	0.16	0.1	1.8	0.45	8.2	0.56	0.26	0.13	3.75	0.75	0.21	
MBA0780	232806	6803855	440.3	Red Brown	0	1.5		0.06	1.2	1	12.2	0.32	0.15	0.03	14.6	2.18	0.41	9.1	0.57	0.35	0.14	3.3	0.83	0.15
MBA0781	232804	6803906	441	Light Brown	2	1.5		0.06	1.4	3	30.7	0.49	0.14	0.02	22.8	4.3	0.55	9.2	0.84	0.48	0.19	4.17	1.12	0.19
MBA0782	232805	6803957	440.9	Red Brown	0	1.5		0.06	1.2	X	8.4	0.36	0.13	0.01	21.8	3.1	0.52	8.9	0.76	0.42	0.19	3.74	1.07	0.19
MBA0783	232807	6804003	437.4	Red Brown	0	1.5		0.06	1.5	1	8.3	0.4	0.16	0.01	27.2	3.3	0.71	10.7	1.15	0.64	0.27	5.16	1.64	0.26
MBA0784	232803	6804100	440.6	Light Brown	1	1.5		0.05	1.2	X	19.7	0.34	0.13	0.01	18.6	4	0.44	8.1	0.5	0.28	0.13	3.67	0.77	0.16
MBA0785	232802	6804152	441.5	Light Brown	2	1.5		0.05	1.4	X	15.9	0.37	0.14	0.02	17.4	3.5	0.48	8.8	0.67	0.37	0.18	3.97	1.01	0.19
MBA0786	232805	6804200	441.4	Red Brown	0	1.5		0.05	1.1	X	6.6	0.26	0.12	X	14.1	2.6	0.41	7.6	0.43	0.24	0.11	3.44	0.67	0.17
MBA0787	232801	6804251	440.9	Red Brown	0	1.5		0.05	1.3	X	12.8	0.39	0.13	0.01	20.7	3.5	0.53	10.4	0.7	0.37	0.18	4.17	1.19	0.19
MBA0788	232805	6804305	439	Red Brown	0	1.5		0.05	1.4	X	7.6	0.35	0.15	0.01	23.4	3.3	0.58	10.7	0.8	0.43	0.19	4.59	1.27	0.17
MBA0789	232806	6804357	440.7	Red Brown	0	1.5		0.05	2.4	2	9.2	0.34	0.15	0.02	22	3.1	0.51	10.9	0.61	0.32	0.16	4	0.94	0.18
MBA0790	232805	6804403	442.2	Red Brown	0	1.5		0.05	1.4	X	8.5	0.32	0.13	0.01	22.8	2.5	0.48	8.4	0.55	0.27	0.14	3.9	0.85	0.18
MBA0791	232809	6804457	441	Red Brown	0	1.5		0.05	1.5	X	8.5	0.3	0.13	0.01	24.9	2.2	0.51	8.3	0.68	0.37	0.18	4.67	1.1	0.22
MBA0792	232802	6804501	439.9	Red Brown	0	1.5		0.06	1.2	X	8.3	0.32	0.15	0.01	24.3	2.7	0.47	8.6	0.62	0.32	0.16	4.44	0.97	0.18
MBA0793	232804	6804552	443	Red Brown	0	1.5		0.06	1.3	X	9.2	0.33	0.13	0.02	25.3	3	0.51	8.6	0.59	0.31	0.15	4.53	0.92	0.18
MBA0794	232800	6804601	443.8	Red Brown	0	1.5		0.06	1.3	X	8.4	0.34	0.12	0.01	25.5	3.3	0.51	8.9	0.62	0.31	0.15	4.97	1.19	0.18
MBA0795	232803	6804653	442.9	Red Brown	0	1.5		0.05	1.5	X	10.9	0.41	0.14	0.02	29.7	3.7	0.62	9.8	0.75	0.38	0.45	1.15	0.38	0.15
MBA0796	232804	6804698	438.4	Red Brown	0	1.5		0.05	1.5	X	7.5	0.33	0.15	0.01	27.4	2.2	0.6	10.5	0.78	0.42	0.2	4.56	1.19	0.19
MBA0797	232801	6804750	440.9	Light Brown	2	1.5		0.06	1.5	X	62.2	0.45	0.13	0.02	34	6.8	0.54	8.4	0.89	0.47	0.23	4.37	1.3	0.17
MBA0798	232802	6804801	437.5	Red Brown	0	1.5		0.06	1.4	X	10.3	0.36	0.13	0.02	35	3.3	0.52	9.1	0.81	0.4	0.21	4.25	1.34	0.19
MBA0799	232799	6804853	436.4	Red Brown	0	1.5		X	1.6	X	9	0.27	0.13	0.01	35	1.8	0.56	7.7	0.68	0.33	0.16	44	1.22	0.2
MBA0800	232801	6804906	436.1	Red Brown	0	1.5		0.05	1.4	X	8.3	0.3	0.13	0.01	36.5	2.2	0.51	8.1	0.67	0.32	0.16	3.86	1.24	0.19
MBA0802	232798	6804956	434.3	Red Brown	0	1.5		0.05	1.5	X	62	0.33	0.13	0.01	37.9	2.5	0.53	8.8	0.75	0.36	0.18	4.25	1.33	0.19
MBA0803	232795	6805003	436.2	Red Brown	0	1.5		0.05	1.6	X	9.2	0.3	0.13	0.01	39.5	2.1	0.59	8.5	0.63	0.42	0.21	4.69	1.46	0.22
MBA0804	232808	6805049	435.7	Red Brown	0	1.5		0.05	1.8	X	9	0.26	0.12	0.02	36.1	3	0.63	8.3	0.74	0.35	0.19	3.79	1.19	0.19
MBA0805	232805	6805107	434.3	Red Brown	0	1.5		0.06	1.5	X	9.4	0.42	0.14	0.02	39.1	3.5	0.64	9	0.98	0.49	0.26	4.51	1.58	0.21
MBA0806	232803	6805154	434.3	Light Brown	0	1		0.06	1.5	X	12.0	0.52	0.1	0.02	64.9	5.8	1.71	8.6	1.08	0.57	0.28	4.48	1.8	0.25
MBA0807	232805	6805207	434.5	Red Brown	0	1.5		0.06	1.4	X	10.6	0.37	0.12	0.01	38.1	3	0.62	10.1	0.91	0.47	0.24	4.44	1.49	0.2
MBA0808	232804	6805251	436.5	Red Brown	0	1.5		0.05	1.2	X	8.3	0.23	0.11	0.01	43.8	2.2	0.51	8.1	0.87	0.42	0.22	3.79	1.5	0.19
MBA0809	232799	6805305	438	Red Brown	0	1.5		0.05	1	X	9	0.15	0.1	X	36.4	1	0.34	4.3	0.49	0.22	0.1	2.7	1.06	0.17
MBA0810	232799	6805350	437	Red Brown	0	1.5		0.05	1.6	X	1	0.17	0.1	X	38.6	1.2	0.44	7.8	0.72	0.34	0.17	3.22	1.31	0.14
MBA0811	232805	6805432	437.2	Red Brown	0	1.5		0.05	1.2	X	16.1	0.23	0.17	0.1	38.7	1.8	0.58	8.8	0.82	0.50	0.42	0.9	0.62	0.2
MBA0812	232799	6805455	437	Red Brown	0	1.5		0.05	1.1	X	8.4	0.28	0.11	0.01	49.8	2.3	0.49	8.9	1.01	0.51	0.22	3.86	1.8	0.16
MBA0813	232799	6805503	438.1	Light Brown	0	1.5		0.04	1	X	7.8	0.28	0.16	0.01	40.9	2.4	0.39	7.8	0.82	0.43	0.12	3.59	1.37	0.15
MBA0814	232902	6805503	441.3	Red Brown	0	1.5		0.05	1.1	X	9.6	0.36	0.11	X	44.2	3.7	0.47	10.8	0.84	0.43	0.18	3.92	1.52	0.16
MBA0815	232901	6805450	442.3	Red Brown	0	1.5		0.05	1.2	X	12.6	0.42	0.12	0.01	40.4	4.5	0.48	9.6	0.88	0.46	0.18	3.95	1.41	0.17
MBA0816	232905	6805403	438.7	Red Brown	0	1.5		0.04	1	X	8	0.19	0.11	0.01	41	1.3	0.43	7.4	0.73	0.35	0.17	3.41	1.37	0.17
MBA0817	232905	6805353	435	Red Brown	0	1.5		0.05	1.3	X	10.3	0.24	0.11	0.01	41.9	1.7	0.48	7.1	0.79	0.38	0.18	3.54	1.42	0.17
MBA0818	232903	6805300	428.2	Red Brown	0	1.5		0.05	1.2	X	9.8	0.3	0.12	0.01	37.3	2.7	0.47	8.7	0.91	0.35	0.17	3.74	1.27	0.17
MBA0819	232998	6805351	433.6	Red Brown	0	1.5		0.05	1.2	X	9.4	0.22	0.12	0.01	37.7	1.8	0.53	7.7	0.74	0.35	0.18	3.8	1.29	0.14
MBA0820	232899	6805196	433.1	Red Brown	0	1.5		0.06	1.2	X	7	0.22	0.12	0.01	37	1.5	0.52	8.4	0.79	0.38	0.21	3.83	1.41	0.19
MBA0821	232905	6805148	436.4	Red Brown	0	1.5		0.05	1.4	X	9.6	0.21	0.14	X	35.9	1.5	0.58	8	0.78	0.39	0.21	4.36	1.33	0.21
MBA0822	232904	6805101	440.4	Light Brown	3	1.5		0.06	1.4	X	30.3	0.4	0.13	0.02	38.5	3.5	0.61	9.7	0.86	0.42	0.22	4.36	1.43	0.19
MBA0823	232898	6805052	440	Light Brown	3	1.5		0.05	1.4	X	101	0.42	0.12	0.02	35.5	4.1	0.59	7.9	0.77	0.4	0.2	4.13	1.29	0.19
MBA0824	232900	6805003	434.2	Red Brown	0	1.5		0.05	1.4	X	10.5	0.35	0.13	0.02	35.7	2.6	0.6	9.2	0.74	0.36	0.18	4.38	1.27	0.21
MBA0826	232897	6804951	435.1	Red Brown	0	1.5		0.06	2.9	2	142	0.39	0.14	0.02	41.3	3.3	0.57	9.4	0.86	0.42	0.21	4.36	1.44	0.21
MBA0827	232904	6804902	440.3	Red Brown	0	1.5		0.06	1.3	2	101	0.29	0.12	0.02	34.5	4.5	0.4	8.9	0.69	0.38	0.17	3.96	1.26	0.19
MBA0828	232901	6804851	436.9	Red Brown	0	1.5		0.05	1.2	X	10.2	0.42	0.16	0.02	30.8	2.9	0.71	11.2	0.84	0.42	0.22	3.66	1.29	0.13
MBA0829	232897	6804798	436.3	Light Brown	3	1.5		X	1.2	1	53.7	0.58	0.19	0.02	29.3	11.1	0.44	7.8	0.88	0.49	0.22	3.31	1.23	0.18
MBA0830	232906	6804747	440.1	Light Brown	3	1.5		0.05	1.6	2	43.5	0.51	0.15	0.02	26.5	5.1	0.56	12.2	0.91	0.51	0.24	4.92	1.3	0.18
MBA0831	232903	6804702	435.7	Red Brown	0	1.5		0.05	1.4	X	13.5	0.46	0.17	0.02	33.1	4.8	0.75	14.8	0.96	0.5	0.23	5.86	1.53	0.21

		Mt Devan Auger Sampling Results																												
Sample ID	Hg_ppm	Ho_ppm	In_ppm	La_ppm	U_ppm	Lu_ppm	Mo_ppm	Mn_ppm	Nb_ppm	Nd_ppm	Ni_ppm	Pb_ppm	Pr_ppm	Rb_ppm	Re_ppm	Sb_ppm	Sc_ppm	Se_ppm	Sm_ppm	Sr_ppm	Ta_ppm	Tb_ppm	Te_ppm	Th_ppm	Ti_ppm	U_ppm				
MBA0777	X	0.39	0.027	15.9	6.1	0.16	380	0.89	0.05	13.9	24.6	8.9	3.81	15.7	X	0.12	8	X	2.67	1.07	15.8	X	0.358	0.04	6.65	0.16	0.8			
MBA0778	X	0.12	0.016	6.14	4.7	0.054	96.1	0.78	0.2	5.04	14	5.2	1.44	8.54	X	0.11	3.6	X	0.9	0.71	26.2	X	0.109	0.03	4.93	0.09	0.61			
MBA0779	X	0.08	0.014	7.48	3.6	0.036	61.8	0.77	0.2	5.54	7.9	5	1.66	7.37	X	0.11	2.7	X	0.87	0.69	2.6	X	0.088	0.03	5.51	0.07	0.49			
MBA0780	X	0.1	0.013	7.62	4	0.042	140	0.88	0.14	6.2	8.5	5.6	1.83	7.69	X	0.12	2.5	X	1.08	0.71	3.9	X	0.108	0.03	5.2	0.08	0.61			
MBA0781	X	0.15	0.016	9.05	5.3	0.067	151	0.82	0.14	7.78	11	7.6	2.3	10.2	X	0.1	3.1	X	1.36	0.8	6.5	X	0.148	0.02	6.28	0.1	0.71			
MBA0782	X	0.14	0.014	8.35	4.4	0.059	163	0.73	0.2	7.67	7.6	7.1	2.2	9.87	X	0.12	2.9	X	1.36	0.7	2.9	X	0.144	0.02	5.91	0.11	0.64			
MBA0783	X	0.21	0.019	11.3	5.7	0.087	101	1	0.29	10.8	8.5	8.4	3.02	11.4	X	0.12	4.4	X	2.01	1.03	2.5	X	0.216	0.04	7.5	0.11	1.44			
MBA0784	X	0.09	0.014	7.6	3.8	0.036	90.4	0.93	0.21	5.94	10.6	4.9	1.75	7.11	X	0.12	2.5	X	0.99	0.71	5.1	X	0.099	0.02	5.78	0.08	0.67			
MBA0785	X	0.12	0.014	9.63	4	0.046	68.1	0.94	0.22	6.85	15.7	5.2	1.97	7.46	X	0.11	2.8	X	1.09	0.78	7	X	0.123	0.03	5.61	0.07	0.75			
MBA0786	X	0.08	0.013	7.21	3.5	0.028	63.3	0.83	0.15	5.12	7.1	4.5	1.57	6.64	X	0.11	2.4	X	0.85	0.64	2.3	X	0.083	0.02	5.32	0.06	0.51			
MBA0787	X	0.12	0.016	9.91	4.5	0.045	101	0.86	0.1	7.19	10.9	5.9	2.18	9.67	X	0.12	3.1	X	1.19	0.87	5	X	0.125	0.02	6.28	0.09	0.53			
MBA0788	X	0.14	0.017	11.3	4.2	0.053	97.6	1.14	0.39	8.64	9	6.9	2.55	8.76	X	0.13	3.5	X	1.49	0.84	3	X	0.151	0.04	7.01	0.09	0.73			
MBA0789	X	0.1	0.015	10.5	4.1	0.039	148	0.93	0.15	7.44	8.6	6.3	2.24	8.05	X	0.12	2.9	X	1.15	0.79	2.5	X	0.12	0.03	6.55	0.08	0.48			
MBA0790	X	0.09	0.015	10.9	3.7	0.034	69.3	0.9	0.11	7.17	8.6	6.1	2.07	7.02	X	0.13	2.6	X	1.11	0.76	2.1	X	0.107	0.03	7.41	0.07	0.55			
MBA0791	X	0.12	0.017	12.1	4.2	0.049	64.9	1.11	0.17	8.5	8.6	6.7	2.37	7.61	X	0.12	3.1	X	1.39	0.9	2.3	X	0.136	0.03	7.9	0.07	0.7			
MBA0792	X	0.1	0.017	12.2	4.1	0.037	70	1.11	0.06	8.11	8.2	6.6	2.3	7.16	X	0.11	2.7	X	1.28	0.76	2.7	X	0.126	0.03	8.05	0.07	0.81			
MBA0793	X	0.1	0.017	11.8	4.1	0.037	73.8	1.4	0.09	7.85	8.7	6.8	2.26	8.15	X	0.12	2.9	X	1.24	0.84	4.2	X	0.119	0.03	8.24	0.08	0.64			
MBA0794	X	0.11	0.016	11.8	4.1	0.039	76.8	1.32	0.05	8.01	8.3	6.8	2.32	7.76	X	0.13	2.9	X	1.28	0.79	4	X	0.123	0.04	8.11	0.08	0.58			
MBA0795	X	0.13	0.017	14	4.7	0.045	91.3	1.27	0.06	9.33	10	7.5	2.63	8.34	X	0.11	3.4	X	1.49	0.81	4.1	X	0.146	0.03	8.8	0.09	0.59			
MBA0796	X	0.14	0.018	13.7	4.2	0.051	67	1.44	0.16	9.2	8.3	8.3	2.63	8.43	X	0.12	3.7	X	1.48	0.84	2.8	X	0.152	0.04	9.14	0.09	0.72			
MBA0797	X	0.16	0.017	14.7	4.6	0.059	93.9	1.58	0.11	9.93	11.3	6.9	2.87	7.52	X	0.11	3.1	X	1.64	0.82	6.5	X	0.167	0.04	9.17	0.08	0.68			
MBA0798	X	0.13	0.016	18.5	4.1	0.042	103	1.46	0.09	10.9	9.2	7	3.15	8.27	X	0.13	2.9	X	1.7	0.79	3.2	X	0.163	0.04	10	0.09	0.6			
MBA0799	X	0.11	0.016	19.3	3.8	0.034	56.1	1.1	0.19	11	7.3	6.6	3.21	7.92	X	0.12	2.9	X	1.65	0.79	2.7	X	0.144	0.03	10.7	0.07	0.67			
MBA0800	X	0.11	0.014	20.1	3.8	0.034	66.9	1.06	0.13	11.1	7.7	6.5	3.21	7.6	X	0.13	2.5	X	1.65	0.75	2.6	X	0.146	0.04	10.4	0.07	0.65			
MBA0802	X	0.12	0.016	20.8	4.1	0.038	83.1	1.15	0.12	12	8.4	6.8	3.46	8.95	X	0.12	2.7	X	1.78	0.77	2.7	X	0.16	0.04	11.1	0.07	0.71			
MBA0803	X	0.14	0.016	21.1	4.1	0.047	90.2	1.36	0.17	12.7	7.3	7.6	3.62	9.94	X	0.11	3.1	X	1.91	0.91	2.1	X	0.174	0.03	11.3	0.09	1.22			
MBA0804	X	0.12	0.015	19.3	3.4	0.037	58.2	0.96	0.38	11.2	6.1	8.3	3.25	8.09	X	0.13	2.5	X	1.69	0.74	1.3	X	0.157	0.04	10.7	0.07	1.44			
MBA0805	X	0.17	0.016	20.6	5	0.054	133	0.84	0.14	12.8	7.9	8.3	3.56	10.2	X	0.11	3.3	X	1.99	0.82	2.3	X	0.193	0.04	11.1	0.09	1.2			
MBA0806	X	0.19	0.014	25.7	5.1	0.065	283	0.84	0.22	15.5	9.5	15.9	4.42	11.7	X	0.11	2.6	X	2.4	0.93	2.9	X	0.223	0.03	20	0.18	3.61			
MBA0807	X	0.16	0.016	19.4	4.9	0.054	115	0.98	0.22	12	7.9	8.5	3.4	9.9	X	0.11	3.2	X	1.9	0.82	1.9	X	0.184	0.03	10.6	0.09	1.17			
MBA0808	X	0.14	0.013	22.3	3.4	0.046	90.4	0.66	0.16	13.4	6.5	7.4	3.88	8.36	X	0.1	2.4	X	1.98	0.69	1.7	X	0.177	0.03	10.6	0.07	0.95			
MBA0809	X	0.08	0.009	20.1	2.3	0.02	50.4	0.44	0.23	10.8	4.5	5.7	3.26	5.71	X	0.09	1.3	X	1.52	0.61	1.5	X	0.116	X	9.92	0.05	0.56			
MBA0810	X	0.12	0.01	20.7	2.3	0.035	80.8	0.74	0.26	11.8	6	6.8	3.52	7.67	X	0.12	1.8	X	1.75	0.71	1.6	X	0.154	0.03	10.3	0.06	0.75			
MBA0811	X	0.17	0.013	24.3	4.6	0.058	166	0.71	0.13	14.3	7.5	7.9	4.09	11.1	X	0.1	2.8	X	2.18	0.92	2	X	0.204	0.03	12.1	0.1	1.17			
MBA0812	X	0.17	0.012	28.4	3.2	0.055	93.3	0.82	0.33	16.1	6.4	8	4.73	9.12	X	0.11	2.2	X	2.38	0.73	1.7	X	0.212	0.03	13.8	0.07	1.12			
MBA0813	X	0.14	0.011	22.4	3	0.051	92.6	0.59	0.51	12.3	5.7	7.1	3.61	8.45	X	0.12	1.8	X	1.82	0.67	1.7	X	0.17	0.03	11.8	0.06	1.29			
MBA0814	X	0.13	0.013	24.3	4.4	0.05	95.4	0.7	0.18	13.8	9.1	7.3	4.01	8.31	X	0.13	2.9	X	2.01	0.71	2.9	X	0.179	0.03	12.2	0.08	0.77			
MBA0815	X	0.15	0.013	21.8	5	0.037	96	0.65	0.09	12.4	9.9	7.5	3.61	10.2	X	0.1	2.6	X	1.84	0.88	3.8	X	0.176	0.03	11	0.1	0.73			
MBA0816	X	0.12	0.011	23	2.9	0.037	51.3	0.74	0.25	12.7	5.9	6.8	3.74	7.66	X	0.1	1.9	X	1.84	0.65	1.4	X	0.159	0.03	11.2	0.07	0.73			
MBA0817	X	0.13	0.012	23.7	3.4	0.04	70.1	1.46	0.26	13	6.6	7	3.84	8.54	X	0.1	2	X	1.89	0.79	2	X	0.169	0.03	11.5	0.07	0.79			
MBA0818	X	0.12	0.013	20	4	0.038	115	1.01	0.11	11.5	7.4	7	3.32	8.34	X	0.1	2.4	X	1.71	0.69	2.3	X	0.153	0.03	10.4	0.08	0.81			
MBA0819	X	0.12	0.012	20.4	3.1	0.037	87.7	0.93	0.3	11.6	6.6	7.1	3.37	9.22	X	0.1	2.2	X	1.75	0.82	1.8	X	0.161	0.03	10.4	0.08	0.82			
MBA0820	X	0.13	0.013	19.6	3.3	0.043	67.9	1.18	0.26	11.6	5.9	7.1	3.34	8.13	X	0.11	2.3	X	1.85	0.72	1.8	X	0.165	0.03	10.2	0.06	0.97			
MBA0821	X	0.13	0.014	18.8	3.2	0.045	68.6	1.08	0.24	11.4	6.7	7.3	3.25	9.6	X	0.11	2.5	X	1.75	0.96	2	X	0.164	0.03	10	0.07	0.94			
MBA0822	X	0.14	0.015	19.8	4.8	0.049	174	1.48	0.24	11.6	9.4	7.4	3.42	10.5	X	0.14	2.7	X	1.85	0.87	4.9	X	0.172	0.03	10.1	0.1	0.99			
MBA0823	X	0.13	0.015	18.2	5	0.046	117	1.18	0.12	10.7	9.7	6.9	3.1	10.5	X	0.11	2.7	X	1.65	0.79	8	X	0.155	0.03	9.72	0.1	0.81			
MBA0824	X	0.13	0.015	19.4	4.9	0.039	73.6	1.02	0.15	11.3	8.9	6.9	3.24	10.2	X	0.12	2.7	X	1.69	0.8	3.2	X	0.154	0.03	10.4	0.08	0.67			
MBA0826	X	0.14	0.017	22.1	4.5	0.044	94.4	0.9	0.09	13	10.2	7.4	3.78	9.3	X	0.14	2.													

Mt Devan Auger Sampling Results

Sample ID W_ppm Y_ppm Yb_ppm Zn_ppm Zr_ppm

MBAD832	X	6.03	0.72	17	7.3
MBAD833	X	5.52	0.58	15	6.3
MBAD834	X	2.94	0.34	13	7
MBAD835	X	3.35	0.33	14	5.1
MBAD836	X	2.84	0.28	11	6.2
MBAD837	X	3.38	0.37	11	5.3
MBAD838	X	3.79	0.39	13	6.7
MBAD839	X	3.1	0.33	13	6.2
MBAD840	X	3.49	0.33	14	5.8
MBAD841	X	2.88	0.29	12	6.4
MBAD842	X	3.28	0.33	11	6.3
MBAD843	X	6	0.64	13	7.4
MBAD844	X	4.37	0.48	11	4.9
MBAD845	X	2.5	0.28	13	7.6
MBAD846	X	2.35	0.25	10	6.6
MBAD847	X	2.27	0.24	10	6.7
MBAD848	X	2.41	0.27	9	6
MBAD849	X	3.51	0.36	13	6.2
MBAD850	X	7.05	0.81	23	6.2
MBAD852	X	6.46	0.66	20	5.2
MBAD853	X	3.18	0.33	13	6.1
MBAD854	X	2.91	0.32	12	6.2
MBAD855	X	3.53	0.39	12	8.2
MBAD856	X	3.1	0.29	16	4.3
MBAD857	X	4.28	0.39	17	4.2
MBAD858	X	3.66	0.4	13	5.3
MBAD859	X	4.18	0.42	12	4.3
MBAD860	X	3.83	0.45	16	5
MBAD861	X	3.84	0.38	15	6.1
MBAD862	X	4.75	0.44	12	4.9
MBAD863	X	3.51	0.33	15	6.2
MBAD864	X	3	0.29	15	6.6
MBAD865	X	5	0.47	22	5.2
MBAD866	X	3.98	0.4	16	4.4
MBAD867	X	4.52	0.44	22	1.9
MBAD868	X	9.77	0.94	30	4.3
MBAD869	X	9.76	0.97	36	5.8
MBAD870	X	2.84	0.26	13	5.6
MBAD871	X	2.03	0.19	10	3.8
MBAD872	X	5.35	0.66	30	11.1
MBAD873	X	1.75	0.19	11	6.6
MBAD874	X	9.3	0.9	30	4.6
MBAD876	X	8.62	0.83	27	5.9
MBAD877	X	8.39	0.81	32	4
MBAD878	X	9.47	0.81	19	4.4
MBAD879	X	4.97	0.5	18	3.2
MBAD880	X	3.26	0.34	18	5.4
MBAD881	X	2.9	0.29	16	5.7
MBAD882	X	3.39	0.34	19	5.8
MBAD883	X	4.32	0.46	19	2.9
MBAD884	X	4.08	0.41	19	4.4
MBAD885	X	3.46	0.34	12	2
MBAD886	X	4.06	0.42	23	2.4

Note: x - Assays below detection limit for the element

Mt Devan Auger Sampling Results

Sample ID	Eastng	Northing	Elevation	Colour	Hydrochloric Acid Reaction	Depth of Best Reaction	Comments	Ag_ppm	As_ppm	Au_ppb	Ba_ppm	Be_ppm	Bi_ppm	Cd_ppm	Ce_ppm	Co_ppm	Cs_ppm	Cu_ppm	Dy_ppm	Er_ppm	Eu_ppm	Ga_ppm	Gd_ppm	Hf_ppm
Reaction																								
MBAD887	232997	6803001	441.6	Red Brown	0	0.5		0.03	1.5	1	13.7	0.34	0.13	0.03	11.8	3.6	0.56	15.6	0.58	0.33	0.13	4.02	0.74	0.18
MBAD888	233003	6803053	441.7	Light Brown	3	1.5		0.02	1	1	16.2	0.39	0.08	0.01	17	3.4	0.67	10.7	1.39	0.82	0.12	3.31	1.61	0.13
MBAD889	233004	6803499	439.4	Red Brown	0	1.5		0.04	1.2	1	14.2	0.28	0.17	0.02	17.4	3.1	0.44	12.5	0.66	0.38	0.18	3.77	0.99	0.15
MBAD890	232998	6803553	437.6	Red Brown	0	1.5		0.04	1.6	X	20.8	0.69	0.26	0.01	24.5	9.2	0.93	22.4	1.14	0.66	0.31	6.88	1.41	0.28
MBAD891	232995	6803599	434.3	Red Brown	0	1.5		0.05	1.3	X	29.2	0.53	0.31	0.02	23.5	9.2	0.84	25.3	1.31	0.8	0.35	5.6	1.57	0.22
MBAD892	232993	6803653	436.6	Red Brown	0	1.5		0.04	1.5	1	35.9	0.71	0.33	0.02	30	11.5	1.05	27.9	1.38	0.8	0.39	7.04	1.68	0.22
MBAD893	233008	6803703	436.3	Red Brown	0	1.5		0.02	1.2	X	8.7	0.27	0.15	0.01	11.9	3	0.41	10.4	0.49	0.28	0.13	3.57	0.69	0.15
MBAD894	233001	6803751	439.7	Red Brown	0	1.5		0.02	1.2	X	10.4	0.27	0.15	X	12.5	2.6	0.42	8.1	0.39	0.23	0.1	3.97	0.57	0.17
MBAD895	233004	6803799	439.3	Red Brown	0	1.5		0.03	1	X	8.2	0.28	0.17	0.01	13.3	2.5	0.39	8.6	0.41	0.22	0.11	3.6	0.63	0.17
MBAD896	233007	6803850	436.7	Red Brown	0	1.5		0.03	0.9	X	10.4	0.28	0.15	0.01	13.5	2.5	0.44	8.5	0.43	0.23	0.12	4.02	0.63	0.17
MBAD897	232999	6803900	436	Red Brown	0	1.5		0.03	1.3	X	9.2	0.29	0.14	0.01	15.4	3.1	0.46	11.9	0.5	0.27	0.13	4.05	0.74	0.19
MBAD898	233001	6803950	439.8	Light Brown	3	1.5		0.03	1.5	2	37.7	0.47	0.15	0.02	17.4	4.5	0.69	15.7	1.21	0.75	0.24	5.35	1.42	0.18
MBAD899	232995	6804001	436	Light Brown	0	0.5		0.02	1.1	1	5.8	0.24	0.14	X	13.9	2	0.49	10.8	0.6	0.36	0.13	3.82	0.77	0.21
MBAD900	232999	6804193	436	Red Brown	0	1		0.03	1.4	X	12	0.31	0.15	0.02	20.4	4.6	0.45	12.8	0.74	0.41	0.18	3.71	1.01	0.2
MBAD902	232997	6804256	438.2	Red Brown	0	1.5		0.04	1	X	18.1	0.39	0.15	0.02	18	5.1	0.66	15.2	0.89	0.52	0.2	4.7	1.11	0.2
MBAD903	233001	6804302	440.8	Red Brown	0	1.5		0.03	1.2	X	8.2	0.34	0.16	0.01	21.8	4.1	0.54	12.9	0.98	0.58	0.22	4.1	1.23	0.17
MBAD904	233001	6804354	440	Tan Brown	3	1.5		0.03	1.1	X	20.9	0.38	0.14	0.03	17.4	4	0.5	15.5	0.97	0.6	0.2	3.93	1.18	0.1
MBAD905	232996	6804399	435.4	Tan Brown	3	1.5		0.03	1.2	X	27.3	0.38	0.15	0.02	22.4	4.8	0.69	20.8	1.35	0.82	0.26	4.42	1.51	0.1
MBAD906	233002	6804451	438.3	Red Brown	0	1.5		0.03	1.3	X	12.5	0.32	0.15	0.01	25.2	3	0.57	12.2	0.87	0.49	0.19	4.65	1.16	0.12
MBAD907	232998	6804499	438.6	Red Brown	0	1.5		0.06	0.9	X	9.3	0.35	0.17	0.01	23.7	3.1	0.48	11.6	0.63	0.34	0.16	4.74	0.95	0.2
MBAD908	233003	6804549	437.7	Tan Brown	3	1.5		0.03	1.1	1	35.7	0.47	0.16	0.02	18.2	4.5	0.6	16.4	1.07	0.63	0.24	4.47	1.21	0.14
MBAD909	233002	6804602	436.3	Tan Brown	3	1		0.03	1.1	X	61.7	0.7	0.17	0.03	24.7	5.1	0.71	19.2	1.78	1.09	0.38	5.34	1.92	0.16
MBAD910	233001	6804648	436.3	Tan Brown	3	1.5		0.03	1.5	2	65	0.45	0.13	0.03	14	6.1	0.72	21.8	1.33	0.79	0.3	4.04	1.45	0.1
MBAD911	233001	6804701	435.1	Tan Brown	3	1		0.03	1.1	X	18.3	0.42	0.15	0.03	22.2	5.2	0.69	20.2	1.27	0.76	0.28	4.31	1.55	0.09
MBAD912	233005	6804752	436	Red Brown	0	1.5		0.03	1.3	X	13.1	0.36	0.15	0.02	39.6	3.9	0.63	15.5	1.03	0.53	0.21	4.57	1.82	0.18
MBAD913	233003	6804802	437.7	Red Brown	0	1.5		0.03	1.3	X	10.6	0.41	0.17	0.01	36.3	4.1	0.6	10.8	0.78	0.4	0.19	5.07	1.28	0.26
MBAD914	233001	6804854	431.7	Red Brown	0	1.5		0.03	1.2	X	7.9	0.29	0.14	0.01	35.3	2.6	0.42	8.5	0.63	0.32	0.16	3.87	1.13	0.25
MBAD915	233002	6804904	434.6	Tan Brown	3	1.5		0.03	1.6	X	27.9	0.39	0.15	0.02	32	3.5	0.54	10.6	0.7	0.36	0.19	4.99	1.16	0.25
MBAD916	232997	6804953	431.3	Red Brown	0	1.5		0.03	1.1	X	9.4	0.31	0.14	0.01	37.1	2.6	0.5	8.9	0.66	0.31	0.17	4.25	1.2	0.25
MBAD917	233002	6805003	429.8	Red Brown	0	1.5		0.03	1.2	X	10.2	0.34	0.15	X	39.2	2.9	0.5	8.9	0.72	0.35	0.19	4.52	1.27	0.25
MBAD918	233001	6805053	433.3	Red Brown	0	1.5		0.04	1.3	X	9.3	0.31	0.15	X	40	2.7	0.46	10.1	0.72	0.36	0.19	3.95	1.28	0.24
MBAD919	232996	6805105	430.8	Tan Brown	3	1.5		0.04	1.4	X	35.1	0.39	0.15	0.02	29.4	3.8	0.52	11	0.75	0.39	0.21	5.04	1.22	0.22
MBAD920	232998	6805153	432.7	Red Brown	0	1.5		0.03	1.5	X	9.6	0.33	0.13	0.01	39	3	0.52	9.4	0.66	0.31	0.17	4.4	1.17	0.28
MBAD921	233004	6805200	435.6	Red Brown	0	1.5		0.03	1.7	2	15.4	0.33	0.14	0.02	40.9	2.6	0.61	10.4	0.68	0.34	0.18	4.59	1.29	0.28
MBAD922	233000	6805254	435.9	Red Brown	0	1.5		0.02	1.5	X	12.1	0.28	0.11	0.01	40	2.1	0.41	8.8	0.6	0.28	0.14	3.77	1.16	0.19
MBAD923	232997	6805300	434.8	Red Brown	0	1.5		0.02	1.3	X	15.3	0.29	0.11	0.01	35.9	2.3	0.47	7.9	0.61	0.28	0.15	3.81	1.1	0.2
MBAD924	233003	6805355	434.7	Red Brown	0	1.5		0.02	1.1	X	13.5	0.31	0.13	0.02	36	3.4	0.44	10.7	0.76	0.39	0.18	3.72	1.29	0.13
MBAD926	233006	6805404	436	Red Brown	0	1.5		0.02	2.2	2	16.6	0.27	0.11	X	33.5	2.7	0.38	9.6	0.75	0.42	0.16	3.44	1.15	0.12
MBAD927	233000	6805454	438.6	Red Brown	0	1.5		0.03	1.8	3	13.6	0.28	0.1	0.01	36.9	2.7	0.33	9.1	0.6	0.3	0.14	3.19	1.13	0.09
MBAD928	233000	6805498	440.4	Red Brown	0	1.5		0.02	1.4	2	14.9	0.37	0.12	0.02	36.4	3.4	0.42	10.2	1.04	0.57	0.21	3.94	1.49	0.15
MBAD929	233099	6805498	440.1	Tan Brown	3	1.5		X	1.1	X	12.1	0.24	0.09	X	17.2	1.9	0.3	7.8	0.41	0.21	0.1	2.52	0.66	0.07
MBAD930	233098	6805453	439.7	Red Brown	0	1.5		0.03	1.4	X	14.5	0.35	0.12	0.01	35.7	3.4	0.43	10.2	0.9	0.47	0.21	4.03	1.38	0.16
MBAD931	233098	6805400	436.6	Red Brown	0	1.5		0.02	1.4	1	13	0.31	0.13	X	32.1	2.7	0.45	11.1	0.	0.32	0.12	3.83	1.22	0.15
MBAD932	233122	6805379	435.9	Red Brown	0	1.5		0.03	1.6	X	13.4	0.39	0.02	0.01	33.5	3.5	0.59	10.1	0.76	0.39	0.2	4.63	1.2	0.11
MBAD933	233111	6805292	467.7	Red Brown	0	1.5		0.02	1.4	X	13.6	0.33	0.12	0.02	32	2.8	0.49	10.3	0.65	0.33	0.17	4.08	1.14	0.17
MBAD934	233049	6805249	448.2	Red Brown	0	1.5		0.02	1.3	X	10.8	0.27	0.11	0.01	35.6	2.2	0.39	6.8	0.58	0.27	0.15	3.58	1.11	0.16
MBAD935	233109	6805200	446.9	Red Brown	0	1.5		X	1.2	X	9.6	0.26	0.11	0.01	35.9	2.3	0.42	8.1	0.58	0.28	0.15	3.58	1.1	0.19
MBAD936	233096	6805147	446	Tan Brown	3	1.5		0.02	1.4	1	47.2	0.36	0.1	0.02	26.7	3.1	0.62	11.4	0.63	0.33	0.18	5.15	1.03	0.11
MBAD937	233086	6805105	439.5	Red Brown	0	1.5		0.03	1	X	8.6	0.83	0.38	0.02	23.6	4.7	0.47	11.6	0.84	0.46	0.21	22.1	1.18	0.42
MBAD938	233103	6805105	439.6	Red Brown	0	1.5		X	1.2	X	14.9	0.24	0.13	0.02	37	4.1	0.41	9.9	0.8	0.42	0.21	3.83	1.4	0.15
MBAD939	233101	6805008	461	Red Brown	0	1.5		0.03	1.2	X	9.9	0.32	0.12	0.01	35.1	2.8	0.47	10.1	0.74	0.37	0.18	4.01	1.27	0.21
MBAD940	233101	6804954	462	Red Brown	0	1.5		0.02	1.4	X	11.6	0.31	0.12	0.01	35.5	2.5	0.49	8.2	0.68	0.33	0.17	4.16	1.18	0.17
MBAD941	233096	6804901	442.4	Red Brown	0	1.5		X	1.5	X	11.8	0.28	0.12	0.02	36.2	3	0.49	11	0.67	0.33	0.17	4.2	1.19	0.18

Mt Devan Auger Sampling Results																																				
Sample ID	Hg_ppm	Ho_ppm	In_ppm	La_ppm	U_ppm	Lu_ppm	Mo_ppm	Mo_ppm	Nb_ppm	Nd_ppm	Ni_ppm	Pb_ppm	Pr_ppm	Rb_ppm	Re_ppm	Sb_ppm	Sc_ppm	Se_ppm	Sm_ppm	Sn_ppm	Sr_ppm	Ta_ppm	Tb_ppm	Te_ppm	Th_ppm	Ti_ppm	U_ppm									
MBA0887	X	0.1	0.015	6.33	4.8	0.044	185	1.06	0.57	4.93	12.3	5.5	1.35	10	X	0.12	3.4	X	0.87	0.76	4.8	X	0.103	0.02	4.74	0.08	0.49									
MBA0888	0.02	0.26	0.01	7.51	5.5	0.115	99.3	1.43	1.87	7.8	9.2	8.3	2.03	12.9	X	0.06	2.8	X	2.08	0.89	6	X	0.238	0.02	6.45	0.13	1.59									
MBA0889	X	0.12	0.015	8.99	3.5	0.052	147	0.75	0.17	7.4	10.9	6.7	2.02	8.44	X	0.12	3	X	1.33	0.78	4.9	X	0.125	0.03	6.66	0.07	0.4									
MBA0890	X	0.21	0.025	9.75	8.7	0.096	242	0.95	0.07	9.14	20.6	9	2.32	15.2	X	0.11	6.9	X	1.73	1.12	5.4	X	0.2	0.03	7.37	0.17	0.84									
MBA0891	X	0.24	0.026	9.04	6.2	0.116	343	1.02	0.07	9.12	21.8	8.1	2.32	11.7	X	0.09	7.4	X	1.77	0.92	6.8	X	0.227	0.03	6.1	0.13	0.91									
MBA0892	X	0.25	0.03	9.58	9.1	0.114	397	1.03	0.05	9.69	22.9	10.3	2.49	14.8	X	0.1	8.5	X	1.94	1.13	6.4	X	0.241	0.03	7.57	0.21	1.14									
MBA0893	X	0.09	0.014	6.23	3.2	0.04	143	0.75	0.15	4.8	9	5.1	1.33	7.08	X	0.11	2.8	X	0.85	0.63	2.7	X	0.091	0.04	4.95	0.07	0.4									
MBA0894	X	0.07	0.012	6.44	3.7	0.03	95.3	0.78	0.18	4.76	8.9	5.2	1.35	7.61	X	0.09	2.4	X	0.79	0.75	3.1	X	0.076	0.02	5.37	0.07	0.4									
MBA0895	X	0.07	0.015	6.8	3.8	0.031	84.2	0.88	0.08	5.06	8.5	5.3	1.42	6.55	X	0.09	2.5	X	0.83	0.67	3.9	X	0.079	0.03	5.77	0.07	0.41									
MBA0896	X	0.07	0.015	6.91	4.6	0.032	92	0.73	0.07	5.09	9	5.7	1.41	8.78	X	0.07	2.5	X	0.83	0.71	4.5	X	0.084	X	6.02	0.08	0.5									
MBA0897	X	0.08	0.015	7.64	4	0.035	149	1.51	0.16	5.83	9.2	6.8	1.61	8.05	X	0.14	2.9	X	1.02	0.93	3.3	X	0.095	0.03	6.19	0.08	0.53									
MBA0898	X	0.23	0.019	10.5	5.4	0.113	180	1.25	0.11	8.71	15.3	9.1	2.33	16.2	X	0.09	5	X	1.69	1.16	23.9	X	0.201	0.03	6.4	0.16	0.88									
MBA0899	X	0.11	0.014	7.14	3.6	0.052	73.1	0.71	0.13	5.55	6.8	7	1.51	8.47	X	0.23	3	X	0.98	0.73	2.2	X	0.108	0.02	6.51	0.08	1.16									
MBA0900	X	0.13	0.016	10.2	3.5	0.052	158	0.76	0.3	7.62	11.3	6.6	2.1	8.32	X	0.11	3.8	X	1.31	0.77	7	X	0.138	0.03	6.53	0.08	0.48									
MBA0902	X	0.16	0.017	9.43	5	0.079	191	0.67	0.05	7.22	15.5	7.7	1.98	14	X	0.09	4.4	X	1.29	0.91	7.7	X	0.155	0.02	6.32	0.14	0.62									
MBA0903	X	0.18	0.016	10.1	4	0.084	162	0.95	0.1	8.01	10	8	2.18	9.3	X	0.11	3.6	X	1.43	0.76	4.7	X	0.172	0.03	6.71	0.12	0.77									
MBA0904	X	0.19	0.015	9.43	3.4	0.087	154	0.68	0.09	7.22	14	7.8	1.99	13.3	X	0.08	3.7	X	1.35	0.71	37.2	X	0.168	0.03	5.94	0.12	0.45									
MBA0905	X	0.24	0.018	10.5	3.8	0.126	185	1.77	0.16	8.64	14.3	9.5	2.29	15.8	X	0.1	4.3	X	1.65	0.85	94.8	X	0.223	0.03	6.36	0.17	0.77									
MBA0906	X	0.16	0.017	12.1	4.1	0.077	187	1.23	0.18	8.43	10.7	10.2	2.45	10.3	X	0.16	3.6	X	1.45	0.91	4	X	0.16	0.03	7.55	0.1	1.16									
MBA0907	X	0.11	0.017	11.2	4.6	0.046	138	1.29	0.14	7.83	9.3	8.6	2.19	8.09	X	0.11	3.5	X	1.27	0.79	3.3	X	0.125	X	7.46	0.08	1.25									
MBA0908	X	0.19	0.019	8.81	4.3	0.09	237	1.3	0.17	7.54	13.3	13.5	1.94	12.1	X	0.1	5.5	X	1.37	0.77	41.2	X	0.181	0.03	6.5	0.2	1.76									
MBA0909	X	0.33	0.022	12.8	5.2	0.169	348	1.55	0.08	10.6	19.1	14.2	2.81	16	X	0.09	6.7	X	2.05	0.9	24.9	X	0.296	0.04	6.83	0.27	2.25									
MBA0910	X	0.24	0.017	7.34	3.1	0.119	226	1.65	0.2	7.1	18.1	7.6	1.76	12.7	X	0.09	5.3	0.6	1.45	0.65	101	X	0.214	0.05	4.53	0.16	1.19									
MBA0911	X	0.24	0.017	10.8	3.9	0.116	278	2.64	0.17	9.23	14.7	9.3	2.37	14.1	X	0.08	5.6	X	1.74	0.68	8.8	X	0.22	0.03	6.24	0.12	1.64									
MBA0912	X	0.17	0.018	18.9	4.6	0.07	174	1.53	0.11	14.6	12	9.9	4.04	11.5	X	0.12	4.3	X	2.7	0.82	5.5	X	0.217	0.03	11	0.11	1.07									
MBA0913	X	0.13	0.017	17.8	5.1	0.052	131	1.43	0.16	11.6	10.2	8.4	3.36	10.3	X	0.11	3.8	X	1.79	0.81	4.1	X	0.158	0.03	11.1	0.1	0.92									
MBA0914	X	0.11	0.014	17.3	3.5	0.036	124	1.49	0.17	10.8	7.2	6.5	3.17	7.12	X	0.11	2.5	X	1.59	0.75	3.8	X	0.135	0.03	11.7	0.07	0.82									
MBA0915	X	0.12	0.017	15.9	3.7	0.042	124	0.98	0.04	10.1	12.4	7.6	2.92	12	X	0.1	3.5	X	1.48	0.88	26.4	X	0.146	0.03	11.8	0.09	0.63									
MBA0916	X	0.11	0.014	19.2	3.8	0.034	104	1.01	0.09	11.8	8.4	7	3.48	9.01	X	0.11	2.8	X	1.69	0.75	5.2	X	0.14	0.02	11.5	0.08	0.63									
MBA0917	X	0.12	0.015	21.2	4.3	0.039	104	0.85	0.1	12.3	9.2	7.7	3.65	9.38	X	0.11	2.9	X	1.85	0.81	4.1	X	0.154	0.03	11.7	0.09	0.61									
MBA0918	X	0.12	0.015	20.2	3.8	0.039	103	1.06	0.13	12.7	8.1	7.7	3.69	7.94	X	0.12	2.8	X	1.89	0.75	3.9	X	0.155	0.03	11.4	0.09	0.63									
MBA0919	X	0.13	0.018	14.4	4	0.046	162	1.06	0.1	9.88	12.7	7.4	2.8	11.4	X	0.1	3.4	X	1.55	0.91	44.3	X	0.155	0.03	9.18	0.11	0.64									
MBA0920	X	0.1	0.015	19.5	4.6	0.035	103	1.03	0.13	11.5	8.3	7.8	3.41	9.03	X	0.13	2.8	X	1.71	0.86	4.4	X	0.144	0.02	11.3	0.08	0.73									
MBA0921	X	0.11	0.016	23.1	4.6	0.035	106	2.53	0.06	12.8	10	7.4	3.74	11.5	X	0.14	2.8	X	1.93	0.9	6.1	X	0.157	0.02	11.7	0.09	0.64									
MBA0922	X	0.09	0.011	22.2	3.6	0.027	109	0.77	0.15	12.2	8.4	6.8	3.69	8.6	X	0.12	2.1	X	1.7	0.77	5.4	X	0.135	0.03	11.5	0.07	0.59									
MBA0923	X	0.1	0.012	19.1	3.8	0.03	99	0.54	0.07	11.3	8.9	7	3.33	9.36	X	0.09	2.3	X	1.6	0.76	4.8	X	0.128	0.03	10.3	0.08	0.52									
MBA0924	X	0.13	0.013	18.2	4	0.044	186	0.72	0.05	12	9.4	12.9	3.38	8.97	X	0.08	2.7	X	1.79	0.67	5.6	X	0.154	X	10.1	0.15	0.57									
MBA0926	X	0.13	0.012	17	3.3	0.05	108	0.45	0.05	10.6	9.6	8.4	3.17	9.11	X	0.07	2.2	X	1.61	0.61	6	X	0.145	X	9	0.08	0.45									
MBA0927	X	0.1	0.012	20.2	3	0.033	108	0.73	0.13	11.6	8.1	7.1	3.36	6.83	X	0.09	2.1	X	1.66	0.59	5.4	X	0.134	X	9.87	0.08	0.53									
MBA0928	X	0.18	0.015	21	3.8	0.077	121	0.75	0.11	12.7	9.5	9.8	3.64	9.21	X	0.07	2.9	X	1.96	0.67	6.4	X	0.195	0.02	9.97	0.15	0.84									
MBA0929	X	0.07	0.009	9.22	2.8	0.027	80.2	0.5	0.1	6.15	6.8	4.8	1.74	5.96	X	0.07	1.8	X	0.92	0.45	10.1	X	0.085	0.02	5.36	0.06	0.36									
MBA0930	X																																			

Mt Devan Auger Sampling Results																										
Sample ID	Easting	Northing	Elevation	Colour	Hydrochloric Acid Reaction	Depth of Best Reaction	Comments	Ag_ppm	As_ppm	Au_ppb	Ba_ppm	Be_ppm	Bi_ppm	Cd_ppm	Ce_ppm	Co_ppm	Cs_ppm	Cu_ppm	Dy_ppm	Er_ppm	Eu_ppm	Ga_ppm	Gd_ppm	Hf_ppm	Th_ppm	
MBA0942	233101	6804848	445.2	Tan Brown	3	1.5		0.02	1.8	X	18.9	0.47	0.14	0.02	32	4.4	0.8	15.4	0.94	0.51	0.22	5.25	1.35	0.2		
MBA0943	233096	6804804	433.8	Red Brown	0	1.5		X	1.5	X	10.4	0.48	0.14	0.02	33.1	5.9	0.73	15.6	1.22	0.73	0.24	4.4	1.48	0.18		
MBA0944	233101	6804751	437.3	Red Brown	0	1.5		0.02	1.4	X	20.9	0.52	0.15	0.02	31.9	5.4	0.74	15.8	1.08	0.63	0.23	5.57	1.37	0.2		
MBA0945	233099	6804705	440.6	Tan Brown	3	1.5		0.02	1.3	X	19.4	0.45	0.18	0.02	31	5.5	0.5	17.6	1.36	0.82	0.27	4.97	1.37	0.12		
MBA0946	233109	6804655	439.9	Tan Brown	3	1.5		0.02	1.2	X	21.4	0.44	0.15	0.02	26	5.8	0.53	18.5	1.04	0.59	0.25	4.34	1.37	0.09		
MBA0947	233103	6804603	440.9	Tan Brown	3	1.5		0.03	1.3	X	17.4	0.43	0.15	0.02	26.3	4.7	0.61	16.4	1.18	0.68	0.25	4.25	1.46	0.18		
MBA0948	233101	6804553	445.5	Tan Brown	3	1.5		0.02	1.1	X	16.9	0.4	0.14	0.01	21.8	4	0.53	16.6	0.87	0.48	0.19	4.41	1.09	0.1		
MBA0949	233103	6804504	440.8	Tan Brown	3	1.5		0.02	2	1	30.2	0.46	0.14	0.02	18.3	4.9	0.56	20.6	1.06	0.64	0.23	4.41	1.24	0.08		
MBA0950	233107	6804546	436	Red Brown	0	1.5		0.02	1.1	X	16.9	0.4	0.17	0.02	27.5	3.5	0.53	13.8	0.86	0.47	0.19	4.7	1.21	0.12		
MBA0952	233105	6804399	440.3	Tan Brown	3	1.5		0.03	1	X	20.8	0.51	0.18	0.02	22.2	5.9	0.64	19.7	1.3	0.77	0.3	5.53	1.53	0.1		
MBA0953	233106	6804352	441	Red Brown	0	1.5		X	1.3	X	8.9	0.41	0.16	X	15	5.2	0.49	14.2	0.96	0.6	0.21	4.15	1.12	0.14		
MBA0954	233104	6804302	442	Tan Brown	2	1		0.02	1.4	X	13.8	0.45	0.14	0.01	15.2	6	0.56	13.6	1.09	0.68	0.24	4.29	1.26	0.1		
MBA0955	233105	6804253	442.4	Red Brown	0	1.5		0.02	1.4	1	10.9	0.41	0.14	0.01	18.4	4.5	0.63	13.6	0.79	0.48	0.18	4.44	1.01	0.19		
MBA0956	233103	6803998	437.1	Tan Brown	3	1.5		0.02	1.4	X	21.3	0.43	0.15	0.02	16.4	4.6	0.52	14.7	0.76	0.45	0.17	4.22	0.96	0.16		
MBA0957	233109	6803945	438	Red Brown	0	1.5		X	1.3	X	10	0.32	0.15	X	14.6	3.1	0.51	9.6	0.49	0.27	0.13	4.52	0.72	0.2		
MBA0958	233104	6803901	439.9	Red Brown	0	1.5		0.02	1.5	X	8.1	0.35	0.16	X	13.3	2.7	0.46	9.7	0.45	0.25	0.12	4.41	0.65	0.21		
MBA0959	233108	6803851	436.9	Red Brown	0	1.5		0.03	1.5	X	11.5	0.34	0.14	0.01	13.2	3	0.48	9.5	0.51	0.27	0.14	4.67	0.68	0.22		
MBA0960	233108	6803805	437.2	Red Brown	0	1.5		0.02	1.3	X	9.4	0.27	0.15	X	12.7	2.2	0.41	7.8	0.38	0.2	0.11	3.7	0.59	0.17		
MBA0961	233107	6803751	437	Red Brown	0	1.5		X	1.2	X	10.5	0.32	0.18	0.01	16.6	2.8	0.52	8.8	0.54	0.3	0.13	4.29	0.75	0.2		
MBA0962	233109	6803699	439.5	Red Brown	0	1.5		X	1.6	1	11.3	0.45	0.19	0.01	16.8	4	0.67	12.9	0.75	0.43	0.17	5.33	0.93	0.24		
MBA0963	233100	6803650	436.5	Red Brown	0	1.5		X	1.5	X	7.7	0.32	0.19	0.01	15	2.4	0.61	13	0.81	0.48	0.21	4.64	1.04	0.22		
MBA0964	233104	6803600	437.3	Red Brown	1	1.5		0.02	1.5	X	15.5	0.59	0.27	0.02	18.7	7.8	0.87	23.2	0.97	0.56	0.26	6.05	1.19	0.22		
MBA0965	233100	6803050	436.8	Cream	0	1		0.02	1.9	2	3.5	0.26	0.08	X	6.31	1.7	0.91	9.8	0.77	0.5	0.05	3.31	0.64	0.2		
MBA0966	233098	6802999	445.1	Cream	3	0.5	Rocky horizon;	X	1.8	4	44.8	0.58	0.09	0.02	5.62	12	0.56	36.2	0.56	0.34	0.14	2.94	0.59	0.09		
MBA0967	233102	6802948	443.6	Cream	3	1.5	Rocky horizon;	X	0.8	9	39.4	0.39	0.11	0.02	4.8	11.9	1.11	49.6	0.71	0.46	0.14	4.34	0.66	0.14		
MBA0968	233102	6802891	443.6	Grey	0	0.5	Rocky horizon;	X	0.8	X	21.6	0.17	0.06	0.01	7.72	8.2	0.21	19.4	0.96	0.59	0.24	2.93	0.93	0.1		
MBA0969	233099	6802849	444.5	Red Brown	0	0.5	Rocky horizon;	X	1.1	X	13.6	0.31	0.16	0.02	13.1	5.7	0.43	17.4	0.7	0.42	0.16	3.62	0.84	0.18		
MBA0970	233104	6802797	450.6	Tan Brown	1	0.5	Rocky horizon;	0.04	0.7	X	18.4	0.3	0.14	0.03	12.1	8.2	0.53	51.2	0.64	0.38	0.18	3.37	0.82	0.17		
MBA0971	233104	6802747	447.5	Cream	3	0.5	Rocky horizon;	X	0.9	9	31.7	0.3	0.07	0.04	4.62	8.5	0.18	70.2	0.59	0.35	0.14	3.02	0.56	0.04		
MBA0972	233100	6802697	443.9	Tan Brown	3	0.5	Rocky horizon;	X	0.9	X	19.9	0.35	0.18	0.05	16.3	5.6	0.62	26.2	1.03	0.57	0.24	4.1	1.28	0.1		
MBA0973	233101	6802643	444.3	Cream	3	1.5	Rocky horizon;	X	1.8	2	36.4	0.21	0.06	0.02	3.83	9.1	0.49	51.3	0.51	0.32	0.13	3.38	0.5	0.11		
MBA0974	233099	6802607	437.6	Tan Brown	3	0.5		X	1.2	3	37.4	0.3	0.11	0.04	8.88	7	0.51	23.9	0.69	0.4	0.18	3.21	0.84	0.04		
MBA0975	233106	6802544	436.3	Red Brown	0	0.5	Old workings;	X	1.2	2	28.7	0.34	0.15	0.04	12	5.2	0.52	20.3	0.75	0.41	0.19	4.01	0.97	0.03		
MBA0976	233093	6802508	439.9	Red Brown	0	0.5	Old workings;	0.02	1.5	1	20.1	0.51	0.32	0.04	17.8	8.3	0.7	28.6	1.28	0.73	0.34	5.09	1.56	0.13		
MBA0977	233099	6802449	434.6	Tan Brown	0	1		0.03	1.7	2	42.3	0.69	1.95	0.06	26.8	13.9	1.17	40.3	1.73	1.01	0.47	6.43	2.08	0.17		
MBA0978	233193	6802653	439.7	Cream	3	1.5		X	1.7	3	44.1	0.25	0.09	0.01	3.13	6.2	0.34	49.4	0.48	0.3	0.12	6.28	0.52	0.16		
MBA0979	233208	6802598	438.9	Tan Brown	3	1		0.04	1.3	9	73.2	0.32	0.09	0.05	7.73	5.1	0.47	33.4	0.72	0.41	0.19	3.36	0.87	0.08		
MBA0981	233197	6802748	430	Tan Brown	3	0.5		X	3.2	5	60.5	0.48	0.14	0.09	14.4	8.8	0.86	36.6	1.11	0.65	0.3	4.57	1.4	0.08		
MBA0982	233196	6802797	432.9	Tan Brown	3	0.5		X	1.9	3	38.4	0.46	0.13	0.08	12.9	8.5	0.9	38.1	1.01	0.57	0.27	4.41	1.26	0.07		
MBA0983	233201	6802847	442.9	Cream	3	0.5	Granite outcrops;	X	2.7	4	32.5	0.51	0.05	0.04	4.53	13.4	1.19	52.5	0.95	0.63	0.14	2.01	0.87	0.09		
MBA0984	233204	6802899	445.2	Tan Brown	3	0.5	Rocky horizon;	0.34	2	4	32.4	0.37	0.1	0.04	11.3	6.3	0.83	34.4	0.81	0.48	0.16	3.87	1	0.06		
MBA0985	233197	6804803	436.6	Red Brown	0	1.5		0.04	1.3	1	12.9	0.42	0.13	0.02	27.7	4.8	0.47	14.6	0.89	0.48	0.17	4.1	1.27	0.19		
MBA0986	233200	6804843	437	Red Brown	0	1.5		0.03	1.1	X	11.6	0.35	0.14	0.01	28.8	4	0.51	12.7	0.8	0.44	0.17	3.92	1.22	0.18		
MBA0987	233195	6804894	439.2	Red Brown	0	1.5		0.03	1.4	1	9	0.35	0.13	0.01	29.4	4.3	0.45	10.1	0.88	0.5	0.19	3.67	1.27	0.17		
MBA0988	233194	6804942	436.8	Red Brown	0	1.5		0.03	1.2	X	7.9	0.26	0.12	X	29.1	2.3	0.52	8.7	0.88	0.46	0.2	4.06	1.3	0.22		
MBA0989	233199	6804993	436.9	Red Brown	0	1.5		0.05	1.3	X	8	0.34	0.15	X	34.9	4.8	0.64	10.1	1.03	0.53	0.24	4.75	1.5	0.22		
MBA0990	233205	6805044	437.1	Red Brown	0	1.5		0.06	0.8	X	11.3	0.4	0.17	0.01	36.3	4	0.68	11.7	0.9	0.43	0.22	4.82	1.42	0.18		
MBA0991	233200	6805092	437.1	Red Brown	0	1.5		0.02	1.1	X	10.3	0.35	0.13	0.02	38.1	2.9	0.56	8.1	0.67	0.29	0.17	4.53	1.21	0.25		
MBA0992	233199	6805148	439.7	Red Brown	0	1.5		0.03	0.9	X	9.3	0.32	0.12	0.01	32.4	2.9	0.53	7.5	0.63	0.27	0.16	4.27	1.09	0.22		
MBA0993	233207	6805195	440.2	Red Brown	0	1.5		0.03	1.2	X	8.5	0.27	0.12	0.01	37.9	2.3	0.47	6.3	0.56	0.21	0.13	3.83	1.12	0.24		
MBA0994	233202	6805245	441	Red Brown	0	1.5		0.04	1.1	X	9.3	0.3	0.12	0.01	34.3	2.4	0.49	7.6	0.6	0.25	0.15	3.81	1.08	0.2		
MBA0995	233204	6805297	440.4	Red Brown	0	1.5		X	0.9	X	10.3	0.31	0.14	0.02	34	2.8	0.52	8.9	0.72	0.31	0.18	4.05	1.23	0.08		
MBA0996	233201	6805352	439.6	Tan Brown	3	1.5		0.03	1.1	1	32.2	0.48	0.19	0.03	26.9	5.2	0.75	18.7	1.1	0.57	0.28	4.66	1.4	0.09		

Mt Devan Auger Sampling Results

Sample ID W_ppm Y_ppm Yb_ppm Zn_ppm Zr_ppm

MBA0942	X	4.41	0.48	16	7
MBA0943	X	6.12	0.79	14	6.1
MBA0944	X	5.83	0.62	16	7
MBA0945	X	8.19	0.81	17	4.3
MBA0946	X	5.67	0.58	18	3.6
MBA0947	X	6.25	0.7	16	5.3
MBA0948	X	4.37	0.5	15	3.7
MBA0949	X	5.64	0.69	17	3.2
MBA0950	X	4.34	0.48	13	3.5
MBA0952	X	7.49	0.8	17	2.9
MBA0953	X	5.36	0.63	14	5
MBA0954	X	6.3	0.66	16	4.5
MBA0955	X	4.55	0.47	14	6.1
MBA0956	X	3.94	0.46	13	5.5
MBA0957	X	2.79	0.26	11	6
MBA0958	X	2.12	0.23	10	6.8
MBA0959	X	2.4	0.27	11	6.9
MBA0960	X	1.87	0.2	9	5.7
MBA0961	X	2.58	0.29	11	5.4
MBA0962	X	3.67	0.46	12	7.2
MBA0963	X	4.29	0.5	11	7
MBA0964	X	5.32	0.59	21	7
MBA0965	1	4.88	0.67	13	3.8
MBA0966	X	3.26	0.32	14	2.7
MBA0967	X	4.96	0.51	16	3.8
MBA0968	X	5.29	0.6	9	2.1
MBA0969	X	3.77	0.48	15	5.3
MBA0970	X	3.5	0.36	15	5.3
MBA0971	X	3.24	0.34	11	1.2
MBA0972	X	5.33	0.52	21	3.6
MBA0973	X	3.08	0.32	13	2.6
MBA0974	X	3.86	0.38	15	1.4
MBA0975	X	4.17	0.4	17	1.4
MBA0976	X	6.54	0.7	23	4.5
MBA0977	X	9.47	0.94	31	5.4
MBA0978	X	3.12	0.31	23	4
MBA0979	X	4.29	0.38	15	2.2
MBA0981	X	6.83	0.62	21	2.4
MBA0982	X	6.13	0.53	22	2.3
MBA0983	X	8.84	0.59	13	3.4
MBA0984	X	5.1	0.54	17	2
MBA0985	X	4.7	0.45	15	5.8
MBA0986	X	4.04	0.4	13	6
MBA0987	X	4.8	0.46	11	5.8
MBA0988	X	4.67	0.46	11	6.3
MBA0989	X	5.39	0.53	12	7
MBA0990	X	4.58	0.39	14	5.6
MBA0991	X	3.13	0.29	13	7.4
MBA0992	X	2.79	0.26	12	7.1
MBA0993	X	2.48	0.2	11	7.4
MBA0994	X	2.75	0.24	11	6.3
MBA0995	X	3.42	0.28	14	3.8
MBA0996	X	5.58	0.57	22	3.8

Note: x - Assays below detection limit for the element

Mt Devan Auger Sampling Results																										
Sample ID	Eastng	Northing	Elevation	Colour	Hydrochloric Acid Reaction	Depth of Best Reaction	Comments	Ag_ppm	As_ppm	Au_ppb	Ba_ppm	Be_ppm	Bi_ppm	Cd_ppm	Ce_ppm	Co_ppm	Cs_ppm	Cu_ppm	Dy_ppm	Er_ppm	Eu_ppm	Ga_ppm	Gd_ppm	Hf_ppm		
MBA0997	233203	6805398	438.9	Red Brown	0	1.5		0.04	1	X	12	0.36	0.15	0.01	29.7	3.9	0.59	10.9	0.77	0.35	0.19	3.97	1.19	0.18		
MBA0998	233202	6805447	440.7	Red Brown	0	1.5		0.05	1.3	X	14	0.39	0.13	0.01	25.9	3.8	0.59	13.1	0.8	0.41	0.19	3.91	1.14	0.17		
MBA0999	233210	6805502	440.4	Tan Brown	3	1.5		0.07	1.3	5	34.2	0.53	0.14	0.02	25.6	6.9	0.63	13.2	0.96	0.5	0.25	4.35	1.3	0.09		
MBA1000	233199	6804600	439	Red Brown	0	1.5		0.04	1.2	X	14.4	0.47	0.18	0.02	23.3	6.6	0.63	16.9	1.01	0.55	0.21	4.27	1.24	0.17		
MBA1002	233200	6804551	435.1	Red Brown	0	1.5		0.05	1.3	1	12.6	0.44	0.17	0.01	22	5.3	0.58	14.1	0.91	0.48	0.19	4.29	1.17	0.17		
MBA1003	233206	6804499	430.6	Red Brown	0	1.5		0.05	1.6	X	10.3	0.46	0.16	0.01	21	3.9	0.55	11.7	1.04	0.57	0.2	4.58	1.3	0.18		
MBA1004	233204	6804451	431.4	Red Brown	0	1.5		0.05	1.3	X	11.1	0.47	0.16	X	21.5	4.5	0.6	11	1.01	0.52	0.18	4.6	1.18	0.22		
MBA1005	233192	6804404	435	Red Brown	0	1.5		0.03	1.4	X	9.8	0.46	0.16	X	23	4.4	0.63	11.9	0.96	0.51	0.19	4.68	1.21	0.23		
MBA1006	233200	6804355	434.6	Tan Brown	3	1.5		0.23	0.9	1	15.1	0.5	0.17	0.03	20.9	6.7	0.53	16.8	1.21	0.7	0.22	4.38	1.45	0.16		
MBA1007	233204	6804302	431.1	Tan Brown	3	0.5		0.02	1	1	18.4	0.37	0.15	0.03	16.8	4.3	0.53	15.9	0.89	0.5	0.17	3.74	1.1	0.11		
MBA1008	233209	6803950	431	Red Brown	0	1.5		0.07	1.2	X	10.7	0.34	0.14	0.01	17.5	3.3	0.52	8.6	0.52	0.24	0.13	4.03	0.84	0.24		
MBA1009	233202	6803906	429.5	Red Brown	0	1.5		0.05	1.6	1	8.1	0.27	0.17	0.01	14.7	1.7	0.6	9.9	0.64	0.31	0.18	4.32	0.9	0.23		
MBA1010	233202	6803845	434.3	Red Brown	0	1.5		0.03	1.7	X	11	0.3	0.14	0.01	13.4	2.9	0.48	10.2	0.49	0.27	0.13	4.06	0.69	0.2		
MBA1011	233206	6803796	432.7	Red Brown	0	1.5		0.23	1.7	X	14.5	0.38	0.16	0.01	15.4	3.8	0.55	12.7	0.71	0.39	0.18	4.6	0.93	0.18		
MBA1012	233201	6803742	433.4	Red Brown	0	1.5		0.15	1.8	X	14.4	0.4	0.16	0.02	16.6	4.6	0.51	11.1	0.65	0.37	0.18	4.26	0.89	0.17		
MBA1013	233204	6803692	434.3	Red Brown	0	1.5		0.05	1.7	X	9.5	0.26	0.15	X	13	3	0.43	9.5	0.49	0.27	0.12	3.98	0.69	0.17		
MBA1014	233198	6803002	439.7	Cream	3	0.5		1.03	1.8	3	76.8	0.26	0.05	0.02	3.11	5.5	0.43	44	0.31	0.18	0.08	2.61	0.33	0.06		
MBA1015	233200	6802954	443.5	Light Brown	3	0.5		X	2.3	3	27.3	0.4	0.13	0.04	8.19	7.8	0.53	38	0.55	0.33	0.15	4.85	0.69	0.08		
MBA1016	233297	6804401	449.1	Tan Brown	0	1.5		0.33	1.3	X	31.9	0.67	0.18	0.02	17.4	11.4	0.75	51.4	1.45	0.87	0.27	4.92	1.56	0.17		
MBA1017	233204	6804356	448	Red Brown	0	1.5		0.06	1.5	X	9.9	0.39	0.16	0.01	22.9	3.2	0.49	11.3	1.13	0.67	0.15	5.02	1.32	0.18		
MBA1018	233298	6804504	450.1	Tan Brown	3	1.5		0.2	1.2	X	19	0.46	0.16	0.02	23.4	4.1	0.56	15.9	1.01	0.58	0.19	4.59	1.33	0.17		
MBA1019	233298	6804552	447.7	Red Brown	0	0.5		0.03	1.3	X	17.9	0.48	0.24	0.02	23.9	5.8	0.34	18	1.14	0.64	0.18	3.96	1.38	0.15		
MBA1020	233296	6804802	443.7	Red Brown	0	0.5		0.12	1.5	1	8.2	0.43	0.13	X	27.1	2.7	0.43	8.9	1.01	0.59	0.14	4.07	1.24	0.16		
MBA1021	233301	6804852	443.6	Tan Brown	0	1.5		0.16	1.3	X	8.9	0.4	0.1	0.01	27.4	2.8	0.4	9.1	1.25	0.74	0.15	3.5	1.4	0.19		
MBA1022	233297	6804899	441.9	Red Brown	0	1.5		0.08	1.4	X	11.3	0.49	0.13	0.01	24.4	4.7	0.44	12.8	1.03	0.58	0.19	4.15	1.26	0.18		
MBA1023	233297	6804952	439.4	Red Brown	0	1.5		0.19	1.5	1	10.6	0.38	0.15	0.01	26.1	3.9	0.5	10.9	0.89	0.48	0.19	3.93	1.21	0.13		
MBA1024	233294	6805006	442.7	Tan Brown	3	1.5		0.24	1.9	X	31.4	0.66	0.24	0.04	28.5	7.8	1.06	23.8	1.55	0.89	0.36	5.07	1.92	0.16		
MBA1026	233298	6805050	440.8	Red Brown	0	1.5		0.03	2.6	2	8.7	0.26	0.14	X	31.6	2.3	0.54	10.5	0.89	0.49	0.22	4.12	1.33	0.19		
MBA1027	233295	6805104	440.1	Red Brown	0	1.5		0.13	1.8	X	16.7	0.44	0.14	0.02	44	5.1	0.74	13.6	1.29	0.73	0.27	4.69	1.87	0.22		
MBA1028	233294	6805149	436.5	Red Brown	0	1.5		0.06	1.8	X	9.4	0.33	0.13	0.01	44.9	3.2	0.56	9	0.84	0.43	0.19	3.94	1.48	0.21		
MBA1029	233297	6805204	438	Red Brown	0	1.5		0.02	1.4	1	8.9	0.3	0.11	X	36.5	2.6	0.43	8.7	0.72	0.36	0.17	3.65	1.28	0.16		
MBA1030	233293	6805253	437.3	Red Brown	0	1.5		0.06	1.8	1	11.1	0.46	0.14	0.01	34	5.3	0.57	12.4	1	0.53	0.26	4.51	1.54	0.21		
MBA1031	233300	6805299	439.6	Red Brown	0	1.5		0.06	1.6	X	10.9	0.44	0.14	0.01	27.9	5.4	0.58	13	1	0.55	0.27	4.32	1.45	0.2		
MBA1032	233302	6805351	438	Red Brown	0	1.5		0.04	1.5	X	8.9	0.41	0.14	X	30.2	4.1	0.49	11.3	0.81	0.42	0.21	3.82	1.2	0.19		
MBA1033	233299	6805403	439.9	Tan Brown	3	1.5		0.05	1.2	X	19.1	0.41	0.18	0.02	22.4	5.4	0.51	23.4	0.83	0.47	0.22	3.75	1.17	0.09		
MBA1034	233297	6805457	437	Red Brown	0	1.5		0.04	1.2	X	12.9	0.43	0.15	X	24.9	4.9	0.51	14.5	0.7	0.37	0.18	3.78	0.99	0.17		
MBA1035	233297	6805506	432.2	Tan Brown	3	0.5		0.02	1.2	X	22.4	0.38	0.13	0.02	23.9	4.5	0.43	13.6	0.83	0.46	0.2	3.4	1.21	0.04		

Note: x - Assays below detection limit for the element

Mt Devan Auger Sampling Results																											
Sample ID	Hg_ppm	Ho_ppm	In_ppm	La_ppm	U_ppm	Lu_ppm	Mo_ppm	Mo_ppm	Nb_ppm	Nd_ppm	Ni_ppm	Pb_ppm	Pr_ppm	Rb_ppm	Re_ppm	Sb_ppm	Sc_ppm	Se_ppm	Sm_ppm	Sr_ppm	Ta_ppm	Tb_ppm	Te_ppm	Th_ppm	Ti_ppm	U_ppm	
MBA0997	X	0.13	0.015	14.8	4	0.049	142	1.08	0.08	9.55	10.5	7.3	3.04	9.8	X	0.09	3.3	X	1.55	0.83	5.6	X	0.15	0.03	8.82	0.08	0.66
MBA0998	X	0.14	0.014	13.7	3.9	0.055	142	1.2	0.15	9.1	12	7.3	2.82	10.7	X	0.12	3.3	X	1.45	0.74	7.1	X	0.148	0.03	7.81	0.09	0.63
MBA0999	0.02	0.18	0.016	12.8	4.7	0.069	214	0.86	0.16	8.85	16.5	8.6	2.77	10.6	X	0.1	3.9	X	1.55	1.01	23.2	X	0.176	0.04	7.39	0.1	0.6
MBA1000	X	0.18	0.017	11	4.5	0.083	255	1	0.1	8.16	13.9	7.3	2.5	12.8	X	0.1	4.3	X	1.5	0.78	7	X	0.174	0.03	7.12	0.11	0.72
MBA1002	X	0.17	0.015	10.4	4	0.077	204	1.02	0.21	7.53	11.6	8.3	2.27	10.1	X	0.1	4.3	X	1.35	0.77	4.6	X	0.157	0.02	7.49	0.1	0.9
MBA1003	X	0.19	0.015	10.1	3.9	0.086	237	0.94	0.21	8.36	9.8	9.2	2.33	10.3	X	0.1	3.6	X	1.45	0.89	3	X	0.177	0.02	7.57	0.11	1.12
MBA1004	X	0.18	0.016	9.76	4.5	0.087	231	0.91	0.25	7.26	10	8.7	2.19	9.92	X	0.11	3.5	X	1.36	0.85	3.1	X	0.169	0.03	7.82	0.12	1.01
MBA1005	X	0.18	0.016	10.9	4.5	0.084	196	0.88	0.17	7.9	10.6	9.7	2.44	9.75	X	0.11	3.6	X	1.48	0.96	4.3	X	0.169	0.03	7.9	0.13	0.91
MBA1006	X	0.23	0.016	11.2	4.8	0.114	189	1.02	0.13	8.14	15.8	9.5	2.47	9.87	X	0.09	4.1	X	1.58	0.78	15.2	X	0.208	0.03	7.03	0.1	0.81
MBA1007	X	0.17	0.015	9.9	4.3	0.077	209	1.05	0.27	6.82	16.2	6	2.08	9.11	X	0.1	3.2	X	1.21	0.88	26.2	X	0.156	0.03	6.57	0.08	0.65
MBA1008	X	0.09	0.015	8.89	4.2	0.04	142	1.14	0.14	6.35	9.2	6.2	1.96	8.69	X	0.11	3	X	1.1	0.77	4.1	X	0.103	0.03	6.74	0.1	0.59
MBA1009	X	0.11	0.018	7.8	3.6	0.044	80.4	3.51	0.43	6.15	8.2	6.9	1.82	8.45	X	0.12	3.4	X	1.1	0.99	4.6	X	0.119	0.03	6.62	0.07	0.75
MBA1010	X	0.09	0.015	6.51	4	0.034	111	1.31	0.09	4.88	8.4	5.7	1.35	8.68	X	0.12	3	X	0.86	0.76	4.8	X	0.092	0.02	5.47	0.09	0.46
MBA1011	X	0.13	0.017	7.71	4.2	0.051	154	1.53	0.07	5.99	10.1	7.4	1.6	11.6	X	0.11	4.1	X	1.13	0.99	9.9	X	0.124	0.03	6.28	0.11	0.72
MBA1012	X	0.11	0.016	8.25	3.9	0.05	116	1.42	0.12	6.29	10.4	6.5	1.72	10.1	X	0.11	3.6	X	1.08	0.77	7.6	X	0.118	0.03	6.12	0.09	0.47
MBA1013	X	0.09	0.013	7.04	3.4	0.038	128	1.29	0.25	5.07	7.8	5.1	1.4	8.65	X	0.11	2.7	X	0.89	1.09	3.1	X	0.088	0.02	5.76	0.07	0.66
MBA1014	0.03	0.06	0.009	1.75	3.8	0.025	127	0.44	0.14	1.44	16.5	2.8	0.36	6.51	X	0.03	4.7	0.5	0.32	0.33	220	X	0.049	0.09	0.91	0.05	0.9
MBA1015	X	0.1	0.015	4.1	6.8	0.041	152	0.49	0.28	3.58	22.9	4.2	0.94	9.15	X	0.06	5.8	0.5	0.74	0.51	131	X	0.097	0.07	2.46	0.06	0.78
MBA1016	X	0.27	0.023	8.55	6.3	0.122	298	3.84	0.1	7.37	20.2	7.9	1.89	11.7	X	0.11	5.5	X	1.57	0.84	8.8	X	0.236	0.04	5.28	0.16	1.2
MBA1017	X	0.21	0.016	10.7	3.2	0.097	148	1.19	0.61	8.53	7	10	2.29	10.4	X	0.1	3.1	X	1.58	1.06	2.6	X	0.191	0.02	8.42	0.1	1.8
MBA1018	X	0.19	0.015	11.8	4.3	0.08	237	0.95	0.13	8.76	12.2	8.2	2.43	13.3	X	0.11	3.5	X	1.6	0.88	5.7	X	0.184	0.02	7.82	0.12	1.03
MBA1019	X	0.21	0.015	11.2	3.1	0.088	361	1.39	0.45	8.68	11.3	10.1	2.32	8.22	X	0.09	4.2	X	1.66	0.81	5.8	X	0.199	0.04	7.84	0.09	1.16
MBA1020	X	0.19	0.013	12.9	3.3	0.078	132	1.36	0.46	8.85	6.6	8.7	2.53	8.58	X	0.1	2.5	X	1.54	0.9	2.2	X	0.179	0.03	8.86	0.09	1.86
MBA1021	X	0.23	0.01	11.6	2.7	0.106	132	1.05	0.54	8.52	6	8.6	2.35	9.06	X	0.09	2.1	X	1.59	0.75	2.2	X	0.209	0.02	8.32	0.1	1.46
MBA1022	X	0.19	0.015	10.9	3.8	0.074	195	1.41	0.22	8.11	10.5	8.3	2.2	10.8	X	0.09	3.6	X	1.46	0.96	4.6	X	0.18	0.02	7.28	0.1	1.08
MBA1023	X	0.16	0.015	12.9	4	0.057	232	1.14	0.26	8.6	8.7	6.8	2.45	10	X	0.1	3.2	X	1.48	0.73	3.8	X	0.162	0.03	7.88	0.1	0.94
MBA1024	X	0.3	0.024	13.9	4.7	0.109	459	1.24	0.11	10.7	16.4	8	2.84	17.6	X	0.11	5.5	X	2.04	1.07	18.3	X	0.269	0.04	7.85	0.17	0.84
MBA1026	X	0.16	0.016	15.3	3.3	0.057	116	1	0.31	10.3	7.3	8	2.93	8.89	X	0.11	3.1	X	1.7	0.98	2.3	X	0.173	0.03	8.71	0.09	1.04
MBA1027	X	0.23	0.016	23.7	4.6	0.089	226	1.03	0.08	13.9	10.6	11	3.99	19	X	0.11	3.4	X	2.31	0.9	6.5	X	0.249	0.03	11.9	0.17	0.93
MBA1028	X	0.14	0.013	24.8	3.8	0.043	131	0.95	0.14	13.8	7.7	8.8	4.12	10.6	X	0.1	2.6	X	2.06	0.85	3.4	X	0.174	0.03	12.3	0.09	0.86
MBA1029	X	0.12	0.011	20.3	3.1	0.038	113	0.91	0.14	11.5	6.8	7	3.33	8.5	X	0.1	2.3	X	1.77	0.65	2.4	X	0.151	0.03	9.59	0.08	0.75
MBA1030	X	0.18	0.016	16.5	4.9	0.063	222	1.36	0.14	11.3	8.7	8.7	3.17	9.75	X	0.1	3.7	X	1.85	0.91	2.2	X	0.189	0.03	9.23	0.13	1.33
MBA1031	X	0.18	0.015	13.3	4.6	0.065	251	1.46	0.14	9.77	8.5	8.4	2.73	9.5	X	0.11	3.9	X	1.75	0.78	2.2	X	0.183	0.03	7.94	0.12	1.26
MBA1032	X	0.14	0.015	14.6	4	0.051	134	1.11	0.15	9.95	8.5	7.8	2.78	8.49	X	0.11	3.4	X	1.56	0.76	2.7	X	0.154	0.02	8.48	0.09	1
MBA1033	X	0.16	0.015	11.4	3.1	0.058	203	0.82	0.1	8.04	16.4	6.9	2.19	10.5	X	0.09	4.1	X	1.35	0.67	32.5	X	0.152	0.03	6.65	0.09	0.51
MBA1034	X	0.12	0.015	11.8	4.1	0.043	163	0.88	0.09	7.93	13	7.2	2.29	9.25	X	0.09	4	X	1.29	0.86	5.7	X	0.132	0.03	7.52	0.08	0.59
MBA1035	X	0.15	0.012	12.5	3.5	0.054	210	1.37	0.5	8.47	15	6	2.47	8.67	X	0.1	3.3	X	1.42	0.63	27.3	X	0.155	0.03	6.49	0.07	0.83

Note: x - Assays below detection limit for the element

Mt Devan Auger Sampling Results					
Sample ID	W_ppm	Y_ppm	Yb_ppm	Zn_ppm	Zr_ppm
MBA0997	X	3.5	0.35	14	5.6
MBA0998	X	4.05	0.4	15	5.8
MBA0999	X	5.2	0.49	16	3.9
MBA1000	X	5.47	0.58	16	5.2
MBA1002	X	4.92	0.54	14	5.8
MBA1003	X	5.9	0.61	13	5.9
MBA1004	X	5.23	0.6	13	6.3
MBA1005	X	4.9	0.58	14	6.5
MBA1006	X	7.79	0.78	19	5.4
MBA1007	X	5.64	0.52	15	4.3
MBA1008	X	2.42	0.27	11	6.2
MBA1009	X	2.96	0.32	11	7
MBA1010	X	2.37	0.26	10	5.8
MBA1011	X	3.54	0.39	13	5.4
MBA1012	X	3.44	0.38	11	6.2
MBA1013	X	2.55	0.28	11	5.9
MBA1014	X	1.72	0.18	12	2.4
MBA1015	X	3.17	0.31	21	2.4
MBA1016	X	8.75	0.91	16	4.6
MBA1017	X	6.04	0.75	12	5.5
MBA1018	X	5.81	0.6	15	5
MBA1019	X	6.77	0.67	19	4.5
MBA1020	X	5.37	0.6	11	5.2
MBA1021	X	6.47	0.82	9	4.9
MBA1022	X	5.43	0.59	16	5.9
MBA1023	X	4.75	0.44	13	5.1
MBA1024	X	8.52	0.85	24	5.5
MBA1026	X	4.3	0.43	11	6.4
MBA1027	X	6.61	0.67	15	6.9
MBA1028	X	3.99	0.35	11	6.8
MBA1029	X	3.65	0.29	9	5.3
MBA1030	X	5.22	0.49	11	6.3
MBA1031	X	5.38	0.51	10	6.1
MBA1032	X	3.98	0.39	10	6.1
MBA1033	X	4.64	0.44	18	3.6
MBA1034	X	3.33	0.36	14	5.6
MBA1035	X	5.24	0.4	14	1.9

Note: x - Assays below detection limit for the element

JORC CODE 2012 TABLE 1

APPENDIX 2

SECTION 1 SAMPLING TECHNIQUES AND DATA

Mt BEVAN PROJECT

Criteria	JORC Code explanation	Commentary
Sampling techniques	<ul style="list-style-type: none"> Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information. 	<ul style="list-style-type: none"> Based on a detailed geological and geophysical data review of the northern most part of the Mt Bevan project the area highlighted in figure 6 was selected for Auger soil geochemical sampling with spacing of 100x50m grid. This area sampled by auger sampling using a light vehicle mounted power auger at planned grid spacing to a minimum grid spacing of 100X50m. A total of 994 auger holes were completed to a maximum depth of 1.5 m each. Where present, pedogenic gravel or carbonate was preferentially sampled. If there was no pedogenic carbonate within the hole, a sample was taken at 1.5 m depth. Approximately 300 gm to 600 gm of sample was collected in pre numbered Calico bags and then further baggage into polyweave bags to minimize outside contamination.
Drilling techniques	<ul style="list-style-type: none"> Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc). 	<ul style="list-style-type: none"> Auger soil sampling was completed using light vehicle mounted power auger by a Perth a based field exploration support company.
Drill sample recovery	<ul style="list-style-type: none"> Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure representative nature of the samples. Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. 	<ul style="list-style-type: none"> No recording of recoveries was undertaken. Standard auger drill bits were utilized for the program. No relationship has been identified to date
Logging	<ul style="list-style-type: none"> Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. The total length and percentage of the relevant 	<ul style="list-style-type: none"> The use of auger drilling is as a surface exploration tool and not for any resource estimation purposes. The holes were logged for drilled depth, colour, and where possible grain size, moisture content. The logging is qualitative in nature.

Criteria	JORC Code explanation	Commentary
	<i>intersections logged.</i>	
Sub-sampling techniques and sample preparation	<ul style="list-style-type: none"> <i>If core, whether cut or sawn and whether quarter, half or all core taken.</i> <i>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</i> <i>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</i> <i>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</i> <i>Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling.</i> <i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i> 	<ul style="list-style-type: none"> No core. A dry bulk sample was collected from each auger drill hole The sample preparation of the auger samples follows industry best industry practice in sample preparation involving oven drying, crushing and pulverizing of the total samples so that a minimum of 90% of pulverized material is less than 75 µm grind size. duplicate sampling was not employed
Quality of assay data and laboratory tests	<ul style="list-style-type: none"> <i>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</i> <i>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</i> <i>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.</i> 	<ul style="list-style-type: none"> Assaying by SGS Laboratory, Perth where 25 gm of sample was beaker digested in at a low temperature with an advanced Inductively Coupled Plasma mass spectrometry determination for base metal, precious metal and rare earth elements (49 elements in total). The analysis technique is considered as partial. All the analysed elements for each of the sample have been listed in appendix 1. It is a relatively early stage of exploration, however to ensure the quality control, 2 standards and 2 duplicateds per hundred samples at regular intervals were analysed in addition to the laboratory's internal quality control procedures.
Verification of sampling and assaying	<ul style="list-style-type: none"> <i>The verification of significant intersections by either independent or alternative company personnel.</i> <i>The use of twinned holes.</i> <i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i> <i>Discuss any adjustment to assay data.</i> 	<ul style="list-style-type: none"> None undertaken None undertaken All sampling, geological logging and assay data has been captured digitally and stored There have been no adjustment or averaging applied to the raw data.
Location of data points	<ul style="list-style-type: none"> <i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i> <i>Specification of the grid system used.</i> <i>Quality and adequacy of topographic control.</i> 	<ul style="list-style-type: none"> Sample positions located by hand held GPS – accuracy to nominal =/- 5m. Grid system – GDA1994, MGA Zone 51 No topographic control was required.
Data spacing and distribution	<ul style="list-style-type: none"> <i>Data spacing for reporting of Exploration Results.</i> <i>Whether the data spacing and distribution is sufficient to establish the degree of geological</i> 	<ul style="list-style-type: none"> Sampling was planned at 100x50m grid however a small adjustment were made to choose the suitable location around the planned point.

Criteria	JORC Code explanation	Commentary
	<ul style="list-style-type: none"> <i>and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i> <i>Whether sample compositing has been applied.</i> 	<ul style="list-style-type: none"> The final location of samples collection was recorded using hand held GPS. The data spacing is appropriate for this stage of exploration and cannot be untied in estimation and classification. No composite sampling has been completed.
Orientation of data in relation to geological structure	<ul style="list-style-type: none"> <i>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</i> <i>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i> 	<ul style="list-style-type: none"> Auger sampling is used to produce a near, subsurface surface only. No orientation based sampling bias in sampling.
Sample security	<ul style="list-style-type: none"> <i>The measures taken to ensure sample security.</i> 	<ul style="list-style-type: none"> All samples were collected by the auger drilling contractor and stored in a secure location until all samples were submitted to the laboratory.
Audits or reviews	<ul style="list-style-type: none"> <i>The results of any audits or reviews of sampling techniques and data.</i> 	<ul style="list-style-type: none"> Sampling and assay techniques used are considered to be mineral exploration industry standard and audit and reviews are not considered necessarily at this stage of exploration.

Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	<ul style="list-style-type: none"> <i>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</i> <i>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</i> 	<ul style="list-style-type: none"> Sampling was conducted within Exploration License E29/510 which is currently owned by joint venture between Legacy Iron Ore Ltd and Hawthorn Resources NL (60:40). At the time of reporting, there are no known impediments to the tenement and it is in good standing.
Exploration done by other parties	<ul style="list-style-type: none"> <i>Acknowledgment and appraisal of exploration by other parties.</i> 	<ul style="list-style-type: none"> Previous exploration within the area of sampling comprise none to limited surface geochemistry and regional geophysical data sets are also available for the area.
Geology	<ul style="list-style-type: none"> <i>Deposit type, geological setting and style of mineralisation.</i> 	<ul style="list-style-type: none"> The Mt Bevan Project covers the northern end of the Mt Ida Greenstones belt. The greenstones are bound to the west by the Ida Fault (Craton-scale structure that marks the boundary between the Kalgoorlie Terrane and Eastern Goldfields Super terrane) to the east and the Youanmi Terrane to the west. The northern most part of the tenement (sampling area) falls in the eastern side of the Mt Ida fault and

Criteria	JORC Code explanation	Commentary
		prospective for komatiite-hosted nickel-copper-PGE mineralisation and precious metal mineralisation (i.e. orogenic gold) that is typically seen in other parts of the Yilgarn Craton.
Drill hole Information	<ul style="list-style-type: none"> A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: easting and northing of the drill hole collar elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar dip and azimuth of the hole down hole length and interception depth hole length. If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case. 	<ul style="list-style-type: none"> The location of auger soil sampling is shown in the included figure within the body of text. All auger holes were completed to a depth between 0 to 1.5m. No information has been excluded.
Data aggregation methods	<ul style="list-style-type: none"> In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated. Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. The assumptions used for any reporting of metal equivalent values should be clearly stated. 	<ul style="list-style-type: none"> Not applicable for the sampling method used. Not applicable for the sampling method used. No metal equivalent reported
Relationship between mineralisation widths and intercept lengths	<ul style="list-style-type: none"> These relationships are particularly important in the reporting of Exploration Results. If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known'). 	<ul style="list-style-type: none"> Not applicable for the sampling method used. Not applicable for the sampling method used. Not applicable for the sampling method used.
Diagrams	<ul style="list-style-type: none"> Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views. 	<ul style="list-style-type: none"> Refer to Figure included in the text
Balanced reporting	<ul style="list-style-type: none"> Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to 	<ul style="list-style-type: none"> All the results have been reported as appendix 1

Criteria	JORC Code explanation	Commentary
	<ul style="list-style-type: none"> avoid misleading reporting of Exploration Results. 	
Other substantive exploration data	<ul style="list-style-type: none"> Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances. 	<ul style="list-style-type: none"> No other substantive data is currently considered necessary given the stage of exploration and the results received
Further work	<ul style="list-style-type: none"> The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling). Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive. 	<ul style="list-style-type: none"> Complete a detailed interpretation by combining ground geophysical, remote sensing and the recent geochemical sampling results to define the potential drill targets Drill test the high priority targets (1,500-2,000m RC drilling) in Mar - June 2018.