







# Çöpler Sulfide Project Approaching Start Up

December 2017

## **Cautionary Statements**



Certain statements contained in this document constitute "forward-looking information", "future oriented financial information" or "financial outlooks" (collectively, "forward looking information") within the meaning of applicable securities laws. Forward-looking information often relates to statements concerning Alacer's future outlook and anticipated events or results, and in some cases, can be identified by terminology such as "may," "will," "could," "should," "expect," "plan," "anticipate," "believe," "intend," "estimate," "projects," "predict," "potential," "continue" or other similar expressions concerning matters that are not historical facts.

Forward-looking information includes statements concerning, among other things, production, cost, and capital expenditure guidance; the results of any gold reconciliations; matters relating to proposed exploration; communications with local stakeholders; maintaining community and government relations; negotiations of joint ventures; negotiation and completion of transactions; commodity prices; mineral resources, mineral reserves, realization of mineral reserves, and the existence or realization of mineral resource estimates; the timing and amount of future production; the timing of studies, announcements, and analysis; the timing of construction and development of proposed mines and process facilities; capital and operating expenditures; economic conditions; availability of sufficient financing; exploration plans; receipt of regulatory approvals; and any and all other timing, exploration, development, operational, financial, budgetary, economic, legal, social, regulatory, and political matters that may influence or be influenced by future events or conditions.

Such forward-looking information and statements are based on a number of material factors and assumptions, including, but not limited in any manner to, those disclosed in any of Alacer's other public filings, and include the inherent speculative nature of exploration results; the ability to explore; communications with local stakeholders; maintaining community and governmental relations; status of negotiations of joint ventures; weather conditions at Alacer's operations; commodity prices; the ultimate determination of and realization of mineral reserves; existence or realization of mineral resources; the development approach; availability and receipt of required approvals, titles, licenses and permits; sufficient working capital to develop and operate the mines and implement development plans; access to adequate services and supplies; foreign currency exchange rates; interest rates; access to capital markets and associated cost of funds; availability of a qualified work force; ability to negotiate, finalize, and execute relevant agreements; lack of social opposition to the mines or facilities; lack of legal challenges with respect to the property of Alacer; the timing and amount of future production; the ability to meet production, cost, and capital expenditure targets; timing and ability to produce studies and analyses; capital and operating expenditures; economic conditions; availability of sufficient financing; the ultimate ability to mine, process, and sell mineral products on economically favorable terms; and any and all other timing, exploration, development, operational, financial, budgetary, economic, legal, social, geopolitical, regulatory and political factors that may influence future events or conditions. While we consider these factors and assumptions to be reasonable based on information currently available to us, they may prove to be incorrect.

You should not place undue reliance on forward-looking information and statements. Forward-looking information and statements are only predictions based on our current expectations and our projections about future events. Actual results may vary from such forward-looking information for a variety of reasons including, but not limited to, risks and uncertainties disclosed in Alacer's Annual Information Form and other public filings, as well as other unforeseen events or circumstances.

Other than as required by law, Alacer does not intend, and undertakes no obligation to update any forward-looking information to reflect, among other things, new information or future events. For additional information you should refer to Alacer's public filings available at www.alacergold.com, www.sedar.com and www.asx.com.au.

Scientific and technical information presented in this document has been prepared in accordance with National Instrument 43-101 ("NI 43-101") standards and the 2012 Edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves ("JORC Code"). The scientific and technical information in this document has been reviewed and approved by Stephen Statham, Alacer's Manager, Mining Services, who is a Qualified Person pursuant to NI 43-101 and a Competent Person as defined in the JORC Code.

The information in this presentation that relates to Çöpler District exploration results is based on, and fairly represents, the information and supporting documentation prepared by Mr. Smolonogov who is a Qualified Person pursuant to NI 43-101 and a Competent Person as defined in the JORC Code. Further information is available in the press release entitled "Alacer Gold Announces Additional Exploration Results for Çakmaktepe and an Initial Mineral Resource in the Cöpler District" dated December 19, 2016.


The information in this document that relates to the Çöpler Mineral Resource and Mineral Reserve estimate is based on, and fairly represents, the information and supporting documentation prepared by Dr. Parker, Mr. Seibel, Mr. Statham and Mr. Ligocki. Dr. Parker and Messrs. Seibel, Statham and Ligocki are Qualified Persons pursuant to NI 43-101 and qualify as Competent Persons as defined in the JORC Code. Further information is available in NI 43-101 technical report entitled "Cöpler Mine Technical Report" dated June 9, 2016 (the "Cöpler Technical Report").

The information in this document relating to the Gediktepe Mineral Resource and Mineral Reserve estimate are based on, and fairly represents, the information and supporting documentation prepared by Mr. Marek who is a Qualified Person pursuant to NI 43-101 and qualifies as Competent Persons as defined in the JORC Code. Further information is available in the NI 43-101 technical report entitled "Technical Report Prefeasibility Study Gediktepe Project" dated June 1, 2016 (the "Gediktepe Technical Report").

Alacer confirms that it is not aware of any new information or data that materially affects the scientific and technical information included in this document, and in the case of Mineral Resources and Mineral Reserves and exploration results, that all material assumptions or technical parameters underpinning such estimates, production targets and forecast financial information continue to apply and have not materially changed from the original public disclosure. Alacer also confirms that the form and content in which such scientific and technical information is presented in this document has not materially changed from the original public disclosure.

## **Delivering On Organic Growth Portfolio**





Laying the Foundations for Growth & Value Creation

## **Company Snapshot – Alacer's Foundations**




Oxide **operations on track to meet lower end of guidance** of 160180Kozs @ AISC of \$700-750/oz

Çöpler Sulfide Project ~70% complete – tracking on time and under budget


Drilling at **Çakmaktepe** continues with **production targeted for 2018** 

**Gediktepe** DFS progressing, expected **completion June 2018** 




## **2017 Operating Highlights**











On track to meet lower end of production guidance of 160,000 to 180,000 ozs and within AISC guidance of \$700 to \$750/oz

Ore in Manganese Pit has been accessed and is the primary source of oxide supply for the remainder of the year

## **Operational Update**







Cöpler is transitioning from oxide ore to sulfide ore and encountering higher variability, including copper grades, short-term negative oxide ore reconciliation and slower recovery rates

- SART plant (constructed in 2014) is operating at full capacity removing copper from solution
- Cöpler Sulfide Expansion Project construction started in 2016 in preparation to treat sulfide ore

#### **Operational Response**

- Operational excellence program delivers record tonnes mined & stacked in Q3 2017
- Recoverable inventory on the heap leach pad increased from 66K ozs to 75K ozs at end of Q3 2017
- In-pit exploration mostly offsetting the negative oxide ore reconciliation

2017 production weighted toward year end, and tracking to lower end of guidance of 160,000 - 180,000 ozs

# Sulfide Project >62% Complete – On Schedule





## **Sulfide Project Construction Progress**





Iron Arsenic Precipitation, Acidulation & Autoclave Areas

Sulfide Project is under budget and on schedule for first gold pour Q3 2018





# Çöpler Sulfide Project On Schedule



2017 Milestones	
Equipment Procurement	Complete
Autoclaves Arrived on Site	Complete
Autoclave Assembly	Complete
Engineering Design	Complete
Autoclave Certification	Complete
Major Plant Civil Works	Complete
Completion of Oxygen Plant	Q4 2017
Electrical & Instrumentation Works	Ongoing


Major Project Milestones										
Dry Commissioning Begins	Q1 2018									
First Gold Pour	Q3 2018									



**Approaching Commissioning of the Çöpler Sulfide Expansion Project** 

## Çöpler Sulfide Project Under Budget






- US\$25M of cumulative capex savings on incurred costs due to increase in negotiated

  Lira denominated contracts and depreciation of the Lira<sup>3</sup>
- Potential for up to US\$43M of <u>additional</u> capex savings from Lira negotiated contracts and TRY FX hedging program<sup>3,4</sup>

#### **Robust Liquidity Position**<sup>5</sup>



## Over \$60M FCF through September 2018

Includes remaining 86,359 ounces hedged at an average \$1,280 gold price & 419M TRY hedge at 3.8 TRY:US

 $$352M + $60M = $412M \rightarrow Project Fully Funded^1$ 

Remaining Sulfide Project Capital Spend of \$288M

ALACER GOLD

<sup>1</sup> As of September 30, 2017; All numbers are on a 100% basis and in US Dollars.

<sup>2</sup> This represents an accounting-based number and includes accruals.

The initial capital cost estimate of US\$744 million assumed 2.75 TRY:USD. Additional information regarding the Sulfide Project can be found in the Çöpler Technical Report.

<sup>4 419</sup>M forward sales contracts at average 3.8 TRY:USD. For additional information, please see the press release dated July 21, 2017 entitled "Alacer Completes Favorable Turkish Lira Hedge Program, Driving Potential Reductions to the Cöpler Sulfide Expansion Project Capital Outlay", ("Turkish Lira Hedge Release") available on www.sedar.com and on www.sex.com.au.

<sup>5</sup> Includes second draw of \$120M on finance facility on October 2, 2017.

# **2017 Capital Expenditures Lower**




Capital & Exploration Expenditures (\$M) <sup>1</sup>	2017 Guidance	2017 Revised Guidance				
Çöpler sustaining capital expenditure	\$12	\$5				
Çöpler sulfide expansion capital expenditure	\$420	\$370				
Gediktepe capital expenditure	\$16	\$10				
Exploration expenditures	\$15	\$11				
Sulfide Ore Stockpiled						
Sulfide tonnes mined and stockpiled	4M	2M				

2017 capital and exploration expenditures guidance lower due to capital reductions and deferrals to 2018



## **Cakmaktepe Central Resource Growth Potential**






**CN** = Cakmaktepe North (Resource); **CM** = Cakmaktepe Main (Prospect); **CC** = Cakmaktepe Central (Resource & New Discovery); ÇE = Çakmaktepe East (Resource); ÇSE = Çakmaktepe Southeast (Resource); ÇFN = Çakmaktepe Far North (Prospect); **B** = Bayramdere (Resource); **TSF** = Tailings Storage Facility.

Initial Measured & Indicated Mineral Resource of 140,000 contained ounces<sup>1</sup> and remains open

Mineral Resource does not include most recent Çakmaktepe Central drilling

2017 drilling program continues with reserves, resource and development plan to be released December 2017



## **Gediktepe Delivers Organic Growth**







PFS defined project as technically and economically viable

After tax NPV at 5% of \$475M and IRR of 47%<sup>1</sup>

Alacer owns 50% with JV Partner Lidya Mining

Life-of-mine payable metals of 400,000 ozs of gold, 8M ozs of silver, 315M lbs of copper and 780M lbs of zinc<sup>1</sup>

Life-of-mine production >12 years of 1.8M ozs<sup>1</sup> on a Gold Equivalent Ounce<sup>2</sup> ("AuEq") basis & AISC of \$625/oz AuEq

### **Definitive Feasibility Study Targeted for Completion June 2018**

The material assumptions on which the production targets and forward-looking financial information on the Gediktepe project are based are included in Gediktepe Technical Report.
 Gold Equivalent Ounce (AuEq) is a non-IFRS measure with no standardized definition under IFRS which converts non-gold production into gold equivalent ounces. Calculation of AuEq converts payable metals into revenue using metal prices of \$1,250 per ounce for gold, \$18.25 per ounce for silver, \$2.75 per pound for copper, \$1.00 per pound for zinc, and then the total revenue is divided by the gold price of \$1,250 per ounce.

## **Growth Now**





# Disciplined Financial & Risk Management

#### **Sulfide Project Fully Funded**


- Liquidity and sources Totaling \$412M
- Remaining spend \$288M

#### **Prudent Risk Management**

- Gold Hedge: 86Kozs hedged at \$1,280 gold price
- FX Hedge: \$43M of potential incremental capex savings
- Negotiated Lira denominated contracts
- Strong local JV partner

#### **Safety-Focused Culture**

309 days / 5.7M man hours without an LTI



# Çöpler's Asset Quality Provides Foundation for Growth & Value Creation


#### **Copler Generates Robust Free Cash Flow**<sup>2</sup>

- US\$1.5B of FCF over the LoM
- 20 year mine life
- 3.4Moz produced over the LoM
- First quartile LoM AISC of \$645/oz³

#### **Sulfide Project On Time & Under Budget**

- ~70% complete with no scope change
- Dry commissioning in Q1 2018
- First Gold Pour Q3'18
- \$25M of savings realized through Q3'17

#### **Sulfide Project On-Time & Under Budget**



# O<sup>O</sup>O

# Organic Growth From Pipeline Diversifies Cash Flow Sources

#### **Cakmaktepe**

- Targeting near-surface oxide production in 2018
- Leveraging existing Çöpler infrastructure
- Reserves, resources & development plan in Q4'17

#### <u>Gediktepe</u>

- DFS targeting completion June 2018
- PFS NPV (5%) of \$475M and IRR of 47%<sup>4</sup>

#### **Cöpler District Targets**

Exploring additional near mine targets

#### **Growing the Portfolio Organically**



#### 2018 – A Transformational Year for Alacer As Çöpler Sulfides Approaches First Gold Pour in Q3

Note: All numbers are on 100% basis, in US Dollars and are as of September 30, 2017.

- 1 Remaining spend is for the construction of the Sulfide Project through third quarter 2018 and Free Cash Flow is from operations through third quarter 2018 excluding costs and revenue associated with the Sulfide Plant beyond construction.
- 2 Detailed information regarding the Sulfide Project, including material assumptions on which the forward-looking financial information is based, can be found in the Çöpler Technical Report.
- 3 Source: GMP Securities.
- 4 The material assumptions on which the Gediktepe Project production targets and forward-looking financial information are based on are included in the Gediktepe Technical Report.

# Appendix





## **Highlights**



## Strategic

#### Sulfide Project

- 62% complete as of Q3'17
- On schedule for Q3'18
- Reduced budget to \$719M reflecting \$25M savings to date
- Remaining capex \$288M
- Fully funded

#### Çakmaktepe

- Drilling continues
- Exploration and resource update Q4 2017
- Planning to start production in 2018

#### Gediktepe

 DFS study progressing and expected to be completed June 2018



### **Operational**

#### Safety

 309 days, or over 5.7M man-hours, worked without a lost-time injury

#### **Production**

- 39,312 ozs produced in Q3
- 18,741 ozs produced in September
- Q3 record mining & stacking rates
- Heap leach recoverable inventory increased from 66k ozs to 75k ozs
- On track to meet lower end of production guidance of 160,000 to 180,000 ozs

#### Q3 Cost Metrics

- Total Cash Costs<sup>1</sup> of \$461/oz
- AISC<sup>1</sup> of \$623/oz

#### Sulfide Stockpiles

- 7.7Mt @ avg grade of 3.41 g/t gold
- ~850k ozs of contained gold



### **Financial**

ALACER GOLI

#### Liquidity

- Cash of \$252M<sup>2</sup> and \$100M<sup>2</sup> undrawn finance facility
- Q3 Operating cash flows of \$33M

#### Q3 Earnings

- Attributable net profit<sup>3</sup> of \$29M
- EPS of \$0.10

#### Sulfide Project Capex Savings<sup>4, 5</sup>

- \$25M savings incurred to date
- Potential for additional \$43M in savings

# Remaining hedge programs through construction

- 86,359 ozs at average gold price of \$1,280
- 419M<sup>5</sup> Turkish Lira @ avg 3.8 TRY:USD

<sup>1</sup> Total Cash Costs and All-in Sustaining Costs are non-IFRS financial performance measures with no standardized definitions under IFRS. For further information and a detailed reconciliation to IFRS, please see the "Non-IFRS Measures" section of the most recent MD&A.

<sup>2</sup> Includes second draw of \$120M on finance facility on October 2, 2017.

Attributable net profit is reduced by the 20% non-controlling interest at the Çöpler Gold Mine.

The original capital cost estimate of US\$744 million assumed 2.75 TRY:USD. Additional detailed information regarding the Sulfide Project can be found in the Çöpler Technical Report.

<sup>5 500</sup>M TRY forward sales contracts @ average 3.8 TRY:USD. For additional information, please see the Turkish Lira Hedge Release.


# **2017 Financial Highlights**




On 100% basis	Q1 2017	Q2 2017	Q3 2017	YTD 2017 <sup>1</sup>
Total gold ounces produced	32,918	31,391	39,312	103,621
Total gold ounces sold	34,804	28,415	38,381	101,600
Avg realized price, incl hedge	\$1,259	\$1,271	\$1,290	\$1,274
Gold Sales (\$M), incl hedge	44	36	50	130
Operating cash flows (\$M)	9	8	33	50
EBITDA (\$M)	(2)	15	23	36
EBIT(\$M)	(13)	4	8	(1)
Income tax benefit (\$M)	25	26	30	81
Net Profit	12	30	38	80

## Cash of \$252M<sup>2</sup> \$100M undrawn finance facility

Effective cash tax rate forecast to remain at approximately 5%





<sup>1</sup> Rounding differences may occur.

<sup>2</sup> Includes second draw of \$120M on finance facility on October 2, 2017.


## **Construction Site**





## **Cakmaktepe Central Resource Growth Potential**





Çakmaktepe Central Significant Assays: Significant gold assays drilled June 1, 2016 to November 15, 2016. Assays from intervals ≥10m and ≥1g/t gold only. Blue hole collars represent drilling previously reported. Red hole collars represent drilling covered in this news release. The red outline marks the footprint of the USD1,400 per gold ounce 2016 Çakmaktepe North resource pit shells. Northern Çakmaktepe Central included as part of 2016 Çakmaktepe North Mineral Resource. To view the complete drill assay results referenced in this presentation, please visit our website at <a href="www.alacergold.com">www.alacergold.com</a>.

Çakmaktepe Central discovered late 2016; most recent drilling not included in initial Resource<sup>1</sup>

Identified mineralization from 5m to over 20m thick over a 400m strike length


Mineral Resource remains open

2017 drilling program to define development plans; targeting 2018 production

## Targeting 2018 Oxide Production Utilizing Çöpler Infrastructure

# Çöpler Geology – Plan of Deposit





## **Alacer's Mineral Resources**



	Alacer Gold - Measure	indicated	, and infe	rrea win	erai kes	ource S	ummary (As of	December 31,	2016)	
Deposit	Resource Category Material	Tonnes (x1000)	Au (g/t)	Ag (g/t)	Cu (%)	Zn (%)	Contained Au (oz x 1000)	Contained Ag (oz x 1000)	Contained Cu (lb x 1000)	Contained Z (lb x 1000)
	Measured	-	-	-	-	-	-	-	-	-
	Indicated	21,289	1.02	3.49	0.12	-	696	2,389	-	-
Çöpler Mine - Oxide	Indicated - Oxide									
ÇOPICI WIIIC OXIGE	Stockpile	7	0.84	-	-	-	0	-	=	
	Measured + Indicated	21,296	1.02	3.49	0.12	-	697	2,389	-	
	Inferred	19,800	0.84	6.72	0.14	-	537	4,280	-	
	Measured	-	-	-	-	-	-	-	-	
	Indicated	66,644	2.12	6.00	-	-	4,536	12,853	-	
Cöpler Mine - Sulfide	Indicated - Sulfide									
Johier Mille - Suffice	Stockpile	7,071	3.38	-	-	-	767	-	-	
	Measured + Indicated	73,714	2.24	5.42	-	-	5,303	12,853	-	
	Inferred	12,716	1.99	12.02	-	-	814	4,913	-	
	Measured	-	-	-	-	-	-	-	-	
Cinton Malor Total	Indicated	95,010	1.96	4.99	0.03	-	6,000	15,242	-	
Çöpler Mine - Total	Measured + Indicated	95,010	1.96	4.99	0.03	-	6,000	15,242	-	
	Inferred	32,516	1.29	8.79	0.08	-	1,350	9,193	-	
	Measured	-	-	-	-	-	-	-	-	
	Indicated	2,278	1.76	10.94	-	-	129	801	-	
Çakmaktepe - Oxide	Measured + Indicated	2,278	1.76	10.94	-	-	129	801	_	
	Inferred	373	1.89	0.92	-	-	23	11	-	
	Measured	-	-	-	-	-	-	-	-	
	Indicated	145	2.34	20.82	-	-	11	97	-	
Bayramdere - Oxide	Measured + Indicated	145	2.34	20.82	_	_	11	97	_	
	Inferred	8	2.17	19.95	-	-	1	5	_	
	Measured	-	_	-	_	_		-	-	
	Indicated	2,422	1.80	11.53	_	_	140	898	_	
Çöpler District Total	Measured + Indicated	2,422	1.80	11.53	_	_	140	898	-	
	Inferred	381	1.89	1.35	_	-	24	16	-	
	Measured	1,722	2.65	66.50	_	_	146	3,690	_	
	Indicated	2,110	2.56	71.00	-	_	174	4,817	_	
Gediktepe - Oxide	Measured + Indicated	3,832	2.60	69.00		_	320	8,497		
	Inferred	213	1.57	63.10		-	11	432	-	
		12,027	0.78	28.50	1.00	1.89	300	11,030	263,824	501,13
	Measured Indicated	20,180	0.78	30.10	0.85	1.89	502		378,158	867,54
Gediktepe - Sulfide								19,506		
	Measured + Indicated	32,207	0.77	29.50	0.90	1.93	802	30,536	641,982	1,368,6
	Inferred	1,685	0.81	31.70	0.98	1.80	44	1,719	36,256	66,8
	Measured	13,749	1.01	33.30	0.89	1.67	447	14,710	263,824	501,13
Gediktepe - Total	Indicated	22,290	0.94	33.90	0.79	1.80	675	24,323	378,158	867,54
	Measured + Indicated	36,039	0.97	33.70	0.82	1.75	1,122	39,033	641,982	1,368,6
	Inferred	1,898	0.89	35.30	0.88	1.62	55	2,151	36,256	66,8
	Measured	13,749	1.01	33.30	0.89	1.67	447	14,710	263,824	501,1
Alacer Gold - Total	Indicated	119,722	1.77	10.50	0.17	0.34	6,815	40,463	378,158	867,5
	Measured + Indicated	133,471	1.69	12.86	0.24	0.47	7,262	55,173	641,982	1,368,6
	Inferred	34,795	1.28	10.16	0.13	0.09	1,429	11,361	36,256	66,80

Notes: Further information on this resource estimate is in the Çöpler Mine Technical Report, the Çöpler District Resource Release, and in the press release dated September 13, 2016, entitled "Alacer Gold Announces a New Reserve for its Gediktepe Project Providing Future Growth" and the corresponding NI 43-101 technical report filed simultaneously with the release (the "Gediktepe PFS"), all of which can be found on www.asx.com.au. Mineral Resources are quoted after mining depletion and are inclusive of Mineral Resources are shown on a 100% basis. The key assumptions, parameters, and methods used to estimate the Mineral Resources are provided in the Çöpler Mine Technical Report, Çöpler District Resource Release and the Gediktepe PFS. The Corporation is not aware of any new information at that materially affects the information included in these tables and that all material assumptions and technical parameters underpinning the estimates in these tables continue to apply and have not materially changed. Rounding differences will occur.

## **Alacer's Mineral Reserves**



Alacer Gold - Proven and Probable Mineral Reserve Summary (As of December 31, 2016)														
Deposit	Reserve Category Material	Tonnes (x1000)	Au (g/t)	Ag (g/t)	Cu (%)	Zn (%)	Contained Au (oz x 1000)	Contained Ag (oz x 1000)	Contained Cu (lb x 1000)	Contained Zn (lb x 1000)		Recoverable Ag (oz x 1000)		Recoverable Zn (lb x 1000)
	Proven	-	-	-	-	-	-	-	-	-	-	-	-	-
	Probable	14,298	1.11	4.04	0.11	-	512	1,858	-	-	390	556	-	-
Çöpler Mine - Oxide	Probable - Oxide Stockpile	7	0.84	_	_	_	0	-	-	-	0	-	-	-
	Proven + Probable	14,305	1.11	4.04	0.11	-	512	1,858	-	-	390	556	-	-
	Proven	-	-	-	-	-	-	-	-	-	-	-	-	-
	Probable	32,530	2.63	7.35	-	-	2,754	7,690	-	-	2,647	1,037	-	-
Çöpler Mine - Sulfide	Probable - Sulfide Stockpile	7,071	3.38	_	_	_	767	_	_	_	738	_	_	_
	Proven + Probable	39,601	2.77	6.04			3,522	7,690			3,385	1,037		_
	Proven			-	_	_	3,322					-		_
Cöpler Mine Total	Probable	53,905	2.33	5.51	0.03	-	4,034	9,548	_	_	3,775	1,593	_	_
3-1	Proven + Probable	53,905	2.33	5.51	0.03	_	4,034	9,548	_	_	3,775	1,593	_	_
	Proven	1,456	2.98	74.70	-	-	139	3,497	-	-	118	1,541	-	-
Gediktepe - Oxide	Probable	1,767	2.93	80.30	-	-	166	4,562	_	-	134	2,011	-	_
	Proven + Probable	3,223	2.95	77.70	-	-	306	8,051	-	-	252	3,552	-	-
	Proven	10,425	0.84	31.00	1.04	2.05	282	10,390	239,025	471,155	64	1,925	160,200	326,600
Gediktepe - Sulfide	Probable	11,267	1.00	39.30	0.93	2.63	362	14,236	231,007	653,278	83	2,725	154,600	452,600
	Proven + Probable	21,692	0.93	35.30	0.99	2.35	649	24,619	473,444	1,123,832	148	4,649	314,800	779,200
	Proven	11,881	1.11	36.30	0.93	1.82	424	13,866	243,596	476,714	182	3,466	160,200	326,600
Gediktepe - Total	Probable	13,034	1.26	44.90	0.83	2.32	528	18,815	238,501	666,652	217	4,736	154,600	452,600
	Proven + Probable	24,915	1.19	40.80	0.88	2.08	953	32,682	483,367	1,142,505	399	8,202	314,800	779,200
Alacer Gold - Total	Proven	11,881	1.11	36.30	0.93	1.82	424	13,866	243,596	476,714	182	3,466	160,200	326,600
	Probable	66,939	2.12	13.18	0.19	0.45	4,562	28,363	238,501	666,652	3,992	6,328	154,600	452,600
	Proven + Probable	78,820	1.97	16.66	0.30	0.66	4,987	42,230	483,367	1,142,505	4,174	9,795	314,800	779,200

Notes: Further information on this resource estimate is in the Çöpler Mine Technical Report and the Gediktepe PFS, all of which can be found on the Corporation's website and the Corporation's public filings. The Mineral Reserve methodology and cut-off grades are discussed in the Çöpler Mine Technical Report and the Gediktepe PFS. Mineral Reserves are shown on a 100% basis. The key assumptions, parameters, and methods used to estimate the Mineral Reserves are provided in the Çöpler Mine Technical Report and the Gediktepe PFS. The Corporation is not aware of any new information or data that materially affects the information included in these tables and that all material assumptions and technical parameters underpinning the estimates in these tables continue to apply and have not materially changed. Rounding differences will occur.