

12 May 2018

COMPLETION OF TD 006 – TURESI PROSPECT

Highlights

- Drill Hole TD 006 completed at 152m.
- From initial core logging a 6.6m (down hole thickness) pegmatite containing spodumene was intersected from 140.4m (down hole depth).
- Drill Hole TD 007 commenced on 10th May.
- Drill core from TD 005 is being cut at the base camp.
- All drill core from TD 001 TD 002 TD 003 and TD 004 has been cut.
- Pulps from TD 001 have arrived in the assay lab in Perth, Western Australia for analysis.

Greenpower Energy Ltd (ASX: GPP) and the company's joint venture partner Guyana Strategic Minerals (GSM) are pleased to announce the completion of cored drill hole TD 006 at their Turesi Prospect in the Morabisi PGGS tenement in Guyana.

TD 006 was designed to investigate a possible subsurface continuation of the Trench 9 lithium intersection and to test the ground between the lithologies intersected in drill holes TD 001, TD 002 and TD 003 and those intersected in drill holes TD 004 and TD 005.

A description of the geology encountered in TD 006 is as follows: From the surface to 22m a white, muscovite-rich saprolite was intersected, followed by a bleached muscovite granite grading into an unweathered biotite rich quartz feldspar granite with small silicified aplite and pegmatite dykes/veins to the end of the hole at 152m. There were intervals hosting strong silicification and two significant quartz-muscovite-pyrite veins between 35.25 and 37.0m and between 37.7 and 39.0 m. A mafic intrusive was drilled containing small silicified aplite and pegmatite dykes/veins in the interval between 92m and 125m. Initial core logging identified a 6.6m (down hole thickness) pegmatite from 140.4m in which contained spodumene mineralization was observed. Conclusive confirmation of this mineralized interval can only be made once the core analyses of this intersection are to hand. All depths are down hole measurements.

The drill rig has now been skidded to drill pad TDH_P12 and drill hole TD 007 will commence on 10th May. The drilling operations are proceeding smoothly with drilling rates continuing at around 30m per day.

Cutting of the core from TD 005 is in progress. All the half core sample from TD 004 has been shipped from Turesi Camp to Georgetown for pulp preparation. Samples from TD 002 and TD 003 are being prepared in Georgetown for airfreight to Perth, Western Australia for analysis. Sample pulps from TD 001 have arrived in Western Australia for analysis. The remaining half cores from all the drill holes are being stored at Turesi base camp.

+61 418 852 700 | +61 299 991 515

PO Box 1664 Fremantle WA 6959 Australia

Lvl 1, 46 Ord Street West Perth WA 6005 Australia


Greenpower Executive Chairman, Gerard King commented:

"The completion of TD 006 continues to provide valuable input to the Geological model. The JV continues to be encouraged by the activity to date however ultimately it will be the assays which qualify any mineralisation that is present and it is for this reason GPP has elected not to publish core photos which could potentially differ from what the analyses confirm.

The drill rig has been moved to Pad 12 which is approximately 60 meters to the East of TD 003 and anticipated to provide significant infill data for the Turesi Geology. With the initial cores pulped and clearing customs in Australia we look forward to updating our shareholders with mineralized analyses."

ENDS

Greenpower's Guyana Tenements











Greenpower's Morabisi Tenement



Legend to accompany maps

	GEOLOGY	
SYMBOLS	LITHOLOGY (Dominant)	FORMATIONAL NAMES
	TERTIARY & QUATERNARY DRIFT	
	Marine Clays	
	Fluviatile & marine sands	White Sand
	MESOZOIC :TAKUTU GRABEN	Rewa Group
TT/JK	Continental sands and silts, under thin Tertiary cover	Takutu Formation
βIJ	Andesite flows	Apoteri Volcanies
	UPPER PROTEROZOIC	
≯PS	Nepheline syenites and inferred carbonatite	Muri Alkaline Suite
	MIDDLE PROTEROZOIC	
»PM	Gabbro-norite sills and large dikes	Avanavero Suite
PMr	Fluviatile sands and conglomerates. Thin bands of vitric tuff.	Roraima Group
TPM	Sub-volcanic granites	Iwokrama and Kuyuwini
α РМ	Acid/intermediate volcanics	Formations
PMm	Fluviatile sand; cherty mudstone	Muruwa Formation
	TRANS-AMAZONIAN TECTONO-THERMAI	LEVENT
7 Pl	Granitoids incl. diorite; Makarapan riebeckite granite, pyroxene granite	Younger Granites
γ(η) PI	Small granitic intrusions associated with mineralisation e.g. Omai Stock	
e PI	Gncissose syn-tectonic granite & diorite, migmatites	Bartica Assemblage
vPI vPith	Ultramafics & layered gabbros; Kaburi anorthosite.	Badidku Suite / Older Basic Rocks
	LOWER PROTERIZOIC SUPRACRUSTALS	
	Greenstone belts: mainly acid volcanics	
6PI	Greenstone belts: mainly metasediments	Barama-Mazaruni Super Group
PI	Greenstone belts: mainly intermediate metavolcanics	
d PI B PI	Greenstone belts: mainly mafic dykes, and sills or flows	
	Amphibolite facies schists, Kyanite schist	
Pik	High grade gneisses	
ηPI ¤Pi	Granulites and charnockites	Kanuku Group
	Fault, shear zone, mylonite zone	
	Dyke	
	OTHER FEATURE	S
_	OTHER PEATORE	
Roads ———M	ain Route - Laterite Road	
S	ealed Road econdary Road 4WD	
M	ain Access Route - Tractor / Bedford Truck	
/	Rivers	
	Named Location	

Updatded Drill Plan



Competent Person Statement

- I, John Adrian Watts on 12 May 2018 confirm that:
- I have read and understood the requirements of the 2012 Edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves ("2012 JORC Code").
- I am a Competent Person as defined by the 2012 JORC Code, having more than five years' experience which is relevant to the style of mineralisation and type of deposit described in the Report, and to the activity for which I am accepting responsibility.
- I am a Fellow of The Australasian Institute of Mining and Metallurgy and a Fellow of the IOMMM.
- This statement fairly represents documentation prepared by myself on behalf of my employer, Australian Exploration Field Services Pty Ltd.
- I consent to the release of this document to the ASX.

JORC Code, 2012 Edition – Table 1 report template

Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

	Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry	Cut core
techniques s	standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.	
S C	Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation	No mineralisation mentioned Half core shipped to Georgetown for crush and pulp preparation; pulps to be air freighted to Perth
* I	that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.	Western Australia for analysis
	Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, facesampling bit or other type, whether core is oriented and if so, by what method, etc).	Coring. Hole started with HQ core, casing set and drilling to hole completion with NQ core
recovery • I	Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure representative nature of the	 Measurement of core run versus recovery Drill rate monitored to maximise core recovery

Criteria	JORC Code explanation	Commentary
	 Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. 	 Insufficient data at this stage to determine a grade/recovery relationship. Likely that there is none as there is 100% core recovery
Logging	 Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. The total length and percentage of the relevant intersections logged. 	 Core has been geologically logged Too early in the programme to determine All the core is photographed All the core is logged
Sub-sampling techniques and sample preparation	 If core, whether cut or sawn and whether quarter, half or all core taken. If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. For all sample types, the nature, quality and appropriateness of the sample preparation technique. Quality control procedures adopted for all subsampling stages to maximise representivity of samples. Measures taken to ensure that the sampling is representative of the in situ material collected, 	 Core is sawn, half core taken for analysis N/a Sample collection technique appropriate Blanks and duplicates introduced into the sample sequence sent for analysis Cores considered to adequately represent in situ
Quality of assay	 including for instance results for field duplicate/second-half sampling. Whether sample sizes are appropriate to the grain size of the material being sampled. The nature, quality and appropriateness of the 	material. 100% core recovery ensures this Core size adequate to represent material being sampled Li analysis by Sodium Peroxide
data and laboratory tests	 assaying and laboratory procedures used and whether the technique is considered partial or total. For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established. 	Fusion, ICP-ES.REE Analysis by Lithium Metaborate Fusion, ICP-MS External laboratory checks via submission of duplicate samples

Criteria	JORC Code explanation	Commentary
Verification of sampling and assaying	 The verification of significant intersections by either independent or alternative company personnel. The use of twinned holes. Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. 	 All samples to be pulped by MS Analytical Georgetown Guyana Pulps being air freighted from MS Analytical Georgetown to Nagrom Laboratories, Perth, WA
Location of data points	 Discuss any adjustment to assay data. Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. Specification of the grid system used. Quality and adequacy of topographic control. 	Collar co-ordinates established by GPS. UTM projection, Zone 21 North, PSAD56 Datum used. Topographic control by available topographic mapping, checked by GPS
Data spacing and distribution	 Data spacing for reporting of Exploration Results. Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. Whether sample compositing has been applied. 	 Sample reporting by whole of drill hole. Further reporting once analytical results are available Data acquisition to date is insufficient for Mineral Resource and Ore Reserve estimation at this preliminary exploration phase.
Orientation of data in relation to geological structure	 Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material. 	 Sample orientation not undertaken at this stage Sample bias not considered an issue
Sample security	The measures taken to ensure sample security.	Drill samples collected at the drill sites, moved to and stored securely at base camp. Samples logged at base camp, sawn at base camp., half core sample shipped to Georgetown by river transport, met by a GSM representative and taken directly to MS Analytical's Georgetown Laboratory. MS Analytical's security protocols then apply. Sample pulps being airfreighted to Australia and analysed by Nagrom Laboratories Perth WA
Audits or reviews	 The results of any audits or reviews of sampling techniques and data. 	Too early to review

Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	 Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area. 	 Reconnaissance Geophysical and Geological Survey, Morabisi Area, Mining District#3, Region 7 Guyana. The tenement has an area of 713,109 acres (288,580 ha) Guyana Strategic Metals in Joint Venture with Greenpower Energy Ltd A two-year exploration programme which has been approved by Guyana Geology and Mining Commission There are no known impediments to obtaining a licence to operate in the area
Exploration done by other parties	Acknowledgment and appraisal of exploration by other parties.	GGMC – Summary of Geochemistry, Geology and Structure, June 2002
Geology	Deposit type, geological setting and style of mineralisation.	Pegmatite hosted Lithium
Drill hole Information	 A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: easting and northing of the drill hole collar 	Information included in maps and report
	elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar	
	 down hole length and interception depth hole length. If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why 	
Data aggregation methods	 In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated. Where aggregate intercepts incorporate short lengths of high grade results and longer 	 Previous Phase 1 and Phase 2 exploration by the Joint Venturers GSM and Greenpower No sample aggregation reporting has taken place. No assumptions made at this stage

Criteria	JORC Code explanation	Commentary
	lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.	
	 The assumptions used for any reporting of metal equivalent values should be clearly stated. 	
Relationship between	These relationships are particularly important in the reporting of Exploration Results.	 Drilling has been carried out at various azimuths and dips.
mineralisation widths and intercept lengths	 If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. 	To date all geological intervals have been reported as down hole distances and thicknesses. It is too
	• If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known').	early to report true widths or true depths as there is insufficient data available
Diagrams	Appropriate maps and sections (with scales) and tabulations of intercepts should be	 Drill hole locations included on accompanying maps.
	included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.	 Too early to produce sectional views as there is insufficient data
Balanced reporting	Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.	 No grades reported, all widths quoted in down hole distances as it is too early to determine geometries and analyses are not yet available
Other substantive	Other exploration data, if meaningful and material, should be reported including (but not)	 Phase 1 exploration has been previously reported
exploration data	limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.	Phase 2 (Trenching) has been reported
Further work	 The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling). 	 Based on analytical results from current drill programme, initial metallurgical assessment planned.
	 Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive. 	 Extensions to drilled areas not known at this stage. Will be the subject of future investigation

Section 3 Estimation and Reporting of Mineral Resources

(Criteria listed in section 1, and where relevant in section 2, also apply to this section.)

Criteria	JORC Code explanation	Commentary
Database integrity	Measures taken to ensure that data has not been corrupted by, for example, transcription or keying errors, between its initial collection and its use for Mineral Resource estimation purposes.	Currently not applicable
	Data validation procedures used.	
Site visits	 Comment on any site visits undertaken by the Competent Person and the outcome of those visits. If no site visits have been undertaken indicate why this is the case. 	Competent Person overflew the area 5 July 2017 Ground access at that time not possible because of late wet season flooding. Site inspection of the Turesi Prospect made during a site visit, 23-27 September 2017
Geological interpretation	Confidence in (or conversely, the uncertainty of) the geological interpretation of the mineral deposit.	Reasonable confidence in current geological model
merpressurer.	 Nature of the data used and of any assumptions made. 	 Historical data, GSM Greenpower JV data used for assumptions
	The effect, if any, of alternative interpretations on Mineral Resource estimation.	 No Mineral Resource estimations have been made due to the early stage of
	 The use of geology in guiding and controlling Mineral Resource estimation. 	exploration
	 The factors affecting continuity both of grade and geology. 	
Dimensions	 The extent and variability of the Mineral Resource expressed as length (along strike or otherwise), plan width, and depth below surface to the upper and lower limits of the Mineral Resource. 	Not fully known at this stage.
Estimation and modelling techniques	The nature and appropriateness of the estimation technique(s) applied and key assumptions, including treatment of extreme grade values, domaining, interpolation parameters and maximum distance of extrapolation from data points. If a computer assisted estimation method was chosen include a description of computer software and parameters used.	None of the following in this section are applicable
	 The availability of check estimates, previous estimates and/or mine production records and whether the Mineral Resource estimate takes appropriate account of such data. 	
	 The assumptions made regarding recovery of by- products. 	
	 Estimation of deleterious elements or other non- grade variables of economic significance (eg sulphur for acid mine drainage characterisation). 	
	 In the case of block model interpolation, the block size in relation to the average sample spacing 	

Criteria	JORC Code explanation	Commentary
	and the search employed.Any assumptions behind modelling of selective	
	mining units.Any assumptions about correlation between variables.	
	 Description of how the geological interpretation was used to control the resource estimates. 	
	 Discussion of basis for using or not using grade cutting or capping. 	
	 The process of validation, the checking process used, the comparison of model data to drill hole data, and use of reconciliation data if available. 	
Moisture	Whether the tonnages are estimated on a dry basis or with natural moisture, and the method of determination of the moisture content.	Not applicable
Cut-off parameters	 The basis of the adopted cut-off grade(s) or quality parameters applied. 	Not applicable
Mining factors or assumptions	 Assumptions made regarding possible mining methods, minimum mining dimensions and internal (or, if applicable, external) mining dilution. It is always necessary as part of the process of determining reasonable prospects for eventual economic extraction to consider potential mining methods, but the assumptions made regarding mining methods and parameters when estimating Mineral Resources may not always be rigorous. Where this is the case, this should be reported with an explanation of the basis of the mining assumptions made. 	Not applicable
Metallurgical factors or assumptions	• The basis for assumptions or predictions regarding metallurgical amenability. It is always necessary as part of the process of determining reasonable prospects for eventual economic extraction to consider potential metallurgical methods, but the assumptions regarding metallurgical treatment processes and parameters made when reporting Mineral Resources may not always be rigorous. Where this is the case, this should be reported with an explanation of the basis of the metallurgical assumptions made.	Not applicable
Environmental factors or assumptions	• Assumptions made regarding possible waste and process residue disposal options. It is always necessary as part of the process of determining reasonable prospects for eventual economic extraction to consider the potential environmental impacts of the mining and processing operation. While at this stage the determination of potential environmental impacts, particularly for a greenfields project, may not always be well advanced, the status of early consideration of these potential environmental impacts should be reported. Where these aspects have not been considered this should be reported with an	Not applicable

Criteria	JORC Code explanation	Commentary
	explanation of the environmental assumptions made.	
Bulk density	 Whether assumed or determined. If assumed, the basis for the assumptions. If determined, the method used, whether wet or dry, the frequency of the measurements, the nature, size and representativeness of the samples. 	Not applicable
	 The bulk density for bulk material must have been measured by methods that adequately account for void spaces (vugs, porosity, etc), moisture and differences between rock and alteration zones within the deposit. 	
	 Discuss assumptions for bulk density estimates used in the evaluation process of the different materials. 	
Classification	The basis for the classification of the Mineral Resources into varying confidence categories.	Not applicable
	 Whether appropriate account has been taken of all relevant factors (ie relative confidence in tonnage/grade estimations, reliability of input data, confidence in continuity of geology and metal values, quality, quantity and distribution of the data). 	
	 Whether the result appropriately reflects the Competent Person's view of the deposit. 	
Audits or reviews	 The results of any audits or reviews of Mineral Resource estimates. 	Not applicable
Discussion of relative accuracy/ confidence	Where appropriate a statement of the relative accuracy and confidence level in the Mineral Resource estimate using an approach or procedure deemed appropriate by the Competent Person. For example, the application of statistical or geostatistical procedures to quantify the relative accuracy of the resource within stated confidence limits, or, if such an approach is not deemed appropriate, a qualitative discussion of the factors that could affect the relative accuracy and confidence of the estimate.	None of the following in this section are applicable
	The statement should specify whether it relates to global or local estimates, and, if local, state the relevant tonnages, which should be relevant to technical and economic evaluation. Documentation should include assumptions made and the procedures used.	
	 These statements of relative accuracy and confidence of the estimate should be compared with production data, where available. 	

Section 4 Estimation and Reporting of Ore Reserves

(Criteria listed in section 1, and where relevant in sections 2 and 3, also apply to this section.)

Criteria	JORC Code explanation	Commentary
Mineral Resource estimate for conversion to Ore	 Description of the Mineral Resource estimate used as a basis for the conversion to an Ore Reserve. Clear statement as to whether the Mineral Resource are reported additional to an inclusion. 	Not applicable
Reserves	Resources are reported additional to, or inclusive of, the Ore Reserves.	
Site visits	Comment on any site visits undertaken by the Competent Person and the outcome of those visits.	Competent Person overflew the area 5 July 2017 Ground access at that time not possible because of late wet season
	 If no site visits have been undertaken indicate why this is the case. 	flooding. Competent Person visited Turesi Trenches, Banakarau Trenches, Robello Creek Old Mine,23-27 September 2017
Study status	 The type and level of study undertaken to enable Mineral Resources to be converted to Ore Reserves. 	Not applicable
	 The Code requires that a study to at least Pre- Feasibility Study level has been undertaken to convert Mineral Resources to Ore Reserves. Such studies will have been carried out and will have determined a mine plan that is technically achievable and economically viable, and that material Modifying Factors have been considered. 	
Cut-off parameters	 The basis of the cut-off grade(s) or quality parameters applied. 	Not applicable
Mining factors or assumptions	 The method and assumptions used as reported in the Pre-Feasibility or Feasibility Study to convert the Mineral Resource to an Ore Reserve (i.e. either by application of appropriate factors by optimisation or by preliminary or detailed design). 	None of the following in this section are applicable
	 The choice, nature and appropriateness of the selected mining method(s) and other mining parameters including associated design issues such as pre-strip, access, etc. 	
	 The assumptions made regarding geotechnical parameters (eg pit slopes, stope sizes, etc), grade control and pre-production drilling. 	
	 The major assumptions made and Mineral Resource model used for pit and stope optimisation (if appropriate). 	
	The mining dilution factors used.	
	The mining recovery factors used.	
	Any minimum mining widths used.	

Criteria	JORC Code explanation	Commentary
	The manner in which Inferred Mineral Resources are utilised in mining studies and the sensitivity of the outcome to their inclusion.	
	 The infrastructure requirements of the selected mining methods. 	
Metallurgical factors or assumptions	 The metallurgical process proposed and the appropriateness of that process to the style of mineralisation. 	None of the following in this section are applicable
	 Whether the metallurgical process is well-tested technology or novel in nature. 	
	 The nature, amount and representativeness of metallurgical test work undertaken, the nature of the metallurgical domaining applied and the corresponding metallurgical recovery factors applied. 	
	 Any assumptions or allowances made for deleterious elements. 	
	 The existence of any bulk sample or pilot scale test work and the degree to which such samples are considered representative of the orebody as a whole. 	
	 For minerals that are defined by a specification, has the ore reserve estimation been based on the appropriate mineralogy to meet the specifications? 	
Environmental	 The status of studies of potential environmental impacts of the mining and processing operation. Details of waste rock characterisation and the consideration of potential sites, status of design options considered and, where applicable, the status of approvals for process residue storage and waste dumps should be reported. 	Not applicable
Infrastructure	The existence of appropriate infrastructure: availability of land for plant development, power, water, transportation (particularly for bulk commodities), labour, accommodation; or the ease with which the infrastructure can be provided, or accessed.	Not applicable. All infrastructure relates to preliminary exploration and is supplied by the GSM/ Greenpower Joint Venture
Costs	 The derivation of, or assumptions made, regarding projected capital costs in the study. 	None of the following in this section are applicable
	 The methodology used to estimate operating costs. 	
	 Allowances made for the content of deleterious elements. 	
	The source of exchange rates used in the study.	
	 Derivation of transportation charges. 	
	 The basis for forecasting or source of treatment and refining charges, penalties for failure to meet specification, etc. 	
	The allowances made for royalties payable, both	

Criteria	JORC Code explanation	Commentary
	Government and private.	
Revenue factors	 The derivation of, or assumptions made regarding revenue factors including head grade, metal or commodity price(s) exchange rates, transportation and treatment charges, penalties, net smelter returns, etc. The derivation of assumptions made of metal or commodity price(s), for the principal metals, 	Not applicable
	minerals and co-products.	
Market assessment	 The demand, supply and stock situation for the particular commodity, consumption trends and factors likely to affect supply and demand into the future. 	Not applicable
	 A customer and competitor analysis along with the identification of likely market windows for the product. 	
	 Price and volume forecasts and the basis for these forecasts. 	
	 For industrial minerals the customer specification, testing and acceptance requirements prior to a supply contract. 	
Economic	 The inputs to the economic analysis to produce the net present value (NPV) in the study, the source and confidence of these economic inputs including estimated inflation, discount rate, etc. 	Not applicable
	 NPV ranges and sensitivity to variations in the significant assumptions and inputs. 	
Social	 The status of agreements with key stakeholders and matters leading to social licence to operate. 	•
Other	 To the extent relevant, the impact of the following on the project and/or on the estimation and classification of the Ore Reserves: 	None of the following in this section are applicable
	 Any identified material naturally occurring risks. 	
	 The status of material legal agreements and marketing arrangements. 	
	The status of governmental agreements and approvals critical to the viability of the project, such as mineral tenement status, and government and statutory approvals. There must be reasonable grounds to expect that all necessary Government approvals will be received within the timeframes anticipated in the Pre-Feasibility or Feasibility study. Highlight and discuss the materiality of any unresolved matter that is dependent on a third party on which extraction of the reserve is contingent.	
Classification	 The basis for the classification of the Ore Reserves into varying confidence categories. Whether the result appropriately reflects the Competent Person's view of the deposit. 	Not applicable

Criteria	JORC Code explanation	Commentary
	 The proportion of Probable Ore Reserves that have been derived from Measured Mineral Resources (if any). 	
Audits or reviews	 The results of any audits or reviews of Ore Reserve estimates. 	Not applicable
Discussion of relative accuracy/ confidence	Where appropriate a statement of the relative accuracy and confidence level in the Ore Reserve estimate using an approach or procedure deemed appropriate by the Competent Person. For example, the application of statistical or geostatistical procedures to quantify the relative accuracy of the reserve within stated confidence limits, or, if such an approach is not deemed appropriate, a qualitative discussion of the factors which could affect the relative accuracy and confidence of the estimate.	None of the following in this section are applicable
	The statement should specify whether it relates to global or local estimates, and, if local, state the relevant tonnages, which should be relevant to technical and economic evaluation. Documentation should include assumptions made and the procedures used.	
	 Accuracy and confidence discussions should extend to specific discussions of any applied Modifying Factors that may have a material impact on Ore Reserve viability, or for which there are remaining areas of uncertainty at the current study stage. 	
	 It is recognised that this may not be possible or appropriate in all circumstances. These statements of relative accuracy and confidence of the estimate should be compared with production data, where available. 	