Kihabe Zn, Pb, Ag, Ge, V Project Botswana





Disclaimer: Forward Looking Statement

This presentation contains forward looking statements in respect of the projects being reported on by the Company. Forward looking statements are based on beliefs, opinions, assessments and estimates based on facts and information available to management and/or professional consultants at the time they are formed or made and are, in the opinion of management and/or consultants, applied as reasonably and responsibly as possible as at the time that they are applied.

Any statements in respect of mineral reserves, resources and zones of mineralisation may also be deemed to be forward looking statements in that they contain estimates which the Company believes have been based on reasonable assumptions with respect to mineralisation that has been found. Exploration targets are conceptual in nature and are formed from projection of the known resource dimensions along strike. The quantity and grade of an exploration target is insufficient to define a Mineral Resource. Forward looking statements are not statements of historical fact, they are based on reasonable projections and calculations, the ultimate results or outcomes of which may differ materially from those described or incorporated in the forward looking statements. Such differences or changes in circumstances to those described or incorporated in the forward looking statements may arise as a consequence of the variety of risks, uncertainties and other factors relative to the exploration and mining industry and the particular properties in which the Company has an interest.

Such risks, uncertainties and other factors could include but would not necessarily be limited to fluctuations in metals and minerals prices, fluctuations in rates of exchange, changes in government policy and political instability in the countries in which the Company operates.

Other Important Information

PURPOSE OF PRESENTATION: This presentation has been prepared by Mount Burgess Mining NL (MTB). It is intended only for the purpose of providing information on MTB, its project and its proposed operations. This presentation is neither of an investment advice, a prospectus nor a product disclosure statement. It does not represent an investment disclosure document. It does not purport to contain all the information that a prospective investor may require to make an evaluated investment decision. MTB does not purport to give financial or investment advice.

PROFESSIONAL ADVICE: Recipients of this presentation should consider seeking appropriate professional advice in reviewing this presentation and should review any other information relative to MTB in the event of considering any investment decision.

FORWARD LOOKING STATEMENTS: This presentation contains forward looking statements which should be reviewed and considered as part of the overall disclosure relative to this presentation.

DISCLAIMER: Neither MTB nor any of its officers, employees or advisors make any warranty (express or implied) as to the accuracy, reliability and completeness of the information contained in this presentation. Nothing in this presentation can be relied upon as a promise, representation or warranty.

PROPRIETARY INFORMATION: This presentation and the information contained therein is proprietary to MTB.

Competent Person Statement

The information in this report related to 2017 Exploration Results is extracted from ASX Announcements dated 5 Feb, 12 Feb, 16 March, 22 March and 3 April 2018 and are all available to view on www.mountburgess.com. The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement.

The information in the resource statement that relates to the Kihabe Resource is compiled by Byron Dumpleton, B.Sc., a member of the Australasian Institute of Geoscientists. The information that relates to the Nxuu Resource is compiled by Mr Ben Mosigi, M.Sc., (Leicester University – UK), B.Sc., (University of New Brunswick – Canada), Diploma Mining Tech (Haileybury School of Mines – Canada), a member of the Geological Society of South Africa.

Mr Dumpleton is an independent qualified person and Mr Mosigi was a Technical Director of the Company for the period in which the resource was developed. Both Mr Dumpleton and Mr Mosigi have sufficient experience relevant to the style of mineralisation under consideration and to the activity to which they have undertaken to qualify as a Competent Person as defined in the 2004 Edition of the "Australasian Code of Reporting of Mineral Resources and Ore Reserves". Both Mr Dumpleton and Mr Mosigi consent to the inclusion in this report of the matters based on the information in the form and context in which it appears.

The information regarding Kihabe and Nxuu Resources was first released 8/10/2008 and 20/1/10 respectively and updated with recovery information 12/4/2012. The information was prepared and first disclosed under the JORC Code 2004. It has not been updated since to comply with the JORC Code 2012 on the basis that the information has not materially changed since it was last reported.



AIMING FOR NEAR TERM PRODUCTION AT NXUU

STRATEGY

Licence granted to 2023

Focus on Nxuu as a low risk path to production

Timed to positive Zinc and Vanadium outlook

RESOURCE

- Kihabe and Nxuu deposits (2.4km strike length)
- Current Resource of ~25Mt @ 3% Zn Eq* (2004 JORC compliant)
- Drilling required to upgrade Resource and validate current suspected under-call of grade issue

NXUU FEASIBILITY

- Ongoing Process Flow Investigation to include Germanium and Vanadium
- On-site metal production (not conc)
- Defining power solution
- Investigation of 750,000 tpa production to realise value from shallow oxide domain

KIHABE DEPOSIT

- Higher grade oxide zone to complement Nxuu production
- Metallurgical studies



KIHABE - NXUU RESOURCE STATEMENT (JORC 2004)

Deposit	External	Indicated	Inferred	Total	Contained Zinc	Contained Lead
	Zn-eq Cut %	M Tonnes %	M Tonnes %	M Tonnes %	metal (kt)	metal (kt)
Kihabe	1.5%	11.4 @ 2.90%*	3.0 @ 2.60%*	14.4 @ 2.84%*	259kt	115kt
Nxuu	0.3%	-	10.9 @ 3.20%*	10.9 @ 3.20%*	196kt	153kt
		11.4 @ 2.90%*	13.9 @ 3.07%*	25.3 @ 3.00%*	455kt	268kt

*Zinc Equivalent

Kihabe resource calculated on metal prices as at 17 July 2008: Zn US\$1,810/t Pb US\$1,955/t Ag US\$18.75/oz Kihabe Grades: Zn 1.8% Pb 0.8% Ag 7.7 g/t

Nxuu resource calculated on zinc and lead at par value metal prices

Nxuu Grades: Zn 1.8% Pb 1.4%

The Kihabe and Nxuu Resources cover a combined strike length of 2.3 km containing 25.3 M/t @ 3.0% Zn eq, within a SEDEX mineralised zone of quartz wacke, right at the contact with the regional dolostone.

KIHABE – NXUU METAL RECOVERIES

• Kihabe Oxide 97% Zn recovered (24hrs via acid leach), potential to produce Zn metal via SX/EW

92% Pb recovered to produce exceptionally high grade concentrate of 76% Pb


Kihabe Sulphide 94% Zn, 88% Pb, 96% Ag recovered (15mins via flotation) to produce


Zn con 58% and Pb con 76%

Nxuu Oxide 93% Zn, 93% Pb, (12hrs via acid leach), potential to produce Zn metal via SX/EW



NXUU – POTENTIAL SHALLOW OPEN PIT OXIDES






- 7km East of Kihabe
- Surface area of 550m x 250m basin shape
- Near surface, shallow basin-shaped pit indicative SR of 3:1
- Resource envelope from 10m to 60m below surface
- All oxide (Zn as Smithsonite, Pb as Cerussite) with additional silver, germanium and vanadium mineral'n
- Germanium and Vanadium recoveries currently being investigated. Vanadium in Vanadinite (SG 6.9) should be recoverable by simple gravity separation.
- Mineralisation occurs in quartz wacke NOT dolostone
 / carbonates = low acid consumption
- Possibility of Zn, Pb, Ag metal production on site = No concentrate transport & no smelter costs!
- Modest scale <1Mtpa = low Capex
- Top 1/3 of Kihabe also Oxide = additional feed

POTENTIAL LOW RISK, LOW CAPEX, EARLY PRODUCTION




NXUU - POTENTIAL LOW RISK, LOW CAPEX, EARLY PRODUCTION





NXUU - SECTION ONE



Section One:

NW edge of mineralisation, predominantly Vanadium with minor low grade Zn/Pb/Ag



1.81m @ 124 ppm


ZINC EQUIVALENT GRADE FOR Zn/Pb/Ag


KALAHARI SAND

DOLOSTONE BASEMENT



NXUU - SECTION TWO






Section Two:

Large widths of Vanadium mineralisation associated with Zn/Pb/Ag within 3m of surface (Kalahari Sand cover).




NXUU – SECTION THREE



Section Three:

Higher grade Zn/Pb/Ag of large widths. Vanadium near surface and in pockets.

mount burgess mining




213m

NXUU - SECTION THREE

Section Four:

SW edge of mineralised zone. Deeper zones of base metal mineralisation with minor Vanadium below barren quartz wacke







KIHABE – Potential open pit

SedEx style – Mineralisation (Zn, Pb, Ag, Ge, V) occurs in quartz wacke at near vertical contact with regional dolomite

Zinc Model 9900mE Section



- Strike length 2.4km with two proposed pits covering 1.8km strike
- Some mineralised sections 60m wide with average width of 27m down to 175 m
- SedEx style Mineralisation occurs in quartz wacke at near vertical contact with regional dolomite
- Resource envelope from 10m to 175m below surface (potential open pit depths)
- Indicative SR of 4.5:1 with scope for further improvement after geotechnical drilling





KIHABE – Wide zones of mineralisation for extended regions of the Resource

- 25% Near surface oxides (Zn as Smithsonite & Baileychlore: Pb as Galena)
- Oxide recoveries 97% Zn (bench scale @30 micron, 40C tank acid leach using 30kg/t acid); 92% Pb (bench scale flotation/concentration to produce a 76% Pb con)
- Underlying sulphides (Zn as Sphalerite; PB as Galena)
 - Sulphide recoveries 94% Zn, 88% Pb, 96% Ag (bench scale flotation @ 75micron for 15mins to produce 58% Zn con and 76% Pb con)

1200m RL

OXIDISED

1150m RL


1100m RL

FRESH

1050m RL

1000m RL

mount burgess mining



PROJECT POWER REQUIREMENTS

- To maximise beneficiation within Botswana, Mount Burgess intends to produce zinc and other metals on site
- On site metal recovery through solvent extraction / electrowinning requires 20 MW.
- Diesel or heavy fuel oil fired generators are cost prohibitive for this project
- Alternative power options such as hybrid solar/gas being investigated in the event of delays in grid power access
- Upgrade to power lines from Morupule power source to within 100km of project area commenced January 2018, completion expected 2019.

MTB has an established camp on site



BOTSWANA



- Rank # 2 in Africa (Fraser Institute '16)
- Stable and peaceful
- Appealing investment framework
- English speaking and long track record of mining activity
- Other projects of note Orapa, Jwaneng, T3 (MOD), Cupric Canyon, A-Cap





KIHABE – NXUU PROJECT

RESOURCE DRILLING

- Complete HQ diamond core drilling at Nxuu to quote JORC 2012 Indicated Resource
- Understand distribution of Germanium and Vanadium
- Longer term: as above for the larger Kihabe Resource

METALLURGY


- Nxuu testwork program on new oxide core samples to define optimal metal recovery pathways for Nxuu oxides
- Investigate realisation of potential Silver, Germanium and Vanadium credits
- Longer Term: As above for Kihabe Resource

INFRASTRUCTRE

- Ongoing investigation of power options
- Investigation of Rail, air and road logistics. Grootfontein rail hub 350km west. Xai Xai airfield on Kihabe licence.

With Vandium trading at near term highs, Germanium price currently at US\$1435/kg* and strong forecasts for zinc prices, the Company remains focussed on the near term realisation of the Nxuu near surface oxide deposit.

1 Year Vanadium price (\$US)







East Victoria Park, WA 6101 www.mountburgess.com mtb@mountburgess.com

ASX: MTB