

19th SEPTEMBER 2018

FINAL PHASE 2 RESULTS ELEVATE DANDOKO CORRIDOR

Final assays received from Phase 2 drilling program confirm significant gold mineralisation at Sory and Dabia prospects, elevating Dandoko to a potential district scale discovery with new drill programs planned to commence after the wet season.

SORY PROSPECT (1.5km South of Seko)

- ▶ First reverse circulation (RC) drilling results:
 - ▶ **44m at 1.37g/t gold** from 33m; including
 - **5m at 2.36g/t gold** from 33m
 - **14m at 2.46g/t gold** from 63m
- ▶ Follow-up aircore (AC) drilling results:
 - ▶ **35m at 1.00g/t gold** from 19m; including
 - **4m at 3.40g/t gold** from 47m

DABIA PROSPECT (1.5km North of Seko)

- ▶ Shallow AC drilling results:
 - ▶ **25m at 2.50g/t gold** from 65; including
 - **4m at 5.03g/t gold** from 68m
 - **1m at 10.20g/t gold** from 78m
 - **2m at 6.59g/t gold** from 84m
 - ▶ **9m at 2.66g/t gold** from 99m, with **hole ending in mineralisation**; including
 - **2m at 5.91g/t gold** from 102m
 - ▶ **5m at 4.85g/t gold** from 31m; including
 - ▶ **4m at 5.03g/t gold** from 68m

“Results from the Phase 2 drill program have elevated the Dandoko Gold corridor to a district scale discovery with significant gold mineralisation now confirmed to the North (Dabia) and South (Sory) of Seko. This good news builds momentum for a possible regional scale gold camp with the recent identification of the Kouroufing gold corridor providing a second district scale prospect for the Company. Compilation of these new and previously announced results are being finalised and we hope to be able to mobilise in mid to late October with a new drill program, following the end of the wet season.” said Simon Taylor, Managing Director – Oklo Resources.

Oklo Resources Limited (Oklo or Company; ASX: OKU) is pleased to announce the final results from its Phase 2 drill program within the Dandoko Gold Project.

Oklo’s Dandoko, Moussala, Kouroufing and Kandiole Projects are located in Western Mali, 30km to the East of B2Gold’s 5.15Moz Fekola mine and 50km to the south-southeast of Randgold’s 12.5Moz Loulo mine. (Figure 1a and 1b).




Figure 1: a) Location of Oklo's Dandoko, Moussala, Kouroufing and Kandiole gold projects in West Mali b) Location of Seko trends within 12 km long Dandoko gold corridor

This announcement comprises results from 4 RC and 149 AC holes and concludes all results from the 2017/18 seasons Phase 2 drill program.

SORY DRILLING (1.5km South of Seko)

Four RC holes (for 599m) and three AC holes (for 244m) were drilled to test auger gold geochemical anomalies. The RC holes were drilled on one traverse and returned positive results including **44m at 1.37g/t gold** including **14m at 2.46g/t gold**. The AC holes were drilled into a separate auger geochemical anomaly 1km to the North of the RC drill traverse and intersected a wide zone of gold mineralisation including **35m at 1.00g/t gold** that included **4m at 3.40g/t gold**.

These results are highly encouraging for first pass drill testing of previous auger results and the Company believes they warrant further drill testing.

DABIA DRILLING (1.5km North of Seko)

A total of 146 AC holes (for 14,097m) were completed along 8 drill traverses at Dabia to continue coverage across the previously outlined auger gold anomalies that occur in 3 areas over a total strike length of circa 1.6km (Figure 2).

The AC drill traverses were completed in a 'heel-to-toe' manner with all holes angled at -55° and achieving an average downhole depth of 96m (vertical depth ~ 78 m) and a maximum downhole depth of 120m (vertical depth ~ 98 m). The holes generally encountered saprolitic clays with the majority terminating within weathered bedrock.

The AC holes successfully intersected gold mineralisation coincident with the auger anomalies, with grades of up to **16.00g/t gold** returned along with multiple intercepts of anomalous to low grade mineralisation including: **25m at 2.50g/t gold** including **4m at 5.03g/t gold**, **5m at 4.85g/t gold**, **9m at 2.66g/t gold** including **2m at 5.91g/t gold**, **12m at 1.09g/t gold** including **4m at 2.14g/t gold** and **17m at 1.10g/t gold**.

The current nominal drill line traverse spacing is considered too broad to confidently define the configuration of the mineralised envelope or resolve any internal controls to the gold intersections. Further infill AC drilling is planned in advance of more targeted RC and diamond drilling.




Figure 2: Location of completed AC, RC drill traverses over Dandia and Sory along with grade thickness (AC, RC and DD drillholes) over Seko Anomalies SK1-SK5 overlain on gold auger geochemistry

The significant drill hole intersections are summarised in Table 1 with a detailed summary of all assay results $\geq 0.1\text{g/t}$ gold presented in Table 3. All drill hole locations are summarised in Table 2 and shown in Figure 2 and 3.

PHASE 2 DRILL PROGRAM

The Company's Phase 2 drill program was completed with the onset of the wet season in mid-July with a total of 169 AC holes (for 15,484m), 49 RC holes (for 9,075m) and 31 DD holes (for 7,147m¹) at Dandoko and 690 holes (for 10,210m) of auger drilling at Kouroufing totalling 41,915m. All results have now been received and reported.

Drilling will recommence after the wet season with planning underway and programs to be announced shortly.

"The unique position of having a possible regional scale gold camp with two district scale projects concludes a very successful 2017/18 field season and provides a pathway to succeed with our 2019 program" – said Simon Taylor, Managing Director – Oklo Resources

– ENDS –

For further information, please contact:

Simon Taylor

Managing Director

T: +61 2 8319 9233

E: staylor@okloresources.com

Table 1: Significant RC, AC mineralised zones – Dabia and Sory

AREA	HOLE NO	FROM (m)	TO (m)	WIDTH (m)	GOLD g/t
SORY - RC					
SORY	RCSR18-001	44	45	1	2.07
		139	140	1	1.20
	RCSR18-002	7	14	7	1.02
		46	48	2	1.75
	RCSR18-003	13	14	1	1.04
		33	77	44	1.37
<i>including</i>		33	38	5	2.36
<i>including</i>	63	77	14	2.46	
SORY – AIRCORE					
SORY	ACSR18-440	12	14	2	1.40
	ACSR18-441	18	53	35	1.00
	<i>including</i>	18	24	6	1.50
	<i>including</i>	47	51	4	3.40
	ACSR18-442	48	49	1	1.11

¹ Inclusive RC pre-collars

AREA	HOLE NO	FROM (m)	TO (m)	WIDTH (m)	GOLD g/t
DABIA - AIRCORE					
DABIA	ACDB18-065	84	85	1	16.00
	ACDB18-081	74	75	1	1.25
		77	78	1	1.04
	ACDB18-082 <i>including</i>	62	74	12	1.09
		62	66	4	2.14
	ACDB18-084	61	62	1	2.00
	ACDB18-090	20	21	1	1.97
	ACDB18-091	39	40	1	2.03
		57	74	17	1.10
	ACDB18-092	45	49	4	1.34
	ACDB18-093	34	36	2	1.78
	ACDB18-096	31	32	1	2.01
	ACDB18-100	47	48	1	2.85
	ACDB18-106	88	89	1	2.60
		99	108	9	2.66*
		102	104	2	5.91
	ACDB18-118	5	6	1	3.01
		9	11	2	1.60
	ACDB18-123	41	43	2	1.19
	ACDB18-127	95	96	1	2.92
	ACDB18-128	102	103	1	1.27
	ACDB18-133	15	16	1	1.83
		31	36	5	4.85
	ACDB18-135	13	14	1	1.04
	ACDB18-136	13	14	1	1.40
		49	51	2	1.24
	ACDB18-150	9	10	1	1.46
	ACDB18-152	83	90	7	1.18*
	ACDB18-174	103	104	1	1.77
	ACDB18-182	109	110	1	1.70
	ACDB18-189 <i>including</i> <i>including</i> <i>including</i>	65	90	25	2.50
		68	72	4	5.03
78		79	1	10.20	
84		86	2	6.59	
ACDB18-192	95	97	2	1.03	
	10	11	1	1.40	
	13	14	1	1.72	
ACDB18-206	37	44	7	1.27	
	11	15	4	1.82	
	40	41	1	1.20	

* denotes hole ended in mineralisation

Mineralised zones are reported using a threshold where the interval has a $\geq 0.30\text{g/t Au}$ average or greater over the sample interval and selects all material greater than 0.10g/t Au allowing for 3 sample of included dilution.




Figure 3: Sory Cross section 1394400mN

ABOUT OKLO RESOURCES

Oklo Resources is an ASX listed exploration company with gold, uranium and phosphate projects located in Mali, Africa.

The Company's focus is its large landholding of eight gold projects covering over 1,500km² in some of Mali's most prospective gold belts. The Company has a corporate office located in Sydney, Australia and an expert technical team based in Bamako, Mali, led by Dr Madani Diallo who has previously been involved in discoveries totalling in excess of 30Moz gold.

In late 2016, Oklo initiated a reconnaissance auger geochemistry program over the Dandoko and Moussala Projects to explore for new targets concealed under the extensive tracts of lateritic cover. The program delivered early success with the delineation of the 12km long Dandoko gold corridor, including the Seko and more recent Sory and Dabia discoveries.



Figure 4: Location of Oklo Projects in West and South Mali

Competent Person's Declaration

The information in this announcement that relates to Exploration Results is based on information compiled by geologists employed by Africa Mining (a wholly owned subsidiary of Oklo Resources) and reviewed by Mr Simon Taylor, who is a member of the Australian Institute of Geoscientists. Mr Taylor is the Managing Director of Oklo Resources Limited. Mr Taylor is considered to have sufficient experience deemed relevant to the style of mineralisation and type of deposit under consideration, and to the activity that he is undertaking to qualify as a Competent person as defined in the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves" (the 2012 JORC Code). Mr Taylor consents to the inclusion in this report of the matters based on this information in the form and context in which it appears. This announcement contains information extracted from previous ASX market announcements reported in accordance with the JORC Code (2012) and available for viewing at www.okloresources.com. Oklo Resources confirms that in respect of these announcements dated 21 December 2016, 30 January 2017, 21 February 2017, 3 March 2017, 7 March 2017, 15 March 2017, 30 March 2017, 6 April 2017, 26 April 2017, 29 May 2017, 21 June 2017, 12 July 2017, 25 July 2017, 14 August 2017, 16 August 2017, 4 September 2017, 28 November 2017, 5 December 2017, 20 December 2017, 5 February 2018, 22 February 2018, 8 March 2018, 28 March 2018, 3 May 2018, 16 May 2018, 22 May 2018, 2 July 2018, 28th August 2018 and 3rd September 2018 it is not aware of any new information or data that materially affects the information included in any original ASX market announcement.

Table 2: AC and RC drill hole locations

HOLE No	EAST	NORTH	RL	LENGTH	AZI.	INC.	AREA
SORY - RC							
RCSR18-001	268749	1394401	180	150	90	-55	Sory
RCSR18-002	268706	1394401	178	150	90	-55	Sory
RCSR18-003	268665	1394401	176	150	90	-55	Sory
RCSR18-004	268617	1394402	174	149	90	-55	Sory
SORY - AIRCORE							
ACSR18-440	269142	1395400	168	97	90	-55	Sory
ACSR18-441	269185	1395400	169	72	90	-55	Sory
ACSR18-442	269221	1395400	170	75	90	-55	Sory
DABIA – AIRCORE							
ACDB18-075	268092	1399303	175	108	90	-55	Dabia
ACDB18-076	268135	1399304	176	114	90	-55	Dabia
ACDB18-077	268178	1399306	177	54	90	-55	Dabia
ACDB18-078	268205	1399306	177	102	90	-55	Dabia
ACDB18-079	268252	1399308	177	114	90	-55	Dabia
ACDB18-080	267797	1399301	186	120	90	-55	Dabia
ACDB18-081	267844	1399300	184	80	90	-55	Dabia
ACDB18-082	267885	1399302	182	111	90	-55	Dabia
ACDB18-083	267930	1399302	180	120	90	-55	Dabia
ACDB18-084	267974	1399301	177	72	90	-55	Dabia
ACDB18-085	268300	1398501	189	84	90	-55	Dabia
ACDB18-086	268342	1398503	190	94	90	-55	Dabia
ACDB18-087	268385	1398504	191	88	90	-55	Dabia
ACDB18-088	268428	1398505	191	72	90	-55	Dabia
ACDB18-089	268461	1398506	191	72	90	-55	Dabia
ACDB18-090	268496	1398507	190	96	90	-55	Dabia
ACDB18-091	268541	1398506	190	96	90	-55	Dabia
ACDB18-092	268585	1398504	188	120	90	-55	Dabia
ACDB18-093	268630	1398504	187	84	90	-55	Dabia
ACDB18-094	268675	1398504	187	120	90	-55	Dabia
ACDB18-095	268719	1398502	186	120	90	-55	Dabia
ACDB18-096	268765	1398501	186	120	90	-55	Dabia
ACDB18-097	268810	1398501	185	120	90	-55	Dabia
ACDB18-098	268855	1398499	184	108	90	-55	Dabia
ACDB18-099	268900	1398501	183	102	90	-55	Dabia
ACDB18-100	268945	1398501	182	69	90	-55	Dabia
ACDB18-101	268980	1398501	182	102	90	-55	Dabia
ACDB18-102	269025	1398500	183	102	90	-55	Dabia
ACDB18-103	269071	1398501	184	85	90	-55	Dabia
ACDB18-104	269114	1398502	185	120	90	-55	Dabia
ACDB18-105	269158	1398501	185	120	90	-55	Dabia
ACDB18-106	269203	1398498	186	108	90	-55	Dabia
ACDB18-107	269249	1398497	187	72	90	-55	Dabia
ACDB18-108	269285	1398499	188	60	90	-55	Dabia
ACDB18-109	269314	1398499	188	66	90	-55	Dabia
ACDB18-110	269346	1398500	190	78	90	-55	Dabia

HOLE No	EAST	NORTH	RL	LENGTH	AZI.	INC.	AREA
ACDB18-111	269385	1398499	191	96	90	-55	Dabia
ACDB18-112	269432	1398499	192	102	90	-55	Dabia
ACDB18-113	269478	1398499	193	96	90	-55	Dabia
ACDB18-114	268300	1398701	190	120	90	-55	Dabia
ACDB18-115	268345	1398701	192	120	90	-55	Dabia
ACDB18-116	268390	1398700	193	120	90	-55	Dabia
ACDB18-117	268436	1398699	194	102	90	-55	Dabia
ACDB18-118	268482	1398698	195	96	90	-55	Dabia
ACDB18-119	268527	1398702	194	96	90	-55	Dabia
ACDB18-120	268573	1398703	193	120	90	-55	Dabia
ACDB18-121	268618	1398702	192	104	90	-55	Dabia
ACDB18-122	268666	1398701	191	104	90	-55	Dabia
ACDB18-123	268712	1398701	191	120	90	-55	Dabia
ACDB18-124	268758	1398701	190	116	90	-55	Dabia
ACDB18-125	268806	1398701	190	120	90	-55	Dabia
ACDB18-126	268851	1398701	189	120	90	-55	Dabia
ACDB18-127	268896	1398701	188	120	90	-55	Dabia
ACDB18-128	268941	1398701	187	120	90	-55	Dabia
ACDB18-129	268986	1398699	187	96	90	-55	Dabia
ACDB18-130	269032	1398701	188	102	90	-55	Dabia
ACDB18-131	269077	1398701	188	96	90	-55	Dabia
ACDB18-132	269122	1398701	189	120	-55	-90	Dabia
ACDB18-133	269166	1398701	190	114	90	-55	Dabia
ACDB18-134	269210	1398701	191	90	90	-55	Dabia
ACDB18-135	269254	1398701	191	50	90	-55	Dabia
ACDB18-136	269279	1398702	192	84	90	-55	Dabia
ACDB18-137	269321	1398702	192	72	90	-55	Dabia
ACDB18-138	269358	1398701	193	78	90	-55	Dabia
ACDB18-139	269400	1398702	194	108	90	-55	Dabia
ACDB18-140	269445	1398700	195	120	90	-55	Dabia
ACDB18-141	269490	1398701	196	108	90	-55	Dabia
ACDB18-142	268298	1398901	189	84	90	-55	Dabia
ACDB18-143	268346	1398903	189	46	90	-55	Dabia
ACDB18-144	268369	1398901	190	120	90	-55	Dabia
ACDB18-145	268414	1398901	190	96	90	-55	Dabia
ACDB18-146	268459	1398900	190	84	90	-55	Dabia
ACDB18-147	268502	1398900	191	72	90	-55	Dabia
ACDB18-148	268538	1398901	191	84	90	-55	Dabia
ACDB18-149	268580	1398901	191	84	90	-55	Dabia
ACDB18-150	268624	1398901	193	96	90	-55	Dabia
ACDB18-151	268670	1398900	193	120	90	-55	Dabia
ACDB18-152	268716	1398901	193	90	90	-55	Dabia
ACDB18-153	268762	1398901	193	120	90	-55	Dabia
ACDB18-154	268812	1398905	192	120	90	-55	Dabia
ACDB18-155	268857	1398902	193	120	90	-55	Dabia
ACDB18-156	268903	1398902	193	110	90	-55	Dabia
ACDB18-157	268949	1398901	193	110	90	-55	Dabia

HOLE No	EAST	NORTH	RL	LENGTH	AZI.	INC.	AREA
ACDB18-158	268996	1398901	193	110	90	-55	Dabia
ACDB18-159	269041	1398902	194	110	90	-55	Dabia
ACDB18-160	269088	1398901	194	110	90	-55	Dabia
ACDB18-161	269132	1398901	194	90	90	-55	Dabia
ACDB18-162	269177	1398901	194	110	90	-55	Dabia
ACDB18-163	269224	1398902	194	90	90	-55	Dabia
ACDB18-164	269269	1398902	194	110	90	-55	Dabia
ACDB18-165	269314	1398902	194	110	90	-55	Dabia
ACDB18-166	269359	1398901	194	110	90	-55	Dabia
ACDB18-167	269099	1399100	187	110	90	-55	Dabia
ACDB18-168	269145	1399101	186	110	90	-55	Dabia
ACDB18-169	269192	1399101	186	110	90	-55	Dabia
ACDB18-170	269236	1399101	186	110	90	-55	Dabia
ACDB18-171	269281	1399102	188	108	90	-55	Dabia
ACDB18-172	269327	1399101	190	110	90	-55	Dabia
ACDB18-173	269373	1399102	190	110	90	-55	Dabia
ACDB18-174	269001	1400099	163	110	90	-55	Dabia
ACDB18-175	269046	1400101	164	102	90	-55	Dabia
ACDB18-176	269092	1400101	166	110	90	-55	Dabia
ACDB18-177	269137	1400102	167	110	90	-55	Dabia
ACDB18-178	269182	1400102	169	110	90	-55	Dabia
ACDB18-179	269223	1400102	170	96	90	-55	Dabia
ACDB18-180	269268	1400102	172	110	90	-55	Dabia
ACDB18-181	269011	1400301	156	72	90	-55	Dabia
ACDB18-182	269047	1400301	158	110	90	-55	Dabia
ACDB18-183	269093	1400301	162	96	90	-55	Dabia
ACDB18-184	269138	1400301	166	110	90	-55	Dabia
ACDB18-185	269183	1400302	166	102	90	-55	Dabia
ACDB18-186	269229	1400302	167	53	90	-55	Dabia
ACDB18-187	269256	1400301	168	54	90	-55	Dabia
ACDB18-188	269283	1400301	169	110	90	-55	Dabia
ACDB18-189	267851	1399505	177	105	90	-55	Dabia
ACDB18-190	267897	1399502	174	96	90	-55	Dabia
ACDB18-191	267943	1399501	171	96	90	-55	Dabia
ACDB18-192	267988	1399502	170	90	90	-55	Dabia
ACDB18-193	268034	1399502	169	108	90	-55	Dabia
ACDB18-194	268079	1399502	169	78	90	-55	Dabia
ACDB18-195	268118	1399502	168	90	90	-55	Dabia
ACDB18-196	268163	1399502	168	72	90	-55	Dabia
ACDB18-197	268199	1399501	168	72	90	-55	Dabia
ACDB18-198	268236	1399501	168	72	90	-55	Dabia
ACDB18-199	268272	1399502	168	72	90	-55	Dabia
ACDB18-200	268302	1399705	164	78	90	-55	Dabia
ACDB18-201	268113	1399700	164	78	90	-55	Dabia
ACDB18-202	268153	1399701	164	78	90	-55	Dabia
ACDB18-203	268192	1399702	164	78	90	-55	Dabia
ACDB18-204	268231	1399702	164	84	90	-55	Dabia

HOLE No	EAST	NORTH	RL	LENGTH	AZI.	INC.	AREA
ACDB18-205	268272	1399704	164	66	90	-55	Dabia
ACDB18-206	267698	1399301	181	108	90	-55	Dabia
ACDB18-207	267751	1399298	186	110	90	-55	Dabia
ACDB18-208	268399	1399100	179	101	90	-55	Dabia
ACDB18-209	268441	1399101	178	96	90	-55	Dabia
ACDB18-210	268488	1399100	178	66	90	-55	Dabia
ACDB18-211	268521	1399101	179	72	90	-55	Dabia
ACDB18-212	268557	1399101	180	60	90	-55	Dabia
ACDB18-213	268588	1399101	181	51	90	-55	Dabia
ACDB18-214	268613	1399101	181	60	90	-55	Dabia
ACDB18-215	268643	1399101	181	66	90	-55	Dabia
ACDB18-216	268676	1399102	181	86	90	-55	Dabia
ACDB18-217	268720	1399101	181	92	90	-55	Dabia
ACDB18-218	268765	1399101	181	114	90	-55	Dabia
ACDB18-219	268809	1399101	181	60	90	-55	Dabia
ACDB18-220	268839	1399102	181	110	90	-55	Dabia

Table 3: All AC and RC assay results $\geq 0.10\text{g/t Au}$

HOLE ID	FROM (m)	TO (m)	GOLD (g/t)
SORY – RC			
RCSR18-001	14	15	0.17
RCSR18-001	27	28	0.10
RCSR18-001	28	29	0.22
RCSR18-001	29	30	0.39
RCSR18-001	31	32	0.28
RCSR18-001	32	33	0.16
RCSR18-001	34	35	0.17
RCSR18-001	35	36	0.18
RCSR18-001	36	37	0.48
RCSR18-001	37	38	0.62
RCSR18-001	38	39	0.48
RCSR18-001	39	40	0.28
RCSR18-001	43	44	0.72
RCSR18-001	44	45	2.07
RCSR18-001	48	49	0.15
RCSR18-001	49	50	0.93
RCSR18-001	51	52	0.10
RCSR18-001	53	54	0.16
RCSR18-001	54	55	0.15
RCSR18-001	55	56	0.11
RCSR18-001	56	57	0.10
RCSR18-001	122	123	0.11
RCSR18-001	138	139	0.12
RCSR18-001	139	140	1.20
RCSR18-001	140	141	0.25
RCSR18-002	4	5	0.23
RCSR18-002	5	6	0.40
RCSR18-002	6	7	0.69
RCSR18-002	7	8	1.10
RCSR18-002	8	9	1.27
RCSR18-002	9	10	1.03
RCSR18-002	10	11	0.67
RCSR18-002	11	12	1.03
RCSR18-002	12	13	1.20
RCSR18-002	13	14	0.86
RCSR18-002	14	15	0.71
RCSR18-002	15	16	0.33
RCSR18-002	16	17	0.10
RCSR18-002	17	18	0.17
RCSR18-002	18	19	0.14
RCSR18-002	19	20	0.48
RCSR18-002	20	21	0.13
RCSR18-002	25	26	0.10

HOLE ID	FROM (m)	TO (m)	GOLD (g/t)
RCSR18-002	26	27	0.21
RCSR18-002	29	30	0.30
RCSR18-002	30	31	0.13
RCSR18-002	34	35	0.42
RCSR18-002	35	36	0.33
RCSR18-002	37	38	0.12
RCSR18-002	38	39	0.20
RCSR18-002	42	43	0.15
RCSR18-002	44	45	0.40
RCSR18-002	45	46	0.23
RCSR18-002	46	47	1.97
RCSR18-002	47	48	1.52
RCSR18-002	48	49	0.38
RCSR18-002	50	51	0.10
RCSR18-002	60	61	0.51
RCSR18-002	61	62	0.17
RCSR18-002	62	63	0.12
RCSR18-002	66	67	0.23
RCSR18-002	67	68	0.31
RCSR18-002	68	69	0.15
RCSR18-002	69	70	0.33
RCSR18-002	70	71	0.19
RCSR18-002	71	72	0.12
RCSR18-002	72	73	0.17
RCSR18-002	73	74	0.19
RCSR18-002	74	75	0.13
RCSR18-002	75	76	0.15
RCSR18-002	76	77	0.11
RCSR18-002	77	78	0.31
RCSR18-002	78	79	0.43
RCSR18-002	79	80	0.29
RCSR18-002	80	81	0.89
RCSR18-002	81	82	0.12
RCSR18-002	83	84	0.22
RCSR18-002	86	87	0.23
RCSR18-002	87	88	0.27
RCSR18-002	99	100	0.12
RCSR18-002	101	102	0.12
RCSR18-002	104	105	0.11
RCSR18-003	3	4	0.16
RCSR18-003	4	5	0.19
RCSR18-003	5	6	0.24
RCSR18-003	6	7	0.14
RCSR18-003	8	9	0.19

HOLE ID	FROM (m)	TO (m)	GOLD (g/t)
RCSR18-003	9	10	0.20
RCSR18-003	10	11	0.14
RCSR18-003	11	12	0.18
RCSR18-003	12	13	0.34
RCSR18-003	13	14	1.04
RCSR18-003	14	15	0.18
RCSR18-003	15	16	0.14
RCSR18-003	17	18	0.11
RCSR18-003	19	20	0.10
RCSR18-003	20	21	0.22
RCSR18-003	22	23	0.14
RCSR18-003	24	25	0.16
RCSR18-003	26	27	0.27
RCSR18-003	27	28	0.21
RCSR18-003	28	29	0.28
RCSR18-003	29	30	0.15
RCSR18-003	30	31	0.20
RCSR18-003	31	32	0.27
RCSR18-003	32	33	0.20
RCSR18-003	33	34	3.24
RCSR18-003	34	35	1.52
RCSR18-003	35	36	3.97
RCSR18-003	36	37	2.03
RCSR18-003	37	38	1.07
RCSR18-003	38	39	0.52
RCSR18-003	39	40	0.28
RCSR18-003	40	41	0.35
RCSR18-003	41	42	0.28
RCSR18-003	42	43	0.56
RCSR18-003	43	44	0.84
RCSR18-003	44	45	0.46
RCSR18-003	45	46	0.47
RCSR18-003	46	47	0.17
RCSR18-003	47	48	0.58
RCSR18-003	48	49	0.30
RCSR18-003	49	50	0.55
RCSR18-003	50	51	0.87
RCSR18-003	51	52	0.98
RCSR18-003	52	53	1.32
RCSR18-003	53	54	1.27
RCSR18-003	54	55	0.82
RCSR18-003	56	57	0.62
RCSR18-003	57	58	0.46
RCSR18-003	59	60	0.27
RCSR18-003	60	61	0.68
RCSR18-003	61	62	0.73

HOLE ID	FROM (m)	TO (m)	GOLD (g/t)
RCSR18-003	62	63	0.29
RCSR18-003	63	64	4.61
RCSR18-003	64	65	2.88
RCSR18-003	65	66	1.87
RCSR18-003	66	67	1.67
RCSR18-003	67	68	3.54
RCSR18-003	68	69	2.31
RCSR18-003	69	70	2.38
RCSR18-003	70	71	2.80
RCSR18-003	71	72	3.60
RCSR18-003	72	73	2.21
RCSR18-003	73	74	1.87
RCSR18-003	74	75	2.05
RCSR18-003	75	76	1.31
RCSR18-003	76	77	1.45
RCSR18-003	77	78	0.27
RCSR18-003	78	79	0.49
RCSR18-003	79	80	0.31
RCSR18-003	80	81	0.12
RCSR18-003	81	82	0.26
RCSR18-003	82	83	0.44
RCSR18-003	83	84	0.14
RCSR18-003	84	85	0.16
RCSR18-003	87	88	0.18
RCSR18-003	89	90	0.30
RCSR18-003	102	103	0.22
RCSR18-003	103	104	0.11
RCSR18-003	104	105	0.13
RCSR18-003	109	110	0.20
RCSR18-003	110	111	0.17
RCSR18-003	111	112	0.21
RCSR18-003	113	114	0.14
RCSR18-003	127	128	0.13
RCSR18-003	139	140	0.12
RCSR18-003	140	141	0.79
RCSR18-003	142	143	0.11
RCSR18-004	4	5	0.15
RCSR18-004	6	7	0.15
RCSR18-004	7	8	0.17
RCSR18-004	8	9	0.10
RCSR18-004	9	10	0.19
RCSR18-004	10	11	0.63
RCSR18-004	11	12	0.15
SORY – AIRCORE			
ACSR18-440	6	7	0.13
ACSR18-440	10	11	0.17

HOLE ID	FROM (m)	TO (m)	GOLD (g/t)
ACSR18-440	11	12	0.50
ACSR18-440	12	13	1.74
ACSR18-440	13	14	1.05
ACSR18-440	14	15	0.34
ACSR18-440	15	16	0.54
ACSR18-440	16	17	0.43
ACSR18-440	17	18	0.16
ACSR18-440	18	19	0.44
ACSR18-440	19	20	0.12
ACSR18-440	22	23	0.16
ACSR18-440	23	24	0.22
ACSR18-440	24	25	0.13
ACSR18-440	25	26	0.27
ACSR18-440	26	27	0.34
ACSR18-440	27	28	0.38
ACSR18-440	28	29	0.40
ACSR18-440	29	30	0.48
ACSR18-440	30	31	0.29
ACSR18-440	31	32	0.38
ACSR18-440	32	33	0.61
ACSR18-440	33	34	0.30
ACSR18-440	37	38	0.12
ACSR18-440	38	39	0.25
ACSR18-440	39	40	0.15
ACSR18-440	57	58	0.12
ACSR18-440	81	82	0.28
ACSR18-440	82	83	0.15
ACSR18-440	83	84	0.10
ACSR18-441	9	10	0.15
ACSR18-441	10	11	0.62
ACSR18-441	11	12	0.56
ACSR18-441	13	14	0.12
ACSR18-441	14	15	0.30
ACSR18-441	15	16	0.12
ACSR18-441	16	17	0.67
ACSR18-441	17	18	0.15
ACSR18-441	18	19	1.45
ACSR18-441	19	20	1.51
ACSR18-441	20	21	1.51
ACSR18-441	21	22	1.90
ACSR18-441	22	23	1.14
ACSR18-441	23	24	1.51
ACSR18-441	24	25	0.88
ACSR18-441	25	26	0.83
ACSR18-441	26	27	0.46
ACSR18-441	27	28	0.62

HOLE ID	FROM (m)	TO (m)	GOLD (g/t)
ACSR18-441	28	29	0.10
ACSR18-441	29	30	0.13
ACSR18-441	30	31	0.73
ACSR18-441	31	32	0.40
ACSR18-441	32	33	0.36
ACSR18-441	33	34	0.93
ACSR18-441	35	36	0.14
ACSR18-441	36	37	0.17
ACSR18-441	37	38	0.34
ACSR18-441	38	39	0.60
ACSR18-441	39	40	0.44
ACSR18-441	40	41	0.45
ACSR18-441	41	42	0.67
ACSR18-441	42	43	0.65
ACSR18-441	43	44	0.83
ACSR18-441	44	45	0.30
ACSR18-441	45	46	0.53
ACSR18-441	46	47	0.53
ACSR18-441	47	48	9.35
ACSR18-441	48	49	1.19
ACSR18-441	49	50	1.59
ACSR18-441	50	51	1.48
ACSR18-441	51	52	0.46
ACSR18-441	52	53	0.96
ACSR18-441	53	54	0.38
ACSR18-441	54	55	0.26
ACSR18-441	55	56	0.17
ACSR18-441	56	57	0.11
ACSR18-441	69	70	0.33
ACSR18-442	20	21	0.21
ACSR18-442	21	22	0.13
ACSR18-442	24	25	0.11
ACSR18-442	29	30	0.12
ACSR18-442	30	31	0.10
ACSR18-442	31	32	0.13
ACSR18-442	32	33	0.27
ACSR18-442	33	34	0.37
ACSR18-442	36	37	0.25
ACSR18-442	37	38	0.42
ACSR18-442	38	39	0.45
ACSR18-442	39	40	0.26
ACSR18-442	40	41	0.40
ACSR18-442	41	42	0.41
ACSR18-442	42	43	0.32
ACSR18-442	43	44	0.12
ACSR18-442	46	47	0.20

HOLE ID	FROM (m)	TO (m)	GOLD (g/t)
ACSR18-442	47	48	0.97
ACSR18-442	48	49	1.11
ACSR18-442	49	50	0.46
ACSR18-442	50	51	0.40
ACSR18-442	51	52	0.41
ACSR18-442	52	53	0.28
ACSR18-442	54	55	0.16
ACSR18-442	55	56	0.21
ACSR18-442	57	58	0.12
ACSR18-442	60	61	0.21
ACSR18-442	61	62	0.31
ACSR18-442	62	63	0.18
ACSR18-442	66	67	0.13
ACSR18-442	67	68	0.10
DABIA – AIRCORE			
ACDB18-063	39	40	0.15
ACDB18-063	40	41	0.11
ACDB18-063	41	42	0.31
ACDB18-063	42	43	0.19
ACDB18-063	43	44	0.23
ACDB18-063	44	45	0.10
ACDB18-063	45	46	0.24
ACDB18-063	46	47	0.11
ACDB18-063	49	50	0.17
ACDB18-063	50	51	0.14
ACDB18-063	51	52	0.11
ACDB18-063	55	56	0.10
ACDB18-063	57	58	0.12
ACDB18-063	58	59	0.11
ACDB18-063	62	63	0.10
ACDB18-063	67	68	0.11
ACDB18-063	68	69	0.15
ACDB18-063	69	70	0.20
ACDB18-063	70	71	0.17
ACDB18-063	71	72	0.10
ACDB18-063	72	73	0.14
ACDB18-063	73	74	0.16
ACDB18-063	76	77	0.13
ACDB18-063	77	78	0.12
ACDB18-064	9	10	0.11
ACDB18-064	10	11	0.16
ACDB18-064	12	13	0.16
ACDB18-064	13	14	0.15
ACDB18-064	14	15	0.18
ACDB18-064	15	16	0.10
ACDB18-064	16	17	0.19

HOLE ID	FROM (m)	TO (m)	GOLD (g/t)
ACDB18-064	20	21	0.12
ACDB18-064	21	22	0.10
ACDB18-064	22	23	0.12
ACDB18-064	23	24	0.13
ACDB18-064	24	25	0.16
ACDB18-064	25	26	0.26
ACDB18-064	26	27	0.11
ACDB18-064	27	28	0.20
ACDB18-064	28	29	0.20
ACDB18-064	32	33	0.17
ACDB18-064	34	35	0.13
ACDB18-064	35	36	0.11
ACDB18-064	36	37	0.10
ACDB18-064	38	39	0.16
ACDB18-064	39	40	0.21
ACDB18-064	40	41	0.16
ACDB18-064	41	42	0.16
ACDB18-064	42	43	0.21
ACDB18-064	43	44	0.27
ACDB18-064	49	50	0.11
ACDB18-064	50	51	0.10
ACDB18-064	52	53	0.23
ACDB18-064	54	55	1.00
ACDB18-064	62	63	0.46
ACDB18-064	66	67	0.31
ACDB18-064	68	69	0.12
ACDB18-064	69	70	1.06
ACDB18-064	70	71	0.31
ACDB18-064	71	72	0.18
ACDB18-064	72	73	0.12
ACDB18-064	73	74	0.12
ACDB18-064	79	80	0.21
ACDB18-065	17	18	0.10
ACDB18-065	74	75	0.11
ACDB18-065	82	83	0.42
ACDB18-065	83	84	0.34
ACDB18-065	84	85	16.00
ACDB18-066	83	84	0.17
ACDB18-066	100	101	1.04
ACDB18-067	65	66	0.13
ACDB18-067	73	74	0.10
ACDB18-081	73	74	0.12
ACDB18-081	74	75	1.25
ACDB18-081	75	76	0.67
ACDB18-081	76	77	0.11
ACDB18-081	77	78	1.04

HOLE ID	FROM (m)	TO (m)	GOLD (g/t)
ACDB18-081	78	79	0.14
ACDB18-081	79	80	0.10
ACDB18-082	0	1	0.13
ACDB18-082	3	4	0.10
ACDB18-082	57	58	0.16
ACDB18-082	58	59	0.86
ACDB18-082	59	60	0.18
ACDB18-082	62	63	1.72
ACDB18-082	63	64	3.70
ACDB18-082	64	65	1.80
ACDB18-082	65	66	1.35
ACDB18-082	66	67	0.44
ACDB18-082	67	68	0.36
ACDB18-082	68	69	0.38
ACDB18-082	69	70	0.49
ACDB18-082	70	71	0.92
ACDB18-082	71	72	0.93
ACDB18-082	72	73	0.46
ACDB18-082	73	74	0.47
ACDB18-082	74	75	0.28
ACDB18-082	75	76	0.61
ACDB18-082	76	77	0.21
ACDB18-082	77	78	0.17
ACDB18-082	78	79	0.43
ACDB18-082	79	80	0.20
ACDB18-082	80	81	0.10
ACDB18-082	82	83	0.42
ACDB18-082	83	84	0.14
ACDB18-082	84	85	0.40
ACDB18-082	85	86	0.21
ACDB18-082	86	87	0.14
ACDB18-082	87	88	0.10
ACDB18-082	88	89	0.46
ACDB18-082	89	90	0.24
ACDB18-082	96	97	0.11
ACDB18-082	97	98	0.10
ACDB18-082	101	102	0.19
ACDB18-082	103	104	0.13
ACDB18-082	104	105	0.10
ACDB18-082	105	106	0.20
ACDB18-082	106	107	0.23
ACDB18-083	34	35	0.17
ACDB18-083	35	36	0.15
ACDB18-083	36	37	1.18
ACDB18-083	37	38	0.11
ACDB18-083	119	120	0.23

HOLE ID	FROM (m)	TO (m)	GOLD (g/t)
ACDB18-084	61	62	2.00
ACDB18-085	14	15	0.11
ACDB18-087	69	70	0.16
ACDB18-087	71	72	0.10
ACDB18-088	53	54	0.31
ACDB18-090	10	11	0.13
ACDB18-090	11	12	0.10
ACDB18-090	20	21	1.97
ACDB18-090	21	22	0.21
ACDB18-090	22	23	0.10
ACDB18-090	25	26	0.15
ACDB18-090	26	27	0.11
ACDB18-090	28	29	0.11
ACDB18-090	34	35	0.10
ACDB18-090	36	37	0.11
ACDB18-091	6	7	0.11
ACDB18-091	7	8	0.12
ACDB18-091	10	11	0.15
ACDB18-091	11	12	0.13
ACDB18-091	12	13	0.19
ACDB18-091	14	15	0.11
ACDB18-091	39	40	2.03
ACDB18-091	40	41	0.19
ACDB18-091	51	52	0.13
ACDB18-091	52	53	0.13
ACDB18-091	56	57	0.35
ACDB18-091	57	58	2.24
ACDB18-091	58	59	0.95
ACDB18-091	59	60	2.90
ACDB18-091	60	61	0.87
ACDB18-091	61	62	0.63
ACDB18-091	62	63	0.60
ACDB18-091	63	64	0.60
ACDB18-091	64	65	0.53
ACDB18-091	65	66	1.64
ACDB18-091	66	67	1.60
ACDB18-091	67	68	1.14
ACDB18-091	68	69	0.72
ACDB18-091	69	70	0.63
ACDB18-091	70	71	0.75
ACDB18-091	71	72	1.05
ACDB18-091	72	73	0.86
ACDB18-091	73	74	1.00
ACDB18-091	74	75	0.38
ACDB18-091	78	79	0.40
ACDB18-092	7	8	0.11

HOLE ID	FROM (m)	TO (m)	GOLD (g/t)
ACDB18-092	8	9	0.28
ACDB18-092	9	10	0.14
ACDB18-092	25	26	0.33
ACDB18-092	26	27	0.34
ACDB18-092	38	39	0.15
ACDB18-092	39	40	0.51
ACDB18-092	43	44	0.34
ACDB18-092	44	45	0.25
ACDB18-092	45	46	2.19
ACDB18-092	46	47	0.45
ACDB18-092	47	48	1.25
ACDB18-092	48	49	1.47
ACDB18-092	49	50	0.43
ACDB18-092	51	52	0.62
ACDB18-092	53	54	0.28
ACDB18-092	55	56	0.44
ACDB18-092	56	57	0.41
ACDB18-092	57	58	0.15
ACDB18-092	58	59	0.14
ACDB18-092	59	60	0.25
ACDB18-092	60	61	0.23
ACDB18-092	66	67	0.59
ACDB18-092	67	68	0.60
ACDB18-092	69	70	0.38
ACDB18-092	70	71	0.43
ACDB18-092	71	72	0.59
ACDB18-092	74	75	0.32
ACDB18-092	76	77	0.17
ACDB18-092	77	78	0.14
ACDB18-092	78	79	0.23
ACDB18-092	81	82	0.22
ACDB18-092	82	83	0.37
ACDB18-092	83	84	0.29
ACDB18-092	84	85	0.10
ACDB18-092	90	91	0.13
ACDB18-092	96	97	0.10
ACDB18-092	102	103	0.20
ACDB18-093	12	13	0.24
ACDB18-093	13	14	0.20
ACDB18-093	14	15	0.10
ACDB18-093	16	17	0.26
ACDB18-093	17	18	0.78
ACDB18-093	18	19	0.36
ACDB18-093	19	20	0.81
ACDB18-093	20	21	1.02
ACDB18-093	21	22	0.65

HOLE ID	FROM (m)	TO (m)	GOLD (g/t)
ACDB18-093	22	23	0.69
ACDB18-093	23	24	0.50
ACDB18-093	24	25	0.12
ACDB18-093	26	27	0.35
ACDB18-093	27	28	0.13
ACDB18-093	28	29	0.18
ACDB18-093	31	32	0.67
ACDB18-093	32	33	0.48
ACDB18-093	33	34	0.29
ACDB18-093	34	35	2.03
ACDB18-093	35	36	1.53
ACDB18-093	36	37	0.20
ACDB18-093	42	43	0.13
ACDB18-093	43	44	0.13
ACDB18-093	44	45	0.14
ACDB18-093	45	46	0.12
ACDB18-093	46	47	0.20
ACDB18-093	47	48	0.19
ACDB18-093	48	49	0.53
ACDB18-093	49	50	0.30
ACDB18-093	50	51	0.36
ACDB18-093	51	52	0.13
ACDB18-093	54	55	0.17
ACDB18-093	55	56	0.16
ACDB18-093	58	59	0.10
ACDB18-093	63	64	0.28
ACDB18-093	64	65	0.20
ACDB18-093	65	66	0.18
ACDB18-093	66	67	0.49
ACDB18-093	67	68	0.41
ACDB18-093	69	70	0.13
ACDB18-093	82	83	0.15
ACDB18-093	83	84	0.17
ACDB18-094	10	11	0.12
ACDB18-094	48	49	0.36
ACDB18-094	117	118	0.14
ACDB18-094	118	119	0.26
ACDB18-096	31	32	2.01
ACDB18-097	50	51	0.16
ACDB18-098	25	26	0.12
ACDB18-098	46	47	0.55
ACDB18-099	42	43	0.17
ACDB18-099	43	44	1.30
ACDB18-099	44	45	0.17
ACDB18-099	46	47	0.20
ACDB18-100	14	15	0.13

HOLE ID	FROM (m)	TO (m)	GOLD (g/t)
ACDB18-100	46	47	0.30
ACDB18-100	47	48	2.85
ACDB18-100	48	49	0.18
ACDB18-100	49	50	0.14
ACDB18-100	54	55	0.10
ACDB18-100	55	56	0.40
ACDB18-100	56	57	0.32
ACDB18-101	23	24	0.13
ACDB18-101	26	27	0.11
ACDB18-102	16	17	0.37
ACDB18-102	17	18	0.85
ACDB18-102	19	20	0.83
ACDB18-102	90	91	0.15
ACDB18-103	4	5	0.11
ACDB18-103	34	35	0.15
ACDB18-103	35	36	0.10
ACDB18-103	42	43	0.12
ACDB18-103	43	44	0.10
ACDB18-103	45	46	0.11
ACDB18-103	49	50	0.12
ACDB18-103	50	51	0.87
ACDB18-103	51	52	0.93
ACDB18-103	52	53	0.11
ACDB18-103	53	54	0.28
ACDB18-103	54	55	0.27
ACDB18-103	55	56	0.11
ACDB18-103	56	57	0.16
ACDB18-103	57	58	0.11
ACDB18-103	59	60	0.16
ACDB18-103	60	61	0.10
ACDB18-103	61	62	0.26
ACDB18-103	62	63	0.12
ACDB18-103	63	64	0.10
ACDB18-103	65	66	0.53
ACDB18-103	66	67	0.10
ACDB18-103	67	68	0.37
ACDB18-103	68	69	0.21
ACDB18-103	69	70	0.22
ACDB18-103	70	71	0.11
ACDB18-103	71	72	0.15
ACDB18-103	72	73	0.16
ACDB18-103	74	75	0.11
ACDB18-103	75	76	0.13
ACDB18-103	76	77	0.17
ACDB18-103	77	78	0.12
ACDB18-103	78	79	0.10

HOLE ID	FROM (m)	TO (m)	GOLD (g/t)
ACDB18-103	79	80	0.10
ACDB18-103	81	82	0.24
ACDB18-103	82	83	0.20
ACDB18-103	83	84	0.14
ACDB18-103	84	85	0.12
ACDB18-104	19	20	0.12
ACDB18-104	42	43	0.50
ACDB18-104	44	45	0.17
ACDB18-104	62	63	0.10
ACDB18-104	65	66	0.10
ACDB18-104	71	72	0.13
ACDB18-104	73	74	0.12
ACDB18-104	74	75	0.13
ACDB18-104	75	76	0.18
ACDB18-104	77	78	0.16
ACDB18-104	78	79	0.11
ACDB18-104	79	80	0.11
ACDB18-104	93	94	0.23
ACDB18-104	95	96	0.46
ACDB18-104	99	100	0.16
ACDB18-104	100	101	0.20
ACDB18-104	102	103	0.16
ACDB18-104	104	105	0.15
ACDB18-104	112	113	0.14
ACDB18-104	113	114	0.24
ACDB18-105	26	27	0.21
ACDB18-105	27	28	0.67
ACDB18-105	28	29	0.45
ACDB18-105	29	30	0.22
ACDB18-105	30	31	0.52
ACDB18-105	31	32	0.27
ACDB18-105	32	33	0.15
ACDB18-105	33	34	0.21
ACDB18-105	34	35	0.14
ACDB18-105	36	37	0.12
ACDB18-105	41	42	0.21
ACDB18-105	42	43	0.14
ACDB18-105	51	52	0.16
ACDB18-105	57	58	0.15
ACDB18-105	58	59	0.25
ACDB18-105	82	83	0.10
ACDB18-105	90	91	0.16
ACDB18-105	98	99	0.21
ACDB18-106	62	63	0.31
ACDB18-106	68	69	0.43
ACDB18-106	69	70	0.20

HOLE ID	FROM (m)	TO (m)	GOLD (g/t)
ACDB18-106	73	74	0.14
ACDB18-106	76	77	0.23
ACDB18-106	78	79	0.18
ACDB18-106	79	80	0.19
ACDB18-106	82	83	0.17
ACDB18-106	88	89	2.60
ACDB18-106	89	90	0.13
ACDB18-106	90	91	0.19
ACDB18-106	98	99	0.19
ACDB18-106	99	100	1.12
ACDB18-106	100	101	1.58
ACDB18-106	101	102	1.71
ACDB18-106	102	103	6.49
ACDB18-106	103	104	5.33
ACDB18-106	104	105	0.95
ACDB18-106	105	106	1.99
ACDB18-106	106	107	3.95
ACDB18-106	107	108	0.86
ACDB18-107	0	1	0.10
ACDB18-107	57	58	0.12
ACDB18-107	60	61	0.10
ACDB18-109	5	6	0.22
ACDB18-110	15	16	0.10
ACDB18-110	17	18	0.12
ACDB18-110	18	19	0.15
ACDB18-110	21	22	0.29
ACDB18-110	22	23	0.63
ACDB18-116	9	10	0.12
ACDB18-116	10	11	0.21
ACDB18-116	11	12	0.34
ACDB18-116	12	13	0.25
ACDB18-116	13	14	0.28
ACDB18-117	19	20	0.23
ACDB18-117	20	21	0.11
ACDB18-117	21	22	0.10
ACDB18-117	22	23	0.63
ACDB18-117	23	24	0.51
ACDB18-117	24	25	0.24
ACDB18-117	25	26	0.16
ACDB18-118	5	6	3.01
ACDB18-118	7	8	0.14
ACDB18-118	8	9	0.44
ACDB18-118	9	10	1.39
ACDB18-118	10	11	1.80
ACDB18-118	11	12	0.53
ACDB18-118	12	13	0.35

HOLE ID	FROM (m)	TO (m)	GOLD (g/t)
ACDB18-118	13	14	0.14
ACDB18-119	10	11	0.10
ACDB18-119	12	13	0.11
ACDB18-119	40	41	0.11
ACDB18-120	6	7	0.22
ACDB18-120	7	8	0.40
ACDB18-120	8	9	0.27
ACDB18-120	9	10	0.19
ACDB18-120	10	11	0.22
ACDB18-120	11	12	0.29
ACDB18-120	12	13	0.25
ACDB18-121	9	10	0.10
ACDB18-122	99	100	0.12
ACDB18-123	17	18	0.36
ACDB18-123	19	20	0.30
ACDB18-123	20	21	0.36
ACDB18-123	24	25	0.41
ACDB18-123	25	26	0.65
ACDB18-123	27	28	0.12
ACDB18-123	31	32	0.12
ACDB18-123	38	39	0.41
ACDB18-123	39	40	0.11
ACDB18-123	40	41	0.56
ACDB18-123	41	42	1.25
ACDB18-123	42	43	1.12
ACDB18-123	43	44	0.78
ACDB18-123	44	45	0.45
ACDB18-123	45	46	0.67
ACDB18-123	46	47	0.74
ACDB18-123	47	48	0.97
ACDB18-123	48	49	0.38
ACDB18-123	49	50	0.39
ACDB18-123	50	51	0.21
ACDB18-123	51	52	0.10
ACDB18-123	54	55	0.12
ACDB18-123	58	59	0.19
ACDB18-123	64	65	0.11
ACDB18-123	65	66	0.36
ACDB18-123	66	67	0.16
ACDB18-123	67	68	0.10
ACDB18-123	68	69	0.13
ACDB18-123	70	71	0.22
ACDB18-123	78	79	0.11
ACDB18-123	108	109	0.10
ACDB18-127	36	37	0.12
ACDB18-127	86	87	0.17

HOLE ID	FROM (m)	TO (m)	GOLD (g/t)
ACDB18-127	91	92	1.01
ACDB18-127	95	96	2.92
ACDB18-127	96	97	0.18
ACDB18-127	97	98	0.49
ACDB18-127	98	99	0.50
ACDB18-127	99	100	0.43
ACDB18-127	101	102	0.10
ACDB18-127	102	103	0.11
ACDB18-127	107	108	0.16
ACDB18-127	110	111	0.13
ACDB18-127	114	115	0.28
ACDB18-128	28	29	0.17
ACDB18-128	34	35	0.12
ACDB18-128	36	37	0.30
ACDB18-128	65	66	0.23
ACDB18-128	101	102	0.14
ACDB18-128	102	103	1.27
ACDB18-128	103	104	0.18
ACDB18-128	104	105	0.10
ACDB18-128	105	106	0.44
ACDB18-128	110	111	0.12
ACDB18-129	33	34	0.10
ACDB18-129	34	35	0.10
ACDB18-129	35	36	0.10
ACDB18-129	37	38	0.10
ACDB18-129	38	39	0.19
ACDB18-129	39	40	0.13
ACDB18-129	48	49	0.14
ACDB18-129	49	50	0.13
ACDB18-129	50	51	0.12
ACDB18-129	51	52	0.14
ACDB18-129	52	53	0.20
ACDB18-129	57	58	0.29
ACDB18-129	62	63	0.13
ACDB18-129	66	67	0.11
ACDB18-130	14	15	0.12
ACDB18-130	21	22	0.23
ACDB18-130	22	23	0.14
ACDB18-130	23	24	0.22
ACDB18-130	24	25	0.19
ACDB18-130	25	26	0.13
ACDB18-130	41	42	0.34
ACDB18-130	42	43	0.21
ACDB18-130	43	44	0.12
ACDB18-130	58	59	0.11
ACDB18-130	59	60	0.10

HOLE ID	FROM (m)	TO (m)	GOLD (g/t)
ACDB18-130	90	91	0.10
ACDB18-130	91	92	0.10
ACDB18-130	92	93	0.11
ACDB18-130	93	94	0.10
ACDB18-131	8	9	0.10
ACDB18-131	11	12	0.14
ACDB18-131	12	13	0.28
ACDB18-131	13	14	0.12
ACDB18-131	14	15	0.14
ACDB18-131	15	16	0.21
ACDB18-131	16	17	0.25
ACDB18-131	17	18	0.31
ACDB18-131	18	19	0.14
ACDB18-131	19	20	0.19
ACDB18-131	20	21	0.17
ACDB18-131	21	22	0.14
ACDB18-131	25	26	0.14
ACDB18-131	49	50	0.10
ACDB18-131	50	51	0.10
ACDB18-131	52	53	0.11
ACDB18-131	84	85	1.10
ACDB18-131	85	86	0.53
ACDB18-131	86	87	0.24
ACDB18-131	87	88	0.22
ACDB18-131	93	94	0.15
ACDB18-132	1	2	0.10
ACDB18-132	6	7	0.43
ACDB18-132	28	29	0.17
ACDB18-132	29	30	0.25
ACDB18-132	43	44	0.37
ACDB18-132	44	45	0.43
ACDB18-132	51	52	0.14
ACDB18-132	93	94	0.16
ACDB18-132	95	96	0.10
ACDB18-133	15	16	1.83
ACDB18-133	16	17	0.20
ACDB18-133	28	29	0.15
ACDB18-133	29	30	0.37
ACDB18-133	30	31	0.25
ACDB18-133	31	32	1.49
ACDB18-133	32	33	17.60
ACDB18-133	33	34	3.94
ACDB18-133	34	35	0.64
ACDB18-133	35	36	0.56
ACDB18-133	36	37	0.48
ACDB18-133	37	38	0.24

HOLE ID	FROM (m)	TO (m)	GOLD (g/t)
ACDB18-133	38	39	0.33
ACDB18-133	39	40	0.16
ACDB18-133	40	41	0.13
ACDB18-133	41	42	0.15
ACDB18-133	52	53	0.36
ACDB18-133	65	66	0.45
ACDB18-133	66	67	0.74
ACDB18-133	67	68	0.28
ACDB18-133	68	69	0.12
ACDB18-133	69	70	0.39
ACDB18-133	70	71	0.60
ACDB18-134	9	10	0.24
ACDB18-134	10	11	0.50
ACDB18-134	44	45	0.16
ACDB18-134	47	48	0.11
ACDB18-134	81	82	0.10
ACDB18-135	6	7	0.14
ACDB18-135	9	10	0.13
ACDB18-135	10	11	0.15
ACDB18-135	11	12	0.35
ACDB18-135	12	13	0.44
ACDB18-135	13	14	1.04
ACDB18-135	14	15	0.13
ACDB18-135	23	24	0.22
ACDB18-135	40	41	0.14
ACDB18-135	41	42	0.17
ACDB18-136	0	1	0.23
ACDB18-136	1	2	0.17
ACDB18-136	3	4	0.40
ACDB18-136	4	5	0.13
ACDB18-136	5	6	0.10
ACDB18-136	7	8	0.11
ACDB18-136	8	9	0.12
ACDB18-136	9	10	0.20
ACDB18-136	10	11	0.89
ACDB18-136	11	12	0.29
ACDB18-136	12	13	0.40
ACDB18-136	13	14	1.40
ACDB18-136	14	15	0.57
ACDB18-136	15	16	0.92
ACDB18-136	16	17	0.23
ACDB18-136	17	18	0.55
ACDB18-136	22	23	0.15
ACDB18-136	34	35	0.13
ACDB18-136	42	43	0.13
ACDB18-136	49	50	1.11

HOLE ID	FROM (m)	TO (m)	GOLD (g/t)
ACDB18-136	50	51	1.36
ACDB18-136	51	52	0.42
ACDB18-136	52	53	0.66
ACDB18-136	53	54	0.27
ACDB18-136	54	55	0.66
ACDB18-136	55	56	0.24
ACDB18-136	56	57	0.25
ACDB18-136	57	58	0.21
ACDB18-136	60	61	0.18
ACDB18-137	22	23	0.16
ACDB18-137	23	24	0.37
ACDB18-137	24	25	0.14
ACDB18-137	25	26	0.25
ACDB18-137	26	27	0.14
ACDB18-137	28	29	0.12
ACDB18-137	49	50	0.13
ACDB18-137	52	53	0.32
ACDB18-137	54	55	0.13
ACDB18-137	55	56	0.19
ACDB18-137	57	58	0.11
ACDB18-138	7	8	0.16
ACDB18-140	85	86	0.14
ACDB18-146	5	6	0.31
ACDB18-146	67	68	0.10
ACDB18-147	5	6	0.22
ACDB18-147	6	7	0.12
ACDB18-147	7	8	0.10
ACDB18-148	3	4	0.11
ACDB18-148	7	8	0.13
ACDB18-148	8	9	0.13
ACDB18-148	9	10	0.12
ACDB18-149	4	5	1.07
ACDB18-149	5	6	0.18
ACDB18-149	6	7	0.81
ACDB18-149	8	9	0.13
ACDB18-149	9	10	0.15
ACDB18-149	40	41	0.35
ACDB18-149	41	42	0.29
ACDB18-150	7	8	0.12
ACDB18-150	8	9	0.23
ACDB18-150	9	10	1.46
ACDB18-150	10	11	0.21
ACDB18-150	11	12	0.14
ACDB18-150	12	13	0.14
ACDB18-150	13	14	0.12
ACDB18-150	14	15	0.21

HOLE ID	FROM (m)	TO (m)	GOLD (g/t)
ACDB18-150	15	16	0.21
ACDB18-151	3	4	0.18
ACDB18-151	4	5	0.25
ACDB18-151	5	6	0.30
ACDB18-151	6	7	0.59
ACDB18-151	7	8	0.45
ACDB18-151	8	9	0.20
ACDB18-151	9	10	0.20
ACDB18-151	10	11	0.13
ACDB18-151	11	12	0.12
ACDB18-151	12	13	0.40
ACDB18-151	13	14	0.12
ACDB18-151	14	15	0.50
ACDB18-151	15	16	0.62
ACDB18-151	16	17	0.12
ACDB18-151	26	27	0.10
ACDB18-151	28	29	0.16
ACDB18-151	29	30	0.20
ACDB18-151	31	32	0.10
ACDB18-151	35	36	0.20
ACDB18-151	36	37	0.12
ACDB18-151	37	38	0.56
ACDB18-151	38	39	0.10
ACDB18-151	48	49	0.20
ACDB18-152	59	60	0.12
ACDB18-152	60	61	0.13
ACDB18-152	70	71	0.28
ACDB18-152	71	72	0.23
ACDB18-152	72	73	0.11
ACDB18-152	78	79	0.14
ACDB18-152	83	84	2.34
ACDB18-152	84	85	1.10
ACDB18-152	85	86	0.81
ACDB18-152	86	87	0.50
ACDB18-152	87	88	2.32
ACDB18-152	88	89	0.70
ACDB18-152	89	90	0.52
ACDB18-153	19	20	0.10
ACDB18-153	45	46	0.10
ACDB18-153	50	51	0.19
ACDB18-154	6	7	0.14
ACDB18-155	39	40	0.13
ACDB18-155	40	41	0.12
ACDB18-155	41	42	0.15
ACDB18-155	47	48	0.11
ACDB18-155	53	54	0.19

HOLE ID	FROM (m)	TO (m)	GOLD (g/t)
ACDB18-155	54	55	0.22
ACDB18-155	55	56	0.32
ACDB18-155	57	58	0.10
ACDB18-155	58	59	0.10
ACDB18-155	59	60	0.11
ACDB18-155	83	84	0.20
ACDB18-155	85	86	0.11
ACDB18-155	102	103	0.17
ACDB18-156	68	69	0.11
ACDB18-156	69	70	0.10
ACDB18-159	6	7	0.36
ACDB18-159	7	8	0.57
ACDB18-159	8	9	0.20
ACDB18-159	48	49	0.20
ACDB18-160	73	74	0.17
ACDB18-161	3	4	0.25
ACDB18-161	4	5	0.18
ACDB18-161	5	6	0.28
ACDB18-161	73	74	0.20
ACDB18-161	89	90	0.12
ACDB18-162	7	8	0.26
ACDB18-163	55	56	0.12
ACDB18-164	104	105	0.50
ACDB18-165	35	36	0.11
ACDB18-165	36	37	0.40
ACDB18-166	43	44	0.19
ACDB18-166	45	46	0.20
ACDB18-166	46	47	0.20
ACDB18-166	62	63	0.28
ACDB18-166	105	106	0.10
ACDB18-166	108	109	0.22
ACDB18-166	109	110	0.26
ACDB18-169	82	83	0.13
ACDB18-171	62	63	0.23
ACDB18-171	63	64	0.11
ACDB18-171	64	65	0.16
ACDB18-172	86	87	0.24
ACDB18-174	100	101	0.28
ACDB18-174	101	102	0.26
ACDB18-174	102	103	0.10
ACDB18-174	103	104	1.77
ACDB18-174	104	105	0.34
ACDB18-174	105	106	0.13
ACDB18-174	106	107	0.28
ACDB18-174	107	108	1.14
ACDB18-174	108	109	0.46

HOLE ID	FROM (m)	TO (m)	GOLD (g/t)
ACDB18-174	109	110	0.27
ACDB18-175	0	1	0.44
ACDB18-175	1	2	0.11
ACDB18-175	9	10	0.11
ACDB18-175	10	11	0.13
ACDB18-175	23	24	0.10
ACDB18-175	37	38	0.10
ACDB18-175	40	41	1.17
ACDB18-176	11	12	0.47
ACDB18-176	12	13	0.24
ACDB18-176	13	14	0.39
ACDB18-176	14	15	0.13
ACDB18-176	15	16	0.14
ACDB18-177	7	8	0.15
ACDB18-177	9	10	0.19
ACDB18-177	10	11	0.17
ACDB18-177	11	12	0.25
ACDB18-177	12	13	0.24
ACDB18-177	13	14	0.31
ACDB18-177	14	15	0.10
ACDB18-177	16	17	0.34
ACDB18-177	17	18	0.80
ACDB18-177	19	20	0.21
ACDB18-177	20	21	0.55
ACDB18-177	21	22	0.46
ACDB18-177	22	23	0.23
ACDB18-177	23	24	0.31
ACDB18-177	24	25	0.28
ACDB18-177	25	26	0.10
ACDB18-177	27	28	0.53
ACDB18-177	66	67	0.16
ACDB18-177	67	68	0.15
ACDB18-177	69	70	0.26
ACDB18-177	70	71	0.21
ACDB18-177	72	73	0.22
ACDB18-177	83	84	0.10
ACDB18-177	85	86	0.11
ACDB18-177	88	89	0.13
ACDB18-177	103	104	0.15
ACDB18-177	104	105	0.24
ACDB18-177	106	107	0.27
ACDB18-178	11	12	0.16
ACDB18-178	12	13	0.22
ACDB18-178	13	14	0.23
ACDB18-178	14	15	0.69
ACDB18-178	15	16	0.11

HOLE ID	FROM (m)	TO (m)	GOLD (g/t)
ACDB18-178	16	17	0.13
ACDB18-178	17	18	0.44
ACDB18-178	18	19	0.19
ACDB18-178	19	20	0.10
ACDB18-178	20	21	0.17
ACDB18-178	22	23	0.11
ACDB18-178	25	26	0.10
ACDB18-178	70	71	0.20
ACDB18-178	71	72	0.17
ACDB18-178	72	73	0.12
ACDB18-178	73	74	0.10
ACDB18-178	76	77	0.10
ACDB18-178	82	83	0.10
ACDB18-178	84	85	0.10
ACDB18-178	87	88	0.17
ACDB18-178	88	89	0.12
ACDB18-178	102	103	0.30
ACDB18-178	103	104	0.43
ACDB18-178	104	105	0.43
ACDB18-178	108	109	0.61
ACDB18-179	1	2	0.18
ACDB18-179	8	9	0.34
ACDB18-179	9	10	0.12
ACDB18-179	12	13	0.10
ACDB18-179	13	14	0.15
ACDB18-179	14	15	0.10
ACDB18-179	15	16	0.15
ACDB18-179	16	17	0.28
ACDB18-179	17	18	0.15
ACDB18-179	27	28	0.14
ACDB18-179	28	29	0.14
ACDB18-179	29	30	0.17
ACDB18-179	31	32	0.25
ACDB18-179	32	33	0.38
ACDB18-179	33	34	0.23
ACDB18-179	34	35	0.48
ACDB18-179	35	36	0.16
ACDB18-179	77	78	0.19
ACDB18-180	63	64	0.12
ACDB18-180	84	85	0.12
ACDB18-180	99	100	0.23
ACDB18-182	43	44	0.17
ACDB18-182	44	45	0.15
ACDB18-182	68	69	0.32
ACDB18-182	89	90	0.11
ACDB18-182	107	108	0.67

HOLE ID	FROM (m)	TO (m)	GOLD (g/t)
ACDB18-182	108	109	0.59
ACDB18-182	109	110	1.70
ACDB18-183	6	7	0.12
ACDB18-183	7	8	0.32
ACDB18-183	9	10	0.17
ACDB18-183	33	34	0.16
ACDB18-183	34	35	0.14
ACDB18-183	36	37	0.16
ACDB18-184	35	36	0.16
ACDB18-184	69	70	0.16
ACDB18-185	57	58	0.41
ACDB18-185	58	59	0.17
ACDB18-185	60	61	0.20
ACDB18-185	62	63	0.12
ACDB18-185	63	64	0.18
ACDB18-185	73	74	0.12
ACDB18-185	74	75	0.82
ACDB18-185	75	76	0.22
ACDB18-185	76	77	0.86
ACDB18-185	77	78	0.88
ACDB18-185	78	79	0.10
ACDB18-185	79	80	0.12
ACDB18-185	83	84	0.25
ACDB18-186	10	11	0.33
ACDB18-186	11	12	0.14
ACDB18-186	30	31	0.99
ACDB18-186	35	36	0.13
ACDB18-186	37	38	0.17
ACDB18-186	38	39	0.13
ACDB18-186	39	40	0.17
ACDB18-186	40	41	0.12
ACDB18-186	41	42	0.12
ACDB18-186	42	43	0.10
ACDB18-186	43	44	0.16
ACDB18-186	46	47	0.25
ACDB18-186	47	48	0.76
ACDB18-186	51	52	0.10
ACDB18-186	52	53	0.26
ACDB18-188	24	25	0.28
ACDB18-188	46	47	0.11
ACDB18-188	52	53	0.17
ACDB18-188	56	57	0.13
ACDB18-189	50	51	0.15
ACDB18-189	51	52	0.12
ACDB18-189	65	66	0.80
ACDB18-189	66	67	1.41

HOLE ID	FROM (m)	TO (m)	GOLD (g/t)
ACDB18-189	67	68	2.20
ACDB18-189	68	69	3.76
ACDB18-189	69	70	4.49
ACDB18-189	70	71	4.95
ACDB18-189	71	72	6.92
ACDB18-189	72	73	1.69
ACDB18-189	73	74	2.08
ACDB18-189	74	75	2.17
ACDB18-189	75	76	0.30
ACDB18-189	76	77	1.02
ACDB18-189	77	78	0.15
ACDB18-189	78	79	10.20
ACDB18-189	79	80	1.35
ACDB18-189	80	81	0.53
ACDB18-189	81	82	0.44
ACDB18-189	82	83	1.20
ACDB18-189	83	84	0.26
ACDB18-189	84	85	5.75
ACDB18-189	85	86	7.42
ACDB18-189	86	87	0.76
ACDB18-189	87	88	0.39
ACDB18-189	88	89	1.13
ACDB18-189	89	90	1.02
ACDB18-189	90	91	0.67
ACDB18-189	91	92	0.19
ACDB18-189	92	93	0.15
ACDB18-189	93	94	0.16
ACDB18-189	94	95	0.49
ACDB18-189	95	96	1.03
ACDB18-189	96	97	1.03
ACDB18-189	97	98	0.55
ACDB18-189	98	99	0.26
ACDB18-189	99	100	0.27
ACDB18-189	100	101	0.11
ACDB18-189	101	102	0.27
ACDB18-189	102	103	0.22
ACDB18-189	103	104	0.26
ACDB18-190	0	1	0.16
ACDB18-192	0	1	0.16
ACDB18-192	2	3	0.11
ACDB18-192	4	5	0.15
ACDB18-192	5	6	0.16
ACDB18-192	6	7	0.16
ACDB18-192	7	8	0.16
ACDB18-192	8	9	0.37
ACDB18-192	9	10	0.70

HOLE ID	FROM (m)	TO (m)	GOLD (g/t)
ACDB18-192	10	11	1.40
ACDB18-192	11	12	0.35
ACDB18-192	12	13	0.10
ACDB18-192	13	14	1.72
ACDB18-192	14	15	0.14
ACDB18-192	28	29	0.61
ACDB18-192	29	30	0.47
ACDB18-192	30	31	0.10
ACDB18-192	33	34	0.31
ACDB18-192	35	36	0.28
ACDB18-192	36	37	0.10
ACDB18-192	37	38	1.19
ACDB18-192	38	39	1.92
ACDB18-192	39	40	2.22
ACDB18-192	40	41	0.49
ACDB18-192	41	42	0.63
ACDB18-192	43	44	2.37
ACDB18-192	44	45	0.10
ACDB18-196	34	35	0.10
ACDB18-206	0	1	0.31
ACDB18-206	1	2	0.16
ACDB18-206	11	12	1.40
ACDB18-206	12	13	3.32
ACDB18-206	13	14	1.47
ACDB18-206	14	15	1.08
ACDB18-206	16	17	0.11
ACDB18-206	31	32	0.56
ACDB18-206	39	40	0.61
ACDB18-206	40	41	1.20
ACDB18-206	49	50	0.13
ACDB18-206	50	51	0.13
ACDB18-206	52	53	0.10
ACDB18-206	53	54	0.11
ACDB18-206	61	62	0.26
ACDB18-206	62	63	0.29
ACDB18-206	63	64	0.66
ACDB18-206	64	65	0.85
ACDB18-206	65	66	0.36
ACDB18-206	66	67	0.23
ACDB18-206	67	68	0.36
ACDB18-206	68	69	0.23
ACDB18-206	69	70	0.42
ACDB18-206	70	71	0.23
ACDB18-206	71	72	0.15

HOLE ID	FROM (m)	TO (m)	GOLD (g/t)
ACDB18-206	72	73	0.31
ACDB18-206	73	74	0.44
ACDB18-206	74	75	0.23
ACDB18-206	75	76	0.29
ACDB18-206	76	77	0.10
ACDB18-206	78	79	0.73
ACDB18-206	79	80	0.75
ACDB18-206	80	81	0.75
ACDB18-206	81	82	0.10
ACDB18-206	83	84	0.15
ACDB18-206	84	85	0.15
ACDB18-206	85	86	0.25
ACDB18-206	86	87	0.57
ACDB18-206	87	88	0.32
ACDB18-206	88	89	0.21
ACDB18-206	89	90	0.45
ACDB18-206	90	91	0.28
ACDB18-206	91	92	0.43
ACDB18-207	72	73	0.30
ACDB18-212	53	54	0.93
ACDB18-212	54	55	0.10
ACDB18-212	57	58	0.10
ACDB18-213	9	10	0.12
ACDB18-215	27	28	0.76
ACDB18-215	28	29	0.13
ACDB18-216	55	56	0.13
ACDB18-217	91	92	0.33
ACDB18-218	7	8	0.13
ACDB18-218	8	9	0.19
ACDB18-218	9	10	0.14
ACDB18-218	37	38	0.11
ACDB18-219	5	6	0.18
ACDB18-219	8	9	0.14
ACDB18-219	39	40	0.24
ACDB18-219	44	45	0.16
ACDB18-220	7	8	0.47
ACDB18-220	40	41	0.20
ACDB18-220	70	71	0.21
ACDB18-220	71	72	0.69
ACDB18-220	72	73	0.14
ACDB18-220	73	74	0.13
ACDB18-220	74	75	0.13
ACDB18-220	91	92	0.10

Notes:

- All results of $\geq 0.10\text{ppm}$ are shown within the table. Intervals missing are below this threshold.
- Significant Intervals are reported using a threshold where the interval has a 0.5g/t Au average or greater over the sample interval and selects all material greater than 0.10g/t Au allowing for up to 2 samples of included dilution every 10m.

JORC CODE, 2012 EDITION – TABLE 1

Section 1 Sampling Techniques and Data

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
Sampling techniques	<ul style="list-style-type: none"> ▶ Nature and quality of sampling, measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. ▶ Aspects of the determination of mineralisation that are Material to the Public Report. ▶ In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information. 	<ul style="list-style-type: none"> ▶ All holes have been routinely sampled on a 1m interval for gold ▶ 1 metre samples are preserved for future assay as required. ▶ AC and RC Samples were collected in situ at the drill site and are split collecting 2 to 3 kg per sample. Certified reference material and sample duplicates were inserted at regular intervals. ▶ DD samples are cut to half core on 1m intervals. ▶ All samples were submitted to internationally accredited SGS or Bureau Veritas Laboratories in Bamako Mali for 50g Fire Assay gold analysis with a 10ppb Au detection level.
Drilling techniques	<ul style="list-style-type: none"> ▶ Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc). 	<ul style="list-style-type: none"> ▶ Drilling was carried out by AMCO Drilling using a UDR650 multipurpose rig or by Geodrill Ltd using a UDR900
Drill sample recovery	<ul style="list-style-type: none"> ▶ Method of recording and assessing core and chip sample recoveries and results assessed. ▶ Measures taken to maximise sample recovery and ensure representative nature of the samples. ▶ Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. 	<ul style="list-style-type: none"> ▶ An initial visual estimate of sample recovery was undertaken at the drill rig for each sample metre or run collected. ▶ Collected samples were weighed to ensure consistency of sample size and monitor sample recoveries. ▶ For DD core recovery and RQD observations are made ▶ No sampling issue, recovery issue or bias was picked up and it is therefore considered that both sample recovery and quality is adequate for the drilling technique employed.
Logging	<ul style="list-style-type: none"> ▶ Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. ▶ Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. ▶ The total length and percentage of the relevant intersections logged. 	<ul style="list-style-type: none"> ▶ All drill samples were geologically logged by Oklo Resources subsidiary Africa Mining geologists. ▶ Geological logging used a standardised logging system recording mineral and rock types and their abundance, as well as alteration, silicification and level of weathering. ▶ A small representative sample was retained in a plastic chip tray for future reference and logging checks. ▶ A minimum of ¼ DD core is preserved for future logging and reference
Sub-sampling techniques and sample preparation	<ul style="list-style-type: none"> ▶ If core, whether cut or sawn and whether quarter, half or all core taken. ▶ If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. ▶ For all sample types, the nature, quality and appropriateness of the sample preparation technique. ▶ Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. ▶ Measures taken to ensure that the sampling is 	<ul style="list-style-type: none"> ▶ All AC and RC samples were split using a 3 tier riffle splitter with no sample compositing being undertaken. ▶ All DD core was ½ cut and ¼ cut when a duplicate sample was taken. ▶ Duplicates were taken to evaluate representativeness ▶ At the laboratory, samples were weighed, dried and fine crushed to 70% <2mm (jaw crusher), pulverized and split to 85 % < 75 um. Gold is assayed by fire assay (50g charge) with an AAS Finish. ▶ Sample pulps were returned from the laboratory

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
	<p>representative of the in-situ material collected, including for instance results for field duplicate/second<half sampling.</p> <ul style="list-style-type: none"> ▶ Whether sample sizes are appropriate to the grain size of the material being sampled. 	<p>under secure "chain of custody" procedure by Africa Mining staff and are being stored in a secure location for possible future analysis.</p> <ul style="list-style-type: none"> ▶ Sample sizes and laboratory preparation techniques are considered to be appropriate for this early stage exploration and the commodity being targeted.
Quality of assay data and laboratory tests	<ul style="list-style-type: none"> ▶ The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. ▶ For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. ▶ Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established. 	<ul style="list-style-type: none"> ▶ Analysis for gold is undertaken at SGS and Bureau Veritas Bamako by 50g Fire Assay with an AAS finish to a lower detection limit of 0.01ppm Au. ▶ Fire assay is considered a "total" assay technique. ▶ No field non assay analysis instruments were used in the analyses reported. ▶ A review of certified reference material and sample blanks inserted by the Company indicated no significant analytical bias or preparation errors in the reported analyses. ▶ Results of analyses for field sample duplicates are consistent with the style of mineralisation evaluated and considered to be representative of the geological zones which were sampled. ▶ Internal laboratory QAQC checks are reported by the laboratory and a review of the QAQC reports suggests the laboratory is performing within acceptable limits. ▶ Samples returning > 1ppm were selected for reanalysis using a 24hr cyanide bottle roll leach on a 500g sample.
Verification of sampling and assaying	<ul style="list-style-type: none"> ▶ The verification of significant intersections by either independent or alternative company personnel. ▶ The use of twinned holes. ▶ Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. ▶ Discuss any adjustment to assay data. 	<ul style="list-style-type: none"> ▶ All drill hole data is paper logged at the drill site and then digitally entered by Company geologists at the site office. ▶ All digital data is verified and validated by the Company's database consultant in Paris before loading into the drill hole database. ▶ No twinning of holes was undertaken in this program which is early stage exploration in nature. ▶ Reported drill results were compiled by the company's geologists, verified by the Company's database administrator and exploration manager. ▶ No adjustments to assay data were made.
Location of data points	<ul style="list-style-type: none"> ▶ Accuracy and quality of surveys used to locate drill holes (collar and down<hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. ▶ Specification of the grid system used. ▶ Quality and adequacy of topographic control. 	<ul style="list-style-type: none"> ▶ Drill hole collars were positioned using non-differential GPS. ▶ Accuracy of the GPS +/- 3m and is considered appropriate for this level of early exploration. ▶ Locations are subsequently collected with DGPS. ▶ The grid system is UTM Zone 29N
Data spacing and distribution	<ul style="list-style-type: none"> ▶ Data spacing for reporting of Exploration Results. ▶ Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. ▶ Whether sample compositing has been applied. 	<ul style="list-style-type: none"> ▶ AC, RC and DD drilling is now being undertaken on a ~40x80m spacing with infill being undertaken in areas of identified higher grade zones. ▶ Drilling reported in this program is of an early exploration nature has not been used to estimate any mineral resources or reserves. Work is ongoing to enable sufficient distribution of drilling.
Orientation of data in relation to geological structure	<ul style="list-style-type: none"> ▶ Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. ▶ If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material. 	<ul style="list-style-type: none"> ▶ Exploration is at an early stage and, as such, knowledge on exact location of mineralisation and its relation to lithological and structural boundaries is not accurately known. However, the current hole orientation is considered appropriate for the program to reasonably assess the prospectivity of known structures interpreted from other data sources.

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
Sample security	<ul style="list-style-type: none"> ▶ The measures taken to ensure sample security. 	<ul style="list-style-type: none"> ▶ RC and DD samples were taken to the SGS laboratory in Bamako under secure "chain of custody" procedure by Africa Mining staff. ▶ Sample pulps were returned from the laboratory under secure "chain of custody" procedure by Africa Mining staff and have been stored in a secure location.
Audits or reviews	<ul style="list-style-type: none"> ▶ The results of any audits or reviews of sampling techniques and data. 	<ul style="list-style-type: none"> ▶ There have been no external audit or review of the Company's sampling techniques or data at this early exploration stage.

Section 2 Reporting of Exploration Results

CRITERIA	JORC CODE EXPLANATION	CRITERIA
Mineral tenement and land tenure status	<ul style="list-style-type: none"> ▶ Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. ▶ The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area. 	<ul style="list-style-type: none"> ▶ The results reported in this report are all contained within the Dandoko Exploration Permit, Gombaly Exploration Permit which are held 100% by Africa Mining SARL, a wholly owned subsidiary of Oklo Resources Limited. ▶ The Dandoko project consists of: ▶ The Dandoko permit (100km²) which was renewed on the 10/8/17, for a period of 3 years and renewable twice, each for a period of 2 years and: ▶ The Gombaly permit (34km²) which was granted on the 10/8/17, for a period of 3 years and renewable twice, each for a period of 2 years
Exploration done by other parties	<ul style="list-style-type: none"> ▶ Acknowledgment and appraisal of exploration by other parties. 	<ul style="list-style-type: none"> ▶ The area that is presently covered by the Dandoko permit was explored intermittently by Compass Gold Corporation between 2010 and 2013. ▶ Exploration consisted of aeromagnetic surveys, gridding, soil sampling and minor reconnaissance (RC) drilling. ▶ The area that is presently covered by the Mousalla permit was explored intermittently by Compass Gold Corporation between 2010 and 2013. ▶ Exploration consisted of aeromagnetic surveys, gridding, soil sampling. ▶ Ashanti Mali undertook reconnaissance soil sampling surveys over part of the license area.
Geology	<ul style="list-style-type: none"> ▶ Deposit type, geological setting and style of mineralisation. 	<ul style="list-style-type: none"> ▶ The deposit style targeted for exploration is orogenic lode gold. ▶ This style of mineralisation can occur as veins or disseminations in altered (often silicified) host rock or as pervasive alteration over a broad zone. ▶ Deposit are often found in close proximity to linear geological structures (faults & shears) often associated with deep-seated structures. ▶ Lateritic weathering is common within the project area. The depth to fresh rock is variable and may extend up to 50-70m below surface and in this drill program weathering of >80m was encountered
Drill hole Information	<ul style="list-style-type: none"> ▶ A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: <ul style="list-style-type: none"> ○ easting and northing of the drill hole collar ○ elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar ○ dip and azimuth of the hole 	<ul style="list-style-type: none"> ▶ Results for all holes with 1m sample a gold in hole result greater than 0.1ppm are tabulated within the listed announcements during the quarter and further summarised into significant intervals as described below. ▶ Locations are tabulated within the report and are how on plans and sections within the main body of this announcement. ▶ Dip of lithologies and/or mineralisation are not currently known. Drilling was oriented based on

CRITERIA	JORC CODE EXPLANATION	CRITERIA
	<ul style="list-style-type: none"> ○ down hole length and interception depth ○ hole length. ▶ If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case. 	<p>dips of lithologies observed ~5km to the north of the prospect and may not reflect the actual dip.</p>
Data aggregation methods	<ul style="list-style-type: none"> ▶ In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated. ▶ Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. ▶ The assumptions used for any reporting of metal equivalent values should be clearly stated. 	<ul style="list-style-type: none"> ▶ Intervals are reported using a threshold where the interval has a 1.00 g/t Au average or greater over the sample interval and selects all material greater than 0.10 g/t Au allowing for up to 2 samples of included dilution every 10m. ▶ No grade top cut off has been applied to full results presented in Significant Intersection Table. ▶ No metal equivalent reporting is used or applied
Relationship between mineralisation widths and intercept lengths	<ul style="list-style-type: none"> ▶ These relationships are particularly important in the reporting of Exploration Results. ▶ If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. ▶ If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known'). 	<ul style="list-style-type: none"> ▶ The results reported in this announcement are considered to be of an early stage in the exploration of the project. ▶ Mineralisation geometry is not accurately known as the exact orientation and extent of known mineralised structures are not yet determined. ▶ Mineralisation results are reported as "downhole" widths as true widths are not yet known
Diagrams	<ul style="list-style-type: none"> ▶ Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views. 	<ul style="list-style-type: none"> ▶ Drill hole location plans are provided earlier releases
Balanced reporting	<ul style="list-style-type: none"> ▶ Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results. 	<ul style="list-style-type: none"> ▶ Drill hole locations are provided in earlier reports. ▶ All assays received of ≥ 0.1ppm have been reported. ▶ No high cuts to reported data have been made.
Other substantive exploration data	<ul style="list-style-type: none"> ▶ Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances. 	<ul style="list-style-type: none"> ▶ No other exploration data that is considered meaningful and material has been omitted from this report
Further work	<ul style="list-style-type: none"> ▶ The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling). ▶ Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive. 	<ul style="list-style-type: none"> ▶ Further aircore, RC and diamond drilling is planned to follow up the results reported in this announcement.