
HIGHLIGHTS

DUKETON OPERATIONS

- Quarterly gold production of 90,879 ounces (Jun 18: 92,008 ounces) at Duketon was above the midpoint of FY19 guidance.
- Pre-royalty cash cost for the quarter of \$793 per ounce and all in sustaining cost (AISC) of \$923 per ounce (Jun 18: CC \$760/oz & AISC \$982/oz). Both costs are well below the lower end of FY19 guidance.
- Strong cash flow from operations continued with \$77.9m for the quarter (Jun 18: \$85.3m).
- First ore mined and stockpiled at Tooheys Well ready for delivery to the Garden Well processing facility in the December 2018 quarter.

CORPORATE

- Record profit after tax of \$174.2 million for FY2018 and a final fully franked dividend of 8 cents per share taking full year FY2018 dividends to a record 16 cents per share.
- Cash and bullion of \$190.0 million at the end of the quarter (Jun 18: \$208.8 million), after payment of \$40.6 million in dividends, \$15.3 million growth capex on prestrip of new satellite projects and TSF lifts (\$40m growth capex for FY19 significantly weighted to H1) and \$1.9 million on long lead items for Rosemont Underground.
- Regis sold 71,310 ounces of gold at an average price of \$1,660 per ounce during the quarter.
- Appointment of experienced mining executive Jim Beyer as Managing Director and James Mactier as Non-Executive Chairman as part of board and management succession planning.

ROSEMONT UNDERGROUND MINE

- Regis board approved development of an underground mining operation directly below the current Rosemont open pit and as part of an expansion of the existing operations.
- The underground component of the expanded operation will exploit the underground Mineral Resource Estimate ('MRE') at Rosemont of 1.4Mt @ 5.1 g/t gold for 230koz of gold at a 2.0g/t gold cut-off grade. The fully diluted underground mining schedule is designed to deliver 666kt at 4.8g/t at Rosemont Main and 1.15Mt at 3.0g/t at Rosemont South.
- Commencement of portal development in the southern end of Rosemont Main is expected in the March 2019 quarter with processing of the underground material expected to commence in the December 2019 quarter (development tonnes mined in September 2019 quarter).
- At the life of mine grades of the open pit and underground operation (once underground mining is at full mining capacity) the combined Rosemont operation is expected to produce at a run rate in the order of 120,000 - 130,000 ounces pa. This is an estimated 35,000 – 45,000 ounces pa uplift on production from the average grade of the open pit alone.

McPHILLAMYS DEVELOPMENT

- Preliminary Environmental Assessment for development of McPhillamys Project submitted and the Environmental Assessment Requirements for this State Significant Project received from the NSW Department of Planning and Environment. (DPE)
- This allows Regis to complete work streams required for EIS and DFS, both of which are expected to be completed in the March 2019 quarter.
- DPE has appointed Mr David Johnson as Independent Chairman of the Community Consultative Committee (CCC) to be established as part of the requirements for a State Significant Project and advertising for community representatives is underway. Public and community consultation continues including public open days and ongoing engagement as part of the preparation of the Social Impact Assessment.

EXPLORATION

Rosemont

- Diamond and RC drilling confirming high grade mineralisation outside the current UG resource envelope:

4 metres @ 18.83 g/t gold from 20 to 24m	17 metres @ 6.31 g/t gold from 49 to 66m
6 metres @ 56.28 g/t gold from 126 to 132m	2 metres @ 51.16 g/t gold from 311 to 313m

Garden Well

- Diamond and RC drilling targeting underground resources at Garden Well also continues to return very encouraging intercepts (for a maiden FY19 resource estimate) including:

17 metres @ 4.99 g/t gold from 190 to 207m	11 metres @ 3.87 g/t gold from 231 to 242m
4 metres @ 7.98 g/t gold from 236 to 240m	14 metre @ 3.48 g/t gold from 195 to 209m

Moolart Well

- RC drilling at Moolart Well targeting mineralisation below current pit design (for resource & reserve updates) has also returned very encouraging intercepts including:

10 metres @ 4.6 g/t gold from 89 to 99m	11 metres @ 5.85 g/t gold from 58 to 69m
2 metres @ 43.17 g/t gold from 52 to 54m	2 metre @ 32.19 g/t gold from 85 to 87m

Baneygo-Idaho

- RC drilling at the Baneygo project targeting mineralisation along strike and at depth to extend current pit designs has also returned very encouraging intercepts including:

6 metres @ 7.45 g/t gold from 42 to 48m	4 metres @ 16.5 g/t gold from 27 to 31m
---	---

Discovery Ridge (NSW)

- Significant infill drill results at Discovery Ridge in NSW received during the quarter include:

129 metres @ 2.03 g/t gold from 159 to 288m	101 metres @ 2.17 g/t gold from 222 to 323m
80 metres @ 1.02 g/t gold from 346 to 426m	65 metres @ 2.05 g/t gold from 326 to 391m

- An updated resource and maiden reserve estimation early in Q3 will see Regis move towards studying Discovery Ridge as a significant satellite project to McPhillamys.

DUKETON OPERATIONS

The Duketon Gold Project achieved another quarter of strong operations with 90,879 ounces of gold produced in the September 2018 quarter. This production is in line with the previous quarter and above the midpoint of FY 2019 guidance of 340,000 - 370,000 ounces.

The pre-royalty cash cost for the quarter of \$793 per ounce and the all in sustaining cost (AISC) of \$923 per ounce are well below the annual guidance range. Mining at Duketon South Operations focussed on pre-production mining at Tooheys Well to prepare the project for first ore processing and production in the December 2018 quarter.

Operating results for the Regis group for the September 2018 quarter were as follows:

	DNO	DSO	TOTAL	FY18Q4
Ore mined (Mbcm)	0.7	0.8	1.4	0.9
Waste mined (Mbcm)	1.5	4.8	6.3	6.1
Stripping ratio (w:o)	2.2	6.1	4.4	7.0
Ore mined (Mtonnes)	1.0	2.0	3.0	2.1
Ore milled (Mtonnes)	0.9	1.7	2.6	2.6
Head grade (g/t)	1.02	1.24	1.17	1.17
Recovery (%)	92.8%	93.5%	93.3%	93.9%
Gold production (ounces)	27,387	63,492	90,879	92,008
Cash cost (A\$/oz)	760	807	793	760
Cash cost inc royalty (A\$/oz)	822	868	854	846
All in Sustaining Cost (A\$/oz) ¹	898	935	923	982

¹ AISC calculated on a per ounce of production basis

Duketon Northern Operations (DNO)

DNO produced 27,387 ounces of gold at an AISC of \$898 per ounce in the September 2018 quarter.

Gold production was up 10% on the previous quarter as a result of a 9% increase in head grade through the Moolart Well processing facility. The processed grade improved during the quarter due to the recommencement of mining at the Gloster satellite deposit which provided higher grade ore for processing. In the previous quarter lower grade Gloster stockpiled ore was processed as the mining focussed on waste mining to provide material for a now completed TSF lift.

The focus in the latter part of the September 2018 quarter was to mine additional ore at the Gloster deposit to replenish the satellite ore stockpile in anticipation of the mining fleet being relocated to the Dogbolter and Anchor deposits to continue pre-production mining of these projects. Accordingly, the volume of ore mined at DNO increased by 250% which resulted in stripping ratio across the project declining from 7.4:1 in the June 2018 quarter to 2.2:1 in the September 2018 quarter.

As a result of the higher production and lower stripping ratio, AISCs were 22% lower than the previous quarter at \$898 per ounce.

Duketon Southern Operations (DSO)

DSO produced 63,492 ounces of gold at an AISC of \$935 per ounce in the September 2018 quarter. Gold production at DSO was 5% lower than the previous quarter due to slightly lower grade as less tonnes of the higher grade Eristoun ore was mined and processed as starter pits narrowed approaching final depths. Mill recovery, at 93.3%, was also slightly lower than the previous quarter due mainly to the fixed tail impact of slightly lower grade.

Mining volumes remained consistent with the previous quarter as the final cutback at Eristoun and pre-stripping of Tooheys Well continued. High grade ore from Tooheys Well is scheduled for processing through the Garden Well processing facility in the December 2018 quarter once the construction of the haul road is complete. At the end of the quarter approximately 250,000 tonnes @ 1.5g/t Au was on the stockpile at Tooheys Well ready to be hauled to the processing plant.

AISC of \$935 per ounce for the quarter were only slightly higher (+1%) than the previous quarter despite the lower production as mining costs attributed to Tooheys Well stockpiled ore are deferred until the ore is processed.

CORPORATE


Financial Results and Dividend

In August 2018 Regis announced record financial results for the 2018 financial year. The net profit after tax for the full year was \$174.2 million, up \$36.1 million (26%) on the 2017 result. Regis paid a fully franked final dividend of 8 cents per share (\$40.6 million) in September 2018 taking total FY2018 dividends to 16 cents per share (\$80.9 million). This was a record full year dividend payment and represented a payout ratio of 25.8% of EBITDA and 13.4% of revenue for FY2018.

Cash Position and Gold Sales

The Duketon project generated operating cash flow of \$77.9 million in the September 2018 quarter down from the record \$85.3 million in the prior quarter which benefited from a significantly higher gold price. During the quarter, Regis sold 71,310 ounces of gold at an average price of A\$1,660 per ounce compared to 102,545 ounces at A\$1,731 per ounce in the June 2018 quarter. The Company delivered gold into a combination of spot deferred contracts and at the prevailing spot price during the September 2018 quarter. The total hedging position at the end of the quarter was 388,711 ounces of forward contracts with a delivery price of A\$1,558 per ounce.

At the end of the quarter Regis had \$190.0 million in cash and bullion, down from \$208.8 million held at 30 June 2018 after the payment of \$40.6 million in dividends, \$15.3 million on the development of new satellite projects and TSF lifts (costs of which are significantly weighted to H1) and \$1.9 million on long lead items for Rosemont Underground. The following waterfall chart highlights the movement in Regis' cash reserves over the quarter.



Board Succession and Appointment of Managing Director

During the quarter the Company announced that it had made two key appointments as a result of a considered process of board and management succession planning. Regis’ long serving Managing Director and Executive Chairman, Mr Mark Clark retired from the role of Managing Director on 15 October 2018 but will continue as Non-Executive Chairman until the Company’s AGM in late November 2018 at which time he will retire as a director.

Experienced mining executive Mr Jim Beyer has been appointed Managing Director, effective 15 October 2018. Jim was most recently (for past 6 years) Chief Executive Officer of Western Australian based iron ore producer and explorer Mt Gibson Iron Limited (ASX:MGX). Jim has extensive gold industry experience, having been the General Manager of the Boddington Gold Mine, one of Australia’s largest gold mines, from 2007 to 2010 and General Manager of the Pajingo Gold Mine from 2004 to 2006. Previous to these roles Jim held senior mine management roles at WMC Resources and MIM Holdings.

Jim holds a Bachelor of Engineering (Mining) degree, a Master of Geoscience (Mineral Economics) and is an Executive Councillor of the Association of Mining & Exploration Companies (AMEC).

As part of this process, the board has appointed current Non-Executive Director, Mr James Mactier as Non-Executive Chairman-elect, effective at the conclusion of the 2018 AGM. James has been a Non Executive Director of Regis since February 2016 and had a long professional relationship with the Company’s board and management prior to his appointment. He is a respected Western Australian business leader with deep knowledge of financial markets, the gold industry and the broader resources landscape both in Australia and abroad.

At the same time, Mr Mark Okeby will cease to act as Lead Independent Director but will remain a Non-Executive Director.

ROSEMONT UNDERGROUND PROJECT

Background

During the quarter the Company announced that the Board had made a decision to invest in the development of an underground mining operation at the current Rosemont open pit operation. The decision was made on the basis of a detailed mining study which assessed the mining of the maiden underground resource at Rosemont of 1.4mt at 5.10g/t for 230,000 ounces of gold.

The location of the proposed underground operations is directly below the existing open pit, with the portal to be developed at the southern end of the Rosemont Main open pit. Development commenced in the current quarter with the ordering of long lead capital items and will continue in the December 2018 quarter with the completion of final study work including a resource update to include recent drilling, the finalisation of the permitting process and selection of mining contractor. Development of a portal in to the southern end of the Rosemont Main open pit is expected to commence in the March 2019 quarter.

Key Development and Operating Parameters

The forecast physical and cost parameters for the Rosemont operation are as follows:

	Open-pit	Underground	Total
Tonnes mined	8,485,000	1,811,000	10,296,000
Diluted mine grade (g/t)	1.3	3.7	1.7
In situ gold mined (ounces)	356,000	214,000	570,000
Mill recovery (%)	94	97	95
Gold produced (ounces)	335,000	208,000	543,000
Commencement of portal establishment	-	March Q 2019	-
First development tonnes to mill	-	Sept Q 2019	-
First production tonnes to mill	-	Dec Q 2019	-
Mine life (months)	60	49	60
Average mining rate ('000 tpa)	1,500 – 1,620	480 – 600	2,100
Capital cost:			
Preproduction capital (\$m)	Nil	\$29.4	\$29.4
LOM development capital (\$m)	Nil	\$9.7	\$9.7
Total capital cost (\$m)	Nil	\$39.1	\$39.1
Maximum cumulative cash outflow (\$m)	Nil	\$38.5	\$38.5
Operating cost:	\$/ounce	\$/ounce	\$/ounce
• Mining	407	790	554
• Operating mine development capital	Nil	158	61
• Milling	448	132	326
• Royalties (at \$1,650 gold price)	74	74	74
Total operating cost	929	1,154	1,015

Unit underground mining costs (both capital and operating) were derived from a third party contractor quotation and further reviewed by an independent expert in underground mining tender analysis. Open pit mining costs are based on mining contractor rates, historical cost performance over the last five years, operating experience and budgets. Processing costs for both open pit and underground material are based on the detailed operating experience of processing Rosemont open pit ore at the Rosemont plant over the past five years. Surface aspects of the development cost have been estimated by Regis' in house technical team on the same basis as previous mine developments completed by Regis.


Both the underground mine design and cost estimates include exploration/stope definition drilling platforms for both Rosemont South and Rosemont Main. For both mine areas a drill drive has been designed along 75% of the strike length for drilling (to allow acceptable intersection angles). A total of 770m of development has been included for dedicated drilling platforms. This establishes a strong position to explore the mineralised dolerite unit from within the workings and access additional mining inventory in many areas, in particular where mineralisation is known to exist through strong drill intercepts currently not included in the resource.

Exploration Upside at Rosemont

The current mine development is only based on an underground MRE with two initial and discrete zones and only extends to a maximum depth of 150 metres below the base of the current Ore Reserve pit design in these areas.

There are numerous high-grade intercepts outside of the two zones of this underground MRE and along the 4 kilometre strike extent of the Rosemont mineralised shear zone. The drilling density in these areas is currently not sufficient to accurately define the orientation, continuity and volumes of mineralisation domains, nor for classification as Mineral Resources. These areas are high priority targets for infill drilling to add to the maiden Resource. This work is active and ongoing. In addition to this continuing infill drilling, further deep drilling is planned with the aim of intercepting the mineralised quartz-dolerite at depth and down plunge from the current underground MRE.

As is the industry experience with most underground mines it is expected that the final infill drilling phase to reach Indicated Resources for a large portion of the deposit will be completed from underground positions. Further, as can be seen in the mine long section below there will be significant opportunity to conduct exploration and resource drilling from the underground development between the two zones currently approved for development.



Importantly any additional mining inventory delineated through exploration from within the underground footprint will not have to bear any significant development or capital costs as the majority of these costs are already included in the current approved mine development.

EXPLORATION

Overview

During the September 2018 quarter drilling focused on near mine exploration across key projects. A total of 56,074 metres of drilling was completed as part of the resource/reserve extensional drilling programmes while 21,343 metres was completed at other gold prospects and across regional targets.

At the Rosemont underground project reverse circulation (RC) and diamond drilling (DD) encountered significant intercepts 180 metres below the depth extent of the underground mining study and proposed stope designs. RC and DD drilling at Garden Well Gold Mine continued testing high grade gold shoots below the final pit design suitable for underground development and infill AC and RC drilling continued at Moolart Well Gold Mine. Air core (AC) and RC drilling was carried out on other satellite deposits and regional exploration targets as listed in the table below.


In NSW, seven DD holes were completed during the quarter at the Discovery Ridge satellite gold deposit to infill the existing resource and test the northern down plunge extension of mineralisation.

Drilling statistics are shown below:

Project Name	AC	DD	RC	Total Metres
Baneygo			177	177
Beamish			3,595	3,595
Camp Oven	1,465			1,465
Crown			1,445	1,445
Garden Well		1,171	5,133	6,304
Gloster			796	796
Idaho			3,723	3,723
King John			73	73
Little Well	2,470			2,470
McKenzie			3,144	3,144
Millar Hill	2,951			2,951
Moolart North	2,851			2,851
Moolart Well	5,657		16,524	22,181
O'Connor Reward	882			882
Petra	1,949			1,949
Rosemont		3080	12,212	15,292
Russell's Find			1,942	1,942
Tooheys Well			492	492
Ventnor	2,967			2,967
Winnebago	389			389
Discovery Ridge		2328		2,328
Total Metres	21,581	6,580	49,256	77,417

Duketon Gold Project

Drilling programmes during the quarter were for mine resource development, regional exploration and sterilisation. A total of 75,089 metres of drilling was completed across the Duketon tenements.



Satellite deposits and gold prospects drilled this quarter in red, Duketon tenement package.

Rosemont Underground Resource

RC and diamond drilling continued at Rosemont during the with a view to both infilling and extending the Maiden Inferred Underground (UG) Resource of 1.4MT @ 5.1 g/t gold for 230k oz.

Infill drilling continued at the existing UG resource at Rosemont South targeting 20m x 20m drill spacing where possible. Drilling also continues to test continuity of high grade gold mineralisation within and outside the current UG resource envelopes. In addition broader spaced drilling continued to test for continuity of high grade gold mineralisation along strike for over 2.5 kilometres.

The geology at Rosemont has gold hosted in a steeply dipping 345° trending quartz-dolerite unit intruding into a mafic-ultramafic-sedimentary sequence. Gold mineralisation is associated with quartz-albite-carbonate-chlorite-sulphide alteration of the quartz-dolerite unit which varies from 5 metres to >100 metres wide.

Assays were received for 42 RC holes (13,860m), and 8 DD holes (4,585m). DD and RC drilling continued to test down plunge extensions to Rosemont South UG domain, continuity of grade along strike over 750m between the main and south UG domains and mineralisation further north of the main UG domain. This drilling has been successful in identifying high grade gold mineralisation below and down-plunge of the current resource, including 6m @ 5.03 g/t Au 180m below the south UG stope design.

Drilling in the central zone over 750m strike between main and south domains continues to deliver encouraging results including 6m @ 56.28 g/t Au 180m south of main domain, 90m below the final pit floor. Current quarter gold intercepts also show continuity in the central zone over 350m strike.


Significant results were received for both infill and exploration RC and DD at Rosemont during the quarter. All of the following results are located outside the current UG resource envelope:

- | | |
|--------------------------------------|---------------------------|
| • 6m @ 56.28 g/t Au from 126 to 132m | RLLRMRC782 (central zone) |
| • 6m @ 5.03 g/t Au from 392 to 398m | RLLRMRC808 (south domain) |
| • 5m @ 7.26 g/t Au from 331 to 336m | RLLRMDD025 (south domain) |
| • 6m @ 5.33 g/t Au from 381 to 387m | RLLRMDD026 (south domain) |
| • 4m @ 18.83 g/t Au from 20 to 24m | RLLRMRC780 (central zone) |
| • 17m @ 6.31 g/t Au from 49 to 66m | RLLRMRC780 (central zone) |
| • 7m @ 5.91 g/t Au from 89 to 96m | RLLRMRC780 (central zone) |
| • 2m @ 22.25 g/t Au from 118 to 120m | RLLRMRC780 (central zone) |
| • 2m @ 22.35 g/t Au from 208 to 210m | RLLRMRC781 (central zone) |
| • 1m @ 33.6 g/t Au from 195 to 196m | RLLRMRC782 (central zone) |
| • 2m @ 51.16 g/t Au from 311 to 313m | RLLRMRC783 (main domain) |
| • 2m @ 16.07 g/t Au from 362 to 364m | RLLRMRC805 (south domain) |
| • 3m @ 14.74 g/t Au from 294 to 297m | RLLRMRC814 (south domain) |

All hole azimuths and dips are in Appendix 2 to this report. All intercepts calculated using a 2.0 g/t lower cut, no upper cut, maximum 2m internal dilution. All assays determined on 1m split samples by fire assay.

Drilling at Rosemont will continue in the current quarter. Strong focus continues on defining new high grade shoots in the central zone with RC drilling and using deeper diamond drilling to extend existing resources at depth below the current underground domains. This programme will continue from surface and in pit when mining activity permits.

The long section below includes the location of the intercepts above.



Long Section looking grid west shows final pit design and new intercepts in relation to UG mineralised domains.

Garden Well Underground Project

RC and Diamond drilling continued at the southern end of Garden Well open pit mine aiming to:

- infill the open pittable up-plunge extent of the high grade shoot; and
- test the down plunge continuity of high grade gold mineralisation located below the final pit design and to reduce drill spacing from 40m x 40m to 40m x 20m.

Drilling this quarter focused on testing the high grade shoot between 200m and 400m below surface. A total of 24 RC holes and 5 DD holes were completed for 6,304 metres.

Results continue to show significant widths and grades of gold mineralisation and indicate the potential for a robust underground target below the southern end of the open pit. Results also indicate the potential for multiple high grade shoots to the south.


The southern high grade shoots measure 4-10m true width across strike and up to 200 metres north-south along strike. The zones of mineralisation sit between 100-350m below surface, dip to the east, and are open at depth to the south. Previous drilling along strike has also identified several high grade shoots beneath the pit to the north. Results are pending for diamond drilling down plunge on the southern high grade shoots. This deep drilling programme will continue into 2019 to define the extent of the southern high grade shoots along strike and down plunge.

Significant results from RC drilling include:


- | | |
|--------------------------------------|------------|
| • 17m @ 4.99 g/t Au from 190 to 207m | RRLGDRC617 |
| • 14m @ 3.48 g/t Au from 195 to 209m | RRLGDRC636 |
| • 6m @ 2.90 g/t Au from 211 to 217m | RRLGDRC617 |
| • 11m @ 3.87 g/t Au from 231 to 242m | RRLGDRC624 |
| • 2m @ 7.69 g/t Au from 227 to 229m | RRLGDRC625 |
| • 6m @ 3.71 g/t Au from 233 to 239m | RRLGDRC625 |
| • 6m @ 2.77 g/t Au from 242 to 248m | RRLGDRC625 |
| • 4m @ 7.98 g/t Au from 236 to 240m | RRLGDRC630 |
| • 2m @ 7.93 g/t Au from 217 to 219m | RRLGDRC632 |

Hole azimuths and dips for all holes are in Appendix 2 to this report. All intercepts calculated using a 2.0 g/t lower cut, no upper cut, maximum 2m internal dilution. All assays determined on 1m split samples by fire assay.

The long section and cross sections below include the location of the intercepts above.



Garden Well Long Section showing high grade shoots beneath the final pit design and highlights results reported this quarter.



Moolart Well Gold Mine

An extensive Aircore and RC programme continued during the quarter at Moolart Well aiming to:

- test for shallow oxide resources;
- test down dip extensions of gold mineralisation beneath existing pits; and
- increase the drill density in the existing resource shell in order to convert additional resources to reserves.

During the September 2018 quarter a total of 75 AC and 151 RC holes for 22,181m were completed. Significant results received during the current quarter include:

- | | |
|--------------------------------------|---------------|
| • 10m @ 4.6 g/t Au from 89 to 99m | RRLMWAC3143 * |
| • 11m @ 5.85 g/t Au from 58 to 69m | RRLMWRC1555 |
| • 2m @ 43.17 g/t Au from 52 to 54m | RRLMWRC1578 * |
| • 3m @ 10.51 g/t Au from 49 to 52m | RRLMWRC1608 |
| • 2m @ 33.95 g/t Au from 110 to 112m | RRLMWRC1621 |
| • 6m @ 5.27 g/t Au from 42 to 48m | RRLMWRC1624 * |
| • 2m @ 32.19 g/t Au from 85 to 87m | RRLMWRC1635 |
| • 9m @ 5.23 g/t Au from 50 to 59m | RRLMWRC1666 * |

* Results are outside the current quoted resource shell.

Hole azimuths and dips for all holes are in Appendix 2 to this report. All intercepts calculated using a 0.5 g/t lower cut, no upper cut, maximum 2m internal dilution. All assays determined on 1m split samples by fire assay.

Resource updates and pit optimisations will be completed on the drilled areas in due course with a view to adding to the mining reserves at the Moolart Well operation.

Baneygo-Idaho Project

Infill resource drilling to date has converted 4 Mt @ 1.22 g/t Au for 158,000 oz from resources to reserves across 4 shallow oxide pits at the Baneygo-Idaho Gold Deposit. Drilling this quarter focused on the northern pit planned at Idaho to reduce drill spacing to 20m x 20m as required and test the strike extension of oxide gold mineralisation at Idaho.

The Baneygo-Idaho Gold Project is located 15 kilometres south along strike of the Rosemont Gold Deposit and has a total resource of 11 Mt @ 0.96 g/t Au for 340,380 oz. Gold mineralisation extends over a 2.5 kilometre strike and is hosted in quartz dolerite which has intruded a sequence of mafic-ultramafic-sedimentary units.

Encouraging results received from holes drilled south of and below the reserve pit at Idaho include:

- | | |
|-------------------------------------|---------------|
| • 6m @ 7.45 g/t Au from 42 to 48m | RRLIHRC200 * |
| • 4m @ 16.5 g/t Au from 27 to 31m | RRLIHRC201 * |
| • 4m @ 3.81 g/t Au from 115 to 119m | RRLIHRC209 *F |
| • 6m @ 4.27 g/t Au from 88 to 94m | RRLIHRC213 *F |
| • 8m @ 2.82 g/t Au from 40 to 48m | RRLIHRC216 |
| • 5m @ 3.54 g/t Au from 31 to 36m | RRLIHRC218 * |

* Outside current reserve pit design. F = fresh rock intercept

Hole azimuths and dips for all holes are in Appendix 2 to this report. All intercepts calculated using a 0.5 g/t lower cut, no upper cut, maximum 2m internal dilution. All assays determined on 1m split samples by fire assay.

A programme of deeper drilling will be designed to assess the continuity of high grade intercepts received in fresh rock and outside current reserves.

King John

Drilling was completed during the quarter at the King John Gold Deposit to infill existing drill spacing to 20m x 20m and convert resources to reserves. The King John Gold Deposit is hosted in a moderate east dipping shear zone with associated quartz veins +/-pyrite-carbonate-silica-sericite alteration, localised on the contacts between intermediate volcanoclastics and intrusive units. The King John Gold Deposit has a JORC compliant resource estimate of 0.84 Mt @ 1.56 g/t Au for 42,000 oz.

Significant results received for drilling during the previous quarter include:

- 4m @ 2.5 g/t Au from 42 to 46m RRLKJRC071
- 8m @ 1.25 g/t Au from 64 to 72m RRLKJRC071
- 3m @ 2.67 g/t Au from 115 to 118m RRLKJRC072
- 6m @ 4.96 g/t Au from 51 to 57m RRLKJRC074

A resource update and pit optimisation will be completed on the drilled areas in due course with a view to adding to mining reserves at King John.

Regional Gold Prospects

Regional exploration targets drilled in the September 2018 quarter include:

- Shear hosted prospects O'Connor Reward, Camp Oven, Millar Hill, Little Well and McKenzie located along strike of the Rosemont Gold Mine;
- Moolart North, Ventnor and Winnebago near Moolart Well;
- Crown located north along strike of the Garden Well Gold Mine; and
- BIF hosted, potential Tooheys Well analogies at Beamish

Anomalous assays were received for Beamish, Little Well, Millar Hill, Pleco, and Salt Soak gold prospects (results included in Appendix 2) with follow up drilling planned in the current quarter. See further detail on Pleco below.

Gold assays are pending for McKenzie, Moolart North, Ventnor, and Winnebago. No significant gold intercepts >1g/t Au were reported for Camp Oven, Camel Hump, Crown, Mount Varden, McKenzie Well, O'Connor Reward, and Slate Well.

Pleco

The Pleco Gold Prospect is located 2 kilometres north along strike from the Garden Well gold deposit. The geology of Pleco is similar to Garden Well with a sequence of tightly folded and strongly sheared mafic-ultramafic-sedimentary units overlain by 10m of palaeochannel clays. Gold mineralisation at Pleco is localised within a strongly sheared ultramafic with associated quartz-carbonate veins, pyrite, and fuchsite-carbonate-silica alteration. Drilling to date has identified a shallow east dipping mineralised zone up to 10m thick, over a 1.5km strike length.


Drilling has been completed on a 40m x 40m grid across the mineralised shear zone. Results to date have confirmed continuity of gold mineralisation over 1km strike and indicate sufficient width and grade of mineralisation for an additional satellite deposit to Garden Well. Significant results received this quarter include:

- 2m @ 6.81 g/t Au from 40 to 42m RRLPLAC010
- 5m @ 2.71 g/t Au from 29 to 34m RRLPLAC020
- 2m @ 5.87 g/t Au from 29 to 31m RRLPLRC001

- 4m @ 2.60 g/t Au from 20 to 24m RRLPLRC011
- 13m @ 1.43 g/t Au from 30 to 43m RRLPLRC011
- 4m @ 2.46 g/t Au from 47 to 51m RRLPLRC031
- 3m @ 3.26 g/t Au from 60 to 63m RRLPLRC032

Additional drilling has been designed to inform a resource and reserve estimation.


The geological plan below includes the location of the intercepts above.



McPhillamys Gold Project NSW

The 100% Regis owned McPhillamys Gold Project is one of Australia's larger undeveloped open pittable gold resources. The project is located 250 kilometres west of Sydney in a well-established mining district. In September 2017 Regis reported a reserve of 60.1 Mt @ 1.05 g/t Au for 2.03 Moz.

Regis acquired the Discovery Ridge Gold Project, located 32 km from McPhillamys, as part of the Blayney tenement acquisition in February 2017. The Discovery Ridge gold deposit is host to mineral resource estimate (JORC 2004) of 13.84Mt at 1.1g/t Au for 501,000 oz.



McPhillamys Gold Project location including the Blayney tenement and the Discovery Ridge Project location.

Exploration work conducted during the quarter included infill diamond drilling and testing the down plunge extension to gold mineralisation at Discovery Ridge. This work will contribute to a JORC 2012 compliant resource and reserve estimate.

Discovery Ridge Gold Deposit


Discovery Ridge is a shear hosted gold deposit located in strongly foliated, fine-grained metasediments of the Ordovician Coombing and Adaminaby Formations. The deposit is located within the hinge zone of a tight, steep north plunging D2 fold on the contact of the Adaminaby Group with the Coombing Formation. The deposit has a known strike length in the order of 200 metres and comprises a well-defined steeply north pitching Eastern Lode with widths of around 50 metres and known depths of up to 500 metres and a parallel but more diffuse West Lode of similar orientation.

Significant diamond drill results were received from drilling in the September 2018 quarter confirming mineralisation is open to the north, down plunge. Current quarter drilling also shows a high grade component which plunges steeply to the north and is open down plunge.

Significant DD results from drilling completed in the quarter include:

- 129m @ 2.03 g/t Au from 159 to 288m RRLDRDD010
 - including **40m @ 3.53 g/t Au** from 214m
- 101m @ 2.17 g/t Au from 222 to 323m RRLDRDD011
 - Including **39m @ 4.27 g/t Au** from 245m
- 80m @ 1.02 g/t Au from 346 to 426m RRLDRDD012
- 65m @ 2.05 g/t Au from 326 to 391m RRLDRDD013
 - Including **12m @ 5.84g/t Au** from 343m
- 162m @ 2.03 g/t Au from 338 to 500m RRLDRDD014
 - Including **54.5m @ 3.93 g/t Au** from 353m

The cross section below includes the location of these intercepts.



Discovery Ridge cross sections 22420gN

Regis drilling results to date have confirmed location and tenor of historical gold intercepts and will contribute to an updated resource and maiden reserve estimation for Discovery Ridge, expected early in the March 2018 quarter. Regis is targeting Discovery Ridge as a significant satellite project to the McPhillamys Gold Project.

DEVELOPMENT - MCPHILLAMYS GOLD PROJECT (MGP)

Environmental Impact Statement

Regis submitted the Preliminary Environmental Assessment (PEA) in relation to the development of MGP to the NSW Department of Planning and Environment (DPE) during the quarter. In response to this submission, the DPE during the quarter provided the Environmental Assessment Requirements (EARs) for the project. The EARs determine the scope of the Environmental Impact Statement (EIS) to enable regulatory assessment of the project. Various work streams to inform the EIS are continuing.

In accordance with the EARs, the DPE has appointed Mr David Johnson as Independent Chairperson of the Community Consultative Committee (CCC). The CCC will be established in the December 2018 quarter as a forum for discussion with community representatives and local Council representatives on specific issues relating to the development of this State Significant Project. Regis has continued its community consultation through meetings, the distribution of community information sheets and a number of community open days for the local and wider community.

Process Water Supply

Regis is progressing the pipeline route access to utilise recycled water from the Mt Piper Power Station and Centennial Mine near Lithgow. This is one of the two long term water supply options for the project. Finalisation of a formal water offtake agreement with Centennial Coal Company Limited ("Centennial") and Energy Australia Pty Ltd ("EA") for Regis to utilise this water is progressing. Regis also continues to hold approximately 4.5GLpa of ground water access licences in a zone of the Lachlan catchment, approximately 80 kilometres from MGP as an alternative water supply.

Definitive Feasibility Study & Development Timetable

Contemporaneous with the preparation of the EIS, Regis expects to complete the Definitive Feasibility Study for the project. The DFS will incorporate the requirements for project development emanating from the EARs and results of the EIS. It will resolve operating parameters, estimated capital and operating costs and a development timetable (subject to completion of permitting).

DFS Outlook

The PFS level study completed to support the maiden reserve estimate for MGP in September 2017 contemplated a development capital cost in the order of \$215 million +/- 25%. Whilst the DFS work is continuing and finalisation is still subject to numerous variables it is expected that development capital costs will be in a final range towards the upper end of the PFS tolerances.

A change in scope for the DFS from the PFS will be the inclusion in the study of the exciting Discovery Ridge satellite project (located 32 kilometres away from MGP) where recent drilling is confirming the significant potential of this project and a maiden reserve estimation is expected early in the March 2019 quarter. The project will be subject to a separate EIS and approvals process, but this will not need to address any processing issues as it will be a mining only project with ore to be processed at MGP. It is contemplated that the EIS and approvals process for Discovery Ridge will be completed whilst MGP is in development. Discovery Ridge is shaping as a very significant addition and value proposition for the broader MGP project.

A review of the EIS work stream scopes is currently underway in light of the recently issued EARS. It is expected that Regis will be in a position to both submit the final EIS to DPE and complete the DFS in to project development in the March 2019 quarter facilitating an investment decision.

COMPETENT PERSON STATEMENT

The information in this report that relates to exploration results is based on and fairly represents information and supporting documentation that has been compiled by Ms Tara French who is a member of the Australian Institute of Geoscientists. Ms French has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which she is undertaking to qualify as a Competent Person as defined in the 2012 edition of the 'Australasian Code for the Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Ms French is a full time employee of Regis Resources Ltd and consents to the inclusion in the report of the matters based on her information in the form and context in which it appears.

The information in this report that relates to the Company's Resources and Ore Reserves is extracted from the ASX announcement released on 27 July 2018 entitled "Mineral Resource and Ore Reserve Statement as at 31 March 2018" and for which Competent Person's consents were obtained.

The reports are available to view on the ASX website and on the Company's website at www.regisresources.com.au. The Company confirms it is not aware of any new information or data that materially affects the information included in the original market announcement, and, in the case of estimates of Mineral Resources and Ore Reserves, that all market assumptions and technical assumptions underpinning the estimates in the relevant market announcement continue to apply and have not materially changed.

The Competent Person's consents remain in place for subsequent releases by the Company of the same information in the same form and context, until the consent is withdrawn or replaced by a subsequent report and accompanying consent.

FORWARD LOOKING STATEMENTS

This ASX announcement may contain forward looking statements that are subject to risk factors associated with gold exploration, mining and production businesses. It is believed that the expectations reflected in these statements are reasonable but they may be affected by a variety of variables and changes in underlying assumptions which could cause actual results or trends to differ materially, including but not limited to price fluctuations, actual demand, currency fluctuations, drilling and production results, Reserve estimations, loss of market, industry competition, environmental risks, physical risks, legislative, fiscal and regulatory changes, economic and financial market conditions in various countries and regions, political risks, project delay or advancement, approvals and cost estimates.

Forward-looking statements, including projections, forecasts and estimates, are provided as a general guide only and should not be relied on as an indication or guarantee of future performance and involve known and unknown risks, uncertainties and other factors, many of which are outside the control of Regis Resources Ltd. Past performance is not necessarily a guide to future performance and no representation or warranty is made as to the likelihood of achievement or reasonableness of any forward looking statements or other forecast.

CORPORATE DIRECTORY

Regis Resources Ltd (ACN 009 174 761)

Registered Office

Second Floor, 516 Hay Street
Subiaco, WA Australia 6008
Tel +618 9442 2200 Fax +618 9442 2290

Website www.regisresources.com
Email enquiries@regisresources.com

Directors

Mr Jim Beyer (Managing Director)
Mr Mark Clark (Non-Executive Chairman)
Mr Paul Thomas (Executive Director)
Mr Mark Okeby (Non-Executive Deputy Chairman)
Mr Ross Kestel (Non-Executive Director)
Mr James Mactier (Non-Executive Director)
Mrs Fiona Morgan (Non-Executive Director)

Company Secretary and CFO

Mr Kim Massey

Share Registry

Computershare Ltd
GPO Box D182
Perth WA 6840
Shareholder Enquiries: 1300 557 010 (local) +613 9415 4000 (international)

ASX Listed Securities (as at 30 September 2018)

Security	Code	No. Quoted
Ordinary Shares	RRL	507,136,259

APPENDIX 1

JORC Code, 2012 Edition – Table 1 report template

Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code explanation	Commentary
<p><i>Sampling techniques</i></p>	<p><i>Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</i></p>	<p>Rosemont: The Rosemont gold deposit was sampled using Reverse Circulation (RC) and NQ Diamond (DD) drill holes on a nominal 40m east by 40m north, or 20m east by 20m north grid spacing angled -48° to -80° towards 254° or 074° azimuth.</p> <p>Garden Well: The Garden Well gold deposit was sampled using Reverse Circulation (RC) and NQ Diamond (DD) drill holes on a nominal 20m east by 40m north initial grid spacing angled -50° to -60° towards 270° azimuth.</p> <p>Moolart Well, Baneygo/Idaho, King John, Beamish, Tooheys Well, Russells Find, Gloster, Petra, and Pleco: The gold projects above were sampled using Air Core (AC) or Reverse Circulation (RC) drill holes on various grid spacings angled -50° to -90° to varying azimuths designed to drill perpendicular to the strike of mineralisation.</p> <p>Discovery Ridge: The Discovery Ridge gold deposit was sampled using NQ Diamond (DD) drill holes on a select pattern to infill larger data gaps, which were drilled angled -60° to -68° towards 240° azimuth.</p> <p>Other Regional Prospects: The Regional Prospects were sampled using Air Core (AC) drill holes or Reverse Circulation (RC) drill holes on various grid spacings angled -60° towards varying azimuths designed to drill as close as possible to perpendicular to the strike of mineralisation.</p> <p>Regional Prospects Air Core: Regis drill hole collar locations were picked up by handheld GPS. Hole azimuths were measured at the collar using a Suunto sighting compass.</p>
	<p><i>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</i></p>	

Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (e.g. 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases, more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g. submarine nodules) may warrant disclosure of detailed information.

All Gold Projects AC, RC, DD:

Regis drill hole collar locations were picked up by an independent registered consulting surveyor or site-based authorised surveyors using Trimble RTK GPS. Downhole surveying was measured by using either a Reflex EZ-Shot Downhole Survey Instrument or North Seeking Gyro based tool where magnetic host rock would affect azimuth readings. The surveys were completed every 30m down each drill hole.

Diamond drill core is aligned and measured by tape, comparing back to down hole core blocks consistent with industry practice.

Regis drill hole sampling had certified standards and blanks inserted every 20th sample (DD only) or every 25th sample (RC and AC) to assess the accuracy and methodology of the external laboratories, and field duplicates (RC and AC only) were inserted every 20th sample to assess the repeatability and variability of the gold mineralisation. Laboratory duplicates were also completed approximately every 15th sample to assess the precision of the laboratory as well as the repeatability and variability of the gold mineralisation. Results of the QAQC sampling were considered acceptable.

Rosemont, Garden Well, Moolart Well, Baneygo/Idaho, King John, Beamish, Tooheys Well, Russells Find, Gloster, Petra, and Pleco:

For the Regis RC drilling, and AC drilling at Petra & Moolart Well 1m samples were obtained by cone splitter (2.5kg – 3.0kg) and were utilised for lithology logging and assaying. The drilling samples were dried, crushed and pulverised to get 85% passing 75µm and were all Fire Assayed using a 50g charge.

Discovery Ridge, Garden Well & Rosemont DD:

Diamond drilling completed to industry standard using varying sample lengths (0.2 to 1.3m) based on geological intervals, which are then dried, crushed and pulverised to get 85% passing 75µm and were all Fire Assayed using a 50g charge (SGS West Wyalong, ALS – Orange, NSW; Bureau Veritas WA).

Other Regional Prospects:

For AC drilling 1m spear samples were composited to 4m intervals. The drilling samples were dried, crushed and pulverised to get 85% passing 75µm and were analysed with an Aqua Regia Digest using a 10g charge (Intertek). Anomalous results from 4m composites were spear sampled at 1m intervals. These drill samples were dried, crushed and pulverised to get 85% passing 75µm and were all Fire Assayed using a 50g charge (Bureau Veritas).

<p><i>Drilling techniques</i></p>	<p><i>Drill type (e.g. core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</i></p>	<p>All Gold Projects/Prospects RC and AC drilling: RC drilling completed with a 139mm or 143mm diameter face sampling hammer. AC drilling was completed with an 89mm diameter AC blade bit.</p> <p>Discovery Ridge, Garden Well and Rosemont DD: Surface diamond drilling carried out by using NQ3 or HQ32 (triple tube) and NQ, NQ2 or HQ2 (standard tube) techniques. Core is routinely orientated by REFLEX ACT III tool.</p>
<p><i>Drill sample recovery</i></p>	<p><i>Method of recording and assessing core and chip sample recoveries and results assessed.</i></p> <hr/> <p><i>Measures taken to maximise sample recovery and ensure representative nature of the samples.</i></p> <hr/> <p><i>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</i></p>	<p>All Gold Projects/Prospects RC and AC drilling: RC and AC recovery was visually assessed, with recovery being excellent except in some wet intervals which are recorded on logs. 1% of the overall mineralised zones have been recorded as wet.</p> <p>Discovery Ridge, Garden Well and Rosemont DD: DD core was measured and compared to the drilled intervals, and recorded as a percentage recovery</p> <hr/> <p>All Gold Projects/Prospects RC and AC drilling: AC and RC samples were visually checked for recovery, moisture and contamination. The drilling contractor utilised a cone splitter to provide uniform sample size, and these were cleaned routinely (cleaned at the end of each rod and more frequently in wet conditions). A booster was also used in conjunction with the RC drill rig to ensure dry samples are achieved.</p> <p>Discovery Ridge, Garden Well and Rosemont DD: The target zones ranged from oxidised rock near surface where recoveries were lower to highly competent fresh rock, where the DD method provided high recovery.</p> <hr/> <p>All Gold Projects/Prospects RC and AC drilling: Sample recoveries for RC and AC drilling are visually estimated to be medium to high. No significant bias is expected although no recovery and grade correlation study was completed.</p> <p>Discovery Ridge, Garden Well and Rosemont DD: The DD drill sample recovery in the transitional and fresh rock zones is very high, and no significant bias is expected. Recoveries in the oxidised rock were lower.</p>
<p><i>Logging</i></p>	<p><i>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate</i></p>	<p>All Gold Projects/Prospects RC and AC drilling: Lithology, alteration, veining, mineralisation and, on some holes, magnetic susceptibility were logged from the RC and AC chips and saved in the database.</p>

	<p><i>Mineral Resource estimation, mining studies and metallurgical studies.</i></p> <p><i>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</i></p> <p><i>The total length and percentage of the relevant intersections logged.</i></p>	<p>Chips from every interval are also placed in chip trays and stored in a designated building at site for future reference.</p> <p>Discovery Ridge, Garden Well and Rosemont DD: Lithology, alteration, veining, mineralisation and geotechnical information were logged from the DD core and saved in the database. Half core from every interval are also retained in the core trays and stored in a designated building at site for future reference.</p> <p>All logging is qualitative except for magnetic susceptibility and geotechnical measurements. Wet and dry photographs were completed on the core.</p> <p>All drill holes are logged in full.</p>
<p><i>Sub-sampling techniques and sample preparation</i></p>	<p><i>If core, whether cut or sawn and whether quarter, half or all core taken.</i></p> <p><i>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</i></p> <p><i>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</i></p> <p><i>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</i></p>	<p>Discovery Ridge, Garden Well and Rosemont diamond: Core was half cut with a diamond core saw with the same half always sampled and the surplus retained in the core trays. Non-competent clay zones are sampled as whole core where necessary due to difficulty in cutting.</p> <p>RC and AC drilling utilised a cyclone and cone splitter to consistently produce 0.5kg to 3.0kg dry samples.</p> <p>Samples are dried, crushed to 10mm, and then pulverised to 85% passing 75µm. This is considered acceptable.</p> <p>All Gold Projects AC & RC: Rosemont, Garden Well, Moolart Well, Baneygo/Idaho, King John, Beamish, Tooheys Well, Russells Find, Gloster, Petra, and Pleco: Field duplicates (RC, AC) were inserted every 20th sample to assess the repeatability and variability of the gold mineralisation. Laboratory duplicates were also completed roughly every 15th sample to assess the repeatability and variability of the gold mineralisation.</p>

	<p><i>Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling.</i></p>	<p>Field RC duplicates (RC, AC) were taken at the rig from a second chute on the cone splitter allowing for the duplicate and main sample to be the same size and sampling technique. Field duplicates are taken every 20th sample. Laboratory duplicates (sample preparation split) were also completed roughly every 15th sample.</p> <p>Field duplicates on core, i.e. other half of cut core, have not been routinely assayed.</p>
	<p><i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i></p>	<p>Sample sizes (1.0kg to 3kg) are considered to be a sufficient size to accurately represent the gold mineralisation based on the mineralisation style (hypogene associated with shearing and supergene enrichment), the width and continuity of the intersections, the sampling methodology, the coarse gold variability and the assay ranges for the gold.</p> <p>Field duplicates have routinely been collected to ensure monitoring of the sub-sampling quality. Acceptable precision and accuracy are noted in the field duplicates albeit the precision is marginally acceptable and consistent with coarse gold deposits.</p>
<p>Quality of assay data and laboratory tests</p>	<p><i>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</i></p>	<p>All Gold Projects AC & RC. Rosemont, Garden Well, Moolart Well, Baneygo/Idaho, King John, Beamish, Tooheys Well, Russells Find, Gloster, Petra, and Pleco:</p> <p>All gold assaying was completed by external commercial laboratories (SGS West Wyalong, ALS – Orange, NSW; Bureau Veritas, WA) using a 50g charge for fire assay analysis with AAS finish. This technique is industry standard for gold and considered appropriate.</p> <p>Discovery Ridge, Garden Well and Rosemont DD:</p> <p>All gold assaying was completed by commercial laboratories (SGS West Wyalong, ALS – Orange, NSW; Bureau Veritas, WA) using a 50g charge for fire assay analysis with AAS finish. This technique is industry standard for gold and considered appropriate.</p> <p>Other Regional Prospects RC/AC:</p> <p>All gold assaying was completed by commercial laboratories (Intertek, WA) using a 10g charge for aqua regia digest for 4m composite samples. 1m re-samples are assayed by a commercial laboratory (Bureau Veritas, WA) using a 50g charge for fire assay analysis with AAS finish.</p>

	<p><i>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</i></p> <p><i>Nature of quality control procedures adopted (e.g. standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.</i></p>	<p>Apart from magnetic susceptibility in targeted zones, no other geophysical measurements were routinely made.</p> <p>All Gold Projects AC & RC. Rosemont, Garden Well, Moolart Well, Baneygo/Idaho, King John, Beamish, Tooheys Well, Russells Find, Gloster, Petra, and Pleco:</p> <p>Certified Reference Material (CRM or standards) and blanks were inserted every 25th sample to assess the assaying accuracy of the external laboratories. Field duplicates (RC, AC) were inserted every 20th sample to assess the repeatability from the field and variability of the gold mineralisation. Laboratory duplicates were also completed approximately every 15th sample to assess the precision of assaying.</p> <p>Evaluation of both the Regis submitted standards, and the internal laboratory quality control data, indicates assaying to be accurate and without significant drift for significant time periods. Excluding obvious errors, the vast majority of the CRM assaying report shows no consistent positive or negative overall mean bias. Duplicate assays show high levels of correlation and no apparent bias between the duplicate pairs. Field duplicate samples show marginally acceptable levels of correlation and no relative bias.</p> <p>Results of the QAQC sampling were considered acceptable for the deposits. Substantial focus has been given to ensuring sampling procedures met industry best practise to ensure acceptable levels of accuracy and precision were achieved in a coarse gold environment.</p>
<p><i>Verification of sampling and assaying</i></p>	<p><i>The verification of significant intersections by either independent or alternative company personnel.</i></p> <p><i>The use of twinned holes.</i></p>	<p>No independent personnel have visually inspected the significant intersections in RC chips. Numerous highly qualified and experienced company personnel from exploration and production positions have visually inspected the significant intersections in RC chips.</p> <p>Independent consultants (Entech) have inspected Rosemont Diamond drill core as part of due diligence for providing the maiden underground resource estimate.</p> <p>No twinning of holes was completed in the current quarter. Several RC holes at Discovery Ridge are in proximity to historic holes but would not be classed as twin holes. Several DD holes were drilled at Rosemont in close proximity to RC holes. Gold grades and widths of mineralisation were considered comparable between</p>

	<p><i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i></p> <p><i>Discuss any adjustment to assay data.</i></p>	<p>drill sample types. Several DD holes were drilled at Garden Well in close proximity to RC holes. Gold grades and widths of mineralisation were considered comparable between drill sample types.</p> <p>All geological and field data is entered into Logchief commercial software, WA, or excel spreadsheets, NSW, with lookup tables and fixed formatting (and protected from modification) thus only allowing data to be entered using the Regis geological code system and sample protocol. Logchief data is validated and uploaded directly to the database. Excel spreadsheet data is emailed to the Regis database administrator for validation and importation into a SQL database using Datashed.</p> <p>For the purpose of resource estimation any samples not assayed (i.e. destroyed in processing, listed not received) have had the assay value converted to a -9 in the database. Any samples assayed below detection limit (0.01 ppm Au) have been converted to 0.005 ppm (half detection limit) in the database.</p>
<p><i>Location of data points</i></p>	<p><i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i></p>	<p>All Gold Projects. Rosemont, Garden Well, Moolart Well, Baneygo/Idaho, King John, Beamish, Tooheys Well, Russells Find, Gloster, Petra, and Pleco:</p> <p>Regis drill hole collar locations were picked up by site-based authorized surveyors, or using Trimble RTK GPS, calibrated to a base station (expected accuracy of 20mm). For NSW Projects an independent licenced surveyor was used to pick up all drill collar locations using a Trimble RTK GPS.</p> <p>Downhole surveying was measured by using either a Reflex EZ-Shot Downhole Survey Instrument or North Seeking Gyro based tool where magnetic host rock would affect azimuth readings</p> <p>The surveys were completed every 30m down each drill hole.</p>
	<p><i>Specification of the grid system used.</i></p>	<p>The grid system is and AMG Zone 51 (AGD 84) for surveying pickups. Modelling at King John, Rosemont and Baneygo/Idaho is completed using a local grid, with conversion of digital data from AMG to local completed using macros in Micromine.</p> <p>Discovery Ridge:</p> <p>The grid system is and GDA94 Zone 55 for surveying pickups. Modelling at Discovery Ridge is completed using a local grid, with conversion of digital data from MGA94 to local completed using macros.</p>
	<p><i>Quality and adequacy of topographic control.</i></p>	<p>The topographic surface for all projects were derived from a combination of the primary drill hole pickups and the pre-existing photogrammetric contouring.</p>

<p><i>Data spacing and distribution</i></p>	<p><i>Data spacing for reporting of Exploration Results.</i></p>	<p>Rosemont, Garden Well, Moolart Well, Baneygo/Idaho, King John, Beamish, Tooheys Well, Russells Find, Gloster, Petra, and Pleco: The drilling completed this period is planned reducing the effective spacing to 40 metres (east) by 40 metres north or 20 metres (east) by 20 metres (north).</p>
		<p>Discovery Ridge: The drilling completed this period is planned reducing the effective spacing on the northern down plunge extension to 40 metres (east) by 20 metres (north).</p>
		<p>Regional Prospects: Regional Prospects are generally drilled on a broad line spacing 320m to 160m with drill holes spacing from 80m to 20m depending on the style of mineralisation and width of target.</p>
		<p>Moolart Well: Current plan has reduced sample spacing to 25m x 25m in selected parts of the deposit</p>
	<p><i>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i></p>	<p>The planned data spacing and distribution is sufficient to demonstrate spatial and grade continuity of the mineralised domains to support the definition of Inferred and Indicated Mineral Resources under the 2012 JORC code once all other modifying factors have been addressed.</p>
	<p><i>Whether sample compositing has been applied.</i></p>	<p>Rosemont, Garden Well, Moolart Well, Baneygo/Idaho, King John, Beamish, Tooheys Well, Russells Find, Gloster, Petra, and Pleco: No sample compositing has been applied in the field within the mineralised zones.</p>
		<p>Regional Prospects: All first pass AC or RC drill samples were collected at 1m samples and composited to 4m intervals.</p>
<p><i>Orientation of data in relation to geological structure</i></p>	<p><i>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</i></p>	<p>Drilling on all projects is orientated to best suit the mineralisation to be closely perpendicular to both the strike and dip of the mineralisation. Intercepts are close to true-width in most cases. See cross section diagrams. In the case of Rosemont and Discovery Ridge drill programmes, the orientation mineralisation is sub vertical, as such the current drilling is designed to assist in refining ore geometry and therefore a more accurate estimate of true thickness. Drill orientation at Rosemont was adjusted as required to facilitate drilling around mine site</p>

		<p>infrastructure, and in some instances drill holes are at a high angle to the dip of mineralisation.</p>
	<p><i>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i></p>	<p>It is not believed that drilling orientation has introduced a sampling bias.</p>
<p><i>Sample security</i></p>	<p><i>The measures taken to ensure sample security.</i></p>	<p>Samples are securely sealed and stored onsite, until delivery to Perth via contract freight Transport, who then deliver the samples directly to the laboratory. Sample submission forms are sent with the samples as well as emailed to the laboratory and are used to keep track of the sample batches.</p> <p>Discovery Ridge</p> <p>Samples are securely sealed and stored onsite, until pickup by SGS West Wyalong or ALS Orange truck and delivery to the laboratory. Sample submission forms are sent with the samples as well as emailed to the laboratory and are used to keep track of the sample batches.</p>
<p><i>Audits or reviews</i></p>	<p><i>The results of any audits or reviews of sampling techniques and data.</i></p>	<p>No external audits on sampling techniques and data have been completed.</p>

Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
<p><i>Mineral tenement and land tenure status</i></p>	<p><i>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</i></p> <p><i>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</i></p>	<p>Rosemont: The Rosemont project is located on M38/237, M38/250 & M38/343. Current registered holders of the tenements are Regis Resources Ltd & Duketon Resources Pty Ltd (100% subsidiary of Regis Resources Ltd). Area = 1683.2ha. Normal Western Australian state royalties apply plus there is a 2% Royalty to Franco Nevada. There are no registered Native Title Claims.</p> <p>Garden Well The Garden Well gold deposit is located on M38/1249, M38/1250, M38/283. Current registered holders of the tenements are: M38/1249 Regis Resources Ltd M38/1250 and M38/283 Regis Resources Ltd and Duketon resources Pty Ltd (100% subsidiary of Regis Resources Ltd); 2% Royalty to Franco Nevada Area = 2,739 ha. Normal Western Australian state royalties apply. There are no registered Native Title Claims.</p> <p>Moolart Well: The Moolart Well Gold deposit is located on M38/498, M38/499, and M38/500. Current registered holders of the tenements are Regis Resources Ltd and Duketon Resources Pty Ltd (100% subsidiary of Regis Resources Ltd); Area = 2,267 ha. Normal Western Australian state royalties apply plus a 2% Royalty to Franco Nevada. There are no registered Native Title Claims.</p> <p>Baneygo/Idaho: M38/344 – Reg Holders, Regis Resources Ltd & Duketon Resources Pty Ltd; Area 980.45ha; granted 23 April 1993; 2% Franco Nevada Royalty; no Native Title claims</p> <p>King John: The King John deposit is located on M38/600 and M38/601. Current registered holders of the tenements are Duketon Resources Pty Ltd (70%) and Mark Gareth Creasy (30%). M38/600 has an area of 917.30ha and M38/601 has an area of</p>

906.60ha. Normal Western Australian state royalties apply plus a 2% Royalty to Franco Nevada. There are no registered Native Title Claims.

Tooheys Well

The Tooheys Well prospect comprises M38/1251, an area of 9.109 km² (910.90 hectares). Normal Western Australian state royalties apply and a further 2% NSR royalty exists to a third party. Current registered holders of the tenements are Regis Resources Ltd and Duketon Resources Pty Ltd (100% subsidiary of Regis Resources). There are no registered Native Title Claims.

Beamish

The Beamish prospect is located on M38/283 and M38/292. Current registered holders are

M38/283 – Regis Resources Ltd and Duketon Resources Pty Ltd (100% subsidiary of Regis Resources Ltd); 2% Royalty to Franco Nevada.

M38/292 – Regis Resources Ltd and Duketon Resources Pty Ltd (100% subsidiary of Regis Resources Ltd); 2% Royalty to Franco Nevada.

Normal Western Australian state royalties apply. There are no registered native title claims

Russells Find

The Russells Find prospect is located on M38/114 and M38/630. Current registered holders are

M38/114 – Regis Resources Ltd and Duketon Resources Pty Ltd (100% subsidiary of Regis Resources Ltd); 2% Royalty to Franco Nevada.

M38/630 – Regis Resources Ltd and Duketon Resources Pty Ltd (100% subsidiary of Regis Resources Ltd); 2% Royalty to Franco Nevada.

Normal Western Australian state royalties apply. There are no registered native title claims

Gloster

The Gloster prospect is located on M38/1268. Current registered holders are

M38/1268 – Regis Resources Ltd; 2% Royalty to William Robert Richmond.

Normal Western Australian state royalties apply. There are no registered native title claims

Petra

The Petra prospect is located on M38/1247 and M38/1264. Current registered holders are

	<p>M38/1247 – Regis Resources Ltd and Duketon Resources Pty Ltd (100% subsidiary of Regis Resources Ltd); 2% Royalty to Franco Nevada M38/1264 - Regis Resources Ltd; Normal Western Australian state royalties apply. There are no registered native title claims.</p> <p>Pleco The Pleco gold prospect is located on M38/1249 and M38/1250. Current registered holders of the tenements are: M38/1249 Regis Resources Ltd M38/1250 Regis Resources Ltd and Duketon resources Pty Ltd (100% subsidiary of Regis Resources Ltd); 2% Royalty to Franco Nevada Normal Western Australian state royalties apply. There are no registered Native Title Claims.</p> <p>Discovery Ridge: NSW – EL5922 – Reg Holder, LFB Resources NL; granted 15 Feb 2002; transferred from Templar Resources Pty Ltd, 26 May 2017; no Native Title claims</p>
<p><i>Exploration done by other parties</i></p>	<p><i>Acknowledgment and appraisal of exploration by other parties.</i></p> <p>Rosemont & Baneygo/Idaho: Shallow drilling (less than 100m vertical depth) completed by Aurora, Ashton and Johnsons Well Mining in the 1990's.</p> <p>Moolart Well: Discovery drill holes by Normandy in early 2000s, Resource development drilling conducted by Newmont in early 2000s.</p> <p>Garden Well/Tooheys Well/Beamish: Minor amounts of drilling by Ashton and Johnsons Well Mining was completed although it was mainly shallow and not extensive enough to properly define the mineralisation.</p> <p>King John: Resource drilling conducted by Johnsons Well Mining in mid to late 1990s. minor drilling completed by Newmont in early 2000s.</p> <p>Russells Find: Shallow drilling (less than 100m vertical depth) completed by Aurora, Ashton and Johnsons Well Mining. Mining activity was completed by Ashton in the 1990's.</p>

		<p>Gloster: Gloster was discovered in 1902, with no modern exploration work completed until Hillmin Gold Mines Pty Ltd and Aurotech NL conducted mapping, RC drilling, DD and RAB in the mid 1980's, culminating in Resource Estimates and feasibility studies. Leader Resources NL conducted some RC and DD drilling in 1991 before Maiden Gold NL purchase the project in 1994, completing more RC, DD and RAB drilling. In 1995 Johnsons Well Mining acquired the tenements and completed more RC, DD and RAB drilling to infill and extend the Resource.</p> <p>Petra: Shallow drilling (less than 100m vertical depth) completed by Goldconda 1986 – 1988, Johnsons Well Mining NL 1995 – 1997.</p> <p>Pleco: No historical drilling.</p> <p>Discovery Ridge: Resource development drilling conducted by Newmont and then Alkane Resources in the 1990's. Discovery Ridge previously drilled by Straits Resources and Goldminco.</p>
<p><i>Geology</i></p>	<p><i>Deposit type, geological setting and style of mineralisation.</i></p>	<p>Rosemont & Baneygo/Idaho: Gold is hosted in a steeply east dipping 345° trending quartz-dolerite unit intruding an ultramafic sequence. Gold mineralisation is associated with quartz-carbonate-chlorite-sulphide alteration and is restricted to the quartz dolerite unit which is generally approximately 80m wide. Weathering depths vary from 20m to 50m vertical depth.</p> <p>Garden Well & Pleco: Gold is hosted in a moderate east dipping shear zone trending N-S. Gold mineralisation within ultramafic is associated with quartz, fuchsite, sericite, carbonate, sulphides. Gold mineralisation within chert, shale and BIF is associated with brecciated zones including elevated sulphides and quartz veins.</p> <p>Moolart Well: Primary gold mineralisation at Moolart Well is associated with moderately east dipping N-S trending shear zones. The shear zones are closely related to diorite intrusives and rheology contrasts between units within the mine sequence of basalts/sediments, ultramafics, and dolerite sills.</p>

King John:

Gold mineralisation at The King John deposit is hosted in moderately east dipping granodiorite which has intruded a sequence of intermediate volcanoclastics. Mineralisation trends NNW and is associated with quartz-pyrite-carbonate-sericite veins and alteration.

Tooheys Well/Beamish

The geology is similar to Garden Well with gold hosted in a moderately east dipping North-South trending chert and fine-grained sediment unit. Gold mineralisation is associated magnetite replacement in BIF and disseminated sulphides in chert. Weathering depths vary from 20m to 70m vertical depth.

Russells Find

Gold mineralisation at Russell's Find is contained in steep east dipping quartz carbonate-biotite veins contained in a package of moderate east dipping carbonated ultramafic with a footwall sequence of chert, BIF and fine-grained silicified shale.

Gloster

Gold mineralisation at Gloster is within a NW-SE trending, east dipping shear zone and associated with flat to moderately east dipping quartz veins hosted in felsic volcanics. A 5m transported cover sequence conceals the gold mineralisation and weathering extends up to 100m depth. Intensive gold leaching has occurred in the uppermost 15m of the weathering profile.

Petra

Gold mineralisation at Petra is hosted in NNW striking sheared intermediate volcanoclastics. Gold mineralisation is associated quartz veins and sulphides, veins dip moderately west with elevated supergene gold mineralisation associated with regolith weathering horizons.

Discovery Ridge:

Discovery Ridge is a shear hosted gold deposit located in strongly foliated, fine-grained metasediments of the Ordovician Coombing and Adaminaby Formations

Refer to body of announcement and Appendix 2.

Drill hole Information *A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:*

	<p><i>easting and northing of the drill hole collar</i></p> <p><i>elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar</i></p> <p><i>dip and azimuth of the hole</i></p> <p><i>down hole length and interception depth</i></p> <p><i>hole length.</i></p> <p><i>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</i></p>	
<p><i>Data aggregation methods</i></p>	<p><i>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated.</i></p> <p><i>Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</i></p> <p><i>The assumptions used for any reporting of metal equivalent values should be clearly stated.</i></p>	<p>Rosemont & Garden Well: Reported intercepts include a minimum of 2.0 g/t Au value over a minimum distance of 0.1m with a maximum 2m consecutive internal waste. No upper cuts have been applied.</p> <p>Discovery Ridge: Reported intercepts include a minimum of 0.3 g/t Au value over a minimum distance of 0.1m with a maximum 6m consecutive internal waste. No upper cuts have been applied.</p> <p>All other Gold Projects and Prospects reported intercepts include a minimum of 0.5 g/t Au value over a minimum distance of 1m with a maximum 2m consecutive internal waste. No upper cuts have been applied.</p>
<p><i>Relationship between mineralisation widths and intercept lengths</i></p>	<p><i>These relationships are particularly important in the reporting of Exploration Results.</i></p> <p><i>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</i></p>	<p>Rosemont, Baneygo/Idaho: The Rosemont drill holes were nominally drilled at -48° to -80° toward 254° (or 074) and the mineralised zone is sub-vertical. Some intercepts reported are close to true width, steep angled holes are not true width where the mineralisation is sub vertical.</p> <p>Garden Well/Pleco/Tooheys Well/Beamish/Russells Find: The Garden Well drill holes were drilled at -50 ° to -60° towards 270° and the mineralised zone is moderately east dipping. The intercepts reported are close to</p>

	<p><i>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known').</i></p>	<p>true width. Some intercepts are not true width where the mineralisation is more steeply dipping (Russells Find).</p> <p>Moolart Well: The Moolart Well drill holes were drilled at -50° to -90° towards 270° and the mineralized zone is moderately east dipping. The intercepts reported are close to true width.</p> <p>King John: Drill holes were orientated at -60° towards 248° and the mineralised zone is moderately east dipping. The intercepts reported are close to true width.</p> <p>Gloster: Drill holes were orientated -60° towards 245° as the mineralised zone is moderately north-east dipping. The intercepts reported are close to true width.</p> <p>Petra Drill holes were orientated -60° towards 090° as the mineralised zone is moderately west dipping. The intercepts reported are close to true width.</p> <p>Discovery Ridge: The mineralisation is thought to be near vertical and hence the intercepts reported can overstate true widths.</p>
<p><i>Diagrams</i></p>	<p><i>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</i></p>	<p>Refer to the body of the announcement.</p>
<p><i>Balanced reporting</i></p>	<p><i>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</i></p>	<p>A list of all holes drilled during the quarter attached in Appendix 2.</p>
<p><i>Other substantive exploration data</i></p>	<p><i>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results;</i></p>	<p>Rosemont, Baneygo/Idaho, Garden Well Moolart Well, King John, Beamish, Tooheys Well, Russells Find, Gloster, Petra, and Pleco: No other material exploration data to report.</p> <p>Discovery Ridge:</p>

	<p><i>bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</i></p>	<p>Discovery Ridge diamond holes were also utilised for bulk density measurements, and metallurgical test work. Geotechnical logging has been completed for determining ground conditions for open pit mining.</p>
<p><i>Further work</i></p>	<p><i>The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large-scale step-out drilling).</i></p> <hr/> <p><i>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i></p>	<p>Rosemont, Baneygo/Idaho, Garden Well, Moolart Well, and Pleco: Infill and where appropriate, extensional drilling will continue in 2018.</p> <p>Discovery Ridge: In addition to sterilisation drilling for infrastructure at Discovery Ridge, where appropriate extensional drilling will continue in 2018.</p> <hr/> <p>See diagrams in main text</p>

Quarterly Report to 30 September 2018



APPENDIX 2

Gold Assay Results >1 g/t Au

Beamish Collar Location							Intersection >1.0 ppm Au and >1g/t Au*m			
Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLBMRC190	6909109	437012	515	-60	269	58	11	12	1	1.14
RRLBMRC190							14	15	1	1.39
RRLBMRC190							17	18	1	1.5
RRLBMRC191	6909109	437029	514	-60	269	78	43	49	6	2.44
RRLBMRC192	6909129	436998	516	-60	267	53	4	6	2	1.72
RRLBMRC193	6909129	437021	514	-60	270	73	39	40	1	1.19
RRLBMRC194	6909129	437037	512	-60	270	98	52	53	1	1.14
RRLBMRC194							58	61	3	1.4
RRLBMRC194							64	65	1	2.06
RRLBMRC195	6909129	437055	511	-60	270	118	3	4	1	1.45
RRLBMRC195							77	78	1	1.5
RRLBMRC195							82	86	4	1.25
RRLBMRC196	6909169	436990	517	-65	272	58	6	11	5	1.7
RRLBMRC197	6909167	437022	514	-56	271	78	No significant Intercept			
RRLBMRC198	6909169	437033	513	-60	272	93	0	1	1	1.38
RRLBMRC198							48	50	2	1.31
RRLBMRC198							61	62	1	1.1
RRLBMRC198							63	64	1	1.06
RRLBMRC199	6909169	437055	512	-60	272	118	2	4	2	1.08
RRLBMRC199							53	54	1	3.25
RRLBMRC199							60	61	1	2.15
RRLBMRC199							72	76	4	1.11
RRLBMRC199							82	83	1	1.16
RRLBMRC200	6909169	437073	510	-60	273	133	2	5	3	1.23
RRLBMRC200							46	48	2	2.18
RRLBMRC200							75	76	1	1.32

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLBMRC200							88	91	3	1.62
RRLBMRC200							94	108	14	1.23
RRLBMRC201	6909189	437075	511	-60	270	133	2	4	2	1.1
RRLBMRC201							83	100	17	1.24
RRLBMRC202	6909207	437017	515	-52	268	73	23	24	1	1.9
RRLBMRC203	6909209	437027	513	-60	268	93	1	2	1	1.46
RRLBMRC203							35	36	1	1
RRLBMRC203							38	39	1	1.34
RRLBMRC204	6909209	437046	511	-60	268	118	62	70	8	1.41
RRLBMRC204							77	79	2	1.09
RRLBMRC204							82	87	5	1.33
RRLBMRC205	6909209	437065	510	-60	270	138	77	84	7	1.26
RRLBMRC205							88	93	5	3.36
RRLBMRC206	6909229	437069	509	-60	270	133	65	66	1	1.39
RRLBMRC206							69	70	1	1.15
RRLBMRC206							79	82	3	1.79
RRLBMRC206							92	93	1	1.18
RRLBMRC206							102	103	1	1.08
RRLBMRC206							107	108	1	1.38
RRLBMRC207	6909249	437023	513	-60	270	83	55	57	2	1.91
RRLBMRC207							65	66	1	1.04
RRLBMRC208	6909249	437042	512	-60	270	108	66	68	2	1.3
RRLBMRC209	6909209	436987	517	-90	0	34	11	15	4	1.26
RRLBMRC209							19	20	1	1.08
RRLBMRC210	6909249	436988	516	-90	0	43	0	1	1	1.08
RRLBMRC211	6909269	437007	516	-60	268	73	30	32	2	1.19
RRLBMRC212	6909269	437035	513	-60	271	108	48	49	1	1.53

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLBMRC212							57	58	1	3.66
RRLBMRC212							68	72	4	1.02
RRLBMRC212							73	74	1	1.2
RRLBMRC213	6909289	437010	517	-55	266	68	18	19	1	1.66
RRLBMRC214	6909289	437022	514	-60	271	88	5	6	1	4.88
RRLBMRC214							42	49	7	1.71
RRLBMRC214							52	57	5	1.79
RRLBMRC215	6909289	437042	511	-60	270	113	53	54	1	1.02
RRLBMRC215							66	67	1	1.28
RRLBMRC215							73	76	3	1.95
RRLBMRC216	6909309	437030	513	-60	270	98	45	48	3	1.3
RRLBMRC216							51	54	3	1.52
RRLBMRC216							59	61	2	3
RRLBMRC216							71	72	1	2.17
RRLBMRC217	6909327	437012	515	-60	272	83	35	46	11	1.23
RRLBMRC217							52	53	1	2.55
RRLBMRC218	6909329	436989	518	-60	272	58	31	32	1	1.75
RRLBMRC219	6909389	437012	514	-60	270	88	15	16	1	1.18
RRLBMRC219							23	26	3	2.15
RRLBMRC219							66	69	3	1.38
RRLBMRC220	6909509	437008	512	-60	269	148	50	52	2	1.33
RRLBMRC221	6909629	436961	514	-55	268	58	1	6	5	1.09
RRLBMRC222	6909649	436958	514	-60	268	58	15	16	1	1.06
RRLBMRC223	6909649	436978	513	-60	269	73	No significant Intercept			
RRLBMRC224	6909689	436958	513	-60	269	53	0	1	1	1.32
RRLBMRC224							3	8	5	1.06
RRLBMRC224							11	13	2	1.16

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLBMRC225	6909689	436977	513	-60	269	73	28	29	1	2.03
RRLBMRC226	6909709	436952	513	-60	269	58	12	14	2	4.08
RRLBMRC227	6909729	436949	514	-60	270	58	3	8	5	1.35
RRLBMRC227							16	21	5	3.02
RRLBMRC228	6909729	436964	513	-60	270	73	6	7	1	1.17
RRLBMRC228							30	31	1	1.29
RRLBMRC229	6909749	436948	512	-60	270	53	3	4	1	1.05
RRLBMRC229							5	7	2	1.04
RRLBMRC229							22	23	1	1.95
RRLBMRC230	6909789	436964	511	-60	270	73	58	59	1	1.34
RRLBMRC231	6909809	436942	511	-60	270	53	13	16	3	1.05
RRLBMRC231							19	22	3	1.13
RRLBMRC232	6909815	436970	511	-60	270	73	55	56	1	1.6
Baneygo Collar Location							Intersection >1.0 ppm Au and >1g/t Au*m			
Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au (ppm)
RRLBYRC543	6908222	431841	488	-60	255	43	31	33	2	6.93
RRLBYRC544	6908238	431825	488	-60	254	33	9	11	2	1.32
RRLBYRC544							22	25	3	2.65
RRLBYRC545	6908242	431840	487	-60	251	58	No significant Intercept			
RRLBYRC546	6908278	431809	487	-60	251	43	16	17	1	1.02
Camp Oven Collar Location							Intersection >1.0 ppm Au and >1g/t Au*m			
Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au (ppm)
RRLCAAC001	6958639	397277	550	-60	271	4	No significant Intercept			
RRLCAAC002	6958639	397438	550	-60	270	4	No significant Intercept			
RRLCAAC003	6958639	397597	550	-60	270	14	No significant Intercept			

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLCAAC004	6958639	397758	555	-60	270	54			No significant Intercept	
RRLCAAC005	6958635	397916	560	-60	270	20			No significant Intercept	
RRLCAAC006	6958639	398074	559	-60	270	14			No significant Intercept	
RRLCAAC007	6958635	398233	547	-60	270	22			No significant Intercept	
RRLCAAC008	6958649	398164	552	-60	270	33			No significant Intercept	
RRLCAAC009	6958956	397117	547	-60	270	30			No significant Intercept	
RRLCAAC010	6958959	397277	547	-60	270	14			No significant Intercept	
RRLCAAC011	6958959	397438	550	-60	270	23			No significant Intercept	
RRLCAAC012	6958959	397597	564	-60	270	22			No significant Intercept	
RRLCAAC013	6958959	397758	559	-60	270	27			No significant Intercept	
RRLCAAC014	6958959	397917	551	-60	270	29			No significant Intercept	
RRLCAAC015	6958959	398078	547	-60	270	49			No significant Intercept	
RRLCAAC016	6958959	398237	547	-60	270	4			No significant Intercept	
RRLCAAC017	6958959	397457	548	-60	270	26			No significant Intercept	
RRLCAAC018	6959279	396958	554	-60	270	16			No significant Intercept	
RRLCAAC019	6959279	397117	554	-60	270	31			No significant Intercept	
RRLCAAC020	6959279	397277	555	-60	270	23			No significant Intercept	
RRLCAAC021	6959279	397438	552	-60	270	7			No significant Intercept	
RRLCAAC022	6959288	397481	552	-60	270	23			No significant Intercept	
RRLCAAC023	6959279	397597	560	-60	270	20			No significant Intercept	
RRLCAAC024	6959279	397758	559	-60	270	14			No significant Intercept	
RRLCAAC025	6959279	397917	554	-60	270	56			No significant Intercept	
RRLCAAC026	6959599	396797	552	-60	270	13			No significant Intercept	
RRLCAAC027	6959601	396958	552	-60	268	35			No significant Intercept	
RRLCAAC028	6959599	397117	553	-60	270	19			No significant Intercept	
RRLCAAC029	6959599	397277	560	-60	270	47			No significant Intercept	

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLCAAC030	6959599	397438	550	-60	267	13			No significant Intercept	
RRLCAAC031	6959599	397597	550	-60	270	13			No significant Intercept	
RRLCAAC032	6959599	397758	550	-60	270	26			No significant Intercept	
RRLCAAC033	6959592	397723	550	-60	268	11			No significant Intercept	
RRLCAAC034	6959597	397742	550	-60	268	61			No significant Intercept	
RRLCAAC035	6959919	396638	548	-60	269	6			No significant Intercept	
RRLCAAC036	6959919	396797	548	-60	269	27			No significant Intercept	
RRLCAAC037	6959919	396958	552	-60	271	30			No significant Intercept	
RRLCAAC038	6959919	397117	561	-60	269	30			No significant Intercept	
RRLCAAC039	6959919	397277	565	-60	269	25			No significant Intercept	
RRLCAAC040	6959919	397438	560	-60	271	13			No significant Intercept	
RRLCAAC041	6959919	397597	554	-60	271	47			No significant Intercept	
RRLCAAC042	6959919	397758	551	-60	266	18			No significant Intercept	
RRLCAAC043	6959919	397917	551	-60	270	22			No significant Intercept	
RRLCAAC044	6959939	396878	550	-60	267	12			No significant Intercept	
RRLCAAC045	6959919	396917	550	-60	270	19			No significant Intercept	
RRLCAAC046	6959916	396940	550	-60	271	31			No significant Intercept	
RRLCAAC047	6960559	396438	550	-60	270	13			No significant Intercept	
RRLCAAC048	6960559	396638	553	-60	270	21			No significant Intercept	
RRLCAAC049	6960559	396837	553	-60	270	46			No significant Intercept	
RRLCAAC050	6960558	397036	566	-60	268	12			No significant Intercept	
RRLCAAC051	6960559	397237	563	-60	269	35			No significant Intercept	
RRLCAAC052	6960559	397438	562	-60	270	30			No significant Intercept	
RRLCAAC053	6960559	397638	560	-60	270	38			No significant Intercept	
RRLCAAC054	6960919	396438	560	-60	270	8			No significant Intercept	
RRLCAAC055	6960919	396635	556	-60	271	59			No significant Intercept	

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLCAAC056	6960919	396837	556	-60	273	19	No significant Intercept			
RRLCAAC057	6960919	397034	559	-60	270	29	No significant Intercept			
RRLCAAC058	6960919	397231	557	-60	271	19	No significant Intercept			
RRLCAAC059	6960919	397188	559	-60	268	15	No significant Intercept			
RRLCAAC060	6960919	396543	559	-60	270	24	No significant Intercept			
Camel Hump Collar Location							Intersection >1.0 ppm Au and >1g/t Au*m			
Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au (ppm)
RRLCHAC021	6874559	438768	500	-60	269	65	No significant Intercept			
RRLCHAC022	6874559	438847	500	-60	272	63	No significant Intercept			
RRLCHAC023	6874559	438928	500	-60	270	65	No significant Intercept			
RRLCHAC024	6874559	439008	500	-60	270	36	No significant Intercept			
RRLCHAC025	6873943	439258	500	-60	270	26	No significant Intercept			
RRLCHAC026	6874559	439087	500	-60	271	41	No significant Intercept			
RRLCHAC027	6874559	439168	500	-60	271	50	No significant Intercept			
RRLCHAC028	6874559	439407	500	-60	268	48	No significant Intercept			
RRLCHAC029	6874559	439568	500	-60	268	60	No significant Intercept			
RRLCHAC030	6874559	439647	500	-60	270	22	No significant Intercept			
RRLCHAC031	6874559	439488	500	-60	270	44	No significant Intercept			
RRLCHAC032	6874559	439248	500	-60	270	48	No significant Intercept			
RRLCHAC033	6874559	439327	500	-60	270	45	No significant Intercept			
Crown Collar Location							Intersection >1.0 ppm Au and >1g/t Au*m			
Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au (ppm)
RRLCRNRC001	6917339	435738	500	-60	270	92	No significant Intercept			
RRLCRNRC002	6917339	435818	500	-60	270	94	No significant Intercept			
RRLCRNRC003	6917819	435658	500	-60	270	99	No significant Intercept			

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLCRNRC004	6917819	435737	500	-60	270	94				No significant Intercept
RRLCRNRC005	6917819	435818	500	-60	270	109				No significant Intercept
RRLCRNRC006	6917819	435897	500	-60	271	149				No significant Intercept
RRLCRNRC007	6917819	435978	500	-60	271	89				No significant Intercept
RRLCRNRC008	6917819	436057	500	-60	271	89				No significant Intercept
RRLCRNRC009	6917819	436138	500	-60	270	94				No significant Intercept
RRLCRNRC010	6917659	435977	500	-60	270	94				No significant Intercept
RRLCRNRC011	6917659	436058	500	-60	270	94				No significant Intercept
RRLCRNRC012	6917659	436137	500	-60	270	94				No significant Intercept
RRLCRNRC013	6917659	436218	500	-60	270	94				No significant Intercept
RRLCRNRC014	6917499	436057	500	-60	270	94				No significant Intercept
RRLCRNRC015	6917499	436138	500	-60	270	94				No significant Intercept
RRLCRNRC016	6917499	436217	500	-60	270	94				No significant Intercept
RRLCRNRC017	6917339	435898	500	-60	270	99				No significant Intercept
RRLCRNRC018	6917339	435978	500	-60	270	94				No significant Intercept
RRLCRNRC019	6917339	436057	500	-60	270	94				No significant Intercept
RRLCRNRC020	6917339	436138	500	-60	269	94				No significant Intercept
RRLCRNRC021	6917339	436217	500	-60	270	94				No significant Intercept
RRLCRNRC022	6917339	436298	500	-60	270	124				No significant Intercept
RRLCRNRC023	6917339	436377	500	-60	270	94				No significant Intercept
Discovery Ridge Collar Location							Intersection >1.0 ppm Au and >1g/t Au*m			
Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au (ppm)
RRLDRDD008	6271036	694586	750	-65	240	75	2.3	3	0.7	2.62
RRLDRDD008							6.5	7	0.5	1.06
RRLDRDD008							17	17.77	0.77	1.9
RRLDRDD008							20.6	21.5	0.9	1.96

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLDRDD008							33	43	10	1.59
RRLDRDD009	6271021	694566	745	-65	240	75	0	1.75	1.75	1.61
RRLDRDD009							3.5	4.5	1	2.64
RRLDRDD009							32	33	1	1.77
RRLDRDD009							58	59	1	1.59
RRLDRDD009							67	68	1	2.18
RRLDRDD010	6271140	694751	747	-65	240	330	85	94	9	1.84
RRLDRDD010							159	174	15	1.2
RRLDRDD010							181	195	14	3.13
RRLDRDD010							199	204	5	2.34
RRLDRDD010							208	210	2	2.64
RRLDRDD010							213	265	52	3
RRLDRDD010							272	274	2	2.44
RRLDRDD010							279	287	8	1.25
RRLDRDD010							318	319	1	1.67
RRLDRDD011	6271185	694768	738	-63	240	381	164	167	3	2.03
RRLDRDD011							187	188	1	1.12
RRLDRDD011							222	230	8	1.45
RRLDRDD011							236	237	1	1.69
RRLDRDD011							245	288	43	3.99
RRLDRDD011							297	299	2	1.53
RRLDRDD011							303	311	8	1.92
RRLDRDD011							315	316	1	4.24
RRLDRDD011							322	323	1	1.04
RRLDRDD011							337	338	1	1.42
RRLDRDD011							348	349	1	1.34
RRLDRDD011							356	358	2	2.22
RRLDRDD011							367	368	1	1.4

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLDRDD012	6271151	694790	743	-68	240	465	155	156	1	1.13
RRLDRDD012							204	205	1	1.22
RRLDRDD012							254	256	2	1.56
RRLDRDD012							259	260	1	1.04
RRLDRDD012							271	274	3	2.7
RRLDRDD012							279	286	7	3.05
RRLDRDD012							293	294	1	2.84
RRLDRDD012							360	368	8	1.46
RRLDRDD012							374	387	13	3.05
RRLDRDD012							400	403	3	1.39
RRLDRDD012							420	422	2	1.36
RRLDRDD012							433	437	4	1.22
RRLDRDD012							440	441	1	2.02
RRLDRDD013	6271221	694812	734	-62	240	490	265	267	2	1.54
RRLDRDD013							270	272	2	1.13
RRLDRDD013							283	287	4	1.64
RRLDRDD013							290	295	5	1.6
RRLDRDD013							334	335	1	1.24
RRLDRDD013							338	363	25	4.36
RRLDRDD013							366	368	2	2
RRLDRDD013							377	378	1	3.24
RRLDRDD013							381	382	1	1.4
RRLDRDD013							385	386	1	1.03
RRLDRDD013							403	404	1	1.18
RRLDRDD013							407	413	6	1.36
RRLDRDD013							424	426	2	2.96
RRLDRDD013							447	448	1	2.88
RRLDRDD013							452	454	2	1.21

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm	
RRLDRDD013							455	456	1	1.06	
RRLDRDD013							464	466	2	1.52	
RRLDRDD014	6271201	694809	738	-66	240	513	251	253	2	2.01	
RRLDRDD014							259	264	5	1.52	
RRLDRDD014							267	268	1	1.78	
RRLDRDD014							297	298	1	1.07	
RRLDRDD014							304	309	5	1.38	
RRLDRDD014							346	348	2	1.27	
RRLDRDD014							353	421	68	3.62	
RRLDRDD014							424	426	2	2.79	
RRLDRDD014							431	441	10	2.92	
RRLDRDD014							452	463	11	1.34	
RRLDRDD014							490.5	491	0.5	5.84	
Garden Well Collar Location							Intersection >1.0 ppm Au and >1g/t Au*m				
Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au (ppm)	
RRLGDDD120	6911599	437508	496	-58	270	499	Awaiting Results				
RRLGDDD121	6911559	437457	495	-60	270	500	Awaiting Results				
RRLGDRC614	6911774	437218	496	-47	270	203	188	192	4	1.37	
RRLGDRC615	6911796	437228	496	-50	270	223	128	132	4	1.36	
RRLGDRC615							140	144	4	1.11	
RRLGDRC615							153	154	1	1.46	
RRLGDRC616	6911796	437233	496	-60	270	243	158	159	1	1.12	
RRLGDRC616							173	174	1	1.86	
RRLGDRC616							178	179	1	1.02	
RRLGDRC616							188	191	3	2.71	
RRLGDRC616							218	221	3	2.14	

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLGDRC617	6912094	437248	497	-57	271	273	163	164	1	1.12
RRLGDRC617							190	219	29	3.76
RRLGDRC617							223	224	1	1.07
RRLGDRC617							232	233	1	2.69
RRLGDRC618	6911814	437237	496	-53	269	243	156	157	1	1.26
RRLGDRC618							174	182	8	1.02
RRLGDRC618							184	186	2	1.35
RRLGDRC618							194	195	1	1.95
RRLGDRC618							202	203	1	14.6
RRLGDRC618							210	211	1	7.42
RRLGDRC619	6911837	437239	496	-57	268	258	184	185	1	1.59
RRLGDRC619							191	193	2	5.79
RRLGDRC619							207	210	3	2.12
RRLGDRC620	6911856	437238	496	-48	270	243	148	149	1	2.54
RRLGDRC620							169	171	2	3.27
RRLGDRC620							177	182	5	1.89
RRLGDRC620							186	191	5	2.52
RRLGDRC620							195	196	1	1.44
RRLGDRC620							200	201	1	1.68
RRLGDRC620							220	221	1	1.2
RRLGDRC620							240	241	1	1.26
RRLGDRC621	6911895	437237	497	-49	270	243	134	135	1	1.07
RRLGDRC621							154	158	4	1.03
RRLGDRC621							185	189	4	1.04
RRLGDRC621							197	198	1	1.21
RRLGDRC621							222	224	2	1.7
RRLGDRC621							227	228	1	1.85
RRLGDRC622	6911897	437258	497	-60	270	278	212	213	1	2.42

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLGDRC622							219	223	4	2.04
RRLGDRC622							234	238	4	3.11
RRLGDRC622							268	271	3	1.27
RRLGDRC622							273	274	1	1.18
RRLGDRC623	6911796	437269	494	-60	270	278	199	200	1	1.51
RRLGDRC623							209	210	1	2.34
RRLGDRC623							234	235	1	1.45
RRLGDRC623							247	248	1	1.56
RRLGDRC623							270	271	1	1.12
RRLGDRC624	6911818	437276	494	-60	270	298	146	147	1	2.57
RRLGDRC624							227	228	1	12.2
RRLGDRC624							231	243	12	3.65
RRLGDRC624							276	277	1	1.08
RRLGDRC624							295	298	3	2.61
RRLGDRC625	6911842	437274	495	-60	270	293	199	200	1	1.18
RRLGDRC625							218	219	1	1.79
RRLGDRC625							221	222	1	2.02
RRLGDRC625							226	230	4	4.49
RRLGDRC625							233	249	16	2.72
RRLGDRC625							274	275	1	1.69
RRLGDRC626	6911863	437272	495	-57	271	278	200	205	5	1.54
RRLGDRC626							223	225	2	1.82
RRLGDRC626							234	245	11	1.62
RRLGDRC626							255	257	2	3.2
RRLGDRC627	6911921	437234	498	-49	270	235	177	178	1	1.34
RRLGDRC627							181	190	9	1.23
RRLGDRC627							203	207	4	2.86

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLGDRC627							234	235	1	1.11
RRLGDRC628	6911937	437230	498	-51	270	232	160	161	1	1.37
RRLGDRC628							183	184	1	2.01
RRLGDRC628							188	189	1	5.95
RRLGDRC628							197	205	8	2.35
RRLGDRC629	6911938	437235	498	-62	270	258	173	174	1	1.02
RRLGDRC629							181	183	2	1.32
RRLGDRC629							189	193	4	1.35
RRLGDRC629							196	198	2	5.53
RRLGDRC629							208	212	4	1.23
RRLGDRC629							236	237	1	2.06
RRLGDRC629							240	241	1	1.07
RRLGDRC629							244	247	3	2.47
RRLGDRC630	6911957	437281	497	-62	270	320	231	233	2	3.12
RRLGDRC630							236	248	12	4.02
RRLGDRC630							265	269	4	1.33
RRLGDRC630							272	273	1	1.68
RRLGDRC630							280	281	1	1.06
RRLGDRC631	6911975	437256	499	-60	270	283	209	212	3	3.58
RRLGDRC631							215	218	3	3.17
RRLGDRC631							234	239	5	1.11
RRLGDRC631							246	248	2	3.31
RRLGDRC631							256	259	3	1.98
RRLGDRC632	6911998	437259	499	-60	270	303	36	40	4	1.38
RRLGDRC632							216	227	11	2.4
RRLGDRC632							236	241	5	1.46
RRLGDRC632							244	246	2	3.93
RRLGDRC632							252	253	1	2.8

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLGDRC632							297	298	1	1.54
RRLGDRC633	6911977	437221	499	-57	270	226	163	164	1	1.37
RRLGDRC633							171	172	1	4.3
RRLGDRC633							177	178	1	1.72
RRLGDRC633							183	184	1	1.1
RRLGDRC633							194	195	1	4.13
RRLGDRC633							211	212	1	1.86
RRLGDRC634	6912019	437221	500	-53	272	245	152	156	4	1.14
RRLGDRC634							158	159	1	1.46
RRLGDRC634							180	181	1	1.83
RRLGDRC634							185	187	2	1.68
RRLGDRC634							200	201	1	1.14
RRLGDRC634							212	215	3	1.13
RRLGDRC634							216	217	1	1.25
RRLGDRC634							222	223	1	1.02
RRLGDRC635	6912038	437225	500	-55	267	260	165	166	1	1.14
RRLGDRC635							181	184	3	3
RRLGDRC635							188	189	1	1.06
RRLGDRC635							193	194	1	1.12
RRLGDRC635							201	202	1	1.42
RRLGDRC635							214	215	1	2.51
RRLGDRC635							219	220	1	1.6
RRLGDRC636	6912074	437238	498	-60	270	263	167	168	1	1.93
RRLGDRC636							183	186	3	1
RRLGDRC636							194	219	25	2.8
RRLGDRC636							222	223	1	1.27
RRLGDRC637	6912017	437239	500	-60	270	268	192	210	18	1.58
RRLGDRC637							214	215	1	2.3

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLGDRC637							223	224	1	1.72
RRLGDRC637							236	239	3	4.02
RRLGDRC637							243	244	1	2.08
RRLGDRCD601	6911680	437418	492	-57	268	420	373	373.87	0.87	1.16
RRLGDRCD601							375.34	376	0.66	2.11
RRLGDRCD601							379.84	383	3.16	1.74
RRLGDRCD601							387.7	390.77	3.07	4.89
RRLGDRCD601							393.24	396	2.76	2.94
RRLGDRCD604	6911646	437419	492	-61	269	421	375	376	1	1.6
RRLGDRCD604							384	385	1	1.91
RRLGDRCD604							396	397	1	3.47
RRLGDRCD604							411	414	3	1.32
RRLGDRCD605	6911636	437456	493	-60	271	462	409.42	410.46	1.04	1.47
RRLGDRCD605							412.9	420.67	7.77	1.54
RRLGDRCD605							428	428.8	0.8	1.98
Gloster Collar Location							Intersection >1.0 ppm Au and >1g/t Au*m			
Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au (ppm)
RRLGLRC414	6950157	408869	548	-65	245	61	56	57	1	5.21
RRLGLRC415	6950133	408867	548	-60	245	55	29	30	1	1.4
RRLGLRC416	6950120	408884	548	-60	245	59	No significant Intercept			
RRLGLRC417	6950133	408913	548	-65	245	37	No significant Intercept			
RRLGLRC418	6950144	408935	548	-63	245	57	33	34	1	1.35
RRLGLRC419	6950162	408928	548	-60	245	49	42	43	1	1.01
RRLGLRC420	6950088	408912	547	-60	245	37	20	21	1	4.27
RRLGLRC421	6950097	408926	548	-60	245	47	No significant Intercept			
RRLGLRC422	6950105	408943	548	-60	245	53	No significant Intercept			

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLGLRC423	6950113	408959	548	-65	245	64	34	35	1	1.45
RRLGLRC424	6950125	408943	548	-60	245	53	30	31	1	1.02
RRLGLRC424							41	42	1	1.02
RRLGLRC425	6950133	408958	548	-60	248	64	40	41	1	2.18
RRLGLRC426	6950077	408935	547	-60	245	43	No significant Intercept			
RRLGLRC427	6950068	408918	547	-60	245	32	28	29	1	1.27
RRLGLRC428	6950051	408926	547	-60	245	37	No significant Intercept			
RRLGLRC429	6950059	408946	547	-60	245	48	29	30	1	1.42
Idaho Collar Location							Intersection >1.0 ppm Au and >1g/t Au*m			
Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au (ppm)
RRLIHRC198	6908394	431779	485	-60	250	53	17	21	4	1
RRLIHRC199	6908407	431760	485	-60	250	48	13	14	1	1.69
RRLIHRC199							41	42	1	1.22
RRLIHRC200	6908509	431743	484	-60	250	58	37	38	1	1.39
RRLIHRC200							42	47	5	8.83
RRLIHRC201	6908633	431686	484	-60	250	83	10	12	2	2.47
RRLIHRC201							27	31	4	16.5
RRLIHRC201							42	43	1	2.28
RRLIHRC202	6908640	431707	484	-60	250	113	77	78	1	2.57
RRLIHRC203	6908665	431717	483	-60	250	128	39	41	2	3.52
RRLIHRC203							57	58	1	1.1
RRLIHRC203							74	75	1	8.08
RRLIHRC203							81	82	1	2.1
RRLIHRC203							114	115	1	7.53
RRLIHRC204	6908673	431667	483	-60	250	68	No significant Intercept			
RRLIHRC205	6908680	431690	483	-60	250	108	No significant Intercept			

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLIHRC206	6908729	431641	482	-60	252	63	8	9	1	1.07
RRLIHRC207	6908767	431634	482	-60	254	63	8	11	3	1.2
RRLIHRC208	6908770	431649	481	-60	251	93	No significant Intercept			
RRLIHRC209	6908685	431706	483	-60	250	128	29	30	1	1.17
RRLIHRC209							92	93	1	1.12
RRLIHRC209							115	119	4	3.81
RRLIHRC210	6909357	431417	479	-60	251	63	16	17	1	6.25
RRLIHRC210							22	24	2	1.82
RRLIHRC211	6909360	431430	479	-60	250	63	42	43	1	2.62
RRLIHRC212	6909367	431452	480	-60	250	78	2	3	1	2.16
RRLIHRC212							55	56	1	1.02
RRLIHRC213	6909373	431471	479	-60	251	128	67	68	1	1.11
RRLIHRC213							76	78	2	3.09
RRLIHRC213							89	90	1	23.4
RRLIHRC214	6909394	431399	479	-60	250	43	No significant Intercept			
RRLIHRC215	6909399	431414	479	-65	250	58	32	33	1	1.01
RRLIHRC215							41	42	1	2.77
RRLIHRC216	6909410	431445	480	-55	250	78	40	48	8	2.82
RRLIHRC216							58	59	1	1.54
RRLIHRC217	6909419	431464	480	-60	255	123	9	12	3	1.7
RRLIHRC217							76	77	1	1.15
RRLIHRC217							87	89	2	1.2
RRLIHRC218	6909439	431407	479	-60	255	58	31	36	5	3.54
RRLIHRC219	6909446	431428	480	-60	255	83	Awaiting Results			
RRLIHRC220	6909453	431451	480	-60	252	113	Awaiting Results			
RRLIHRC221	6909476	431375	479	-60	254	28	Awaiting Results			
RRLIHRC222	6909478	431393	479	-60	254	53	Awaiting Results			

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLIHRC223	6909484	431420	479	-60	254	83				Awaiting Results
RRLIHRC224	6909488	431444	480	-60	254	98				Awaiting Results
RRLIHRC225	6909501	431405	479	-60	254	68				Awaiting Results
RRLIHRC226	6909523	431388	479	-60	256	53				Awaiting Results
RRLIHRC227	6909525	431409	479	-60	254	73				Awaiting Results
RRLIHRC228	6909527	431432	479	-60	255	98				Awaiting Results
RRLIHRC229	6909554	431378	480	-60	252	48				Awaiting Results
RRLIHRC230	6909559	431397	480	-60	254	73				Awaiting Results
RRLIHRC231	6909567	431421	480	-60	255	98				Awaiting Results
RRLIHRC232	6909599	431367	480	-60	254	43				Awaiting Results
RRLIHRC233	6909603	431386	480	-60	252	68				Awaiting Results
RRLIHRC234	6909610	431410	480	-60	254	98				Awaiting Results
RRLIHRC235	6909636	431356	480	-60	253	48				Awaiting Results
RRLIHRC236	6909642	431376	480	-60	254	73				Awaiting Results
RRLIHRC237	6909648	431395	480	-60	252	93				Awaiting Results
RRLIHRC238	6909673	431347	480	-60	253	58				Awaiting Results
RRLIHRC239	6909677	431364	480	-60	254	73				Awaiting Results
RRLIHRC240	6909682	431387	480	-60	255	98				Awaiting Results
RRLIHRC241	6909651	431341	480	-60	254	38				Awaiting Results
RRLIHRC242	6909708	431321	480	-60	253	33				Awaiting Results
RRLIHRC243	6909712	431338	480	-60	254	63				Awaiting Results
RRLIHRC244	6909717	431358	480	-60	254	83				Awaiting Results
RRLIHRC245	6909724	431310	480	-60	254	38				Awaiting Results
RRLIHRC246	6909746	431314	480	-60	254	33				Awaiting Results
RRLIHRC247	6909750	431334	480	-60	254	68				Awaiting Results
RRLIHRC248	6909755	431353	480	-60	254	83				Awaiting Results

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLIHRC249	6909763	431310	480	-60	254	38	Awaiting Results			
King John Collar Location							Intersection >1.0 ppm Au and >1g/t Au*m			
Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au (ppm)
RRLKJRC065	6912187	426044	495	-60	247	154	52	53	1	1.3
RRLKJRC066	6912206	425987	495	-60	247	104	45	46	1	1.95
RRLKJRC066							60	61	1	2.9
RRLKJRC067	6912220	426022	496	-60	247	129	58	59	1	1.53
RRLKJRC067							68	69	1	1.67
RRLKJRC067							98	99	1	1.68
RRLKJRC067							113	114	1	1.6
RRLKJRC067							121	122	1	1.58
RRLKJRC068	6912251	426094	496	-60	247	74	33	34	1	1.05
RRLKJRC069	6912250	425992	496	-60	246	114	44	48	4	1.17
RRLKJRC069							61	62	1	1.51
RRLKJRC069							72	73	1	2.02
RRLKJRC069							107	108	1	2.85
RRLKJRC070	6912265	426027	496	-60	247	164	41	42	1	1.05
RRLKJRC070							47	48	1	3.47
RRLKJRC070							104	105	1	5.84
RRLKJRC071	6912292	425989	496	-60	247	134	35	36	1	2.69
RRLKJRC071							42	46	4	2.5
RRLKJRC071							64	72	8	1.25
RRLKJRC071							82	83	1	1.19
RRLKJRC072	6912308	426026	496	-60	247	170	75	76	1	1.3
RRLKJRC072							115	117	2	3.61
RRLKJRC073	6912340	426102	496	-60	247	89	No significant Intercept			

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLKJRC074	6912373	426174	496	-60	247	84	52	57	5	5.77
RRLKJRC075	6912331	425976	496	-60	248	104	No significant Intercept			
RRLKJRC076	6912339	425993	496	-60	247	114	15	16	1	1.52
RRLKJRC076							73	76	3	1.7
RRLKJRC076							79	80	1	1.02
RRLKJRC077	6912348	425923	497	-60	247	79	No significant Intercept			
RRLKJRC078	6912365	425962	497	-60	247	99	No significant Intercept			
Little Well Collar Location							Intersection >1.0 ppm Au and >1g/t Au*m			
Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au (ppm)
RRLWAC142	6925279	425798	550	-60	270	65	No significant Intercept			
RRLWAC143	6925279	425877	550	-60	270	38	No significant Intercept			
RRLWAC144	6925279	425958	550	-60	270	65	No significant Intercept			
RRLWAC145	6925279	426038	550	-60	270	49	No significant Intercept			
RRLWAC146	6924559	426237	550	-60	270	106	No significant Intercept			
RRLWAC147	6924559	426318	550	-60	270	68	No significant Intercept			
RRLWAC148	6924559	426358	550	-60	270	79	No significant Intercept			
RRLWAC149	6924559	426397	550	-60	270	32	No significant Intercept			
RRLWAC150	6924559	426478	550	-60	270	53	No significant Intercept			
RRLWAC151	6924559	426557	550	-60	270	98	No significant Intercept			
RRLWAC152	6924359	425738	550	-60	270	71	No significant Intercept			
RRLWAC153	6924359	425817	550	-60	270	73	No significant Intercept			
RRLWAC154	6924359	425898	550	-60	270	53	No significant Intercept			
RRLWAC155	6924359	425977	550	-60	270	52	No significant Intercept			
RRLWAC156	6924359	426058	550	-60	270	88	No significant Intercept			
RRLWAC157	6924359	426137	550	-60	270	87	No significant Intercept			
RRLWAC158	6924359	426218	550	-60	270	94	88	89	1	2.8

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLWAC159	6924359	426297	550	-60	270	61	No significant Intercept			
RRLWAC160	6924359	426378	550	-60	270	75	No significant Intercept			
RRLWAC161	6924359	426458	550	-60	270	58	No significant Intercept			
RRLWAC162	6924359	426537	550	-60	270	50	No significant Intercept			
RRLWAC163	6924359	426618	550	-60	270	52	No significant Intercept			
RRLWAC164	6924359	426697	550	-60	270	42	No significant Intercept			
RRLWAC165	6924359	426778	550	-60	270	76	No significant Intercept			
RRLWAC166	6924359	426857	550	-60	270	107	No significant Intercept			
RRLWAC167	6924359	426938	550	-60	270	92	No significant Intercept			
RRLWAC168	6924159	425918	550	-60	270	106	No significant Intercept			
RRLWAC169	6924159	425997	550	-60	270	115	No significant Intercept			
RRLWAC170	6924159	426078	550	-60	270	115	No significant Intercept			
RRLWAC171	6924159	426157	550	-60	270	106	97	98	1	1.68
RRLWAC172	6924159	426238	550	-60	270	101	No significant Intercept			
RRLWAC173	6924159	426318	550	-60	270	81	64	65	1	3.56
RRLWAC174	6924159	426397	550	-60	270	43	No significant Intercept			
RRLWAC175	6924159	426478	550	-60	270	107	No significant Intercept			
RRLWAC176	6924159	426557	550	-60	270	63	No significant Intercept			
RRLWAC177	6924159	426638	550	-60	270	50	No significant Intercept			
RRLWAC178	6924159	426717	550	-60	270	45	No significant Intercept			
RRLWAC179	6924159	426798	550	-60	268	68	No significant Intercept			
RRLWAC180	6924159	426877	550	-60	269	87	No significant Intercept			
RRLWAC181	6924159	426958	550	-60	270	104	No significant Intercept			
RRLWAC182	6924159	427037	550	-60	270	50	No significant Intercept			
RRLMHAC001	6953678	398958	539	-60	271	53	No significant Intercept			
Millar Hill Collar Location							Intersection >1.0 ppm Au and >1g/t Au*m			

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLMHAC002	6953682	399036	540	-60	270	36	No significant Intercept			
RRLMHAC003	6953684	399074	542	-60	270	48	No significant Intercept			
RRLMHAC004	6953679	399119	543	-60	271	49	No significant Intercept			
RRLMHAC005	6953682	399197	545	-60	270	72	No significant Intercept			
RRLMHAC006	6953759	398956	538	-60	271	47	No significant Intercept			
RRLMHAC007	6953760	399050	542	-60	269	42	8	12	4	1.57
RRLMHAC008	6953760	399076	543	-60	272	53	No significant Intercept			
RRLMHAC009	6953759	399117	544	-60	270	82	No significant Intercept			
RRLMHAC010	6953759	399198	545	-60	270	42	No significant Intercept			
RRLMHAC011	6953839	398958	545	-60	270	41	No significant Intercept			
RRLMHAC012	6953840	399039	543	-60	270	48	No significant Intercept			
RRLMHAC013	6953838	399080	543	-60	270	58	No significant Intercept			
RRLMHAC014	6953838	399119	544	-60	270	64	No significant Intercept			
RRLMHAC015	6953840	399197	545	-60	270	32	No significant Intercept			
RRLMHAC016	6953921	398957	539	-60	271	42	No significant Intercept			
RRLMHAC017	6953920	399037	540	-60	270	34	No significant Intercept			
RRLMHAC018	6953919	399118	541	-60	269	67	No significant Intercept			
RRLMHAC019	6953917	399195	542	-60	267	12	No significant Intercept			
RRLMHAC020	6953921	399358	537	-60	267	46	No significant Intercept			
RRLMHAC021	6953919	399517	539	-60	269	41	No significant Intercept			
RRLMHAC022	6953918	399675	544	-60	270	64	No significant Intercept			
RRLMHAC023	6953919	399837	543	-60	269	39	No significant Intercept			
RRLMHAC024	6953999	398958	539	-60	270	44	No significant Intercept			
RRLMHAC025	6953998	399028	538	-60	270	38	No significant Intercept			

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLMHAC026	6954000	399116	537	-60	270	45			No significant Intercept	
RRLMHAC027	6953999	399196	538	-60	271	26			No significant Intercept	
RRLMHAC028	6954299	398918	538	-60	267	31			No significant Intercept	
RRLMHAC029	6954299	399000	538	-60	267	29			No significant Intercept	
RRLMHAC030	6954300	399073	540	-60	275	39			No significant Intercept	
RRLMHAC031	6954301	399157	543	-60	267	11			No significant Intercept	
RRLMHAC032	6954299	399235	541	-60	270	59			No significant Intercept	
RRLMHAC033	6954296	399320	542	-60	271	68			No significant Intercept	
RRLMHAC034	6954301	399398	547	-60	268	53			No significant Intercept	
RRLMHAC035	6954458	398918	546	-60	270	32			No significant Intercept	
RRLMHAC036	6954462	398999	543	-60	270	79			No significant Intercept	
RRLMHAC037	6954461	399077	543	-60	270	36			No significant Intercept	
RRLMHAC038	6954452	399162	545	-60	270	56			No significant Intercept	
RRLMHAC039	6954461	399235	548	-60	268	33			No significant Intercept	
RRLMHAC040	6954618	398999	547	-60	269	52			No significant Intercept	
RRLMHAC041	6954621	399078	553	-60	267	63			No significant Intercept	
RRLMHAC042	6954619	399158	550	-60	275	69			No significant Intercept	
RRLMHAC043	6954619	399239	551	-60	270	59			No significant Intercept	
RRLMHAC044	6954616	399316	543	-60	267	62			No significant Intercept	
RRLMHAC045	6954619	399397	542	-60	270	59			No significant Intercept	
RRLMHAC046	6954619	399478	542	-60	270	53			No significant Intercept	
RRLMHAC047	6954619	399557	542	-60	270	49			No significant Intercept	
RRLMHAC048	6954619	399637	542	-60	270	62			No significant Intercept	
RRLMHAC049	6954619	399718	542	-60	270	46			No significant Intercept	
RRLMHAC050	6954755	398913	548	-60	265	56			No significant Intercept	
RRLMHAC051	6954759	398998	546	-60	265	49			No significant Intercept	

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLMHAC052	6954759	399077	546	-60	270	66				No significant Intercept
RRLMHAC053	6954759	399157	546	-60	270	8				No significant Intercept
RRLMHAC054	6954759	399238	546	-60	270	45				No significant Intercept
RRLMHAC055	6954759	399317	546	-60	270	86				No significant Intercept
RRLMHAC056	6954759	399397	542	-60	269	77				No significant Intercept
RRLMHAC057	6954759	399478	542	-60	270	43				No significant Intercept
RRLMHAC058	6954759	399558	542	-60	270	82				No significant Intercept
RRLMHAC059	6954759	399637	542	-60	270	36				No significant Intercept
RRLMHAC060	6954759	399717	542	-60	270	38				No significant Intercept
McKenzie Collar Location							Intersection >1.0 ppm Au and >1g/t Au*m			
Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au (ppm)
RRLMKRC022	6909797	431310	480	-60	254	43				Awaiting Results
RRLMKRC023	6909810	431312	480	-60	254	43				Awaiting Results
RRLMKRC024	6909812	431322	480	-60	254	63				Awaiting Results
RRLMKRC025	6909815	431336	480	-60	254	78				Awaiting Results
RRLMKRC026	6909829	431304	480	-60	254	38				Awaiting Results
RRLMKRC027	6909831	431312	480	-60	254	88				Awaiting Results
RRLMKRC028	6909835	431328	480	-60	254	93				Awaiting Results
RRLMKRC029	6909839	431347	480	-60	252	118				Awaiting Results
RRLMKRC030	6909850	431296	480	-60	255	53				Awaiting Results
RRLMKRC031	6909852	431305	480	-60	254	83				Awaiting Results
RRLMKRC032	6909856	431321	480	-60	253	93				Awaiting Results
RRLMKRC033	6909880	431339	480	-60	252	98				Awaiting Results
RRLMKRC034	6909869	431292	479	-60	252	53				Awaiting Results
RRLMKRC035	6909871	431300	480	-60	254	93				Awaiting Results

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLMKRC036	6909875	431317	480	-60	253	113				Awaiting Results
RRLMKRC037	6909906	431270	480	-60	253	58				Awaiting Results
RRLMKRC038	6909911	431287	480	-60	253	73				Awaiting Results
RRLMKRC039	6909914	431308	480	-60	253	103				Awaiting Results
RRLMKRC040	6909918	431326	480	-60	253	118				Awaiting Results
RRLMKRC041	6909943	431262	480	-60	253	63				Awaiting Results
RRLMKRC042	6909949	431280	480	-60	253	83				Awaiting Results
RRLMKRC043	6909954	431299	480	-60	253	118				Awaiting Results
RRLMKRC044	6909958	431321	480	-60	253	98				Awaiting Results
RRLMKRC045	6909981	431251	480	-60	253	48				Awaiting Results
RRLMKRC046	6909987	431267	480	-60	253	58				Awaiting Results
RRLMKRC047	6909991	431280	480	-60	253	78				Awaiting Results
RRLMKRC048	6910024	431267	480	-60	252	63				Awaiting Results
RRLMKRC049	6910034	431284	480	-60	252	103				Awaiting Results
RRLMKRC050	6910015	431249	480	-60	252	48				Awaiting Results
RRLMKRC051	6910073	431296	480	-60	252	98				Awaiting Results
RRLMKRC052	6910064	431256	480	-60	253	43				Awaiting Results
RRLMKRC053	6910069	431274	480	-60	253	68				Awaiting Results
RRLMKRC054	6910099	431257	480	-60	253	49				Awaiting Results
RRLMKRC055	6910105	431280	480	-60	253	68				Awaiting Results
RRLMKRC056	6910109	431297	480	-60	254	93				Awaiting Results
RRLMKRC057	6910142	431269	480	-60	254	58				Awaiting Results
RRLMKRC058	6910148	431286	480	-60	254	78				Awaiting Results
RRLMKRC059	6910152	431299	480	-60	254	98				Awaiting Results
RRLMKRC060	6910184	431256	480	-60	254	53				Awaiting Results
RRLMKRC061	6910188	431271	480	-60	254	63				Awaiting Results

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLMKRC062	6910195	431294	480	-60	252	113	Awaiting Results			
Moolart North Collar Location							Intersection >1.0 ppm Au and >1g/t Au*m			
Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au (ppm)
RRLMNAC334	6966959	428958	540	-60	270	30	Awaiting Results			
RRLMNAC335	6966959	429117	540	-60	270	25	Awaiting Results			
RRLMNAC336	6966959	429278	540	-60	270	36	Awaiting Results			
RRLMNAC337	6966959	429437	540	-60	269	33	Awaiting Results			
RRLMNAC338	6966909	429598	540	-60	268	29	Awaiting Results			
RRLMNAC339	6966909	429678	540	-60	272	36	Awaiting Results			
RRLMNAC340	6966909	429757	540	-60	271	27	Awaiting Results			
RRLMNAC341	6966909	429837	540	-60	268	23	Awaiting Results			
RRLMNAC342	6966959	429918	540	-60	268	30	Awaiting Results			
RRLMNAC343	6966959	429998	540	-60	270	39	Awaiting Results			
RRLMNAC344	6966959	430077	540	-60	271	70	Awaiting Results			
RRLMNAC345	6966959	430158	540	-60	268	34	Awaiting Results			
RRLMNAC346	6965359	428798	540	-60	268	36	Awaiting Results			
RRLMNAC347	6965359	428958	540	-60	269	34	Awaiting Results			
RRLMNAC348	6965359	429118	540	-60	273	33	Awaiting Results			
RRLMNAC349	6965359	429278	540	-60	271	54	Awaiting Results			
RRLMNAC350	6965359	429438	540	-60	272	43	Awaiting Results			
RRLMNAC351	6965359	429598	540	-60	270	41	Awaiting Results			
RRLMNAC352	6965359	429758	540	-60	272	53	Awaiting Results			
RRLMNAC353	6965359	429918	540	-60	269	25	Awaiting Results			
RRLMNAC354	6965359	430078	540	-60	270	49	Awaiting Results			
RRLMNAC355	6965359	430238	540	-60	268	25	Awaiting Results			

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLMNAC356	6965359	430398	540	-60	270	29				Awaiting Results
RRLMNAC357	6965359	430478	540	-60	271	38				Awaiting Results
RRLMNAC358	6965359	430558	540	-60	271	22				Awaiting Results
RRLMNAC359	6965359	430637	540	-60	271	54				Awaiting Results
RRLMNAC360	6965359	430718	540	-60	270	42				Awaiting Results
RRLMNAC361	6961359	430897	520	-60	269	26				Awaiting Results
RRLMNAC362	6961359	431058	520	-60	270	42				Awaiting Results
RRLMNAC363	6961359	431217	520	-60	272	32				Awaiting Results
RRLMNAC364	6961359	431378	520	-60	271	47				Awaiting Results
RRLMNAC365	6961359	431537	520	-60	271	50				Awaiting Results
RRLMNAC366	6961359	431698	520	-60	269	41				Awaiting Results
RRLMNAC367	6961359	431777	520	-60	271	46				Awaiting Results
RRLMNAC368	6961359	431857	520	-60	271	42				Awaiting Results
RRLMNAC369	6961359	431938	520	-60	270	56				Awaiting Results
RRLMNAC370	6961359	432018	520	-60	270	61				Awaiting Results
RRLMNAC371	6961359	432097	520	-60	270	58				Awaiting Results
RRLMNAC372	6961359	432178	520	-60	270	67				Awaiting Results
RRLMNAC373	6963759	430518	530	-60	270	23				Awaiting Results
RRLMNAC374	6963759	430677	530	-60	272	29				Awaiting Results
RRLMNAC375	6963759	430838	530	-60	271	30				Awaiting Results
RRLMNAC376	6963759	430997	530	-60	274	32				Awaiting Results
RRLMNAC377	6963759	431158	530	-60	270	38				Awaiting Results
RRLMNAC378	6963759	431317	530	-60	276	48				Awaiting Results
RRLMNAC379	6963759	431398	530	-60	269	56				Awaiting Results
RRLMNAC380	6957559	432518	515	-60	270	49				Awaiting Results
RRLMNAC381	6957559	432597	515	-60	271	51				Awaiting Results

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLMNAC382	6957559	432678	515	-60	268	50	Awaiting Results			
RRLMNAC383	6957559	432758	515	-60	270	66	Awaiting Results			
RRLMNAC384	6957559	432837	515	-60	270	69	Awaiting Results			
RRLMNAC385	6957559	432917	515	-60	270	78	Awaiting Results			
RRLMNAC386	6957559	432998	515	-60	272	81	Awaiting Results			
RRLMNAC387	6957559	433078	515	-60	270	66	Awaiting Results			
RRLMNAC388	6957559	433157	515	-60	269	67	Awaiting Results			
RRLMNAC389	6955959	432907	515	-60	272	58	Awaiting Results			
RRLMNAC390	6955959	432977	515	-60	270	59	Awaiting Results			
RRLMNAC391	6955959	433058	515	-60	270	55	Awaiting Results			
RRLMNAC392	6955959	433138	515	-60	272	59	Awaiting Results			
RRLMNAC393	6955959	433217	515	-60	270	60	Awaiting Results			
RRLMNAC394	6955959	433298	515	-60	268	62	Awaiting Results			
RRLMNAC395	6955959	433378	515	-60	269	74	Awaiting Results			
RRLMNAC396	6955959	433457	515	-60	270	69	Awaiting Results			
McPhillamys Collar Location							Intersection >1.0 ppm Au and >1g/t Au*m			
Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au (ppm)
RRLMPDD221	6292578	715523	925	-60	78	200	No significant Intercept			
Mt Varden Collar Location							Intersection >1.0 ppm Au and >1g/t Au*m			
Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au (ppm)
RRLMVAC001	6878939	436637	500	-60	270	16	No significant Intercept			
RRLMVAC002	6878939	436798	500	-60	270	31	No significant Intercept			
RRLMVAC003	6878939	436957	500	-60	276	33	No significant Intercept			
RRLMVAC004	6878939	437038	500	-60	271	47	No significant Intercept			
RRLMVAC005	6878939	437118	500	-60	268	32	No significant Intercept			

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLMVAC006	6878939	437278	500	-60	269	41	No significant Intercept			
RRLMVAC007	6878659	436738	500	-60	270	41	No significant Intercept			
RRLMVAC008	6878659	436897	500	-60	272	41	No significant Intercept			
RRLMVAC009	6878939	436897	500	-60	270	69	No significant Intercept			
RRLMVAC010	6878659	437058	500	-60	270	42	No significant Intercept			
RRLMVAC011	6878659	437218	500	-60	270	68	No significant Intercept			
RRLMVAC012	6878659	437377	500	-60	269	37	No significant Intercept			
RRLMVAC013	6878459	436737	500	-60	269	44	No significant Intercept			
RRLMVAC014	6878459	436898	500	-60	268	29	No significant Intercept			
RRLMVAC015	6878459	437058	500	-60	268	70	No significant Intercept			
RRLMVAC016	6878459	437138	500	-60	268	29	No significant Intercept			
RRLMVAC017	6878459	437298	500	-60	270	59	No significant Intercept			
RRLMVAC018	6878459	437457	500	-60	269	42	No significant Intercept			
RRLMVAC019	6878459	437217	500	-60	270	50	No significant Intercept			
Moolart Well Collar Location							Intersection >1.0 ppm Au and >1g/t Au*m			
Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au (ppm)
RRLMWAC3132	6947343	435993	535	-60	271	85	No significant Intercept			
RRLMWAC3133	6947384	436002	535	-60	275	77	No significant Intercept			
RRLMWAC3134	6947384	436040	535	-60	275	74	No significant Intercept			
RRLMWAC3135	6947409	436039	535	-60	272	59	No significant Intercept			
RRLMWAC3136	6947409	435963	535	-60	274	91	No significant Intercept			
RRLMWAC3137	6947556	435888	535	-60	274	101	44	45	1	3.3
RRLMWAC3138	6947661	435842	535	-60	275	82	No significant Intercept			
RRLMWAC3139	6947766	435772	535	-60	280	82	No significant Intercept			
RRLMWAC3140	6947910	435437	535	-60	268	93	No significant Intercept			

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLMWAC3141	6947910	435487	535	-60	269	95	34	35	1	1.01
RRLMWAC3142	6947910	435537	535	-60	270	103	32	36	4	1.56
RRLMWAC3143	6947910	435587	535	-60	266	102	89	97	8	5.65
RRLMWAC3144	6947910	435638	535	-60	267	89	No significant Intercept			
RRLMWAC3145	6947910	435688	535	-60	275	83	No significant Intercept			
RRLMWAC3146	6947910	435742	535	-60	270	95	No significant Intercept			
RRLMWAC3147	6948060	435438	535	-60	270	84	No significant Intercept			
RRLMWAC3148	6948060	435488	535	-60	270	87	No significant Intercept			
RRLMWAC3149	6948060	435538	535	-60	270	98	No significant Intercept			
RRLMWAC3150	6948060	435588	535	-60	270	90	No significant Intercept			
RRLMWAC3151	6948060	435637	535	-60	270	96	88	89	1	1.51
RRLMWAC3152	6948060	435687	535	-60	271	82	No significant Intercept			
RRLMWAC3153	6948260	435488	535	-60	271	74	No significant Intercept			
RRLMWAC3154	6948260	435538	535	-60	269	81	No significant Intercept			
RRLMWAC3155	6948260	435588	535	-60	269	84	No significant Intercept			
RRLMWAC3156	6948260	435638	535	-60	270	95	No significant Intercept			
RRLMWAC3157	6947809	435540	535	-60	270	97	93	94	1	1.01
RRLMWAC3158	6947810	435488	535	-60	274	81	No significant Intercept			
RRLMWAC3159	6947334	435966	535	-60	270	87	No significant Intercept			
RRLMWAC3160	6946909	436040	535	-60	267	78	71	72	1	1.17
RRLMWAC3161	6946909	436091	535	-60	270	83	43	44	1	1.02
RRLMWAC3162	6946909	436131	535	-60	272	51	No significant Intercept			
RRLMWAC3163	6946859	436140	535	-60	272	45	No significant Intercept			
RRLMWAC3164	6946859	436090	535	-60	268	82	No significant Intercept			
RRLMWAC3165	6947009	436014	535	-60	272	98	58	59	1	1.74
RRLMWAC3166	6947009	436064	535	-60	270	92	38	39	1	1.15

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLMWAC3167	6949284	435013	522	-60	270	66				Awaiting Results
RRLMWAC3168	6949213	435007	531	-60	270	72				Awaiting Results
RRLMWAC3169	6949184	435019	529	-60	270	70				Awaiting Results
RRLMWAC3170	6949134	435057	540	-60	270	73				Awaiting Results
RRLMWAC3171	6947934	435538	532	-60	270	109				Awaiting Results
RRLMWAC3172	6947934	435588	531	-60	270	103				Awaiting Results
RRLMWAC3173	6947284	435508	522	-60	270	46				Awaiting Results
RRLMWAC3174	6947209	435461	522	-60	270	35				Awaiting Results
RRLMWAC3175	6947184	435538	524	-60	270	41				Awaiting Results
RRLMWAC3176	6947184	435580	524	-60	270	62				Awaiting Results
RRLMWAC3177	6947084	435622	524	-60	270	44				Awaiting Results
RRLMWAC3178	6947038	435629	526	-60	270	62				Awaiting Results
RRLMWAC3179	6947034	435716	528	-60	270	79				Awaiting Results
RRLMWAC3180	6946985	435636	520	-60	270	58				Awaiting Results
RRLMWAC3181	6946934	435487	520	-60	270	44				Awaiting Results
RRLMWAC3182	6946884	435487	525	-60	270	41				Awaiting Results
RRLMWAC3183	6946885	435537	525	-60	270	38				Awaiting Results
RRLMWAC3184	6946885	435638	525	-60	268	55				Awaiting Results
RRLMWAC3185	6946884	435688	525	-60	270	68				Awaiting Results
RRLMWAC3186	6946884	435808	525	-60	269	92				Awaiting Results
RRLMWAC3187	6946859	435561	523	-60	270	44				Awaiting Results
RRLMWAC3188	6946860	435811	530	-60	270	88				Awaiting Results
RRLMWAC3189	6946815	435509	522	-60	270	46				Awaiting Results
RRLMWAC3190	6946834	435833	540	-60	270	88				Awaiting Results
RRLMWAC3191	6946784	435521	522	-60	268	44				Awaiting Results
RRLMWAC3192	6946709	435506	521	-60	270	47				Awaiting Results

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLMWAC3193	6948909	434538	530	-60	270	65	Awaiting Results			
RRLMWAC3194	6948909	434588	530	-60	270	77	Awaiting Results			
RRLMWAC3195	6948909	434638	530	-60	270	64	Awaiting Results			
RRLMWAC3196	6948809	434513	529	-60	270	73	Awaiting Results			
RRLMWAC3197	6948809	434563	530	-60	268	82	Awaiting Results			
RRLMWAC3198	6948809	434613	530	-60	270	69	Awaiting Results			
RRLMWAC3199	6948809	434663	530	-60	269	89	Awaiting Results			
RRLMWAC3200	6948809	434714	529	-60	270	95	Awaiting Results			
RRLMWAC3201	6948809	434764	529	-60	268	85	Awaiting Results			
RRLMWAC3202	6948709	434737	530	-60	269	86	Awaiting Results			
RRLMWAC3203	6948709	434787	529	-60	270	91	Awaiting Results			
RRLMWAC3204	6948709	434838	528	-60	268	85	Awaiting Results			
RRLMWAC3205	6948609	434537	529	-60	269	69	Awaiting Results			
RRLMWRC1551	6946504	435582	525	-66	267	78	33	34	1	2.26
RRLMWRC1551							52	54	2	2.24
RRLMWRC1551							61	63	2	1.47
RRLMWRC1552	6946325	435868	539	-60	260	251	62	67	5	1.5
RRLMWRC1552							105	109	4	6.77
RRLMWRC1552							215	216	1	2.51
RRLMWRC1553	6947210	436084	538	-50	270	96	38	39	1	1.71
RRLMWRC1553							76	77	1	3.12
RRLMWRC1554	6947210	436085	538	-60	270	102	No significant Intercept			
RRLMWRC1555	6947234	436083	538	-50	270	96	62	69	7	8.96
RRLMWRC1556	6947234	436085	538	-60	270	108	47	48	1	1.31
RRLMWRC1557	6947260	436082	538	-50	270	90	63	64	1	1.66
RRLMWRC1558	6947260	436084	538	-60	270	102	72	73	1	2.14
RRLMWRC1559	6947284	436080	538	-50	270	90	66	69	3	1.39

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLMWRC1560	6947284	436081	538	-60	270	114	No significant Intercept			
RRLMWRC1561	6947312	436071	537	-57	269	90	71	72	1	2.98
RRLMWRC1562	6947338	436020	536	-60	271	90	No significant Intercept			
RRLMWRC1563	6947334	436046	537	-60	270	90	48	49	1	2.25
RRLMWRC1564	6947357	436010	536	-60	270	102	43	44	1	1.82
RRLMWRC1565	6945859	435955	542	-51	270	168	103	104	1	1.13
RRLMWRC1565							125	126	1	2.73
RRLMWRC1565							138	139	1	4.48
RRLMWRC1566	6944256	435713	544	-67	270	120	No significant Intercept			
RRLMWRC1567	6944281	435636	545	-60	270	72	54	55	1	1.46
RRLMWRC1568	6944283	435663	544	-60	266	126	49	57	8	1.48
RRLMWRC1568							82	83	1	1.11
RRLMWRC1569	6944283	435687	544	-60	270	138	55	56	1	3.26
RRLMWRC1569							59	61	2	2.63
RRLMWRC1569							79	80	1	1.4
RRLMWRC1570	6944333	435672	544	-61	265	144	100	104	4	1.23
RRLMWRC1571	6944558	435264	541	-90	0	84	No significant Intercept			
RRLMWRC1572	6944559	435458	488	-60	271	60	38	42	4	1.4
RRLMWRC1573	6944558	435467	488	-68	270	78	56	59	3	1.24
RRLMWRC1573							61	62	1	1.02
RRLMWRC1574	6944534	435452	490	-55	268	48	30	33	3	2.69
RRLMWRC1575	6944534	435466	490	-68	265	72	39	40	1	1.23
RRLMWRC1575							54	55	1	5.51
RRLMWRC1576	6944509	435471	493	-57	265	66	No significant Intercept			
RRLMWRC1577	6944509	435477	493	-71	265	84	60	63	3	2.18
RRLMWRC1578	6944609	435468	482	-58	265	60	46	47	1	1.68
RRLMWRC1578							53	54	1	85.6

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLMWRC1579	6944584	435464	485	-62	267	66	45	46	1	2.26
RRLMWRC1579							50	51	1	5.97
RRLMWRC1580	6944484	435481	496	-54	265	72	55	56	1	1.01
RRLMWRC1581	6944484	435492	496	-66	265	102	68	70	2	4.02
RRLMWRC1582	6944458	435500	499	-52	265	90	71	73	2	1.67
RRLMWRC1583	6944433	435511	502	-59	270	96	No significant Intercept			
RRLMWRC1584	6944434	435523	503	-67	270	114	17	18	1	11.9
RRLMWRC1584							76	77	1	2.22
RRLMWRC1584							98	99	1	3.15
RRLMWRC1585	6946508	435706	537	-60	270	168	124	125	1	2.3
RRLMWRC1585							130	134	4	1.88
RRLMWRC1585							139	140	1	1.05
RRLMWRC1585							145	146	1	1.52
RRLMWRC1586	6946507	435745	537	-60	269	198	55	56	1	1.12
RRLMWRC1586							130	131	1	1.07
RRLMWRC1586							142	151	9	1.89
RRLMWRC1586							155	156	1	1.13
RRLMWRC1586							164	165	1	1.2
RRLMWRC1587	6946508	435797	538	-60	270	246	169	170	1	7.81
RRLMWRC1587							202	203	1	2.29
RRLMWRC1588	6944233	435710	544	-60	268	120	75	77	2	2.47
RRLMWRC1588							80	81	1	1.02
RRLMWRC1588							100	101	1	1.22
RRLMWRC1589	6944483	435279	541	-60	268	126	No significant Intercept			
RRLMWRC1590	6944504	435290	541	-60	268	120	46	47	1	2.92
RRLMWRC1591	6944532	435285	541	-60	268	126	47	48	1	1.07
RRLMWRC1591							107	108	1	1.04

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLMWRC1592	6944563	435262	541	-60	266	120	No significant Intercept			
RRLMWRC1593	6944934	435925	537	-50	270	222	36	37	1	1.47
RRLMWRC1593							95	96	1	1.32
RRLMWRC1593							124	125	1	4.86
RRLMWRC1593							185	188	3	1.69
RRLMWRC1594	6945030	435892	536	-57	270	198	80	83	3	3.35
RRLMWRC1594							116	117	1	1.05
RRLMWRC1594							133	134	1	1.34
RRLMWRC1594							139	140	1	1.02
RRLMWRC1594							175	176	1	1.17
RRLMWRC1595	6945082	435866	536	-57	267	192	78	80	2	2.05
RRLMWRC1595							131	133	2	1.47
RRLMWRC1595							160	163	3	1.45
RRLMWRC1595							173	175	2	1.11
RRLMWRC1596	6944409	435523	505	-55	265	102	No significant Intercept			
RRLMWRC1597	6944409	435531	505	-65	266	120	46	47	1	1.22
RRLMWRC1598	6944385	435531	508	-55	265	108	53	54	1	1.09
RRLMWRC1598							94	95	1	4.55
RRLMWRC1599	6944359	435540	511	-59	266	114	55	56	1	1.01
RRLMWRC1599							61	62	1	1.32
RRLMWRC1600	6944359	435557	512	-90	0	30	No significant Intercept			
RRLMWRC1601	6944335	435553	514	-58	266	132	1	2	1	1.33
RRLMWRC1601							25	27	2	1.56
RRLMWRC1602	6944308	435539	518	-57	268	120	No significant Intercept			
RRLMWRC1603	6944283	435516	522	-56	267	90	65	66	1	1.4
RRLMWRC1603							69	72	3	2.61
RRLMWRC1604	6944284	435532	521	-64	267	120	57	58	1	1.41

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLMWRC1605	6944260	435505	525	-61	266	96	19	22	3	1.35
RRLMWRC1605							63	64	1	4.06
RRLMWRC1606	6944234	435504	528	-60	266	90	No significant Intercept			
RRLMWRC1607	6944235	435516	528	-74	266	114	70	71	1	1.06
RRLMWRC1607							79	80	1	1.05
RRLMWRC1607							83	84	1	9.36
RRLMWRC1608	6944210	435539	532	-60	266	126	49	52	3	10.51
RRLMWRC1608							85	86	1	1.91
RRLMWRC1608							101	102	1	1.91
RRLMWRC1609	6944334	435567	515	-90	0	42	19	20	1	4.44
RRLMWRC1609							39	40	1	1.12
RRLMWRC1610	6944284	435570	520	-90	0	54	46	47	1	1.29
RRLMWRC1611	6944260	435560	520	-64	266	36	No significant Intercept			
RRLMWRC1612	6944283	435563	520	-56	267	42	12	13	1	1.62
RRLMWRC1612							18	19	1	6.42
RRLMWRC1613	6944302	435567	520	-50	267	36	No significant Intercept			
RRLMWRC1614	6944302	435563	520	-90	0	54	29	33	4	2.17
RRLMWRC1615	6944303	435578	520	-90	0	78	No significant Intercept			
RRLMWRC1616	6946659	435700	536	-60	270	188	116	120	4	1.4
RRLMWRC1617	6946609	435663	537	-60	270	156	101	105	4	1.22
RRLMWRC1617							107	108	1	1.17
RRLMWRC1617							151	152	1	1.09
RRLMWRC1618	6946606	435715	537	-60	269	192	117	118	1	1.33
RRLMWRC1618							122	130	8	2.25
RRLMWRC1618							142	148	6	1.52
RRLMWRC1619	6946716	435698	536	-60	260	162	120	126	6	1.31
RRLMWRC1620	6946560	435779	537	-60	270	228	9	10	1	1.21

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLMWRC1620							162	163	1	2.05
RRLMWRC1620							166	167	1	1.28
RRLMWRC1620							169	170	1	1.25
RRLMWRC1621	6946453	435860	538	-60	268	255	61	62	1	1.21
RRLMWRC1621							67	68	1	16.2
RRLMWRC1621							91	99	8	3.47
RRLMWRC1621							110	112	2	33.95
RRLMWRC1621							210	211	1	1.24
RRLMWRC1622	6946416	435868	539	-62	265	282	70	74	4	1.83
RRLMWRC1622							96	98	2	2.4
RRLMWRC1622							104	105	1	1.14
RRLMWRC1622							215	216	1	2.46
RRLMWRC1622							219	220	1	1.39
RRLMWRC1622							223	226	3	1.52
RRLMWRC1622							238	239	1	1.27
RRLMWRC1623	6946214	435812	531	-60	272	258	59	60	1	3.38
RRLMWRC1623							66	67	1	5.12
RRLMWRC1623							100	104	4	1.03
RRLMWRC1623							162	163	1	1.4
RRLMWRC1623							170	171	1	2.51
RRLMWRC1623							190	195	5	1.37
RRLMWRC1623							200	203	3	1.68
RRLMWRC1624	6946465	435550	527	-61	282	72	42	47	5	6.2
RRLMWRC1625	6946365	435622	527	-65	272	114	39	40	1	1.7
RRLMWRC1625							74	75	1	2.55
RRLMWRC1625							86	87	1	1.9
RRLMWRC1626	6946816	435688	537	-59	265	169	97	98	1	3.72

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLMWRC1626							121	122	1	3.72
RRLMWRC1626							154	155	1	1.5
RRLMWRC1627	6947559	435354	521	-60	271	54	No significant Intercept			
RRLMWRC1628	6947565	435400	521	-60	270	84	31	39	8	1.62
RRLMWRC1628							71	72	1	3.16
RRLMWRC1629	6947607	435404	521	-60	270	86	40	41	1	1.95
RRLMWRC1629							44	48	4	1.88
RRLMWRC1630	6947657	435413	521	-60	271	132	63	66	3	2.03
RRLMWRC1631	6947708	435415	522	-60	270	108	70	78	8	2.38
RRLMWRC1632	6944801	435602	535	-60	275	132	104	105	1	1.7
RRLMWRC1633	6944784	435603	534	-59	269	108	78	79	1	1.07
RRLMWRC1633							94	95	1	1.85
RRLMWRC1634	6944757	435605	534	-59	267	138	54	55	1	1.86
RRLMWRC1635	6944735	435605	534	-60	269	114	52	53	1	1.4
RRLMWRC1635							67	68	1	2.28
RRLMWRC1635							85	86	1	63.5
RRLMWRC1636	6944733	435627	534	-62	268	126	No significant Intercept			
RRLMWRC1637	6944759	435636	536	-59	269	168	41	42	1	1.28
RRLMWRC1638	6944787	435660	542	-57	268	186	143	145	2	3.33
RRLMWRC1638							157	158	1	2.26
RRLMWRC1639	6944830	435641	542	-56	270	72	No significant Intercept			
RRLMWRC1640	6945148	435685	534	-60	270	180	0	2	2	1.19
RRLMWRC1640							118	119	1	1.08
RRLMWRC1640							129	131	2	1.76
RRLMWRC1641	6943009	435291	544	-60	270	90	75	76	1	2.27
RRLMWRC1642	6943009	435339	544	-60	270	114	No significant Intercept			
RRLMWRC1643	6943009	435388	544	-60	269	126	110	112	2	2.31

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLMWRC1644	6943059	435288	544	-60	269	90	No significant Intercept			
RRLMWRC1645	6943059	435338	544	-60	270	96	67	70	3	1.94
RRLMWRC1646	6943059	435387	544	-60	272	126	46	47	1	1.74
RRLMWRC1647	6943084	435337	544	-60	268	90	61	62	1	1.15
RRLMWRC1647							71	72	1	1.48
RRLMWRC1648	6943084	435363	544	-60	269	102	63	66	3	1.03
RRLMWRC1648							78	81	3	1.11
RRLMWRC1649	6943084	435387	544	-60	270	120	No significant Intercept			
RRLMWRC1650	6943109	435337	544	-60	268	84	66	67	1	1.74
RRLMWRC1651	6943109	435362	544	-60	270	102	No significant Intercept			
RRLMWRC1652	6943109	435387	544	-60	270	120	No significant Intercept			
RRLMWRC1653	6943109	435411	544	-60	270	138	No significant Intercept			
RRLMWRC1654	6943134	435387	544	-60	270	120	No significant Intercept			
RRLMWRC1655	6943159	435386	544	-60	271	120	83	84	1	5.51
RRLMWRC1656	6943184	435311	546	-60	270	66	32	34	2	2.36
RRLMWRC1656							40	41	1	1.8
RRLMWRC1657	6943184	435337	546	-60	270	84	44	48	4	1.55
RRLMWRC1657							51	52	1	1.34
RRLMWRC1658	6943184	435361	545	-60	270	108	56	60	4	2.97
RRLMWRC1659	6943184	435387	545	-60	269	120	73	78	5	3.81
RRLMWRC1660	6943209	435385	545	-60	268	132	74	80	6	1.83
RRLMWRC1660							88	89	1	1.01
RRLMWRC1661	6943234	435311	545	-60	268	66	7	8	1	1.17
RRLMWRC1661							25	28	3	4.91
RRLMWRC1662	6943234	435337	545	-60	268	84	37	40	3	1.68
RRLMWRC1662							48	49	1	1.7
RRLMWRC1662							70	71	1	4.04

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLMWRC1663	6943234	435361	545	-60	268	102	55	57	2	1.07
RRLMWRC1664	6943234	435387	545	-60	267	120	70	72	2	1.62
RRLMWRC1664							75	77	2	3.28
RRLMWRC1665	6943259	435373	545	-60	268	150	62	63	1	2.25
RRLMWRC1665							71	72	1	1.02
RRLMWRC1666	6943284	435312	545	-60	268	66	26	27	1	1.23
RRLMWRC1666							50	52	2	1.94
RRLMWRC1666							55	59	4	10.46
RRLMWRC1667	6943284	435336	545	-60	268	90	50	51	1	2.74
RRLMWRC1668	6943284	435362	545	-60	268	102	64	65	1	1.37
RRLMWRC1669	6943284	435386	545	-60	267	120	61	62	1	1.39
RRLMWRC1670	6943414	435240	545	-60	268	90	No significant Intercept			
RRLMWRC1671	6943414	435287	545	-60	268	90	No significant Intercept			
RRLMWRC1672	6943414	435341	545	-60	268	90	No significant Intercept			
RRLMWRC1673	6943459	435364	545	-60	269	114	88	92	4	1.64
RRLMWRC1674	6943509	435377	545	-60	267	138	68	69	1	1.28
RRLMWRC1674							76	78	2	1.8
RRLMWRC1675	6943584	435340	545	-60	268	78	50	51	1	1.94
RRLMWRC1675							59	63	4	2.5
RRLMWRC1676	6943584	435364	545	-60	267	105	No significant Intercept			
RRLMWRC1677	6943634	435340	545	-60	266	78	36	37	1	8.48
RRLMWRC1677							54	56	2	4.12
RRLMWRC1677							64	65	1	1.23
RRLMWRC1677							68	69	1	1.32
RRLMWRC1678	6943634	435364	545	-60	268	108	76	78	2	3.86
RRLMWRC1678							82	83	1	7.85
RRLMWRC1679	6943684	435334	544	-60	268	78	56	58	2	1.62

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLMWRC1679							64	65	1	1.66
RRLMWRC1680	6943684	435360	544	-60	268	108	83	84	1	1.24
RRLMWRC1681	6943809	435258	544	-60	268	90	No significant Intercept			
RRLMWRC1682	6943559	435414	544	-60	268	138	No significant Intercept			
RRLMWRC1683	6943584	435390	544	-60	268	120	66	68	2	1.36
RRLMWRC1683							81	85	4	2.35
RRLMWRC1683							98	99	1	1.07
RRLMWRC1684	6943609	435389	544	-60	269	126	80	82	2	2.71
RRLMWRC1684							90	91	1	1.41
RRLMWRC1685	6943634	435390	544	-60	269	120	72	74	2	1.14
RRLMWRC1685							84	85	1	3.61
RRLMWRC1686	6943609	435416	544	-60	268	144	50	51	1	1.5
RRLMWRC1686							53	54	1	1.22
RRLMWRC1686							64	65	1	2.62
RRLMWRC1687	6943584	435414	544	-60	268	138	No significant Intercept			
RRLMWRC1688	6943709	435391	544	-60	269	144	No significant Intercept			
RRLMWRC1689	6943809	435284	544	-60	268	90	51	52	1	1.18
RRLMWRC1689							57	58	1	2.23
RRLMWRC1690	6943859	435278	544	-60	268	90	No significant Intercept			
RRLMWRC1691	6943859	435327	544	-60	270	96	No significant Intercept			
RRLMWRC1692	6943909	435290	544	-60	270	96	No significant Intercept			
RRLMWRC1693	6943909	435316	544	-60	270	90	No significant Intercept			
RRLMWRC1694	6943709	435291	544	-60	270	90	Awaiting Results			
RRLMWRC1695	6943959	435291	544	-60	270	90	Awaiting Results			
RRLMWRC1696	6944656	435461	480	-64	270	72	13	20	7	1.51
RRLMWRC1696							70	71	1	1.84
RRLMWRC1697	6944656	435461	480	-75	270	84	7	8	1	1.53

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLMWRC1697							13	14	1	1.15
RRLMWRC1697							71	72	1	2.18
RRLMWRC1697							74	75	1	1.21
RRLMWRC1698	6944638	435464	480	-70	268	60	8	9	1	3.9
RRLMWRC1698							18	19	1	10.2
RRLMWRC1698							58	59	1	1.67
RRLMWRC1699	6944638	435465	480	-80	270	66	18	19	1	1.19
RRLMWRC1699							22	23	1	4.26
RRLMWRC1700	6944608	435470	483	-70	270	72	7	8	1	1.02
RRLMWRC1700							12	17	5	1.6
RRLMWRC1700							22	23	1	13.6
RRLMWRC1701	6944581	435464	485	-72	268	72	No significant Intercept			
RRLMWRC1702	6944581	435466	485	-83	268	84	54	55	1	1.19
RRLMWRC1703	6944556	435467	488	-81	267	84	Awaiting Results			
RRLMWRC1704	6948960	435688	531	-60	271	80	Awaiting Results			
RRLMWRC1705	6948957	435789	532	-60	268	80	Awaiting Results			
RRLMWRC1706	6948956	435885	533	-60	271	80	Awaiting Results			
RRLMWRC1707	6948956	436002	534	-60	269	80	Awaiting Results			
RRLMWRC1708	6948969	436090	535	-60	270	80	Awaiting Results			
RRLMWRC1709	6948661	435811	533	-60	269	80	Awaiting Results			
RRLMWRC1710	6948659	435915	535	-60	269	6	Awaiting Results			
RRLMWRC1711	6948659	435919	535	-60	269	80	Awaiting Results			
RRLMWRC1712	6948658	436112	539	-60	269	80	Awaiting Results			
RRLMWRC1713	6948659	436310	540	-60	269	80	Awaiting Results			
RRLMWRC1714	6948357	435861	535	-60	270	80	Awaiting Results			
RRLMWRC1715	6948356	435981	537	-60	270	80	Awaiting Results			
RRLMWRC1716	6948362	436163	540	-60	269	80	Awaiting Results			

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLMWRC1717	6948365	436354	543	-70	269	80				Awaiting Results
RRLMWRC1718	6947957	435910	536	-60	272	120				Awaiting Results
RRLMWRC1718A	6947957	435910	536	-60	271	6				Awaiting Results
RRLMWRC1719	6947958	436010	538	-60	268	120				Awaiting Results
RRLMWRC1720	6947958	436104	540	-60	268	66				Awaiting Results
RRLMWRC1721	6947959	436183	541	-60	269	80				Awaiting Results
RRLMWRC1722	6947959	436400	544	-60	271	80				Awaiting Results
RRLMWRC1723	6947655	436405	539	-60	270	80				Awaiting Results
RRLMWRC1724	6947658	435989	537	-60	269	80				Awaiting Results
RRLMWRC1725	6947618	436079	537	-60	270	80				Awaiting Results
RRLMWRC1726	6947657	436177	538	-60	270	80				Awaiting Results
RRLMWRC1727	6947656	436280	539	-60	270	80				Awaiting Results
RRLMWRC1728	6947431	436088	537	-60	269	126				Awaiting Results
RRLMWRC1729	6947444	436180	538	-60	270	80				Awaiting Results
RRLMWRC1730	6946784	435666	536	-60	270	156				Awaiting Results
RRLMWRC1731	6946784	435674	536	-60	270	174				Awaiting Results
RRLMWRC1732	6946734	435663	536	-60	270	138				Awaiting Results
RRLMWRC1733	6946709	435721	536	-60	270	174				Awaiting Results
RRLMWRC1734	6946684	435688	536	-60	270	156				Awaiting Results
RRLMWRC1735	6946634	435662	536	-60	270	168				Awaiting Results
RRLMWRC1736	6946659	435736	538	-60	267	174				Awaiting Results
RRLMWRC1737	6946634	435712	537	-60	268	186				Awaiting Results
RRLMWRC1738	6946634	435627	537	-60	265	126				Awaiting Results
RRLMWRC1739	6946609	435635	536	-60	267	85				Awaiting Results
RRLMWRC1740	6946609	435692	536	-60	267	168				Awaiting Results
RRLMWRC1741	6946609	435760	537	-60	268	204				Awaiting Results

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLMWRC1742	6946609	435812	538	-60	268	138	Awaiting Results			
RRLMWRC1743	6946584	435665	537	-60	268	150	Awaiting Results			
RRLMWWE333	6946094	435727	525	-90	0	162	50	51	1	2.89
RRLMWWE333							114	115	1	5.65
RRLMWWE333							121	125	4	1.32
McKenzie Well Collar Location							Intersection >1.0 ppm Au and >1g/t Au*m			
Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au (ppm)
RRLMZAC001	6913959	432837	500	-60	270	74	No significant Intercept			
RRLMZAC002	6913959	432918	500	-60	272	15	No significant Intercept			
RRLMZAC003	6913959	432997	500	-60	270	26	No significant Intercept			
RRLMZAC004	6913959	433078	500	-60	268	39	No significant Intercept			
RRLMZAC005	6913959	433157	500	-60	270	65	No significant Intercept			
RRLMZAC006	6913959	433238	500	-60	270	67	No significant Intercept			
RRLMZAC007	6913959	433305	500	-60	270	41	No significant Intercept			
RRLMZAC008	6913959	433398	500	-60	270	50	No significant Intercept			
RRLMZAC009	6913959	433477	500	-60	270	58	No significant Intercept			
RRLMZAC010	6914159	432817	500	-60	270	56	No significant Intercept			
RRLMZAC011	6914159	432898	500	-60	270	50	No significant Intercept			
RRLMZAC012	6914159	432977	500	-60	269	50	No significant Intercept			
RRLMZAC013	6914159	433058	500	-60	268	60	No significant Intercept			
RRLMZAC014	6914159	433137	500	-60	270	71	No significant Intercept			
RRLMZAC015	6914159	433218	500	-60	270	59	No significant Intercept			
RRLMZAC016	6914159	433312	500	-60	270	49	No significant Intercept			
RRLMZAC017	6914159	433378	500	-60	270	52	No significant Intercept			
RRLMZAC018	6914359	432797	500	-60	270	64	No significant Intercept			
RRLMZAC019	6914359	432878	500	-60	260	75	No significant Intercept			

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLMZAC020	6914359	432968	500	-60	270	56			No significant Intercept	
RRLMZAC021	6914359	433038	500	-60	270	65			No significant Intercept	
RRLMZAC022	6914359	433117	500	-60	270	65			No significant Intercept	
RRLMZAC023	6914359	433277	500	-60	270	57			No significant Intercept	
RRLMZAC024	6914359	433237	500	-60	270	59			No significant Intercept	
RRLMZAC025	6914359	433358	500	-60	270	53			No significant Intercept	
RRLMZAC026	6914859	432788	500	-60	270	45			No significant Intercept	
RRLMZAC027	6914859	432867	500	-60	270	56			No significant Intercept	
RRLMZAC028	6914859	432948	500	-60	270	68			No significant Intercept	
RRLMZAC029	6914859	432998	500	-60	270	56			No significant Intercept	
RRLMZAC030	6914859	433108	500	-60	270	38			No significant Intercept	
RRLMZAC031	6914859	433187	500	-60	270	53			No significant Intercept	
RRLMZAC032	6914859	433268	500	-60	270	44			No significant Intercept	
RRLMZAC033	6915299	432137	500	-60	270	74			No significant Intercept	
RRLMZAC034	6915299	432297	500	-60	271	94			No significant Intercept	
RRLMZAC035	6915299	432457	500	-60	271	63			No significant Intercept	
RRLMZAC036	6915299	432617	500	-60	270	33			No significant Intercept	
RRLMZAC037	6915299	432698	500	-60	270	8			No significant Intercept	
RRLMZAC038	6915299	432777	500	-60	270	29			No significant Intercept	
RRLMZAC039	6915299	432888	500	-60	270	30			No significant Intercept	
RRLMZAC040	6915299	432937	500	-60	270	52			No significant Intercept	
RRLMZAC041	6915299	433018	500	-60	270	36			No significant Intercept	
RRLMZAC042	6915299	433097	500	-60	270	53			No significant Intercept	
RRLMZAC043	6915299	433178	500	-60	270	51			No significant Intercept	
RRLMZAC044	6915659	431938	500	-60	270	74			No significant Intercept	
RRLMZAC045	6915659	432098	500	-60	270	74			No significant Intercept	

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLMZAC046	6915659	432258	500	-60	270	71				No significant Intercept
RRLMZAC047	6915659	432418	500	-60	270	98				No significant Intercept
RRLMZAC048	6915659	432578	500	-60	270	19				No significant Intercept
RRLMZAC049	6915659	432753	500	-60	270	21				No significant Intercept
RRLMZAC050	6915659	432817	500	-60	270	32				No significant Intercept
RRLMZAC051	6915659	432898	500	-60	270	40				No significant Intercept
RRLMZAC052	6915659	432977	500	-60	268	46				No significant Intercept
RRLMZAC053	6915659	433058	500	-60	270	58				No significant Intercept
RRLMZAC054	6915659	433137	500	-60	270	60				No significant Intercept
RRLMZAC055	6916079	431837	500	-60	268	53				No significant Intercept
RRLMZAC056	6916079	431997	500	-60	270	68				No significant Intercept
RRLMZAC057	6916079	432157	500	-60	270	37				No significant Intercept
RRLMZAC058	6916079	432317	500	-60	271	35				No significant Intercept
RRLMZAC059	6916079	432477	500	-60	268	13				No significant Intercept
RRLMZAC060	6916079	432532	500	-60	270	16				No significant Intercept
RRLMZAC061	6916079	432637	500	-60	272	23				No significant Intercept
RRLMZAC062	6916079	432718	500	-60	272	21				No significant Intercept
RRLMZAC063	6916079	432797	500	-60	268	30				No significant Intercept
RRLMZAC064	6916079	432878	500	-60	269	39				No significant Intercept
RRLMZAC065	6916079	432957	500	-60	270	40				No significant Intercept
RRLMZAC066	6916079	433038	500	-60	270	41				No significant Intercept
RRLMZAC067	6916079	433117	500	-60	270	69				No significant Intercept
O'Connor Reward Collar Location							Intersection >1.0 ppm Au and >1g/t Au*m			
Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au (ppm)
RRLOCAC001	6963759	393917	549	-60	270	7				No significant Intercept

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLOCAC002	6963759	394237	549	-60	268	4			No significant Intercept	
RRLOCAC003	6963759	394398	549	-60	272	18			No significant Intercept	
RRLOCAC004	6963759	394557	550	-60	270	25			No significant Intercept	
RRLOCAC005	6963759	394477	549	-60	270	32			No significant Intercept	
RRLOCAC006	6963759	394437	549	-60	271	40			No significant Intercept	
RRLOCAC007	6963759	394718	550	-60	270	36			No significant Intercept	
RRLOCAC008	6963759	394877	550	-60	270	12			No significant Intercept	
RRLOCAC009	6963759	395038	550	-60	270	10			No significant Intercept	
RRLOCAC010	6963759	395197	550	-60	270	25			No significant Intercept	
RRLOCAC011	6963759	395355	554	-60	270	29			No significant Intercept	
RRLOCAC012	6963759	395517	554	-60	273	18			No significant Intercept	
RRLOCAC013	6963759	395678	555	-60	273	56			No significant Intercept	
RRLOCAC014	6963759	395837	559	-60	268	48			No significant Intercept	
RRLOCAC015	6964619	393437	550	-60	271	38			No significant Intercept	
RRLOCAC016	6964619	393598	550	-60	270	19			No significant Intercept	
RRLOCAC017	6964619	393757	550	-60	274	16			No significant Intercept	
RRLOCAC018	6964629	393938	550	-60	268	16			No significant Intercept	
RRLOCAC019	6964619	394077	555	-60	268	28			No significant Intercept	
RRLOCAC020	6964619	394238	552	-60	268	22			No significant Intercept	
RRLOCAC021	6964619	394397	500	-60	270	18			No significant Intercept	
RRLOCAC022	6964619	394558	500	-60	267	21			No significant Intercept	
RRLOCAC023	6964619	394717	500	-60	269	24			No significant Intercept	
RRLOCAC024	6964619	394878	500	-60	268	22			No significant Intercept	
RRLOCAC025	6964619	395037	500	-60	271	44			No significant Intercept	
RRLOCAC026	6964939	393437	500	-60	271	20			No significant Intercept	
RRLOCAC027	6964939	393598	500	-60	270	27			No significant Intercept	

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLOCAC028	6964939	393757	500	-60	270	20	No significant Intercept			
RRLOCAC029	6964939	393918	500	-60	270	20	No significant Intercept			
RRLOCAC030	6964939	394077	500	-60	270	24	No significant Intercept			
RRLOCAC031	6964939	394238	500	-60	270	20	No significant Intercept			
RRLOCAC032	6964939	394397	500	-60	270	32	No significant Intercept			
RRLOCAC033	6964939	394558	500	-60	272	20	No significant Intercept			
RRLOCAC034	6964939	394717	500	-60	270	30	No significant Intercept			
RRLOCAC035	6964939	394878	500	-60	270	41	No significant Intercept			
Pleco Collar Location							Intersection >1.0 ppm Au and >1g/t Au*m			
Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au (ppm)
RRLPLAC001	6916758	436051	503	-60	275	53	No significant Intercept			
RRLPLAC002	6916758	436096	503	-60	272	92	35	36	1	1.72
RRLPLAC003	6916676	436054	503	-60	270	75	34	35	1	1.2
RRLPLAC003							36	37	1	1.18
RRLPLAC004	6916678	436094	503	-60	270	77	No significant Intercept			
RRLPLAC005	6916441	436097	503	-60	270	101	34	35	1	1.2
RRLPLAC006	6916318	436138	503	-60	270	73	72	73	1	3.26
RRLPLAC007	6916276	436092	502	-60	269	101	No significant Intercept			
RRLPLAC008	6916275	436131	502	-60	270	65	32	33	1	1.91
RRLPLAC008							55	56	1	1.97
RRLPLAC009	6916194	436094	502	-60	270	82	No significant Intercept			
RRLPLAC010	6916194	436132	502	-60	269	68	40	42	2	6.81
RRLPLAC011	6916156	436097	502	-60	270	68	No significant Intercept			
RRLPLAC012	6915841	436254	502	-60	270	47	23	24	1	1.91
RRLPLAC013	6915837	436295	502	-60	270	75	28	29	1	1.98
RRLPLAC014	6915837	436334	502	-60	270	61	No significant Intercept			

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLPLAC015	6915801	436278	502	-60	270	81	No significant Intercept			
RRLPLAC016	6915799	436315	502	-60	270	73	No significant Intercept			
RRLPLAC017	6915759	436254	502	-60	270	78	No significant Intercept			
RRLPLAC018	6915759	436294	502	-60	270	62	No significant Intercept			
RRLPLAC019	6915761	436336	502	-60	270	72	No significant Intercept			
RRLPLAC020	6915436	436376	500	-60	270	55	29	33	4	3.2
RRLPLAC021	6915436	436415	501	-60	270	71	No significant Intercept			
RRLPLRC001	6915356	436379	500	-60	269	104	29	31	2	5.87
RRLPLRC001							35	36	1	5.87
RRLPLRC002	6915356	436455	500	-60	270	104	No significant Intercept			
RRLPLRC003	6915359	436538	501	-60	270	104	No significant Intercept			
RRLPLRC004	6915436	436458	501	-60	270	36	No significant Intercept			
RRLPLRC005	6915436	436458	501	-60	271	89	59	60	1	1.45
RRLPLRC005							65	68	3	1.72
RRLPLRC005							74	75	1	1.29
RRLPLRC006	6915437	436491	501	-60	270	110	No significant Intercept			
RRLPLRC007	6915479	436494	501	-60	270	114	No significant Intercept			
RRLPLRC008	6915519	436415	501	-60	270	99	31	32	1	1.34
RRLPLRC008							55	56	1	1.64
RRLPLRC009	6915519	436453	501	-60	270	114	42	43	1	6.27
RRLPLRC009							73	74	1	1.03
RRLPLRC010	6915519	436492	502	-60	270	130	71	72	1	3.1
RRLPLRC010							105	109	4	1.11
RRLPLRC011	6915916	436218	502	-60	270	74	22	24	2	4.81
RRLPLRC011							30	43	13	1.43
RRLPLRC012	6915915	436255	502	-60	270	89	31	32	1	2.78
RRLPLRC012							40	41	1	2.98

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLPLRC012							44	45	1	1.05
RRLPLRC013	6915957	436195	503	-60	270	79	20	23	3	2.29
RRLPLRC013							45	46	1	2.01
RRLPLRC014	6915956	436236	502	-60	270	89	44	45	1	1.35
RRLPLRC015	6915957	436275	503	-60	272	99	38	39	1	1.03
RRLPLRC016	6915994	436220	503	-60	270	84	41	42	1	4.02
RRLPLRC016							45	46	1	1.96
RRLPLRC017	6915994	436255	503	-60	270	94	47	48	1	1.13
RRLPLRC017							51	52	1	1.55
RRLPLRC017							59	60	1	1.27
RRLPLRC017							74	77	3	1.86
RRLPLRC018	6916155	436174	502	-60	268	94	49	50	1	1.1
RRLPLRC018							74	75	1	1.44
RRLPLRC019	6916157	436251	503	-60	270	119	No significant Intercept			
RRLPLRC020	6916194	436176	502	-60	270	84	69	70	1	1.46
RRLPLRC021	6916194	436212	503	-60	270	89	48	49	1	1.22
RRLPLRC022	6916195	436255	503	-60	270	104	80	81	1	1.61
RRLPLRC022							83	84	1	1.22
RRLPLRC022							96	97	1	1.1
RRLPLRC023	6916277	436174	503	-60	270	84	33	34	1	3.53
RRLPLRC024	6916277	436216	503	-60	270	94	79	80	1	1.42
RRLPLRC025	6916277	436255	504	-60	269	129	27	28	1	1.42
RRLPLRC026	6916277	436293	504	-60	270	139	137	138	1	1.07
RRLPLRC027	6916319	436214	503	-60	270	104	45	47	2	2.29
RRLPLRC027							74	75	1	1.04
RRLPLRC027							85	86	1	1.08
RRLPLRC027							91	92	1	1.84

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLPLRC028	6916441	436137	503	-60	268	114	30	31	1	1.3
RRLPLRC028							47	48	1	1.26
RRLPLRC028							60	61	1	1.43
RRLPLRC029	6916522	436055	503	-60	271	64	No significant Intercept			
RRLPLRC030	6916521	436094	503	-60	270	74	No significant Intercept			
RRLPLRC031	6916521	436134	503	-60	270	89	47	51	4	2.46
RRLPLRC032	6916520	436173	503	-60	271	94	38	39	1	1.19
RRLPLRC032							49	50	1	1.06
RRLPLRC032							60	61	1	8.64
RRLPLRC033	6916518	436215	504	-60	270	109	88	89	1	1.3
RRLPLRC034	6916599	436135	503	-60	272	89	33	34	1	1.65
RRLPLRC034							58	60	2	2.03
RRLPLRC035	6916596	436174	503	-60	272	89	55	56	1	2.64
RRLPLRC036	6916595	436218	504	-60	272	94	No significant Intercept			
RRLPLRC037	6916678	436133	503	-60	270	124	34	35	1	2.38
RRLPLRC038	6916756	436134	503	-60	270	89	29	30	1	1.09
RRLPLRC038							62	63	1	1.08
Petra Collar Location							Intersection >1.0 ppm Au and >1g/t Au*m			
Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au (ppm)
RRLPTRAC697	6936940	426928	537	-60	90	65	62	63	1	1.34
RRLPTRAC698	6936940	426908	537	-60	90	64	No significant Intercept			
RRLPTRAC699	6936940	426888	537	-60	90	60	No significant Intercept			
RRLPTRAC700	6936922	427098	540	-60	90	60	No significant Intercept			
RRLPTRAC701	6936920	426951	538	-60	90	48	No significant Intercept			
RRLPTRAC702	6936920	426935	538	-60	88	62	No significant Intercept			
RRLPTRAC703	6936920	426897	537	-60	92	61	No significant Intercept			

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLPTRAC704	6936900	426953	537	-60	90	47	40	41	1	2.5
RRLPTRAC705	6936900	426937	537	-60	90	66	40	41	1	2.52
RRLPTRAC706	6936900	426918	537	-60	90	67	43	44	1	11.3
RRLPTRAC706							63	64	1	1.46
RRLPTRAC707	6936900	426897	536	-60	90	64	48	49	1	1.03
RRLPTRAC708	6936900	426877	536	-60	88	71	43	45	2	4.39
RRLPTRAC709	6936900	426857	536	-60	90	68	27	28	1	1.02
RRLPTRAC709							37	38	1	1.11
RRLPTRAC709							50	53	3	3.57
RRLPTRAC709							58	60	2	6.76
RRLPTRAC710	6936860	426957	537	-60	90	57	52	53	1	1.22
RRLPTRAC711	6936860	426938	537	-60	90	71	31	32	1	1.43
RRLPTRAC711							59	60	1	2.32
RRLPTRAC712	6936860	426921	537	-60	92	60	31	32	1	1.2
RRLPTRAC712							43	44	1	1.84
RRLPTRAC713	6936860	426899	536	-60	91	68	44	45	1	4.58
RRLPTRAC714	6936860	426876	536	-60	90	68	29	32	3	1.09
RRLPTRAC714							44	45	1	1.81
RRLPTRAC715	6936860	426855	536	-60	90	67	No significant Intercept			
RRLPTRAC716	6936840	426957	537	-60	90	58	No significant Intercept			
RRLPTRAC717	6936840	426938	537	-60	90	71	16	17	1	1.57
RRLPTRAC717							30	31	1	1.11
RRLPTRAC717							61	62	1	4.19
RRLPTRAC718	6936840	426921	537	-60	91	66	No significant Intercept			
RRLPTRAC719	6936840	426899	536	-60	91	66	No significant Intercept			
RRLPTRAC720	6936840	426876	536	-60	90	71	37	38	1	1.55
RRLPTRAC720							48	54	6	5.83

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm	
RRLPTRAC721	6936840	426855	536	-60	90	71	61	66	5	2.83	
RRLPTRAC722	6936800	426945	536	-60	90	69	16	17	1	1.59	
RRLPTRAC722							42	43	1	1.13	
RRLPTRAC723	6936800	426924	536	-60	89	70	12	13	1	1.16	
RRLPTRAC723							43	44	1	1.02	
RRLPTRAC723							65	66	1	1.54	
RRLPTRAC724	6936800	426906	536	-60	90	68	15	16	1	1.26	
RRLPTRAC724							20	21	1	7.08	
RRLPTRAC725	6936800	426886	536	-60	90	71	50	51	1	1.06	
RRLPTRAC726	6936800	426866	536	-60	89	74	No significant Intercept				
Russell's Find Collar Location							Intersection >1.0 ppm Au and >1g/t Au*m				
Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au (ppm)	
RRLRFRC124	6905064	438653	530	-60	269	32	Awaiting Results				
RRLRFRC125	6905064	438672	530	-60	268	52	Awaiting Results				
RRLRFRC126	6905064	438692	530	-60	268	72	Awaiting Results				
RRLRFRC127	6905064	438712	530	-60	269	92	Awaiting Results				
RRLRFRC128	6905064	438732	530	-60	269	117	Awaiting Results				
RRLRFRC129	6905084	438653	530	-60	269	42	Awaiting Results				
RRLRFRC130	6905084	438673	530	-60	270	57	Awaiting Results				
RRLRFRC131	6905084	438692	530	-60	270	82	Awaiting Results				
RRLRFRC132	6905084	438712	530	-60	270	97	Awaiting Results				
RRLRFRC133	6905084	438732	530	-60	270	122	Awaiting Results				
RRLRFRC134	6905049	438747	530	-60	270	128	Awaiting Results				
RRLRFRC135	6905104	438662	530	-60	270	37	Awaiting Results				
RRLRFRC136	6905104	438700	530	-60	270	87	Awaiting Results				
RRLRFRC137	6905109	438743	530	-60	270	122	Awaiting Results				

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLRFRC138	6905129	438653	530	-60	267	42	Awaiting Results			
RRLRFRC139	6905129	438673	530	-60	270	67	Awaiting Results			
RRLRFRC140	6905129	438693	530	-60	270	82	Awaiting Results			
RRLRFRC141	6905129	438712	530	-60	270	102	Awaiting Results			
RRLRFRC142	6905129	438732	530	-60	270	127	Awaiting Results			
RRLRFRC143	6905154	438653	530	-60	269	32	Awaiting Results			
RRLRFRC144	6905154	438728	530	-60	270	122	Awaiting Results			
RRLRFRC145	6904899	438708	530	-60	270	97	Awaiting Results			
RRLRFRC146	6904894	438748	530	-60	270	132	Awaiting Results			
Rosemont Collar Location							Intersection >1.0 ppm Au and >1g/t Au*m			
Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au (ppm)
RRLRMDD027	6920244	428320	508	-61	74	571	No significant Intercept			
RRLRMDD028	6920282	428309	508	-58	74	500	438	439	1	4.06
RRLRMDD029	6920284	428309	508	-62	74	471	No significant Intercept			
RRLRMDD030	6920321	428298	509	-65	74	635	No significant Intercept			
RRLRMDD031	6919477	429086	508	-64	254	502	317.4	321	3.6	1.36
RRLRMDD031							350.58	350.88	0.3	1.82
RRLRMDD031							356	357	1	1.14
RRLRMDD032	6919521	429088	508	-64	254	114	Awaiting Results			
RRLRMDD033	6919522	429084	509	-69	248	695	430	431.93	1.93	7
RRLRMDD033							434	434.64	0.64	2.39
RRLRMDD033							437	438	1	1.42
RRLRMDD033							443.19	446.65	3.46	5.45
RRLRMDD033							461	464	3	1.72
RRLRMDD033							467	468.43	1.43	2.79
RRLRMDD033							473	476	3	1.58

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLRMDD034	6919562	429086	509	-61	248	556	408	409	1	4.12
RRLRMDD035	6919564	429086	509	-64	248	656	No significant Intercept			
RRLRMDD036	6919481	429097	507	-65	248	558	Awaiting Results			
RRLRMRC781	6919725	428766	385	-85	74	318	6	7	1	2.74
RRLRMRC781							15	16	1	1.42
RRLRMRC781							40	47	7	1.76
RRLRMRC781							76	86	10	1.6
RRLRMRC781							89	90	1	1.5
RRLRMRC781							94	101	7	2.19
RRLRMRC781							112	113	1	1.74
RRLRMRC781							132	133	1	2.7
RRLRMRC781							167	168	1	1.46
RRLRMRC781							204	205	1	1.24
RRLRMRC781							208	211	3	15.25
RRLRMRC781							222	223	1	1.46
RRLRMRC781							229	230	1	1.45
RRLRMRC781							239	243	4	1.04
RRLRMRC781							244	248	4	1.03
RRLRMRC781							251	252	1	1.14
RRLRMRC781							258	259	1	3.49
RRLRMRC781							268	270	2	10.42
RRLRMRC782	6919908	428685	390	-78	74	234	60	61	1	1.5
RRLRMRC782							105	110	5	2.95
RRLRMRC782							121	123	2	6.3
RRLRMRC782							126	133	7	48.4
RRLRMRC782							136	139	3	2.77
RRLRMRC782							143	144	1	1.6
RRLRMRC782							154	155	1	2.13

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLRMRC782							174	175	1	1.42
RRLRMRC782							178	179	1	1.16
RRLRMRC782							183	184	1	1.1
RRLRMRC782							186	189	3	1.03
RRLRMRC782							195	196	1	33.6
RRLRMRC782							206	211	5	1.81
RRLRMRC783	6921099	427808	506	-59	74	354	311	313	2	51.16
RRLRMRC783							319	320	1	1.06
RRLRMRC783							322	323	1	1.19
RRLRMRC784	6920619	428252	510	-58	72	300	215	217	2	4.73
RRLRMRC784							233	234	1	1.01
RRLRMRC784							250	251	1	2
RRLRMRC785	6920617	428248	510	-63	74	306	254	255	1	4.27
RRLRMRC785							258	264	6	4.36
RRLRMRC786	6920696	428231	509	-59	74	252	207	208	1	1.3
RRLRMRC786							211	212	1	4.37
RRLRMRC787	6920695	428229	509	-64	74	264	227	229	2	21.16
RRLRMRC787							242	243	1	1.04
RRLRMRC788	6919125	429291	502	-53	254	433	387	390	3	2.12
RRLRMRC788							394	395	1	1.09
RRLRMRC788							409	410	1	3.11
RRLRMRC788							419	421	2	1.59
RRLRMRC789	6919085	429298	502	-54	254	450	353	356	3	4.19
RRLRMRC789							375	376	1	1.35
RRLRMRC789							383	384	1	1.83
RRLRMRC789							396	397	1	1.4
RRLRMRC790	6920766	428197	509	-68	74	318	211	212	1	1.31

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLRMRC791	6920764	428192	508	-74	74	389	No significant Intercept			
RRLRMRC792	6919126	429301	502	-56	254	354	No significant Intercept			
RRLRMRC793	6919002	429305	501	-56	254	444	350	353	3	2.18
RRLRMRC794	6919003	429312	501	-59	254	378	358	359	1	2.36
RRLRMRC795	6919023	429242	502	-55	254	300	216	227	11	2.73
RRLRMRC795							239	243	4	1.47
RRLRMRC795							247	250	3	2.52
RRLRMRC795							258	261	3	1.79
RRLRMRC796	6919030	429243	502	-59	255	390	293	296	3	1.58
RRLRMRC796							304	308	4	2.73
RRLRMRC796							330	332	2	27.77
RRLRMRC796							339	340	1	1.5
RRLRMRC796							348	349	1	2.46
RRLRMRC797	6918956	429308	501	-49	254	312	156	160	4	1.15
RRLRMRC797							279	285	6	1.96
RRLRMRC798	6918957	429315	501	-53	254	330	287	288	1	1.52
RRLRMRC798							294	296	2	1.26
RRLRMRC798							326	327	1	1.02
RRLRMRC799	6918925	429331	501	-60	254	254	No significant Intercept			
RRLRMRC800	6918879	429318	500	-60	254	348	258	263	5	3.46
RRLRMRC800							266	267	1	1.78
RRLRMRC800							277	279	2	1.14
RRLRMRC800							283	284	1	1.02
RRLRMRC800							287	290	3	1.95
RRLRMRC801	6918840	429318	500	-60	254	294	228	231	3	1.46
RRLRMRC801							234	235	1	1.02
RRLRMRC801							237	238	1	1.6

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLRMRC801							243	244	1	1.53
RRLRMRC802	6918847	429344	500	-60	254	372	266	268	2	1.67
RRLRMRC802							271	272	1	1.63
RRLRMRC802							327	332	5	5.49
RRLRMRC803	6918804	429329	500	-60	254	306	223	228	5	1.97
RRLRMRC803							276	278	2	1.8
RRLRMRC804	6918810	429356	500	-60	254	384	164	168	4	2.06
RRLRMRC804							271	272	1	2.38
RRLRMRC804							282	289	7	1.18
RRLRMRC804							292	300	8	1.09
RRLRMRC804							307	309	2	1.36
RRLRMRC804							316	318	2	1.8
RRLRMRC804							330	332	2	2.68
RRLRMRC804							371	372	1	1.22
RRLRMRC805	6918781	429414	500	-60	254	420	315	316	1	1.29
RRLRMRC805							321	322	1	1.18
RRLRMRC805							325	330	5	1.96
RRLRMRC805							336	338	2	2.02
RRLRMRC805							350	351	1	2.01
RRLRMRC805							362	366	4	8.73
RRLRMRC806	6918781	429336	500	-60	254	228	No significant Intercept			
RRLRMRC807	6918790	429362	500	-60	254	396	258	267	9	1.22
RRLRMRC807							275	276	1	1.07
RRLRMRC807							277	278	1	1.17
RRLRMRC807							284	285	1	1.14
RRLRMRC807							295	301	6	1.32
RRLRMRC807							305	306	1	1.16

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLRMRC807							313	315	2	1.61
RRLRMRC808	6918800	429395	500	-60	254	480	320	324	4	2.81
RRLRMRC808							337	341	4	1.37
RRLRMRC808							353	354	1	1.07
RRLRMRC808							357	361	4	1.26
RRLRMRC808							365	367	2	1.28
RRLRMRC808							373	374	1	4.66
RRLRMRC808							392	399	7	4.47
RRLRMRC808							402	403	1	9.12
RRLRMRC809	6918767	429357	500	-60	254	282	214	218	4	1.28
RRLRMRC810	6918756	429320	500	-60	254	168	No significant Intercept			
RRLRMRC811	6918744	429330	500	-58	254	168	155	156	1	1.58
RRLRMRC812	6918752	429373	500	-60	254	288	234	235	1	1.21
RRLRMRC812							241	242	1	2.53
RRLRMRC813	6918734	429386	500	-60	253	318	244	254	10	1.6
RRLRMRC813							263	269	6	1.75
RRLRMRC814	6918741	429413	500	-60	254	372	284	286	2	2.35
RRLRMRC814							291	298	7	6.89
RRLRMRC814							303	306	3	2
RRLRMRC814							316	319	3	1.41
RRLRMRC814							326	328	2	1.79
RRLRMRC814							347	349	2	1.41
RRLRMRC815	6918684	429361	499	-60	254	234	172	182	10	1.33
RRLRMRC815							191	192	1	1.86
RRLRMRC816	6918701	429424	500	-60	254	378	283	287	4	3.15
RRLRMRC816							293	294	1	5.01
RRLRMRC816							309	310	1	8.4

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLRMRC816							317	319	2	1.92
RRLRMRC816							330	333	3	3.47
RRLRMRC816							353	356	3	2.96
RRLRMRC817	6918657	429407	500	-60	254	324	229	232	3	2.21
RRLRMRC817							250	252	2	6.84
RRLRMRC817							269	270	1	1.03
RRLRMRC817							277	279	2	1.38
RRLRMRC817							281	283	2	1.08
RRLRMRC817							286	290	4	2.19
RRLRMRC818	6918664	429435	500	-60	254	400	276	277	1	2.55
RRLRMRC818							287	288	1	7.16
RRLRMRC818							296	297	1	1.24
RRLRMRC818							301	302	1	1.1
RRLRMRC818							304	305	1	1.38
RRLRMRC818							315	316	1	1.57
RRLRMRC818							321	322	1	1.45
RRLRMRC818							333	338	5	1.15
RRLRMRC819	6918619	429426	500	-60	254	324	248	250	2	2.22
RRLRMRC819							266	269	3	2.15
RRLRMRC819							297	298	1	1.74
RRLRMRC819							304	305	1	2.15
RRLRMRC820	6918626	429452	500	-60	254	396	299	303	4	2.72
RRLRMRC820							310	311	1	1.9
RRLRMRC820							322	324	2	1.24
RRLRMRC820							332	333	1	2.9
RRLRMRC820							352	354	2	2.16
RRLRMRC820							363	366	3	3.15
RRLRMRC820							376	381	5	2.37

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLRMRC821	6918923	429314	501	-52	254	282	253	254	1	2.7
RRLRMRC822	6920838	428093	510	-67	74	318	265	267	2	1.35
RRLRMRC822							270	273	3	1.09
RRLRMRC823	6920837	428088	510	-74	74	234	Awaiting Results			
RRLRMRC824	6920896	428050	510	-79	74	408	Awaiting Results			
RRLRMRC825	6920961	428021	510	-70	74	324	Awaiting Results			
RRLRMRC826	6920960	428016	510	-76	74	378	Awaiting Results			
RRLRMRC827	6919189	429252	505	-54	253	420	Awaiting Results			
Slate Well Collar Location							Intersection >1.0 ppm Au and >1g/t Au*m			
Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au (ppm)
RRLSLAC001	6881165	434497	500	-60	91	43	No significant Intercept			
RRLSLAC002	6881165	434418	500	-60	90	47	No significant Intercept			
RRLSLAC003	6881165	434257	500	-60	90	29	No significant Intercept			
RRLSLAC004	6881165	434098	500	-60	90	74	No significant Intercept			
RRLSLAC005	6881165	433938	500	-60	91	49	No significant Intercept			
RRLSLAC006	6881165	433777	500	-60	88	31	No significant Intercept			
RRLSLAC007	6881165	433618	500	-60	89	20	No significant Intercept			
RRLSLAC008	6881165	433458	500	-60	85	6	No significant Intercept			
RRLSLAC009	6881165	433297	500	-60	90	10	No significant Intercept			
RRLSLAC010	6881165	433138	500	-60	90	10	No significant Intercept			
RRLSLAC011	6881165	433537	500	-60	93	11	No significant Intercept			
RRLSLAC012	6881165	433858	500	-60	91	19	No significant Intercept			
RRLSLAC013	6881719	433318	500	-60	268	41	No significant Intercept			
RRLSLAC014	6881719	433478	500	-60	268	33	No significant Intercept			
RRLSLAC015	6881719	433637	500	-60	270	68	No significant Intercept			
RRLSLAC016	6881719	433797	500	-60	270	30	No significant Intercept			

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLSLAC017	6881719	433958	500	-60	263	34	No significant Intercept			
RRLSLAC018	6881719	434117	500	-60	269	26	No significant Intercept			
RRLSLAC019	6881719	433718	500	-60	270	55	No significant Intercept			
Salt Soak Collar Location							Intersection >1.0 ppm Au and >1g/t Au*m			
Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au (ppm)
RRLSSRC004	6936159	417637	515	-60	92	284	154	157	3	1.34
RRLSSRC004							165	166	1	1.68
RRLSSRC004							276	279	3	5.33
RRLSSRC005	6935759	417908	515	-60	90	179	No significant Intercept			
Tooheys Well Collar Location							Intersection >1.0 ppm Au and >1g/t Au*m			
Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au (ppm)
RRLTWWE009	6909073	438057	520	-90	0	246	Awaiting Results			
RRLTWWE010	6909913	437909	520	-90	0	246	Awaiting Results			
Ventnor Collar Location							Intersection >1.0 ppm Au and >1g/t Au*m			
Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au (ppm)
RRLVNAC067	6936070	434724	561	-60	256	72	Awaiting Results			
RRLVNAC068	6936092	434797	561	-60	255	55	Awaiting Results			
RRLVNAC069	6936110	434865	561	-60	256	32	Awaiting Results			
RRLVNAC070	6936128	434937	562	-60	255	45	Awaiting Results			
RRLVNAC071	6936148	435016	562	-60	256	53	Awaiting Results			
RRLVNAC072	6936166	435095	562	-60	255	81	Awaiting Results			
RRLVNAC073	6936209	434695	562	-60	256	58	Awaiting Results			
RRLVNAC074	6936232	434769	561	-60	257	80	Awaiting Results			
RRLVNAC075	6936253	434848	562	-60	254	23	Awaiting Results			

Quarterly Report to 30 September 2018



Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLVNAC076	6936262	434914	562	-60	257	31				Awaiting Results
RRLVNAC077	6936280	434987	562	-60	254	31				Awaiting Results
RRLVNAC078	6936320	434638	562	-60	255	60				Awaiting Results
RRLVNAC079	6936327	434676	562	-60	254	70				Awaiting Results
RRLVNAC080	6936332	434716	562	-60	258	68				Awaiting Results
RRLVNAC081	6936339	434758	562	-60	255	78				Awaiting Results
RRLVNAC082	6936354	434794	562	-60	256	91				Awaiting Results
RRLVNAC083	6936361	434837	562	-60	255	38				Awaiting Results
RRLVNAC084	6936372	434865	562	-60	256	53				Awaiting Results
RRLVNAC085	6936640	434786	563	-60	256	90				Awaiting Results
RRLVNAC086	6936650	434827	563	-60	256	107				Awaiting Results
RRLVNAC087	6936660	434869	563	-60	258	98				Awaiting Results
RRLVNAC088	6936670	434908	564	-60	257	34				Awaiting Results
RRLVNAC089	6936672	434593	564	-60	258	61				Awaiting Results
RRLVNAC090	6936682	434636	564	-60	258	57				Awaiting Results
RRLVNAC091	6936690	434676	564	-60	256	64				Awaiting Results
RRLVNAC092	6936700	434715	564	-60	257	82				Awaiting Results
RRLVNAC093	6936711	434756	563	-60	255	97				Awaiting Results
RRLVNAC094	6936722	434796	563	-60	258	104				Awaiting Results
RRLVNAC095	6936720	434838	563	-60	257	110				Awaiting Results
RRLVNAC096	6936729	434876	563	-60	256	46				Awaiting Results
RRLVNAC097	6936977	434808	565	-60	256	104				Awaiting Results
RRLVNAC098	6938079	434977	572	-60	256	72				Awaiting Results
RRLVNAC099	6938092	435025	572	-60	256	113				Awaiting Results
RRLVNAC100	6938098	435068	573	-60	257	91				Awaiting Results
RRLVNAC101	6938109	435105	573	-60	256	74				Awaiting Results

Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au ppm
RRLVNAC102	6938119	435146	573	-60	256	54				Awaiting Results
RRLVNAC103	6938135	435186	572	-60	256	39				Awaiting Results
RRLVNAC104	6938069	434937	570	0	256	59				Awaiting Results
RRLVNAC105	6938159	434968	570	-60	270	99				Awaiting Results
RRLVNAC106	6938167	435008	571	-60	256	114				Awaiting Results
RRLVNAC107	6938178	435047	572	-60	256	77				Awaiting Results
RRLVNAC108	6938187	435085	571	-60	256	55				Awaiting Results
RRLVNAC109	6938198	435129	571	-60	256	47				Awaiting Results
Winnebago Collar Location							Intersection >1.0 ppm Au and >1g/t Au*m			
Hole_ID	Y	X	Z	Dip	Azimuth	Total Depth (m)	From (m)	To (m)	Interval (m)	Au (ppm)
RRLWIAC041	6926173	439417	540	-60	271	77				Awaiting Results
RRLWIAC042	6926163	439738	540	-60	270	64				Awaiting Results
RRLWIAC043	6926163	440057	540	-60	268	68				Awaiting Results
RRLWIAC044	6926163	440377	540	-60	269	79				Awaiting Results
RRLWIAC045	6926198	441697	540	-60	272	101				Awaiting Results