



ASX:RTR

Drilling for High Grade Discoveries 121 Mining Investment, Hong Kong March 20-21, 2019



Image – Maiden Munarra Gully Project RC Drilling which identified a New Significant Copper-Gold Discovery in 2018

Why Invest in Rumble?



Clear Strategy

- * Generating a pipeline of quality high grade base and precious metal projects at various stages of development
- * Critically reviewing against stringent criteria
- * Negotiate low cost upfront optionality
- * Systematically explore multiple projects to drill test for high grade world class discoveries

Discovery History

- Technical director Brett Keillor
- * Discovered 7 significant deposits world wide that turned into mines
 - * Twice AMEC Award "Prospector Of The Year", for the Plutonic and Tropicana discoveries
 - * Thirty years of identifying company making projects with majors Resolute and IGO
 - * First 2 drill programs with Rumble identified base metal & copper-gold discoveries

Fully Funded

- The company is in a strong cash position
- * Fully funded with \$2.2mil in bank to fast track exploration
 - * All projects acquired are low cost exploration to test for discovery
 - * Funded for potential new project acquisitions

Near Term Catalysts

- Highly leveraged to exploration success with multiple near term catalysts to have a significant re-rating in first 6 months of 2019
- * 4 Projects to be drill tested
 - * 4 projects drill targeting to be fast tracked to drill testing

Rumble Achievements and Outlook




Since October 2017

- Raised \$5mil – November 2017
- Optioned 5 new projects
- 1 Strategic Application
- Advanced all 6 towards drilling
- 2 Fraser Range projects JV'd with IGO
- 2 discoveries
- 2 mineralised systems

First 6 months 2019

- 4 projects - drill programs scheduled
- 4 projects - drill targeting
- Fraser Range JV – ongoing exploration




Corporate Overview



Capital Structure

Shares on Issue	#	357m
Options on Issue ^{1 2&3}	#	25.6M
Cash ⁴	A\$	\$2.2m
Market Cap	A\$	\$20m

1. 10.5mil 8c options (various expiry)
2. 4mil 3c Options (8 September 2020)
3. 11.1mil 15c Options (29 November 2019)
4. As reported in December 2018 Quarterly



Ownership Analysis

Board and Management		10.2%
Top 20		38%

Board & Management

Shane Sikora	Managing Director
Brett Keillor	Technical Director
Matthew Banks	Non-Executive Director
Michael Smith	Non-Executive Director

Pipeline of Projects



Braeside Zn-Pb-Cu-Ag -V Project

- 2 High Grade zinc and Lead discoveries
- **Targets:**
Regional scale porphyry to epithermal mineralised system.
Large Cu-Au disseminated porphyry deposits along with high grade base metal vein/breccia pipe and epithermal Pb-Zn-Ag-In+/- Au deposits.

Barramine Cu-Pb-Zn-Ag Project


- **Rock Chips** - up to 25.32% Cu, 279 g/t Ag, 6% Pb and 1.8% Zn
- **Target:**
Northern Extension of Braeside.

Lamil Cu-Au Project

- Strategic applications between Telfer Gold Mine (Newcrest) and Nifty Copper Mine (Metals X)
- **Target:**
Stratiform base metal and Telfer Cu-Au deposit types.

Long Lake Au-Cu-Ni-PGM Project

- Fieldwork has highlighted Sudbury Breccia and quartz diorite (known host for Sudbury Basin deposits) occurrences over several km of strike.
- **Target:**
Blind Sudbury "Offset Dyke" style massive Ni - Cu - PGM type deposits.



Munarra Gully Cu-Au Project

- **New Significant Cu-Au Discovery** - 22m @ 1% Cu from 29m coincident with 19m @ 2.19 g/t Au from 33m
- **Target:**
Multiple copper-gold bearing mafic (norite) intrusion deposits.

Earaheedy Zn Project

- **Zinc up to 14% within an intersection 11.3m @ 4.34% Zn, and 0.85% Pb from 150.2m**
- **Target:**
Mississippi Valley Type (MVT) type high angle high grade Zn-Pb deposits.

Fraser Range Ni-Cu Project

- JV with major Independence Group NL (ASX: IGO)
- **Target:**
Massive Ni-Cu type deposits.

Panache Co-Ni-Co-Au-PGM Project

- **Rock chips up to 1.1% Co, 6.01% Cu, 1.47% Ni, 3.5 g/t Pgm and 524 g/t Au**
- **Target:**
Intrusion hosted disseminated to semi-massive Ni-Cu-PGE-Au & contact related Ni-Cu-Co-PGE sulphide deposits.

Munarra Gully Cu-Au Project – Cue, Murchison




Image: White Rose Prospect – Copper-Gold Mineralisation over 800m includes RC & aircore drilling




Image: RC Drill section 615325E – White Rose Prospect

About Project

- The Munarra Gully project is located some 50km NNE of the town of Cue within the Murchison Goldfields – Rumble has option to earn 80% of E51-1677 and M51-122

Exploration target(s)

- Multiple copper-gold bearing mafic (norite) intrusions deposits.

Maiden RC Drill Program – New Significant Cu-Au Discovery

- Four RC drill-holes returned significant copper-gold mineralisation from a fine to medium grain intrusive pyroxenite (norite) at the White Rose Prospect
- Results included: – **22m @ 1% Cu from 29m coincident with 19m @ 2.19 g/t Au from 33m.** Maximum Cu was 2.66% (40-41m). Maximum Au was 11.56 g/t (49-50m).
- Multi-element geochemistry results confirmed elevated platinum/palladium (PGM's) with the copper-gold mineralisation discovered at the White Rose prospect: **Pt + Pd (to 96ppb), Ag (to 11.4 g/t), Mo (to 116ppm) and Re (0.28ppm).** Low level elevated element associations also noted include Co, Se and REE's.
- XRD (X-ray Diffraction) completed on copper – gold mineralised samples which highlighted idaite (supergene mineral after bornite) and chalcopyrite as the dominant copper minerals in the transitional zone.

White Rose Potential

- Shallow air-core drilling has **extended the strike potential of the copper-gold mineralisation to over 800m, significantly adding scale potential to the project – strike open west and northeast.**
- New target type** - A north-south trending magnetic target tested by the air-core drilling confirmed an **ultramafic intrusive (pyroxenite)** which returned **Ni to 4008 ppm and Cu to 1061 ppm** near surface.

Munarra Gully – Potential New Province



E51/1677 – Regional Geochemistry

Infill lag (soil) sampling defined was successful in defining **four high order copper drill targets** over a **strike of 3.6km**.

1. **Copper A1 Anomaly** – 600m strike, up to 400m wide with copper to 437 ppm
 2. **Copper A2 Anomaly** – 500m strike with copper to 444 ppm
 3. **Copper A3 Anomaly** – 2000m strike with copper to 620 ppm and gold to 35 ppb
 4. **Copper A4 Anomaly** – 200m strike with copper to 916 ppm and gold to 19 ppb
- **No previous copper exploration has been completed over these new targets.**
 - **Additional 4km of potential strike is under cover** between the Cu soil anomalism and White Rose Cu – Au mineralisation and is a priority target

Style - Mafic Hosted Magmatic Sulphide System

- The style of mineralisation is likely magmatic and is atypical with respect to mineralised mafic intrusive systems due to high Cu:Ni ratios, high Au and Ag, low S and elevated PGM's.
- The style is similar to known large copper rich mafic intrusive (ortho-pyroxenite) historical deposits in Brazil (Caraiba mining district – 96Mt @1.82% Cu reserve and production) and South Africa (Okiep mining district – Koperberg – 94Mt @ 1.75% Cu historic production). Gold, silver and PGM's are associated with these copper deposits.

Next Steps

Airborne magnetic survey - Survey has commenced to aid in delineating potential Cu-Au bearing intrusives and to help understand structural trends, further assisting current drill targeting work

Air core and RC drilling planned April 2019 key objectives include:

- **Extend the 800m strike of known Cu-Au mineralisation** at the White Rose prospect with shallow air core drilling.
- Test the recently **defined zones (up to 80m wide) of copper-gold mineralisation** and the **new Ni-Cu target** at White Rose prospect, with deeper **RC drilling**.
- Complete air core drilling traverses over the recently **defined copper in soil targets and potential strike under cover** at E51/1677




Image: Location of Project, Cu in Lag Anomalism and Inferred Prospective Orthopyroxenite

Earaheedy Zinc Project - Wiluna



About Project

- Rumble has the option to acquire 75% of the Earaheedy Project E69/3464 and 100% of E69/3543 - located approximately 110km north of Wiluna, WA

Target Potential and Style

- Review of historical drilling identified that **thirty-five (35) RC and diamond drill holes** intercepted **zinc mineralisation over an area of 20km by 3.5km** within carbonate rocks that are overlain by granular iron formations (Frere Formation). Examples of intersections:
 - 11.3m @ 4.34% Zn, 0.85% Pb from 150.2m
Includes 2.3m @ 14.42% Zn, 1.15% Pb from 150.2m
 - 35m @ 1.3% Zn from 208m.
Includes 6m @ 3.16% Zn from 210.5m.
 - 20m @ 1.86% Zn, 0.56 % Pb from 103m to EOH.
Includes 7m @ 3.6% Zn, 1.25% Pb from 103m.
 - High-grade silver mineralisation was also intercepted and includes
4m @ 559 g/t Ag from 257m (18 oz/tonne Ag)
2m @ 149 g/t Ag from 223m
- Rumble is targeting **Mississippi Valley Type (MVT) type high angle high grade Zn-Pb deposits**
- Exploration has shown **similarities to the historical Pillara (Blendevalle) Zn-Pb deposit** located in the Lennard Shelf of WA, with a strike of 2km discovered between 80m to 500m below surface for a resource of **20MT @ 8.3% Zn, 2.5% Pb, 17ppm Ag¹**

Six first Order gravity drill targets Defined

- Detailed infill gravity surveys completed by Rumble have been modelled (gravity inversion modelling) with **six first order drill targets identified**
- No historic drill-holes have intercepted the six first order gravity targets**




Image: Project Geology, Significant zinc mineralisation over an area of 20km by 3.5km and area of exploration focus




Image: Area of Exploration Focus see top image for location:
Drill InterceptsGr and Gravity Drill Targets over TMI Aeromagnetics.

Earaheedy Zinc Project - Wiluna



Compelling - Six first order gravity drill targets defined

- Importantly, the gravity targets are located over the main interpreted basement extension fault and likely represent high to moderate angle fault breccia zones with **high potential to host economic base metal mineralisation**.
- The gravity shells highlighting areas which could represent **mineralisation accumulation**;
- All six gravity targets are located within the flat lying carbonate unit that hosts the known zinc-lead horizon** (from historic drilling)
- The gravity targets dip steeply to the southwest **in line with the basement fault zone**.
- The gravity targets (iso-shells) are large, **up to 1.5km in strike length (EG1) and up to 300m in width**
- Widespread Zn and Pb metal distribution surrounding the gravity targets; significantly, **no historic drill-holes previously intercepted the six first order gravity targets**

Next Steps

- Rumble has scheduled a drilling program to test the significant first order drill targets in April 2019
- Two diamond tails will drill gravity targets EG1 and EG3 with contingency holes for gravity targets EG4 and EG6. The expectation is for 100m pre-collars with diamond tails up to 300m.
- Images highlight the proposed **diamond drill hole into target EG1**.
- Rumble has received EIS (co-funding) **funding approval (\$100,750)** for this diamond drilling program.




Image: Section AA (Location in bottom image on Page 8) – Mineralisation Model and Proposed Target .




Image: Drill Hole Intercepts with Gravity Targets over TMI Aeromagnetic Plan – Southeast Area.

Long Lake & Panache Cu-Ni-PGE-Co Projects – Sudbury, Canada



Exploration target(s)


- **Long Lake** –Target blind Sudbury “Offset Dyke” massive Ni–Cu–PGM type deposits
- **Panache** - Target potential feeders to gabbroic intrusions

The Copper Cliff Offset Dyke System

- The Copper Cliff South and Copper Cliff North mine have some **200 million tonnes of ore**. Vale Limited’s **Clarabelle mill, smelter and nickel refinery** are all located close to the Copper Cliff Offset dyke.
- The southernmost deposit discovered to date is at Kelly Lake with a reserve of **10.5 Mt @ 1.77% Ni, 1.34% Cu and 3.6 g/t PGM**. Note: IGO’s Nova – Bollinger Deposit in Fraser Range, WA has a reserve of **13.3 Mt @ 2.06% Ni and 0.83% Cu (2017)**. The Long Lake Project lies some 10km SW of the Kelly Lake Ni-Cu-PGM deposit inferred to be the faulted southern extension of the ‘Copper Cliff Offset Dyke’

About Sudbury Mining Camp, Ontario Canada

- Since 1883, the Sudbury Mining Field has been the **second-largest supplier of nickel ore in the world with over 1.7 billion tonnes of past production, reserves and resources**.
- Ni-Cu and PGM bearing sulphide minerals occur in a 60 km by 27 km elliptical igneous body called the **Sudbury Igneous Complex (“SIC”)**. The current model infers the SIC was formed some 1,844 million years ago after sheet-like flash/impact melting of nickel and copper bearing rocks by a **meteorite impact**.
- Mineralization occurs within the SIC as well as in the neighbouring country rocks in close association with breccias and so-called ‘**Offset Dykes**’. Nearly half of the nickel ore at Sudbury occurs in breccias and Offset Dykes in the footwall rocks of the SIC.



Examples of Offset Dyke Deposits

Very significant high value deposits occur as clusters along Offset Dykes and are often blind.

Copper Cliff Offset Dyke Deposits

The Kelly Lake Deposit was discovered below a smaller near surface deposit by downhole TEM in 1997 & defined in 2006.

Worthington Offset Dyke Deposits

The Totten Deposit, which is a similar size to the Kelly Lake Deposit, was discovered in 1999 by Inco.

The Victoria Deposit (over 1km deep) was defined by Quadra FNx in 2012 with a reserve of **14.5Mt @ 2.5% Ni, 2.5% Cu and 7.6 g/t PGM**.




Image – Offset Dyke Deposit Examples of the Sudbury Basin

Image – Location of the Long Lake and Panache Projects and the Deposit Types of the Sudbury Basin.

Long Lake Cu-Ni-PGE-Co Project – Sudbury, Canada



About Long Lake Au-Cu-Ni-PGM Project

- Rumble has option to earn 100%
- Fieldwork (including a single shallow diamond drill-hole of anomaly 19) has **highlighted Sudbury Breccia and quartz diorite** (known host for Sudbury Basin deposits) occurrences over 4km's km of strike.
- The occurrence is inferred to be the faulted southern extension of the 'Copper Cliff Offset Dyke' system that has been moved west by later regional faults - some 10km SW of the Kelly Lake Ni-Cu-PGM deposit




Image – Long Lake Project - Highlighting the Copper Cliff Offset Dyke and the Inferred Sudbury Breccia Dyke



Image – Long Lake Project – Anomaly 19 – Confirmed Sudbury Breccia & Quartz Diorite

Exploration Target

- blind Sudbury "Offset Dyke" massive Ni–Cu–PGM type deposits

Next Steps

- **Long Lake Project:** A deep penetrating ground TEM survey scheduled to test a VTEM conductor & outcropping Sudbury Breccia at anomaly 19 with the aim of generating high order conductors for subsequent diamond drill testing.

Panache Cu-Ni-PGE-Co Project

– Sudbury, Canada



About Panache Co-Ni-Cu-Au-PGM Project

- Rumble has option to earn 100%

Exploration Target

- Intrusion hosted disseminated to semi-massive Ni-Cu-PGE-Au sulphide deposits.
- Contact related Ni-Cu-Co-PGE sulphide deposits.

Area B – Ground TEM completed targeting shallow conductors

- Exposed gossans (up to 10m wide and 950m of strike) with grab sampling identifying **Cu to 1.61%, Ni to 0.49%, Co to 1.1%, Au to 1.64 g/t, Pt to 1.64 g/t and Pd to 1.58 g/t** Pd have been tested by a FLTEM (fixed loop transient electro-magnetic) survey.
- Two compelling shallow conductors at a shallow depth of 40m were delineated side by side** with associated stringer sulphide mineralisation within disseminated sulphides hosted in gabbro (Nipissing Gabbro).
- Conductor A has a strong conductive response (9000 siemens) and is considered to be semi to massive sulphide.**
- Conductor B has a lower conductive response (400 siemens) and is considered to be a zone of stringer sulphide.
- No previous drilling or geophysical targetting over Area B**

Next Steps

- A single diamond drill hole scheduled to test the two conductors.**




Image – Panache Project – Local Geology with Grab Sampling, Ground TEM Grid and Location of Conductors.





Image – Panache Project –Regional Geology and Target Area Location



Image – Panache Project – Exposed Gossan Area B

Braeside Zn-Pb-Cu-Ag-Au-V Project - East Pilbara



About Project

- Braeside Project area is over 1000 km²
- Rumble owns 70% of E45/2032, 100% of 7 applications and can earn 70% of contiguous northern Barramine project
- Hosted many historic high grade base metal small-scale mines that produced lead, zinc and silver 1901 to 1959
- Prior to Rumble acquisition Braeside had no modern exploration
- Region hosts multiple world class ore bodies
- Excellent all purpose roads to Port Hedland Port

Target Potential and Style

- Discovered a Regional Scale Porphyry to Epithermal System to surface – Very Rare
- Identified system has camp-scale potential for multiple deposit types – Uncommon
- 60 km of mineralised strike and up to 6km wide
- CSIRO and Rumble collaborative research investigating the significant porphyry to epithermal System to fast track drill targeting

Image: Braeside Project Location, Regional Geology and Tenement Status


Regional Scale Porphyry to Epithermal System



Braeside Geological/Alteration Model Porphyry Related Polymetallic Vein Deposit Types


Geological Model

Location Plan of Prospects



Diagrammatic only
not to scale

Cross Section of Prospects



- Four mineralised alteration zones have been discovered over 35km by 6km

- The zones represent a regional scale porphyry to epithermal mineralised system with camp-scale potential for multiple deposit types

Lightning Ridge – East Mineralised Zone

Target: Multiple vein high-grade Pb-Ag-In epithermal/epizonal deposits with Cu – Zn

- The zone represents the highest deposition level discovered to date.
- The northwest trending vein/feeder is dominantly Pb–Ag mineralization with high grade indium
- Alteration is pervasive chlorite with low level sphalerite and red-orange adularia veinlets

Boom Boom Mancini/Gossan East/Barker Well – Central Mineralised Zone

Target: High-grade base metal (Pb dominant) sulphide – silica veins/breccia pipes deposits

Strike: Zone extends over 15km and is open north into Rumbles Barramine JV

- The zone represents the next deposition level below Lightning Ridge
- Quartz – sulphide vein sets typically have a silica halo, rarely feldspar-sericite with a strongly developed broad chlorite – Zn enriched haloes and adularia veinlets.
- Mineralisation is Pb - Zn dominant. Later overprinting deformation (shear zones and faults) often develops Cu with minor Ag and Au.

Devon Cut – Mt Brockman 2 – Central Mineralised Zone

Target: High-grade base metal (Zn dominant) sulphide – silica veins/breccia pipes deposits

Strike: Zone occurs as three separate vein sets over 20km.

- The zone represents a lower deposition level to above.
- Silica – sulphide fracture/feeder/vein zones are associated with pervasive sub-alkalic feldspar – silica – sericite alteration with generally broad chlorite haloes often with elevated Zn.
- Mineralisation is dominant Zn – Pb. Cu is often associated with later overprint.
- Lower order Au and Ag occurs with the higher-grade base metal zones. Vanadium (vanadate) has developed in some areas.

Barium Ridge – Sugar Ramos – West Mineralised Zone

Target: Large scale disseminated Cu – Au deposits associated with underlying porphyry

Strike: Zone extends over 14km.

- The zone represents lowest deposition level to date.
- Wide pervasive zones of Ba Kspar with silica zones and strong chloritisation of the wall-rocks have ubiquitous low order Pb mineralization along with anomalous Rb (rubidium).
- At Barium Ridge, the alteration has completely replaced the andesitic basalt host rocks with anomalous Au (0.96 g/t) and within the alteration zones, pyrite-silica zones are present.
- The Sugar Ramos area is considered very significant as magnetite – actinolite has been defined with zones of elevated copper (chalcopyrite) and gold. Central to the core of the broad alteration halo, intense sericite zones are present, potentially indicating higher temperature acidic fluid pathways have developed above a porphyry intrusion.

Barium Ridge & Sugar Ramos Zone




Image. Barium Ridge RC Drill Hole Sections

Target: Large scale disseminated Cu – Au deposits associated with underlying porphyry

Strike: Extends over 14km – Completely Open

Barium Ridge Prospect – New Discovery

- * 58m @ 2.32% BaO, 6.43% K₂O, 230ppm Rb from surface to EOH (BRR083)
Including 16m @ 0.14% Pb from 4m
- * 86m @ 1.96% BaO, 8.84% K₂O, 307ppm Rb from 8m (BRR085 – down-dip)
Including 57m @ 0.22% Pb from 16m.
- * 26m @ 3.84% BaO, 8.91% K₂O, 0.18% Pb, 373ppm Rb from 4m (BRR086)
Including 1m @ 0.96 g/t Au from 9m.
- * intercept width – 0.5% BaO cutoff – 0.1% Pb cutoff used to indicate alteration halo
- Wide intensely barium potassium feldspar zones with elevated copper, gold and lead along with magnetite-actinolite mineralisation are indicative of a proximal fertile mineralised porphyry.




Image: Sugar Ramos Prospect RC Section – Alteration




Image - Barium Ridge High Priority Target

Sugar Ramos Prospect

- The Sugar Ramos Prospect lies within the barium corridor and located 9km NNW of Barium Ridge.
- Very significant alteration with elevated copper and gold has been outlined in a single RC drill hole designed to tested high grade base metal grab sampling of a large altered northwest trending at Sugar Ramos. Grab sampling returned up to 54.27% Pb, 72 g/t Ag and 1.45 g/t Au.
- Alteration indicative of an underlying porphyry system was intercepted with zones of intense sericite, Kspar and Ba Kspar. Magnetite and actinolite (calcic) alteration were encountered along with broad zones of elevated copper (chalcopryrite) with the peak value at 970ppm. Elevated Au (to 0.12 g/t) and minor Pb – Zn were also associated with the alteration.

Barker Well & Gossan East Zone




Image: Barker Well Prospect RC Drill Sections




Image: Barker Well Drill Hole and Prospectivity Plan




Image: Gossan East – RC Section.

Target: High-grade base metal (Pb dominant) sulphide – silica veins/breccia pipes deposits

Strike: Extends over 15km from Gossan East to Barker Well & open north into Rumbles Barramine JV.

Barker Well Prospect –High-Grade Discovery over 500m of strike (open)

- 6m @ 6.16% Pb from 46m.
- 3m @ 9.16% Pb, 0.43% Zn from 34m.
- 105m @ 0.78% Pb + Zn - very wide zones of alteration indicative a large base metal system
- multiple galena-sphalerite zones associated with broad zones of pervasive silica – chlorite – sericite alteration in undeformed andesitic basalts and minor intercalated volcanoclastics.

Gossan East Prospect

- 8m @ 1.23% Zn, 1.27% Pb, 0.14% Cu from 34m (BRR095)
- 4m @ 3.48% Zn, 0.4% Cu from 44m (BRR096)
* Intercept width
- Pb-Zn-Cu mineralization associated with flat lying andesitic basalts
- Alteration was intense chlorite – silica with the mineralization consisting of stringer to semi-massive galena-sphalerite-silica with minor chalcopyrite.
- The structure is open to the north towards Barker Well

Lightning Ridge & Mt Brockman 2 Zone

Lightning Ridge – Eastern

Target: Multiple vein high-grade Pb-Ag-In epithermal/epizonal deposits with Cu – Zn.

Strike: Galena (Pb) – silver +/- zinc mineralization with a later copper overprint is associated with a sub-vertical northwest striking sulphide - silica vein over 220m.

Lightning Ridge Prospect - New Discovery

- 4m @ 6.35% Pb, 14.7 g/t Ag from 35m (BRRC104)
- 4m @ 5.42% Pb, 0.45% Zn, 19.7 g/t Ag from 53m (BRRC106)
*Intercept width only – 0.5% base metal cutoff.
- Pervasive low-grade Zn replacement haloes/fronTS within the siltstone is indicative of the main mineralized vein/feeder being a similar age to the host rocks.
- Alteration is chloritisation (in places intense) of the wall-rock with pervasive low order zinc mineralization and veinlets of adularia. The width of alteration up to 50m with elevated Zn (BRRC106 – inclined depth 70m averaged 750ppm Zn). Depth of weathering was approximately 15-20m.

Devon Cut – Mt Brockman 2 – Central

Target: High-grade base metal (Zn dominant) sulphide – silica veins/breccia pipes deposits

Strike: Occurs as three separate vein sets over 20km.

Mt Brockman Prospect

- Strong feldspar-silica-sericite alteration returned: 2m @ 3.3%Zn, 0.52%Pb, 0.7% Cu from 16m (BRRC079).
- Mineralisation is open to the north - Recent CSIRO study generated high order spectral targets in this region




Image: Lightning Ridge – RC Section

Fastrack next round of Drilling 2019



Lightning Ridge – Eastern Zone

Target: Multiple vein high-grade Pb-Ag-In epithermal/epizonal deposits with Cu – Zn.

- Detailed surface geochemistry along interpreted vein systems (structure mapping)
- RC drilling

Gossan East/Barker Well - Central Zone

Target: High-grade base metal (Pb dominant) sulphide – silica veins/breccia pipes deposits

- Detailed geochemistry at Barker Well north along strike into the Barramine JV and between Gossan East and Barker Well
- Structural mapping to highlight high priority targets
- RC drilling
- Diamond drilling

Devon Cut – Mt Brockman 2 – Central Zone

Target: High-grade base metal (Zn dominant) sulphide – silica veins/breccia pipes deposits

- Follow up geochemistry at high order spectral targets generated from the recent CSIRO study
- Structural mapping to highlight targets.
- RC drilling

Barium Ridge – Sugar Ramos – Western Zone

Target: Large scale disseminated Cu – Au deposits associated with underlying porphyry

- Detailed magnetic survey to highlight zones of magnetite associated with potential mineralised intrusions - **Completed**
- Detailed geochemistry infill to highlight co-incident Ba – Cu – Au anomalism
- Conduct geophysics (IP) over targets generated
- Diamond drill test targets




Image: Braeside Prospectivity and Proposed Exploration Targets 2019

Barramine Cu-Pb-Zn-Ag Project - East Pilbara



About Project

- Rumble has the option to acquire 70% of E45/4368
- The same geology and structure that hosts the Braeside Project mineralisation interpreted to extend north into the Barramine Project

Exploration target(s)

- Large scale disseminated Cu – Au deposits associated with underlying porphyry
- High-grade base metal sulphide – silica veins/breccia pipes deposits
- Multiple vein high-grade Pb-Ag-In epithermal/epizonal deposits with Cu – Zn.

Regional Soil Geochemistry 2018

- Gold in stream anomalism - > 10 times background
- Strong Pb, Zn, Cu and Ba zonation with widespread low order anomalism along the westernmost margin of the tenement.

Next Steps

- Detailed magnetic survey to highlight zones of magnetite associated with potential mineralised intrusions - **Completed**
- Detailed soil geochemistry along main trend.
- Follow-up in situ pXRF soil sampling of anomalism generated by soil geochemistry.
- Detailed prospect mapping and grab sampling of high order base metal targets.





Image – Barramine JV E45/4368 – Location, Results and Proposed Regional Soil Geochemistry

Lamil Cu-Au Project – Paterson Province



About Project

- Strategic exploration 100% license applications over the highly prospective **Paterson Province** terrane located between the major mining operations of the large Telfer Gold Mine owned by Newcrest and the Nifty Copper Mine owned by Metals X Limited.
- The applications cover an **area of 1375km²**
- The highly mineralised **Paterson Province region** has recently been subject to extensive exploration from various groups targeting large scale stratiform Cu, sediment hosted Zn-Pb, potential iron oxide copper gold (IOCG) and sediment hosted vein copper - gold Telfer Style deposits.

Exploration target(s):

- Stratiform base metal and Telfer Cu-Au deposit types.

Next Steps

- Finalise review of historical exploration
- Detailed magnetic survey to highlight zones of magnetite associated with potential mineralised intrusions - **Completed**

Fraser Range Ni-Cu Projects




Image: Fraser Range Project Location, Regional Geology and Tenement Status

About Project

- Joint Venture Agreement signed with leading base metal and gold miner Independence Group NL (ASX: IGO) on Rumble's highly prospective Thunderdome and Thunderstorm Projects in the Fraser Range, Western Australia
- IGO to earn 70% equity in Rumble's 100% owned Projects by spending \$1.5m on exploration
- Rumble to be free-carried through to completion of a Pre-Feasibility Study on any of the Fraser Range tenements
- Rumble to benefit from IGO's extensive expertise as the dominant regional player in the Fraser Range

Exploration target(s)

- Target massive Ni – Cu sulphide deposits

Next Steps

- IGO has actively been exploring on the 2 projects

Investment Summary



- Generating and drill testing a pipeline of projects capable of high grade world class discoveries
- Successful Technical Director previously discovered 7 significant deposits worldwide
- Strong working capital with \$2.2mil cash at bank
- Low cost optionality to test for discovery
- Highly leveraged to exploration success

Near term catalysts for significant re-rating:

- | | | |
|---------------------------------|---|--|
| ○ Scheduled - March 2019 | ➡ | Drill targeting Ground TEM Long lake Au-Cu-Ni-PGM Project |
| ○ Scheduled - March 2019 | ➡ | Drill targeting Lamil Cu-Au Project |
| ○ Scheduled - March 2019 | ➡ | Drill targeting Braeside Zn-Pb-Cu-Ag-Au-V Project |
| ○ Scheduled - March 2019 | ➡ | Drill targeting Barramine Cu-Pb-Zn-Ag Project |
| ○ Scheduled - April 2019 | ➡ | Drill testing Munarra Gully Cu-Au Project |
| ○ Scheduled - April 2019 | ➡ | Drill testing Earacheedy Zn Project |
| ○ Scheduled - June 2019 | ➡ | Drill testing Braeside Zn-Pb-Cu-Ag-Au-V Project |
| ○ Scheduled - June 2019 | ➡ | Drill testing Panache Cu-Ni-PGE-Co Project |
| ○ Ongoing | ➡ | IGO drill testing Fraser Range Ni-Cu Projects |

Contacts and Disclaimer



Shane Sikora, Managing Director
E: s.sikora@rumblresources.com.au

Brett Keillor, Technical Director
E: b.keillor@rumblresources.com.au

Web: www.rumblresources.com.au

Disclaimer;

- This presentation has been prepared by Rumble Resources Limited (Rumble or the **Company**). It contains general information about the Company's activities current as at the date of the presentation. The information is provided in summary form and does not purport to be complete. This presentation is not to be distributed (nor taken to have been distributed) to any persons in any jurisdictions to whom an offer or solicitation to buy shares in the Company would be unlawful. Any recipient of the presentation should observe any such restrictions on the distribution of this presentation and warrants to the Company that the receipt of the presentation is not unlawful. It should not be considered as an offer or invitation to subscribe for or purchase any securities in the Company or as an inducement to make an offer or invitation with respect to those securities. No agreement to subscribe for securities in the Company will be entered into on the basis of this presentation or any information, opinions or conclusions expressed in the course of this presentation. This presentation is not a prospectus, product disclosure document or other offering document under Australian law or under any other law. It has been prepared for information purposes only. This presentation contains general summary information and does not take into account the investment objectives, financial situation and particular needs of any individual investor. It is not financial product advice and investors should obtain their own independent advice from qualified financial advisors having regard to their objectives, financial situation and needs. Rumble nor any of their related bodies corporate is licensed to provide financial product advice.
- This presentation and information, opinions or conclusions expressed in the course of this presentation contains forecasts and forward looking information. Such forecasts, projections and information are not a guarantee of future performance, involve unknown risks and uncertainties. Actual results and developments will almost certainly differ materially from those expressed or implied. There are a number of risks, both specific to Rumble, and of a general nature which may affect the future operating and financial performance of Rumble, and the value of an investment in Rumble including and not limited to title risk, renewal risk, economic conditions, stock market fluctuations, manganese demand and price movements, timing of access to infrastructure, timing of environmental approvals, regulatory risks, operational risks, reliance on key personnel, reserve estimations, native title risks, foreign currency fluctuations, and mining development, construction and commissioning risk.
- You should not act or refrain from acting in reliance on this presentation, or any information, opinions or conclusions expressed in the course of this presentation. This presentation does not purport to be all inclusive or to contain all information which its recipients may require in order to make an informed assessment of the prospects of Rumble. You should conduct your own investigation and perform your own analysis in order to satisfy yourself as to the accuracy and completeness of the information, statements and opinions contained in this presentation before making any investment decision. Recipients of this presentation must undertake their own due diligence and make their own assumptions in respect of the information contained in this presentation and should obtain independent professional advice before may any decision based on the information. No representation or warranty, express or implied, is made in relation to the fairness, accuracy or completeness of the information, opinions and conclusions expressed in the course of this presentation. To the maximum extent permitted by law, no representation, warranty or undertaking, express or implied, is made and, to the maximum extent permitted by law, no responsibility or liability is accepted by the Company or any of its officers, employees, agents or consultant or any other person as to the adequacy, accuracy, completeness or reasonableness of the information in this presentation. To the maximum extent permitted by law, no responsibility for any errors or omissions from this presentation whether arising out of negligence or otherwise is accepted. An investment in the shares of the Company is to be considered highly speculative.
- The exploration targets or conceptual exploration targets in this presentation or expressed during the course of this presentation are subject to completion of the necessary feasibility studies, permitting and execution of all necessary infrastructure agreements. In relation to any statements pertaining to future exploration targets or conceptual exploration targets, the nature of the exploration target means that the potential quantity and grade is conceptual in nature, that there has been insufficient exploration to define a Mineral Resource and that it is uncertain if further exploration will result in the determination of a Mineral Resource. This presentation and information, opinions or conclusions expressed in the course of this presentation should be read in conjunction with Rumble's other periodic and continuous disclosure announcements lodged with the ASX, which are available on the Rumble website. In respect of reported historical exploration results please refer ASX announcements dated 20 March 2017 and 18 April 2017. Some statements in this presentation regarding future events are forward-looking statements. They involve risk and uncertainties that could cause actual results to differ from estimated results. Forward-looking statements include, but are not limited to, statements concerning the Company's exploration programme, outlook and target sizes. They include statements preceded by words such as "potential", "target", "scheduled", "planned", "estimate", "possible", "future", "prospective" and similar expressions.

Competent Person Statement:

- The information in this presentation that relates to Exploration Results or Mineral Resources is based on information compiled or reviewed by Mr Brett Keillor, who is a Member of the Australian Institute of Mining and Metallurgy. Mr Keillor has sufficient experience, which is relevant to the style of mineralisation and type of deposit under consideration and to activities undertaken, to qualify as a Competent Person as defined in the 2012 Edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves". Mr Keillor consents to the inclusion in the presentation of the matters based on his information in the form and context in which it appears.