

28th MAY 2020

OKLO'S SK1 TREND GROWS TO 3KM FOLLOWING FURTHER SIGNIFICANT HITS FROM SK1 NORTH, SK1 SOUTH & KOKO

Oklo Resources Limited ("Oklo" or "the Company") is pleased to report further highly encouraging results from the resource definition drilling program currently in progress at its flagship Dandoko Project located in west Mali, Africa.

HIGHLIGHTS

- ▶ Assay results received from 17 reverse circulation (RC) and 7 diamond (DD) holes from SK1 North and SK1 South at Seko.
- ▶ At **SK1 North**, further wide zones of gold mineralisation returned from step-out drilling at depth and along strike. Significant intersections include:
 - ▶ **33m at 2.95g/t gold** from 115m including;
 - ▶ **20m at 4.17g/t gold** from 128m
 - ▶ **20m at 2.09g/t gold** from 179m including;
 - ▶ **7m at 4.20g/t gold** from 180m
 - ▶ **31m at 1.14g/t gold** from 3m including;
 - ▶ **10m at 2.65g/t gold** from 4m, and
 - ▶ **10m at 2.32g/t gold** from 152m including;
 - ▶ **3m at 6.18g/t gold** from 159m
 - ▶ **12m at 2.40g/t gold** from 66m including;
 - ▶ **3m at 5.59g/t gold** from 69m
- ▶ At **SK1 South**, optimised drilling orientation reveals potential for new south-plunging shoot. Significant results include:
 - ▶ **17m at 2.81g/t gold** from 65m including;
 - ▶ **4m at 8.03g/t gold** from 71m
 - ▶ **6m at 7.27g/t gold** from 25m including;
 - ▶ **2m at 19.35g/t gold** from 25m
 - ▶ **21m at 1.74g/t gold** from 136m including;
 - ▶ **10m at 2.97g/t gold** from 136m
 - ▶ **4m at 11.45g/t gold** from 7m including;
 - ▶ **1m at 41.0g/t gold** from 8m
- ▶ Drilling planned to target inadequately tested ~500m gap between SK1 North and SK1 South for further shoot development.
- ▶ 250m step out AC drill traverses south of SK1 South return significant gold including **5m at 10.7g/t gold**.

- ▶ Limited follow-up RC drilling at Koko located ~2km south of SK1 South intersects more significant gold mineralisation including:
 - ▶ **58m at 1.14g/t gold** from 3m and **3m at 2.48g/t gold** from 89m
 - ▶ **9m at 1.10g/t gold** from 45m with the hole ending in mineralisation
- ▶ Assay results received from wide-spaced shallow aircore (AC) between Koko and SK1 South outlines several anomalous gold zones with individual grades up to **5.31g/t gold**.
- ▶ The RC and DD drilling programs at SK1 are ongoing with more RC and DD holes completed awaiting assay results.
- ▶ Oklo remains well-funded to advance this compelling phase of drilling at SK1, which will continue up to the onset of the wet season (expected in July) with delivery of the maiden Mineral Resource Estimate (MRE) now expected during 2H 2020.

"We are pleased to report these new assay results from SK1, which highlight the potential for further shoot development along the ~3km trend extending from SK1 North to Koko. In particular, the results from SK1 South point to a new shoot emerging following implementation of the more optimal northwest drill hole orientation which brought about the SK1 North discovery. We are becoming increasingly confident that the drilling planned along the SK1 trend in the lead up to the wet season will deliver further open pittable oxide mineralisation to Oklo's maiden MRE, expected to be finalised during 2H 2020." - commented Oklo's Managing Director, Simon Taylor.

Oklo Resources Limited ("Oklo" or "the Company") is pleased to report the receipt of further assay results from its drilling program over Seko and Koko within the Company's flagship Dandoko Project.

Oklo's Dandoko Project is located within the Kenieba Inlier of west Mali, approximately 30km east of B2Gold's 7.1Moz Fekola Project and 50km south-southeast of Barrick's 12.5Moz Loulo Project (Figure 1(a)). The Company currently holds ~500km² of highly prospective ground in this emerging world-class gold region.

Extensive gold anomalies have previously been outlined by auger drilling along the 12km-long Dandoko gold corridor (Figure 1(b)). The potential of this corridor to host large, gold mineralised systems has been demonstrated by the recent drilling success at Seko and several other nearby prospect areas.




Figure 1(a): Location of Oklo's gold projects in west Mali.




Figure 1(b): Location of Seko and Koko gold trends within the Dandoko gold corridor

Oklo's current field program is focused on infill drilling and closing off previously defined zones of gold mineralisation at Seko and adjoining areas in advance of its maiden MRE. Seko comprises five coherent auger gold trends (SK1-5) with a combined strike length of ~7km.

The evaluation of the recent SK1 North discovery and exploration for potential extensions to SK1 South is ongoing with the latest round of drill results reported in this announcement. Additionally, assay results are reported from follow-up RC drilling at Koko and shallow reconnaissance aircore (AC) drilling between Koko and Seko. The significant drill hole intersections are summarised in Tables 1, 2, 5 and 6 with all drill hole locations summarised in Table 3 and 4 graphically presented in Figures 2 to 10.

SK1 NORTH

The initial phase of drilling at SK1 North in late 2019 returned a spectacular intersection of 47m at 10.95g/t gold from 48m¹, following which Oklo's Board approved additional RC drilling to test this emerging zone of high-grade gold mineralisation.

The follow-up drilling returned further exceptional intersections including 55m at 7.65g/t gold from 54m, 51m at 4.28g/t gold from 63m, 31m at 7.12g/t gold from 30m and 29m at 2.46g/t gold from 51m.²

A series of step-out DD holes testing the down-dip continuity of the high-grade gold mineralisation successfully intersected 30m at 8.54g/t gold from 135m³ and 38m at 5.65g/t gold from 159m⁴ in the deepest holes and 34m at 4.07g/t gold from 83m⁵ immediately along strike.

Assay results received from an additional 7 DD holes and 11 RC holes at SK1 North are reported in this release. The latest assay results have successfully extended the high-grade gold mineralisation at depth on several sections.

Of particular note in the north of SK1 North, hole RDSK20-072 intersected **33m at 2.95g/t gold** from 115m downhole, including **20m at 4.17g/t gold** from 128m downhole (Section D, Figure 5).

More shallow drill testing above this zone intersected a wide zone of near surface gold mineralisation in hole RDSK20-224, returning **31m at 1.14g/t gold** from 3m downhole including **10m at 2.65g/t gold** from 4m and a second deeper zone of **6m at 3.71g/t gold** from 45m (including **2m at 10.50g/t gold** from 48m).

Two DD holes drilled to the immediate north (RDSK20-073) and south (RDSK20-071) of hole RDSK20-072 intersected further zones of gold mineralisation at varying depths. Hole RDSK20-073 returned **16m at 1.71g/t gold** from 78m (including **5m at 3.72g/t gold**), with hole RDSK20-071 intersecting **4m at 3.65g/t gold** from 124m. A RC hole (RCSK20-228) completed 80m to the north of hole RDSK20-072 intersected **10m at 1.82g/t gold** from 26m, including **3m at 4.60g/t gold**.

Four step-out RC holes (RCSK20-219 to RCSK20-222) completed at the northern end of SK1 North intersected anomalous mineralisation in hole RCSK20-220 (**18m at 0.30g/t gold**) indicating that the host structure continues northwards towards Dabia.

In the central portion of SK1 North, DD hole RDSK20-075 intersected **20m at 2.09g/t gold** from 179m, including **7m at 4.20g/t gold** (Section E, Figure 6). A deeper DD hole (RDSK20-076) has recently been completed to a total depth of 360m with assay results pending.

In the south of SK1 North, DD hole RDSK20-069 intersected **10m at 2.32g/t gold** from 152m, including **3m at 6.18g/t gold**. RC holes RCSK20-226 and RCSK20-227 returned **12m at 2.40g/t gold** from 66m, including **3m at 5.59g/t gold**, and **21m at 1.29g/t gold** from 102m respectively.

Based on the results received to date, SK1 North remains open at depth with modelling indicating a southerly plunge to the high-grade mineralisation. Drilling is continuing both down dip and along strike to the north.

¹ Refer ASX announcement 20th November 2019, "Spectacular Hit of 47m at 10.97g/t Gold from Seko"

² Refer ASX announcement 29th January 2020, "New High-Grade Zone Confirmed at Seko – 55m at 7.65g/t Gold"

³ Refer ASX announcement 5th February 2020, "High-Grade Continuity Confirmed at Depth at Seko"

⁴ Refer ASX announcement 1st April 2020, "SK1 North Confirmed Over 500m Includes 32m at 10.57g/t Gold"

⁵ Refer ASX announcement 25th February 2020, "SK1 Continues to Grow Along Strike And At Depth"

SK1 SOUTH

Assay results have been received from 6 RC holes completed at SK1 South designed to test for an easterly dipping control to the mineralisation, similar in style to SK1 North.

All 6 holes (RCSK20-230 to 235) were oriented to the northwest and successfully intersected gold mineralisation with apparent easterly dip and plunge to the south (Figures 7 and 8).

Significant intersections included: **6m at 7.27g/t gold** from 25m (including **2m at 19.35g/t gold**) and **11m at 1.49g/t gold** from 127m (including **5m at 2.28g/t gold**) in hole RCSK20-231; **17m at 2.81g/t gold** from 65m (including **4m at 8.03g/t gold**) in hole RCSK20-232; **4m at 11.45g/t gold** from 7m (including **1m at 41.0 g/t gold**) and **14m at 1.18g/t gold** from 113m in hole RCSK20-234; and **21m at 1.74g/t** from 136m gold (including **10m at 2.97g/t gold**) from 136m in hole RCSK20-235.

The Company considers the new SK1 South results to be highly significant both in terms of the emergence of a new south-plunging shoot and the potential of the ~500m gap between SK1 North and SK1 South for further shoot development about some of the previously reported isolated drill intersections.

Table 1: Summary of significant SK1 North and SK1 South intersections

AREA	HOLE No.	FROM (m)	TO (m)	WIDTH (m)	GOLD (g/t)
RC DRILLING					
SK1 NORTH	RCSK20-224	3	34	31	1.14
	includes	4	14	10	2.65
	includes	12	14	2	10.10
		45	51	6	3.71
	includes	48	50	2	10.50
	RCSK20-226	66	78	12	2.40
	includes	69	72	3	5.59
	RCSK20-227	6	7	1	1.51
		83	86	3	1.71
		102	123	21	1.29
		137	138	1	0.61*
	RCSK20-228	26	36	10	1.82
	includes	27	30	3	4.60
	RCSK20-229	176	185	9	0.47
DIAMOND DRILLING					
SK1 NORTH	RDSK20-069	102	104	2	1.84
		152	162	10	2.32
	includes	159	162	3	6.18
	RDSK20-071	124	128	4	3.65
	RDSK20-072	115	148	33	2.95
	includes	128	148	20	4.17
	includes	132	139	7	6.60
	RDSK20-073	78	94	16	1.71
	includes	85	90	5	3.72
	RDSK20-074	173	177	4	1.07
	RDSK20-075	179	199	20	2.09
	includes	180	187	7	4.20

AREA	HOLE No.	FROM (m)	TO (m)	WIDTH (m)	GOLD (g/t)
RC DRILLING					
SK1 SOUTH	RCSK20-230	110	113	3	1.75
	RCSK20-231	25	31	6	7.27
	includes	25	27	2	19.35
		127	138	11	1.49
	includes	127	132	5	2.28
	RCSK20-232	65	82	17	2.81
	includes	71	75	4	8.03
		115	118	3	2.25
	RCSK20-233	130	133	3	2.85
		141	152	11	1.17
	RCSK20-234	7	11	4	11.45
	includes	8	9	1	41.00
		38	46	8	1.10
	includes	38	40	2	3.04
		57	66	9	1.66
		82	88	6	1.44
		113	127	14	1.18
	RCSK20-235	92	95	3	1.32
		126	128	2	2.18
		136	157	21	1.74
	includes	136	146	10	2.97

Intervals are reported using a threshold where the interval has a 0.3g/t Au average or greater over the sample interval and selects all material greater than 0.10g/t Au allowing for up to two samples of included dilution every 10m. Note that hole RDSK20-075 has been calculated using three samples of included dilution. Sampling was completed as 1m for DD/RC/AC drilling. * hole ended in mineralisation




Figure 2: Drill plan showing Leapfrog gold isosurfaces from recent and previous drilling programs (AC, RC and DD) over Seko Anomalies SK1-5 and Extensions to Koko




Figure 3: SK1 Long Section showing previous results and new drilling results from SK1North and SK1South and pending holes




Figure 4: SK1 North and South Drill Hole Location Plan, showing long section location (Figure 3), SK1 South long section location B-B' (Figure 9) and SK1 south cross section A-A' (Figure 8)




Figure 5: SK1 North Cross Section D-D'




Figure 6: SK1 North Cross Section E-E'




Figure 7: SK1 South Cross Section A-A'




Figure 8: SK1 South Long Section

KOKO – SK1 TREND RECONNAISSANCE DRILLING

The 2km zone extending from SK1 to Koko has been tested by a series of wide-spaced AC traverses comprising of 160 holes to an average down hole depth of 62m (50m vertical).

Numerous zones of anomalous gold mineralisation were intersected as shown in Figure 2, with peak grades of up to **5.31g/t gold**, that warrant follow-up drilling.

Importantly step out drill traverses 250m from Sk1 South intersected significant gold mineralisation including **5m at 10.7g/t gold**, **6m at 1.71g/t gold** and **5m at 1.24 g/t gold**. The mineralised intervals show coherent easterly dipping zones similar in style to the recent success at SK1 North and SK1 South. The Company is highly encouraged by these initial results with potential to extend the SK1 structure to the south towards Koko, a combined total length of 3 km.

KOKO

The Koko prospect is located ~2km south of Seko (Figure 2) and was identified from Oklo's reconnaissance auger drilling program that successfully outlined the 12km-long Dandoko gold corridor (Figure 1(b)).

Oklo previously reported significant intersections from wide-spaced reconnaissance AC and first pass RC drilling over this prospect including: 5m at 2.82g/t gold from 49m; 5m at 2.27g/t gold from 14m; 44m at 1.37g/t gold from 33m; and 35m at 1.00g/t gold from 19m⁶. A second phase of follow-up RC drilling returned: 37m at 3.24g/t gold from 11m (including 12m at 5.14g/t gold from 15m); 4m at 7.48g/t gold from 37m; 29m at 3.52g/t gold from 36m (including 9m at 5.60g/t gold from 38m and 3m at 9.56g/t gold from 42m); and 3m at 10.13g/t gold from 50m⁷.

In this release, assay results are reported from 4 follow-up RC holes (RCSR20-186-189) drilled to test previously reported significant gold mineralisation, with hole RCSR20-189 returning **58m at 1.14g/t gold** from 3m and **3m at 2.48g/t gold** from 89m.

A traverse of shallow AC holes drilled along strike to the north of the RC holes intersected **9m at 1.10g/t gold** from 45m with the hole ending in mineralisation.

The drilling completed to date at Koko has confirmed bedrock gold mineralisation extending over a ~200m strike length that remains open at depth with an apparent easterly dip and southerly plunge, similar to what has been observed along strike to the north. These results also potentially extend the overall SK1 trend up to 3km in length (Refer Figure 9 and 10).

Table 2: Summary of significant Koko and reconnaissance AC Intersections

AREA	HOLE No.	FROM (m)	TO (m)	WIDTH (m)	GOLD (g/t)
KOKO	ACKK20-622	23	24	1	1.56
		68	73	5	0.48*
	ACKK20-623	54	56	2	0.48*
	ACKK20-624	45	54	9	1.10*
	ACKK20-692	32	33	1	1.64
	RCKK20-187	20	32	12	0.71
		48	52	4	0.85
		54	57	3	1.47
	RCKK20-189	3	61	58	1.14
		89	92	3	2.48

⁶ Refer ASX announcements of 22 February 2018, "New Gold Discovery South of Seko" and 19 September 2018 "Final Phase 2 Results Elevate Dandoko Corridor"

⁷ Refer ASX announcements of 14 January 2020, "New Discovery Confirmed 2km South of Seko"

AREA	HOLE No.	FROM (m)	TO (m)	WIDTH (m)	GOLD (g/t)
SHALLOW AC RECONNAISSANCE HOLES					
KOKO – SK1	ACKK20-598	6	7	1	5.31
	ACKK20-599	8	9	1	2.61
	ACKK20-625	63	69	6	1.63
	ACKK20-660	6	7	1	1.63
	ACKK20-600	41	42	1	0.66
	ACKK20-605	41	42	1	0.94
	ACKK20-606	35	36	1	0.78
	ACKK20-617	2	3	1	8.00
		19	22	3	0.87
	ACKK20-623	54	56	2	0.48*
	ACKK20-637	20	21	1	0.66
	ACKK20-638	52	53	1	0.51
		64	65	1	0.51
	ACKK20-655	29	30	1	0.87
	ACKK20-675	39	41	2	0.71
	ACKK20-692	32	33	1	1.64
	ACKK20-698	22	23	1	0.73
	ACKK20-699	34	36	2	0.68
	ACSK20-708	22	24	2	2.39
	ACSK20-715	31	36	5	10.77
	ACSK20-716	14	16	2	1.13
		22	27	5	1.24
	ACSK20-719	52	58	6	1.71
	ACSK20-720	40	41	1	3.38
	ACSK20-721	31	32	1	1.18
	ACSK20-725	34	35	1	2.07
	ACSK20-727	13	14	1	18.5
	ACSK20-728	23	25	2	2.20
	ACSK20-729	1	5	4	1.30
	ACSK20-740	60	61	1	1.05
	ACSK20-741	36	48	12	0.87
	ACSK20-748	10	16	6	1.05
		39	40	1	6.22
	ACSK20-754	21	36	15	1.50
	ACSK20-755	78	85	7	1.70
	ACSK20-756	69	72	3	1.82
		76	78	2	1.99
	ACSK20-757	10	17	7	1.87

Intervals are reported using a threshold where the interval has a 0.3g/t Au average or greater over the sample interval and selects all material greater than 0.10g/t Au allowing for up to two samples of included dilution every 10m. Sampling was completed as 1m for DD/RC/AC drilling. * hole ended in mineralisation



DRILL RESULTS PENDING

Drilling is ongoing at SK1 with further RC and DD holes completed and assay results expected in coming weeks. The Company anticipates the current drilling program will continue up to the start of the wet season in July.

COVID-19 UPDATE

Oklo's staff and contractors have to date been minimally impacted by the Covid-19 pandemic and the Company continues to operate its programs within Mali as planned. Mali has imposed a closure of its border for travel as well as a night-time curfew restricting evening travel.

The Company has a focus on the welfare of its employees and has implemented measures to ensure their well-being including; health screening and temperature monitoring, change in rosters, spatial distancing protocols, a change in flow of staff to and from local communities, and the minimisation of staff in the Bamako administrative office. The Company's expatriate staff departed the country prior to the border closure.

The supply of fuel and drilling consumables is continuing with a suitable precautionary stockpiling occurring. No changes to the planned work programs have occurred other than a reduction in the volume of reconnaissance geophysical surveys being undertaken due to the large quantity of local labour support required. The situation is being continuously monitored by our in-country Director, Dr Madani Diallo and further actions may be appropriately undertaken as deemed necessary.

– ENDS –

This announcement is authorised for release by Oklo's Managing Director, Simon Taylor.

For further information, please contact:

Simon Taylor

Managing Director

T: +61 2 8319 9233

E: staylor@okloresources.com

Table 3: SK1 RC & DD drill hole locations

HOLE No.	EASTING	NORTHING	RL	LENGTH	AZIMUTH	INCL
RCSK20-219	268860	1397320	176	74	270	-55
RCSK20-220	268900	1397320	176	88	270	-55
RCSK20-221	268941	1397320	177	101	270	-55
RCSK20-222	268981	1397320	178	102	270	-55
RCSK20-223	268874	1397129	177	66	315	-55
RCSK20-224	268888	1397115	178	90	315	-55
RCSK20-225	268783	1396743	189	108	315	-55
RCSK20-226	268838	1396808	188	96	315	-55
RCSK20-227	268890	1396804	188	138	315	-55
RCSK20-228	268956	1397200	179	120	270	-55
RCSK20-229	268998	1396837	189	204	315	-55
RCSK20-230	268752	1396291	183	120	315	-55
RCSK20-231	268778	1396261	183	150	315	-55
RCSK20-232	268780	1396206	178	168	315	-55
RCSK20-233	268808	1396177	175	165	315	-55
RCSK20-234	268741	1396246	184	150	315	-55
RCSK20-235	268796	1396249	182	160	315	-55
RDSK20-069	268921	1396830	188	169	315	-55
RDSK20-070	268940	1397240	178	108	270	-55
RDSK20-071	269030	1397080	183	165	270	-55
RDSK20-072	268980	1397120	180	154	270	-55
RDSK20-073	268967	1397160	179	167	270	-55
RDSK20-074	268951	1396837	188	205	315	-55
RDSK20-075	269057	1396887	188	232	315	-55

Table 4: Koko and reconnaissance AC drill hole locations

HOLE No.	EASTING	NORTHING	RL	LENGTH	AZIMUTH	INCL
KOKO						
RCKK20-186	268700	1395177	157	100	90	-90
RCKK20-187	268720	1394360	178	110	90	-55
RCKK20-188	268589	1394441	174	100	90	-55
RCKK20-189	268664	1394360	175	110	90	-55
ACKK20-620	268588	1394470	175	78	90	-55
ACKK20-621	268625	1394469	176	90	90	-55
ACKK20-622	268670	1394469	178	73	90	-55
ACKK20-623	268702	1394470	179	56	90	-55
ACKK20-624	268729	1394471	180	54	90	-55
ACKK20-625	268757	1394471	181	78	90	-55
AC RECONNAISSANCE						
ACKK20-592	268946	1395181	170	78	270	-55
ACKK20-593	268905	1395180	165	66	270	-55
ACKK20-594	268870	1395183	162	60	270	-55
ACKK20-595	268840	1395181	161	60	270	-55
ACKK20-596	268811	1395182	160	56	270	-55

HOLE No.	EASTING	NORTHING	RL	LENGTH	AZIMUTH	INCL
ACKK20-597	268758	1395164	159	60	270	-55
ACKK20-598	268727	1395164	158	50	270	-55
ACKK20-599	268704	1395172	157	45	272	-55
ACKK20-600	268678	1395183	157	48	270	-55
ACKK20-601	268654	1395181	156	48	270	-55
ACKK20-602	268630	1395182	156	36	270	-55
ACKK20-603	268612	1395181	156	36	270	-55
ACKK20-604	268593	1395181	156	40	270	-55
ACKK20-605	268573	1395181	155	48	270	-55
ACKK20-606	268548	1395182	156	48	270	-55
ACKK20-607	268525	1395181	156	45	270	-55
ACSK20-608	268846	1395402	157	48	270	-55
ACSK20-609	268822	1395400	158	60	270	-55
ACSK20-610	268792	1395400	159	60	270	-55
ACSK20-611	268762	1395401	158	60	270	-55
ACSK20-612	268725	1395397	157	60	270	-55
ACSK20-613	268701	1395400	156	58	270	-55
ACSK20-614	268669	1395408	158	60	270	-55
ACSK20-615	268618	1395401	163	48	270	-55
ACSK20-616	268594	1395399	163	78	270	-55
ACSK20-617	268554	1395401	163	90	270	-55
ACSK20-618	268509	1395403	165	84	270	-55
ACSK20-619	268468	1395402	167	90	270	-55
ACKK20-626	268462	1394690	169	54	270	-55
ACKK20-627	268489	1394691	168	72	270	-55
ACKK20-628	268524	1394690	167	60	270	-55
ACKK20-629	268554	1394690	168	60	270	-55
ACKK20-630	268583	1394690	170	60	270	-55
ACKK20-631	268613	1394691	172	90	270	-55
ACKK20-632	268654	1394691	176	84	270	-55
ACKK20-633	268691	1394690	177	96	270	-55
ACKK20-634	268739	1394690	179	90	270	-55
ACKK20-635	268782	1394688	180	90	270	-55
ACKK20-636	268827	1394690	181	72	270	-55
ACKK20-637	268864	1394689	182	84	270	-55
ACKK20-638	268905	1394689	183	90	270	-55
ACKK20-639	268945	1394691	183	90	270	-55
ACKK20-640	268987	1394691	184	90	270	-55
ACKK20-641	269032	1394691	183	90	270	-55
ACKK20-642	268998	1394810	182	96	270	-55
ACKK20-643	268953	1394810	181	90	270	-55
ACKK20-644	268908	1394808	181	90	270	-55
ACKK20-645	268867	1394808	180	90	270	-55
ACKK20-646	268823	1394810	179	96	270	-55
ACKK20-647	268782	1394811	178	96	270	-55
ACKK20-648	268990	1395001	178	78	270	-55


HOLE No.	EASTING	NORTHING	RL	LENGTH	AZIMUTH	INCL
ACKK20-649	268962	1394998	177	72	270	-55
ACKK20-650	268890	1395003	169	72	270	-55
ACKK20-651	268858	1395002	167	66	270	-55
ACKK20-652	268828	1395001	165	54	270	-55
ACKK20-653	268804	1394999	165	60	270	-55
ACKK20-654	268773	1395001	165	60	270	-55
ACKK20-655	268744	1395002	164	66	270	-55
ACKK20-656	268711	1395002	163	60	270	-55
ACKK20-657	268681	1395001	160	54	270	-55
ACKK20-658	268656	1395000	158	48	270	-55
ACKK20-659	268631	1395009	157	40	270	-55
ACKK20-660	268613	1395010	156	28	270	-55
ACKK20-661	268596	1395004	156	42	270	-55
ACKK20-662	268577	1395000	157	36	270	-55
ACKK20-663	268560	1394999	157	42	270	-55
ACKK20-664	268538	1395000	158	30	270	-55
ACKK20-665	268523	1395000	157	24	270	-55
ACKK20-666	268512	1395000	156	24	270	-55
ACKK20-667	268500	1395000	156	30	270	-90
ACKK20-668	268485	1395000	156	36	270	-55
ACKK20-669	268462	1395001	155	30	270	-55
ACKK20-670	268447	1395002	155	30	270	-55
ACKK20-671	268433	1395002	156	30	270	-55
ACKK20-672	268418	1395002	157	36	270	-55
ACKK20-673	268401	1395002	157	36	270	-55
ACKK20-674	268383	1395001	158	28	270	-55
ACKK20-675	268690	1394821	169	78	270	-90
ACKK20-676	268639	1394811	168	80	270	-55
ACKK20-677	268600	1394811	165	60	270	-55
ACKK20-678	268569	1394811	164	40	270	-55
ACKK20-679	268548	1394811	164	48	270	-55
ACKK20-680	268526	1394811	163	36	270	-55
ACKK20-681	268507	1394811	162	36	270	-55
ACKK20-682	268490	1394811	162	30	270	-55
ACKK20-683	268475	1394811	162	42	270	-55
ACKK20-684	268455	1394810	162	36	270	-55
ACKK20-685	268437	1394809	164	36	270	-55
ACKK20-686	268420	1394809	165	36	270	-55
ACKK20-687	268401	1394809	164	36	270	-55
ACKK20-688	268744	1394811	176	90	270	-55
ACKK20-689	269337	1395351	176	78	270	-55
ACKK20-690	269300	1395350	174	60	270	-55
ACKK20-691	269266	1395349	173	42	270	-55
ACKK20-692	269245	1395351	171	66	270	-55
ACKK20-693	269211	1395352	170	60	270	-55
ACKK20-694	269180	1395353	169	72	270	-55

HOLE No.	EASTING	NORTHING	RL	LENGTH	AZIMUTH	INCL
ACKK20-695	269319	1395460	172	55	270	-55
ACKK20-696	269294	1395461	171	72	270	-55
ACKK20-697	269256	1395468	167	78	270	-55
ACKK20-698	269214	1395467	166	84	270	-55
ACKK20-699	269177	1395458	168	66	270	-55
ACKK20-700	269135	1395460	163	54	270	-55
ACKK20-701	269109	1395459	161	42	270	-55
ACKK20-702	269088	1395459	160	42	270	-55
ACSK20-703	268847	1395742	162	72	270	-55
ACSK20-704	268809	1395741	162	66	270	-55
ACSK20-705	268775	1395740	161	72	270	-55
ACSK20-706	268741	1395739	163	70	270	-55
ACSK20-707	268708	1395739	164	48	270	-55
ACSK20-708	268685	1395739	165	72	270	-55
ACSK20-709	268650	1395739	167	72	270	-55
ACSK20-710	268615	1395739	168	72	270	-55
ACSK20-711	268579	1395739	170	78	270	-90
ACSK20-712	268548	1395739	171	78	270	-55
ACSK20-713	268816	1395900	166	60	270	-55
ACSK20-714	268787	1395900	167	60	270	-55
ACSK20-715	268757	1395900	167	60	270	-55
ACSK20-716	268727	1395900	167	72	270	-55
ACSK20-717	268695	1395901	168	60	270	-55
ACSK20-718	268667	1395900	168	70	270	-55
ACSK20-719	268632	1395900	169	60	270	-55
ACSK20-720	268603	1395901	171	60	270	-55
ACSK20-721	268573	1395901	172	60	270	-55
ACSK20-722	268545	1395900	173	42	270	-55
ACSK20-723	268838	1395990	168	66	270	-55
ACSK20-724	268806	1395990	168	78	270	-55
ACSK20-725	268771	1395990	168	72	270	-55
ACSK20-726	268737	1395991	169	72	270	-55
ACSK20-727	268702	1395991	170	60	270	-55
ACSK20-728	268673	1395990	171	48	270	-55
ACSK20-729	268649	1395991	171	48	270	-55
ACSK20-730	268626	1395990	172	48	270	-55
ACSK20-731	268601	1395989	173	60	270	-55
ACSK20-732	268571	1395989	174	72	270	-55
ACSK20-733	268537	1395991	176	60	270	-55
ACSK20-734	268507	1395990	179	60	270	-55
ACSK20-735	268472	1395990	181	90	270	-55
ACSK20-736	268427	1395991	181	90	270	-55
ACSK20-737	268383	1395991	181	89	270	-55
ACSK20-738	268341	1395990	183	96	270	-55
ACSK20-739	268618	1396142	185	90	270	-55
ACSK20-740	268667	1396142	179	84	270	-55

HOLE No.	EASTING	NORTHING	RL	LENGTH	AZIMUTH	INCL
ACSK20-741	268710	1396141	176	96	270	-55
ACSK20-742	268757	1396142	175	36	270	-55
ACSK20-743	268777	1396141	174	48	270	-55
ACSK20-744	268794	1396143	174	42	270	-55
ACSK20-745	269239	1396140	171	66	270	-55
ACSK20-746	269207	1396140	172	78	270	-55
ACSK20-747	269170	1396139	173	60	270	-55
ACSK20-748	269140	1396139	174	78	270	-55
ACSK20-749	269102	1396140	176	90	270	-55
ACSK20-750	269057	1396141	178	90	270	-55
ACSK20-751	269243	1396160	172	78	270	-55
ACSK20-752	269207	1396160	172	78	270	-55
ACSK20-753	269169	1396160	174	84	270	-55
ACSK20-754	269141	1396160	175	85	270	-55
ACSK20-755	268748	1396270	184	90	270	-55
ACSK20-756	268706	1396270	185	84	270	-55
ACSK20-757	268664	1396269	186	90	270	-55

ABOUT OKLO RESOURCES

Oklo Resources is an ASX listed gold exploration company with a total landholding of 1,405km² covering highly prospective greenstone belts in Mali, West Africa. The Company's current focus is on its West Mali landholding (~405km²), and in particular its flagship Dandoko Project located east of the prolific Senegal-Mali Shear Zone and in close proximity to numerous world-class gold operations. The Company has a corporate office located in Sydney, Australia and an expert technical team based in Bamako, Mali, led by Dr Madani Diallo who has previously been involved in several significant discoveries totalling circa 30Moz gold.



Location of Oklo Projects in West and South Mali

Competent Person's Declaration

The information in this announcement that relates to Exploration Results is based on information compiled by geologists employed by Africa Mining (a wholly owned subsidiary of Oklo Resources) and reviewed by Mr Simon Taylor, who is a member of the Australian Institute of Geoscientists. Mr Taylor is the Managing Director of Oklo Resources Limited. Mr Taylor is considered to have sufficient experience deemed relevant to the style of mineralisation and type of deposit under consideration, and to the activity that he is undertaking to qualify as a Competent Person as defined in the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves" (the 2012 JORC Code). Mr Taylor consents to the inclusion in this report of the matters based on this information in the form and context in which it appears.

This report contains information extracted from previous ASX market announcements reported in accordance with the JORC Code (2012) and available for viewing at www.okloresources.com. Oklo Resources confirms that in respect of these announcements it is not aware of any new information or data that materially affects the information included in any original ASX market announcement. The announcements are as follows:

DANDOKO PROJECT:

Announcements dated 21st December 2016, 30th January 2017, 21st February 2017, 3rd March 2017, 7th March 2017, 15th March 2017, 30th March 2017, 6th April 2017, 26th April 2017, 29th May 2017, 21st June 2017, 12th July 2017, 25th July 2017, 14th August 2017, 16th August 2017, 4th September 2017, 28th November 2017, 5th December 2017, 20th December 2017, 5th February 2018, 22nd February 2018, 8th March 2018, 28th March 2018, 3rd May 2018, 16th May 2018, 22nd May 2018, 2nd July 2018, 6th August 2018, 28th August 2018, 3rd September 2018, 19th September 2018, 30th January 2019, 6th March 2019, 15th August 2019, 22nd October 2019, 20th November 2019, 10th December 2019, 17th December 2019, 14th January 2020, 20th January 2020, 29th January 2020, 25th February 2020, 1st April 2020, 7th April 2020 and 29th April 2020.

Table 5: SK1 RC and DD assay results $\geq 0.10\text{g/t Au}$

HOLE No.	FROM (m)	TO (m)	GOLD (g/t)
RCSK20-220	1	2	0.11
RCSK20-220	9	10	0.20
RCSK20-220	10	11	0.13
RCSK20-220	13	14	0.21
RCSK20-220	14	15	0.78
RCSK20-220	15	16	0.81
RCSK20-220	16	17	0.62
RCSK20-220	17	18	0.45
RCSK20-220	18	19	0.23
RCSK20-220	19	20	0.27
RCSK20-220	20	21	0.40
RCSK20-220	22	23	0.29
RCSK20-220	24	25	0.31
RCSK20-220	25	26	0.26
RCSK20-220	26	27	0.10
RCSK20-220	47	48	0.17
RCSK20-221	11	12	0.10
RCSK20-221	47	48	0.18
RCSK20-221	59	60	0.11
RCSK20-222	22	23	0.18
RCSK20-222	23	24	0.11
RCSK20-222	24	25	0.16
RCSK20-222	25	26	0.13
RCSK20-222	26	27	0.30
RCSK20-222	27	28	0.24
RCSK20-223	2	3	0.17
RCSK20-223	3	4	0.33
RCSK20-223	4	5	0.69
RCSK20-223	5	6	0.74
RCSK20-223	6	7	0.88
RCSK20-223	7	8	0.58
RCSK20-223	8	9	0.67
RCSK20-223	9	10	0.26
RCSK20-223	10	11	0.17
RCSK20-223	11	12	0.14
RCSK20-223	12	13	0.28
RCSK20-223	13	14	0.22
RCSK20-223	14	15	0.23
RCSK20-223	15	16	0.24
RCSK20-223	16	17	0.22
RCSK20-223	17	18	0.44
RCSK20-223	18	19	0.51

HOLE No.	FROM (m)	TO (m)	GOLD (g/t)
RCSK20-223	19	20	0.53
RCSK20-223	20	21	0.10
RCSK20-223	21	22	0.16
RCSK20-223	22	23	0.13
RCSK20-223	23	24	0.25
RCSK20-223	24	25	0.30
RCSK20-223	25	26	0.17
RCSK20-223	26	27	0.13
RCSK20-223	27	28	0.16
RCSK20-223	28	29	0.34
RCSK20-223	29	30	0.47
RCSK20-223	30	31	0.23
RCSK20-223	31	32	0.10
RCSK20-224	2	3	0.29
RCSK20-224	3	4	0.34
RCSK20-224	4	5	0.59
RCSK20-224	5	6	1.17
RCSK20-224	6	7	0.96
RCSK20-224	7	8	0.85
RCSK20-224	8	9	0.41
RCSK20-224	9	10	0.92
RCSK20-224	10	11	0.90
RCSK20-224	11	12	0.47
RCSK20-224	12	13	4.40
RCSK20-224	13	14	15.80
RCSK20-224	15	16	0.50
RCSK20-224	16	17	0.35
RCSK20-224	17	18	0.29
RCSK20-224	18	19	0.52
RCSK20-224	19	20	0.28
RCSK20-224	20	21	0.50
RCSK20-224	21	22	0.51
RCSK20-224	22	23	0.32
RCSK20-224	23	24	0.27
RCSK20-224	24	25	0.32
RCSK20-224	25	26	0.33
RCSK20-224	26	27	0.31
RCSK20-224	27	28	0.25
RCSK20-224	28	29	0.31
RCSK20-224	29	30	0.44
RCSK20-224	30	31	1.56
RCSK20-224	31	32	0.41

HOLE No.	FROM (m)	TO (m)	GOLD (g/t)
RCSK20-224	32	33	0.49
RCSK20-224	33	34	0.42
RCSK20-224	34	35	0.20
RCSK20-224	35	36	0.10
RCSK20-224	36	37	0.18
RCSK20-224	37	38	0.38
RCSK20-224	38	39	0.24
RCSK20-224	39	40	0.50
RCSK20-224	40	41	0.21
RCSK20-224	41	42	0.30
RCSK20-224	42	43	0.24
RCSK20-224	43	44	0.10
RCSK20-224	44	45	0.23
RCSK20-224	45	46	0.40
RCSK20-224	46	47	0.22
RCSK20-224	47	48	0.32
RCSK20-224	48	49	5.20
RCSK20-224	49	50	15.80
RCSK20-224	50	51	0.33
RCSK20-224	51	52	0.23
RCSK20-224	52	53	0.16
RCSK20-224	53	54	0.17
RCSK20-224	54	55	0.13
RCSK20-225	2	3	0.10
RCSK20-225	3	4	0.22
RCSK20-225	4	5	0.18
RCSK20-225	5	6	0.16
RCSK20-225	6	7	0.22
RCSK20-225	7	8	0.26
RCSK20-225	8	9	0.17
RCSK20-225	9	10	0.10
RCSK20-225	12	13	0.13
RCSK20-225	104	105	0.11
RCSK20-226	2	3	0.13
RCSK20-226	3	4	0.13
RCSK20-226	4	5	0.32
RCSK20-226	5	6	0.43
RCSK20-226	6	7	0.10
RCSK20-226	39	40	0.15
RCSK20-226	44	45	0.87
RCSK20-226	45	46	0.15
RCSK20-226	47	48	0.16
RCSK20-226	50	51	0.70

HOLE No.	FROM (m)	TO (m)	GOLD (g/t)
RCSK20-226	51	52	1.11
RCSK20-226	52	53	0.29
RCSK20-226	54	55	0.12
RCSK20-226	58	59	0.15
RCSK20-226	59	60	0.14
RCSK20-226	60	61	0.20
RCSK20-226	61	62	0.15
RCSK20-226	62	63	0.30
RCSK20-226	63	64	0.26
RCSK20-226	64	65	0.55
RCSK20-226	65	66	0.20
RCSK20-226	66	67	1.44
RCSK20-226	67	68	0.59
RCSK20-226	68	69	2.45
RCSK20-226	69	70	3.46
RCSK20-226	70	71	1.00
RCSK20-226	71	72	12.30
RCSK20-226	72	73	2.12
RCSK20-226	73	74	2.41
RCSK20-226	74	75	1.06
RCSK20-226	75	76	0.31
RCSK20-226	76	77	0.34
RCSK20-226	77	78	1.30
RCSK20-226	80	81	0.22
RCSK20-226	81	82	0.59
RCSK20-226	82	83	0.25
RCSK20-227	0	1	0.15
RCSK20-227	4	5	0.18
RCSK20-227	5	6	0.22
RCSK20-227	6	7	1.51
RCSK20-227	7	8	0.37
RCSK20-227	8	9	0.15
RCSK20-227	71	72	0.16
RCSK20-227	82	83	0.26
RCSK20-227	83	84	1.90
RCSK20-227	84	85	1.94
RCSK20-227	85	86	1.28
RCSK20-227	86	87	0.20
RCSK20-227	87	88	0.12
RCSK20-227	101	102	0.32
RCSK20-227	102	103	0.51
RCSK20-227	103	104	0.94
RCSK20-227	104	105	1.46

HOLE No.	FROM (m)	TO (m)	GOLD (g/t)
RCSK20-227	107	108	1.73
RCSK20-227	108	109	1.52
RCSK20-227	109	110	1.26
RCSK20-227	110	111	1.21
RCSK20-227	111	112	1.04
RCSK20-227	112	113	0.61
RCSK20-227	113	114	0.30
RCSK20-227	114	115	0.59
RCSK20-227	115	116	0.49
RCSK20-227	116	117	4.65
RCSK20-227	117	118	1.90
RCSK20-227	118	119	1.38
RCSK20-227	119	120	1.95
RCSK20-227	120	121	1.04
RCSK20-227	121	122	1.21
RCSK20-227	122	123	1.48
RCSK20-227	123	124	0.57
RCSK20-227	124	125	0.18
RCSK20-227	126	127	0.24
RCSK20-227	137	138	0.61
RCSK20-228	1	2	0.23
RCSK20-228	14	15	1.86
RCSK20-228	15	16	0.51
RCSK20-228	16	17	0.15
RCSK20-228	18	19	0.25
RCSK20-228	19	20	0.18
RCSK20-228	24	25	0.10
RCSK20-228	25	26	0.21
RCSK20-228	26	27	0.91
RCSK20-228	27	28	8.13
RCSK20-228	28	29	4.26
RCSK20-228	29	30	1.42
RCSK20-228	30	31	0.56
RCSK20-228	31	32	0.32
RCSK20-228	32	33	0.93
RCSK20-228	33	34	0.46
RCSK20-228	34	35	0.55
RCSK20-228	35	36	0.61
RCSK20-228	36	37	0.11
RCSK20-228	37	38	0.16
RCSK20-228	38	39	0.19
RCSK20-228	39	40	0.11
RCSK20-228	41	42	0.10

HOLE No.	FROM (m)	TO (m)	GOLD (g/t)
RCSK20-228	42	43	0.28
RCSK20-228	43	44	0.14
RCSK20-228	44	45	0.10
RCSK20-228	46	47	0.10
RCSK20-228	48	49	0.13
RCSK20-228	49	50	0.26
RCSK20-229	165	166	0.13
RCSK20-229	173	174	0.20
RCSK20-229	175	176	0.26
RCSK20-229	176	177	0.44
RCSK20-229	177	178	0.83
RCSK20-229	178	179	0.77
RCSK20-229	179	180	0.64
RCSK20-229	180	181	0.29
RCSK20-229	181	182	0.53
RCSK20-229	182	183	0.18
RCSK20-229	183	184	0.16
RCSK20-229	184	185	0.38
RCSK20-229	186	187	0.21
RCSK20-229	190	191	0.21
RCSK20-229	191	192	0.16
RCSK20-229	192	193	0.14
RCSK20-229	195	196	0.52
RCSK20-229	196	197	0.25
RCSK20-229	197	198	0.15
RCSK20-229	198	199	0.16
RCSK20-229	199	200	0.14
RCSK20-229	200	201	0.19
RCSK20-229	201	202	0.11
RCSK20-230	2	3	0.10
RCSK20-230	4	5	0.11
RCSK20-230	5	6	0.16
RCSK20-230	6	7	0.21
RCSK20-230	7	8	0.21
RCSK20-230	8	9	0.14
RCSK20-230	9	10	0.26
RCSK20-230	10	11	0.20
RCSK20-230	11	12	0.16
RCSK20-230	44	45	0.30
RCSK20-230	45	46	0.16
RCSK20-230	46	47	0.32
RCSK20-230	47	48	0.40
RCSK20-230	48	49	0.28

HOLE No.	FROM (m)	TO (m)	GOLD (g/t)
RCSK20-230	49	50	0.36
RCSK20-230	50	51	0.36
RCSK20-230	92	93	0.98
RCSK20-230	93	94	0.28
RCSK20-230	101	102	0.61
RCSK20-230	102	103	0.34
RCSK20-230	103	104	0.46
RCSK20-230	104	105	0.54
RCSK20-230	105	106	0.51
RCSK20-230	106	107	0.64
RCSK20-230	107	108	0.57
RCSK20-230	108	109	0.14
RCSK20-230	109	110	0.10
RCSK20-230	110	111	1.16
RCSK20-230	111	112	3.01
RCSK20-230	112	113	1.09
RCSK20-230	113	114	0.30
RCSK20-230	114	115	0.13
RCSK20-231	1	2	0.21
RCSK20-231	2	3	0.24
RCSK20-231	9	10	0.11
RCSK20-231	12	13	0.16
RCSK20-231	13	14	0.23
RCSK20-231	14	15	0.30
RCSK20-231	15	16	0.11
RCSK20-231	16	17	0.11
RCSK20-231	17	18	0.10
RCSK20-231	19	20	0.31
RCSK20-231	20	21	0.34
RCSK20-231	25	26	24.10
RCSK20-231	26	27	14.60
RCSK20-231	27	28	0.94
RCSK20-231	28	29	0.75
RCSK20-231	29	30	0.24
RCSK20-231	30	31	3.02
RCSK20-231	31	32	0.11
RCSK20-231	32	33	0.12
RCSK20-231	33	34	0.11
RCSK20-231	34	35	0.12
RCSK20-231	42	43	0.10
RCSK20-231	56	57	0.17
RCSK20-231	57	58	0.16
RCSK20-231	58	59	0.15

HOLE No.	FROM (m)	TO (m)	GOLD (g/t)
RCSK20-231	59	60	0.15
RCSK20-231	60	61	0.31
RCSK20-231	61	62	0.20
RCSK20-231	62	63	0.27
RCSK20-231	63	64	0.42
RCSK20-231	64	65	0.74
RCSK20-231	65	66	0.33
RCSK20-231	66	67	0.31
RCSK20-231	67	68	0.20
RCSK20-231	68	69	0.42
RCSK20-231	69	70	0.78
RCSK20-231	70	71	2.57
RCSK20-231	71	72	0.23
RCSK20-231	72	73	0.51
RCSK20-231	73	74	0.31
RCSK20-231	74	75	0.21
RCSK20-231	86	87	0.13
RCSK20-231	87	88	0.34
RCSK20-231	88	89	0.16
RCSK20-231	90	91	0.21
RCSK20-231	104	105	0.13
RCSK20-231	105	106	0.10
RCSK20-231	112	113	0.22
RCSK20-231	113	114	0.24
RCSK20-231	119	120	1.02
RCSK20-231	120	121	0.44
RCSK20-231	122	123	0.10
RCSK20-231	126	127	0.40
RCSK20-231	127	128	1.30
RCSK20-231	128	129	1.61
RCSK20-231	129	130	0.40
RCSK20-231	130	131	6.36
RCSK20-231	131	132	1.71
RCSK20-231	132	133	0.28
RCSK20-231	133	134	0.89
RCSK20-231	134	135	1.00
RCSK20-231	135	136	1.00
RCSK20-231	136	137	0.88
RCSK20-231	137	138	0.98
RCSK20-231	138	139	0.16
RCSK20-231	141	142	0.11
RCSK20-231	142	143	0.22
RCSK20-231	143	144	0.70

HOLE No.	FROM (m)	TO (m)	GOLD (g/t)
RCSK20-232	65	66	0.84
RCSK20-232	66	67	0.74
RCSK20-232	67	68	3.18
RCSK20-232	68	69	0.69
RCSK20-232	69	70	0.56
RCSK20-232	70	71	1.58
RCSK20-232	71	72	3.39
RCSK20-232	72	73	19.10
RCSK20-232	73	74	3.97
RCSK20-232	74	75	5.67
RCSK20-232	75	76	2.25
RCSK20-232	76	77	1.28
RCSK20-232	77	78	0.59
RCSK20-232	78	79	0.83
RCSK20-232	79	80	1.02
RCSK20-232	80	81	0.98
RCSK20-232	81	82	1.12
RCSK20-232	82	83	0.25
RCSK20-232	84	85	0.19
RCSK20-232	85	86	0.33
RCSK20-232	87	88	0.24
RCSK20-232	88	89	0.97
RCSK20-232	89	90	0.65
RCSK20-232	90	91	0.11
RCSK20-232	94	95	0.14
RCSK20-232	95	96	0.16
RCSK20-232	96	97	0.12
RCSK20-232	97	98	0.10
RCSK20-232	99	100	0.16
RCSK20-232	100	101	0.45
RCSK20-232	101	102	0.10
RCSK20-232	109	110	0.29
RCSK20-232	110	111	0.11
RCSK20-232	111	112	0.17
RCSK20-232	112	113	0.18
RCSK20-232	113	114	0.13
RCSK20-232	114	115	0.35
RCSK20-232	115	116	4.97
RCSK20-232	116	117	0.98
RCSK20-232	117	118	0.81
RCSK20-232	118	119	0.27
RCSK20-232	119	120	0.19
RCSK20-232	120	121	0.20

HOLE No.	FROM (m)	TO (m)	GOLD (g/t)
RCSK20-232	121	122	0.15
RCSK20-232	122	123	0.16
RCSK20-232	123	124	0.15
RCSK20-232	124	125	0.12
RCSK20-232	125	126	0.19
RCSK20-232	126	127	0.13
RCSK20-232	127	128	0.63
RCSK20-232	128	129	0.16
RCSK20-232	132	133	0.12
RCSK20-232	133	134	0.16
RCSK20-232	134	135	0.13
RCSK20-232	135	136	0.15
RCSK20-232	136	137	0.15
RCSK20-232	137	138	0.25
RCSK20-232	138	139	0.12
RCSK20-232	139	140	0.29
RCSK20-232	140	141	0.12
RCSK20-232	144	145	0.20
RCSK20-232	155	156	0.43
RCSK20-232	159	160	0.10
RCSK20-232	162	163	0.21
RCSK20-232	164	165	0.17
RCSK20-233	0	1	0.10
RCSK20-233	6	7	0.12
RCSK20-233	99	100	0.18
RCSK20-233	100	101	0.73
RCSK20-233	101	102	0.48
RCSK20-233	103	104	0.13
RCSK20-233	119	120	0.35
RCSK20-233	120	121	0.28
RCSK20-233	121	122	0.11
RCSK20-233	122	123	0.71
RCSK20-233	123	124	0.60
RCSK20-233	124	125	0.80
RCSK20-233	125	126	0.30
RCSK20-233	126	127	0.29
RCSK20-233	127	128	0.29
RCSK20-233	128	129	0.28
RCSK20-233	129	130	0.50
RCSK20-233	130	131	0.75
RCSK20-233	131	132	5.58
RCSK20-233	132	133	2.22
RCSK20-233	133	134	0.49

HOLE No.	FROM (m)	TO (m)	GOLD (g/t)
RCSK20-233	134	135	0.25
RCSK20-233	135	136	0.31
RCSK20-233	136	137	0.32
RCSK20-233	137	138	0.23
RCSK20-233	138	139	0.19
RCSK20-233	139	140	0.17
RCSK20-233	140	141	0.12
RCSK20-233	141	142	1.40
RCSK20-233	142	143	1.64
RCSK20-233	143	144	1.00
RCSK20-233	144	145	0.53
RCSK20-233	145	146	0.53
RCSK20-233	146	147	0.44
RCSK20-233	147	148	1.91
RCSK20-233	148	149	1.20
RCSK20-233	149	150	2.72
RCSK20-233	150	151	0.84
RCSK20-233	151	152	0.61
RCSK20-233	152	153	0.22
RCSK20-233	153	154	0.26
RCSK20-233	154	155	0.26
RCSK20-233	155	156	0.19
RCSK20-233	156	157	0.16
RCSK20-233	157	158	0.12
RCSK20-233	164	165	0.22
RCSK20-234	6	7	0.27
RCSK20-234	7	8	1.20
RCSK20-234	8	9	41.00
RCSK20-234	9	10	1.80
RCSK20-234	10	11	1.81
RCSK20-234	11	12	0.80
RCSK20-234	35	36	0.16
RCSK20-234	36	37	0.11
RCSK20-234	38	39	3.40
RCSK20-234	39	40	2.67
RCSK20-234	40	41	0.24
RCSK20-234	41	42	0.88
RCSK20-234	42	43	0.28
RCSK20-234	43	44	0.25
RCSK20-234	44	45	0.30
RCSK20-234	45	46	0.74
RCSK20-234	49	50	0.14
RCSK20-234	55	56	0.12

HOLE No.	FROM (m)	TO (m)	GOLD (g/t)
RCSK20-234	56	57	0.16
RCSK20-234	57	58	2.05
RCSK20-234	58	59	0.54
RCSK20-234	59	60	4.41
RCSK20-234	60	61	1.76
RCSK20-234	61	62	0.56
RCSK20-234	62	63	1.84
RCSK20-234	63	64	1.34
RCSK20-234	64	65	1.67
RCSK20-234	65	66	0.81
RCSK20-234	81	82	0.17
RCSK20-234	82	83	2.39
RCSK20-234	83	84	2.13
RCSK20-234	84	85	0.91
RCSK20-234	85	86	1.38
RCSK20-234	86	87	0.70
RCSK20-234	87	88	1.13
RCSK20-234	88	89	0.10
RCSK20-234	89	90	0.13
RCSK20-234	95	96	0.12
RCSK20-234	96	97	0.34
RCSK20-234	97	98	0.13
RCSK20-234	98	99	0.48
RCSK20-234	99	100	0.36
RCSK20-234	100	101	0.14
RCSK20-234	101	102	0.26
RCSK20-234	102	103	0.24
RCSK20-234	105	106	0.12
RCSK20-234	111	112	0.28
RCSK20-234	112	113	0.15
RCSK20-234	113	114	0.59
RCSK20-234	114	115	1.53
RCSK20-234	115	116	2.13
RCSK20-234	116	117	2.25
RCSK20-234	117	118	1.16
RCSK20-234	118	119	1.00
RCSK20-234	119	120	0.73
RCSK20-234	120	121	0.38
RCSK20-234	121	122	0.84
RCSK20-234	122	123	0.35
RCSK20-234	123	124	1.96
RCSK20-234	124	125	1.01
RCSK20-234	125	126	0.56

HOLE No.	FROM (m)	TO (m)	GOLD (g/t)
RCSK20-234	126	127	1.97
RCSK20-234	127	128	0.33
RCSK20-234	128	129	0.22
RCSK20-234	129	130	0.26
RCSK20-234	130	131	0.91
RCSK20-234	131	132	0.26
RCSK20-234	132	133	1.21
RCSK20-234	133	134	0.20
RCSK20-234	134	135	0.36
RCSK20-234	136	137	0.38
RCSK20-234	137	138	0.23
RCSK20-235	33	34	0.19
RCSK20-235	34	35	0.23
RCSK20-235	41	42	0.10
RCSK20-235	52	53	0.37
RCSK20-235	54	55	0.10
RCSK20-235	64	65	0.24
RCSK20-235	77	78	0.13
RCSK20-235	78	79	0.22
RCSK20-235	79	80	0.16
RCSK20-235	80	81	0.18
RCSK20-235	87	88	0.23
RCSK20-235	91	92	0.16
RCSK20-235	92	93	1.41
RCSK20-235	93	94	1.32
RCSK20-235	94	95	1.24
RCSK20-235	95	96	0.20
RCSK20-235	121	122	0.16
RCSK20-235	123	124	0.30
RCSK20-235	126	127	1.84
RCSK20-235	127	128	2.52
RCSK20-235	128	129	0.46
RCSK20-235	129	130	0.15
RCSK20-235	130	131	0.11
RCSK20-235	132	133	0.12
RCSK20-235	134	135	0.43
RCSK20-235	135	136	0.21
RCSK20-235	136	137	1.30
RCSK20-235	137	138	3.92
RCSK20-235	138	139	4.20
RCSK20-235	139	140	4.77
RCSK20-235	140	141	3.53
RCSK20-235	141	142	4.20

HOLE No.	FROM (m)	TO (m)	GOLD (g/t)
RCSK20-235	142	143	2.18
RCSK20-235	143	144	1.18
RCSK20-235	144	145	1.55
RCSK20-235	145	146	2.83
RCSK20-235	146	147	0.55
RCSK20-235	147	148	0.50
RCSK20-235	148	149	0.42
RCSK20-235	149	150	0.24
RCSK20-235	150	151	0.14
RCSK20-235	152	153	0.46
RCSK20-235	153	154	0.46
RCSK20-235	154	155	0.24
RCSK20-235	155	156	1.16
RCSK20-235	156	157	1.00
RDSK20-069	12	15	0.60
RDSK20-069	15	18	0.82
RDSK20-069	42	45	0.10
RDSK20-069	45	48	0.16
RDSK20-069	101	102	0.11
RDSK20-069	102	103	2.62
RDSK20-069	103	104	1.11
RDSK20-069	107	108	0.10
RDSK20-069	108	109	0.27
RDSK20-069	109	110	0.55
RDSK20-069	110	111	0.31
RDSK20-069	111	112	0.21
RDSK20-069	112	113	0.28
RDSK20-069	116	117	0.17
RDSK20-069	117	118	0.40
RDSK20-069	118	119	0.18
RDSK20-069	119	120	0.76
RDSK20-069	120	121	0.51
RDSK20-069	121	122	0.26
RDSK20-069	122	123	0.12
RDSK20-069	130	131	0.23
RDSK20-069	131	132	0.13
RDSK20-069	148	149	0.12
RDSK20-069	150	151	0.18
RDSK20-069	151	152	0.24
RDSK20-069	152	153	0.85
RDSK20-069	153	154	1.20
RDSK20-069	154	155	0.94
RDSK20-069	155	156	0.54

HOLE No.	FROM (m)	TO (m)	GOLD (g/t)
RDSK20-069	156	157	0.23
RDSK20-069	157	158	0.54
RDSK20-069	158	159	0.36
RDSK20-069	159	160	3.16
RDSK20-069	160	161	9.31
RDSK20-069	161	162	6.07
RDSK20-069	162	163	0.12
RDSK20-069	164	165	0.11
RDSK20-070	15	16	0.41
RDSK20-070	16	17	0.90
RDSK20-070	17	18	0.18
RDSK20-070	18	19	0.25
RDSK20-070	20	21	0.11
RDSK20-070	33	34	0.12
RDSK20-070	36	37	0.22
RDSK20-070	37	38	0.19
RDSK20-070	38	39	0.11
RDSK20-070	67	68	0.12
RDSK20-071	92	93	0.20
RDSK20-071	107	108	0.11
RDSK20-071	108	109	0.11
RDSK20-071	109	110	0.22
RDSK20-071	110	111	0.15
RDSK20-071	111	112	0.13
RDSK20-071	113	114	0.12
RDSK20-071	114	115	0.37
RDSK20-071	117	118	0.23
RDSK20-071	124	125	7.44
RDSK20-071	125	126	0.12
RDSK20-071	126	127	0.88
RDSK20-071	127	128	6.18
RDSK20-071	128	129	0.15
RDSK20-071	130	131	0.58
RDSK20-071	131	132	0.21
RDSK20-071	134	135	0.11
RDSK20-071	136	137	1.19
RDSK20-071	137	138	0.82
RDSK20-072	115	116	0.72
RDSK20-072	116	117	0.60
RDSK20-072	117	118	1.11
RDSK20-072	118	119	1.89
RDSK20-072	119	120	4.18
RDSK20-072	120	121	0.19

HOLE No.	FROM (m)	TO (m)	GOLD (g/t)
RDSK20-072	121	122	0.88
RDSK20-072	122	123	2.09
RDSK20-072	123	124	0.75
RDSK20-072	124	125	0.51
RDSK20-072	125	126	0.36
RDSK20-072	126	127	0.44
RDSK20-072	127	128	0.41
RDSK20-072	128	129	2.60
RDSK20-072	129	130	2.08
RDSK20-072	130	131	2.24
RDSK20-072	131	132	1.26
RDSK20-072	132	133	8.31
RDSK20-072	133	134	3.25
RDSK20-072	134	135	8.61
RDSK20-072	135	136	5.73
RDSK20-072	136	137	0.59
RDSK20-072	137	138	6.24
RDSK20-072	138	139	13.50
RDSK20-072	139	140	0.71
RDSK20-072	140	141	2.61
RDSK20-072	141	142	3.22
RDSK20-072	142	143	2.31
RDSK20-072	143	144	0.63
RDSK20-072	144	145	4.74
RDSK20-072	145	146	11.10
RDSK20-072	146	147	0.52
RDSK20-072	147	148	3.09
RDSK20-072	152	153	0.14
RDSK20-073	3	6	0.12
RDSK20-073	39	42	0.14
RDSK20-073	57	60	0.27
RDSK20-073	60	61	0.22
RDSK20-073	62	63	0.36
RDSK20-073	63	64	0.50
RDSK20-073	64	65	0.31
RDSK20-073	65	66	0.18
RDSK20-073	77	78	0.24
RDSK20-073	78	79	1.64
RDSK20-073	79	80	1.12
RDSK20-073	80	81	0.43
RDSK20-073	81	82	0.43
RDSK20-073	82	83	0.42
RDSK20-073	83	84	0.96

HOLE No.	FROM (m)	TO (m)	GOLD (g/t)
RDSK20-073	84	85	0.34
RDSK20-073	85	86	3.01
RDSK20-073	86	87	1.96
RDSK20-073	87	88	4.53
RDSK20-073	88	89	3.69
RDSK20-073	89	90	5.39
RDSK20-073	90	91	1.21
RDSK20-073	91	92	0.41
RDSK20-073	92	93	0.19
RDSK20-073	93	94	1.63
RDSK20-073	99	100	0.46
RDSK20-074	144	145	0.43
RDSK20-074	145	146	0.86
RDSK20-074	146	147	0.55
RDSK20-074	148	149	0.10
RDSK20-074	149	150	0.48
RDSK20-074	150	151	0.33
RDSK20-074	151	152	0.71
RDSK20-074	152	153	0.10
RDSK20-074	173	174	0.91
RDSK20-074	174	175	0.80
RDSK20-074	175	176	1.97
RDSK20-074	176	177	0.58
RDSK20-074	177	178	0.23
RDSK20-074	178	179	0.11
RDSK20-074	179	180	0.37
RDSK20-074	181	182	0.36
RDSK20-074	182	183	0.11
RDSK20-075	140	141	0.10
RDSK20-075	160	161	0.41
RDSK20-075	172	173	0.13
RDSK20-075	173	174	0.14
RDSK20-075	175	176	0.30

HOLE No.	FROM (m)	TO (m)	GOLD (g/t)
RDSK20-075	177	178	0.11
RDSK20-075	178	179	0.19
RDSK20-075	179	180	2.23
RDSK20-075	180	181	4.93
RDSK20-075	181	182	0.20
RDSK20-075	182	183	4.42
RDSK20-075	183	184	0.11
RDSK20-075	184	185	0.17
RDSK20-075	185	186	7.34
RDSK20-075	186	187	12.20
RDSK20-075	187	188	0.47
RDSK20-075	188	189	0.11
RDSK20-075	192	193	1.12
RDSK20-075	193	194	5.55
RDSK20-075	194	195	0.77
RDSK20-075	196	197	0.15
RDSK20-075	197	198	0.87
RDSK20-075	198	199	0.93
RDSK20-075	210	211	0.13
RDSK20-075	211	212	0.25
RDSK20-075	213	214	0.15
RDSK20-075	214	215	0.32
RDSK20-075	215	216	0.12
RDSK20-075	217	218	0.27
RDSK20-075	219	220	0.43
RDSK20-075	220	221	0.12
RDSK20-075	221	222	0.33
RDSK20-075	222	223	0.17
RDSK20-075	223	224	0.59
RDSK20-075	231	232	0.20

NB: All gold assays $\geq 0.1\text{g/t}$ are listed.

Table 6: Koko RC and AC drill hole assay results $\geq 0.10\text{g/t Au}$

HOLE No.	FROM (m)	TO (m)	GOLD (g/t)
RCKK20-186	0	1	0.13
RCKK20-186	60	61	1.26
RCKK20-186	96	97	0.11
RCKK20-187	15	16	0.21
RCKK20-187	19	20	0.29
RCKK20-187	20	21	0.38

HOLE No.	FROM (m)	TO (m)	GOLD (g/t)
RCKK20-187	21	22	0.33
RCKK20-187	22	23	1.69
RCKK20-187	23	24	0.53
RCKK20-187	24	25	0.68
RCKK20-187	25	26	0.58
RCKK20-187	26	27	0.98

HOLE No.	FROM (m)	TO (m)	GOLD (g/t)
RCKK20-187	27	28	0.78
RCKK20-187	28	29	0.90
RCKK20-187	29	30	0.27
RCKK20-187	30	31	0.37
RCKK20-187	31	32	1.04
RCKK20-187	32	33	0.21
RCKK20-187	34	35	0.13
RCKK20-187	35	36	0.28
RCKK20-187	36	37	0.23
RCKK20-187	37	38	0.25
RCKK20-187	38	39	0.24
RCKK20-187	39	40	0.12
RCKK20-187	40	41	0.15
RCKK20-187	41	42	0.35
RCKK20-187	42	43	0.13
RCKK20-187	43	44	0.10
RCKK20-187	46	47	0.20
RCKK20-187	47	48	0.26
RCKK20-187	48	49	1.15
RCKK20-187	49	50	0.84
RCKK20-187	50	51	1.09
RCKK20-187	51	52	0.32
RCKK20-187	52	53	0.13
RCKK20-187	53	54	0.20
RCKK20-187	54	55	0.41
RCKK20-187	55	56	1.01
RCKK20-187	56	57	3.01
RCKK20-187	57	58	0.18
RCKK20-187	58	59	0.78
RCKK20-187	59	60	0.19
RCKK20-187	60	61	0.15
RCKK20-187	61	62	0.19
RCKK20-187	62	63	0.20
RCKK20-187	65	66	0.28
RCKK20-187	70	71	0.13
RCKK20-187	71	72	0.11
RCKK20-187	74	75	0.30
RCKK20-187	75	76	0.33
RCKK20-187	76	77	0.15
RCKK20-187	77	78	0.82
RCKK20-187	78	79	0.27
RCKK20-187	79	80	0.56
RCKK20-187	80	81	0.19

HOLE No.	FROM (m)	TO (m)	GOLD (g/t)
RCKK20-187	81	82	0.17
RCKK20-187	82	83	1.29
RCKK20-187	83	84	0.34
RCKK20-187	84	85	0.15
RCKK20-187	86	87	0.21
RCKK20-187	92	93	1.30
RCKK20-187	108	109	0.14
RCKK20-189	1	2	0.11
RCKK20-189	2	3	0.11
RCKK20-189	3	4	2.03
RCKK20-189	4	5	0.14
RCKK20-189	5	6	2.81
RCKK20-189	6	7	4.44
RCKK20-189	7	8	0.70
RCKK20-189	8	9	1.16
RCKK20-189	9	10	0.73
RCKK20-189	10	11	0.40
RCKK20-189	11	12	0.72
RCKK20-189	12	13	0.55
RCKK20-189	13	14	0.34
RCKK20-189	14	15	0.70
RCKK20-189	15	16	0.59
RCKK20-189	16	17	1.23
RCKK20-189	17	18	0.45
RCKK20-189	18	19	1.11
RCKK20-189	19	20	1.01
RCKK20-189	20	21	0.69
RCKK20-189	21	22	1.06
RCKK20-189	22	23	2.92
RCKK20-189	23	24	1.42
RCKK20-189	24	25	1.30
RCKK20-189	25	26	0.50
RCKK20-189	26	27	1.50
RCKK20-189	27	28	0.46
RCKK20-189	28	29	0.33
RCKK20-189	29	30	0.14
RCKK20-189	30	31	0.27
RCKK20-189	31	32	0.38
RCKK20-189	32	33	0.35
RCKK20-189	33	34	1.13
RCKK20-189	34	35	2.22
RCKK20-189	35	36	0.55
RCKK20-189	36	37	0.30

HOLE No.	FROM (m)	TO (m)	GOLD (g/t)
RCKK20-189	37	38	0.16
RCKK20-189	38	39	1.32
RCKK20-189	39	40	1.35
RCKK20-189	40	41	1.19
RCKK20-189	41	42	0.97
RCKK20-189	42	43	0.80
RCKK20-189	43	44	0.43
RCKK20-189	44	45	0.52
RCKK20-189	45	46	1.14
RCKK20-189	46	47	0.27
RCKK20-189	47	48	0.14
RCKK20-189	48	49	2.80
RCKK20-189	49	50	2.55
RCKK20-189	50	51	7.33
RCKK20-189	51	52	1.21
RCKK20-189	52	53	1.20
RCKK20-189	53	54	1.43
RCKK20-189	54	55	1.68
RCKK20-189	55	56	0.72
RCKK20-189	56	57	0.21
RCKK20-189	57	58	0.64
RCKK20-189	58	59	1.11
RCKK20-189	59	60	1.91
RCKK20-189	60	61	0.30
RCKK20-189	61	62	0.13
RCKK20-189	63	64	0.26
RCKK20-189	64	65	0.23
RCKK20-189	65	66	0.15
RCKK20-189	66	67	0.31
RCKK20-189	69	70	0.98
RCKK20-189	70	71	0.11
RCKK20-189	71	72	0.32
RCKK20-189	72	73	0.24
RCKK20-189	73	74	0.26
RCKK20-189	74	75	0.50
RCKK20-189	75	76	0.21
RCKK20-189	76	77	0.20
RCKK20-189	77	78	0.71
RCKK20-189	78	79	0.12
RCKK20-189	79	80	0.23
RCKK20-189	80	81	0.20
RCKK20-189	84	85	0.91
RCKK20-189	85	86	0.16

HOLE No.	FROM (m)	TO (m)	GOLD (g/t)
RCKK20-189	86	87	0.16
RCKK20-189	87	88	0.15
RCKK20-189	88	89	0.21
RCKK20-189	89	90	4.93
RCKK20-189	90	91	1.24
RCKK20-189	91	92	1.27
RCKK20-189	92	93	0.15
RCKK20-189	93	94	0.30
RCKK20-189	94	95	0.17
RCKK20-189	95	96	0.10
RCKK20-189	96	97	0.25
RCKK20-189	100	101	0.21
RCKK20-189	101	102	0.16
RCKK20-189	102	103	0.11
RCKK20-189	103	104	0.11
ACKK20-593	18	19	1.23
ACKK20-593	19	20	0.13
ACKK20-594	6	7	0.26
ACKK20-594	36	37	0.11
ACKK20-597	5	6	0.15
ACKK20-597	7	8	0.11
ACKK20-598	5	6	0.12
ACKK20-598	6	7	5.31
ACKK20-598	8	9	0.20
ACKK20-599	5	6	0.44
ACKK20-599	8	9	2.61
ACKK20-600	41	42	0.66
ACKK20-600	42	43	0.27
ACKK20-600	43	44	0.29
ACKK20-602	7	8	0.13
ACKK20-602	8	9	0.23
ACKK20-602	24	25	0.16
ACKK20-603	11	12	0.20
ACKK20-604	13	14	0.18
ACKK20-605	41	42	0.94
ACKK20-606	35	36	0.78
ACKK20-607	28	29	0.11
ACKK20-620	24	25	0.16
ACKK20-620	63	64	0.16
ACKK20-621	28	29	0.19
ACKK20-621	29	30	0.10
ACKK20-621	80	81	0.13
ACKK20-621	85	86	0.16

HOLE No.	FROM (m)	TO (m)	GOLD (g/t)
ACKK20-622	3	4	0.11
ACKK20-622	10	11	0.21
ACKK20-622	11	12	0.24
ACKK20-622	12	13	0.15
ACKK20-622	19	20	0.11
ACKK20-622	20	21	0.10
ACKK20-622	23	24	1.56
ACKK20-622	24	25	0.31
ACKK20-622	25	26	0.11
ACKK20-622	26	27	0.13
ACKK20-622	52	53	0.27
ACKK20-622	54	55	0.15
ACKK20-622	55	56	0.10
ACKK20-622	61	62	0.10
ACKK20-622	68	69	0.75
ACKK20-622	69	70	0.58
ACKK20-622	70	71	0.11
ACKK20-622	71	72	0.16
ACKK20-622	72	73	0.79
ACKK20-623	1	2	0.12
ACKK20-623	6	7	0.10
ACKK20-623	18	19	0.97
ACKK20-623	19	20	0.15
ACKK20-623	20	21	0.32
ACKK20-623	31	32	0.16
ACKK20-623	47	48	0.33
ACKK20-623	54	55	0.45
ACKK20-623	55	56	0.50
ACKK20-624	36	37	0.10
ACKK20-624	37	38	0.10
ACKK20-624	44	45	0.18
ACKK20-624	45	46	0.43
ACKK20-624	46	47	1.08
ACKK20-624	47	48	0.47
ACKK20-624	48	49	0.19
ACKK20-624	49	50	0.22
ACKK20-624	50	51	0.78
ACKK20-624	51	52	3.13
ACKK20-624	52	53	2.39
ACKK20-624	53	54	1.23
ACKK20-625	0	1	0.37
ACKK20-625	9	10	0.10
ACKK20-625	21	22	0.21

HOLE No.	FROM (m)	TO (m)	GOLD (g/t)
ACKK20-625	22	23	0.22
ACKK20-625	23	24	0.25
ACKK20-625	38	39	0.13
ACKK20-625	43	44	0.11
ACKK20-625	54	55	0.14
ACKK20-625	61	62	0.22
ACKK20-625	63	64	1.68
ACKK20-625	64	65	1.39
ACKK20-625	65	66	0.70
ACKK20-625	66	67	1.04
ACKK20-625	67	68	1.54
ACKK20-625	68	69	3.44
ACKK20-625	69	70	0.18
ACKK20-625	76	77	0.15
ACKK20-625	77	78	0.17
ACKK20-626	18	19	0.39
ACKK20-631	13	14	0.12
ACKK20-631	14	15	0.10
ACKK20-632	16	17	0.12
ACKK20-633	9	10	0.22
ACKK20-633	10	11	0.43
ACKK20-633	11	12	0.22
ACKK20-633	12	13	0.25
ACKK20-633	16	17	0.15
ACKK20-634	53	54	0.24
ACKK20-634	54	55	0.12
ACKK20-636	43	44	0.33
ACKK20-636	52	53	0.17
ACKK20-636	53	54	0.11
ACKK20-636	56	57	0.13
ACKK20-636	58	59	0.41
ACKK20-636	59	60	0.13
ACKK20-637	17	18	0.12
ACKK20-637	20	21	0.66
ACKK20-637	36	37	0.13
ACKK20-637	42	43	0.45
ACKK20-638	51	52	0.17
ACKK20-638	52	53	0.51
ACKK20-638	62	63	0.12
ACKK20-638	64	65	0.51
ACKK20-638	65	66	0.11
ACKK20-638	66	67	0.13
ACKK20-638	67	68	0.14

HOLE No.	FROM (m)	TO (m)	GOLD (g/t)
ACKK20-639	41	42	0.11
ACKK20-643	51	52	0.11
ACKK20-644	72	73	0.10
ACKK20-653	46	47	0.26
ACKK20-653	47	48	0.74
ACKK20-653	55	56	0.31
ACKK20-653	56	57	0.14
ACKK20-654	27	28	0.14
ACKK20-654	28	29	0.21
ACKK20-654	29	30	0.20
ACKK20-654	45	46	0.12
ACKK20-655	29	30	0.87
ACKK20-656	24	25	0.36
ACKK20-656	58	59	0.20
ACKK20-657	10	11	0.35
ACKK20-659	9	10	0.10
ACKK20-659	10	11	0.12
ACKK20-659	11	12	0.14
ACKK20-659	14	15	0.11
ACKK20-659	15	16	0.10
ACKK20-659	33	34	0.10
ACKK20-660	0	1	0.11
ACKK20-660	4	5	0.19
ACKK20-660	6	7	1.63
ACKK20-660	7	8	0.15
ACKK20-662	8	9	0.17
ACKK20-662	10	11	0.10
ACKK20-662	14	15	0.11
ACKK20-662	15	16	0.37
ACKK20-662	16	17	0.35
ACKK20-662	28	29	0.20
ACKK20-662	29	30	0.15
ACKK20-662	30	31	0.19
ACKK20-662	32	33	0.33
ACKK20-662	34	35	0.29
ACKK20-662	35	36	0.13
ACKK20-663	8	9	0.13
ACKK20-663	11	12	0.12
ACKK20-663	13	14	0.12
ACKK20-663	14	15	0.15
ACKK20-663	20	21	0.19
ACKK20-663	23	24	0.18
ACKK20-663	24	25	0.34

HOLE No.	FROM (m)	TO (m)	GOLD (g/t)
ACKK20-663	25	26	0.18
ACKK20-663	26	27	0.28
ACKK20-663	27	28	0.17
ACKK20-663	28	29	0.13
ACKK20-663	29	30	0.14
ACKK20-663	32	33	0.10
ACKK20-664	4	5	0.44
ACKK20-664	9	10	0.25
ACKK20-664	10	11	0.13
ACKK20-664	13	14	0.14
ACKK20-664	14	15	0.27
ACKK20-664	15	16	0.10
ACKK20-664	16	17	0.26
ACKK20-664	17	18	0.13
ACKK20-664	21	22	0.13
ACKK20-665	4	5	0.22
ACKK20-665	9	10	0.10
ACKK20-666	8	9	0.14
ACKK20-667	6	7	0.28
ACKK20-668	3	4	0.20
ACKK20-668	4	5	0.49
ACKK20-669	6	7	0.22
ACKK20-669	7	8	0.17
ACKK20-669	8	9	0.30
ACKK20-669	10	11	0.20
ACKK20-673	8	9	0.21
ACKK20-674	9	10	0.16
ACKK20-675	36	37	0.11
ACKK20-675	37	38	0.11
ACKK20-675	38	39	0.28
ACKK20-675	39	40	0.66
ACKK20-675	40	41	0.76
ACKK20-675	41	42	0.13
ACKK20-675	42	43	0.10
ACKK20-679	3	4	0.15
ACKK20-680	1	2	0.22
ACKK20-683	21	22	0.12
ACKK20-684	19	20	0.10
ACKK20-685	12	13	0.15
ACKK20-688	18	19	0.12
ACKK20-688	26	27	0.15
ACKK20-690	57	58	0.14
ACKK20-692	26	27	0.20

HOLE No.	FROM (m)	TO (m)	GOLD (g/t)
ACKK20-692	27	28	0.22
ACKK20-692	31	32	0.21
ACKK20-692	32	33	1.64
ACKK20-692	33	34	0.11
ACKK20-693	28	29	0.14
ACKK20-695	50	51	0.16
ACKK20-698	2	3	0.10
ACKK20-698	22	23	0.73
ACKK20-699	16	17	0.23
ACKK20-699	17	18	0.17
ACKK20-699	18	19	0.16
ACKK20-699	21	22	0.27
ACKK20-699	22	23	0.14
ACKK20-699	23	24	0.41
ACKK20-699	24	25	0.18
ACKK20-699	26	27	0.10
ACKK20-699	27	28	0.11
ACKK20-699	34	35	0.78
ACKK20-699	35	36	0.58
ACKK20-699	36	37	0.14
ACKK20-699	37	38	0.15
ACKK20-699	38	39	0.20
ACKK20-699	39	40	0.20
ACKK20-699	41	42	0.53
ACKK20-699	42	43	0.12
ACKK20-699	43	44	0.41
ACKK20-699	44	45	0.29
ACKK20-699	45	46	0.14
ACKK20-699	47	48	0.26
ACKK20-699	48	49	0.20
ACKK20-699	54	55	0.14
ACKK20-700	10	11	0.14
ACKK20-700	11	12	0.14
ACKK20-700	12	13	0.16
ACKK20-700	13	14	0.17
ACKK20-700	14	15	0.12
ACKK20-701	24	25	0.15
ACKK20-701	25	26	0.36
ACSK20-741	21	22	0.18
ACSK20-741	23	24	0.74
ACSK20-741	24	25	0.14
ACSK20-741	27	28	0.20
ACSK20-741	34	35	0.13

HOLE No.	FROM (m)	TO (m)	GOLD (g/t)
ACSK20-741	35	36	0.14
ACSK20-741	36	37	0.51
ACSK20-741	37	38	0.97
ACSK20-741	38	39	1.41
ACSK20-741	39	40	0.38
ACSK20-741	40	41	0.39
ACSK20-741	41	42	0.40
ACSK20-741	42	43	0.43
ACSK20-741	43	44	3.28
ACSK20-741	44	45	1.02
ACSK20-741	45	46	0.78
ACSK20-741	46	47	0.35
ACSK20-741	47	48	0.59
ACSK20-741	48	49	0.24
ACSK20-741	49	50	0.13
ACSK20-741	60	61	0.35
ACSK20-742	2	3	0.45
ACSK20-742	3	4	0.17
ACSK20-742	6	7	0.11
ACSK20-742	7	8	0.57
ACSK20-742	8	9	0.12
ACSK20-742	9	10	0.12
ACSK20-742	10	11	0.33
ACSK20-742	11	12	0.54
ACSK20-742	12	13	0.36
ACSK20-742	13	14	0.14
ACSK20-742	22	23	0.34
ACSK20-742	23	24	0.39
ACSK20-742	24	25	0.30
ACSK20-742	26	27	0.18
ACSK20-742	27	28	0.23
ACSK20-742	28	29	0.20
ACSK20-742	29	30	0.18
ACSK20-742	30	31	0.30
ACSK20-742	31	32	0.24
ACSK20-742	32	33	0.34
ACSK20-742	33	34	0.20
ACSK20-742	34	35	0.14
ACSK20-743	16	17	0.14
ACSK20-743	17	18	0.18
ACSK20-743	18	19	0.32
ACSK20-744	31	32	0.14
ACSK20-744	32	33	0.29

HOLE No.	FROM (m)	TO (m)	GOLD (g/t)
ACSK20-744	33	34	0.62
ACSK20-744	34	35	0.13
ACSK20-745	20	21	0.11
ACSK20-746	57	58	0.28
ACSK20-746	59	60	0.12
ACSK20-747	35	36	0.10
ACSK20-747	44	45	0.35
ACSK20-747	45	46	0.72
ACSK20-747	46	47	0.34
ACSK20-747	47	48	0.10
ACSK20-747	51	52	0.10
ACSK20-747	58	59	0.10
ACSK20-748	5	6	0.23
ACSK20-748	9	10	0.14
ACSK20-748	10	11	0.96
ACSK20-748	11	12	0.59
ACSK20-748	12	13	0.88
ACSK20-748	13	14	1.08
ACSK20-748	14	15	1.14
ACSK20-748	15	16	1.68
ACSK20-748	16	17	0.29
ACSK20-748	17	18	0.29
ACSK20-748	18	19	0.55
ACSK20-748	19	20	0.31
ACSK20-748	20	21	0.32
ACSK20-748	21	22	0.23
ACSK20-748	22	23	0.18
ACSK20-748	25	26	0.16
ACSK20-748	26	27	0.12
ACSK20-748	28	29	0.14
ACSK20-748	29	30	0.22
ACSK20-748	30	31	0.24
ACSK20-748	31	32	0.17
ACSK20-748	32	33	0.20
ACSK20-748	34	35	0.41
ACSK20-748	35	36	0.17
ACSK20-748	36	37	0.12
ACSK20-748	37	38	0.13
ACSK20-748	38	39	0.19
ACSK20-748	39	40	6.22
ACSK20-748	41	42	0.11
ACSK20-748	45	46	0.11
ACSK20-748	46	47	0.36

HOLE No.	FROM (m)	TO (m)	GOLD (g/t)
ACSK20-748	47	48	0.25
ACSK20-748	59	60	0.11
ACSK20-748	69	70	0.13
ACSK20-749	4	5	0.13
ACSK20-749	5	6	0.11
ACSK20-749	6	7	0.32
ACSK20-749	7	8	0.39
ACSK20-749	8	9	0.43
ACSK20-749	9	10	0.29
ACSK20-749	10	11	0.44
ACSK20-749	11	12	0.12
ACSK20-749	17	18	0.10
ACSK20-749	23	24	0.15
ACSK20-749	24	25	0.27
ACSK20-749	25	26	0.17
ACSK20-749	28	29	0.19
ACSK20-749	29	30	0.41
ACSK20-749	30	31	0.52
ACSK20-749	31	32	0.21
ACSK20-749	59	60	0.10
ACSK20-750	6	7	0.10
ACSK20-750	7	8	0.27
ACSK20-750	8	9	0.33
ACSK20-750	9	10	0.36
ACSK20-750	10	11	0.20
ACSK20-750	11	12	0.18
ACSK20-750	12	13	0.33
ACSK20-750	13	14	2.14
ACSK20-750	14	15	0.81
ACSK20-750	15	16	0.15
ACSK20-750	16	17	0.53
ACSK20-750	18	19	0.56
ACSK20-750	19	20	0.89
ACSK20-750	20	21	0.16
ACSK20-750	45	46	4.75
ACSK20-750	65	66	0.31
ACSK20-750	74	75	0.57
ACSK20-751	71	72	0.11
ACSK20-751	72	73	0.40
ACSK20-751	73	74	0.77
ACSK20-751	74	75	0.50
ACSK20-751	75	76	0.30
ACSK20-751	76	77	0.31

HOLE No.	FROM (m)	TO (m)	GOLD (g/t)
ACSK20-751	77	78	0.11
ACSK20-752	59	60	0.36
ACSK20-752	60	61	1.21
ACSK20-752	61	62	0.30
ACSK20-752	62	63	0.86
ACSK20-752	63	64	0.71
ACSK20-752	64	65	0.71
ACSK20-752	65	66	0.46
ACSK20-752	66	67	0.10
ACSK20-753	39	40	0.14
ACSK20-753	42	43	0.22
ACSK20-753	43	44	0.24
ACSK20-753	44	45	0.54
ACSK20-753	45	46	0.35
ACSK20-753	57	58	0.11
ACSK20-753	58	59	0.17
ACSK20-753	72	73	0.16
ACSK20-753	73	74	0.21
ACSK20-754	7	8	0.13
ACSK20-754	8	9	0.20
ACSK20-754	20	21	0.17
ACSK20-754	21	22	2.25
ACSK20-754	22	23	0.78
ACSK20-754	23	24	2.41
ACSK20-754	24	25	0.82
ACSK20-754	25	26	1.18
ACSK20-754	26	27	2.22
ACSK20-754	27	28	1.44
ACSK20-754	28	29	0.34
ACSK20-754	29	30	2.13
ACSK20-754	30	31	4.83
ACSK20-754	31	32	1.37
ACSK20-754	32	33	0.34
ACSK20-754	33	34	1.09
ACSK20-754	34	35	0.67
ACSK20-754	35	36	0.69
ACSK20-754	36	37	0.19
ACSK20-754	37	38	0.17
ACSK20-754	38	39	0.61
ACSK20-754	39	40	0.47
ACSK20-754	40	41	0.41
ACSK20-754	41	42	1.61
ACSK20-754	42	43	0.18

HOLE No.	FROM (m)	TO (m)	GOLD (g/t)
ACSK20-754	43	44	0.11
ACSK20-754	44	45	0.30
ACSK20-754	59	60	0.13
ACSK20-754	60	61	0.12
ACSK20-755	4	5	0.26
ACSK20-755	5	6	0.28
ACSK20-755	6	7	0.25
ACSK20-755	7	8	0.63
ACSK20-755	8	9	0.58
ACSK20-755	9	10	0.31
ACSK20-755	10	11	0.20
ACSK20-755	34	35	0.78
ACSK20-755	35	36	0.22
ACSK20-755	36	37	0.19
ACSK20-755	37	38	0.23
ACSK20-755	38	39	0.36
ACSK20-755	39	40	0.29
ACSK20-755	40	41	0.26
ACSK20-755	41	42	0.10
ACSK20-755	51	52	1.14
ACSK20-755	52	53	0.72
ACSK20-755	53	54	0.19
ACSK20-755	55	56	0.63
ACSK20-755	56	57	0.38
ACSK20-755	57	58	0.17
ACSK20-755	58	59	0.18
ACSK20-755	59	60	0.14
ACSK20-755	60	61	0.28
ACSK20-755	61	62	0.23
ACSK20-755	62	63	0.18
ACSK20-755	63	64	0.14
ACSK20-755	66	67	1.10
ACSK20-755	67	68	0.25
ACSK20-755	68	69	0.59
ACSK20-755	69	70	0.39
ACSK20-755	70	71	0.11
ACSK20-755	71	72	0.76
ACSK20-755	72	73	0.30
ACSK20-755	73	74	0.13
ACSK20-755	75	76	0.23
ACSK20-755	78	79	0.91
ACSK20-755	79	80	1.10
ACSK20-755	80	81	1.66

HOLE No.	FROM (m)	TO (m)	GOLD (g/t)
ACSK20-755	81	82	5.84
ACSK20-755	82	83	1.16
ACSK20-755	83	84	0.14
ACSK20-755	84	85	1.12
ACSK20-755	88	89	0.15
ACSK20-756	1	2	0.18
ACSK20-756	3	4	0.16
ACSK20-756	4	5	0.13
ACSK20-756	5	6	0.14
ACSK20-756	6	7	0.15
ACSK20-756	7	8	0.27
ACSK20-756	8	9	0.30
ACSK20-756	9	10	0.29
ACSK20-756	10	11	0.26
ACSK20-756	11	12	0.17
ACSK20-756	12	13	0.13
ACSK20-756	16	17	0.29
ACSK20-756	17	18	0.30
ACSK20-756	18	19	0.14
ACSK20-756	32	33	0.27
ACSK20-756	34	35	0.16
ACSK20-756	35	36	0.35
ACSK20-756	48	49	0.14
ACSK20-756	69	70	0.59
ACSK20-756	70	71	2.71

HOLE No.	FROM (m)	TO (m)	GOLD (g/t)
ACSK20-756	71	72	2.17
ACSK20-756	74	75	0.14
ACSK20-756	76	77	1.83
ACSK20-756	77	78	2.16
ACSK20-757	5	6	0.19
ACSK20-757	6	7	0.15
ACSK20-757	7	8	0.23
ACSK20-757	8	9	0.36
ACSK20-757	9	10	0.35
ACSK20-757	10	11	0.56
ACSK20-757	11	12	0.60
ACSK20-757	12	13	1.70
ACSK20-757	13	14	0.66
ACSK20-757	14	15	7.85
ACSK20-757	15	16	0.50
ACSK20-757	16	17	1.23
ACSK20-757	17	18	0.32
ACSK20-757	18	19	0.42
ACSK20-757	19	20	0.13
ACSK20-757	33	34	0.11
ACSK20-757	41	42	0.18
ACSK20-757	47	48	0.98
ACSK20-757	48	49	0.14
ACSK20-757	54	55	0.10

NB: All gold assays $\geq 0.1\text{g/t}$ are listed.

JORC CODE, 2012 EDITION – TABLE 1

Section 1 Sampling Techniques and Data

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
Sampling techniques	▶ Nature and quality of sampling, measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. ▶ Aspects of the determination of mineralisation that are Material to the Public Report. ▶ In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.	▶ All holes have been routinely sampled on a 1m interval for gold ▶ 1 metre samples are preserved for future assay as required. ▶ RC Samples were collected in situ at the drill site and are split collecting 2 to 3 kg per sample. Certified reference material and sample duplicates were inserted at regular intervals. ▶ DD samples are cut to half core on 1m intervals. ▶ All samples were submitted SGS, Bamako Mali using a 50g Fire Assay gold analysis with a 10ppb Au detection level.
Drilling techniques	▶ Drill type (eg core, reverse circulation, open<hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face<sampling bit or other type, whether core is oriented and if so, by what method, etc).	▶ RC drilling was carried out by AMCO drilling ▶ DD drilling was undertaken by AMCO drilling and utilised PQ and HQ triple tube drilling
Drill sample recovery	▶ Method of recording and assessing core and chip sample recoveries and results assessed. ▶ Measures taken to maximise sample recovery and ensure representative nature of the samples. ▶ Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.	▶ An initial visual estimate of RC sample recovery was undertaken at the drill rig for each sample metre collected. ▶ Collected samples were weighed to ensure consistency of sample size and monitor sample recoveries. ▶ For DD core recovery and RQD observations are made. ▶ A number of zones of poor recovery were encountered in drilling. Where recovery has been deemed to be poor or was null it has been treated as having a 0ppm grade in any compositing undertaken. ▶ No systematic sampling issue, recovery issue or bias was picked up and it is therefore considered that both sample recovery and quality is adequate for the drilling technique employed
Logging	▶ Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. ▶ Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. ▶ The total length and percentage of the relevant intersections logged.	▶ All drill samples were geologically logged by Oklo Resources subsidiary Africa Mining geologists. ▶ Geological logging used a standardised logging system.
Sub-sampling techniques and sample preparation	▶ If core, whether cut or sawn and whether quarter, half or all core taken. ▶ If non<core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. ▶ For all sample types, the nature, quality and appropriateness of the sample preparation technique. ▶ Quality control procedures adopted for all sub<sampling stages to maximise representivity of samples. ▶ Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second<half sampling.	▶ RC samples were split utilizing a 3 tier riffle splitter with a 1m sample being taken. ▶ Duplicates were taken to evaluate representativeness ▶ Further sample preparation was undertaken at the SGS laboratories by SGS laboratory staff ▶ All DD core was ½ cut and ¼ cut when a duplicate sample was taken. ▶ Duplicates were taken to evaluate representativeness ▶ At the laboratory, samples were weighed, dried and fine crushed to 70% <2mm (jaw crusher), pulverized and split to 85 %< 75 um. Gold is assayed by fire assay (50g charge) with an AAS

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
	Whether sample sizes are appropriate to the grain size of the material being sampled.	Finish. - Sample pulps were returned from the SGS laboratory under secure "chain of custody" procedure by Africa Mining staff and are being stored in a secure location for possible future analysis. - Sample sizes and laboratory preparation techniques are considered to be appropriate for this early stage exploration and the commodity being targeted.
Quality of assay data and laboratory tests	- The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. - For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. - Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.	- Analysis for gold on AC, RC and diamond samples is undertaken at SGS Bamako by 50g Fire Assay with an AAS finish to a lower detection limit of 10ppb Au. - Fire assay is considered a "total" assay technique. - No field non assay analysis instruments were used in the analyses reported. - A review of certified reference material and sample blanks inserted by the Company indicated no significant analytical bias or preparation errors in the reported analyses. - Results of analyses for field sample duplicates are consistent with the style of mineralisation evaluated and considered to be representative of the geological zones which were sampled. - Internal laboratory QAQC checks are reported by the laboratory and a review of the QAQC reports suggests the laboratory is performing within acceptable limits.
Verification of sampling and assaying	- The verification of significant intersections by either independent or alternative company personnel. - The use of twinned holes. - Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. - Discuss any adjustment to assay data.	- All drill hole data is paper logged at the drill site and then digitally entered by Company geologists at the site office. - All digital data is verified and validated by the Company's database consultant in Paris before loading into the drill hole database. - No twinning of holes was undertaken in this program. - Reported drill results were compiled by the company's geologists, verified by the Company's database administrator and exploration manager. - No adjustments to assay data were made.
Location of data points	- Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. - Specification of the grid system used. - Quality and adequacy of topographic control.	- AC, RC and diamond drill hole collars are positioned using differential GPS (DGPS). - Accuracy of the DGPS < +/- 0.1m and is considered appropriate for this level of exploration - The grid system is UTM Zone 29N
Data spacing and distribution	- Data spacing for reporting of Exploration Results. - Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. - Whether sample compositing has been applied.	- RC and DD drilling is now being undertaken on a ~20x40m spacing as infill undertaken in areas of identified higher grade zones. - Drilling reported in this program is being designed to infill or extend known mineralisation to a sufficient density of drilling to enable the estimation of a maiden resource.
Orientation of data in relation to geological structure	- Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. - If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.	Exploration is at an early stage and, as such, knowledge on exact location of mineralisation and its relation to lithological and structural boundaries is not accurately known. However, the current hole orientation is considered appropriate for the program to reasonably assess the prospectivity of known structures interpreted from other data sources.

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
Sample security	The measures taken to ensure sample security.	- RC and diamond samples were collected from the company camp by SGS and taken to the SGS laboratory in Bamako under secure "chain of custody" procedure by Africa Mining staff. - Sample pulps were returned from the SGS laboratory under secure "chain of custody" procedure by Africa Mining staff and have been stored in a secure location. - The AC samples remaining after splitting are removed from the site and trucked to the exploration camp where they are stored under security for future reference for a minimum of 6 months
Audits or reviews	The results of any audits or reviews of sampling techniques and data.	There have been no external audit or review of the Company's sampling techniques or data at this early exploration stage.

Section 2 Reporting of Exploration Results

CRITERIA	JORC CODE EXPLANATION	CRITERIA
Mineral tenement and land tenure status	- Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. - The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.	- The results reported in this report are all contained within the Dandoko Exploration Permit, Gombaly Exploration Permit which are held 100% by Africa Mining SARL, a wholly owned subsidiary of Oklo Resources Limited. - The Dandoko permit (100km²) which was renewed on the 10/8/17, for a period of 3 years and renewable twice, each for a period of 2 years: - The Gombaly permit (34km²) which was granted on the 10/8/17, for a period of 3 years and renewable twice, each for a period of 2 years
Exploration done by other parties	Acknowledgment and appraisal of exploration by other parties.	- The area that is presently covered by the Dandoko permit was explored intermittently by Compass Gold Corporation between 2010 and 2013. - Exploration consisted of aeromagnetic surveys, gridding, soil sampling and minor reconnaissance (RC) drilling. - Exploration consisted of aeromagnetic surveys, gridding, soil sampling. - Ashanti Mali undertook reconnaissance soil sampling surveys over part of the license area.
Geology	Deposit type, geological setting and style of mineralisation.	- The deposit style targeted for exploration is orogenic lode gold. - This style of mineralisation can occur as veins or disseminations in altered (often silicified) host rock or as pervasive alteration over a broad zone. - Deposit are often found in close proximity to linear geological structures (faults & shears) often associated with deep-seated structures. - Lateritic weathering is common within the project area. The depth to fresh rock is variable and may extend up to 50-70m below surface and in this drill program weathering of >150m was encountered
Drill hole Information	- A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: - easting and northing of the drill hole collar - elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar	- Locations are tabulated within the report and are how on plans and sections within the main body of this announcement. - Dip of lithologies and/or mineralisation are not currently known. Drilling was oriented based on dips of lithologies observed ~5km to the north of the prospect and may not reflect the actual dip.

CRITERIA	JORC CODE EXPLANATION	CRITERIA
	- o dip and azimuth of the hole - o down hole length and interception depth - o hole length. ► If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.	
Data aggregation methods	► In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut<off grades are usually Material and should be stated. ► Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. ► The assumptions used for any reporting of metal equivalent values should be clearly stated.	► Intervals are reported using a threshold where the interval has a 0.3 g/t Au average or greater over the sample interval and selects all material greater than 0.10 g/t Au allowing for up to 2 samples of included dilution every 10m. ► No grade top cut off has been applied to full results presented in Significant Intersection Table. ► No metal equivalent reporting is used or applied
Relationship between mineralisation widths and intercept lengths	► These relationships are particularly important in the reporting of Exploration Results. ► If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. ► If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known').	► The results reported in this announcement are considered to be of an early stage in the exploration of the project. ► Mineralisation geometry is not accurately known as the exact orientation and extent of known mineralised structures are not yet determined. ► Mineralisation results are reported as "downhole" widths as true widths are not yet known
Diagrams	► Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.	► Drill hole location plans are provided in earlier releases with new holes tabulated within this release.
Balanced reporting	► Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.	► Drill hole locations are provided in earlier reports. ► All assays received of $\geq 0.1\text{ppm}$ have been reported. ► No high cuts to reported data have been made.
Other substantive exploration data	► Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.	► No other exploration data that is considered meaningful and material has been omitted from this report
Further work	► The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large<scale step<out drilling). ► Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.	► AC, RC and diamond drilling is ongoing on the Company's SK1 North prospect with a view to completing a resource estimate for the Seko prospect in H2, 2020.