

21 July 2015

REDUCTION IN CONCESSION AREA AND FINAL DRILL SECTIONS

Promesa Ltd (ASX:PRA) would like to provide an update on the Alumbre Project and other activities in Peru.

Surface sampling, mapping, IP geophysics & drilling on the Alumbre Project, a VLF electromagnetic and radiometrics survey of the Magdalena Project, IP geophysics over the Quinual project, and reconnaissance sampling over the Huajoropampa, Olleros and Yarpun Project areas has been completed.

A review of results and Promesa future direction with Thred has resulted in a re-prioritisation of the Company's properties, allowing the Company to reduce its overheads and ongoing maintenance of the concessions:

Alumbre on the GAYA 104 concession, remains in the concession holding however interest in the adjoining Magdalenita 18 concession has been relinquished. The silica dome south of the Chorobal vein system is under an option to purchase agreement with minimal overheads and has been retained. The Magdalena option to purchase agreement with OBAN Mining has been terminated and no further interest in this region is retained. The Quinual project remains important and the area associated with the interpreted near-surface high sulphidation system is retained whilst the adjoining Karatos concessions have been relinquished. The Olleros project has been reduce from 6 to 3 concessions. The Huajoropapmpa and Yarpun project areas have been retained. The Company now holds a reduced 3086 Ha of exploration concessions down from 29915 Ha. The following table shows the Company's remaining concession interests:

Table1 Promesa Concession Areas in Peru

PROJECT	CONCESSION NAME	LOCATION	AREA Ha
OLLEROS	BALDUR102	ANCASH	700
OLLEROS	BALDUR104	ANCASH	400
OLLEROS	BALDUR105	ANCASH	800
ALUMBRE	GAYA 104	LA LIBERTAD	187.56
ALUMBRE	AURIFERA CHOROBAL	LA LIBERTAD	798.26
HUAJOROPAMPA	GAYA 101	HUANCABELICA	1000
YARPUN	GAYA 102	ANCASH	100
QUINUAL	GAYA 103	LA LIBERTAD	1000

Alumbre Diamond Drilling

The Alumbre Hill area on the Gaya 104 and Magdalena 18 concessions have been the exploration focus in Peru. Nine diamond drillholes in two stages were completed in 2014 for a total of 4380.5m (Fig 1, Table 2)). Areas associated with encouraging surface geochemistry, chargeability, resistivity and magnetic anomalies were targeted during the campaign.




Figure 1 – Alumbre drillhole locations and downhole traces (stage 2 red)

Table2 Alumbre Drill Collar Details

Hole ID	wgs84_Z17mE	wgs84_Z17mN	Elevation	Azimuth	Dip	Length_m
ALDD14001	779996	9065795	1095	0	90	500
ALDD14002	780330	9065862	1176	160	70	207.4
ALDD14003	779631	9065772	1009	0	60	401.1
ALDD14004	779628	9065777	1009	150	70	401
ALDD14005	779342	9065738	920	277	60	476
ALDD14006	779242	9065861	930	290	50	629.25
ALDD14007	779685	9066011	1075	340	70	659.5
ALDD14008	779244	9065856	930	270	50	539.35
ALDD14009	779241	9065862	930	325	15	567.4

Significant intercepts of low grade copper gold and molybdenum mineralisation were encountered (Figs 2-6). The best intercept was 7m at 0.8% CuEq from 411m and 1m at 2% CuEq from 261m in drillhole ALDD14005. The most extensive intercept of 34m at 0.14% CuEq from 132m which included 1m at 7g/t Au from 142m was returned from ALDD14009. Both these drillholes are in the Gaya 104 concession. Results for drillholes ALDD14006 and ALDD14007 are reported in the appendix. All other results have been previously reported.

Drilling identified the core of the porphyry system in this sector. Observations of drill core

indicate that the Alumbre Hill area may have been affected by post-mineralisation hydrothermal processes causing remobilisation of the initial porphyry mineralisation. Interpretation of trace-element geochemistry on the other hand indicates that the drilled area remains high in the porphyry system.

Hydrothermal alteration is strongest beneath the Alumbre Hill. Mineralisation is represented by chalcopyrite and molybdenite in the main and is associated with broad zones of potassic alteration. Using a 0.1% copper-equivalent cutoff, the table below shows the mineralisation to be controlled by metre-scale feeder structures and associated with silica and potassium alteration. Commonly, mineralisation is hosted by porphyritic diorite or porphyritic tonalite at lower elevations and by the overlying andesitic crystal tuffs at the higher elevations.

The centre of hydrothermal activity is the area of drillholes ALDD14003 through ALDD14009 in the western zone of the drilled area. This area is the Gaya 104 concession.

The Option to Purchase Contract of the adjoining Magdalena 18 concession has been subsequently cancelled. South of the drilled area, Promesa retains an option over the Aurifera Chorobal concession.

The following table shows best results received.

Table 3 Alumbre Drilling - Significant Results

Concession	Drillhole ID	Interval	CuEq %	From	Lithology	Alteration
10373311	ALDD14001	4m	0.17%	214m	Andesitic crystal tuff	Propylitic
10373311	ALDD14002	2m	0.17%	90m	Granodiorite	Phyllic
		2m	0.13%	188m	Andesitic lithic tuff	Propylitic
10619910	ALDD14003	1m	0.10%	46m	Andesitic crystal tuff	Argillic
		1m	0.15%	115m	Andesitic crystal tuff	Silicic
		2m	0.16%	190m	Andesitic crystal tuff	Silicic
		6m	0.15%	263m	Andesitic crystal tuff	Phyllic
		9m	0.14%	281m	Andesitic crystal tuff	Phyllic
		1m	0.21%	295m	Porphyritic Diorite	Phyllic
		1m	0.34%	301m	Porphyritic Diorite	Phyllic
10619910	ALDD14004	1m	0.11%	18m	Andesitic crystal tuff	Argillic
		1m	0.13%	27m	Andesitic crystal tuff	Argillic

Concession	Drillhole ID	Interval	CuEq %	From	Lithology	Alteration
		2m	0.18%	183m	Xenolithic Tonalite	Silicic
10619910	ALDD14005	2m	0.11%	18m	Andesitic crystal tuff	Potassic
		1m	0.12%	28m	Andesitic crystal tuff	Potassic
		1m	0.17%	39m	Andesitic crystal tuff	Potassic
		6m	0.11%	48m	Andesitic crystal tuff	Potassic
		8m	0.14%	69m	Andesitic crystal tuff	Potassic
		1m	0.18%	90m	Andesitic crystal tuff	Potassic
		1m	0.10%	94m	Andesitic crystal tuff	Potassic
		2m	0.12%	108m	Andesitic crystal tuff	Potassic
		1m	0.14%	114m	Andesitic crystal tuff	Phyllic
		1m	0.14%	148m	Andesitic crystal tuff	Potassic
		1m	1.99%	261m	Diorite Intrusive	Potassic
		1m	0.13%	288m	Diorite Intrusive	Potassic
		2m	0.33%	403m	Diorite Intrusive	Potassic
		7m	0.79%	411m	Diorite Intrusive	Potassic
10619910	ALDD14006	3m	0.13%	16m	Andesitic crystal tuff	Potassic
		8m	0.15%	78m	Andesitic crystal tuff	Potassic
		1m	0.12%	96m	Andesitic crystal tuff	Potassic
		7m	0.12%	106m	Andesitic crystal tuff	Potassic
		1m	0.11%	125m	Andesitic crystal tuff	Potassic
		1m	0.14%	147m	Andesitic crystal tuff	Potassic
		4m	0.11%	165m	Andesitic crystal tuff	Potassic
		1m	0.10%	176m	Andesitic crystal tuff	Potassic
		2m	0.11%	190m	Andesitic crystal tuff	Potassic
		1m	0.11%	199m	Andesitic crystal tuff	Potassic
		1m	0.12%	218m	Andesitic crystal tuff	Potassic
		1m	0.11%	223m	Andesitic crystal tuff	Potassic

Concession	Drillhole ID	Interval	CuEq %	From	Lithology	Alteration
		1m	0.12%	231m	Andesitic crystal tuff	Potassic
		5m	0.10%	242m	Diorite	Potassic
		13m	0.10%	253m	Diorite	Potassic
		1m	0.12%	362m	Tonalite porphyritic	Potassic
		1m	0.11%	605m	Tonalite	Phyllic
10619910	ALDD14007	1m	0.20%	166m	Andesitic crystal tuff	Phyllic
		1m	0.17%	546m	Porphyritic diorite	Potassic
		1m	0.12%	574m	Porphyritic diorite	Potassic
		1m	0.11%	577m	Porphyritic diorite	Potassic
10619910	ALDD14008	11m	0.10%	2m	Andesitic crystal tuff	Argillic
		4m	0.10%	25m	Andesitic crystal tuff	Potassic
		1m	0.12%	39m	Andesitic crystal tuff	Potassic
		2m	0.11%	46m	Andesitic crystal tuff	Potassic
		2m	0.12%	59m	Andesitic crystal tuff	Potassic
		12m	0.11%	71m	Andesitic crystal tuff	Potassic
		1m	0.11%	115m	Andesitic crystal tuff	Potassic
		1m	0.11%	120m	Andesitic crystal tuff	Potassic
		3m	0.11%	154m	Andesitic crystal tuff	Potassic
		14m	0.11%	186m	Andesitic crystal tuff	Potassic
		1m	0.11%	225m	Andesitic crystal tuff	Phyllic
		1m	0.11%	230m	Andesitic crystal tuff	Potassic
		5m	0.12%	249m	Andesitic crystal tuff	Potassic
		1m	0.13%	300m	Porphyritic Tonalite	Silicic
10619910	ALDD14009	4m	0.10%	0m	Andesitic crystal tuff	
		16m	0.11%	7m	Andesitic crystal tuff	Potassic
		1m	0.10%	31m	Andesitic crystal tuff	Potassic
		1m	0.10%	33m	Andesitic crystal tuff	Potassic
		2m	0.11%	97m	Andesitic crystal tuff	Potassic

Concession	Drillhole ID	Interval	CuEq %	From	Lithology	Alteration
		2m	0.11%	100m	Andesitic crystal tuff	Potassic
		6m	0.10%	119m	Andesitic crystal tuff	Potassic
		34m	0.14%	132m	Andesitic crystal tuff	Potassic
		3m	0.12%	180m	Andesitic crystal tuff	Potassic
		13m	0.10%	189m	Andesitic crystal tuff	Potassic
		3m	0.13%	216m	Andesitic crystal tuff	Potassic
		2m	0.12%	226m	Andesitic crystal tuff	Potassic
		21m	0.10%	232m	Andesitic crystal tuff	Potassic
		1m	0.13%	284m	Andesitic crystal tuff	Phyllic
		1m	0.11%	308m	Andesitic crystal tuff	Phyllic
		2m	0.14%	312m	Andesitic crystal tuff	Phyllic
		4m	0.10%	329m	Andesitic crystal tuff	Potassic
		1m	0.11%	339m	Andesitic crystal tuff	Potassic
		6m	0.12%	345m	Andesitic crystal tuff	Potassic
		1m	0.16%	475m	Porphyritic diorite	Silicic
Note: Cu equivalence (CuEq) uses published current metal prices in for Au, Cu and Mo of (USD) \$1150/oz ; \$2.52/lb and \$4.20/lb respectively						

Alumbre is multi-phase hydrothermal system carrying relatively low average copper grades and moderate molybdenum. The system is hosted by Cretaceous granitoids and andesitic volcanic rocks of the Coastal Batholith which are overlain by the Tertiary Calipuy volcanics. Younger mass flow debris deposits infill valleys and occur on parts of the Alumbre ridge. Higher grade mineralisation is associated with early diorite stocks and stockworking. There is evidence in the drill logging that post-mineral or inter-mineral intrusive events have stopped out or caused remobilisation of early mineralisation. The following drill section shows relatively broad low grade copper mineralisation and broad potassic alteration. There are patchy higher grade regions but in general results are sub-economic.




Figure 2 – Drillhole ALDD14005: geology alteration and Cu geochemistry.




Figure 3– Drillhole ALDD14006: geology alteration and Cu geochemistry.




Figure 4– Drillhole ALDD14007: geology alteration and Cu geochemistry.




Figure 5– Drillhole ALDD14008: geology alteration and Cu geochemistry.




Figure 6– Drillhole ALDD14009: geology alteration and Cu geochemistry.

Drill results show generally continuous low grade copper mineralization with a general increase in copper grades at elevations of 600m to 700m in most drillholes. The exception is ALDD14007 which terminated in increasing mineralization below the 500m elevation level. An independent review of the Alumbre data determined that although there was no clear evidence that base of the mineralized porphyry shell had been reached, the relatively low grade of mineralization encountered did not encourage deeper drilling.

Magdalena Airborne VLF Electromagnetic Survey

During 2014 Promesa conducted a helicopter-borne VLF-electromagnetic survey of the entire Magdalena concession area including the Alumbre area.

Given the current difficulties in financing grass-roots exploration, the significant tenement rental and option payment obligations on this large concession area, Promesa has terminated the option to purchase agreement with the property owner.

Quinual Project

The Quinual concession in La Libertad has had an IP geophysics program and preliminary sampling and mapping. Mapping, initial geochemistry and geophysics interpretation indicate the potential for the discovery of a relatively shallow high-sulphidation epithermal Au-silver system. It is located 71 km southeast of Trujillo.

Huajoropampa Project

The Huajoropampa concession in Huancavelica covers 1000Ha at an altitude of 4000m ASL and is 305km from Lima. No historical geophysics or drilling has been completed on the project. Largely covered by Quaternary Sediments overlying Cretaceous Jumasha Formation shelf limestones, Pb-Zn-Ag mineralization occurs in breccias, skarn replacement and within structures.

Yarpun Project

The Yarpun concession in Ancash is a small 100 Ha where Zn-Pb-Ag have been noted in veins up to 300 meters in length with a width of up to 3m. The project is a small strategic holding adjacent to BHP Billiton's concessions.

Olleros Project

The Olleros concessions in Ancash cover 3 concessions covering approximately 1900 Ha. It is located in the same metallogenic corridor as the Pierina Gold Mine. Given the strategic location and encouraging geological setting, the three most encouraging of the original six concessions have been retained.

On behalf of the Board,



Ananda Kathiravelu
Executive Director
Promesa Ltd

Competent Persons Statement

The information in this report that relates to Exploration Results, Mineral Resources or Ore Reserves is based on information compiled by Mr Dean de Largie, a Fellow of the Australian Institute of Geoscientists. Mr de Largie is a full-time employee of Promesa Limited. Mr de Largie has sufficient experience which is relevant to the styles of mineralisation and types of deposits under consideration and to the activity he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves". Mr de Largie consents to the inclusion in this report of the matters based on his information in the form and context in which it appears above.

Appendix A: Drillhole Geochemistry

Drillhole ALDD14006

FROM	TO	Au_ppm	Cu_ppm	Mo_ppm	As_ppm	Bi_ppm	Re_ppm	Se_ppm	Te_ppm
0	1	0.0522	65.12	29.86	26.7	1.72	0.004	1.6	0.34
1	2	0.0716	126.75	44.21	27.9	1.21	0.008	0.5	0.22
2	3	0.0366	101.12	18.75	12.1	0.80	0.009	0.3	0.07
3	4	0.0436	132.38	17.70	14.6	1.51	0.006	0.6	0.13
4	5	0.0818	128.62	88.31	26.6	1.03	0.016	0.6	0.12
5	6	0.0142	183.33	8.38	22.3	0.26	0.005	0.3	0.05
6	7	0.0055	163.69	3.82	9.2	0.05	-0.001	0.1	-0.02
7	8	0.0558	125.69	6.37	18.2	0.31	0.002	0.2	0.03
8	9	0.021	32.83	9.40	14.4	0.58	0.007	0.2	0.09
9	10	0.0577	68.24	46.96	26.2	2.66	0.012	1.0	0.57
10	11	0.0282	114.84	16.97	10.0	1.19	0.004	0.7	0.14
11	12	0.057	202.94	14.59	15.1	0.74	0.004	0.6	0.11
12	13	0.0426	61.82	23.68	12.7	0.96	0.01	0.8	0.16
13	14	0.0104	29.34	20.44	3.7	0.62	0.006	0.4	0.16
14	15	0.0071	23.38	12.64	3.0	0.62	0.004	0.4	0.16
15	16	0.0543	45.02	23.64	31.5	1.16	0.007	0.9	0.17
16	17	0.1895	178.53	27.67	124.2	7.85	0.067	8.0	2.63
17	18	0.1066	150.42	126.19	18.5	1.74	0.484	1.8	0.45
18	19	0.1516	49.02	29.02	39.3	2.23	0.038	2.8	0.39
19	20	0.025	41.35	21.60	6.7	0.51	0.061	0.7	0.12
20	21	0.0316	63.98	37.25	5.5	0.85	0.089	2.4	0.25
21	22	0.0088	9.29	94.54	3.5	0.45	0.53	0.9	0.10
22	23	0.0868	17.10	51.56	16.6	1.46	0.15	3.3	0.50
23	24	0.0129	13.59	23.40	4.3	0.46	0.12	0.6	0.10
24	25	0.0606	17.62	42.81	39.6	1.96	0.229	3.6	0.33
25	26	0.0616	30.35	12.25	23.2	0.94	0.123	2.5	0.20
26	27	0.0219	24.46	17.25	8.8	0.47	0.102	1.5	0.11
27	28	0.0167	33.29	19.65	6.3	0.56	0.104	1.2	0.13
28	29	0.0948	36.09	91.40	94.3	3.78	0.155	7.5	0.89
29	30	0.0214	8.25	19.69	16.8	2.04	0.142	4.5	0.41
30	31	0.0155	10.96	29.93	18.3	1.41	0.855	2.5	0.20
31	32	0.0182	29.05	34.57	8.1	0.93	0.072	2.1	0.20
32	33	0.0102	15.45	24.55	5.8	0.68	0.09	1.2	0.14
33	34	0.0064	27.93	20.03	3.9	0.43	0.155	1.4	0.11
34	35	0.0055	35.97	22.51	2.1	0.32	0.027	0.5	0.05
35	36	0.0156	37.67	17.25	4.2	0.63	0.097	1.3	0.20
36	37	0.0231	24.38	19.69	18.1	1.17	0.029	3.4	0.33
37	38	0.0289	9.31	19.24	10.7	1.44	0.027	1.7	0.51
38	39	0.0212	20.81	15.96	10.9	1.55	0.019	3.1	0.38
39	40	0.0329	19.52	41.75	15.0	1.26	0.029	3.5	0.43
40	41	0.0269	12.95	17.19	13.5	1.10	0.052	3.6	0.30
41	42	0.0095	12.60	17.97	15.3	0.42	0.09	1.7	0.16
42	43	0.0317	140.09	21.29	27.5	1.40	0.324	6.3	0.47
43	44	0.0158	26.42	16.18	8.0	0.55	0.059	2.8	0.17
44	45	0.0357	143.32	13.38	35.4	1.75	0.155	6.7	0.69
45	46	0.009	117.33	4.27	14.2	0.97	0.026	3.8	0.32
46	47	0.0157	114.76	7.42	27.5	0.86	0.014	2.5	0.23
47	48	0.0463	13.91	7.88	35.0	2.79	0.037	5.2	0.84
48	49	0.0122	4.92	8.08	9.4	0.87	0.028	2.7	0.20
49	50	0.0064	4.74	3.93	4.1	0.25	0.007	0.8	0.06
50	51	0.0053	21.21	17.19	1.6	0.10	0.034	0.2	-0.02
51	52	0.0189	87.05	9.81	27.5	0.98	0.019	2.1	0.20

FROM	TO	Au_ppm	Cu_ppm	Mo_ppm	As_ppm	Bi_ppm	Re_ppm	Se_ppm	Te_ppm
52	53	0.0189	111.34	6.99	12.8	1.15	0.011	2.7	0.26
53	54	0.0363	69.32	9.89	17.7	1.89	0.069	9.7	0.81
54	55	0.0267	78.61	5.31	5.7	0.82	0.013	3.2	0.27
55	56	0.0248	75.15	5.89	6.2	0.95	0.012	3.5	0.29
56	57	0.0362	25.17	11.75	15.9	1.01	0.036	5.2	0.37
57	58	0.0899	222.22	13.46	2.6	0.44	0.02	1.2	0.11
58	59	0.071	147.73	11.44	8.3	0.53	0.017	1.7	0.13
59	60	0.0823	244.83	24.11	51.6	1.25	0.04	5.2	0.35
60	61	0.0792	100.02	17.69	37.0	1.59	0.036	4.7	0.44
61	62	0.0571	330.36	13.17	5.8	0.56	0.023	1.9	0.11
62	63	0.0515	249.21	16.66	3.4	0.29	0.055	1.7	0.03
63	64	0.0391	71.13	13.09	5.0	0.29	0.058	2.4	0.03
64	65	0.064	355.87	11.27	18.7	0.41	0.025	6.3	0.05
65	66	0.0238	137.80	15.79	2.8	0.20	0.045	1.1	0.02
66	67	0.0244	245.88	13.23	2.5	0.17	0.069	1.4	0.02
67	68	0.0178	81.72	14.09	4.4	0.55	0.061	3.5	0.13
68	69	0.0222	27.56	8.40	6.6	0.89	0.075	1.6	0.26
69	70	0.0234	144.04	24.88	3.7	0.11	0.057	0.5	-0.02
70	71	0.0574	172.83	33.60	3.1	0.26	0.12	1.5	-0.02
71	72	0.1215	166.17	33.15	5.1	0.26	0.283	2.9	0.03
72	73	0.0417	155.22	33.29	6.1	0.33	0.068	0.7	0.10
73	74	0.043	228.85	18.18	5.4	0.11	0.085	1.3	-0.02
74	75	0.0304	193.03	17.26	4.3	0.16	0.086	0.5	0.03
75	76	0.0168	39.47	11.39	7.8	1.06	0.022	1.1	0.30
76	77	0.0376	205.28	58.99	3.3	0.46	0.25	0.8	0.07
77	78	0.0202	119.29	12.34	6.7	0.48	0.033	1.0	0.03
78	79	0.0881	786.65	9.13	2.7	0.29	0.073	0.8	-0.02
79	80	0.0933	306.26	25.88	5.3	0.28	0.087	0.6	-0.02
80	81	0.3042	912.90	6.38	7.4	0.22	0.008	2.3	-0.02
81	82	0.208	501.52	182.73	32.3	0.79	1	4.5	0.16
82	83	0.0567	282.24	12.76	12.4	0.32	0.032	3.0	-0.02
83	84	0.0426	277.43	8.53	8.0	0.20	0.012	1.7	-0.02
84	85	0.1012	318.15	7.97	2.4	0.20	0.031	0.5	-0.02
85	86	0.0421	235.92	26.43	3.8	0.23	0.102	1.3	-0.02
86	87	0.0239	133.06	26.97	8.3	0.79	0.07	2.4	0.21
87	88	0.0416	11.20	19.33	32.5	1.87	0.029	2.9	0.69
88	89	0.0678	26.31	13.63	24.4	1.68	0.014	5.4	0.47
89	90	0.0433	100.46	9.48	20.2	0.71	0.03	3.7	0.20
90	91	0.0483	69.33	7.76	38.4	1.12	0.014	7.2	0.37
91	92	0.0324	171.52	14.49	14.5	0.73	0.01	3.1	0.12
92	93	0.0521	196.40	9.14	11.7	0.50	0.008	1.5	0.03
93	94	0.0436	136.94	10.67	30.5	0.92	0.036	2.5	0.08
94	95	0.0506	78.00	30.29	54.2	1.47	0.138	5.7	0.19
95	96	0.0957	140.84	9.17	50.0	1.74	0.033	6.6	0.42
96	97	0.1242	457.69	10.95	46.0	2.96	0.017	8.5	0.63
97	98	0.0607	181.91	26.58	56.5	1.83	0.132	8.7	0.24
98	99	0.0489	154.52	37.24	41.5	2.07	0.039	8.8	0.36
99	100	0.0333	166.63	17.04	34.8	2.04	0.021	7.0	0.27
100	101	0.0655	224.43	27.41	120.6	1.55	0.042	5.9	0.49
101	102	0.0967	251.11	14.35	43.5	1.39	0.021	4.2	1.23
102	103	0.0712	80.57	11.26	88.4	2.19	0.015	6.3	1.88
103	104	0.0356	27.89	37.26	50.7	1.09	0.096	3.0	0.33
104	105	0.0767	149.70	48.97	42.4	2.68	0.181	2.4	0.88
105	106	0.0186	3.53	34.64	4.8	1.08	0.293	0.6	0.51
106	107	0.091	839.45	8.96	7.6	2.36	0.022	2.6	0.92
107	108	0.0761	322.35	35.09	7.0	3.00	0.346	1.3	1.24
108	109	0.0728	574.13	12.39	24.3	3.42	0.041	1.8	0.89

FROM	TO	Au_ppm	Cu_ppm	Mo_ppm	As_ppm	Bi_ppm	Re_ppm	Se_ppm	Te_ppm
109	110	0.0773	302.26	146.45	30.6	0.57	0.075	1.8	0.10
110	111	0.1515	543.15	146.02	80.2	1.39	0.074	5.0	0.23
111	112	0.0841	149.64	14.92	54.2	1.64	0.027	2.5	0.34
112	113	0.061	288.75	39.30	60.5	1.29	0.051	2.7	0.29
113	114	0.0266	114.58	8.32	28.9	0.54	0.031	1.2	0.07
114	115	0.0096	114.71	0.59	11.3	0.20	0.007	0.1	0.04
115	116	0.0209	203.67	36.87	4.1	0.35	0.214	0.2	0.09
116	117	0.0466	140.02	81.71	7.3	0.77	0.138	0.7	0.27
117	118	0.0078	16.63	47.45	8.9	1.63	0.047	2.0	1.40
118	119	0.0153	13.99	43.29	5.3	0.23	0.036	0.4	0.09
119	120	0.0021	87.18	0.40	10.1	0.14	-0.001	0.2	0.02
120	121	0.0228	62.77	6.69	21.0	0.67	0.019	0.9	0.17
121	122	0.0154	7.51	7.34	9.0	0.54	0.017	0.6	0.14
122	123	0.0154	8.59	4.46	10.6	0.37	0.006	0.2	0.12
123	124	0.0212	15.00	7.52	12.4	3.40	0.01	0.7	1.39
124	125	0.0155	171.35	10.13	3.1	0.96	0.009	0.7	0.38
125	126	0.0781	470.53	9.64	2.2	0.31	0.008	0.3	0.03
126	127	0.0099	78.09	10.04	2.9	0.21	0.007	0.1	0.03
127	128	0.0091	46.06	8.07	5.9	0.37	0.008	0.4	0.09
128	129	0.0053	43.34	4.76	3.0	0.34	0.019	0.8	0.08
129	130	0.0063	59.17	7.41	2.5	0.35	0.015	0.5	0.13
130	131	0.0055	21.73	8.64	3.9	0.66	0.018	0.9	0.20
131	132	0.0091	5.99	15.26	16.8	1.82	0.018	4.6	1.00
132	133	0.007	12.70	13.63	15.9	0.85	0.014	0.7	0.20
133	134	0.0216	8.48	10.88	30.0	1.82	0.012	1.9	0.46
134	135	0.018	8.12	12.65	28.5	2.39	0.014	1.5	0.57
135	136	0.032	11.50	9.35	28.8	2.01	0.011	1.8	0.57
136	137	0.0342	12.49	5.72	19.0	1.22	0.001	1.1	0.37
137	138	0.0156	7.46	15.84	13.8	2.19	0.008	1.8	0.60
138	139	0.0556	11.90	19.32	48.4	3.71	0.025	1.9	0.90
139	140	0.0532	7.26	15.94	40.4	3.29	0.045	1.8	0.69
140	141	0.0299	6.29	14.90	21.7	1.89	0.048	1.3	0.50
141	142	0.015	4.45	18.18	14.2	0.65	0.361	1.0	0.23
142	143	0.0449	115.10	30.19	52.6	4.60	0.058	9.8	1.82
143	144	0.0244	80.25	14.79	22.9	2.54	0.015	5.4	1.16
144	145	0.024	12.39	7.93	27.1	2.08	0.018	1.4	0.41
145	146	0.0092	10.88	10.48	17.5	1.23	0.017	2.8	0.90
146	147	0.0224	17.46	7.68	16.3	2.09	0.011	3.1	0.58
147	148	0.0207	14.68	10.59	25.9	1.43	0.026	1.1	0.35
148	149	0.0328	84.17	7.17	25.6	1.34	0.016	1.0	0.25
149	150	0.0353	14.90	8.09	41.8	1.37	0.01	1.7	0.34
150	151	0.0326	40.57	5.72	27.1	1.35	0.009	1.4	0.18
151	152	0.0072	30.60	5.92	4.5	0.45	0.01	0.5	0.06
152	153	0.0148	36.45	8.78	8.7	0.75	0.009	0.8	0.13
153	154	0.0221	239.80	5.98	14.3	0.83	0.009	2.0	0.15
154	155	0.0162	100.67	5.74	13.6	1.09	0.017	1.9	0.31
155	156	0.0298	338.76	5.90	15.0	0.95	0.009	2.9	0.16
156	157	0.012	166.55	6.14	5.6	0.60	0.009	0.8	0.09
157	158	0.0278	118.77	5.74	4.9	0.91	0.008	0.5	0.17
158	159	0.0263	69.35	8.24	15.3	2.14	0.007	0.9	0.54
159	160	0.0069	169.95	5.53	1.5	0.39	0.01	0.2	0.05
160	161	0.0136	221.62	9.63	9.2	0.86	0.025	0.9	0.25
161	162	0.0145	12.94	8.63	14.9	1.01	0.031	1.5	0.24
162	163	0.0148	230.90	14.44	20.3	1.48	0.039	1.3	0.41
163	164	0.0187	274.79	12.40	9.9	0.92	0.028	1.5	0.13
164	165	0.0257	237.84	9.43	9.2	0.96	0.026	0.9	0.49
165	166	0.1093	483.37	17.63	12.4	1.90	0.123	0.7	0.10

FROM	TO	Au_ppm	Cu_ppm	Mo_ppm	As_ppm	Bi_ppm	Re_ppm	Se_ppm	Te_ppm
166	167	0.096	390.98	9.29	8.7	1.01	0.021	0.3	0.05
167	168	0.1546	462.03	20.12	2.9	0.45	0.059	0.3	0.03
168	169	0.0474	372.70	14.28	12.5	0.90	0.082	1.0	0.03
169	170	0.0991	297.85	8.80	10.4	1.42	0.021	1.0	0.13
170	171	0.0141	363.98	7.35	3.3	0.52	0.017	0.5	0.04
171	172	0.015	379.72	4.29	2.4	0.46	0.013	0.4	0.08
172	173	0.015	64.09	5.95	10.8	1.24	0.009	0.3	0.41
173	174	0.0174	60.35	10.47	14.3	1.54	0.018	0.6	0.44
174	175	0.0782	398.09	11.48	23.1	1.75	0.016	1.2	0.55
175	176	0.0581	481.07	11.76	15.8	1.75	0.024	1.0	0.47
176	177	0.1087	164.69	9.26	21.0	2.88	0.018	3.5	1.71
177	178	0.0826	312.95	10.59	19.3	5.04	0.02	4.7	1.56
178	179	0.0713	340.09	9.81	17.9	4.76	0.017	3.8	2.03
179	180	0.099	88.88	15.77	15.0	8.96	0.035	8.9	5.71
180	181	0.0126	6.97	43.38	2.6	0.30	0.054	0.3	0.19
181	182	0.0632	110.74	7.17	20.1	3.47	0.012	2.6	1.25
182	183	0.0398	431.32	4.07	12.0	1.57	0.013	0.8	0.27
183	184	0.0115	284.64	8.83	3.7	0.43	0.017	0.6	0.07
184	185	0.0083	234.71	6.21	3.9	0.46	0.008	0.5	0.05
185	186	0.0828	73.64	8.33	62.6	3.06	0.015	2.8	0.85
186	187	0.0066	46.14	6.25	7.7	1.25	0.02	1.7	0.37
187	188	0.0159	31.29	7.68	11.5	2.04	0.025	2.0	0.55
188	189	0.023	533.72	13.12	13.7	1.15	0.013	1.5	0.36
189	190	0.0156	276.44	11.41	5.7	0.37	0.023	0.1	0.07
190	191	0.0641	555.89	7.87	20.5	1.09	0.002	1.3	0.31
191	192	0.1009	457.17	7.26	18.9	2.50	0.008	4.1	3.14
192	193	0.0613	250.56	11.31	41.9	3.32	0.043	3.7	2.23
193	194	0.0423	335.09	23.23	27.6	2.10	0.057	1.7	0.58
194	195	0.0202	292.37	21.79	6.9	0.46	0.068	0.2	0.04
195	196	0.055	420.07	12.47	8.7	0.40	0.023	0.5	0.13
196	197	0.0807	252.20	60.32	65.7	2.34	0.179	2.7	0.79
197	198	0.0463	277.73	9.62	19.1	5.22	0.011	2.5	2.26
198	199	0.041	294.04	10.94	19.3	2.14	0.016	3.2	1.03
199	200	0.1062	359.71	21.56	38.1	2.93	0.051	2.8	0.91
200	201	0.049	254.40	15.46	24.3	3.59	0.024	1.9	1.24
201	202	0.0214	628.40	7.04	8.6	0.68	0.019	0.7	0.18
202	203	0.0515	405.95	40.34	53.7	1.86	0.111	2.0	0.35
203	204	0.0364	137.24	54.07	44.9	1.47	0.11	1.2	0.19
204	205	0.0193	168.19	18.35	33.2	0.96	0.049	0.5	0.25
205	206	0.0247	267.13	14.11	15.1	0.87	0.052	0.9	0.20
206	207	0.0145	299.54	7.54	6.7	0.63	0.023	0.3	0.07
207	208	0.0065	313.38	9.41	2.0	0.44	0.042	0.3	0.04
208	209	0.0224	352.30	11.72	22.0	1.76	0.064	1.5	0.52
209	210	0.0117	208.05	30.75	7.7	0.93	0.14	0.6	0.22
210	211	0.0245	297.08	83.41	37.7	1.97	0.395	1.2	0.28
211	212	0.0185	241.05	14.23	24.4	1.89	0.046	1.0	0.23
212	213	0.0124	178.84	9.77	7.5	0.77	0.049	0.4	0.06
213	214	0.0266	344.76	13.70	10.3	1.46	0.042	0.9	0.26
214	215	0.0367	249.79	6.35	29.1	3.24	0.018	2.1	0.89
215	216	0.0121	8.39	29.47	5.3	0.77	0.091	0.5	0.24
216	217	0.0185	4.50	17.41	5.1	2.50	0.078	13.2	1.90
217	218	0.0682	19.17	15.17	20.5	5.02	0.066	12.9	4.19
218	219	0.0918	570.63	7.55	60.4	3.11	0.031	6.5	3.32
219	220	0.0359	222.05	30.72	34.6	1.82	0.215	3.7	0.87
220	221	0.0201	307.46	15.58	21.2	0.73	0.094	0.4	0.10
221	222	0.0552	266.13	44.87	27.8	1.39	0.67	0.4	0.32
222	223	0.0296	458.78	22.15	23.0	1.41	0.143	0.6	0.30

FROM	TO	Au_ppm	Cu_ppm	Mo_ppm	As_ppm	Bi_ppm	Re_ppm	Se_ppm	Te_ppm
223	224	0.0389	583.66	60.51	54.4	1.73	0.582	0.7	0.31
224	225	0.0394	240.43	30.33	62.3	1.34	0.216	0.7	0.39
225	226	0.039	363.24	25.66	30.5	0.94	0.179	0.4	0.29
226	227	0.0533	399.33	22.80	20.1	2.30	0.299	0.3	0.92
227	228	0.0767	260.58	32.56	37.2	1.83	0.209	1.2	0.25
228	229	0.055	289.42	28.53	21.0	1.13	0.277	0.9	0.50
229	230	0.043	57.95	48.04	19.0	1.65	0.247	2.1	1.03
230	231	0.042	115.57	29.87	36.6	1.58	0.16	1.0	0.18
231	232	0.0736	459.61	23.41	40.4	1.51	0.09	0.5	0.13
232	233	0.0314	259.27	13.50	31.1	1.15	0.048	0.3	0.16
233	234	0.0363	341.78	21.80	22.1	6.37	0.1	0.7	1.06
234	235	0.0256	212.44	12.95	29.5	0.72	0.031	0.1	-0.02
235	236	0.0354	403.64	25.02	24.9	1.26	0.196	0.5	0.06
236	237	0.0188	168.36	16.87	11.8	0.75	0.092	-0.1	-0.02
237	238	0.027	576.10	12.14	20.9	1.50	0.08	0.1	0.07
238	239	0.0261	241.11	30.56	23.3	1.38	0.254	0.2	0.17
239	240	0.0242	83.52	35.07	22.5	0.88	0.191	0.4	0.14
240	241	0.0311	303.61	15.25	8.7	0.90	0.047	-0.1	-0.02
241	242	0.0215	334.86	20.45	8.1	1.64	0.13	0.3	0.20
242	243	0.054	1073.76	32.95	32.3	14.48	0.275	1.6	0.41
243	244	0.0582	360.02	11.84	7.8	0.68	0.045	0.3	-0.02
244	245	0.0784	359.25	24.36	8.3	0.95	0.155	0.6	0.03
245	246	0.0531	324.86	21.02	52.2	1.41	0.052	1.2	0.36
246	247	0.0664	380.35	46.98	17.3	0.65	0.641	0.4	0.15
247	248	0.0404	117.70	44.51	5.7	0.96	0.285	0.6	0.20
248	249	0.0333	186.19	18.52	3.4	0.25	0.083	-0.1	-0.02
249	250	0.1043	298.72	22.32	4.7	0.42	0.083	0.6	-0.02
250	251	0.0801	305.57	20.09	13.6	0.80	0.116	0.7	-0.02
251	252	0.4047	331.76	16.45	3.8	0.25	0.062	0.4	-0.02
252	253	0.0731	270.89	21.70	5.4	0.35	0.088	0.3	0.03
253	254	0.1128	331.66	42.09	6.4	0.37	0.268	0.2	-0.02
254	255	0.1297	317.66	100.51	12.5	0.73	0.689	0.8	0.03
255	256	0.0721	301.58	48.90	15.9	2.36	0.266	1.6	0.35
256	257	0.0695	189.12	33.91	17.3	7.34	0.106	1.3	0.76
257	258	0.0632	155.94	100.55	53.8	3.77	0.152	2.7	2.14
258	259	0.0841	308.77	48.31	12.9	1.37	0.518	6.4	1.07
259	260	0.0723	212.30	18.96	21.4	4.80	0.082	9.9	3.42
260	261	0.0835	370.14	21.08	31.8	1.66	0.064	2.2	0.28
261	262	0.1338	352.05	23.04	10.0	0.51	0.123	0.6	0.04
262	263	0.1475	319.25	10.27	13.4	3.99	0.024	4.1	2.02
263	264	0.1333	564.98	26.76	17.9	1.99	0.065	3.0	0.67
264	265	0.0382	292.23	40.78	10.5	1.19	0.102	1.1	0.33
265	266	0.0387	288.24	13.54	13.2	0.80	0.031	1.7	0.33
266	267	0.0218	92.26	35.68	4.8	1.13	0.086	1.4	0.55
267	268	0.0284	84.00	16.08	9.7	1.37	0.048	2.1	0.42
268	269	0.0078	69.21	20.69	10.6	0.68	0.135	1.0	0.19
269	270	0.0199	275.03	24.93	19.5	0.98	0.162	2.5	0.63
270	271	0.0238	260.59	12.53	11.7	0.92	0.04	1.5	0.39
271	272	0.0549	188.62	13.98	7.9	0.60	0.05	1.4	0.22
272	273	0.0201	179.83	13.67	8.2	1.26	0.041	1.1	0.47
273	274	0.0261	89.83	14.53	15.4	5.40	0.054	8.6	2.96
274	275	0.0178	16.11	75.18	21.0	35.62	0.261	11.1	21.46
275	276	0.0171	13.97	23.13	8.8	1.91	0.084	1.8	0.98
276	277	0.0303	74.69	18.00	11.0	0.93	0.035	1.8	0.48
277	278	0.0155	6.21	17.95	15.4	2.84	0.042	4.2	1.26
278	279	0.0256	12.48	19.69	27.2	6.56	0.046	4.7	2.95
279	280	0.0133	74.31	25.41	16.7	2.98	0.04	3.5	1.53

FROM	TO	Au_ppm	Cu_ppm	Mo_ppm	As_ppm	Bi_ppm	Re_ppm	Se_ppm	Te_ppm
280	281	0.016	28.61	14.59	19.6	1.71	0.065	2.4	0.80
281	282	0.0185	9.70	20.21	20.4	4.50	0.043	2.5	1.98
282	283	0.0254	9.55	15.33	39.5	3.43	0.041	3.9	1.25
283	284	0.0324	54.17	28.48	34.7	2.54	0.215	2.4	1.10
284	285	0.0113	43.43	29.40	13.3	2.19	0.196	1.3	1.07
285	286	0.0136	15.49	75.52	8.3	1.19	0.793	1.1	0.43
286	287	0.0203	10.72	24.25	8.4	1.23	0.069	1.7	0.33
287	288	0.0175	34.66	25.84	11.2	2.13	0.089	2.8	0.75
288	289	0.0178	68.18	30.64	8.2	1.29	0.128	1.3	0.76
289	290	0.0281	429.39	19.20	6.9	0.75	0.091	1.9	0.39
290	291	0.02	74.94	39.13	8.4	1.02	0.195	1.3	0.42
291	292	0.0376	146.83	38.37	12.0	1.83	0.17	2.4	0.82
292	293	0.024	126.77	57.32	16.5	1.99	0.473	2.9	0.67
293	294	0.0224	188.36	23.94	12.5	2.50	0.127	2.4	1.39
294	295	0.0109	244.09	16.09	8.6	0.69	0.052	1.3	0.23
295	296	0.0209	36.79	22.35	16.7	1.63	0.05	2.0	0.72
296	297	0.0162	4.90	47.40	7.3	2.26	0.135	4.3	1.19
297	298	0.0151	6.71	41.93	12.8	2.15	0.125	2.5	0.88
298	299	0.0067	7.70	69.11	12.3	3.15	0.141	2.7	1.37
299	300	0.0185	12.78	34.33	26.5	8.13	0.098	4.9	2.01
300	301	0.0336	8.43	17.72	17.5	2.51	0.066	2.7	0.81
301	302	0.0186	5.75	30.31	25.5	2.06	0.138	3.2	0.58
302	303	0.0207	11.25	26.73	13.1	1.83	0.064	1.2	0.46
303	304	0.0124	2.12	12.85	5.2	0.87	0.047	0.6	0.28
304	305	0.0087	2.14	12.98	5.9	0.45	0.046	0.9	0.25
305	306	0.0044	2.93	10.73	3.4	0.42	0.035	0.6	0.17
306	307	0.0042	7.63	11.01	2.9	0.47	0.038	0.5	0.10
307	308	0.0098	2.83	12.04	7.3	2.24	0.036	2.1	0.57
308	309	0.0595	5.38	12.91	9.0	2.87	0.037	3.0	1.23
309	310	0.028	5.62	14.72	5.9	2.02	0.038	5.6	0.92
310	311	0.0158	3.11	8.58	5.4	6.12	0.018	4.1	2.96
311	312	0.0291	8.58	47.71	5.3	3.72	0.026	5.9	1.99
312	313	0.022	7.00	7.42	6.4	1.02	0.011	4.5	0.55
313	314	0.0297	9.18	10.94	8.4	1.24	0.01	6.1	0.83
314	315	0.0156	2.78	42.64	6.8	0.18	0.046	0.4	0.19
315	316	0.0245	11.22	9.29	12.8	1.00	0.009	7.4	0.55
316	317	0.0197	7.66	34.61	11.1	1.60	0.012	7.7	0.94
317	318	0.0342	11.43	12.46	14.8	2.23	0.021	5.6	1.21
318	319	0.0136	4.36	24.61	3.7	1.72	0.048	2.5	0.76
319	320	0.0206	3.73	8.75	4.1	1.47	0.017	2.7	0.41
320	321	0.0177	6.06	8.89	4.0	2.37	0.016	4.5	0.75
321	322	0.0117	3.17	10.89	4.1	2.48	0.026	4.4	0.57
322	323	0.0128	4.87	11.02	6.2	2.35	0.027	4.9	0.68
323	324	0.0217	3.04	9.93	12.3	3.18	0.032	4.2	1.34
324	325	0.0148	2.00	8.19	6.2	1.81	0.03	3.2	0.55
325	326	0.0152	2.40	5.54	6.3	1.62	0.024	3.7	0.55
326	327	0.0518	7.45	8.73	11.9	2.37	0.042	9.0	0.49
327	328	0.0262	5.14	3.69	8.5	1.86	0.016	8.8	0.89
328	329	0.0234	3.84	5.66	13.3	2.79	0.03	8.0	1.25
329	330	0.0435	8.03	6.85	14.1	1.63	0.039	7.6	0.61
330	331	0.0236	8.98	6.13	10.8	2.14	0.044	8.1	1.22
331	332	0.0158	10.35	5.89	6.8	2.17	0.025	10.0	1.31
332	333	0.0198	28.55	6.58	13.4	3.34	0.052	9.2	1.15
333	334	0.0117	4.04	8.13	10.0	3.05	0.044	4.6	0.45
334	335	0.0213	4.35	7.84	16.2	3.22	0.03	4.6	0.54
335	336	0.021	4.61	6.76	10.4	4.18	0.019	4.7	0.73
336	337	0.0146	3.57	7.12	7.8	2.93	0.031	5.5	0.36

FROM	TO	Au_ppm	Cu_ppm	Mo_ppm	As_ppm	Bi_ppm	Re_ppm	Se_ppm	Te_ppm
337	338	0.01	2.60	8.20	5.4	4.78	0.023	5.7	0.90
338	339	0.0141	5.73	11.23	10.2	6.17	0.042	13.1	2.47
339	340	0.0159	6.52	17.34	7.5	6.15	0.047	12.1	3.25
340	341	0.0142	5.93	17.09	13.7	3.25	0.031	11.7	2.01
341	342	0.0091	2.76	13.72	10.5	1.76	0.032	4.8	0.99
342	343	0.0085	4.30	8.63	8.4	1.74	0.022	7.7	0.98
343	344	0.0123	6.24	5.51	5.0	1.39	0.023	12.8	1.03
344	345	0.0086	6.89	7.87	12.1	2.40	0.027	8.5	1.50
345	346	0.0043	30.36	6.49	1.9	1.39	0.031	9.0	1.30
346	347	0.0066	62.44	5.33	1.5	1.88	0.02	4.7	1.48
347	348	0.0063	24.10	11.01	8.6	2.05	0.041	4.4	1.47
348	349	0.0087	52.47	9.66	7.4	2.66	0.033	6.9	2.10
349	350	0.0103	4.14	20.96	5.0	0.87	0.03	2.6	0.62
350	351	0.0091	3.39	23.37	4.9	0.63	0.044	3.3	0.50
351	352	0.0062	19.32	6.50	1.8	1.33	0.012	5.2	1.26
352	353	0.006	52.55	5.82	2.2	1.50	0.014	6.1	0.53
353	354	0.0044	14.10	4.66	2.0	0.97	0.008	6.5	1.10
354	355	0.0042	19.69	5.14	5.0	0.91	0.01	5.6	0.91
355	356	0.008	5.28	7.15	7.5	1.45	0.022	7.0	0.84
356	357	0.0074	3.79	5.39	2.9	0.87	0.013	4.1	0.54
357	358	0.0057	3.36	4.13	1.8	0.71	0.014	3.4	0.47
358	359	0.0082	4.39	5.31	1.7	0.73	0.016	3.9	0.63
359	360	0.0061	7.12	12.72	2.5	1.15	0.029	4.4	0.44
360	361	0.0099	92.36	10.24	5.0	7.71	0.027	8.2	1.28
361	362	0.0063	5.23	11.14	9.6	0.81	0.038	5.3	0.35
362	363	0.0064	1057.43	19.79	5.7	15.83	0.027	10.1	1.67
363	364	0.0052	3.60	8.29	4.6	0.70	0.033	3.6	0.73
364	365	0.0117	6.43	8.33	5.4	0.62	0.022	6.6	0.95
365	366	0.007	7.05	9.96	1.3	0.77	0.032	6.2	16.04
366	367	0.0067	25.27	6.00	4.3	1.17	0.022	4.9	1.81
367	368	0.0084	37.91	6.58	10.2	0.79	0.026	6.1	0.81
368	369	0.012	24.94	10.67	5.3	0.81	0.039	5.4	0.73
369	370	0.0101	47.04	9.97	5.3	1.42	0.037	4.7	1.20
370	371	0.0072	42.78	6.48	4.2	1.06	0.021	5.5	1.10
371	372	0.0057	41.33	7.82	7.9	1.27	0.026	6.3	1.19
372	373	0.0048	31.07	6.22	6.4	1.24	0.015	9.7	1.32
373	374	0.0072	64.63	6.08	5.0	1.54	0.016	8.1	1.64
374	375	0.0074	4.83	6.51	8.0	0.81	0.017	3.8	0.99
375	376	0.0129	102.03	6.17	7.4	2.08	0.022	12.6	3.20
376	377	0.0108	3.80	11.95	7.9	0.77	0.028	4.6	0.80
377	378	0.0088	12.77	23.07	9.2	1.68	0.06	7.9	1.18
378	379	0.0144	11.25	34.76	6.8	1.76	0.073	14.5	2.46
379	380	0.0069	43.07	14.79	7.6	1.60	0.026	4.4	0.86
380	381	0.0061	29.02	12.50	5.9	3.75	0.03	2.8	1.93
381	382	0.0017	4.83	16.04	2.9	0.80	0.037	1.0	0.26
382	383	0.0038	56.14	16.89	4.1	1.29	0.048	4.2	0.21
383	384	0.0039	4.55	16.12	6.9	2.50	0.039	5.8	1.57
384	385	0.0043	10.09	19.33	4.6	1.51	0.045	2.8	0.58
385	386	0.0053	17.99	11.16	3.8	1.97	0.031	4.4	0.90
386	387	0.0052	74.53	19.95	2.9	1.52	0.052	5.5	0.72
387	388	0.0046	7.44	31.29	3.9	1.44	0.1	4.4	0.60
388	389	0.0055	5.47	27.91	3.2	1.51	0.068	3.5	0.72
389	390	0.0089	26.90	16.96	5.1	0.76	0.048	4.8	0.45
390	391	0.0068	72.10	23.68	2.3	0.82	0.061	5.7	0.53
391	392	0.0027	65.23	27.29	1.3	1.69	0.08	3.2	0.79
392	393	0.0081	7.84	8.72	3.8	3.46	0.026	9.1	1.33
393	394	0.006	6.28	14.89	0.4	2.82	0.037	6.5	1.01

FROM	TO	Au_ppm	Cu_ppm	Mo_ppm	As_ppm	Bi_ppm	Re_ppm	Se_ppm	Te_ppm
394	395	0.0059	3.51	16.08	3.7	3.31	0.037	5.5	1.27
395	396	0.0273	8.55	13.98	4.7	2.77	0.047	6.8	1.10
396	397	0.0174	8.88	10.05	4.9	4.82	0.029	10.7	2.11
397	398	0.0077	3.96	13.36	2.6	2.33	0.033	5.5	1.03
398	399	0.0083	5.39	10.66	4.6	2.19	0.032	6.3	1.22
399	400	0.0091	4.17	9.52	3.0	1.93	0.039	5.2	0.74
400	401	0.0106	7.30	13.90	4.7	4.81	0.037	8.7	2.44
401	402	0.0129	6.84	9.55	31.0	6.31	0.009	14.2	2.42
402	403	0.0165	10.98	12.36	30.8	4.42	0.014	14.8	1.73
403	404	0.0186	6.92	10.65	14.6	8.33	0.026	8.9	4.70
404	405	0.0093	3.92	4.27	10.9	2.24	0.006	7.2	1.20
405	406	0.0083	3.05	8.04	9.6	1.51	0.01	5.3	0.80
406	407	0.0043	1.76	6.74	6.9	0.92	0.012	1.9	0.28
407	408	0.004	1.23	5.92	3.7	0.77	0.017	1.4	0.12
408	409	0.0029	3.06	10.93	11.2	0.93	0.029	2.1	0.28
409	410	0.0124	3.42	15.15	5.0	2.61	0.03	7.6	1.51
410	411	0.0055	6.49	11.27	4.7	1.17	0.02	3.8	0.57
411	412	0.0077	78.58	9.94	22.0	1.41	0.019	5.1	0.70
412	413	0.0065	69.81	10.94	17.8	2.39	0.027	6.7	1.27
413	414	0.006	38.88	11.52	25.0	2.42	0.046	6.1	1.41
414	415	0.0043	8.99	19.45	4.5	1.65	0.052	5.1	0.74
415	416	0.0052	3.99	11.92	12.0	0.91	0.04	5.9	0.40
416	417	0.0065	12.26	8.58	13.9	1.16	0.025	7.1	0.44
417	418	0.0053	3.05	7.82	8.1	0.74	0.016	3.4	0.39
418	419	0.006	3.07	5.30	5.0	0.77	0.018	1.9	0.28
419	420	0.0023	2.78	16.51	4.4	0.47	0.043	2.0	0.16
420	421	0.0134	19.92	37.55	55.8	18.71	0.032	12.8	3.44
421	422	0.0117	5.05	6.37	11.5	2.51	0.015	5.8	1.03
422	423	0.0061	3.80	4.65	4.5	1.09	0.012	4.4	0.39
423	424	0.002	1.45	7.62	3.5	0.51	0.012	1.0	0.19
424	425	0.0014	1.30	6.61	3.8	0.54	0.01	2.1	0.26
425	426	0.0021	2.32	17.13	6.3	0.76	0.03	1.6	0.26
426	427	0.0023	3.53	8.65	3.1	0.58	0.016	1.8	0.22
427	428	0.0072	3.82	8.58	8.8	1.67	0.017	4.4	0.81
428	429	0.0031	1.81	7.94	4.3	0.72	0.013	3.5	0.38
429	430	0.0028	1.84	6.22	5.7	0.57	0.006	2.7	0.19
430	431	0.0013	1.45	9.54	1.9	0.26	0.01	0.4	0.10
431	432	0.0024	3.00	9.52	6.6	1.13	0.011	3.0	0.38
432	433	0.0064	3.24	3.39	4.9	1.26	0.006	3.3	1.05
433	434	0.0107	2.74	3.44	5.8	0.75	0.013	2.2	0.37
434	435	0.0014	1.60	5.79	2.6	0.55	0.013	0.8	0.25
435	436	0.0035	1.92	9.35	4.9	0.59	0.015	0.9	0.25
436	437	0.0013	1.46	8.29	1.6	0.32	0.012	0.5	0.08
437	438	0.0248	4.91	7.72	4.2	0.81	0.021	1.6	0.40
438	439	0.0052	2.30	4.09	5.7	0.76	0.007	2.6	0.44
439	440	0.0044	10.84	5.23	3.6	1.20	0.015	3.9	0.69
440	441	0.0033	8.52	9.63	2.4	1.82	0.027	5.6	1.08
441	442	0.0164	3.51	9.78	7.1	1.99	0.029	6.6	1.06
442	443	0.011	4.38	7.33	6.9	1.94	0.015	6.7	1.05
443	444	0.0063	55.14	6.21	3.1	1.83	0.015	8.9	1.52
444	445	0.0095	17.59	7.79	1.4	2.22	0.021	5.1	1.89
445	446	0.0157	4.39	12.21	7.4	1.54	0.029	4.0	1.26
446	447	0.012	3.72	8.89	14.3	1.89	0.03	4.4	0.96
447	448	0.0089	3.12	11.20	12.1	1.73	0.033	3.9	1.00
448	449	0.0183	12.55	11.61	12.4	6.26	0.035	11.4	3.46
449	450	0.011	18.80	5.57	7.0	2.52	0.011	6.4	1.23
450	451	0.0069	5.98	5.93	5.4	1.39	0.012	5.0	0.64

FROM	TO	Au_ppm	Cu_ppm	Mo_ppm	As_ppm	Bi_ppm	Re_ppm	Se_ppm	Te_ppm
451	452	0.0048	4.73	3.23	4.3	1.60	0.008	5.3	0.87
452	453	0.0112	3.32	8.95	9.0	2.24	0.008	6.8	1.01
453	454	0.0104	4.83	9.69	6.4	2.31	0.025	7.1	1.22
454	455	0.0044	6.00	3.50	5.2	2.88	0.008	3.8	1.64
455	456	0.0047	23.71	3.53	7.9	2.01	0.005	2.9	1.07
456	457	0.0037	53.70	1.68	5.2	0.60	-0.001	1.4	0.22
457	458	0.0039	33.59	1.47	7.0	1.16	-0.001	2.6	0.72
458	459	0.0061	135.77	1.50	7.1	1.50	0.001	2.6	0.79
459	460	0.0042	51.07	1.45	4.5	0.64	0.004	1.8	0.24
460	461	0.0025	15.17	1.94	6.5	1.24	0.002	3.6	0.64
461	462	0.0098	4.31	2.96	10.1	1.71	0.004	3.9	0.79
462	463	0.0041	25.68	2.11	3.5	1.05	0.002	4.1	0.37
463	464	0.0036	25.95	2.59	5.0	0.95	-0.001	3.9	0.38
464	465	0.0019	20.68	1.53	5.9	0.78	0.002	1.7	0.52
465	466	0.0031	16.17	1.75	6.6	0.46	0.001	1.3	0.38
466	467	0.0022	22.12	2.15	6.7	0.71	-0.001	1.9	0.44
467	468	0.0028	15.22	1.95	2.9	0.99	0.001	3.8	0.82
468	469	0.0028	8.00	2.24	4.3	0.50	-0.001	3.1	0.72
469	470	0.0019	16.14	2.01	3.0	1.14	-0.001	4.4	0.90
470	471	0.0047	4.53	2.06	2.4	1.34	-0.001	10.0	1.98
471	472	0.0022	4.03	1.54	1.7	0.44	-0.001	2.1	0.53
472	473	0.0022	3.98	1.76	3.7	0.44	-0.001	2.2	0.29
473	474	0.0027	2.99	3.31	7.9	1.41	0.002	3.6	0.81
474	475	0.0011	3.46	2.21	2.4	1.17	0.002	4.0	0.83
475	476	0.0017	13.27	2.02	4.1	0.76	-0.001	3.0	1.15
476	477	0.0014	6.88	3.66	4.1	0.80	0.005	3.1	0.80
477	478	0.0038	4.35	2.38	7.2	1.68	-0.001	4.2	1.44
478	479	0.001	2.03	2.20	4.3	1.14	0.004	4.4	1.23
479	480	0.0008	1.78	4.65	3.5	0.85	0.014	3.4	0.54
480	481	0.002	1.61	4.25	3.7	0.73	0.01	2.7	0.32
481	482	0.0014	1.70	9.07	1.0	0.57	0.021	1.6	0.18
482	483	0.0008	1.09	2.73	2.2	0.35	0.002	0.6	0.10
483	484	0.0011	1.91	3.81	2.0	0.26	0.006	0.4	0.09
484	485	0.0021	2.96	6.09	1.2	0.27	0.015	0.4	0.04
485	486	0.0055	1.71	9.75	4.7	0.49	0.002	0.2	0.13
486	487	0.0004	1.86	4.00	1.5	0.37	-0.001	0.3	0.14
487	488	0.0024	2.59	2.35	4.1	0.84	0.003	2.6	0.62
488	489	0.0028	3.65	2.76	7.4	0.90	0.001	2.2	0.56
489	490	0.0015	7.21	2.41	3.9	0.95	0.001	3.0	0.84
490	491	0.0022	2.20	4.37	4.3	1.05	0.001	1.9	0.40
491	492	0.0036	3.33	3.40	5.6	1.69	-0.001	2.7	0.90
492	493	0.0037	4.16	2.74	4.8	0.93	0.003	2.0	0.40
493	494	0.0029	14.10	1.42	3.8	1.01	0.001	4.0	0.91
494	495	0.0018	7.92	1.87	2.0	0.80	0.007	4.8	0.95
495	496	0.0025	6.23	5.65	3.2	1.08	0.005	3.8	0.89
496	497	0.0013	4.61	5.19	3.3	0.93	0.012	4.1	0.44
497	498	0.0018	2.26	3.42	3.6	0.98	0.003	4.4	0.85
498	499	0.0008	4.36	2.90	3.4	1.15	0.001	3.7	0.87
499	500	0.008	4.42	4.52	14.4	1.23	0.002	4.7	0.79
500	501	0.0012	4.62	4.68	2.4	0.48	0.003	0.7	0.25
501	502	0.0033	7.64	2.23	5.8	1.41	0.001	4.3	1.09
502	503	0.0032	10.86	2.07	4.6	0.93	0.001	4.2	1.02
503	504	0.0023	11.45	3.82	3.5	1.28	0.026	4.7	0.97
504	505	0.0018	17.81	1.75	2.6	0.34	0.002	1.2	0.22
505	506	0.0017	11.25	2.24	1.9	0.52	-0.001	1.7	0.16
506	507	0.0019	16.84	2.53	1.8	0.16	0.001	0.5	0.04
507	508	0.0008	20.50	2.84	1.9	0.34	0.002	1.2	0.32

FROM	TO	Au_ppm	Cu_ppm	Mo_ppm	As_ppm	Bi_ppm	Re_ppm	Se_ppm	Te_ppm
508	509	0.0042	23.28	2.85	2.9	0.34	0.003	1.1	0.21
509	510	0.0019	18.14	1.87	2.1	0.12	0.001	0.2	-0.02
510	511	0.0004	34.39	2.20	0.7	0.29	0.002	1.7	0.06
511	512	0.0009	27.96	2.42	3.0	0.23	-0.001	0.6	0.04
512	513	0.002	3.74	2.92	2.1	0.53	-0.001	1.1	0.13
513	514	0.0018	12.55	2.46	2.8	0.31	0.001	0.3	0.09
514	515	0.0017	4.91	2.82	2.2	0.43	0.001	0.9	0.08
515	516	0.0012	3.24	2.02	2.4	0.61	0.003	1.3	0.08
516	517	0.0095	5.64	2.17	3.2	0.52	0.003	0.6	0.09
517	518	0.0013	4.60	2.72	3.4	0.42	0.002	0.4	0.10
518	519	0.002	10.77	3.49	4.5	1.15	0.002	2.3	0.39
519	520	0.0024	3.02	3.25	2.8	1.79	0.002	2.6	0.55
520	521	0.0024	11.36	2.38	6.6	0.56	0.001	0.4	0.13
521	522	0.0029	6.49	7.06	7.6	1.22	0.006	0.9	0.18
522	523	0.001	5.59	3.94	2.3	0.81	0.008	0.6	0.15
523	524	0.0009	5.58	2.78	2.6	0.55	-0.001	0.5	0.15
524	525	0.0011	15.40	2.45	2.2	0.26	0.002	0.6	0.04
525	526	0.002	22.76	2.66	3.3	0.35	0.002	0.7	0.16
526	527	0.0008	26.50	3.66	5.6	0.56	0.004	1.4	0.31
527	528	0.0037	8.75	6.42	13.9	0.73	0.018	2.2	0.32
528	529	0.0022	32.63	7.18	17.6	1.12	0.018	2.6	0.98
529	530	0.0039	13.36	9.47	17.3	1.71	0.025	5.3	1.08
530	531	0.0055	56.26	13.17	6.2	1.23	0.029	4.2	0.71
531	532	0.006	6.86	10.31	6.7	1.23	0.018	3.7	0.55
532	533	0.0043	33.50	10.29	8.2	2.67	0.022	6.0	1.32
533	534	0.0044	60.19	12.76	4.8	1.66	0.03	5.2	0.70
534	535	0.0093	193.83	7.94	9.2	1.39	0.019	5.1	0.93
535	536	0.0162	9.53	14.09	12.3	1.74	0.03	4.7	1.39
536	537	0.0066	5.45	10.18	6.8	1.12	0.01	4.4	0.87
537	538	0.002	6.61	7.34	2.9	0.79	0.011	3.5	0.32
538	539	0.0108	119.23	11.84	2.6	2.06	0.023	3.5	0.74
539	540	0.0039	26.46	6.72	2.4	1.96	0.017	2.9	0.79
540	541	0.0018	9.52	5.97	0.8	1.38	0.018	2.3	0.68
541	542	0.0022	80.38	8.00	2.2	1.62	0.022	2.3	0.74
542	543	0.002	19.53	9.25	1.4	1.48	0.017	2.2	0.47
543	544	0.0034	7.56	8.00	2.6	1.21	0.011	2.2	0.51
544	545	0.0052	32.78	8.20	5.2	2.15	0.011	2.3	0.89
545	546	0.0045	48.31	7.60	3.9	2.17	0.013	2.8	0.82
546	547	0.0077	47.55	20.81	5.0	1.55	0.033	2.3	0.71
547	548	0.0062	74.64	14.81	7.0	2.18	0.046	4.4	1.06
548	549	0.0055	42.83	14.10	4.0	1.27	0.009	3.3	0.75
549	550	0.0039	42.77	9.83	3.4	1.44	0.015	2.6	0.73
550	551	0.0046	16.07	8.04	6.3	0.80	0.014	2.9	0.44
551	552	0.0034	157.46	9.98	7.1	0.87	0.013	3.5	0.47
552	553	0.0039	73.36	14.41	5.6	0.68	0.037	2.5	0.43
553	554	0.003	32.60	18.09	3.9	0.88	0.032	3.0	0.50
554	555	0.0033	66.24	9.19	2.4	1.37	0.025	3.8	1.37
555	556	0.004	49.97	11.99	2.2	1.30	0.022	3.0	0.84
556	557	0.0055	127.19	8.36	5.4	1.15	0.015	3.1	0.76
557	558	0.0033	74.07	7.96	2.9	0.90	0.01	2.3	0.52
558	559	0.0046	98.99	7.87	3.8	1.72	0.015	2.7	0.55
559	560	0.0069	63.02	22.00	3.3	4.45	0.015	4.0	1.63
560	561	0.0097	150.73	7.48	3.9	3.81	0.006	4.7	1.49
561	562	0.0045	122.64	4.25	3.3	1.76	0.005	3.9	0.70
562	563	0.005	60.23	6.86	4.3	3.01	0.012	4.4	1.42
563	564	0.0053	52.74	3.37	4.4	1.61	0.003	2.9	0.72
564	565	0.0047	22.98	2.88	3.7	2.76	-0.001	4.9	1.15

FROM	TO	Au_ppm	Cu_ppm	Mo_ppm	As_ppm	Bi_ppm	Re_ppm	Se_ppm	Te_ppm
565	566	0.0056	67.84	4.15	7.2	1.59	0.005	4.7	0.53
566	567	0.0113	16.33	4.44	2.6	5.59	0.002	8.6	2.50
567	568	0.0032	16.29	3.77	2.7	1.99	0.003	3.7	0.90
568	569	0.0022	59.47	4.66	1.9	1.42	0.003	3.4	0.78
569	570	0.0027	43.04	10.15	2.7	1.53	0.004	5.0	0.77
570	571	0.002	71.29	6.41	4.8	1.26	0.002	4.3	0.49
571	572	0.0014	15.31	9.62	5.3	0.82	-0.001	2.6	0.22
572	573	0.0033	26.41	3.26	13.4	1.40	-0.001	3.9	0.24
573	574	0.0019	87.97	2.44	3.2	1.34	0.002	5.9	0.23
574	575	0.0011	10.62	9.44	4.4	1.06	-0.001	2.0	0.24
575	576	0.0032	12.65	5.18	10.0	1.89	0.003	3.4	0.48
576	577	0.0033	2.23	2.71	7.2	3.78	0.001	3.9	1.46
577	578	0.0218	4.20	9.36	5.5	4.09	0.001	3.7	1.56
578	579	0.0102	6.56	31.33	6.8	6.45	0.003	4.3	0.95
579	580	0.0028	2.48	2.74	2.3	0.99	0.004	0.9	0.21
580	581	0.0096	122.70	12.76	6.9	13.64	0.004	4.8	1.68
581	582	0.0013	2.81	2.33	1.5	1.06	0.001	1.2	0.22
582	583	0.0022	7.05	3.48	2.0	0.94	0.002	2.8	0.18
583	584	0.0036	4.87	1.74	4.4	1.46	0.003	5.6	0.30
584	585	0.0095	17.54	4.18	10.1	2.24	0.001	4.2	0.54
585	586	0.0045	74.35	11.97	4.1	1.77	0.003	1.3	0.38
586	587	0.0036	29.58	6.20	5.2	1.99	-0.001	1.6	0.35
587	588	0.0027	5.04	3.55	5.2	1.35	0.002	1.5	0.25
588	589	0.001	4.27	3.03	1.4	0.97	-0.001	0.7	0.18
589	590	0.0018	2.27	6.11	2.5	1.20	-0.001	1.3	0.36
590	591	0.005	2.84	1.42	3.0	0.80	-0.001	1.0	0.15
591	592	0.0041	4.61	8.03	9.8	1.02	-0.001	2.5	0.26
592	593	0.0031	2.08	1.94	6.8	0.79	0.002	1.1	0.12
593	594	0.0012	12.23	6.44	3.0	1.81	-0.001	0.7	0.11
594	595	0.0096	11.62	2.95	12.8	1.60	0.001	3.4	0.23
595	596	0.0023	2.16	3.09	8.1	2.08	-0.001	3.4	0.21
596	597	0.0032	1.66	2.48	6.2	1.20	-0.001	4.4	0.20
597	598	0.0039	4.22	2.23	16.1	2.03	-0.001	3.1	0.73
598	599	0.0037	8.89	2.06	10.0	3.76	0.001	3.8	1.54
599	600	0.0077	6.57	2.59	9.9	4.19	0.002	3.9	1.82
600	601	0.0055	2.34	3.03	13.9	1.52	0.003	4.6	0.56
601	602	0.0041	1.65	3.74	15.9	1.53	0.002	4.4	0.81
602	603	0.0036	3.12	3.75	13.2	2.21	0.001	5.0	0.95
603	604	0.005	2.96	3.97	7.7	4.41	0.006	5.2	2.02
604	605	0.004	4.10	2.75	3.8	3.02	0.004	7.5	2.06
605	606	0.0046	2.57	3.05	6.9	1.59	0.002	6.0	0.79
606	607	0.0064	2.65	7.05	7.5	4.40	0.003	6.1	2.31
607	608	0.0072	1.86	2.43	-0.1	7.85	0.005	9.6	1.94
608	609	0.004	2.64	32.78	1.6	7.64	0.005	8.7	2.95
609	610	0.0008	16.40	13.78	3.0	3.11	0.006	10.1	1.54
610	611	0.0007	7.66	8.88	1.2	2.28	0.007	10.2	1.50
611	612	0.0038	33.79	1.59	2.4	1.93	0.001	14.0	4.38
612	613	0.002	29.50	1.39	0.8	1.26	0.003	11.4	2.39
613	614	0.0009	23.30	2.65	0.3	0.65	0.006	7.0	1.15
614	615	0.002	163.09	1.87	0.4	4.23	0.002	34.3	4.67
615	616	0.002	55.41	3.73	2.0	4.07	0.005	42.5	3.25
616	617	0.0014	23.69	2.00	-0.1	0.87	0.002	9.4	1.47
617	618	0.0037	9.67	2.15	-0.1	0.66	0.007	6.7	0.77
618	619	0.0013	3.51	1.73	1.8	0.24	0.004	2.3	0.41
619	620	0.0013	11.80	1.92	2.8	0.32	0.002	2.6	0.49
620	621	0.0008	5.50	2.71	5.1	0.39	0.004	2.6	1.05
621	622	0.0013	5.80	1.93	0.3	0.51	0.004	4.8	0.46

FROM	TO	Au_ppm	Cu_ppm	Mo_ppm	As_ppm	Bi_ppm	Re_ppm	Se_ppm	Te_ppm
622	623	0.0015	8.25	20.60	2.2	0.39	0.013	2.4	0.61
623	624	0.0023	3.76	10.86	1.7	1.50	0.004	6.3	1.57
624	625	0.003	1.97	3.88	1.6	2.50	0.003	4.8	2.12
625	626	0.0069	13.52	7.61	3.0	1.36	0.004	3.2	0.62
626	627	0.0049	10.07	12.33	4.4	1.27	0.005	1.9	0.38
627	628	0.002	7.37	14.45	6.4	1.12	0.003	2.0	0.54
628	629.25	0.0009	11.51	2.45	5.2	2.20	0.001	1.2	1.14

Drillhole ALDD14007

FROM	TO	Au_ppm	Cu_ppm	Mo_ppm	As_ppm	Bi_ppm	Re_ppm	Se_ppm	Te_ppm
82.45	84	0.0072	4.95	1.49	11.9	0.88	-0.001	4.4	1.08
84	85	0.0059	3.07	7.99	12.7	1.15	-0.001	10.0	1.33
85	86	0.0046	2.64	1.95	7.4	0.78	-0.001	4.4	0.50
86	87	0.0152	10.60	7.17	26.1	1.13	-0.001	7.3	2.22
87	88	0.0108	2.93	8.43	3.9	0.25	-0.001	3.9	0.99
88	89	0.0037	2.89	2.97	1.3	0.08	-0.001	0.1	0.21
89	90	0.0055	1.92	9.75	3.4	0.27	-0.001	2.6	0.47
90	91	0.0148	1.78	13.99	2.6	0.34	-0.001	2.6	0.27
91	92	0.0179	1.31	4.79	2.1	0.51	-0.001	0.9	0.15
92	93	0.0304	0.83	7.14	3.2	0.68	-0.001	1.2	0.26
93	94	0.0209	1.56	7.61	8.3	0.76	-0.001	2.4	0.58
94	95	0.0072	1.81	5.62	26.1	0.75	-0.001	6.0	1.36
95	96	0.0167	1.15	1.10	7.0	1.62	-0.001	6.2	0.63
96	97	0.0102	0.98	1.51	6.8	0.86	-0.001	2.9	0.36
97	98	0.0712	1.08	3.82	15.7	0.62	-0.001	2.4	0.50
98	99	0.0015	1.13	2.48	7.8	0.56	-0.001	1.6	0.28
99	100	0.0018	1.67	2.28	16.2	0.49	-0.001	2.0	0.26
100	101	0.0007	1.50	2.38	5.7	0.16	-0.001	0.2	0.24
101	102	-0.0002	0.74	0.44	0.5	-0.02	-0.001	-0.1	-0.02
102	103	0.0013	0.97	2.40	8.6	0.41	-0.001	1.8	0.15
103	104	0.0316	1.36	3.90	10.2	0.47	-0.001	4.4	0.30
104	105	0.0009	2.59	3.63	8.5	0.28	-0.001	4.4	0.11
105	106	0.0089	0.47	1.33	1.5	0.16	-0.001	0.7	0.03
106	107	0.0044	0.99	1.89	3.0	0.24	-0.001	2.2	0.13
107	108	0.0075	1.18	1.65	10.8	0.63	-0.001	3.4	0.25
108	109	0.0547	2.68	3.16	52.6	1.82	-0.001	6.6	0.81
109	110	0.0711	8.30	3.74	55.7	3.28	0.001	12.3	1.35
110	111	0.0089	9.03	3.22	61.4	4.30	-0.001	10.4	1.00
111	112	0.0337	7.53	3.66	69.6	3.15	-0.001	12.7	1.13
112	113	0.0145	3.47	1.75	19.1	1.01	-0.001	4.4	0.36
113	114	0.0234	7.56	1.79	30.9	1.92	0.001	6.9	0.61
114	115	0.02	8.97	3.67	22.3	2.32	0.002	7.6	0.58
115	116	0.001	7.69	5.08	12.5	0.80	-0.001	5.9	0.42
116	117	0.0143	4.29	1.82	38.2	1.64	-0.001	12.6	0.72
117	118	0.0225	8.70	3.15	37.2	2.40	-0.001	13.6	1.10
118	119	0.0103	16.56	1.84	22.9	2.45	-0.001	12.2	1.43
119	120	0.0089	9.73	7.48	32.9	1.71	-0.001	9.9	4.64
120	121	0.0132	8.22	11.82	18.0	2.57	-0.001	11.3	1.13
121	122	0.0106	6.86	2.31	11.4	3.61	0.001	18.6	1.50
122	123	0.0107	13.76	0.44	8.1	3.19	-0.001	11.4	1.51
123	124	0.0209	10.19	0.79	16.4	3.09	0.004	14.2	1.28
124	125	0.0162	9.27	0.35	11.4	3.26	0.002	13.8	1.46
125	126	0.0182	9.38	2.23	12.9	2.55	0.002	13.5	1.30
126	127	0.0076	42.15	0.71	6.2	3.25	0.007	10.3	1.42

FROM	TO	Au_ppm	Cu_ppm	Mo_ppm	As_ppm	Bi_ppm	Re_ppm	Se_ppm	Te_ppm
127	128	0.0054	50.08	0.98	7.3	3.33	0.008	11.7	1.03
128	129	0.0093	68.26	0.74	10.1	3.53	0.007	12.2	1.34
129	130	0.0142	56.37	1.25	25.7	2.68	0.022	10.9	1.25
130	131	0.0174	161.06	2.22	25.2	1.41	0.007	6.3	0.92
131	132	0.0141	22.82	0.59	7.0	0.46	0.002	2.6	0.60
132	133	0.0277	17.60	4.43	15.0	0.89	0.003	13.8	0.64
133	134	0.0392	79.49	1.73	29.8	2.53	0.01	10.3	1.36
134	135	0.0132	62.02	0.59	48.5	1.96	0.006	9.4	1.36
135	136	0.016	275.72	34.02	17.7	0.98	0.02	4.0	1.44
136	137	0.0146	99.18	2.71	15.2	2.25	0.022	3.7	1.03
137	138	0.0226	10.85	2.75	17.2	2.39	0.006	4.1	0.83
138	139	0.0045	7.35	10.40	5.7	0.47	0.025	1.2	0.27
139	140	0.0053	3.89	3.99	2.7	1.22	0.005	2.9	0.53
140	141	0.0111	4.01	1.52	5.1	3.24	0.007	5.0	0.95
141	142	0.0125	10.67	1.93	9.1	3.89	0.005	5.6	0.87
142	143	0.0095	3.88	3.40	5.5	3.62	0.006	5.5	0.54
143	144	0.0084	2.82	4.46	2.4	3.95	0.005	8.5	0.71
144	145	0.0075	3.30	4.37	2.2	3.86	0.059	7.8	0.82
145	146	0.0093	3.19	8.33	4.3	3.88	0.139	9.1	1.28
146	147	0.0109	4.17	12.00	5.2	3.30	1	7.1	0.99
147	148	0.0165	5.71	8.38	4.8	4.06	0.02	8.6	1.59
148	149	0.0107	7.48	2.56	3.2	5.24	0.007	6.6	1.94
149	150	0.0091	3.99	1.23	5.0	4.51	0.007	4.9	1.16
150	151	0.0098	5.40	3.46	2.8	5.75	0.027	5.0	1.87
151	152	0.0085	7.51	1.43	5.7	3.75	0.01	4.7	1.12
152	153	0.0089	5.78	1.42	6.2	3.56	0.005	5.4	0.71
153	154	0.0139	3.48	2.78	6.2	3.35	0.004	6.3	1.12
154	155	0.0102	4.60	2.32	12.6	3.66	0.004	7.4	0.91
155	156	0.0084	2.90	1.94	4.7	3.62	0.006	5.4	0.97
156	157	0.012	2.76	2.44	6.5	3.52	0.007	6.3	0.79
157	158	0.0213	28.04	2.67	3.7	4.32	0.007	5.9	0.86
158	159	0.0132	8.38	3.43	6.6	3.61	0.002	6.2	0.76
159	160	0.0098	5.43	2.72	2.8	3.98	0.003	5.5	0.95
160	161	0.0188	9.52	1.98	3.8	4.01	0.003	5.0	1.21
161	162	0.022	16.91	3.30	7.1	4.18	0.006	5.7	1.42
162	163	0.0184	14.45	3.43	8.0	4.77	0.004	4.9	1.77
163	164	0.0188	18.12	2.87	5.3	4.27	0.004	5.9	1.46
164	165	0.0117	31.62	2.94	3.7	4.55	0.018	7.2	1.75
165	166	0.0147	248.54	4.69	9.4	3.18	0.091	5.6	1.24
166	167	0.0714	1461.66	10.22	73.8	15.70	0.006	16.8	6.54
167	168	0.0139	29.52	1.61	53.0	9.23	0.002	4.0	1.32
168	169	0.0097	33.66	1.13	40.3	7.86	0.002	3.8	1.33
169	170	0.0077	32.10	1.31	42.5	8.43	-0.001	4.5	1.42
170	171	0.0052	25.62	1.32	42.8	6.24	0.002	3.0	1.45
171	172	0.0065	63.23	1.22	43.3	4.93	-0.001	2.2	1.53
172	173	0.0156	17.90	1.15	60.5	7.84	-0.001	5.9	2.69
173	174	0.0083	50.81	1.04	24.9	4.46	0.001	3.3	1.37
174	175	0.0043	106.00	1.04	19.6	2.96	-0.001	0.9	0.52
175	176	0.0118	24.58	1.42	44.1	4.90	-0.001	2.3	1.54
176	177	0.0106	17.10	1.37	38.4	5.42	-0.001	2.7	1.32
177	178	0.0115	38.22	1.34	58.7	6.83	-0.001	2.4	1.70
178	179	0.0071	34.60	1.57	32.3	21.95	0.002	3.1	2.01
179	180	0.0102	25.73	1.42	26.4	29.61	-0.001	3.5	3.73
180	181	0.0397	49.04	1.55	28.2	19.87	-0.001	9.4	5.04
181	182	0.0356	21.61	4.24	174.0	10.64	0.043	12.6	3.47
182	183	0.0086	6.48	1.62	21.5	3.31	0.005	5.9	2.25
183	184	0.0131	7.47	2.87	21.5	3.17	0.01	6.3	1.94

FROM	TO	Au_ppm	Cu_ppm	Mo_ppm	As_ppm	Bi_ppm	Re_ppm	Se_ppm	Te_ppm
184	185	0.0123	6.01	1.33	16.4	3.65	-0.001	14.2	1.83
185	186	0.0068	7.67	1.12	15.1	3.03	-0.001	8.1	1.56
186	187	0.0104	8.48	1.96	34.1	3.82	0.003	7.4	1.99
187	188	0.0132	7.27	3.21	49.4	4.99	0.016	9.1	2.23
188	189	0.0106	8.35	1.05	18.3	4.62	-0.001	2.1	1.87
189	190	0.0077	6.04	7.40	12.0	3.38	0.006	8.2	2.00
190	191	0.0019	4.19	5.23	8.1	0.89	0.005	2.1	0.75
191	192	0.0076	6.64	1.55	17.5	3.04	-0.001	7.3	1.41
192	193	0.0065	18.41	0.96	14.7	4.21	-0.001	4.6	1.59
193	194	0.0049	9.37	0.92	17.6	2.65	0.001	0.8	0.81
194	195	0.0026	44.14	0.48	7.7	1.61	-0.001	0.4	0.43
195	196	0.0056	13.10	0.80	46.7	2.82	0.002	2.4	1.11
196	197	0.009	34.19	0.68	22.8	7.14	0.001	1.5	3.54
197	198	0.0059	7.47	0.79	26.2	1.90	-0.001	1.6	0.72
198	199	0.0045	5.38	0.81	21.4	3.38	-0.001	1.4	1.00
199	200	0.004	7.24	1.00	41.3	5.96	0.001	2.1	1.14
200	201	0.0072	14.21	0.80	42.2	4.61	-0.001	4.4	1.08
201	202	0.0067	7.86	0.98	34.1	2.36	0.001	6.3	1.43
202	203	0.0098	10.38	1.15	19.7	2.52	-0.001	7.0	1.55
203	204	0.0121	4.63	0.97	12.1	3.36	-0.001	8.6	1.97
204	205	0.0052	4.96	1.53	11.6	1.71	-0.001	2.1	0.77
205	206	0.0019	8.30	2.39	4.9	1.42	0.001	1.1	0.26
206	207	0.0257	38.87	9.61	29.1	13.20	0.002	12.2	3.27
207	208	0.0058	7.45	1.23	8.1	2.78	-0.001	9.7	0.86
208	209	0.01	12.41	1.44	4.3	4.65	-0.001	12.6	1.20
209	210	0.0041	4.23	0.99	1.1	3.66	-0.001	6.8	0.56
210	211	0.0069	3.10	1.54	2.0	3.61	-0.001	7.0	1.00
211	212	0.0042	7.54	0.92	5.4	5.17	-0.001	5.4	1.54
212	213	0.0079	16.70	0.72	15.4	6.49	-0.001	2.5	1.20
213	214	0.0063	15.98	0.89	13.2	5.55	-0.001	4.0	1.45
214	215	0.0147	6.68	1.34	21.3	3.89	-0.001	5.5	1.33
215	216	0.0105	7.35	2.52	14.4	4.09	-0.001	6.9	1.47
216	217	0.0099	7.01	11.27	17.3	5.05	-0.001	8.7	2.29
217	218	0.0037	6.46	2.36	16.9	3.03	-0.001	4.6	1.10
218	219	0.0077	8.69	4.93	25.0	5.21	0.002	11.6	2.32
219	220	0.0041	6.75	1.66	20.7	3.18	-0.001	7.6	1.23
220	221	0.0062	4.92	2.60	9.7	5.67	-0.001	7.5	2.00
221	222	0.0033	23.01	0.63	9.0	5.81	-0.001	2.3	2.39
222	223	0.0039	37.87	1.04	11.4	4.49	-0.001	4.6	1.58
223	224	0.005	65.90	1.14	24.0	5.45	-0.001	4.2	2.37
224	225	0.0063	39.71	3.89	21.8	8.25	-0.001	6.8	3.07
225	226	0.0051	32.46	1.05	25.9	3.78	-0.001	1.4	0.98
226	227	0.0085	87.55	1.65	36.1	5.79	-0.001	1.6	1.31
227	228	0.0042	77.52	1.06	44.2	3.55	0.001	0.4	0.97
228	229	0.0036	29.48	1.32	56.5	6.17	-0.001	2.4	1.88
229	230	0.0033	24.63	1.08	39.2	3.94	0.001	1.2	1.26
230	231	0.0062	62.43	1.19	48.4	11.09	-0.001	3.1	3.15
231	232	0.0154	14.37	2.63	58.8	10.87	-0.001	4.2	2.63
232	233	0.012	8.88	2.69	49.1	6.19	0.001	5.6	1.88
233	234	0.0128	6.23	2.40	21.7	3.10	0.001	8.2	1.41
234	235	0.0221	5.99	4.07	19.8	4.42	-0.001	12.1	2.13
235	236	0.0235	7.76	2.05	27.5	5.70	-0.001	11.5	1.87
236	237	0.0083	9.83	2.31	23.3	4.32	-0.001	8.1	0.92
237	238	0.0037	6.55	0.58	18.7	2.85	-0.001	4.5	0.62
238	239	0.0039	7.48	0.73	14.3	3.49	0.001	4.5	0.51
239	240	0.0032	5.93	0.59	12.0	3.69	-0.001	3.9	0.46
240	241	0.0022	6.19	0.65	10.7	3.81	0.001	3.4	0.83

FROM	TO	Au_ppm	Cu_ppm	Mo_ppm	As_ppm	Bi_ppm	Re_ppm	Se_ppm	Te_ppm
241	242	0.0024	8.30	0.69	14.9	4.18	-0.001	3.7	0.64
242	243	0.0042	14.23	2.41	12.6	3.02	0.001	3.1	0.62
243	244	0.0055	143.77	2.25	32.7	4.15	0.002	3.2	1.54
244	245	0.0022	32.85	0.65	13.4	3.31	0.003	2.3	0.82
245	246	0.003	146.67	1.58	14.1	2.75	0.002	2.3	0.49
246	247	0.0034	100.80	0.97	25.3	3.99	-0.001	2.5	0.86
247	248	0.003	105.12	0.50	16.1	4.36	0.002	2.5	0.73
248	249	0.0032	56.26	0.65	13.3	9.17	0.003	2.7	2.34
249	250	0.0029	14.51	2.11	16.4	4.80	-0.001	2.6	0.76
250	251	0.0044	15.83	3.68	12.2	4.31	0.002	4.5	0.72
251	252	0.0043	7.84	1.39	7.0	3.14	0.004	3.1	0.47
252	253	0.004	39.44	1.08	12.3	10.04	-0.001	2.2	0.67
253	254	0.0035	68.35	0.70	16.5	8.51	-0.001	2.2	0.58
254	255	0.0079	125.80	0.77	20.0	7.95	0.002	2.9	0.90
255	256	0.006	29.29	0.90	9.4	6.83	0.003	4.5	0.72
256	257	0.0063	14.34	8.00	7.6	5.10	0.002	6.1	0.94
257	258	0.0072	9.99	2.07	7.0	6.94	0.004	4.1	0.91
258	259	0.0028	11.69	0.85	2.5	5.34	-0.001	2.5	0.42
259	260	0.0029	8.37	0.91	3.4	4.75	-0.001	2.2	0.39
260	261	0.004	9.32	1.86	1.9	4.10	-0.001	3.9	0.63
261	262	0.0029	3.98	1.57	2.2	2.08	-0.001	2.7	0.34
262	263	0.0018	1.70	3.22	1.8	1.82	-0.001	1.4	0.31
263	264	0.0024	6.15	0.89	2.4	6.45	-0.001	2.7	0.47
264	265	0.0038	13.01	0.55	4.6	12.66	0.002	2.8	0.61
265	266	0.0031	46.12	0.49	8.2	20.22	0.001	2.7	0.68
266	267	0.0024	89.35	0.48	13.8	10.76	0.002	2.0	0.59
267	268	0.0031	39.69	0.74	6.5	14.48	-0.001	3.3	0.95
268	269	0.0027	26.72	0.79	5.6	7.34	0.001	4.4	0.82
269	270	0.0037	10.32	1.07	25.6	5.06	0.002	5.3	0.93
270	271	0.0025	9.20	0.51	42.7	3.42	0.001	2.0	0.69
271	272	0.0039	11.99	1.51	6.1	7.62	0.003	3.4	0.61
272	273	0.0042	10.89	1.16	9.2	15.60	0.004	4.8	0.72
273	274	0.0016	20.73	0.49	4.6	6.74	-0.001	1.6	0.62
274	275	0.0016	34.64	0.93	5.6	3.73	0.003	1.6	0.34
275	276	0.0014	70.41	0.87	44.3	3.15	0.002	1.5	0.95
276	277	0.0028	29.29	1.39	19.4	2.78	0.002	2.2	0.63
277	278	0.0021	23.51	4.20	8.9	2.37	0.003	2.2	0.76
278	279	0.0009	39.02	1.13	8.8	1.82	-0.001	1.8	0.40
279	280	0.0012	139.16	0.76	12.0	1.92	0.003	1.3	0.41
280	281	0.0022	125.99	0.82	19.8	2.23	-0.001	1.9	0.48
281	282	0.0032	499.27	1.16	35.0	3.20	-0.001	2.4	0.53
282	283	0.003	38.34	0.83	9.8	2.98	-0.001	2.7	0.74
283	284	0.0034	39.83	0.76	9.7	5.49	-0.001	2.8	0.84
284	285	0.0033	225.28	0.87	20.2	3.28	-0.001	3.8	1.03
285	286	0.0036	51.66	0.75	9.4	3.59	-0.001	3.3	1.36
286	287	0.0023	7.40	0.79	5.7	2.20	-0.001	5.1	0.45
287	288	0.0034	7.29	3.04	14.1	2.13	0.004	5.0	0.55
288	289	0.0055	11.02	1.23	3.1	3.25	-0.001	5.3	0.56
289	290	0.003	8.31	0.47	4.3	3.13	-0.001	2.5	0.39
290	291	0.0031	4.42	0.57	3.8	2.83	-0.001	2.0	0.35
291	292	0.0025	3.89	0.53	7.1	2.78	-0.001	2.3	0.30
292	293	0.0049	5.05	0.79	2.5	5.12	-0.001	6.6	0.89
293	294	0.0046	5.38	0.72	2.8	4.90	-0.001	4.4	0.69
294	295	0.0032	6.04	0.58	6.2	3.37	-0.001	2.6	0.36
295	296	0.0027	7.34	0.57	12.1	3.81	-0.001	3.2	0.55
296	297	0.0038	8.20	0.64	9.8	3.65	-0.001	3.4	0.51
297	298	0.0026	6.01	0.62	4.3	2.46	-0.001	2.4	0.46

FROM	TO	Au_ppm	Cu_ppm	Mo_ppm	As_ppm	Bi_ppm	Re_ppm	Se_ppm	Te_ppm
298	299	0.0034	5.73	0.80	6.7	2.96	-0.001	4.5	0.80
299	300	0.0116	58.49	12.16	16.2	2.72	0.045	5.0	0.97
300	301	0.0035	2.94	71.79	3.5	0.69	0.023	0.7	0.28
301	302	0.0043	4.46	8.25	4.1	1.42	-0.001	2.7	0.37
302	303	0.0033	4.18	2.05	1.8	1.60	-0.001	3.7	0.38
303	304	0.0048	3.66	3.79	3.3	2.07	-0.001	4.3	0.39
304	305	0.0104	5.07	7.06	7.3	2.87	-0.001	7.7	0.99
305	306	0.0035	2.97	5.42	5.0	1.90	-0.001	3.7	0.62
306	307	0.0038	2.50	2.88	4.3	2.00	-0.001	3.1	0.55
307	308	0.005	2.95	1.97	5.9	2.08	0.001	2.9	0.48
308	309	0.0084	4.58	17.58	9.8	3.12	-0.001	4.5	1.02
309	310	0.0039	4.67	3.18	2.7	2.23	-0.001	3.4	0.45
310	311	0.003	4.11	2.85	6.5	3.09	-0.001	2.8	0.64
311	312	0.0041	4.45	3.58	5.6	2.64	-0.001	2.7	0.62
312	313	0.0052	4.60	9.71	4.2	3.77	-0.001	4.1	1.10
313	314	0.01	8.91	6.66	4.7	3.16	-0.001	5.7	0.88
314	315	0.0102	7.02	2.41	9.3	1.97	0.004	5.1	0.58
315	316	0.0115	3.63	21.73	11.2	1.87	0.006	3.0	0.63
316	317	0.0077	4.77	8.52	3.4	1.29	0.007	6.3	0.57
317	318	0.0062	5.05	1.33	2.6	2.03	0.002	4.7	0.39
318	319	0.0028	7.12	1.83	1.0	2.01	0.002	3.3	0.22
319	320	0.0042	3.71	1.16	4.3	1.88	0.002	4.5	0.35
320	321	0.0034	2.33	1.16	2.3	1.68	-0.001	3.4	0.33
321	322	0.0063	3.66	2.77	3.2	1.60	-0.001	4.7	0.49
322	323	0.0043	2.68	2.34	5.2	1.62	0.001	4.4	0.46
323	324	0.007	3.01	1.06	4.8	1.74	-0.001	4.4	0.51
324	325	0.0037	1.51	1.88	4.2	0.75	-0.001	2.0	0.20
325	326	0.0031	2.72	0.83	12.9	1.30	-0.001	3.2	0.31
326	327	0.0058	3.89	1.23	8.4	1.61	-0.001	3.8	0.33
327	328	0.0045	4.36	0.67	8.1	1.98	0.001	4.3	0.44
328	329	0.0112	4.00	2.12	10.1	2.03	0.003	3.8	0.50
329	330	0.0086	5.86	1.03	8.7	2.14	-0.001	4.5	0.54
330	331	0.005	5.11	0.94	5.9	1.93	-0.001	4.1	0.55
331	332	0.0044	54.35	2.76	6.4	2.10	0.001	4.4	0.65
332	333	0.0077	6.85	3.21	6.8	2.12	-0.001	3.7	0.77
333	334	0.0076	4.30	2.55	7.8	2.47	-0.001	4.6	0.78
334	335	0.0034	2.63	0.75	3.8	1.93	-0.001	3.0	0.34
335	336	0.0052	3.77	0.81	5.8	2.41	-0.001	5.1	0.42
336	337	0.0052	3.47	0.74	5.4	2.47	-0.001	3.9	0.27
337	338	0.0095	24.97	1.48	3.1	2.75	0.003	2.9	0.35
338	339	0.0057	3.82	1.90	2.9	2.36	0.002	3.2	0.35
339	340	0.006	4.38	0.88	3.2	1.84	-0.001	4.1	0.35
340	341	0.0059	6.93	1.08	6.6	2.69	-0.001	5.7	1.00
341	342	0.0034	2.68	0.93	5.3	2.13	-0.001	4.1	0.37
342	343	0.0033	7.42	5.15	4.5	2.37	-0.001	3.9	0.57
343	344	0.0063	13.60	1.72	12.2	2.56	-0.001	4.8	0.77
344	345	0.0094	154.73	0.64	20.2	2.27	-0.001	3.1	0.55
345	346	0.0089	15.02	2.49	12.5	2.20	-0.001	7.1	0.78
346	347	0.0039	10.97	1.04	5.5	1.56	0.002	4.4	0.47
347	348	0.0061	12.59	1.70	11.5	1.91	0.009	5.1	0.72
348	349	0.0085	25.06	1.37	12.5	14.11	0.005	6.7	7.80
349	350	0.008	14.56	1.89	12.6	2.22	0.001	4.2	0.88
350	351	0.0048	5.89	1.85	3.8	1.82	-0.001	3.4	0.72
351	352	0.0069	4.95	7.09	4.8	1.29	-0.001	5.0	0.46
352	353	0.0066	3.30	1.08	2.8	1.62	-0.001	4.2	0.61
353	354	0.0083	3.78	1.23	5.6	2.11	-0.001	5.3	0.73
354	355	0.0062	3.54	3.92	5.5	1.53	-0.001	4.2	0.59

FROM	TO	Au_ppm	Cu_ppm	Mo_ppm	As_ppm	Bi_ppm	Re_ppm	Se_ppm	Te_ppm
355	356	0.006	3.17	1.37	7.2	1.44	0.003	4.8	0.50
356	357	0.0104	3.54	1.47	9.6	2.32	0.001	4.4	0.65
357	358	0.008	5.10	3.19	7.5	2.43	0.015	5.2	0.69
358	359	0.0071	1.65	1.24	2.4	0.90	0.002	2.6	0.27
359	360	0.0125	3.59	2.53	7.5	2.05	0.004	4.6	0.69
360	361	0.004	1.49	2.87	2.1	0.80	0.002	2.1	0.29
361	362	0.0077	3.40	1.52	1.4	1.53	-0.001	6.7	0.45
362	363	0.0081	3.51	1.94	1.2	1.45	-0.001	6.4	0.38
363	364	0.0067	2.43	3.23	1.4	0.74	-0.001	3.3	0.36
364	365	0.0101	2.76	2.62	3.3	0.78	0.001	7.0	0.36
365	366	0.0348	2.02	3.06	4.2	0.82	-0.001	4.9	0.33
366	367	0.0127	1.94	2.50	1.4	0.77	0.002	4.5	0.35
367	368	0.0542	3.31	1.51	2.8	1.83	-0.001	9.0	0.43
368	369	0.0233	3.87	1.85	3.8	2.20	-0.001	8.3	0.59
369	370	0.0353	3.55	1.56	4.1	1.97	-0.001	6.2	0.43
370	371	0.0234	7.28	1.70	4.9	2.17	0.001	6.0	0.58
371	372	0.0172	5.43	1.18	4.8	1.93	-0.001	5.5	0.58
372	373	0.0152	3.86	1.15	2.4	1.64	-0.001	5.1	0.52
373	374	0.0141	1.74	1.19	2.7	1.34	-0.001	3.0	0.48
374	375	0.0107	2.55	1.23	3.8	1.67	-0.001	4.6	0.76
375	376	0.0012	1.26	2.56	1.2	0.24	0.003	0.3	0.07
376	377	0.0083	2.57	4.61	1.8	0.70	0.003	2.0	0.28
377	378	0.0047	22.06	8.94	4.0	0.72	0.002	1.9	0.27
378	379	0.0154	7.07	7.86	3.7	1.83	0.008	6.1	0.55
379	380	0.0144	3.71	1.16	14.4	1.06	0.002	4.1	0.39
380	381	0.1595	3.73	1.41	22.9	1.62	-0.001	8.1	0.66
381	382	0.0283	5.03	1.96	26.0	1.91	-0.001	10.2	0.86
382	383	0.0253	2.82	8.84	15.9	1.64	-0.001	8.4	0.77
383	384	0.017	2.65	3.53	23.2	1.77	-0.001	9.3	0.71
384	385	0.0126	1.95	1.49	17.4	2.14	-0.001	9.0	0.85
385	386	0.012	1.80	2.36	16.8	1.35	-0.001	8.0	0.51
386	387	0.0193	2.58	3.04	8.7	1.72	-0.001	4.1	0.70
387	388	0.0137	2.62	5.25	8.0	1.43	-0.001	5.2	0.52
388	389	0.0177	4.39	2.82	12.3	1.84	-0.001	9.3	0.77
389	390	0.0142	2.58	2.48	9.9	1.16	-0.001	8.9	0.69
390	391	0.0687	3.05	10.28	15.2	2.23	0.001	9.4	0.94
391	392	0.0224	3.14	2.04	16.6	1.53	-0.001	9.8	0.78
392	393	0.0163	3.30	5.33	7.4	1.83	-0.001	9.5	0.80
393	394	0.0114	2.32	1.28	8.4	1.60	-0.001	5.9	0.61
394	395	0.0285	2.61	2.72	9.3	1.69	0.001	6.0	0.88
395	396	0.0072	2.66	5.08	7.4	1.03	0.002	2.4	0.52
396	397	0.0033	1.07	111.56	1.3	0.14	0.019	-0.1	0.10
397	398	0.0016	1.08	16.34	1.1	0.22	0.002	-0.1	0.09
398	399	0.0008	0.97	3.79	0.9	0.34	-0.001	-0.1	0.19
399	400	0.0086	1.19	1.89	1.2	0.38	0.006	-0.1	0.21
400	401	0.0046	1.57	2.45	2.1	0.35	0.005	0.8	0.19
401	402	0.0079	1.18	8.57	2.7	0.62	0.011	1.2	0.30
402	403	0.0054	2.03	10.66	3.7	0.55	0.01	1.9	0.26
403	404	0.0033	1.53	17.93	2.8	0.44	0.006	1.0	0.26
404	405	0.003	1.09	18.87	1.9	0.48	0.017	0.5	0.19
405	406	0.002	0.99	6.95	4.5	0.41	0.012	0.7	0.15
406	407	0.0027	1.77	65.76	2.2	0.43	0.127	-0.1	0.17
407	408	0.004	1.38	44.81	3.4	0.40	0.098	0.3	0.32
408	409	0.0058	1.29	14.24	3.1	0.37	0.035	-0.1	0.31
409	410	0.0051	1.85	13.55	2.8	0.50	0.048	1.9	0.24
410	411	0.0041	2.83	76.49	1.9	0.43	0.558	0.3	0.20
411	412	0.0072	4.74	125.25	5.2	1.94	1	3.2	1.35

FROM	TO	Au_ppm	Cu_ppm	Mo_ppm	As_ppm	Bi_ppm	Re_ppm	Se_ppm	Te_ppm
412	413	0.0073	3.37	43.63	6.7	1.43	0.677	2.4	0.54
413	414	0.0088	4.11	12.66	9.9	2.30	0.179	5.2	0.83
414	415	0.006	2.29	29.53	6.5	1.78	0.329	2.9	0.80
415	416	0.0057	1.67	6.18	5.8	1.55	0.077	4.0	0.67
416	417	0.0037	1.39	47.37	2.1	1.16	0.598	1.4	0.60
417	418	0.0954	4.36	15.65	21.2	2.33	0.213	7.3	1.07
418	419	0.0089	1.38	4.21	2.1	1.88	0.054	2.2	1.13
419	420	0.0065	2.74	12.41	10.5	3.94	0.117	12.9	3.78
420	421	0.0114	2.10	7.95	10.4	1.89	0.078	3.5	0.68
421	422	0.0033	4.91	44.24	3.1	1.30	0.398	1.9	0.31
422	423	0.0087	2.80	2.50	6.9	1.90	0.029	3.2	0.75
423	424	0.0038	2.84	2.05	1.8	1.08	0.013	2.8	0.27
424	425	0.0064	2.69	6.74	4.7	2.21	0.046	5.5	0.60
425	426	0.0056	3.64	13.07	3.9	2.29	0.147	4.5	0.49
426	427	0.0029	4.92	4.42	2.1	1.43	0.03	2.6	0.23
427	428	0.0048	2.84	8.44	10.2	1.83	0.078	4.2	0.34
428	429	0.0059	4.68	16.51	13.3	1.90	0.154	5.0	0.35
429	430	0.0043	5.70	6.10	10.5	1.27	0.06	3.6	0.21
430	431	0.0042	3.23	43.63	8.2	1.61	0.805	3.9	0.26
431	432	0.0149	3.93	16.77	23.3	3.17	0.245	11.7	0.84
432	433	0.003	1.86	3.12	6.1	1.56	0.02	5.3	0.40
433	434	0.0076	4.40	27.76	16.9	1.61	0.644	7.1	0.54
434	435	0.0072	7.39	6.17	18.6	1.38	0.096	9.5	0.36
435	436	0.0065	8.56	4.82	18.1	1.26	0.045	9.6	0.18
436	437	0.0064	5.32	3.93	21.6	1.45	0.046	9.4	0.30
437	438	0.0142	3.42	5.21	15.3	1.61	0.04	10.5	0.53
438	439	0.0045	4.73	3.79	10.7	1.22	0.047	7.5	0.33
439	440	0.0048	4.35	4.43	5.5	1.21	0.048	6.5	0.42
440	441	0.0066	3.62	2.38	6.1	1.46	0.015	11.0	0.38
441	442	0.0108	4.39	2.94	4.4	1.38	0.017	9.8	0.38
442	443	0.0069	4.52	9.57	8.2	1.30	0.021	8.2	0.42
443	444	0.0103	5.22	3.48	17.8	1.14	0.013	10.2	0.32
444	445	0.0091	6.75	9.36	13.7	1.35	0.015	9.3	0.51
445	446	0.0151	5.38	2.85	11.5	1.57	0.017	10.3	0.61
446	447	0.0177	5.72	5.27	11.9	1.78	0.033	9.0	0.89
447	448	0.0122	3.48	3.54	20.2	1.51	0.038	6.3	0.45
448	449	0.0167	4.89	3.82	20.5	1.43	0.02	7.0	0.35
449	450	0.0124	4.25	2.60	24.9	1.53	0.006	7.4	0.42
450	451	0.0068	5.13	16.89	8.3	1.01	0.203	9.2	0.35
451	452	0.0088	3.00	3.41	10.7	0.62	0.033	5.3	0.36
452	453	0.0056	4.97	7.24	14.2	0.70	0.056	6.0	0.32
453	454	0.0081	4.36	3.86	14.2	0.82	0.034	6.4	0.37
454	455	0.034	3.78	3.12	12.8	0.76	0.024	6.0	0.42
455	456	0.0038	2.66	2.88	3.2	0.41	0.043	2.6	0.17
456	457	0.0106	4.73	3.27	13.3	0.79	0.021	5.3	0.34
457	458	0.0098	10.03	1.60	16.7	1.53	0.012	7.1	0.51
458	459	0.0157	5.51	3.33	9.4	1.96	0.023	8.6	0.70
459	460	0.014	14.50	4.51	8.9	3.91	0.049	15.6	1.89
460	461	0.0448	8.37	3.92	22.9	2.36	0.022	12.6	1.00
461	462	0.0245	271.20	1.24	50.3	3.02	0.007	5.7	0.73
462	463	0.0648	110.72	7.29	45.9	4.58	0.012	6.5	2.06
463	464	0.0119	18.82	4.92	11.1	2.90	0.052	11.7	1.92
464	465	0.0057	16.88	1.67	5.3	1.11	0.024	6.5	0.55
465	466	0.0148	8.66	2.03	11.7	1.46	0.027	8.6	0.55
466	467	0.0102	2.78	3.36	21.5	1.23	0.036	10.0	0.44
467	468	0.005	3.91	4.51	8.9	1.00	0.051	7.1	0.26
468	469	0.0064	5.19	6.69	14.5	1.57	0.081	12.5	0.59

FROM	TO	Au_ppm	Cu_ppm	Mo_ppm	As_ppm	Bi_ppm	Re_ppm	Se_ppm	Te_ppm
469	470	0.0062	11.07	5.33	7.2	1.90	0.039	15.3	0.37
470	471	0.0026	9.42	1.75	2.0	1.34	0.021	7.5	0.23
471	472	0.0092	11.70	7.18	28.5	1.88	0.088	13.9	0.74
472	473	0.0095	8.05	14.90	30.3	1.67	0.172	9.7	0.63
473	474	0.0137	6.16	9.49	33.3	1.76	0.099	12.8	0.64
474	475	0.0083	5.54	12.78	32.7	2.00	0.192	8.9	0.70
475	476	0.0168	9.77	7.29	39.0	2.37	0.096	15.5	0.81
476	477	0.0285	12.86	35.35	43.1	2.75	0.16	11.6	0.81
477	478	0.0142	6.60	1.76	28.7	2.16	0.013	5.9	0.69
478	479	0.014	8.35	3.51	15.9	2.18	0.021	12.3	0.67
479	480	0.0265	5.53	56.63	22.5	1.78	0.13	8.6	0.47
480	481	0.0268	7.76	4.86	32.0	1.99	0.07	6.9	0.58
481	482	0.0099	6.24	35.24	15.0	2.37	0.154	5.2	0.73
482	483	0.0128	4.51	16.47	19.2	1.24	0.108	2.9	0.52
483	484	0.0126	6.90	13.91	16.7	3.00	0.078	5.8	1.10
484	485	0.0262	14.90	9.04	15.1	3.56	0.033	18.4	1.86
485	486	0.0146	6.27	12.09	12.4	3.22	0.085	5.9	1.60
486	487	0.0131	24.48	22.19	12.3	1.64	0.059	11.5	0.54
487	488	0.0278	26.51	15.12	8.5	1.78	0.07	14.0	0.46
488	489	0.0243	11.55	15.68	29.9	1.75	0.369	12.1	0.67
489	490	0.0123	14.55	47.99	29.6	1.88	0.289	6.6	0.91
490	491	0.0077	10.06	17.09	26.2	1.63	0.175	4.8	0.75
491	492	0.0138	17.62	28.37	34.4	2.49	0.23	9.1	1.18
492	493	0.0183	17.24	75.15	70.2	4.11	0.763	15.8	2.33
493	494	0.0076	13.41	20.30	20.2	1.93	0.151	4.9	0.87
494	495	0.0143	17.33	28.77	33.2	7.69	0.287	5.6	4.19
495	496	0.0063	41.54	17.81	48.5	1.83	0.223	7.3	0.93
496	497	0.0192	184.19	9.80	34.6	6.09	0.125	7.8	3.80
497	498	0.0147	11.07	20.72	17.4	11.09	0.275	4.4	8.03
498	499	0.0111	11.49	15.77	42.9	2.04	0.228	4.4	1.70
499	500	0.0231	10.92	25.20	19.0	3.40	0.345	4.6	1.94
500	501	0.0132	12.57	84.89	18.2	3.75	0.947	4.4	1.43
501	502	0.0108	10.26	56.80	22.3	1.66	0.559	4.2	0.85
502	503	0.0477	17.81	40.87	49.1	1.79	0.336	4.5	1.09
503	504	0.0756	14.86	12.56	63.7	2.18	0.162	6.6	1.35
504	505	0.0073	7.50	32.37	45.4	1.80	0.329	5.5	1.09
505	506	0.0079	31.59	76.62	39.5	3.23	0.642	6.4	1.49
506	507	0.0115	6.91	10.95	31.8	1.90	0.16	4.7	0.77
507	508	0.0098	20.91	180.54	30.7	2.20	1	6.4	1.02
508	509	0.011	25.26	53.88	26.5	1.72	1	5.5	0.89
509	510	0.0036	30.05	20.24	12.9	1.91	0.292	4.5	0.47
510	511	0.0028	12.48	21.12	33.9	1.64	0.102	4.2	0.64
511	512	0.0064	103.55	32.54	32.4	1.80	0.348	4.2	0.74
512	513	0.0037	391.26	29.97	26.2	2.20	0.316	5.5	0.76
513	514	0.0037	119.33	28.37	40.5	2.18	0.295	4.7	1.13
514	515	0.0096	24.08	49.36	24.7	3.66	0.546	6.0	2.37
515	516	0.0138	806.72	10.23	31.3	2.79	0.121	4.2	1.07
516	517	0.005	590.45	22.56	27.4	1.90	0.222	4.8	0.74
517	518	0.0099	127.75	17.66	28.6	3.08	0.242	7.2	1.56
518	519	0.0054	133.86	13.71	43.4	2.49	0.154	5.6	1.29
519	520	0.0073	550.29	6.36	47.2	2.63	0.092	5.7	0.91
520	521	0.004	363.74	9.92	60.9	3.67	0.122	7.0	1.21
521	522	0.0092	232.02	19.89	83.0	3.65	0.155	7.8	1.39
522	523	0.011	144.44	5.68	60.8	4.04	0.064	10.4	0.98
523	524	0.0189	141.16	3.87	44.0	3.42	0.022	7.0	0.80
524	525	0.0101	60.16	4.86	46.5	3.75	0.053	4.5	0.77
525	526	0.0043	122.48	18.76	57.1	2.68	0.197	5.2	0.80

FROM	TO	Au_ppm	Cu_ppm	Mo_ppm	As_ppm	Bi_ppm	Re_ppm	Se_ppm	Te_ppm
526	527	0.0054	54.36	13.15	26.3	2.09	0.114	4.2	0.74
527	528	0.0074	175.13	27.30	40.5	3.17	0.269	4.2	0.94
528	529	0.005	231.65	12.78	19.6	3.32	0.128	4.5	0.47
529	530	0.0057	299.77	19.62	35.6	2.76	0.229	6.1	0.58
530	531	0.0095	257.93	17.00	42.0	3.21	0.182	6.4	0.68
531	532	0.0124	239.24	7.45	31.6	2.91	0.097	5.7	0.48
532	533	0.0091	284.71	11.31	50.4	2.66	0.188	17.1	0.78
533	534	0.0074	239.95	11.98	18.2	3.22	0.113	14.4	1.23
534	535	0.006	68.56	10.22	15.5	5.64	0.056	14.8	3.02
535	536	0.0158	285.40	6.36	25.8	6.21	0.048	26.9	2.97
536	537	0.0111	90.15	10.97	10.2	4.10	0.049	12.7	1.96
537	538	0.0082	270.04	8.02	15.5	3.00	0.04	15.2	1.06
538	539	0.006	184.13	12.14	19.5	2.08	0.121	12.4	0.82
539	540	0.0037	19.93	17.33	7.7	1.47	0.182	5.5	0.57
540	541	0.0031	37.40	18.30	13.5	1.94	0.268	9.5	0.91
541	542	0.002	124.85	17.26	9.3	2.53	0.158	9.1	0.57
542	543	0.0032	276.76	6.00	13.1	3.03	0.088	12.0	0.53
543	544	0.0018	158.91	12.56	16.5	2.86	0.157	6.7	0.53
544	545	0.0024	134.28	16.94	16.3	3.19	0.245	5.4	0.95
545	546	0.004	144.04	36.10	21.6	4.34	0.5	6.9	2.28
546	547	0.0051	35.18	987.33	21.7	1.91	1	4.4	0.78
547	548	0.0054	17.11	84.36	39.4	1.53	0.823	6.2	1.29
548	549	0.0038	53.16	26.55	33.9	1.07	0.339	3.4	0.65
549	550	0.0029	75.52	85.99	12.7	1.13	0.941	4.1	0.63
550	551	0.0046	330.61	47.01	23.7	2.28	0.65	7.7	0.94
551	552	0.0051	611.13	61.17	10.1	2.21	0.923	7.6	0.68
552	553	0.0043	216.39	111.92	18.0	2.37	1	6.5	0.82
553	554	0.0055	320.61	41.82	17.4	1.92	0.502	8.3	0.61
554	555	0.0043	150.29	42.60	38.5	1.66	0.563	5.0	0.63
555	556	0.0066	160.84	64.08	39.0	2.04	0.76	7.2	1.42
556	557	0.0061	285.23	130.61	32.5	1.67	1	6.1	1.15
557	558	0.0091	443.67	147.09	26.3	5.36	1	8.4	3.28
558	559	0.0079	92.45	20.42	79.7	1.80	0.256	6.9	1.31
559	560	0.0055	163.38	10.25	24.5	1.24	0.098	5.9	0.51
560	561	0.0062	361.96	11.74	25.5	1.43	0.115	6.6	0.51
561	562	0.0028	232.90	4.29	8.4	1.29	0.069	6.0	0.35
562	563	0.0027	91.04	6.65	7.8	1.20	0.083	4.6	0.23
563	564	0.0052	108.47	4.91	15.1	2.34	0.094	10.5	0.48
564	565	0.0162	119.17	4.94	9.7	2.59	0.067	9.8	0.78
565	566	0.0098	31.34	5.58	23.8	2.42	0.115	10.3	0.90
566	567	0.0306	164.53	1.15	30.8	4.10	0.048	6.1	2.54
567	568	0.0335	145.63	1.86	16.8	2.29	0.021	3.6	0.79
568	569	0.0371	137.04	1.41	14.0	1.85	0.021	3.9	0.26
569	570	0.0266	111.78	1.71	21.0	2.31	0.035	5.7	0.43
570	571	0.013	142.43	5.55	34.4	3.15	0.061	11.6	0.99
571	572	0.046	145.85	4.92	41.6	3.45	0.045	15.2	0.89
572	573	0.0132	216.35	6.65	52.2	4.30	0.046	17.0	1.36
573	574	0.0108	347.44	5.72	35.6	5.12	0.064	14.6	2.54
574	575	0.1198	406.41	5.83	27.1	12.68	0.097	16.1	15.85
575	576	0.0073	98.00	5.77	13.8	4.64	0.083	11.2	2.49
576	577	0.0852	251.83	6.08	26.4	6.78	0.085	11.6	4.29
577	578	0.1562	322.03	10.03	42.3	4.48	0.112	16.1	0.45
578	579	0.0243	182.90	6.03	29.9	3.32	0.075	16.4	0.42
579	580	0.0158	89.27	4.92	70.2	2.92	0.033	15.0	0.47
580	581	0.0234	304.46	4.40	35.8	3.17	0.021	14.6	0.43
581	582	0.0304	176.82	3.52	42.9	2.58	0.025	10.3	0.36
582	583	0.021	235.39	2.84	28.7	3.78	0.014	10.4	0.41

FROM	TO	Au_ppm	Cu_ppm	Mo_ppm	As_ppm	Bi_ppm	Re_ppm	Se_ppm	Te_ppm
583	584	0.0067	338.42	4.19	29.2	3.59	0.016	12.0	0.50
584	585	0.0133	503.24	2.92	36.7	3.74	0.016	15.0	0.72
585	586	0.0247	187.50	14.64	42.8	4.53	0.068	17.9	1.29
586	587	0.0189	26.20	6.21	27.0	3.80	0.033	16.0	1.09
587	588	0.0149	110.34	6.27	27.4	3.68	0.035	18.8	1.40
588	589	0.0087	24.87	4.72	18.8	2.47	0.054	8.9	0.71
589	590	0.0126	142.41	78.47	43.5	7.97	0.754	18.5	3.63
590	591	0.0112	132.12	3.17	21.5	2.69	0.072	10.7	1.00
591	592	0.012	166.49	3.27	23.9	8.17	0.053	13.6	3.87
592	593	0.0091	240.16	4.44	19.2	4.56	0.022	15.1	2.18
593	594	0.0071	85.75	7.97	27.5	6.24	0.053	15.8	3.43
594	595	0.0083	273.57	6.58	42.7	4.57	0.074	20.2	2.37
595	596	0.0042	356.60	4.75	28.3	3.02	0.041	11.8	1.14
596	597	0.0058	650.09	5.56	38.2	3.71	0.067	13.6	1.02
597	598	0.0045	277.52	20.72	15.6	2.52	0.178	11.3	0.54
598	599	0.0072	143.57	33.45	32.6	2.42	0.406	11.3	0.70
599	600	0.0054	246.58	13.28	31.7	2.10	0.192	11.5	0.73
600	601	0.0052	434.77	36.60	27.2	1.77	0.496	10.0	0.46
601	602	0.0029	63.96	17.73	17.6	2.21	0.192	10.9	1.08
602	603	0.0027	102.87	23.02	23.2	2.69	0.243	10.7	0.89
603	604	0.0023	119.59	15.53	20.0	1.79	0.124	6.3	0.61
604	605	0.0032	228.70	20.42	14.2	1.72	0.159	7.0	0.26
605	606	0.0017	305.24	34.29	8.6	2.17	0.274	6.8	0.21
606	607	0.0056	423.04	121.75	19.0	2.37	0.985	5.5	0.12
607	608	0.0045	391.29	93.06	18.6	2.21	1	8.4	0.17
608	609	0.005	253.37	17.54	12.2	1.90	0.135	7.8	0.14
609	610	0.0215	102.93	10.45	44.0	2.70	0.034	7.0	0.80
610	611	0.0129	227.85	2.38	8.2	1.24	0.018	4.8	0.20
611	612	0.0053	259.49	8.70	9.6	2.67	0.074	8.6	0.72
612	613	0.0088	322.65	6.23	17.6	2.60	0.082	5.9	0.66
613	614	0.0067	108.95	3.48	8.8	2.55	0.059	4.3	0.57
614	615	0.0045	105.36	1.89	7.4	2.23	0.032	5.5	0.48
615	616	0.0037	133.22	4.44	11.6	2.21	0.031	8.7	0.62
616	617	0.0026	93.81	6.00	5.6	2.16	0.041	13.4	0.48
617	618	0.0058	126.15	2.77	7.4	1.56	0.03	6.0	0.28
618	619	0.0009	69.20	1.92	4.5	1.12	0.051	2.5	0.17
619	620	0.0077	393.68	8.59	20.8	2.09	0.203	6.8	0.34
620	621	0.0055	260.10	4.40	18.5	2.54	0.075	5.8	0.25
621	622	0.0024	105.49	8.87	18.9	3.01	0.159	6.4	0.28
622	623	0.0026	65.68	3.36	11.0	3.58	0.076	3.2	0.11
623	624	0.0017	65.37	5.69	11.2	3.95	0.047	4.4	0.18
624	625	0.0145	288.88	8.00	36.6	4.72	0.067	10.7	0.45
625	626	0.0089	133.47	55.37	25.5	2.19	0.358	6.5	0.30
626	627	0.0159	123.02	10.31	18.7	2.48	0.041	4.8	0.27
627	628	0.002	48.10	5.88	13.5	1.58	0.034	3.8	0.15
628	629	0.0056	158.74	12.95	29.1	2.53	0.14	8.6	0.31
629	630	0.0068	143.78	47.94	25.1	3.16	0.168	10.1	1.21
630	631	0.0017	39.88	22.73	20.1	1.32	0.136	6.9	0.37
631	632	0.0018	6.20	47.45	3.0	0.29	0.163	0.7	0.13
632	633	0.0016	3.36	28.03	4.2	0.63	0.101	1.5	0.37
633	634	0.002	11.34	2.22	6.8	1.11	0.015	4.2	0.20
634	635	0.0048	85.25	10.15	11.4	2.51	0.07	8.8	0.82
635	636	0.0073	107.99	2.41	12.8	2.80	0.044	3.5	0.25
636	637	0.0058	86.69	3.13	13.7	2.12	0.029	4.5	0.24
637	638	0.0043	39.41	3.56	17.1	1.91	0.024	5.1	0.28
638	639	0.0017	8.20	6.92	13.0	0.97	0.028	3.2	0.19
639	640	0.0056	182.06	11.31	26.6	5.72	0.083	5.9	0.29

FROM	TO	Au_ppm	Cu_ppm	Mo_ppm	As_ppm	Bi_ppm	Re_ppm	Se_ppm	Te_ppm
640	641	0.0035	60.33	2.49	13.8	2.97	0.026	5.1	0.25
641	642	0.0051	50.31	4.28	12.9	2.82	0.017	5.7	0.32
642	643	0.0074	146.84	4.42	15.5	3.10	0.02	6.4	0.46
643	644	0.0066	53.79	3.91	17.4	3.17	0.026	8.1	0.56
644	645	0.0069	144.78	2.90	15.8	3.29	0.02	8.0	0.34
645	646	0.0097	152.31	4.32	18.1	2.93	0.025	8.2	0.29
646	647	0.0067	260.07	5.11	17.4	2.83	0.025	10.0	0.29
647	648	0.0104	266.52	24.11	31.3	2.66	0.077	15.5	0.64
648	649	0.0096	28.53	52.86	13.3	4.65	0.165	16.1	2.05
649	650	0.0051	91.57	45.13	18.4	2.56	0.12	9.5	1.03
650	651	0.008	366.08	3.69	30.7	2.03	0.03	9.1	0.32
651	652	0.0076	158.64	9.08	10.5	1.90	0.024	3.4	0.15
652	653	0.0046	205.57	4.32	9.7	2.23	0.02	5.4	0.21
653	654	0.004	263.10	6.32	11.5	2.14	0.045	6.8	0.29
654	655	0.0037	298.52	5.57	17.3	2.36	0.024	7.6	0.23
655	656	0.0044	332.87	8.13	22.0	2.71	0.025	7.1	0.36
656	657	0.0033	368.37	6.70	17.9	3.12	0.033	7.3	0.39
657	658	0.0051	232.75	5.39	24.0	2.52	0.025	5.8	0.42
658	659.5	0.0047	134.40	9.56	10.6	1.59	0.037	3.0	0.17

Appendix B - JORC Code, 2012 Edition – Table 1

Section 1 Sampling Techniques and Data – Alumbre Project

Criteria	JORC Code explanation	Commentary
Sampling techniques	<i>Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</i>	1m length half-core samples. Core cut with diamond saw.
	<i>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</i>	Full 1m sample half core sample is assayed ensuring representivity.
	<i>Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation</i>	NQ or HQ diamond drilling was performed to return drill core which was half-cut by diamond saw. 1m samples of the half core were bagged and sent to Acme Laboratories. Sample preparation included Drying, Crushing each sample to 10 mesh, split off 250g and pulverise until 85% passes through 200 mesh.

Criteria	JORC Code explanation	Commentary
	<i>may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.</i>	
Drilling techniques	• <i>Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</i>	Standard single tube HQ and NQ drill core.
Drill sample recovery	• <i>Method of recording and assessing core and chip sample recoveries and results assessed.</i> • <i>Measures taken to maximise sample recovery and ensure representative nature of the samples.</i> • <i>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</i>	No bias exists. In general core recovery was close to 100%.
Logging	• <i>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</i>	All core is logged in detail, geologically and geotechnically as well as recording drill core recovery.
	• <i>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</i>	Logging is qualitative, all core is photography prior to cutting and after cutting.
	• <i>The total length and percentage of the relevant intersections logged.</i>	All core is logged in detail.
Sub-sampling techniques and sample preparation	• <i>If core, whether cut or sawn and whether quarter, half or all core taken.</i>	Half core is cut and half core is sampled.
	• <i>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</i>	Is Core, therefore this question is N/A.
	• <i>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</i>	Sample preparation is high quality, appropriate and industry standard.
	• <i>Quality control procedures adopted for all</i>	Duplicate samples taken and industry standard blanks

Criteria	JORC Code explanation	Commentary
	<i>sub-sampling stages to maximise representivity of samples.</i>	and standard reference samples inserted each 10m.
	Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling.	Duplicate samples taken every 30m.
	Whether sample sizes are appropriate to the grain size of the material being sampled.	Sampling is half drill core and of appropriate size for the grain size.
Quality of assay data and laboratory tests	The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.	Assay methods over extremely low levels of detection and are appropriate, Aqua regia digestion is considered partial.
	For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.	No geophysics reported in this press release.
	Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.	Duplicate samples taken and industry standard blanks and standard reference samples inserted each 10m. Sufficient precision and accuracy has been established.
Verification of sampling and assaying	The verification of significant intersections by either independent or alternative company personnel.	Umpire assays will be done at the end of the Alumbre program.
	The use of twinned holes.	No twinned holes.
	Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.	Database is stored at several locations and updated periodically. Data is validated using MapInfo.
	Discuss any adjustment to assay data.	No adjustments to assay data.
Location of data points	Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.	Collar survey by Garmin GPS. Downhole survey by downhole SFP drillers downhole probe, a Reflex EZ shot.
	Specification of the grid system used.	UTM grid, Datum WGS84 zone 17 is used.
	Quality and adequacy of topographic control.	Multiple GPS topographic determinations determine

Criteria	JORC Code explanation	Commentary
		adequate accuracy of vertical control.
Data spacing and distribution	• <i>Data spacing for reporting of Exploration Results.</i> • <i>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i> • <i>Whether sample compositing has been applied.</i>	No ore reserve reporting at this stage. No sample compositing.
Orientation of data in relation to geological structure	• <i>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</i>	No bias determined.
	• <i>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i>	No Bias.
Sample security	• <i>The measures taken to ensure sample security.</i>	Constant chain of command established from drill site to core yard to lab then to final storage.
Audits or reviews	• <i>The results of any audits or reviews of sampling techniques and data.</i>	Sampling, results and assaying techniques reviewed periodically and determine that appropriate methods are used.

Section 2 Reporting of Exploration Results – Alumbre Project

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	• <i>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</i>	The Alumbre project area is located at low attitude, in the Department of La Libertad in northern Peru. There are no historical sites, wilderness or national parks or environmental issues. The current project area consist of group of concessions with one concessions which is 100% owned by Promesa Limited, plus one other adjoining concession which are subject to option agreement, these include three concessions owned by Oban S.A.C which allows 70% farm-in and includes an NSR royalty.

Criteria	JORC Code explanation	Commentary
	<i>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</i>	Concessions and agreements are in good standing and the company has social and government approvals in place to explore.
Exploration done by other parties	<i>Acknowledgment and appraisal of exploration by other parties.</i>	The region was explored by Santa Cristina de Chorobal from 1993 to 1994. Newmont, from 1994 to 1996, undertook regional exploration work. Savage Resources, between 1996 and 1999 undertook sampling, mapping, geophysics and drilling within some of the current project area at Alumbre. Savage conducted a nine-hole RC and RC/Diamond drill program and collected 573 rock sampling program along channels of various lengths from 1 to 27m in length within part of the Alumbre area and the ad. Historical Savage RC drill samples were composited up to 4m and diamond drill holes were composited up to 2m. This drilling produced anomalous results which were considered worthy of follow up drilling by Savage. Location of these drill holes have be verified as the collars are visible. Samples were assayed by SGS laboratory; however this cannot be verified as the original laboratory certificates are not available and were pre-JORC. Promesa have undertaken confirmation field sampling of Savage surface sampling which supports the results obtained by Savage. Savage Resources was taken over by Pasminco in 1999 who subsequently went into receivership 2001 and suspended work on the project area. From 2001 to 2010 the area was not held by any party. Alikante Mining Company 2010 acquired the Gaya 104 concession and released it to Kirio Mining S.A.C in 2011 who then optioned it to Promesa in 2012. Promesa acquired 100% of the concession in August 2013.
Geology	<i>Deposit type, geological setting and style of mineralisation.</i>	Mineralisation styles on the properties are epithermal gold and porphyry copper with molybdenum or gold credits.
Drill hole Information	<i>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:</i> <i>easting and northing of the drill hole</i>	This information is in the text.

Criteria	JORC Code explanation	Commentary
	collar. ○ elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar. ○ dip and azimuth of the hole. ○ down hole length and interception depth. ○ hole length.	
	• If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.	Not applicable. No drilling information in this release.
Data aggregation methods	• In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated.	Actual results are reported.
	• Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.	No short lengths of samples.
	• The assumptions used for any reporting of metal equivalent values should be clearly stated.	No metal equivalent determinations
Relationship between mineralisation widths and intercept lengths	• These relationships are particularly important in the reporting of Exploration Results. • If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. • If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known').	The drill hole ALDD14008 is discussed within the report document. A cross section is also provided.
Diagrams	• Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be	Maps and diagrams are within the press release.

Criteria	JORC Code explanation	Commentary
	<i>limited to a plan view of drill hole collar locations and appropriate sectional views.</i>	
Balanced reporting	• <i>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</i>	All values relevant to the style on mineralisation have been reported.
Other substantive exploration data	• <i>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</i>	No other information reported.
Further work	• <i>The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large-scale step-out drilling).</i> • <i>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i>	No further work is planned at this stage