

Good Oil Conference Perth

INVESTOR PRESENTATION

Matthew Allen, Managing Director and CEO

September 2016



Otto Energy

Delivering Growth Against Challenging Sector Conditions

Drilling success sees return to production in 2017

SM71#1 well yields gross 5 MMbbls and 3.6 Bcf discovery. Production Platform acquired. First Production 2H 2017. Potential upside to be tested during development drilling.

 Focus on proven basins with welldeveloped route to market

Gulf of Mexico onshore/shallow water Miocene focus. Typically 12-18 months to production. Alaska North Slope - Largest oil reservoirs in North America. Portfolio economically robust at low oil price.

Fully funded drilling campaign

2016 two-well program in Gulf of Mexico. 2017 Multi-well program in Alaska, Gulf of Mexico, and Tanzania.

 Demonstrated commitment to shareholder value

2015 delivered 6.4 cps in dividend/capital return.

Prudent investment of capital to grow portfolio.

Timing of asset acquisitions and divestments sets Otto apart.




Gulf of Mexico

Building our production base


- High chance of success
- Miocene amplitudesupported targets
- Shallow water/onshore
- High liquids content
- Economically robust at low oil price

West Cameron East Cameron Vern





South Marsh Island 70/71



Drilling success and technology advantage to provide follow-up opportunity


SM70/71 Discovery Well

- 50% WI earned through contribution to well costs during the successful drilling of SM71-1
- Game-changing oil + gas discovery
- Proves technology to unlock updip plays
- Well TD 7,477 feet MD
- Sample analysis indicates light, sweet crude at three upper intervals, wet gas in lower interval
- Successful reserves booking of over 2.2 MMboe (net)
- Low finding cost



Further upside at SM71 discovery

New target to be appraised during development drilling





SM71 Development



SM71 Production Facility Procured

- 26/8/2016- Entered purchase and construction agreement with Laredo Construction Inc. for tripod jacket, decks, helideck, boat landing and production equipment
- Tripod facility is capable of accommodating 6 wells and producing in excess of 5,000 bopd along with produced natural gas.
- All phases of modification, refurbishment and installation at a fixed cost of less than US\$4.5 Million (US\$2.25 net to Otto)

Tie-back to platform

8" Flowline tie-back to existing platform, with option for surface or subsea installation

12-14 months

to initial production.

Initial rate of 1500 to 2000 bopd (gross field production)


Reserves + upside

\$59 Million AUD
2P Reserves
+ \$58 Million AUD
Prospective Resource



Bivouac Peak


Onshore Louisiana with analogue fields



Note: Otto will earn interests in the above resources volumes by participating in wells. The estimated quantities of petroleum that may potentially be recoverable by the application of a future development project(s) relate to undiscovered accumulations. These estimates have both an associated risk of discovery and a risk of development. Further exploration, appraisal and evaluation is required to determine the existence of a significant quantity of potentially moveable hydrocarbons.



Bivouac Peak



Onshore Louisiana Opportunity

- 45% WI in 2500 acre lease exercisable upon contribution to well costs (60% capped at US\$6m)
- Multiple amplitude-supported opportunities
- Independent prospective resource estimate based on high-quality 3D data
- Targeting prolific upper and middle Miocene reservoir
- Accessible by barge mounted drilling rig

Attractive production potential

- Estimated completion and production costs: US\$8.5m
- 6 months to bring into production

| Bivouac Peak, 30 June 2016 Prospective Resources | | | | | |
|---|---------|-------------|--------|--------|--|
| Gross | | Net to Otto | | | |
| Oil | Gas | Oil | Gas | (MBOE | |
| (Mbbls) | (MMcf) | (Mbbls) | (MMcf) | 6:1) | |
| 15,990 | 177,666 | 5,361 | 59,562 | 15,288 | |


OEL ASX release 25 July 2016



Alaska

North Slope

- Light oil in conventional reservoirs
- Large prospect inventory
- Imminent drill campaign
- Low-risk capped costs
- Infrastructure access






Tier-1 Prospects

Developed from extensive lead inventory

2-4 Drilling locations 45 Leads 30 Leads High-8 Tier-1 Prospects Identified graded • Rank into 3 tiers based • HC shows in vintage wells Mature Leads into · Highest probability of • Reservoir presence in Prospects: discovery Minimize risk and Optimise logistical vintage wells Shows/Reservoir • Structural closures where Presence uncertainty strategy Geologic context • Integrate all available •Test maximum volumes at present data minimal cost Seismic amplitude Volume potential • Test multiple prospects anomalies • Risk interdependence with a single well bore External morphologies Maturity of concept Geological setting 0 0





Pipeline State-1 Results

On-block vintage well de-risks the acreage

Pipeline State-1 was drilled as a stratigraphic test in February 1988 by Arco Alaska. The well reached a total vertical depth of 10,460 feet and encountered a number of oil-bearing intervals.

Several cores were taken from the well and showed promising results. However, technology at the time was insufficient to extract the discovered oil economically from these sands.

Pipeline State-1 was plugged and abandoned that same year.

Extraction techniques now far surpass what was available in the 1980's. Recent advances, such as horizontal drilling and fracture stimulation, enable economic development of these types of reservoirs.

Blackbird Prospect level

Oil stained sands reported on mudlog, free oil observed in drilling mud, elevated gas readings

Skywagon Prospect level

Oil stained sands reported on mudlog, oil observed in drilling mud, elevated gas readings

Hellcat Prospect level

Oil stained sands reported on mudlog, free oil observed in drilling mud, elevated gas readings, log response consisted with oil filled sandstone reservoir

Avenger Prospect level

Oil shows in sands reported on mudlog, elevated gas readings, log response consistent with oil filled sandstone reservoir


Otto Energy aims to test and unlock the value of these resources.



Pipeline State-1

First Two Wells - Possible Configuration

Increase chance of success by intersecting multiple independent reservoirs with each wellbore






Alaska: The First Two Wells

| | Gross Prospective Resource | | | Net Prospective Resource | | |
|-----------|----------------------------|------------------|------------------|--------------------------|-------------------------|------|
| Prospect | Low (MMbbls) | Best (MMbbls) | High (MMbbls) | Mean (MMbbls) | Mean Net WI (MMbbls) | POS* |
| Blackbird | 6 | 20 | 62 | 28 | 3 | 24% |
| Helio | 17 | 49 | 144 | 66 | 7 | 30% |
| Hellcat | 13 | 47 | 172 | 72 | 8 | 40% |
| Skywagon | 13 | 40 | 126 | 57 | 6 | 24% |
| Avenger | 20 | 65 | 227 | 96 | 10 | 23% |
| Corsair | 56 | 216 | 758 | 332 | 36 | 10% |

Gross Prospective Resource: Mean Case 650 MMbbls, High Case 1489 MMbbls[†]



Ready to test these opportunities

- Six independent play types
- Intersect multiple low risk intervals containing reservoir sands and oil shows/live oil in offset wells
- Test prospects with significant volumetric capacity


[†]Deterministic Prospective Resource

^{*} Probability of Success estimate does not include reservoir effectiveness risk which can be addressed by horizontal drilling and fracture stimulation. The estimated quantities of petroleum that may potentially be recoverable by the application of a future development project(s) relate to undiscovered accumulations. These estimates have both an associated risk of discovery and a risk of development. Further exploration appraisal and evaluation is required to determine the existence of a significant quantity of potentially moveable hydrocarbons.



Unconventional Upside: Hue/HRZ

Optimal location for potential major shale play




Tanzania

Large Volume Exploration Target

- Kito Prospect analogous to Kenya & Uganda discoveries
- Additional delineated leads may be drilled in success case

Iringa






Kilosa-Kilombero PSA

| Kito Prospect | | | |
|------------------------------------|--|--|--|
| Area of Closure | 50 km ² Up to 250m column height | | |
| Reservoir type | Miocene (Neogene) | | |
| Objective Depth | 900 – 1,300 metres | | |
| STOIIP | 269 – 780 – 1,954 MMbbls (Low – Best- High) | | |
| Net Prospective Resource (*) | 15 - 48.5 - 137 MMbbls (Low - Best - High) *Represent OTTO 25% WI subject to completion of farm-down | | |
| Geological Chance of Success | 15% chance of intersecting oil or gas within net prospective resource range | | |
| Key Risks | Presence of an active petroleum system in the Kilombero Basin | | |
| Drilling program | Expected well costs ~US\$10 million (gross joint venture, dry hole basis) | | |

The estimated quantities of petroleum that may potentially be recoverable by the application of a future development project(s) relate to undiscovered accumulations. These estimates have both an associated risk of discovery and a risk of development. Further exploration, appraisal and evaluation is required to determine the existence of a significant quantity of potentially moveable hydrocarbons.

Kito Prospect

- Large frontier exploration prospect
- Similar to discoveries in Kenya & Uganda






Forward Activity

Positioning for high-impact growth


- SM71 development underway
- 2017 return to production
- Drilling program beginning in early 2017 to test multiple high-impact targets
- Funded from current cash balance



Activity Timeline



Corporate Value





Additional Information

Otto Energy Ltd

32 Delhi Street

West Perth

Western Australia 6005

Telephone: +61 8 6467 8800

Facsimile: +61 8 6467 8801

info@ottoenergy.com



Corporate Snapshot



| Capital Structure | | | | |
|------------------------------------|-----------|--|--|--|
| Fully paid ordinary shares | 1.181b | | | |
| Unlisted options ¹ | 8.0m | | | |
| Performance Rights | 14.7m | | | |
| Market capitalisation ² | A\$53m | | | |
| Cash (June 2016) | US\$20.3m | | | |
| Debt (June 2016) | US\$0m | | | |

| Shareholders | | | | |
|------------------------|-------|--|--|--|
| Molton Holdings | 20.5% | | | |
| Santo Holdings | 20.5% | | | |
| Directors & Management | 2.2% | | | |
| Shareholders | 4,246 | | | |

12 Month Turnover = 63.66% of issued capital Average daily volume last 12 months = 2.912 million shares/day

1. Exercisable at 5.49 cents per share.
2. Undiluted at 4.4 cents per share as at 12 September2016
3. ASX 200 Energy Index normalized to 9 September 2015 OEL share price and 2/3X10-5 scale



Experienced Board & Management Team

Board of Directors



John Jetter – Non-Executive Chairman. LLB, BEc INSEAD

Former MD/CEO J.P. Morgan Germany. Non-Executive Director of Venture Minerals and Peak Resources Ltd.



Ian Boserio – Non-Executive Director. BSc (Hons)

Executive Technical Director of Pathfinder Energy Pty Ltd. Former executive positions with Shell & Woodside in exploration roles.



Ian Macliver – Non-Executive Director.
BComm, FCA, SF Fin, FAICD

Managing Director Grange Consulting. Non-Executive Chairman of Western Areas.

Senior Management



Matthew Allen – Managing Director & CEO. BBus, FCA, FFin, GAICD

Global exposure to the upstream oil and gas industry with over 15 years experience in Asia, Africa, Australia and Middle East. Previous senior roles with Woodside over 9 year period.



Paul Senycia – Vice President, Exploration and New Ventures. BSc (Hons), MAppSc

International oil & gas experience gained over 30 years. Specific focus on Australia, South East Asia & Africa. Previous roles at Oilex (Exploration Manager), Woodside Energy (Head of Evaluation) and Shell International.



Craig Hasson – Chief Financial Officer. BCom, CA, AGIA Chartered Accountant with over 12 years experience in resources in Australia, Europe and Africa. Previous roles at Cairn Energy, Dragon Mining, Resolute Mining and Ernst & Young.



Matthew Worner – Commercial Manager. BBus LLB

Commercial lawyer with experience in international oil and gas venture acquisitions, government and JV liaison and commercial transaction across Africa, Australia and Asia. Previous roles at Pura Vida, Rialto, Tap Oil, Steinepreis Paganin and Phillips Fox.



Disclaimer

This presentation does not constitute an offer to sell securities and is not a solicitation of an offer to buy securities. It is not to be distributed to third parties without the consent of Otto Energy Limited (the "Company").

This presentation contains forward looking statements that are subject to risk factors associated with oil and gas businesses. It is believed that the expectations reflected in these statements are reasonable but they may be affected by a variety of variables and changes in underlying assumptions which could cause actual results or trends to differ materially, including but not limited to: price fluctuations, actual demand, currency fluctuations, drilling and production results, reserve estimates, loss of market, industry competition, environmental risks, physical risks, legislative, fiscal and regulatory developments, economic and financial market conditions in various countries and regions, political risks, project delay or advancement, approvals and cost estimates.

The Company, its directors, officers and employees make no representation, warranty (express or implied), or assurance as to the completeness or accuracy of forward looking statements.

Competent Persons Statement

The information in this report that relates to oil and gas resources in relation to Alaska was compiled by technical employees of Great Bear Petroleum, the Operator of the Alaskan acreage, and subsequently reviewed by Mr Paul Senycia BSc (Hons) (Mining Engineering), MAppSc (Exploration Geophysics), who has consented to the inclusion of such information in this report in the form and context in which it appears. Mr Senycia is a full time employee of the Company, with more than 30 years relevant experience in the petroleum industry and is a member of The Society of Petroleum Engineers (SPE). The resources included in this report have been prepared using definitions and guidelines consistent with the 2007 Society of Petroleum Engineers (SPEE)/World Petroleum Council (WPC)/American Association of Petroleum Geologists (AAPG)/Society of Petroleum Engineers (SPEE) Petroleum Resources Management System (PRMS). The resources information included in this report are based on, and fairly represents, information and supporting documentation reviewed by Mr Senycia is qualified in accordance with the requirements of ASX Listing Rule 5.41 and consents to the inclusion of the information in this report of the matters based on this information in the form and context in which it appears.

The reserve and contingent resource information in this report in relation to Tanzania is based on information compiled by Mr Paul Senycia BSc (Hons) (Mining Engineering), MAppSc (Exploration Geophysics), who has consented to the inclusion of such information in this report in the form and context in which it appears. Mr Senycia is a full time employee of the Company, with more than 30 years relevant experience in the petroleum industry and is a member of The Society of Petroleum Engineers (SPE).

The reserve and contingent resource information in this report in relation to SMI70/71 is based on information compiled by technical employees of independent consultants Collarini and Associates, under the supervision of Mr Mitch Reece BSc PE. Mr Reece is the President of Collarini and Associates and is a registered professional engineer in the State of Texas and a member of the Society of Petroleum Evaluation Engineers (SPE), Society of Petroleum Engineers (SPE), and American Petroleum Institute (API). The reserves and resources included in this report have been prepared using definitions and guidelines consistent with the 2007 Society of Petroleum Evaluation Engineers (SPE)/World Petroleum Council (WPC)/American Association of Petroleum Geologists (AAPG)/Society of Petroleum Evaluation Engineers (SPEE) Petroleum Resources Management System (PRMS). The reserves and resources information reported in this Statement are based on, and fairly represents, information and supporting documentation prepared by, or under the supervision of, Mr Reece. Mr Reece is qualified in accordance with the requirements of ASX Listing Rule 5.41 and consents to the inclusion of the information in this report of the matters based on this information in the form and context in which it appears.

The reserve and contingent resource information in this report in relation to Bivouac Peak is based on information compiled by Mr William Sack (BSc. Earth Sci./Physics, MSc. Geology, MBA), an Executive Director of Byron Energy Limited. Mr William Sack is a member of American Association of Petroleum Geologists. The reserves and resources included in this report have been prepared using definitions and guidelines consistent with the 2007 Society of Petroleum Engineers (SPE)/World Petroleum Council (WPC)/American Association of Petroleum Geologists (AAPG)/Society of Petroleum Evaluation Engineers (SPEE) Petroleum Resources Management System (PRMS). The reserves and resources information reported in this release are based on, and fairly represents, information and supporting documentation prepared by, or under the supervision of, Mr Sack. Mr Sack is qualified in accordance with the requirements of ASX Listing Rule 5.41 and consents to the inclusion of the information in this report of the matters based on this information in the form and context in which it appears.

Prospective Resources

Prospective resource estimates in this presentation are prepared as at June 2016. The resource estimates have been prepared using the internationally recognised Petroleum Resources Management System to define resource classification and volumes. The resource estimates are in accordance with the standard definitions set out by the Society of Petroleum Engineers, further information on which is available at www.spe.org. The estimates are un-risked and have not been adjusted for both an associated chance of discovery and a chance of development.

Otto is not aware of any new information or data that materially affects the assumptions and technical parameters underpinning the estimates of reserves and contingent resources and the relevant market announcements referenced continue to apply and have not materially changed.

Reserves cautionary statement

Oil and gas reserves and resource estimates are expressions of judgment based on knowledge, experience and industry practice. Estimates that were valid when originally calculated may alter significantly when new information or techniques become available. Additionally, by their very nature, reserve and resource estimates are imprecise and depend to some extent on interpretations, which may prove to be inaccurate. As further information becomes available through additional drilling and analysis, the estimates are likely to change. This may result in alterations to development and production plans which may, in turn, adversely impact the Company's operations. Reserves estimates and estimates of future net revenues are, by nature, forward looking statements and subject to the same risks as other forward looking estimates.

