



October 3<sup>rd</sup> 2016

ASX Release

Kidman Resources Limited  
ABN 88 143 526 096

## Earl Grey Lithium Project Continues to Expand in Scale

### Corporate Details:

ASX Code: KDR

### Issued capital:

313.5M ordinary shares  
47.45 listed options (KDRO)

### Substantial Shareholders:

Capri Holdings (10.5%)  
Acorn Capital (7.13%)

### Directors:

#### Non-Executive Chairman:

Peter Lester

#### Managing Director:

Martin Donohue

#### Non-Executive Director:

Brad Evans

#### Chief Financial Officer (CFO):

Jason Eveleigh

#### Company Secretaries:

Justin Mouchacca

Melanie Leydin

#### Contact Details:

Kidman Resources Limited  
Suite 3, Level 4  
12 - 20 Flinders Lane  
Melbourne  
Victoria 3000  
Australia

Tel: +61 (0)3 9671 3801

Fax: +61 (0)3 9671 3523

Email:

[info@kidmanresources.com.au](mailto:info@kidmanresources.com.au)

Website:

[www.kidmanresources.com.au](http://www.kidmanresources.com.au)

***Thick and flat lying mineralisation now outlined over an area measuring 1,400m by 750m with an estimated average true width of ~80m***

### Highlights

- Latest assays continue to deliver thick high grade Lithium mineralised intervals within spodumene rich pegmatite
- Results of up to 85.7m @ 1.75% Li<sub>2</sub>O from 93.9m (KEGR007) in most recent assays received
- A 3<sup>rd</sup> drill rig now being mobilised to Earl Grey pegmatite to further accelerate the drill out of the Earl Grey deposit
- Most recent drill holes have now intercepted the Earl Grey pegmatite at surface, increasing the lateral extent to 1,400m
- The newly confirmed surface expression of the Earl Grey pegmatite in the south is providing samples for metallurgical test work with diamond drilling in this area now advancing well
- Drilling to fully define the surface expression of the Earl Grey Lithium deposit is ongoing
- Earl Grey pegmatite remains open in multiple directions and exhibits excellent geometry for a very low cost mining scenario
- Maiden Lithium Resource estimate on track for December quarter 2016
- Earl Grey Lithium Project sits on a granted Mining Lease and is just one of several known pegmatites within Kidman's Mt Holland project area

Kidman Resources Limited (ASX: KDR) is pleased to announce that drilling of the Earl Grey spodumene bearing pegmatite is continuing to return wide, high grade assays, and the geological model is resulting in consistent intercepts of the Earl Grey pegmatite with each step along strike and up dip at its surface expression (refer Figure 1 and 2).

The latest intersections include:

- 85.7m @ 1.75% Li<sub>2</sub>O from 93.9 (KEGR007);
- 8m @ 1.63% Li<sub>2</sub>O from 62m, 5m @ 1.62% Li<sub>2</sub>O from 95m, 75m @ 1.63% Li<sub>2</sub>O from 126m, including 3m @ 3.74% Li<sub>2</sub>O from 136m, (KEGR014);
- 8m @ 1.78% Li<sub>2</sub>O from 111m, 8m @ 1.23% Li<sub>2</sub>O from 125m and 42m @ 1.31% Li<sub>2</sub>O from 143m (KEGR011);
- 14m @ 1.87% Li<sub>2</sub>O from 119m and 45m @ 1.48% Li<sub>2</sub>O from 143m (KEGR013); and
- 7m @ 1.63% Li<sub>2</sub>O from 72m, 3m @ 1.62% Li<sub>2</sub>O from 86m and 56m @ 1.61% Li<sub>2</sub>O from 107m (KEGR022).

Kidman also advises that the latest drilling has extended the known lateral extent of Earl Grey from 1,100m to 1,400m (refer Figure 3) with a known strike length to 750m suggesting Earl Grey is now a globally significant hard rock Lithium project in terms of its potential size (and grade) that also exhibits outstanding ore body geometry for a potentially very low cost mining scenario. The estimated average true width continues to be 70-80m and it remains open to the North, South and East. KEGR024 (refer Figure 2) intersected weakly mineralised (<1% Li<sub>2</sub>O) thin pegmatite bands at shallow depths between 48 and 81 metres depth, the hole was terminated at 106m, it is believed this hole has intersected the pegmatite at the contact of a north-south trending fault which is constraining the western pegmatite contact.

The exploration programme has continued to define both lateral width and up dip extent of the Earl Grey pegmatite. The drilling has now successfully located the surface expression of the pegmatite body which was in-line with the interpreted geological model.

Drilling will now focus on resolving the surface expression of the spodumene rich pegmatite and the greater density of holes will provide a more robust understanding of grade and geological continuity. These holes are being utilised to understand the metallurgy pertaining to this immense lithium bearing pegmatite. A strategic plan has been established to define and deliver results that will allow Kidman to report a Maiden JORC Resource, which is on track for the December quarter of 2016.

Drilling thus far has continued to show the flat lying nature of the Earl Grey pegmatite; the pegmatite body shows a gradual, very shallow dip of 5-10 degrees from surface towards the Earl Grey gold pit in the North. Drilling has also shown that there are several very consistent outward trending extensions that sit above the main spodumene rich pegmatite body. Grade and the observed mineralogy within these narrow flat lying pegmatite bodies (ranging from 5 -25m in thickness) will make a significant addition to the scale of the Earl Grey mineralised body.

Drilling will continue around the clock at Earl Grey with more rigs mobilising to site (3 rigs now actively drilling out a lithium Resource); these rigs will be used to define the down dip continuity of the Earl Grey pegmatite which is interpreted to extend significantly further north towards the Jasmine and Darjeeling Pits (approximately 650m north of the Earl Grey Pit). In addition to this other regional targets will also be explored such as Prince of Wales and Texas. Programmes of works have been created and will be submitted for assessment by the WA Department of Mines and Petroleum.






Figure 1: Earl Grey Plan View indicating holes drilled and pegmatite intercepted and results received. Points "A" and "B" indicate position of cross section shown in Figure 2






Figure 2: Earl Grey Cross section A-B shown on plan view




Figure 3: Earl Grey Cross section- A-B' shown on plan view. Drilling to focus on surface expression of pegmatite on sections to the east of the 758,200mE section.

**Kidman Background**

Kidman is a diversified resource company which owns the Mt Holland lithium and gold project near Southern Cross in WA (see ASX Announcement 18th December for further details of the project). The Company intends to revise the existing gold resource at Mt Holland with a significant RC and Diamond drilling program, followed by an update to the feasibility study undertaken by previous operators. The company is now also drilling to further test the highly prospective Lithium targets within the Mt Holland tenement package and has entered into an MOU to potentially process Lithium ores at the Lake Johnston 1.5Mtpa concentrator owned by Poseidon Nickel.

Kidman also owns the Burbanks Gold Mine near Coolgardie in WA.

Kidman also owns advanced exploration projects in the Northern Territory (Home of Bullion – Cu, Au, Pb, Zn, Ag/ Prospect D - Ni, Cu) and New South Wales.

In New South Wales the company has the Crawl Creek Project which is host to numerous projects such as Murrays (Au) Blind Calf (Cu, Au) and Three Peaks (Cu, Pb, Ag).

The Company also owns the Brown’s Reef project in the southern part of the Cobar Basin (Zn, Pb, Ag, and Cu).

For further information on the Company's portfolio of projects please refer to the website at: [www.kidmanresources.com.au](http://www.kidmanresources.com.au)

**Media:**

**Paul Armstrong / Nicholas Read**

**Read Corporate**

**0421 619 084**

**Martin Donohue**

**Managing Director**

[info@kidmanresources.com.au](mailto:info@kidmanresources.com.au)

**+61 3 9671 3801**

**Competent Persons Statement**

*Exploration:*

*The information in this release that relates to sampling techniques and data, exploration results, geological interpretation and exploration targets has been reviewed by Mr L Sawyer M.App.Sc. Mr Sawyer is not an employee of the company, but is employed by Geos Mining as a contract consultant. Mr Sawyer is a member of the Australian Institute of Geoscientists, he has sufficient experience with the style of mineralisation and type of deposit under consideration, and to the activities undertaken, to qualify as a competent person as defined in the 2012 edition of the "Australian Code for the Reporting of Exploration Results, Mineral Resources and Ore Reserves" (The JORC Code). Mr Sawyer consents to the inclusion in this report of the contained technical information in the form and context as it appears.*

*Cautionary Statement:*

*Readers should use caution when reviewing the exploration and historical information results presented and ensure that the Modifying Factors described in the 2012 edition of the JORC Code are considered before making an investment decision. Potential quantity and grade is conceptual in nature, that there has been insufficient exploration to define a Mineral Resource, and that it is uncertain if further exploration will result in the determination of a Mineral Resource.*

*Information in this report may also reflect past exploration results, and Kidman's assessment of exploration completed by past explorers, which has not been updated to comply with the JORC 2012 Code. The company confirms it is not aware of any new information or data which materially affects the information included in this announcement*

## Appendix 1

TABLE 1: DRILL HOLE DETAILS

Mt Holland, Western Australia									
Drill Hole	Drill Type	Easting (m) MGA94 Zone 50 S	Northing (m) MGA94 Zone 50 S	AHD RL (m)	Inclination (o)	Azimuth (o)	Pre-collar depth (m)	Total length (m)	Location / Deposit
KEGR007 #	RC - DDH	759200	6446450		-65	181	6	202	Earl Grey
KEGR011	RC	759400	6446450	450	-65	181		199	Earl Grey
KEGR013	RC	759400	6446563	447	-65	181		200	Earl Grey
KEGR014	RC	759300	6446562	450	-65	183		211	Earl Grey
KEGR022	RC	759650	6446567	450	-65	182		163	Earl Grey
KEGR024	RC-DDH	759300	6445760	450	-65	181	6	106	Earl Grey

# includes reverse circulation (RC) pre-collar drilling, followed by diamond core drilling (DDH) to final depth.

## Appendix 2

TABLE 2: SAMPLE INTERVAL ANALYSIS RESULTS

\*Table displayed over the following 18 pages.

Drill Hole	Sample Id	Depth From (m)	Depth To (m)	Interval (m)	Lithology : major Geolog	Element Unit Symbol Analysis Method	Recvd Wt. kg WEI-21	Al2O3 % ME-ICP89	As % ME-ICP89	Be ppm ME-ICP89	CaO % ME-ICP89	Co % ME-ICP89	Cr2O3 % ME-ICP89	Cu % ME-ICP89	Fe2O3 % ME-ICP89	K2O % ME-ICP89	Li2O % ME-ICP89	MgO % ME-ICP89	MnO % ME-ICP89	Ni % ME-ICP89	Pb % ME-ICP89
						Lower Detection Limit	0.02	0.02	0.01	20	0.01	0.005	0.01	0.01	0.01	0.01	0.02	0.01	0.01	0.005	0.01
						Upper Detection Limit	1000	100	10	10000	70	30	88	50	100	60	21.5	50	50	30	30
KEGR007	MHG11464	41.5	42.5	1.0	Pegmatite		2.38	18.15	0.01	140	0.04	<0.005	0.05	0.01	1.96	1.61	0.04	0.07	0.03	0.005	<0.01
KEGR007	MHG11465	42.5	43.5	1.0	Pegmatite		2.71	18.05	0.02	260	0.01	<0.005	0.03	0.01	5.08	1.34	0.19	0.13	0.04	0.008	<0.01
KEGR007	MHG11466	43.5	44.5	1.0	Pegmatite		1.5	17.5	0.02	140	0.03	<0.005	0.02	0.01	3.87	1.1	0.09	0.1	0.04	0.005	0.01
KEGR007	MHG11467	44.5	45.5	1.0	Pegmatite		2.6	16.85	0.01	120	0.03	<0.005	0.02	0.01	2.99	2.57	0.09	0.08	0.03	<0.005	<0.01
KEGR007	MHG11468	45.5	46.5	1.0	Pegmatite		2.3	17.6	0.02	170	0.04	<0.005	0.04	0.01	5.02	1.71	0.09	0.12	0.03	0.006	<0.01
KEGR007	MHG11469	46.5	47.5	1.0	Pegmatite		1.91	16.85	0.02	160	0.01	<0.005	0.03	0.01	6.48	2.41	0.06	0.13	0.03	0.006	<0.01
KEGR007	MHG11470	47.5	48.5	1.0	Pegmatite		2.86	15.85	0.02	160	0.03	<0.005	0.04	0.01	6.06	2.75	0.02	0.12	0.03	0.006	<0.01
KEGR007	MHG11471	48.5	49.2	0.7	Pegmatite		2.01	15.7	0.02	170	0.06	<0.005	0.03	0.01	6.36	2.1	0.02	0.08	0.03	0.005	<0.01
KEGR007	MHG11472	88.9	89.3	0.4	Shear Zone		0.87	7.31	0.61	30	4.79	0.007	0.33	<0.01	7.68	2.59	0.69	19	0.26	0.114	<0.01
KEGR007	MHG11473	89.3	90.5	1.2	Pegmatite		2.99	15.3	0.01	90	0.27	<0.005	0.01	<0.01	1.13	1.04	0.75	1.21	0.06	<0.005	<0.01
KEGR007	MHG11474	90.5	91.8	1.3	Pegmatite		3.74	16.05	0.03	150	0.2	<0.005	0.02	<0.01	1	3.25	1.31	0.32	0.11	<0.005	<0.01
KEGR007	MHG11475	91.8	92.0	0.2	Pegmatite		0.67	8.69	0.18	50	5.5	0.008	0.27	0.01	7.72	1.99	0.52	18.9	0.27	0.095	<0.01
KEGR007	MHG11476	92.0	92.3	0.3	Pegmatite		1.06	16.95	0.01	300	0.87	<0.005	0.02	<0.01	1.2	0.13	0.58	1.48	0.07	<0.005	<0.01
KEGR007	MHG11477	92.3	93.9	1.6	Mafic Volcanic		4.35	5.6	0.14	<20	5.72	0.009	0.36	0.01	9.44	0.16	0.02	24.4	0.25	0.109	<0.01
KEGR007	MHG11478	93.9	95.0	1.1	Pegmatite		2.95	15.9	0.02	110	0.25	<0.005	0.01	<0.01	0.71	0.49	3.01	0.36	0.11	<0.005	<0.01
KEGR007	MHG11479	95.0	96.0	1.0	Pegmatite		2.63	15.7	0.04	240	0.43	<0.005	0.01	<0.01	0.61	2.19	0.93	0.03	0.18	<0.005	<0.01
KEGR007	MHG11481	96.0	97.4	1.4	Pegmatite		3.74	15.55	0.02	150	0.28	<0.005	0.01	<0.01	0.77	1.31	1.72	0.1	0.14	<0.005	<0.01
KEGR007	MHG11482	97.4	98.8	1.4	Pegmatite		4.04	16.15	0.01	160	0.14	<0.005	0.01	<0.01	0.94	0.93	2.41	0.02	0.16	<0.005	<0.01
KEGR007	MHG11483	98.8	100.0	1.2	Pegmatite		3.14	15.85	0.04	120	0.21	<0.005	0.01	<0.01	0.56	1.24	2.35	0.03	0.1	<0.005	<0.01
KEGR007	MHG11484	100.0	101.2	1.2	Pegmatite		3.18	16.2	0.02	110	0.11	<0.005	0.01	<0.01	1.13	1.69	2.65	0.02	0.15	<0.005	<0.01
KEGR007	MHG11485	101.2	102.0	0.8	Pegmatite		2.14	16.1	<0.01	150	0.2	<0.005	0.01	<0.01	0.99	1.51	1.85	0.03	0.13	<0.005	<0.01
KEGR007	MHG11486	102.0	103.1	1.1	Pegmatite		2.98	15.9	0.01	130	0.17	<0.005	0.01	<0.01	0.54	3.49	0.82	0.02	0.11	<0.005	<0.01
KEGR007	MHG11487	103.1	104.9	1.8	Pegmatite		4.61	16.1	0.01	170	0.14	<0.005	0.01	<0.01	0.9	1.7	2.2	0.03	0.14	<0.005	0.01
KEGR007	MHG11488	104.9	105.3	0.5	Pegmatite		1.3	15.45	0.02	180	0.18	<0.005	0.01	<0.01	1.43	1.2	0.86	0.03	0.12	<0.005	<0.01
KEGR007	MHG11489	105.3	106.4	1.1	Pegmatite		2.75	15.55	0.03	180	0.17	<0.005	0.01	<0.01	0.73	1.84	1.27	0.03	0.09	<0.005	<0.01
KEGR007	MHG11490	106.4	107.1	0.7	Pegmatite		1.9	16	0.02	180	0.2	<0.005	0.01	<0.01	0.73	1.59	1.85	0.05	0.08	<0.005	<0.01
KEGR007	MHG11602	107.1	107.9	0.8	Pegmatite		2.13	16.2	0.02	130	0.11	<0.005	0.01	<0.01	0.9	1.59	2.05	0.05	0.1	0.014	<0.01
KEGR007	MHG11603	107.9	108.2	0.4	Pegmatite		0.9	16.1	<0.01	110	0.29	<0.005	0.01	<0.01	0.6	5.9	1.36	0.05	0.15	<0.005	<0.01
KEGR007	MHG11604	108.2	110.0	1.8	Pegmatite		4.68	15.55	0.02	150	0.27	<0.005	0.01	<0.01	0.8	1.95	1.81	0.07	0.09	<0.005	<0.01
KEGR007	MHG11605	110.0	110.7	0.7	Ultramafic		2.04	7.36	0.21	30	6.62	0.007	0.22	<0.01	6.42	0.31	0.22	18.65	0.35	0.11	<0.01
KEGR007	MHG11606	110.7	111.5	0.8	Pegmatite		2.29	16.25	0.01	170	0.18	<0.005	0.01	<0.01	0.73	2.2	1.49	0.07	0.08	<0.005	<0.01
KEGR007	MHG11607	111.5	113.1	1.6	Pegmatite		4.51	15.6	0.02	140	0.18	<0.005	<0.01	<0.01	0.83	2.11	2.11	0.03	0.13	<0.005	<0.01
KEGR007	MHG11608	113.1	113.9	0.7	Pegmatite		1.84	15.65	<0.01	100	0.13	<0.005	<0.01	<0.01	0.69	1.96	2.37	0.08	0.09	<0.005	<0.01
KEGR007	MHG11609	113.9	114.6	0.8	Pegmatite		2.02	16.3	<0.01	160	0.27	<0.005	<0.01	<0.01	0.99	3.45	0.17	<0.01	0.09	<0.005	<0.01
KEGR007	MHG11610	114.6	115.1	0.4	Pegmatite		1.1	17.1	0.01	690	0.1	<0.005	<0.01	<0.01	1.1	3.18	1.31	0.03	0.16	<0.005	<0.01
KEGR007	MHG11611	115.1	115.6	0.5	Pegmatite		1.41	16.7	0.04	70	0.08	<0.005	<0.01	<0.01	0.51	5.44	1.68	0.02	0.09	<0.005	<0.01
KEGR007	MHG11612	115.6	116.0	0.4	Pegmatite		1.12	15.65	0.01	150	0.17	<0.005	<0.01	<0.01	1.02	3.93	0.75	0.02	0.1	<0.005	<0.01
KEGR007	MHG11613	116.0	116.8	0.8	Pegmatite		2.12	14.9	<0.01	280	0.35	<0.005	<0.01	<0.01	0.81	0.98	0.82	0.03	0.14	<0.005	<0.01
KEGR007	MHG11614	116.8	118.0	1.2	Pegmatite		3.16	15.85	0.04	120	0.08	<0.005	<0.01	<0.01	0.5	2.84	2.48	<0.01	0.06	<0.005	<0.01
KEGR007	MHG11615	118.0	118.8	0.8	Pegmatite		2.07	14.25	0.03	150	0.15	<0.005	<0.01	<0.01	0.71	2.58	1.53	0.02	0.1	<0.005	<0.01
KEGR007	MHG11616	118.8	120.0	1.2	Pegmatite		3.1	15.9	0.03	140	0.18	<0.005	<0.01	<0.01	0.67	2.06	2.15	0.02	0.09	<0.005	<0.01
KEGR007	MHG11617	120.0	121.3	1.3	Pegmatite		3.45	16.05	<0.01	110	0.14	<0.005	<0.01	<0.01	0.64	2.31	2.32	0.02	0.08	<0.005	<0.01
KEGR007	MHG11618	121.3	122.6	1.2	Pegmatite		3.33	15.15	0.02	90	0.21	<0.005	<0.01	<0.01	0.66	2.34	1.74	0.02	0.11	<0.005	<0.01
KEGR007	MHG11619	122.6	123.8	1.2	Pegmatite		3.31	16.1	0.05	150	0.18	<0.005	<0.01	<0.01	0.56	2.66	2.02	<0.01	0.06	<0.005	<0.01
KEGR007	MHG11620	123.8	124.8	1.0	Pegmatite		2.5	15.25	0.02	100	0.18	<0.005	<0.01	<0.01	0.56	2.65	1.29	0.03	0.13	<0.005	<0.01
KEGR007	MHG11621	124.8	125.4	0.7	Pegmatite		1.68	16.55	<0.01	120	0.14	<0.005	<0.01	<0.01	0.53	1.81	2.63	0.05	0.04	0.005	<0.01
KEGR007	MHG11622	125.4	126.6	1.1	Pegmatite		3.04	16.25	0.03	140	0.14	<0.005	<0.01	<0.01	0.8	2.89	1.92	0.03	0.1	<0.005	<0.01
KEGR007	MHG11623	126.6	127.8	1.2	Pegmatite		2.97	16.35	0.01	110	0.14	<0.005	<0.01	<0.01	0.37	2.88	2.05	0.02	0.04	0.005	<0.01
KEGR007	MHG11624	127.8	128.7	0.9	Pegmatite		2.42	16	<0.01	230	0.14	<0.005	<0.01	<0.01	0.84	3.85	0.75	0.02	0.1	<0.005	<0.01
KEGR007	MHG11625	128.7	129.2	0.5	Pegmatite		1.19	16.55	0.01	60	0.01	<0.005	<0.01	<0.01	0.66	1.25	3.6	0.02	0.03	<0.005	<0.01
KEGR007	MHG11626	129.2	130.0	0.8	Pegmatite		2.26	15.9	0.05	170	0.17	<0.005	<0.01	<0.01	0.6	2.6	1.7	0.02	0.12	<0.005	<0.01
KEGR007	MHG11627	130.0	131.0	1.0	Pegmatite		2.63	16.25	0.07	110	0.13	<0.005	<0.01	<0.01	0.66	2.77	1.4	0.02	0.1	<0.005	<0.01
KEGR007	MHG11628	131.0	132.0	0.9	Pegmatite		2.46	16.9	0.05	140	0.14	<0.005	<0.01	<0.01	0.6	2.43	2.37	0.02	0.1	<0.005	<0.01
KEGR007	MHG11629	132.0	133.0	1.1	Pegmatite		2.8	16.25	0.03	160	0.13	<0.005	0.01	<0.01	0.66	3.2	1.36	0.03	0.11	<0.005	<0.01
KEGR007	MHG11631	133.0	134.0	1.0	Pegmatite		2.67	16.55	0.11	180	0.18	<0.005	<0.01	<0.01	0.69	4.42	1.53	0.1	0.06	<0.005	<0.01
KEGR007	MHG11632	134.0	135.5	1.5	Pegmatite		3.94	16.55	0.04	150	0.2	<0.005	0.01	<0.01	0.8	3.4	1.87	0.08			



Drill Hole Id	Sample Id	Depth From (m)	Depth To (m)	Interval (m)	Lithology : major Geolog	S	SiO2	TiO2	Zn	Cs	Nb	Rb	Sn	Ta	Th	U	Au
						%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
						ME-ICP89	ME-ICP89	ME-ICP89	ME-ICP89	ME-MS91	ME-MS91	ME-MS91	ME-MS91	ME-MS91	ME-MS91	ME-MS91	ME-MS91
						0.01	0.2	0.02	0.01	0.2	5	0.5	5	0.5	0.5	0.5	0.01
						60	100	83	60	25000	2500	25000	10000	2500	2500	2500	100
KEGR007	MHG11464	41.5	42.5	1.0	Pegmatite	0.01	68.5	<0.02	0.01	152	78	2180	66	59.8	4.6	1.7	
KEGR007	MHG11465	42.5	43.5	1.0	Pegmatite	0.01	66.7	<0.02	0.02	183.5	83	1805	111	54.7	6.2	3.6	
KEGR007	MHG11466	43.5	44.5	1.0	Pegmatite	0.02	70.6	<0.02	0.02	139.5	79	1410	158	62.5	5.2	3.1	
KEGR007	MHG11467	44.5	45.5	1.0	Pegmatite	0.02	70.2	<0.02	0.01	246	48	3440	115	44	2.8	1.7	
KEGR007	MHG11468	45.5	46.5	1.0	Pegmatite	0.01	67.8	<0.02	0.01	216	79	2210	160	69.4	2.9	2	
KEGR007	MHG11469	46.5	47.5	1.0	Pegmatite	0.01	67	<0.02	0.01	150	65	2340	84	48.1	3.4	3.1	
KEGR007	MHG11470	47.5	48.5	1.0	Pegmatite	0.01	66.7	<0.02	0.01	228	78	2860	96	66	3.5	3	
KEGR007	MHG11471	48.5	49.2	0.7	Pegmatite	0.01	68	<0.02	0.01	221	74	2720	140	75.1	2.9	2.4	
KEGR007	MHG11472	88.9	89.3	0.4	Shear Zone	0.11	52.2	0.25	0.02	3000	16	4120	90	19.6	0.6	1.6	
KEGR007	MHG11473	89.3	90.5	1.2	Pegmatite	0.12	73.2	<0.02	0.01	293	61	988	51	65.1	3	5.4	
KEGR007	MHG11474	90.5	91.8	1.3	Pegmatite	0.03	73.8	<0.02	0.01	310	59	3150	81	57.8	3	5.3	
KEGR007	MHG11475	91.8	92.0	0.2	Pegmatite	0.77	48.3	0.23	0.02	3270	21	3310	136	41.2	1.1	2.6	
KEGR007	MHG11476	92.0	92.3	0.3	Pegmatite	0.06	70.2	<0.02	0.01	155.5	63	154	78	112	2.3	5.7	
KEGR007	MHG11477	92.3	93.9	1.6	Mafic Volcanic	2.45	45.4	0.31	0.01	187	<5	314	25	0.8	<0.5	1	
KEGR007	MHG11478	93.9	95.0	1.1	Pegmatite	0.06	75.1	<0.02	0.01	192.5	46	595	25	33.1	1.4	2.8	
KEGR007	MHG11479	95.0	96.0	1.0	Pegmatite	0.05	73.8	<0.02	0.03	92.7	102	1910	28	46.7	2.7	4.2	
KEGR007	MHG11481	96.0	97.4	1.4	Pegmatite	0.03	75.1	<0.02	0.01	98.3	80	1440	50	60.3	3.9	7.9	
KEGR007	MHG11482	97.4	98.8	1.4	Pegmatite	0.01	76.2	<0.02	0.02	124.5	79	1020	93	54.1	4.2	7.5	
KEGR007	MHG11483	98.8	100.0	1.2	Pegmatite	0.02	77	<0.02	0.02	101.5	57	1200	24	31.9	2.5	5.2	
KEGR007	MHG11484	100.0	101.2	1.2	Pegmatite	0.02	75.9	<0.02	0.02	192	65	1680	95	48	3.6	9.5	
KEGR007	MHG11485	101.2	102.0	0.8	Pegmatite	0.02	74.9	<0.02	0.03	196	94	1580	57	65.8	4.4	7.7	
KEGR007	MHG11486	102.0	103.1	1.1	Pegmatite	0.02	73.8	<0.02	0.02	299	68	3380	55	61.6	2.8	5.8	
KEGR007	MHG11487	103.1	104.9	1.8	Pegmatite	0.02	75.5	<0.02	0.01	255	90	1845	117	67	4	6.7	
KEGR007	MHG11488	104.9	105.3	0.5	Pegmatite	0.03	72.9	<0.02	0.03	154	90	1075	44	58.2	4.7	10.2	
KEGR007	MHG11489	105.3	106.4	1.1	Pegmatite	0.02	75.3	<0.02	0.01	173.5	88	1720	61	53	4.2	6.1	
KEGR007	MHG11490	106.4	107.1	0.7	Pegmatite	0.04	74.9	<0.02	0.01	159.5	78	1530	29	44.1	2.5	4.8	
KEGR007	MHG11602	107.1	107.9	0.8	Pegmatite	0.05	75.7	<0.02	0.01	191	78	1555	70	56	4.4	4.1	
KEGR007	MHG11603	107.9	108.2	0.4	Pegmatite	0.04	72.1	<0.02	0.01	377	47	5190	46	60	1.7	4.1	
KEGR007	MHG11604	108.2	110.0	1.8	Pegmatite	0.03	75.1	<0.02	0.01	245	97	1900	78	71.4	3.8	6	
KEGR007	MHG11605	110.0	110.7	0.7	Ultramafic	0.29	52	0.15	0.01	390	13	580	43	21.7	0.7	1.3	
KEGR007	MHG11606	110.7	111.5	0.8	Pegmatite	0.01	75.1	<0.02	0.01	254	87	1920	59	77.6	3.4	6.7	
KEGR007	MHG11607	111.5	113.1	1.6	Pegmatite	0.02	72.9	<0.02	0.01	343	72	2470	106	67.2	2.7	6.9	
KEGR007	MHG11608	113.1	113.9	0.7	Pegmatite	0.01	74.2	<0.02	0.01	202	61	1985	69	47.9	2.9	5.8	
KEGR007	MHG11609	113.9	114.6	0.8	Pegmatite	0.11	70.8	<0.02	0.02	215	95	3280	68	42.4	3.2	4.6	
KEGR007	MHG11610	114.6	115.1	0.4	Pegmatite	0.3	70.4	<0.02	0.02	483	100	4270	138	153.5	2.4	7.4	
KEGR007	MHG11611	115.1	115.6	0.5	Pegmatite	0.08	70.4	<0.02	0.01	228	38	4630	21	53.4	1.7	6.1	
KEGR007	MHG11612	115.6	116.0	0.4	Pegmatite	0.4	72.1	<0.02	0.04	235	117	3750	39	77.3	6.5	21.2	
KEGR007	MHG11613	116.0	116.8	0.8	Pegmatite	0.16	73.6	<0.02	0.02	134	136	1175	36	90.4	4.6	10.5	
KEGR007	MHG11614	116.8	118.0	1.2	Pegmatite	0.03	75.3	<0.02	<0.01	238	57	2900	45	56.7	2.6	4.1	
KEGR007	MHG11615	118.0	118.8	0.8	Pegmatite	0.13	75.1	<0.02	0.01	226	106	2640	66	78.6	3.9	11.2	
KEGR007	MHG11616	118.8	120.0	1.2	Pegmatite	0.08	74	<0.02	0.01	303	95	2410	32	84.9	4.1	6.9	
KEGR007	MHG11617	120.0	121.3	1.3	Pegmatite	0.11	75.3	<0.02	0.01	316	103	2090	35	73.8	4.6	8.4	
KEGR007	MHG11618	121.3	122.6	1.2	Pegmatite	0.1	72.9	<0.02	0.01	393	72	1970	31	70	4.5	8.8	
KEGR007	MHG11619	122.6	123.8	1.2	Pegmatite	0.04	73.4	<0.02	0.01	401	67	2410	34	65.3	1.9	3.9	
KEGR007	MHG11620	123.8	124.8	1.0	Pegmatite	0.13	73.2	<0.02	0.01	475	69	2660	45	89	4.9	10.1	
KEGR007	MHG11621	124.8	125.4	0.7	Pegmatite	0.01	76.8	<0.02	0.01	223	52	1610	34	30.6	3.9	3	
KEGR007	MHG11622	125.4	126.6	1.1	Pegmatite	0.05	77	<0.02	0.01	472	85	2920	43	68.4	4	7.6	
KEGR007	MHG11623	126.6	127.8	1.2	Pegmatite	0.02	74	<0.02	0.01	327	59	2310	21	33.1	3.2	5	
KEGR007	MHG11624	127.8	128.7	0.9	Pegmatite	0.18	73.4	<0.02	0.02	595	107	3630	61	69.2	3.7	7	
KEGR007	MHG11625	128.7	129.2	0.5	Pegmatite	0.01	77.4	<0.02	0.01	134	44	1235	46	20.7	2.2	2.7	
KEGR007	MHG11626	129.2	130.0	0.8	Pegmatite	0.09	74.4	<0.02	0.01	384	88	2780	48	92.4	5.7	8.3	
KEGR007	MHG11627	130.0	131.0	1.0	Pegmatite	0.12	73.2	<0.02	0.01	353	72	3010	43	63.1	2.8	6.9	
KEGR007	MHG11628	131.0	132.0	0.9	Pegmatite	0.09	77.4	<0.02	0.02	297	60	2850	38	95.7	2	5.2	
KEGR007	MHG11629	132.0	133.0	1.1	Pegmatite	0.07	72.9	<0.02	0.01	288	81	2960	54	112.5	3.3	6.6	
KEGR007	MHG11631	133.0	134.0	1.0	Pegmatite	0.05	72.7	<0.02	0.01	148	70	2790	20	23.8	0.7	2.5	
KEGR007	MHG11632	134.0	135.5	1.5	Pegmatite	0.02	74	<0.02	<0.01	146.5	86	2470	28	29	1.8	3.4	
KEGR007	MHG11633	135.5	136.5	1.0	Pegmatite	0.03	76.4	<0.02	0.01	162.5	104	1780	34	98.4	4.4	4.9	
KEGR007	MHG11634	136.5	137.5	1.0	Pegmatite	0.09	72.7	<0.02	0.01	209	54	2080	47	97.6	1.9	5.2	
KEGR007	MHG11635	137.5	138.7	1.2	Pegmatite	0.13	74.4	<0.02	0.02	230	64	2420	40	74.7	2.4	6.1	
KEGR007	MHG11636	138.7	139.7	1.1	Pegmatite	0.07	75.5	<0.02	0.02	129	66	1640	28	49.1	3.2	7.9	
KEGR007	MHG11637	139.7	140.0	0.2	Pegmatite	0.07	73.4	<0.02	0.03	258	83	2840	52	95.3	4.6	9.7	
KEGR007	MHG11638	140.0	141.0	1.0	Pegmatite	0.06	72.3	<0.02	0.01	209	66	2260	34	59.8	2.9	9.1	
KEGR007	MHG11639	141.0	142.3	1.3	Pegmatite	0.08	72.3	<0.02	0.02	222	81	2530	34	66.3	3.3	8.4	
KEGR007	MHG11640	142.3	142.7	0.4	Pegmatite	0.08	75.3	<0.02	<0.01	135.5	59	1035	15	46.2	2.6	4.2	
KEGR007	MHG11641	142.7	144.6	1.9	Pegmatite	0.12	73.6	<0.02	0.01	258	69	2280	38	52	3		



Drill Hole	Sample Id	Depth From (m)	Depth To (m)	Interval (m)	Lithology : major Geolog	Element Unit Symbol Analysis Method	Recvd Wt. kg WEI-21	Al2O3 % ME-ICP89	As % ME-ICP89	Be ppm ME-ICP89	CaO % ME-ICP89	Co % ME-ICP89	Cr2O3 % ME-ICP89	Cu % ME-ICP89	Fe2O3 % ME-ICP89	K2O % ME-ICP89	Li2O % ME-ICP89	MgO % ME-ICP89	MnO % ME-ICP89	Ni % ME-ICP89	Pb % ME-ICP89
						Lower Detection Limit	0.02	0.02	0.01	20	0.01	0.005	0.01	0.01	0.01	0.01	0.02	0.01	0.01	0.005	0.01
						Upper Detection Limit	1000	100	10	10000	70	30	88	50	100	60	21.5	50	50	30	30
KEGR007	MHG11642	144.6	145.2	0.6	Pegmatite		1.82	15.85	0.04	200	0.34	<0.005	0.01	<0.01	1.16	2.26	0.84	0.02	0.15	0.013	<0.01
KEGR007	MHG11643	145.2	147.0	1.8	Pegmatite		4.75	147.8	0.11	110	0.21	<0.005	<0.01	<0.01	0.67	1.99	2.5	0.02	0.09	<0.005	<0.01
KEGR007	MHG11644	147.0	148.1	1.1	Pegmatite		2.82	15.55	0.1	150	0.22	<0.005	<0.01	<0.01	0.67	2.14	1.27	0.02	0.09	<0.005	<0.01
KEGR007	MHG11645	148.1	149.0	0.9	Pegmatite		2.56	15.9	0.04	100	0.18	<0.005	0.01	<0.01	0.6	3.06	2.32	0.03	0.06	<0.005	<0.01
KEGR007	MHG11646	149.0	150.5	1.4	Pegmatite		3.83	15.95	0.07	90	0.14	<0.005	<0.01	<0.01	0.54	2.36	2.69	0.02	0.05	<0.005	<0.01
KEGR007	MHG11647	150.5	151.0	0.6	Pegmatite		1.51	15.3	0.12	170	0.22	<0.005	<0.01	<0.01	0.76	2.7	0.8	0.02	0.08	<0.005	<0.01
KEGR007	MHG11648	151.0	151.7	0.7	Pegmatite		1.93	15.95	0.04	80	0.2	<0.005	<0.01	<0.01	0.57	2.69	2.24	0.02	0.05	<0.005	<0.01
KEGR007	MHG11649	151.7	152.1	0.4	Pegmatite		1.06	15.65	0.03	160	0.18	<0.005	<0.01	<0.01	0.69	2.77	0.77	0.02	0.12	<0.005	<0.01
KEGR007	MHG11650	152.1	153.0	0.9	Pegmatite		2.47	15.55	0.05	150	0.2	<0.005	<0.01	<0.01	0.61	2.29	1.87	0.02	0.1	<0.005	<0.01
KEGR007	MHG11651	153.0	154.0	1.0	Pegmatite		2.62	15.8	0.11	130	0.27	<0.005	<0.01	<0.01	0.63	2.58	1.66	0.02	0.09	<0.005	<0.01
KEGR007	MHG11652	154.0	155.7	1.7	Pegmatite		4.52	15.55	0.06	120	0.27	<0.005	<0.01	<0.01	0.57	2.36	1.49	0.02	0.09	<0.005	<0.01
KEGR007	MHG11653	155.7	156.5	0.8	Pegmatite		2.29	15.85	0.05	110	0.14	<0.005	<0.01	<0.01	0.7	2.14	2.24	0.03	0.04	<0.005	<0.01
KEGR007	MHG11654	156.5	157.5	1.0	Pegmatite		2.79	14.9	0.04	180	0.27	<0.005	<0.01	<0.01	0.83	1.37	1.81	0.05	0.05	<0.005	<0.01
KEGR007	MHG11655	157.5	158.5	1.0	Pegmatite		2.64	16.25	0.01	170	0.25	<0.005	<0.01	<0.01	0.54	2.11	2.02	0.03	0.09	<0.005	<0.01
KEGR007	MHG11656	158.5	159.5	1.0	Pegmatite		2.66	15.25	0.01	100	0.25	<0.005	<0.01	<0.01	0.83	1.57	1.23	0.05	0.08	<0.005	<0.01
KEGR007	MHG11657	159.5	160.5	1.0	Pegmatite		2.58	15.7	0.04	120	0.22	<0.005	<0.01	<0.01	0.6	0.73	2.45	0.03	0.04	<0.005	<0.01
KEGR007	MHG11658	160.5	161.5	1.0	Pegmatite		2.64	15.5	0.04	140	0.2	<0.005	0.01	<0.01	0.61	2.51	1.4	0.02	0.05	<0.005	<0.01
KEGR007	MHG11659	161.5	162.5	1.0	Pegmatite		2.53	15.85	0.04	70	0.13	<0.005	<0.01	<0.01	0.57	2.89	2.76	0.02	0.04	<0.005	<0.01
KEGR007	MHG11660	162.5	163.5	1.0	Pegmatite		2.61	15.75	0.02	90	0.08	<0.005	0.01	<0.01	0.67	1.65	2.69	0.02	0.14	<0.005	<0.01
KEGR007	MHG11661	163.5	164.5	1.0	Pegmatite		2.73	15.8	0.05	180	0.28	<0.005	<0.01	<0.01	0.7	1.82	1.68	0.02	0.09	<0.005	<0.01
KEGR007	MHG11662	164.5	165.5	1.0	Pegmatite		2.56	15.45	0.05	110	0.17	<0.005	0.01	<0.01	0.8	1.36	2.67	0.02	0.06	<0.005	<0.01
KEGR007	MHG11663	165.5	166.8	1.3	Pegmatite		3.53	15.7	0.04	230	0.28	<0.005	<0.01	<0.01	0.77	1.63	1.59	0.03	0.06	<0.005	<0.01
KEGR007	MHG11664	166.8	167.4	0.6	Pegmatite		1.64	16	0.04	100	0.24	<0.005	0.01	<0.01	0.79	2.25	0.73	0.02	0.09	<0.005	<0.01
KEGR007	MHG11665	167.4	168.4	1.0	Pegmatite		2.59	16	0.03	100	0.18	<0.005	<0.01	<0.01	0.67	4.75	1.33	0.03	0.05	<0.005	<0.01
KEGR007	MHG11666	168.4	168.8	0.3	Pegmatite		1	14.95	0.02	210	0.2	<0.005	<0.01	<0.01	0.92	1.89	1.42	0.07	0.03	<0.005	<0.01
KEGR007	MHG11667	168.8	170.5	1.7	Pegmatite		4.45	15.75	0.02	110	0.18	<0.005	<0.01	<0.01	0.47	5.12	1.12	0.05	0.03	<0.005	<0.01
KEGR007	MHG11668	170.5	171.4	1.0	Pegmatite		2.36	16.5	0.03	90	0.21	<0.005	<0.01	<0.01	0.94	1.84	1.81	0.07	0.25	<0.005	<0.01
KEGR007	MHG11669	171.4	171.5	0.1	Pegmatite		0.37	15.05	0.02	110	0.21	<0.005	<0.01	<0.01	0.8	2.43	0.22	0.02	0.05	<0.005	<0.01
KEGR007	MHG11670	171.5	172.5	1.0	Pegmatite		2.73	15.95	0.02	100	0.22	<0.005	<0.01	<0.01	0.81	0.88	2.76	0.08	0.04	<0.005	<0.01
KEGR007	MHG11671	172.5	173.5	1.0	Pegmatite		2.69	16	0.01	160	0.32	<0.005	<0.01	<0.01	0.76	0.69	2.28	0.07	0.08	<0.005	<0.01
KEGR007	MHG11672	173.5	174.9	1.4	Pegmatite		3.66	16.1	0.03	120	0.2	<0.005	<0.01	<0.01	0.66	2.25	1.96	0.07	0.05	<0.005	<0.01
KEGR007	MHG11673	174.9	175.5	0.5	Pegmatite		1.35	15.7	0.01	130	0.31	<0.005	<0.01	<0.01	0.8	2.41	0.75	0.1	0.09	<0.005	<0.01
KEGR007	MHG11674	175.5	176.0	0.6	Pegmatite		1.7	16	<0.01	430	0.24	<0.005	<0.01	<0.01	0.64	1.63	0.9	0.2	0.2	<0.005	<0.01
KEGR007	MHG11675	176.0	176.5	0.5	Pegmatite		1.35	15.7	<0.01	120	0.2	<0.005	<0.01	<0.01	0.87	2.28	1.16	0.05	0.1	<0.005	<0.01
KEGR007	MHG11676	176.5	176.8	0.3	Pegmatite		0.72	15.75	0.02	110	0.18	<0.005	<0.01	<0.01	0.69	1.7	1.38	0.1	0.06	<0.005	0.01
KEGR007	MHG11677	176.8	177.0	0.1	Pegmatite		0.52	14.5	0.01	190	0.38	<0.005	<0.01	<0.01	1.63	1.58	0.04	0.07	0.1	<0.005	<0.01
KEGR007	MHG11678	177.0	178.0	1.1	Pegmatite		2.83	15.05	0.01	80	0.31	<0.005	<0.01	<0.01	0.61	3.32	1.7	0.08	0.06	<0.005	<0.01
KEGR007	MHG11680	178.0	179.6	1.6	Pegmatite		4.19	15.25	0.01	180	0.46	<0.005	0.01	0.01	1.04	2.29	0.45	0.61	0.06	<0.005	<0.01
KEGR011	MHG11491	8.0	9.0	1.0	Elluvium		2.34	23.5	0.01	<20	<0.01	<0.005	0.06	<0.01	1.92	0.34	<0.02	0.17	<0.01	0.011	<0.01
KEGR011	MHG11492	9.0	10.0	1.0	Elluvium		3.31	19.65	0.01	<20	<0.01	<0.005	0.04	<0.01	0.87	0.29	<0.02	0.13	<0.01	0.007	0.01
KEGR011	MHG11493	16.0	17.0	1.0	Elluvium		3.9	23.9	0.04	<20	0.07	<0.005	0.09	0.02	14.45	0.2	<0.02	0.2	0.02	0.01	0.01
KEGR011	MHG11494	17.0	18.0	1.0	Elluvium		2.01	22.4	0.05	<20	0.11	<0.005	0.09	0.02	18.85	0.18	<0.02	0.18	0.01	0.009	0.01
KEGR011	MHG11495	20.0	21.0	1.0	Elluvium		3.81	18.7	0.04	<20	0.1	0.012	0.05	0.02	29.3	0.6	<0.02	0.23	0.13	0.014	<0.01
KEGR011	MHG11496	21.0	22.0	1.0	Elluvium		2.35	16.6	0.04	<20	0.07	<0.005	0.05	0.03	21.4	0.45	<0.02	0.75	0.03	0.016	<0.01
KEGR011	MHG11497	22.0	23.0	1.0	Elluvium		2.38	16.1	0.04	<20	0.04	0.005	0.04	0.04	23.7	0.53	<0.02	1.34	0.03	0.022	<0.01
KEGR011	MHG11498	23.0	24.0	1.0	Elluvium		2.24	18.2	0.05	<20	0.04	0.005	0.03	0.04	21.7	0.65	<0.02	1.74	0.02	0.026	<0.01
KEGR011	MHG11499	27.0	28.0	1.0	Clay		1.89	19.85	0.02	<20	0.07	0.005	0.02	0.04	10.5	1.92	<0.02	2.67	0.03	0.025	<0.01
KEGR011	MHG11500	28.0	29.0	1.0	Clay		2.1	21.3	0.02	<20	0.06	<0.005	0.03	0.03	9.68	1.65	<0.02	1.63	0.02	0.026	0.01
KEGR011	MHG11501	29.0	30.0	1.0	Clay		1.74	21.1	0.02	<20	0.03	0.005	0.03	0.04	10.1	2.55	<0.02	2.04	0.03	0.024	<0.01
KEGR011	MHG11502	30.0	31.0	1.0	Clay		1.33	19.75	0.05	<20	0.06	<0.005	0.03	0.05	11.95	2.9	<0.02	1.66	0.02	0.024	<0.01
KEGR011	MHG11503	31.0	32.0	1.0	Clay		2.53	21	0.03	<20	0.04	<0.005	0.02	0.03	9.68	4.24	<0.02	1.06	0.01	0.019	0.01
KEGR011	MHG11504	32.0	33.0	1.0	Clay		0.82	20.4	0.03	<20	0.08	<0.005	0.02	0.05	12.1	3.65	<0.02	1.41	0.02	0.02	<0.01
KEGR011	MHG11505	94.0	95.0	1.0	Pyroxenite		5.21	13.7	0.02	<20	13.55	0.005	0.02	0.01	9.61	2.65	0.04	8.36	0.14	0.015	<0.01
KEGR011	MHG11506	95.0	96.0	1.0	Pyroxenite		3.52	14.55	0.04	20	13.75	<0.005	0.02	0.01	8.92	3.51	0.09	6.35	0.14	0.013	<0.01
KEGR011	MHG11507	96.0	97.0	1.0	Pyroxenite		3.57	14.4	0.03	<20	14.4	<0.005	0.03	<0.01	8.62	3.65	0.06	6.25	0.14	0.012	<0.01
KEGR011	MHG11508	97.0	98.0	1.0	Pyroxenite		3.03	13.65	0.02	<20	16.1	0.005	0.03	<0.01	8.29	3.17</					

Drill Hole Id	Sample Id	Depth From (m)	Depth To (m)	Interval (m)	Lithology : major Geolog	S	SiO2	TiO2	Zn	Cs	Nb	Rb	Sn	Ta	Th	U	Au
						%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
						ME-ICP89	ME-ICP89	ME-ICP89	ME-ICP89	ME-MS91	ME-MS91	ME-MS91	ME-MS91	ME-MS91	ME-MS91	ME-MS91	ME-MS91
						0.01	0.2	0.02	0.01	0.2	5	0.5	5	0.5	0.5	0.5	0.01
						60	100	83	60	25000	2500	25000	10000	2500	2500	2500	100
KEGR007	MHG11642	144.6	145.2	0.6	Pegmatite	0.05	70.6	<0.02	0.01	249	105	2200	36	78.8	5.2	15.1	
KEGR007	MHG11643	145.2	147.0	1.8	Pegmatite	0.1	74.4	<0.02	0.01	173	53	1955	26	44	2.4	5	
KEGR007	MHG11644	147.0	148.1	1.1	Pegmatite	0.12	72.7	<0.02	0.01	209	73	2230	34	69.8	2.8	6.9	
KEGR007	MHG11645	148.1	149.0	0.9	Pegmatite	0.04	74.4	<0.02	<0.01	152.5	78	2460	29	38.8	2.9	5.4	
KEGR007	MHG11646	149.0	150.5	1.4	Pegmatite	0.05	74.7	<0.02	0.01	111.5	43	1830	15	25.4	1.6	3.8	
KEGR007	MHG11647	150.5	151.0	0.6	Pegmatite	0.13	72.5	<0.02	<0.01	256	87	2760	35	59.1	3.8	11	
KEGR007	MHG11648	151.0	151.7	0.7	Pegmatite	0.06	73.2	<0.02	<0.01	120	50	2360	20	33.9	1.9	3.6	
KEGR007	MHG11649	151.7	152.1	0.4	Pegmatite	0.15	72.7	<0.02	0.01	202	89	3090	34	76	4.9	7.9	
KEGR007	MHG11650	152.1	153.0	0.9	Pegmatite	0.08	72.1	<0.02	0.01	157	72	2480	32	58.6	3.1	7.8	
KEGR007	MHG11651	153.0	154.0	1.0	Pegmatite	0.07	74	<0.02	0.01	171.5	63	2790	30	50.9	2.4	5.9	
KEGR007	MHG11652	154.0	155.7	1.7	Pegmatite	0.09	72.7	<0.02	0.01	132	61	2230	30	50.8	2.1	4.8	
KEGR007	MHG11653	155.7	156.5	0.8	Pegmatite	0.03	74.7	<0.02	<0.01	88.1	80	1675	26	31.4	1.9	4.2	
KEGR007	MHG11654	156.5	157.5	1.0	Pegmatite	0.02	74.4	<0.02	0.01	63.5	123	1235	34	33.4	2.6	4.3	
KEGR007	MHG11655	157.5	158.5	1.0	Pegmatite	<0.01	74.2	<0.02	<0.01	90.6	100	1635	25	39.8	2.8	5.1	
KEGR007	MHG11656	158.5	159.5	1.0	Pegmatite	<0.01	72.9	<0.02	<0.01	88.1	106	1525	43	32.3	2.4	5.2	
KEGR007	MHG11657	159.5	160.5	1.0	Pegmatite	<0.01	75.1	<0.02	<0.01	53.2	88	714	29	32.4	1.7	3.7	
KEGR007	MHG11658	160.5	161.5	1.0	Pegmatite	0.03	72.5	<0.02	<0.01	104.5	85	2110	27	35.8	3.2	4.2	
KEGR007	MHG11659	161.5	162.5	1.0	Pegmatite	0.05	73.6	<0.02	0.01	78	46	2170	14	21	1.2	2.7	
KEGR007	MHG11660	162.5	163.5	1.0	Pegmatite	0.02	74.4	<0.02	<0.01	69.5	51	1505	26	21.4	2.2	4.6	
KEGR007	MHG11661	163.5	164.5	1.0	Pegmatite	0.02	73.8	<0.02	<0.01	74.6	95	1485	21	33.9	2.6	5	
KEGR007	MHG11662	164.5	165.5	1.0	Pegmatite	0.03	74.7	<0.02	<0.01	50.2	65	1090	21	27.1	2.4	5.1	
KEGR007	MHG11663	165.5	166.8	1.3	Pegmatite	0.01	72.7	<0.02	<0.01	64.3	98	1255	24	36.3	3.5	6	
KEGR007	MHG11664	166.8	167.4	0.6	Pegmatite	0.02	71.4	<0.02	<0.01	98.2	108	1705	23	48.8	4.3	6.6	
KEGR007	MHG11665	167.4	168.4	1.0	Pegmatite	0.01	73.2	<0.02	<0.01	111.5	69	3280	21	28.3	2.3	3.9	
KEGR007	MHG11666	168.4	168.8	0.3	Pegmatite	<0.01	74.7	<0.02	<0.01	78.7	121	1570	34	37.9	3.4	7.8	
KEGR007	MHG11667	168.8	170.5	1.7	Pegmatite	<0.01	70.8	<0.02	<0.01	146	76	3800	19	34	2.2	4.6	
KEGR007	MHG11668	170.5	171.4	1.0	Pegmatite	0.02	70.6	<0.02	<0.01	68.3	46	1310	18	21.6	3.2	6.4	
KEGR007	MHG11669	171.4	171.5	0.1	Pegmatite	0.01	71.9	<0.02	<0.01	89.8	81	1885	22	32	3	6.1	
KEGR007	MHG11670	171.5	172.5	1.0	Pegmatite	<0.01	74.4	<0.02	<0.01	50	55	829	29	18.4	2.2	3.8	
KEGR007	MHG11671	172.5	173.5	1.0	Pegmatite	0.02	75.1	<0.02	0.01	71.7	93	737	30	40.2	4.6	9.8	
KEGR007	MHG11672	173.5	174.9	1.4	Pegmatite	0.02	74.7	<0.02	0.01	122	88	1670	21	31.9	2.9	3.9	
KEGR007	MHG11673	174.9	175.5	0.5	Pegmatite	0.03	72.3	<0.02	0.01	106.5	90	1950	11	45.1	3.7	6.6	
KEGR007	MHG11674	175.5	176.0	0.6	Pegmatite	0.05	71.4	<0.02	<0.01	232	95	1370	23	44.6	4.1	13.2	
KEGR007	MHG11675	176.0	176.5	0.5	Pegmatite	0.01	72.5	<0.02	0.01	147.5	70	1910	15	43	3.2	6	
KEGR007	MHG11676	176.5	176.8	0.3	Pegmatite	0.02	74.2	<0.02	0.01	86.6	67	1295	12	33.2	3.1	4.8	
KEGR007	MHG11677	176.8	177.0	0.1	Pegmatite	0.03	74	0.02	0.03	63.6	106	1190	13	49.1	6.1	14.2	
KEGR007	MHG11678	177.0	178.0	1.1	Pegmatite	0.04	73.8	<0.02	0.01	129	59	2650	18	43.7	1.6	3.7	
KEGR007	MHG11680	178.0	179.6	1.6	Pegmatite	0.05	72.3	<0.02	0.01	131	95	1930	29	54.5	3.4	5.1	
KEGR011	MHG11491	8.0	9.0	1.0	Elluvium	0.03	66.3	1.06	0.01	6	15	17.7	5	1.8	13.8	1.5	
KEGR011	MHG11492	9.0	10.0	1.0	Elluvium	0.04	72.3	0.97	<0.01	6.2	20	16	5	2.6	9.3	1.4	
KEGR011	MHG11493	16.0	17.0	1.0	Elluvium	0.13	47.5	1.04	0.01	6.1	6	11.6	<5	1.1	2.5	1.9	
KEGR011	MHG11494	17.0	18.0	1.0	Elluvium	0.09	44.7	0.86	<0.01	6.8	5	10.9	<5	0.9	2.4	2.2	
KEGR011	MHG11495	20.0	21.0	1.0	Elluvium	0.08	38.1	0.67	0.01	8.1	5	27.1	<5	0.5	1.5	1.7	
KEGR011	MHG11496	21.0	22.0	1.0	Elluvium	0.05	48.6	0.69	0.01	9.9	6	23.7	<5	0.6	1.5	2.1	
KEGR011	MHG11497	22.0	23.0	1.0	Elluvium	0.04	47.5	0.76	0.01	10.7	7	21.6	<5	<0.5	1.2	2.1	
KEGR011	MHG11498	23.0	24.0	1.0	Elluvium	0.04	44.7	0.82	0.01	8.8	7	27.6	<5	<0.5	1	1.7	
KEGR011	MHG11499	27.0	28.0	1.0	Clay	0.02	54.8	1	0.02	17.7	5	94.6	<5	<0.5	0.8	2	
KEGR011	MHG11500	28.0	29.0	1.0	Clay	0.03	53.9	1.07	0.01	12.6	<5	72.4	<5	<0.5	0.7	4.2	
KEGR011	MHG11501	29.0	30.0	1.0	Clay	0.02	54.1	1.07	0.02	18.3	5	114.5	<5	<0.5	0.8	3.6	
KEGR011	MHG11502	30.0	31.0	1.0	Clay	0.02	52.4	0.9	0.02	21	5	134.5	<5	<0.5	0.8	3.4	
KEGR011	MHG11503	31.0	32.0	1.0	Clay	0.01	54.3	1.03	0.01	24.9	5	162.5	<5	<0.5	0.7	5	
KEGR011	MHG11504	32.0	33.0	1.0	Clay	0.02	53.7	0.98	0.01	93.5	6	141.5	<5	<0.5	0.6	4.2	
KEGR011	MHG11505	94.0	95.0	1.0	Pyroxenite	0.04	49.2	0.37	0.01								0.08
KEGR011	MHG11506	95.0	96.0	1.0	Pyroxenite	0.16	49.4	0.37	<0.01								0.02
KEGR011	MHG11507	96.0	97.0	1.0	Pyroxenite	0.16	51.1	0.37	<0.01								0.03
KEGR011	MHG11508	97.0	98.0	1.0	Pyroxenite	0.11	50.7	0.39	<0.01								0.02
KEGR011	MHG11509	98.0	99.0	1.0	Pyroxenite	0.18	49.6	0.42	<0.01								0.06
KEGR011	MHG11510	99.0	100.0	1.0	Pyroxenite	0.19	53.3	0.35	<0.01								1.29
KEGR011	MHG11513	100.0	101.0	1.0	Pyroxenite	0.11	49.6	0.4	<0.01								0.03
KEGR011	MHG11514	101.0	102.0	1.0	Pyroxenite	0.2	50.1	0.4	<0.01								0.03
KEGR011	MHG11515	102.0	103.0	1.0	Pyroxenite	0.04	50.3	0.42	<0.01								0.02
KEGR011	MHG11516	103.0	104.0	1.0	Pyroxenite	0.02	48.6	0.36	<0.01								0.02
KEGR011	MHG11517	104.0	105.0	1.0	Pegmatite	0.19	69.1	0.11	0.01	141.5	46	1825	107	39.8	3	4.8	
KEGR011	MHG11518	105.0	106.0	1.0	Pegmatite	0.08	71.2	0.05	0.01	134	50	2080	109	37	3.5	6.5	
KEGR011	MHG11519	106.0	107.0	1.0	Pegmatite	0.04	71.2	0.06	0.01	243	65	3010	107	105	2.7	5.4	



Drill Hole Id	Sample Id	Depth From (m)	Depth To (m)	Interval (m)	Lithology : major Geolog	Element Unit Symbol Analysis Method	Recvd Wt. kg WEI-21	Al2O3 % ME-ICP89	As % ME-ICP89	Be ppm ME-ICP89	CaO % ME-ICP89	Co % ME-ICP89	Cr2O3 % ME-ICP89	Cu % ME-ICP89	Fe2O3 % ME-ICP89	K2O % ME-ICP89	Li2O % ME-ICP89	MgO % ME-ICP89	MnO % ME-ICP89	Ni % ME-ICP89	Pb % ME-ICP89
						Lower Detection Limit	0.02	0.02	0.01	20	0.01	0.005	0.01	0.01	0.01	0.01	0.02	0.01	0.01	0.005	0.01
						Upper Detection Limit	1000	100	10	10000	70	30	88	50	100	60	21.5	50	50	30	30
KEGR011	MHG11520	107.0	108.0	1.0	Pyroxenite		3.23	15.45	0.04	90	5.15	<0.005	0.01	<0.01	3.82	2.76	0.58	3.18	0.11	<0.005	<0.01
KEGR011	MHG11521	108.0	109.0	1.0	Pyroxenite		1.78	13.95	0.07	20	18.05	<0.005	0.02	<0.01	8.48	1.89	0.13	6.78	0.15	0.013	<0.01
KEGR011	MHG11522	109.0	110.0	1.0	Pyroxenite		2.02	12.25	0.02	<20	11.55	<0.005	0.02	<0.01	6.02	2.18	0.11	5.26	0.11	0.007	<0.01
KEGR011	MHG11523	110.0	111.0	1.0	Pyroxenite		2.55	12.65	0.03	70	4.02	<0.005	0.02	<0.01	3.45	4.11	0.11	2.47	0.11	0.007	<0.01
KEGR011	MHG11524	111.0	112.0	1.0	Pegmatite		4.55	16.2	<0.01	150	0.5	<0.005	0.01	<0.01	1.24	4	1.38	0.18	0.12	<0.005	<0.01
KEGR011	MHG11525	112.0	113.0	1.0	Pegmatite		3.58	16.35	0.01	160	0.36	<0.005	0.01	<0.01	1.3	1.37	2.28	0.08	0.2	<0.005	<0.01
KEGR011	MHG11527	113.0	114.0	1.0	Pegmatite		3.47	15.8	<0.01	140	0.81	<0.005	0.01	<0.01	1.87	1.37	2.09	0.38	0.15	<0.005	<0.01
KEGR011	MHG11528	114.0	115.0	1.0	Pegmatite		1.65	15.65	0.01	170	0.69	<0.005	<0.01	<0.01	2.95	1.66	1.68	0.56	0.23	0.007	<0.01
KEGR011	MHG11529	115.0	116.0	1.0	Pegmatite		2.7	16.15	0.01	160	0.31	<0.005	<0.01	<0.01	1.49	2.01	1.92	0.08	0.14	<0.005	<0.01
KEGR011	MHG11530	116.0	117.0	1.0	Pegmatite		2.78	15.7	0.01	160	0.27	<0.005	0.01	<0.01	1.54	2.71	1.44	0.15	0.16	<0.005	0.01
KEGR011	MHG11531	117.0	118.0	1.0	Pegmatite		2.24	118.05	0.01	150	0.2	<0.005	0.01	<0.01	1.73	2.94	1.59	0.1	0.15	<0.005	<0.01
KEGR011	MHG11532	118.0	119.0	1.0	Pegmatite		2.09	15.95	0.02	130	0.25	<0.005	0.01	<0.01	2.57	2.42	1.85	0.2	0.15	<0.005	<0.01
KEGR011	MHG11533	119.0	120.0	1.0	Pyroxenite		3.38	14.8	0.03	60	8.17	<0.005	0.02	<0.01	6.72	2.54	0.54	4.61	0.14	0.012	<0.01
KEGR011	MHG11534	120.0	121.0	1.0	Pyroxenite		3.07	14.2	0.04	20	14	<0.005	0.03	<0.01	8.61	2.24	0.19	5.57	0.13	0.014	<0.01
KEGR011	MHG11535	121.0	122.0	1.0	Pyroxenite		2.45	14.5	0.01	<20	11.5	<0.005	0.04	<0.01	8.54	2.61	0.19	8.08	0.11	0.012	<0.01
KEGR011	MHG11536	122.0	123.0	1.0	Pyroxenite		3.04	15.05	0.03	<20	13.4	0.007	0.05	<0.01	9.26	3	0.11	6.42	0.16	0.022	<0.01
KEGR011	MHG11537	123.0	124.0	1.0	Pyroxenite		2.6	14.45	0.04	<20	12.4	0.005	0.06	<0.01	9.06	2.93	0.15	7.64	0.12	0.022	<0.01
KEGR011	MHG11538	124.0	125.0	1.0	Pyroxenite		8.24	14.5	0.02	40	8.93	0.005	0.05	<0.01	7.28	2.89	0.28	6.1	0.11	0.017	<0.01
KEGR011	MHG11540	125.0	126.0	1.0	Pyroxenite		2.09	15.7	0.02	120	2	<0.005	0.02	<0.01	3.49	2.81	1.4	1.51	0.14	0.005	<0.01
KEGR011	MHG11541	126.0	127.0	1.0	Pegmatite		1.81	15.85	0.01	140	0.64	<0.005	0.01	<0.01	2.96	2.84	1.29	0.61	0.15	<0.005	<0.01
KEGR011	MHG11542	127.0	128.0	1.0	Pegmatite		2.88	16.8	0.01	170	0.21	<0.005	<0.01	<0.01	1.34	1.59	2.41	0.1	0.13	<0.005	<0.01
KEGR011	MHG11543	128.0	129.0	1.0	Pegmatite		1.87	15.05	0.03	140	0.46	<0.005	<0.01	<0.01	2.53	2.17	0.58	0.46	0.14	0.008	0.01
KEGR011	MHG11544	129.0	130.0	1.0	Pegmatite		1.05	16	0.01	210	0.27	<0.005	0.01	<0.01	2.27	1.83	1.74	0.1	0.12	<0.005	<0.01
KEGR011	MHG11545	130.0	131.0	1.0	Pyroxenite		2.53	15.4	0.02	130	4.52	<0.005	0.03	<0.01	3.22	2.11	1.01	2.4	0.12	<0.005	<0.01
KEGR011	MHG11546	131.0	132.0	1.0	Pyroxenite		2.75	15.15	0.02	30	10.2	<0.005	0.06	<0.01	6.43	2.84	0.37	6.25	0.12	0.011	<0.01
KEGR011	MHG11547	132.0	133.0	1.0	Pyroxenite		2.8	15	0.01	90	4.74	<0.005	0.04	<0.01	4.29	2.32	1.03	3.98	0.16	0.01	<0.01
KEGR011	MHG11548	133.0	134.0	1.0	Pyroxenite		1.78	14.9	0.02	<20	12	<0.005	0.1	<0.01	8.12	3.02	0.26	8.47	0.18	0.02	<0.01
KEGR011	MHG11549	134.0	135.0	1.0	Pyroxenite		2.97	10.8	0.03	<20	8.68	<0.005	0.14	<0.01	5.8	2.48	0.15	4.49	0.11	0.019	<0.01
KEGR011	MHG11551	135.0	136.0	1.0	Pyroxenite		3.71	10.65	0.02	<20	12.4	0.005	0.17	<0.01	10.55	1.55	0.17	11	0.17	0.028	<0.01
KEGR011	MHG11552	136.0	137.0	1.0	Pyroxenite		2.65	11.35	0.02	<20	12.55	<0.005	0.14	<0.01	10.6	1.69	0.19	10.1	0.2	0.024	<0.01
KEGR011	MHG11553	137.0	138.0	1.0	Pyroxenite		5.18	13.7	0.02	<20	10.5	<0.005	0.06	<0.01	7.45	3.96	0.24	6.72	0.14	0.012	<0.01
KEGR011	MHG11554	138.0	139.0	1.0	Pyroxenite		2.57	14.4	0.01	<20	9.56	0.005	0.08	<0.01	9.51	2.9	0.17	6.57	0.14	0.019	<0.01
KEGR011	MHG11555	143.0	144.0	1.0	Pegmatite		2.97	13.7	0.02	70	3.29	<0.005	0.08	<0.01	7.26	1.06	1.08	9.8	0.15	0.016	<0.01
KEGR011	MHG11556	144.0	145.0	1.0	Pegmatite		2.15	16	0.01	130	0.32	<0.005	0.01	<0.01	1.29	3.14	1.74	0.22	0.06	<0.005	<0.01
KEGR011	MHG11557	145.0	146.0	1.0	Pegmatite		2.22	15.85	0.04	130	0.25	<0.005	0.01	<0.01	1.3	1.28	1.89	0.1	0.11	<0.005	<0.01
KEGR011	MHG11558	146.0	147.0	1.0	Pegmatite		3.54	15.8	0.13	150	0.21	<0.005	0.01	<0.01	1.39	2.23	1.33	0.05	0.1	<0.005	<0.01
KEGR011	MHG11559	147.0	148.0	1.0	Pegmatite		3.91	15	0.06	130	0.18	<0.005	0.01	<0.01	1.03	2.31	1.44	0.05	0.12	<0.005	<0.01
KEGR011	MHG11560	148.0	149.0	1.0	Pegmatite		2.95	15.4	0.01	60	0.31	<0.005	0.01	<0.01	0.97	1.71	0.9	0.05	0.1	<0.005	<0.01
KEGR011	MHG11561	149.0	150.0	1.0	Pegmatite		3.88	15.4	0.03	160	0.29	<0.005	0.01	<0.01	1.29	4.82	0.8	0.03	0.09	<0.005	<0.01
KEGR011	MHG11563	150.0	151.0	1.0	Pegmatite		2.54	16.15	0.13	110	0.25	<0.005	0.01	<0.01	1.37	2.23	2.05	0.03	0.13	<0.005	<0.01
KEGR011	MHG11564	151.0	152.0	1.0	Pegmatite		1.68	15.45	0.02	120	0.34	<0.005	0.01	<0.01	1.26	1.6	1.96	0.15	0.1	<0.005	<0.01
KEGR011	MHG11565	152.0	153.0	1.0	Pegmatite		2.95	15.8	0.02	150	0.18	<0.005	0.01	<0.01	0.96	1.72	2.11	0.03	0.07	<0.005	<0.01
KEGR011	MHG11566	153.0	154.0	1.0	Pegmatite		3.55	15.85	0.1	160	0.15	<0.005	0.01	<0.01	0.94	2.42	1.74	0.02	0.13	<0.005	<0.01
KEGR011	MHG11567	154.0	155.0	1.0	Pegmatite		3.37	15.5	0.04	160	0.15	<0.005	0.01	<0.01	0.96	2.39	1.7	0.02	0.12	<0.005	<0.01
KEGR011	MHG11568	155.0	156.0	1.0	Pegmatite		0.94	15.5	0.01	200	0.31	<0.005	0.01	<0.01	1.64	2.04	1.4	0.18	0.07	<0.005	<0.01
KEGR011	MHG11569	156.0	157.0	1.0	Pegmatite		1.42	15.65	0.01	210	0.2	<0.005	0.01	<0.01	1.23	2.76	1.57	0.05	0.1	<0.005	<0.01
KEGR011	MHG11570	157.0	158.0	1.0	Pegmatite		0.98	16.4	0.01	140	0.15	<0.005	0.01	<0.01	0.94	4.29	1.25	0.02	0.07	<0.005	<0.01
KEGR011	MHG11571	158.0	159.0	1.0	Pegmatite		2.68	15.6	0.01	140	0.15	<0.005	0.01	<0.01	1.22	2.54	1.49	0.02	0.11	<0.005	<0.01
KEGR011	MHG11572	159.0	160.0	1.0	Pegmatite		2.15	15.8	<0.01	150	0.15	<0.005	0.01	<0.01	1.03	2.69	1.42	0.02	0.09	<0.005	<0.01
KEGR011	MHG11574	160.0	161.0	1.0	Pegmatite		3.57	15.45	0.01	170	0.21	<0.005	0.01	<0.01	1.5	2.76	1.53	0.03	0.1	<0.005	<0.01
KEGR011	MHG11575	161.0	162.0	1.0	Pegmatite		3.79	15.1	<0.01	140	0.15	<0.005	0.01	<0.01	1.52	2.24	1.64	0.03	0.07	<0.005	<0.01
KEGR011	MHG11576	162.0	163.0	1.0	Pegmatite		5.44	15.7	<0.01	80	0.03	<0.005	0.01	<0.01	1.23	2.84	2.73	0.03	0.07	<0.005	<0.01
KEGR011	MHG11577	163.0	164.0	1.0	Pegmatite		1.65	15.8	<0.01	140	0.15	<0.005	0.01	<0.01	0.92	2.94	0.73	0.03	0.11	<0.005	<0.01
KEGR011	MHG11578	164.0	165.0	1.0	Pegmatite		3.59	16.1	<0.01	80	0.21	<0.005	0.01	<0.01	1.16	5.01	1.61	0.02	0.11	<0.005	<0.01
KEGR011	MHG11579	165.0	166.0	1.0	Pegmatite		3.32	15.8	<0.01	100	0.27	<0.005	0.01	<0.01	0.97	3.88	1.21	0.02	0.08	<0.005	<0.01
KEGR011	MHG11580	166.0	167.0	1.0	Pegmatite		3.4	15.3	<0.01	120	0.27	<0.005	0.01	<0.01	1.1	1.66					



Drill Hole Id	Sample Id	Depth From (m)	Depth To (m)	Interval (m)	Lithology : major Geolog	S	SiO2	TiO2	Zn	Cs	Nb	Rb	Sn	Ta	Th	U	Au
						%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
						ME-ICP89	ME-ICP89	ME-ICP89	ME-ICP89	ME-MS91	ME-MS91	ME-MS91	ME-MS91	ME-MS91	ME-MS91	ME-MS91	ME-MS91
						0.01	0.2	0.02	0.01	0.2	0.5	5	0.5	0.5	0.5	0.5	0.01
						60	100	83	60	25000	2500	25000	10000	2500	2500	2500	100
KEGR011	MHG11520	107.0	108.0	1.0	Pyroxenite	0.07	65	0.15	0.01	277	30	2130	76	59.1	1.8	3.5	
KEGR011	MHG11521	108.0	109.0	1.0	Pyroxenite	0.03	50.5	0.33	0.01	149	5	375	34	11.2	<0.5	<0.5	
KEGR011	MHG11522	109.0	110.0	1.0	Pyroxenite	0.01	63.3	0.3	0.01	184.5	<5	268	21	0.8	<0.5	<0.5	
KEGR011	MHG11523	110.0	111.0	1.0	Pyroxenite	0.01	71.7	0.21	0.01	215	23	1305	19	8.6	0.7	1.5	
KEGR011	MHG11524	111.0	112.0	1.0	Pegmatite	0.01	74.9	<0.02	0.01	390	58	4700	33	44.8	3.5	6.2	
KEGR011	MHG11525	112.0	113.0	1.0	Pegmatite	0.01	77.2	<0.02	0.01	88.1	84	1400	77	39.9	3.1	8	
KEGR011	MHG11527	113.0	114.0	1.0	Pegmatite	0.01	74.2	0.03	0.01	94.7	76	1235	42	30.5	3.7	6.2	
KEGR011	MHG11528	114.0	115.0	1.0	Pegmatite	0.03	73.4	0.07	0.01	113.5	64	1470	78	29.6	3	5.9	
KEGR011	MHG11529	115.0	116.0	1.0	Pegmatite	0.03	74	<0.02	0.01	92.1	84	1780	39	31.4	3	4.9	
KEGR011	MHG11530	116.0	117.0	1.0	Pegmatite	0.02	73.4	0.02	0.01	169.5	72	2800	84	57.4	3.8	5.6	
KEGR011	MHG11531	117.0	118.0	1.0	Pegmatite	0.01	73.8	0.02	0.01	208	68	2730	84	53.7	3.4	5.6	
KEGR011	MHG11532	118.0	119.0	1.0	Pegmatite	0.02	71.9	0.05	0.01								0.01
KEGR011	MHG11533	119.0	120.0	1.0	Pyroxenite	0.01	59	0.3	<0.01								0.01
KEGR011	MHG11534	120.0	121.0	1.0	Pyroxenite	0.02	52.6	0.38	<0.01								<0.01
KEGR011	MHG11535	121.0	122.0	1.0	Pyroxenite	0.01	50.3	0.45	<0.01								0.01
KEGR011	MHG11536	122.0	123.0	1.0	Pyroxenite	0.01	51.6	0.41	<0.01								0.01
KEGR011	MHG11537	123.0	124.0	1.0	Pyroxenite	0.02	50.3	0.37	0.01								0.01
KEGR011	MHG11538	124.0	125.0	1.0	Pyroxenite	0.01	54.3	0.35	0.02								0.01
KEGR011	MHG11540	125.0	126.0	1.0	Pyroxenite	0.01	68.5	0.12	0.01								0.01
KEGR011	MHG11541	126.0	127.0	1.0	Pegmatite	0.02	71.9	0.08	0.02	253	57	2680	60	71.2	3.3	6.5	
KEGR011	MHG11542	127.0	128.0	1.0	Pegmatite	0.02	75.1	<0.02	0.01	186.5	65	1665	69	52.5	3.6	6.7	
KEGR011	MHG11543	128.0	129.0	1.0	Pegmatite	0.03	72.9	0.06	0.01	159.5	87	1855	36	65.9	5	10	
KEGR011	MHG11544	129.0	130.0	1.0	Pegmatite	0.01	72.9	0.02	0.01								<0.01
KEGR011	MHG11545	130.0	131.0	1.0	Pyroxenite	0.01	67.4	0.1	<0.01								0.01
KEGR011	MHG11546	131.0	132.0	1.0	Pyroxenite	<0.01	55	0.28	<0.01								0.01
KEGR011	MHG11547	132.0	133.0	1.0	Pyroxenite	<0.01	63.1	0.18	<0.01								0.01
KEGR011	MHG11548	133.0	134.0	1.0	Pyroxenite	0.01	50.3	0.35	0.01								0.02
KEGR011	MHG11549	134.0	135.0	1.0	Pyroxenite	0.02	64.6	0.32	<0.01								0.01
KEGR011	MHG11551	135.0	136.0	1.0	Pyroxenite	0.01	50.9	0.46	<0.01								0.22
KEGR011	MHG11552	136.0	137.0	1.0	Pyroxenite	0.01	50.3	0.46	<0.01								0.02
KEGR011	MHG11553	137.0	138.0	1.0	Pyroxenite	0.01	53.5	0.57	<0.01								0.01
KEGR011	MHG11554	138.0	139.0	1.0	Pyroxenite	0.31	53.3	0.59	<0.01								0.02
KEGR011	MHG11555	143.0	144.0	1.0	Pegmatite	0.02	57.3	0.35	0.01	124	21	989	31	24.4	1	2.2	
KEGR011	MHG11556	144.0	145.0	1.0	Pegmatite	0.01	74.2	0.02	0.01	181	65	2450	55	50.4	2.7	4.1	
KEGR011	MHG11557	145.0	146.0	1.0	Pegmatite	0.02	72.9	<0.02	0.01	113.5	71	1220	66	52	2.8	5.2	
KEGR011	MHG11558	146.0	147.0	1.0	Pegmatite	0.06	72.5	<0.02	0.02	171	71	2070	41	71	3.2	6.9	
KEGR011	MHG11559	147.0	148.0	1.0	Pegmatite	0.03	72.1	<0.02	0.01	178	76	2200	49	62.5	4.2	7	
KEGR011	MHG11560	148.0	149.0	1.0	Pegmatite	0.08	74.9	<0.02	0.01	143.5	80	1895	59	59.2	6	8.2	
KEGR011	MHG11561	149.0	150.0	1.0	Pegmatite	0.01	71.9	<0.02	0.01	168	96	3820	43	68.1	2.5	7	
KEGR011	MHG11563	150.0	151.0	1.0	Pegmatite	0.09	74.2	<0.02	0.02	137.5	79	2070	35	70.3	2.4	6	
KEGR011	MHG11564	151.0	152.0	1.0	Pegmatite	0.01	76.2	<0.02	0.01	128	57	1375	32	44.7	2.4	5.5	
KEGR011	MHG11565	152.0	153.0	1.0	Pegmatite	0.01	76.4	<0.02	0.01	120.5	84	1470	27	49.5	2.5	4.6	
KEGR011	MHG11566	153.0	154.0	1.0	Pegmatite	0.03	75.1	<0.02	0.01	185.5	82	2320	37	70.3	3.2	6	
KEGR011	MHG11567	154.0	155.0	1.0	Pegmatite	0.02	75.1	<0.02	0.01	175.5	86	2160	50	62.4	3.3	6.8	
KEGR011	MHG11568	155.0	156.0	1.0	Pegmatite	<0.01	73.2	0.03	0.01	102.5	112	1720	31	64.1	5.7	6.5	
KEGR011	MHG11569	156.0	157.0	1.0	Pegmatite	0.01	74.9	<0.02	0.01	106.5	77	2240	32	51.1	3.2	6.5	
KEGR011	MHG11570	157.0	158.0	1.0	Pegmatite	<0.01	72.5	<0.02	0.01	118.5	52	3470	24	38.8	2	4	
KEGR011	MHG11571	158.0	159.0	1.0	Pegmatite	0.01	73.8	<0.02	0.01	163	77	2310	76	72.7	2.8	6	
KEGR011	MHG11572	159.0	160.0	1.0	Pegmatite	<0.01	75.9	<0.02	0.01	173.5	81	2360	68	77.7	3.8	5.6	
KEGR011	MHG11574	160.0	161.0	1.0	Pegmatite	0.03	74.7	<0.02	0.02	101.5	78	2380	31	43.6	3.4	6.2	
KEGR011	MHG11575	161.0	162.0	1.0	Pegmatite	0.2	75.5	<0.02	0.04	72.5	105	1780	21	41.7	4.2	6.1	
KEGR011	MHG11576	162.0	163.0	1.0	Pegmatite	0.04	76.2	<0.02	0.01	60.2	54	1940	19	19.4	2.1	3.9	
KEGR011	MHG11577	163.0	164.0	1.0	Pegmatite	0.02	73.2	<0.02	0.01	92.6	131	2420	29	60.6	8.1	6	
KEGR011	MHG11578	164.0	165.0	1.0	Pegmatite	0.02	72.1	<0.02	0.01	108.5	53	3360	20	17.8	2	2.9	
KEGR011	MHG11579	165.0	166.0	1.0	Pegmatite	0.01	73.2	<0.02	0.01	87.9	54	2760	27	19.5	1.2	3.2	
KEGR011	MHG11580	166.0	167.0	1.0	Pegmatite	0.01	74.7	<0.02	0.01	56.3	89	1345	20	32.5	1.9	2.4	
KEGR011	MHG11581	167.0	168.0	1.0	Pegmatite	0.01	72.7	<0.02	0.01	84.7	113	2050	21	54.6	5	6.2	
KEGR011	MHG11582	168.0	169.0	1.0	Pegmatite	0.02	75.7	<0.02	0.01	96.7	95	2640	30	39.6	4.2	5.5	
KEGR011	MHG11583	169.0	170.0	1.0	Pegmatite	0.01	74	<0.02	0.01	108	79	2020	17	33.2	3.8	5.7	
KEGR011	MHG11584	170.0	171.0	1.0	Pegmatite	0.01	74.9	<0.02	0.01	112.5	80	2020	15	38.1	2.8	5.2	
KEGR011	MHG11585	171.0	172.0	1.0	Pegmatite	<0.01	72.9	<0.02	0.01	121.5	89	2070	26	40.9	3.5	7	
KEGR011	MHG11586	172.0	173.0	1.0	Pegmatite	0.01	74.7	<0.02	<0.01	160.5	67	2180	12	23.6	1.9	4	
KEGR011	MHG11587	173.0	174.0	1.0	Pegmatite	0.01	73.2	<0.02	0.01	124	72	2020	38	55.8	2.5	4.6	
KEGR011	MHG11588	174.0	175.0	1.0	Pegmatite	0.01	74	<0.02	0.01	358	73	2670	33	28.6	1.8	4.6	
KEGR011	MHG11590	175.0	176.0	1.0	Pegmatite	0.02	72.1	<0.02	0.03	194.5	62	2150	12	32.7	2.2	4.1	

Drill Hole	Sample Id	Depth From (m)	Depth To (m)	Interval (m)	Lithology : major Geolog	Element Unit Symbol Analysis Method	Recvd Wt. kg WEI-21	Al2O3 % ME-ICP89	As % ME-ICP89	Be ppm ME-ICP89	CaO % ME-ICP89	Co % ME-ICP89	Cr2O3 % ME-ICP89	Cu % ME-ICP89	Fe2O3 % ME-ICP89	K2O % ME-ICP89	Li2O % ME-ICP89	MgO % ME-ICP89	MnO % ME-ICP89	Ni % ME-ICP89	Pb % ME-ICP89
						Lower Detection Limit	0.02	0.02	0.01	20	0.01	0.005	0.01	0.01	0.01	0.01	0.02	0.01	0.01	0.005	0.01
						Upper Detection Limit	1000	100	10	10000	70	30	88	50	100	60	21.5	50	50	30	30
KEGR011	MHG11591	176.0	177.0	1.0	Pegmatite		4.89	14.45	0.01	160	0.8	0.007	<0.01	<0.01	3.43	2.32	0.54	0.58	0.32	0.013	<0.01
KEGR011	MHG11592	177.0	178.0	1.0	Pegmatite		4.85	14.55	0.02	120	1.55	0.007	0.01	0.01	6.19	2.36	0.67	2.12	0.21	0.018	<0.01
KEGR011	MHG11593	178.0	179.0	1.0	Pyroxenite		3.04	14.15	<0.01	50	5.67	<0.005	0.01	0.02	11.25	0.63	0.9	5.97	0.21	0.008	<0.01
KEGR011	MHG11594	179.0	180.0	1.0	Pyroxenite		3.72	14.05	<0.01	<20	6.76	<0.005	0.01	0.02	12.75	0.25	1.01	6.63	0.2	0.006	<0.01
KEGR011	MHG11596	180.0	181.0	1.0	Pegmatite		3.3	14.25	0.01	80	3.53	<0.005	0.01	<0.01	3.25	1.33	0.41	1.56	0.13	<0.005	<0.01
KEGR011	MHG11597	181.0	182.0	1.0	Pegmatite		2.45	15.25	<0.01	200	0.24	<0.005	<0.01	<0.01	0.67	2.84	0.41	0.38	0.06	<0.005	<0.01
KEGR011	MHG11598	182.0	183.0	1.0	Pegmatite		2.82	15.55	<0.01	110	0.34	<0.005	<0.01	<0.01	0.77	3.25	0.67	0.5	0.1	<0.005	<0.01
KEGR011	MHG11599	183.0	184.0	1.0	Pegmatite		3.71	14.9	0.01	140	0.18	<0.005	0.01	<0.01	1.44	2.9	1.46	0.07	0.09	<0.005	<0.01
KEGR011	MHG11600	184.0	185.0	1.0	Pegmatite		3.93	15.5	<0.01	110	0.18	<0.005	<0.01	<0.01	1.29	2.37	0.82	0.12	0.09	<0.005	<0.01
KEGR011	MHG11601	185.0	186.0	1.0	Pegmatite		3.96	9.94	0.05	30	6.55	0.006	0.21	<0.01	7.23	0.17	0.02	12.4	0.17	0.075	<0.01
KEGR013	MHG11681	12.0	13.0	1.0	Clay		3.39	21.2	0.02	<20	0.1	<0.005	0.21	0.01	12.2	0.24	0.02	0.18	<0.01	0.019	<0.01
KEGR013	MHG11682	13.0	14.0	1.0	Clay		2.61	21.5	0.01	<20	0.03	<0.005	0.08	<0.01	3.02	0.57	<0.02	0.22	0.01	0.012	<0.01
KEGR013	MHG11683	14.0	15.0	1.0	Clay		3.09	24.2	0.01	<20	0.03	<0.005	0.07	0.01	2.96	1.39	<0.02	0.27	0.01	0.015	<0.01
KEGR013	MHG11684	15.0	16.0	1.0	Clay		2.17	27.3	0.01	<20	0.03	<0.005	0.07	0.01	2.5	2.06	<0.02	0.23	<0.01	0.015	<0.01
KEGR013	MHG11685	16.0	17.0	1.0	Clay		2.02	28.6	0.01	<20	0.06	<0.005	0.07	0.01	3.89	3.1	<0.02	0.25	<0.01	0.016	<0.01
KEGR013	MHG11686	17.0	18.0	1.0	Clay		3.12	26	0.02	<20	0.04	<0.005	0.08	0.01	1.3	3.3	<0.02	0.27	<0.01	0.009	<0.01
KEGR013	MHG11687	20.0	21.0	1.0	Clay		1.84	27.1	0.02	<20	0.03	<0.005	0.03	0.02	1.8	3.69	<0.02	0.4	<0.01	0.019	<0.01
KEGR013	MHG11688	21.0	22.0	1.0	Clay		2.12	25.7	0.01	<20	0.01	<0.005	0.06	0.01	2.23	2.12	<0.02	0.32	0.01	0.012	<0.01
KEGR013	MHG11689	22.0	23.0	1.0	Clay		2.57	25.6	0.02	<20	0.01	<0.005	0.02	<0.01	1.46	3.28	<0.02	0.27	<0.01	0.014	<0.01
KEGR013	MHG11690	23.0	24.0	1.0	Clay		2.1	25.7	0.02	<20	0.03	<0.005	0.03	0.03	3.29	3.61	<0.02	0.66	0.01	0.025	<0.01
KEGR013	MHG11691	24.0	25.0	1.0	Clay		2.26	26.8	0.02	<20	<0.01	<0.005	0.03	0.02	3.09	3.13	<0.02	0.4	<0.01	0.028	<0.01
KEGR013	MHG11693	25.0	26.0	1.0	Clay		3.62	24.5	0.03	<20	0.04	<0.005	0.04	0.03	5.2	2.84	<0.02	0.6	0.01	0.038	<0.01
KEGR013	MHG11694	26.0	27.0	1.0	Clay		2.96	25.7	0.02	<20	0.03	<0.005	0.04	0.02	3.52	2.82	<0.02	0.43	<0.01	0.036	<0.01
KEGR013	MHG11695	27.0	28.0	1.0	Clay		3.19	24.6	0.02	<20	<0.01	<0.005	0.03	0.02	2	2.51	<0.02	0.46	<0.01	0.039	<0.01
KEGR013	MHG11696	28.0	29.0	1.0	Clay		3.38	26.8	0.02	<20	0.01	<0.005	0.03	0.01	2.1	2.35	<0.02	0.43	<0.01	0.036	<0.01
KEGR013	MHG11697	29.0	30.0	1.0	Clay		2.89	24.8	0.03	<20	0.03	<0.005	0.03	0.01	2.8	2.58	<0.02	0.46	0.01	0.029	<0.01
KEGR013	MHG11699	30.0	31.0	1.0	Clay		3.36	27	0.03	<20	0.01	<0.005	0.03	0.01	3.35	2.2	<0.02	0.45	<0.01	0.026	<0.01
KEGR013	MHG11700	31.0	32.0	1.0	Clay		2.45	25.6	0.04	<20	0.03	<0.005	0.03	0.02	5.8	3.71	<0.02	0.56	0.01	0.031	<0.01
KEGR013	MHG11701	32.0	33.0	1.0	Clay		3.5	20.5	0.05	<20	0.04	<0.005	0.03	0.03	10.25	1.53	<0.02	0.75	0.01	0.039	<0.01
KEGR013	MHG11702	33.0	34.0	1.0	Clay		2.35	19.95	0.03	<20	0.04	<0.005	0.02	0.03	8.54	2.48	<0.02	1.18	0.02	0.033	<0.01
KEGR013	MHG11703	34.0	35.0	1.0	Clay		2.42	23	0.03	<20	0.04	<0.005	0.02	0.03	7.43	3.84	<0.02	1.04	0.02	0.029	<0.01
KEGR013	MHG11704	35.0	36.0	1.0	Clay		3.8	23.4	0.03	<20	0.03	<0.005	0.02	0.03	10.3	2.89	0.02	1.38	0.02	0.034	<0.01
KEGR013	MHG11705	36.0	37.0	1.0	Clay		3.08	21	0.02	<20	<0.01	<0.005	0.03	0.03	6.95	2.87	<0.02	1.64	0.02	0.023	<0.01
KEGR013	MHG11706	39.0	40.0	1.0	Clay		3.75	19.35	0.04	<20	0.01	<0.005	0.03	0.04	12.05	2.83	<0.02	2.52	0.04	0.029	<0.01
KEGR013	MHG11707	40.0	41.0	1.0	Clay		2.96	19.2	0.03	<20	0.03	<0.005	0.02	0.04	12.35	2.9	<0.02	1.99	0.03	0.04	<0.01
KEGR013	MHG11708	48.0	49.0	1.0	Clay		2.79	14.8	0.02	<20	3.67	0.011	0.01	0.02	13.25	2.71	0.02	4.46	0.24	0.046	<0.01
KEGR013	MHG11709	59.0	60.0	1.0	Pyroxenite		2.47	12.5	0.01	<20	11	<0.005	0.01	0.01	10.15	2.01	<0.02	5.62	0.18	0.012	<0.01
KEGR013	MHG11710	60.0	61.0	1.0	Pyroxenite		2.25	11.65	0.01	<20	10.4	<0.005	0.01	0.02	10.15	2.16	<0.02	5.29	0.17	0.014	<0.01
KEGR013	MHG11711	61.0	62.0	1.0	Pyroxenite		3.25	13.85	0.01	<20	11.4	0.006	0.02	0.02	10.65	2.79	0.02	5.72	0.16	0.01	<0.01
KEGR013	MHG11713	62.0	63.0	1.0	Pyroxenite		4.24	14.25	<0.01	<20	7.53	0.005	0.01	0.02	11.65	2.88	0.02	4.26	0.15	0.006	<0.01
KEGR013	MHG11714	63.0	64.0	1.0	Pyroxenite		4.03	14.05	<0.01	<20	9.99	<0.005	0.01	0.01	12.3	3.01	<0.02	4.92	0.18	<0.005	<0.01
KEGR013	MHG11715	106.0	107.0	1.0	Pegmatite		3.96	12.95	0.01	20	6	<0.005	<0.01	<0.01	13.6	2.24	0.26	3.91	0.32	<0.005	<0.01
KEGR013	MHG11716	107.0	108.0	1.0	Pegmatite		2.38	15.8	0.01	150	0.46	<0.005	0.01	<0.01	1.46	3.19	0.86	0.48	0.11	<0.005	<0.01
KEGR013	MHG11717	108.0	109.0	1.0	Pegmatite		4.59	15.85	0.01	120	0.27	<0.005	0.01	<0.01	1.16	2.11	1.77	0.13	0.09	<0.005	<0.01
KEGR013	MHG11718	109.0	110.0	1.0	Pegmatite		2.31	15.6	0.01	150	0.52	<0.005	0.01	<0.01	1.13	1.7	2.09	0.15	0.14	<0.005	<0.01
KEGR013	MHG11719	110.0	111.0	1.0	Pegmatite		2.64	14.85	<0.01	120	1.54	<0.005	0.01	<0.01	3.62	2.2	0.67	0.98	0.15	<0.005	<0.01
KEGR013	MHG11720	119.0	120.0	1.0	Pegmatite		3.74	15.25	0.01	120	0.63	<0.005	0.01	<0.01	1.56	1.64	2	0.2	0.18	<0.005	<0.01
KEGR013	MHG11721	120.0	121.0	1.0	Pegmatite		2.71	15.7	<0.01	160	0.39	<0.005	0.01	<0.01	1.27	0.78	1.92	0.13	0.15	0.006	<0.01
KEGR013	MHG11722	121.0	122.0	1.0	Pegmatite		2.72	15.75	0.01	140	0.21	<0.005	0.01	<0.01	1.12	1.31	2.02	0.03	0.21	<0.005	<0.01
KEGR013	MHG11723	122.0	123.0	1.0	Pegmatite		2.83	16.1	0.01	140	0.22	<0.005	0.01	<0.01	1.22	1.4	2	0.03	0.18	<0.005	<0.01
KEGR013	MHG11724	123.0	124.0	1.0	Pegmatite		4.04	16	0.02	190	0.25	<0.005	0.01	<0.01	1.29	1.69	1.72	0.02	0.15	<0.005	<0.01
KEGR013	MHG11725	124.0	125.0	1.0	Pegmatite		2.85	16.15	0.01	150	0.18	<0.005	0.01	<0.01	1.4	2.36	2.26	0.03	0.14	<0.005	<0.01
KEGR013	MHG11727	125.0	126.0	1.0	Pegmatite		4.26	15.35	0.03	120	1.62	<0.005	0.01	<0.01	4.13	2.01	1.29	2.01	0.19	<0.005	<0.01
KEGR013	MHG11728	126.0	127.0	1.0	Pegmatite		4.05	15.5	0.02	190	0.28	<0.005	0.01	<0.01	1.56	1.71	2.32	0.17	0.13	<0.005	<0.01
KEGR013	MHG11729	127.0	128.0	1.0	Pegmatite		1.38	15.65	0.01	120	0.27	<0.005	0.01	<0.01	1.92	0.71	2.91	0.07	0.09	<0.005	<0.01
KEGR013	MHG11730	128.0	129.0	1.0	Pegmatite		1.56	15.4	0.01	170	0.21	<0.005	0.01	<0.01	1.6	1.66	1.92	0.05	0.13	<0.005	<0.01
KEGR013	MHG11731																				

Drill Hole Id	Sample Id	Depth From (m)	Depth To (m)	Interval (m)	Lithology : major Geolog	S	SiO2	TiO2	Zn	Cs	Nb	Rb	Sn	Ta	Th	U	Au
						%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
						ME-ICP89	ME-ICP89	ME-ICP89	ME-ICP89	ME-MS91	ME-MS91	ME-MS91	ME-MS91	ME-MS91	ME-MS91	ME-MS91	ME-MS91
						0.01	0.2	0.02	0.01	0.2	5	0.5	5	0.5	0.5	0.5	0.01
						60	100	83	60	25000	2500	25000	10000	2500	2500	2500	100
KEGR011	MHG11591	176.0	177.0	1.0	Pegmatite	0.01	69.7	0.07	0.01	298	82	1690	22	44.3	2.1	5	
KEGR011	MHG11592	177.0	178.0	1.0	Pegmatite	0.06	66.3	0.22	0.01	236	61	1550	23	30.2	2.2	4.2	
KEGR011	MHG11593	178.0	179.0	1.0	Pyroxenite	0.25	56.5	0.64	0.01	306	14	803	46	8.9	0.7	1	
KEGR011	MHG11594	179.0	180.0	1.0	Pyroxenite	0.21	52.6	0.75	0.01	150	6	281	50	3.2	<0.5	<0.5	
KEGR011	MHG11596	180.0	181.0	1.0	Pegmatite	0.03	65.2	0.2	0.01	156.5	50	1285	98	54.4	1.8	3.8	
KEGR011	MHG11597	181.0	182.0	1.0	Pegmatite	0.01	73.4	<0.02	0.01	322	67	3460	93	83.9	3.1	5.4	
KEGR011	MHG11598	182.0	183.0	1.0	Pegmatite	<0.01	71.9	<0.02	0.01	250	58	3870	83	65.6	2.9	6.3	
KEGR011	MHG11599	183.0	184.0	1.0	Pegmatite	<0.01	72.3	<0.02	0.01	167.5	71	2580	51	50.4	2.7	6.4	
KEGR011	MHG11600	184.0	185.0	1.0	Pegmatite	0.01	72.7	<0.02	0.01	124	79	2020	22	85.3	3.9	9.3	
KEGR011	MHG11601	185.0	186.0	1.0	Pegmatite	0.78	53.9	0.36	0.01	20	30	149.5	18	41.7	1.6	2.5	
KEGR013	MHG11681	12.0	13.0	1.0	Clay	0.09	54.8	1.1	0.01	6.9	6	15.7	7	1.9	4.9	1.8	
KEGR013	MHG11682	13.0	14.0	1.0	Clay	0.03	66.5	1.23	0.01	9.2	<5	22.3	<5	0.6	1.4	1.1	
KEGR013	MHG11683	14.0	15.0	1.0	Clay	0.03	59.5	1.27	<0.01	16.8	<5	56.2	<5	<0.5	1.1	0.7	
KEGR013	MHG11684	15.0	16.0	1.0	Clay	0.03	56	1.32	<0.01	18.7	<5	75.3	<5	<0.5	0.9	1.2	
KEGR013	MHG11685	16.0	17.0	1.0	Clay	0.03	52.2	1.55	<0.01	16.1	<5	91.4	<5	<0.5	1.1	1.4	
KEGR013	MHG11686	17.0	18.0	1.0	Clay	0.04	60.6	1.33	<0.01	17.8	<5	84.1	<5	<0.5	0.7	1.4	
KEGR013	MHG11687	20.0	21.0	1.0	Clay	0.03	56.5	1.35	0.01	22.9	<5	81.8	<5	<0.5	0.7	1.9	
KEGR013	MHG11688	21.0	22.0	1.0	Clay	0.02	58.6	1.25	0.01	18.5	<5	80.6	<5	<0.5	0.7	2	
KEGR013	MHG11689	22.0	23.0	1.0	Clay	0.05	59.3	1.45	<0.01	10.1	<5	74.9	<5	<0.5	0.8	1.8	
KEGR013	MHG11690	23.0	24.0	1.0	Clay	0.02	56.3	1.3	0.01	20	<5	73.8	<5	<0.5	0.8	2.1	
KEGR013	MHG11691	24.0	25.0	1.0	Clay	0.02	55.2	1.25	0.01	16.1	<5	68.2	<5	<0.5	0.6	1.8	
KEGR013	MHG11693	25.0	26.0	1.0	Clay	0.02	56.3	1.07	0.01	17.8	<5	67.6	<5	<0.5	0.7	1.6	
KEGR013	MHG11694	26.0	27.0	1.0	Clay	0.03	54.8	1.13	0.01	10	<5	51.1	<5	<0.5	0.5	1.3	
KEGR013	MHG11695	27.0	28.0	1.0	Clay	0.03	57.5	1.38	0.01	8.7	<5	36	<5	<0.5	0.5	1.3	
KEGR013	MHG11696	28.0	29.0	1.0	Clay	0.03	57.5	1.28	0.01	8.9	<5	35.5	<5	<0.5	0.6	1.1	
KEGR013	MHG11697	29.0	30.0	1.0	Clay	0.02	58.4	1.23	<0.01	10.4	9	47.6	<5	<0.5	1.8	1	
KEGR013	MHG11699	30.0	31.0	1.0	Clay	0.02	55.6	1.33	0.01	25.9	<5	57.7	<5	<0.5	0.7	1.2	
KEGR013	MHG11700	31.0	32.0	1.0	Clay	0.08	53.5	1.23	0.01	14.9	<5	71.3	<5	<0.5	0.8	1	
KEGR013	MHG11701	32.0	33.0	1.0	Clay	0.03	57.3	1.02	0.01	15.3	<5	43.5	<5	<0.5	0.5	0.6	
KEGR013	MHG11702	33.0	34.0	1.0	Clay	0.03	59	1.12	0.01	16.1	<5	64.8	<5	<0.5	0.6	0.7	
KEGR013	MHG11703	34.0	35.0	1.0	Clay	0.02	54.8	1.18	0.01	20.3	<5	88.1	<5	<0.5	0.5	0.8	
KEGR013	MHG11704	35.0	36.0	1.0	Clay	0.01	50.7	1.17	0.01	23.2	<5	90.1	<5	<0.5	0.6	1.1	
KEGR013	MHG11705	36.0	37.0	1.0	Clay	0.02	56.5	1.08	0.01	26.3	<5	91.1	<5	<0.5	0.6	1	
KEGR013	MHG11706	39.0	40.0	1.0	Clay	0.03	53.9	0.92	0.02	28.2	<5	93.8	<5	<0.5	0.5	1.2	
KEGR013	MHG11707	40.0	41.0	1.0	Clay	0.03	54.1	0.9	0.02	43.4	<5	97	<5	<0.5	0.5	1.2	
KEGR013	MHG11708	48.0	49.0	1.0	Clay	0.01	54.3	0.8	0.01	120.5	<5	95.8	<5	<0.5	<0.5	0.9	
KEGR013	MHG11709	59.0	60.0	1.0	Pyroxenite	0.26	53.1	0.68	0.01								0.02
KEGR013	MHG11710	60.0	61.0	1.0	Pyroxenite	0.22	54.1	0.61	0.01								0.02
KEGR013	MHG11711	61.0	62.0	1.0	Pyroxenite	0.35	52	0.73	<0.01								0.01
KEGR013	MHG11713	62.0	63.0	1.0	Pyroxenite	0.52	54.3	0.85	0.01								0.01
KEGR013	MHG11714	63.0	64.0	1.0	Pyroxenite	0.33	50.9	0.8	0.01								<0.01
KEGR013	MHG11715	106.0	107.0	1.0	Pegmatite	0.27	55.6	0.77	0.01	127	16	743	45	24.9	1	1.2	
KEGR013	MHG11716	107.0	108.0	1.0	Pegmatite	0.04	72.5	0.02	0.01	265	68	3350	78	45	4.7	10	
KEGR013	MHG11717	108.0	109.0	1.0	Pegmatite	0.01	75.1	0.02	0.01	184	48	2280	99	37	3	4.7	
KEGR013	MHG11718	109.0	110.0	1.0	Pegmatite	0.01	73.6	<0.02	0.01	184.5	68	1695	101	49.2	3.4	6.2	
KEGR013	MHG11719	110.0	111.0	1.0	Pegmatite	0.18	70	0.2	0.01	176	50	2250	115	67.8	2.2	4.6	
KEGR013	MHG11720	119.0	120.0	1.0	Pegmatite	0.03	74.4	0.02	<0.01	77.4	57	1395	38	28.6	2.2	4.4	
KEGR013	MHG11721	120.0	121.0	1.0	Pegmatite	0.01	74.2	<0.02	0.01	66	70	832	69	39.8	2.9	5.5	
KEGR013	MHG11722	121.0	122.0	1.0	Pegmatite	0.07	73.2	<0.02	0.01	105.5	83	1455	107	53	4.8	10	
KEGR013	MHG11723	122.0	123.0	1.0	Pegmatite	0.01	75.3	<0.02	0.01	177.5	82	1640	94	58.6	3.8	8.5	
KEGR013	MHG11724	123.0	124.0	1.0	Pegmatite	0.01	74.2	<0.02	0.01	195	79	1775	87	48.9	3.6	6.7	
KEGR013	MHG11725	124.0	125.0	1.0	Pegmatite	0.02	72.9	<0.02	<0.01	178.5	60	2370	105	54	2.5	5.6	
KEGR013	MHG11727	125.0	126.0	1.0	Pegmatite	0.02	68	0.15	0.01	418	58	2120	84	56.2	2.4	4.7	
KEGR013	MHG11728	126.0	127.0	1.0	Pegmatite	0.01	75.1	0.02	<0.01	196.5	86	1785	104	65.4	3.8	6	
KEGR013	MHG11729	127.0	128.0	1.0	Pegmatite	0.03	75.3	<0.02	<0.01	58.2	70	691	28	45.1	2.2	3.8	
KEGR013	MHG11730	128.0	129.0	1.0	Pegmatite	0.04	74	<0.02	<0.01	133	107	1545	69	66.4	4.3	8.5	
KEGR013	MHG11731	129.0	130.0	1.0	Pegmatite	0.01	74.2	<0.02	<0.01	138	86	1700	75	48.8	3	5.7	
KEGR013	MHG11733	130.0	131.0	1.0	Pegmatite	0.02	73.6	<0.02	<0.01	103.5	68	2620	31	28.7	1.8	4.2	
KEGR013	MHG11734	131.0	132.0	1.0	Pegmatite	0.01	72.5	<0.02	<0.01	112.5	40	3770	24	14.6	0.6	1.9	
KEGR013	MHG11735	132.0	133.0	1.0	Pegmatite	0.02	72.9	<0.02	<0.01	99.1	71	2950	18	27.4	0.9	2.5	
KEGR013	MHG11736	139.0	140.0	1.0	Pyroxenite	0.21	54.1	0.47	<0.01	54.5	17	488	24	23.4	0.6	1.4	
KEGR013	MHG11737	140.0	141.0	1.0	Pyroxenite	0.01	67.4	0.1	<0.01	111	54	1535	76	41	3.1	7.3	
KEGR013	MHG11738	143.0	144.0	1.0	Pegmatite	0.02	58.2	0.33	0.01	164	37	464	65	27.8	1.6	3.5	
KEGR013	MHG11739	144.0	145.0	1.0	Pegmatite	0.01	71.9	0.03	0.01	89.3	80	1110	100	47.9	4.5	6.3	
KEGR013	MHG11740	145.0	146.0	1.0	Pegmatite	0.01	72.9	<0.02	<0.01	145	54	2360	84	44	2.7	4.7	



Drill Hole	Sample Id	Depth From (m)	Depth To (m)	Interval (m)	Lithology : major Geolog	Element Unit Symbol Analysis Method	Recvd Wt. kg WEI-21	Al2O3 % ME-ICP89	As % ME-ICP89	Be ppm ME-ICP89	CaO % ME-ICP89	Co % ME-ICP89	Cr2O3 % ME-ICP89	Cu % ME-ICP89	Fe2O3 % ME-ICP89	K2O % ME-ICP89	Li2O % ME-ICP89	MgO % ME-ICP89	MnO % ME-ICP89	Ni % ME-ICP89	Pb % ME-ICP89
						Lower Detection Limit	0.02	0.02	0.01	20	0.01	0.005	0.01	0.01	0.01	0.01	0.02	0.01	0.01	0.005	0.01
						Upper Detection Limit	1000	100	10	10000	70	30	88	50	100	60	21.5	50	50	30	30
KEGR013	MHG11741	146.0	147.0	1.0	Pegmatite		2.93	15.4	0.02	150	0.28	<0.005	0.01	<0.01	1.47	2.66	1.38	0.03	0.06	<0.005	<0.01
KEGR013	MHG11742	147.0	148.0	1.0	Pegmatite		3.78	15.35	0.01	160	0.34	<0.005	0.01	<0.01	1.32	2.7	0.86	0.07	0.08	<0.005	<0.01
KEGR013	MHG11743	148.0	149.0	1.0	Pegmatite		2.88	15.4	0.02	150	0.48	<0.005	0.01	<0.01	1.2	2.14	1.14	0.05	0.05	<0.005	<0.01
KEGR013	MHG11744	149.0	150.0	1.0	Pegmatite		1.58	15.8	0.01	110	0.31	<0.005	0.01	<0.01	1.77	2.07	2.52	0.08	0.05	<0.005	<0.01
KEGR013	MHG11746	150.0	151.0	1.0	Pegmatite		4.36	15.65	0.01	110	0.36	<0.005	0.01	<0.01	1.49	3.37	2.63	0.03	0.04	<0.005	<0.01
KEGR013	MHG11747	151.0	152.0	1.0	Pegmatite		2.14	17.1	0.09	100	0.7	<0.005	<0.01	<0.01	1.37	3.2	1.38	0.07	0.12	<0.005	<0.01
KEGR013	MHG11748	152.0	153.0	1.0	Pegmatite		3.02	15.7	0.06	110	0.24	<0.005	0.01	<0.01	1.47	2.6	2.17	0.03	0.06	<0.005	<0.01
KEGR013	MHG11749	153.0	154.0	1.0	Pegmatite		3.45	14.8	0.04	90	0.18	<0.005	0.01	<0.01	1.03	2.75	1.25	0.03	0.12	<0.005	<0.01
KEGR013	MHG11750	154.0	155.0	1.0	Pegmatite		3.6	15.4	0.02	110	0.27	<0.005	<0.01	<0.01	1.22	2.46	1.87	0.05	0.09	<0.005	<0.01
KEGR013	MHG11751	155.0	156.0	1.0	Pegmatite		2.95	15.35	0.02	180	0.32	<0.005	0.01	<0.01	1.34	2.78	1.33	0.03	0.18	<0.005	<0.01
KEGR013	MHG11752	156.0	157.0	1.0	Pegmatite		4.3	15.55	0.01	110	0.24	<0.005	<0.01	<0.01	1.56	2.4	1.64	0.03	0.12	<0.005	<0.01
KEGR013	MHG11753	157.0	158.0	1.0	Pegmatite		1.93	15.65	0.01	150	0.27	<0.005	<0.01	<0.01	0.99	4.2	0.62	0.02	0.05	<0.005	<0.01
KEGR013	MHG11754	158.0	159.0	1.0	Pegmatite		2.85	15.95	0.01	140	0.13	<0.005	0.01	<0.01	1.12	4.06	1.98	0.02	0.11	<0.005	<0.01
KEGR013	MHG11755	159.0	160.0	1.0	Pegmatite		2.54	15.8	0.03	160	0.22	<0.005	0.01	<0.01	1.33	2.6	1.46	0.03	0.09	<0.005	<0.01
KEGR013	MHG11756	160.0	161.0	1.0	Pegmatite		3.29	15.7	0.01	150	0.18	<0.005	0.01	<0.01	1.1	2.77	1.89	0.02	0.09	<0.005	<0.01
KEGR013	MHG11757	161.0	162.0	1.0	Pegmatite		3.89	15.9	0.01	150	0.14	<0.005	0.01	<0.01	1.44	2.59	1.89	0.02	0.1	<0.005	<0.01
KEGR013	MHG11758	162.0	163.0	1.0	Pegmatite		1.15	15.5	0.01	130	0.87	<0.005	<0.01	<0.01	2.69	2.93	1.59	0.63	0.1	<0.005	<0.01
KEGR013	MHG11759	163.0	164.0	1.0	Pegmatite		3.46	15.15	0.01	190	1.71	<0.005	0.01	<0.01	4.23	1.34	0.73	1.23	0.12	0.007	<0.01
KEGR013	MHG11760	164.0	165.0	1.0	Pegmatite		2.64	15.4	0.02	190	0.78	<0.005	<0.01	<0.01	2.03	1.93	1.08	0.41	0.11	<0.005	<0.01
KEGR013	MHG11761	165.0	166.0	1.0	Pegmatite		2.62	15.5	0.02	160	0.63	<0.005	<0.01	<0.01	1.96	2.3	1.66	0.36	0.1	<0.005	<0.01
KEGR013	MHG11762	166.0	167.0	1.0	Pegmatite		2.34	15.15	0.01	150	0.5	<0.005	<0.01	<0.01	2.02	2.35	1.66	0.3	0.14	<0.005	<0.01
KEGR013	MHG11763	167.0	168.0	1.0	Pegmatite		2.27	15.05	0.01	100	0.46	<0.005	0.01	<0.01	1.82	1.86	2.5	0.28	0.08	<0.005	<0.01
KEGR013	MHG11764	168.0	169.0	1.0	Pegmatite		2.58	15.1	0.01	140	0.85	<0.005	0.01	<0.01	2.99	1.9	1.55	0.58	0.09	<0.005	<0.01
KEGR013	MHG11765	169.0	170.0	1.0	Pegmatite		2.29	14.35	0.01	120	0.76	<0.005	0.01	<0.01	3.02	2.39	1.42	0.56	0.1	<0.005	<0.01
KEGR013	MHG11766	170.0	171.0	1.0	Pegmatite		2.16	14.3	0.01	130	0.69	<0.005	0.01	<0.01	2.29	1.35	1.79	0.36	0.1	<0.005	<0.01
KEGR013	MHG11767	171.0	172.0	1.0	Pegmatite		2.22	15.25	0.01	150	0.52	<0.005	<0.01	<0.01	2.42	1.72	1.87	0.36	0.1	<0.005	<0.01
KEGR013	MHG11768	172.0	173.0	1.0	Pegmatite		5.16	14.75	0.01	140	1.2	<0.005	0.01	<0.01	3.65	1.48	1.92	0.95	0.16	0.006	<0.01
KEGR013	MHG11769	173.0	174.0	1.0	Pegmatite		2.31	14.8	0.01	100	1.41	<0.005	0.01	<0.01	4.1	1.95	1.29	1.18	0.12	0.008	<0.01
KEGR013	MHG11770	174.0	175.0	1.0	Pegmatite		2.81	14.05	0.01	160	1.36	<0.005	0.01	<0.01	4.12	2.32	0.69	1.13	0.12	0.009	<0.01
KEGR013	MHG11771	175.0	176.0	1.0	Pegmatite		2.1	14.55	0.01	110	1.13	<0.005	0.01	<0.01	3.46	3.13	0.86	0.98	0.1	0.007	<0.01
KEGR013	MHG11772	176.0	177.0	1.0	Pegmatite		2.49	15.95	0.02	70	0.64	<0.005	<0.01	<0.01	2.16	6.34	0.67	0.51	0.06	<0.005	<0.01
KEGR013	MHG11773	177.0	178.0	1.0	Pegmatite		3.07	15.15	0.01	150	0.78	<0.005	<0.01	<0.01	2.52	3.06	1.23	0.58	0.09	<0.005	<0.01
KEGR013	MHG11774	178.0	179.0	1.0	Pegmatite		2.86	15.2	0.01	150	1.18	<0.005	<0.01	<0.01	3.13	2.49	1.16	0.9	0.1	0.005	<0.01
KEGR013	MHG11776	179.0	180.0	1.0	Pegmatite		1.57	14.7	0.01	90	1.5	<0.005	0.01	0.01	4.68	2.78	0.97	1.38	0.1	0.011	<0.01
KEGR013	MHG11777	180.0	181.0	1.0	Pegmatite		1.18	15.4	0.01	160	0.43	<0.005	<0.01	<0.01	1.66	3.3	0.88	0.23	0.09	<0.005	<0.01
KEGR013	MHG11778	181.0	182.0	1.0	Pegmatite		1.37	15.5	0.01	130	0.34	<0.005	<0.01	<0.01	1.72	2.66	1.46	0.23	0.09	<0.005	<0.01
KEGR013	MHG11779	182.0	183.0	1.0	Pegmatite		1.87	15	0.01	140	0.21	<0.005	0.01	<0.01	1.14	2.14	1.81	0.08	0.06	<0.005	<0.01
KEGR013	MHG11780	183.0	184.0	1.0	Pegmatite		2.5	15.5	0.01	150	0.29	<0.005	<0.01	<0.01	1.02	1.96	1.64	0.05	0.06	<0.005	<0.01
KEGR013	MHG11781	184.0	185.0	1.0	Pegmatite		1.91	15.95	0.01	180	0.35	<0.005	0.01	<0.01	1.07	1.88	1.53	0.05	0.06	<0.005	<0.01
KEGR013	MHG11782	185.0	186.0	1.0	Pegmatite		2.18	15.3	0.01	100	1.26	<0.005	0.03	<0.01	4.07	1.11	1.31	4.39	0.1	<0.005	<0.01
KEGR013	MHG11783	186.0	187.0	1.0	Pegmatite		1.98	14.6	0.01	70	2.01	<0.005	0.05	<0.01	7.33	1.01	0.47	9.24	0.13	0.008	<0.01
KEGR013	MHG11784	187.0	188.0	1.0	Pegmatite		1.9	15.85	0.01	150	0.42	<0.005	0.01	<0.01	1.89	1.89	1.33	0.28	0.08	<0.005	<0.01
KEGR013	MHG11785	188.0	189.0	1.0	Pegmatite		1.17	15.6	<0.01	120	2.07	<0.005	0.03	<0.01	3.07	1.11	0.17	2.69	0.08	<0.005	<0.01
KEGR014	MHG12006	61.0	62.0	1.0	Pegmatite		3.26	12.1	0.01	100	2.71	0.007	0.15	<0.01	5.99	0.58	0.41	8.92	0.22	0.056	<0.01
KEGR014	MHG12007	62.0	63.0	1.0	Pegmatite		3.24	15.9	<0.01	120	0.42	<0.005	0.02	<0.01	1.44	2.46	1.83	0.85	0.17	0.005	<0.01
KEGR014	MHG12008	63.0	64.0	1.0	Pegmatite		3.07	15.8	<0.01	120	0.27	<0.005	0.02	<0.01	1.19	2.17	1.38	0.41	0.16	<0.005	<0.01
KEGR014	MHG12009	64.0	65.0	1.0	Pegmatite		4.75	15.35	<0.01	180	0.22	<0.005	0.01	<0.01	1.19	1.9	1.61	0.28	0.23	<0.005	<0.01
KEGR014	MHG12010	65.0	66.0	1.0	Pegmatite		3.27	15.85	<0.01	190	0.21	<0.005	0.01	<0.01	1.09	2.06	1.66	0.2	0.18	<0.005	<0.01
KEGR014	MHG12011	66.0	67.0	1.0	Pegmatite		1.33	16.15	<0.01	170	0.17	<0.005	0.01	<0.01	1.2	1.6	1.7	0.22	0.19	<0.005	<0.01
KEGR014	MHG12012	67.0	68.0	1.0	Pegmatite		2.36	15.6	0.01	170	0.24	<0.005	0.02	<0.01	1.8	2.26	1.55	0.23	0.17	<0.005	<0.01
KEGR014	MHG12013	68.0	69.0	1.0	Pegmatite		2.9	16	0.02	110	0.21	<0.005	0.01	<0.01	1.19	3.55	1.61	0.08	0.13	<0.005	<0.01
KEGR014	MHG12014	69.0	70.0	1.0	Pegmatite		2.46	15.9	<0.01	120	0.31	<0.005	0.01	<0.01	1.06	2.43	1.66	0.1	0.12	<0.005	<0.01
KEGR014	MHG12015	80.0	81.0	1.0	Pyroxenite		1.23	7.77	0.16	20	4.79	0.006	0.33	<0.01	9.48	2.22	0.19	21.9	0.2	0.101	<0.01
KEGR014	MHG12016	81.0	82.0	1.0	Pegmatite		0.74	15.75	0.03	220	0.5	<0.005	0.03	<0.01	2.59	1.48	2	1.24	0.18	0.007	<0.01
KEGR014	MHG12017	82.0	83.0	1.0	Ultramafic		1.37	12.4	0.04	150	2.55	<0.005	0.16	<0.01	4.68	1.28	0.43	9.42	0.23	0.046	<0.01
KEGR014	MHG12018	83.0	84.0	1.0	Ultramafic		2.73	6.25	0.01	<20	6.53	0.009	0.38	0.01	10.4	0.01	&lt				

Drill Hole Id	Sample Id	Depth From (m)	Depth To (m)	Interval (m)	Lithology : major Geolog	S	SiO2	TiO2	Zn	Cs	Nb	Rb	Sn	Ta	Th	U	Au
						%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
						ME-ICP89	ME-ICP89	ME-ICP89	ME-ICP89	ME-MS91	ME-MS91	ME-MS91	ME-MS91	ME-MS91	ME-MS91	ME-MS91	ME-MS91
						0.01	0.2	0.02	0.01	0.2	0.5	5	0.5	0.5	0.5	0.5	0.01
						60	100	83	60	25000	2500	25000	10000	2500	2500	2500	100
KEGR013	MHG11741	146.0	147.0	1.0	Pegmatite	0.04	72.9	<0.02	<0.01	104	91	2040	40	56.4	4.1	7.4	
KEGR013	MHG11742	147.0	148.0	1.0	Pegmatite	0.03	72.7	<0.02	<0.01	173.5	121	2090	43	53.9	3.1	7.9	
KEGR013	MHG11743	148.0	149.0	1.0	Pegmatite	0.04	72.7	<0.02	<0.01	150.5	87	1660	49	49.9	3	5.3	
KEGR013	MHG11744	149.0	150.0	1.0	Pegmatite	0.02	74.4	<0.02	<0.01	237	70	1640	45	40.4	2.5	3.7	
KEGR013	MHG11746	150.0	151.0	1.0	Pegmatite	0.03	73.4	<0.02	<0.01	155.5	42	2290	28	21.6	1	2.6	
KEGR013	MHG11747	151.0	152.0	1.0	Pegmatite	0.04	69.3	<0.02	<0.01	305	110	3090	115	84.9	6.7	18.6	
KEGR013	MHG11748	152.0	153.0	1.0	Pegmatite	0.02	73.4	<0.02	<0.01	148	79	2170	47	60.1	2.8	6.1	
KEGR013	MHG11749	153.0	154.0	1.0	Pegmatite	0.01	72.7	<0.02	<0.01	167.5	65	2430	49	57	4	7.5	
KEGR013	MHG11750	154.0	155.0	1.0	Pegmatite	0.02	75.3	<0.02	<0.01	155	74	1975	33	47.8	2.8	5.4	
KEGR013	MHG11751	155.0	156.0	1.0	Pegmatite	0.03	75.9	<0.02	0.01	189.5	107	2660	69	66.3	4.6	9.9	
KEGR013	MHG11752	156.0	157.0	1.0	Pegmatite	0.02	76.4	<0.02	<0.01	118	93	2100	29	47.6	2.8	6.7	
KEGR013	MHG11753	157.0	158.0	1.0	Pegmatite	0.01	74.2	<0.02	<0.01	122	78	3140	14	40.9	0.7	2.8	
KEGR013	MHG11754	158.0	159.0	1.0	Pegmatite	0.01	77.4	<0.02	<0.01	133.5	74	2990	21	42.1	2	5.9	
KEGR013	MHG11755	159.0	160.0	1.0	Pegmatite	0.02	77.4	<0.02	<0.01	152.5	87	2140	41	59.9	3.8	5.9	
KEGR013	MHG11756	160.0	161.0	1.0	Pegmatite	0.02	74.7	<0.02	<0.01	168	80	2440	39	57.7	3.3	5.2	
KEGR013	MHG11757	161.0	162.0	1.0	Pegmatite	0.01	75.7	<0.02	<0.01	177	82	2390	49	66.2	3.2	5.1	
KEGR013	MHG11758	162.0	163.0	1.0	Pegmatite	0.03	72.9	0.08	<0.01	234	64	2430	35	50.6	2.5	4.5	
KEGR013	MHG11759	163.0	164.0	1.0	Pegmatite	0.05	70.6	0.12	0.01	98	135	881	25	72.1	8.7	10.7	
KEGR013	MHG11760	164.0	165.0	1.0	Pegmatite	0.02	72.3	0.04	<0.01	116	96	1545	27	69.6	4.6	7.2	
KEGR013	MHG11761	165.0	166.0	1.0	Pegmatite	0.01	74	0.03	<0.01	163.5	72	1910	35	57.6	3.3	5.5	
KEGR013	MHG11762	166.0	167.0	1.0	Pegmatite	0.02	73.2	0.03	<0.01	106	76	1915	32	50.3	3.7	7.9	
KEGR013	MHG11763	167.0	168.0	1.0	Pegmatite	0.01	74.7	0.03	<0.01	81.7	42	1385	10	29.4	1.4	2.5	
KEGR013	MHG11764	168.0	169.0	1.0	Pegmatite	0.02	72.5	0.06	0.01	94.4	78	1375	10	43.4	4.1	5.2	
KEGR013	MHG11765	169.0	170.0	1.0	Pegmatite	0.02	72.5	0.06	0.01	110.5	69	1720	21	40.1	3.3	4.9	
KEGR013	MHG11766	170.0	171.0	1.0	Pegmatite	0.02	73.2	0.04	0.01	78.6	79	1030	16	37.2	4	5	
KEGR013	MHG11767	171.0	172.0	1.0	Pegmatite	0.01	74.2	0.04	0.01	70.5	86	1335	21	44.6	3.7	4.8	
KEGR013	MHG11768	172.0	173.0	1.0	Pegmatite	0.01	71.9	0.1	<0.01	57.9	87	909	16	33.6	3.7	6.1	
KEGR013	MHG11769	173.0	174.0	1.0	Pegmatite	0.01	71.4	0.13	<0.01	62.9	106	1100	17	36	3.6	3.1	
KEGR013	MHG11770	174.0	175.0	1.0	Pegmatite	0.01	70	0.14	<0.01	89.9	114	1375	14	44.5	5.8	5.5	
KEGR013	MHG11771	175.0	176.0	1.0	Pegmatite	0.02	69.5	0.12	<0.01	92.4	68	1915	12	32.6	2.9	4.4	
KEGR013	MHG11772	176.0	177.0	1.0	Pegmatite	0.01	70	0.06	<0.01	116	58	4050	17	24.3	1.9	2.9	
KEGR013	MHG11773	177.0	178.0	1.0	Pegmatite	<0.01	72.3	0.07	<0.01	90	92	2110	26	32.7	2.1	3.2	
KEGR013	MHG11774	178.0	179.0	1.0	Pegmatite	0.01	73.6	0.1	<0.01	86.4	101	1620	23	35.4	2.3	3	
KEGR013	MHG11776	179.0	180.0	1.0	Pegmatite	0.02	68.7	0.21	<0.01	91.1	70	1525	16	29.3	2.5	3.7	
KEGR013	MHG11777	180.0	181.0	1.0	Pegmatite	0.01	72.1	0.04	<0.01	120.5	83	2540	26	38.1	3	5.4	
KEGR013	MHG11778	181.0	182.0	1.0	Pegmatite	0.01	73.4	0.06	<0.01	109	66	1985	15	36	2.6	6	
KEGR013	MHG11779	182.0	183.0	1.0	Pegmatite	0.01	72.7	0.02	<0.01	93.7	76	1735	19	28.2	2	4	
KEGR013	MHG11780	183.0	184.0	1.0	Pegmatite	<0.01	75.3	0.02	<0.01	91.4	78	1560	22	32	2	3.7	
KEGR013	MHG11781	184.0	185.0	1.0	Pegmatite	0.02	73.4	<0.02	0.01	101.5	72	1710	36	49.9	2	3.2	
KEGR013	MHG11782	185.0	186.0	1.0	Pegmatite	<0.01	67	0.19	0.01	58.4	50	981	44	27.8	1.5	2.9	
KEGR013	MHG11783	186.0	187.0	1.0	Pegmatite	<0.01	57.5	0.38	0.01	70.1	35	906	60	19.7	1.2	2.4	
KEGR013	MHG11784	187.0	188.0	1.0	Pegmatite	0.02	71.2	0.08	0.01	93.8	56	1555	28	36.7	2	3.8	
KEGR013	MHG11785	188.0	189.0	1.0	Pegmatite	0.01	66.3	0.13	0.01	87.8	48	921	37	22.5	1.3	2.5	
KEGR014	MHG12006	61.0	62.0	1.0	Pegmatite	0.01	61.8	0.17	0.02	337	31	890	55	33.2	2.3	3.6	
KEGR014	MHG12007	62.0	63.0	1.0	Pegmatite	0.01	71.9	0.02	0.01	193.5	54	3000	127	52	3	5.9	
KEGR014	MHG12008	63.0	64.0	1.0	Pegmatite	0.01	72.5	<0.02	0.01	177.5	62	2570	108	52.2	2.8	5.4	
KEGR014	MHG12009	64.0	65.0	1.0	Pegmatite	0.01	73.8	<0.02	0.01	124	71	1900	87	41.8	4.6	10	
KEGR014	MHG12010	65.0	66.0	1.0	Pegmatite	0.01	74.4	<0.02	0.01	194.5	68	2300	101	39.4	3.5	5.4	
KEGR014	MHG12011	66.0	67.0	1.0	Pegmatite	0.02	74	<0.02	0.01	153.5	68	1590	86	50.8	4.1	6.3	
KEGR014	MHG12012	67.0	68.0	1.0	Pegmatite	0.01	72.7	0.02	0.02	187.5	63	2260	99	39.2	4.1	8.9	
KEGR014	MHG12013	68.0	69.0	1.0	Pegmatite	0.01	73.6	<0.02	0.01	230	51	3420	87	29.9	1.9	3.9	
KEGR014	MHG12014	69.0	70.0	1.0	Pegmatite	0.01	74.2	<0.02	0.01	261	59	2620	112	116	2.4	5.3	
KEGR014	MHG12015	80.0	81.0	1.0	Pyroxenite	0.57	46.6	0.32	0.07	2300	11	4360	52	19.6	0.6	1.5	
KEGR014	MHG12016	81.0	82.0	1.0	Pegmatite	0.04	71.4	0.03	0.02	202	95	1465	98	49.8	4.4	6.5	
KEGR014	MHG12017	82.0	83.0	1.0	Ultramafic	0.22	61.6	0.13	0.01	585	62	1540	38	46.5	3	4	
KEGR014	MHG12018	83.0	84.0	1.0	Ultramafic	0.29	44.7	0.34	0.01	32.2	<5	50.5	16	0.9	<0.5	<0.5	
KEGR014	MHG12019	84.0	85.0	1.0	Ultramafic	0.14	43.4	0.36	0.01	<5	<5	25.3	14	0.6	<0.5	<0.5	
KEGR014	MHG12020	85.0	86.0	1.0	Ultramafic	0.05	46	0.34	0.01	18.6	<5	32.8	12	1	<0.5	<0.5	
KEGR014	MHG12021	86.0	87.0	1.0	Ultramafic	0.03	43	0.38	0.01	11.3	<5	10.7	12	<0.5	<0.5	<0.5	
KEGR014	MHG12022	87.0	88.0	1.0	Ultramafic	0.12	44.3	0.37	0.01	12.5	<5	12.1	13	<0.5	<0.5	<0.5	
KEGR014	MHG12023	88.0	89.0	1.0	Ultramafic	0.24	44.9	0.37	0.01	18.1	<5	18.9	15	<0.5	<0.5	<0.5	
KEGR014	MHG12024	89.0	90.0	1.0	Ultramafic	0.52	47.4	0.32	0.01	465	<5	787	20	1.9	<0.5	<0.5	
KEGR014	MHG12025	91.0	92.0	1.0	Ultramafic	0.9	55.6	0.17	0.04	537	34	1055	50	37.3	1.6	5.9	
KEGR014	MHG12026	92.0	93.0	1.0	Ultramafic	0.8	46	0.3	0.02	41.1	7	83.1	52	4.5	<0.5	0.6	
KEGR014	MHG12027	93.0	94.0	1.0	Ultramafic	0.62	52.8	0.24	0.02								



Drill Hole	Sample Id	Depth From (m)	Depth To (m)	Interval (m)	Lithology : major Geolog	Element Unit Symbol Analysis Method	Recvd Wt. kg	Al2O3 %	As %	Be ppm	CaO %	Co %	Cr2O3 %	Cu %	Fe2O3 %	K2O %	Li2O %	MgO %	MnO %	Ni %	Pb %
						Lower Detection Limit	WEI-21	ME-ICP89	ME-ICP89	ME-ICP89	ME-ICP89	ME-ICP89	ME-ICP89	ME-ICP89	ME-ICP89	ME-ICP89	ME-ICP89	ME-ICP89	ME-ICP89	ME-ICP89	ME-ICP89
						Upper Detection Limit	1000	100	10	10000	70	30	88	50	100	60	21.5	50	50	0.005	0.01
KEGR014	MHG12028	94.0	95.0	1.0	Pegmatite		1.86	15.65	0.04	300	0.7	<0.005	0.02	<0.01	1.59	1.39	0.5	0.75	0.14	<0.005	<0.01
KEGR014	MHG12030	95.0	96.0	1.0	Pegmatite		1.83	14.6	<0.01	200	0.35	<0.005	0.02	<0.01	2.13	2.14	1.85	0.51	0.14	<0.005	<0.01
KEGR014	MHG12031	96.0	97.0	1.0	Pegmatite		2.28	15	<0.01	210	0.25	<0.005	0.01	<0.01	1.72	2.13	1.21	0.3	0.14	<0.005	<0.01
KEGR014	MHG12032	97.0	98.0	1.0	Pegmatite		2.08	15.9	<0.01	110	0.35	<0.005	0.01	<0.01	1.26	0.46	2.88	0.35	0.07	<0.005	<0.01
KEGR014	MHG12033	98.0	99.0	1.0	Pegmatite		1.78	15.7	<0.01	240	0.42	<0.005	0.01	<0.01	1.04	2.14	0.77	0.13	0.1	<0.005	<0.01
KEGR014	MHG12034	99.0	100.0	1.0	Pegmatite		2.63	15.3	0.01	150	0.42	<0.005	0.02	<0.01	1.02	3.18	1.38	0.65	0.08	<0.005	<0.01
KEGR014	MHG12036	100.0	101.0	1.0	Ultramafic		2.25	12.9	0.04	100	2.13	<0.005	0.11	<0.01	3.66	2.67	0.43	6.57	0.13	0.027	<0.01
KEGR014	MHG12037	125.0	126.0	1.0	Ultramafic		2.41	16.35	0.01	50	0.32	<0.005	0.02	<0.01	1.09	5.96	1.51	0.55	0.04	<0.005	<0.01
KEGR014	MHG12038	126.0	127.0	1.0	Pegmatite		2.73	15.6	0.03	140	0.32	<0.005	<0.01	<0.01	1.33	2.06	2.26	0.48	0.06	<0.005	<0.01
KEGR014	MHG12039	127.0	128.0	1.0	Pegmatite		1.61	16.15	0.02	220	0.45	<0.005	0.01	<0.01	2.2	2.08	0.9	0.85	0.1	<0.005	0.01
KEGR014	MHG12040	128.0	129.0	1.0	Pegmatite		2.81	15.8	0.04	230	0.36	<0.005	<0.01	<0.01	1.3	2.37	1.14	0.18	0.07	<0.005	<0.01
KEGR014	MHG12041	129.0	130.0	1.0	Pegmatite		2.57	15.7	0.02	160	0.21	<0.005	<0.01	<0.01	0.93	2.96	1.46	0.12	0.1	<0.005	<0.01
KEGR014	MHG12042	130.0	131.0	1.0	Pegmatite		2.51	16.1	0.02	170	0.24	<0.005	<0.01	<0.01	1.16	1.67	1.92	0.1	0.06	<0.005	<0.01
KEGR014	MHG12043	131.0	132.0	1.0	Pegmatite		2.86	16	0.03	120	0.14	<0.005	<0.01	<0.01	1.16	4.48	1.83	0.03	0.06	<0.005	<0.01
KEGR014	MHG12044	132.0	133.0	1.0	Pegmatite		2.94	15.55	0.05	110	0.14	<0.005	<0.01	<0.01	1.22	2.18	2.48	0.07	0.06	<0.005	<0.01
KEGR014	MHG12045	133.0	134.0	1.0	Pegmatite		1.08	15.7	0.02	150	0.21	<0.005	<0.01	<0.01	2.06	1.77	1.83	0.28	0.09	<0.005	<0.01
KEGR014	MHG12046	134.0	135.0	1.0	Pegmatite		2.89	16.2	0.02	110	0.17	<0.005	<0.01	<0.01	1.46	2.37	2.45	0.1	0.06	<0.005	<0.01
KEGR014	MHG12047	135.0	136.0	1.0	Pegmatite		3.15	16.2	0.02	180	0.13	<0.005	<0.01	<0.01	1.74	2.43	2.05	0.05	0.05	<0.005	<0.01
KEGR014	MHG12048	136.0	137.0	1.0	Pegmatite		3.02	16	0.01	30	0.01	<0.005	<0.01	<0.01	1.76	0.87	3.85	0.05	0.03	<0.005	<0.01
KEGR014	MHG12049	137.0	138.0	1.0	Pegmatite		2.85	16.25	0.01	<20	<0.01	<0.005	<0.01	<0.01	1.2	0.13	4.65	0.05	0.02	<0.005	<0.01
KEGR014	MHG12050	138.0	139.0	1.0	Pegmatite		3.07	15.8	0.01	110	0.08	<0.005	<0.01	<0.01	1.62	1.64	2.73	0.05	0.08	<0.005	<0.01
KEGR014	MHG12051	139.0	140.0	1.0	Pegmatite		1.05	15.25	0.04	120	0.39	<0.005	0.01	<0.01	2.37	2.43	1.87	1.03	0.09	<0.005	<0.01
KEGR014	MHG12052	140.0	141.0	1.0	Pegmatite		2.6	15.7	0.04	110	0.18	<0.005	<0.01	<0.01	1.3	2.12	1.92	0.02	0.1	<0.005	<0.01
KEGR014	MHG12053	141.0	142.0	1.0	Pegmatite		2.58	15.2	0.03	120	0.14	<0.005	<0.01	<0.01	1.3	3.07	0.93	0.02	0.16	<0.005	<0.01
KEGR014	MHG12054	142.0	143.0	1.0	Pegmatite		2.77	15.05	0.03	120	0.15	<0.005	<0.01	<0.01	1.29	2.66	1.31	0.03	0.12	<0.005	<0.01
KEGR014	MHG12055	143.0	144.0	1.0	Pegmatite		2.35	16	0.11	170	0.22	<0.005	<0.01	<0.01	1.66	2.53	1.23	0.03	0.11	<0.005	<0.01
KEGR014	MHG12056	144.0	145.0	1.0	Pegmatite		2.78	15.1	0.01	70	0.15	<0.005	<0.01	<0.01	1.24	2.54	0.99	0.05	0.16	<0.005	<0.01
KEGR014	MHG12057	145.0	146.0	1.0	Pegmatite		1.74	13.3	0.02	70	1.65	<0.005	0.09	<0.01	3.99	1.1	2	5.65	0.12	0.03	<0.01
KEGR014	MHG12058	146.0	147.0	1.0	Pegmatite		2.81	15.6	0.04	130	0.21	<0.005	<0.01	<0.01	1.32	1.26	2.32	0.08	0.06	<0.005	<0.01
KEGR014	MHG12059	147.0	148.0	1.0	Pegmatite		2.84	15.7	0.08	150	0.15	<0.005	<0.01	<0.01	1.09	2.28	1.7	0.03	0.08	<0.005	<0.01
KEGR014	MHG12060	148.0	149.0	1.0	Pegmatite		2.97	15.75	0.09	140	0.11	<0.005	<0.01	<0.01	1.16	2.43	1.85	0.03	0.09	<0.005	<0.01
KEGR014	MHG12061	149.0	150.0	1.0	Pegmatite		2.6	15.65	0.14	140	0.13	<0.005	<0.01	<0.01	1.24	2.57	1.68	0.05	0.1	0.011	0.01
KEGR014	MHG12063	150.0	151.0	1.0	Pegmatite		2.96	15.5	0.05	140	0.15	<0.005	<0.01	<0.01	1.22	2.47	1.77	0.03	0.11	<0.005	<0.01
KEGR014	MHG12064	151.0	152.0	1.0	Pegmatite		2.3	15.5	0.02	140	0.14	<0.005	<0.01	<0.01	1.32	3.16	1.81	0.03	0.08	<0.005	<0.01
KEGR014	MHG12065	152.0	153.0	1.0	Pegmatite		2.68	16.35	0.02	160	0.17	<0.005	<0.01	<0.01	1.07	3.11	1.46	0.02	0.07	<0.005	<0.01
KEGR014	MHG12066	153.0	154.0	1.0	Pegmatite		2.79	15.75	0.01	110	0.14	<0.005	<0.01	<0.01	0.89	4.71	1.55	0.02	0.07	<0.005	<0.01
KEGR014	MHG12067	154.0	155.0	1.0	Pegmatite		2.44	15.65	0.01	80	0.07	<0.005	<0.01	<0.01	0.77	2.02	2.93	0.03	0.05	<0.005	<0.01
KEGR014	MHG12068	155.0	156.0	1.0	Pegmatite		2.59	15.95	0.02	190	0.38	<0.005	<0.01	<0.01	0.67	1.25	0.75	0.03	0.08	<0.005	<0.01
KEGR014	MHG12069	156.0	157.0	1.0	Pegmatite		2.8	15.3	0.01	150	0.24	<0.005	<0.01	<0.01	0.77	2.57	1.21	0.05	0.07	<0.005	<0.01
KEGR014	MHG12071	157.0	158.0	1.0	Pegmatite		1.19	15.75	0.02	200	0.31	<0.005	0.01	<0.01	0.81	2.76	0.82	0.12	0.09	<0.005	<0.01
KEGR014	MHG12072	158.0	159.0	1.0	Pegmatite		3.39	15.65	0.03	180	0.48	<0.005	0.02	<0.01	1.26	2.75	1.03	0.86	0.08	0.005	<0.01
KEGR014	MHG12073	159.0	160.0	1.0	Pegmatite		3.11	15.75	0.03	220	0.25	<0.005	0.01	<0.01	1.02	2.67	1.29	0.12	0.1	0.005	<0.01
KEGR014	MHG12074	160.0	161.0	1.0	Pegmatite		3.46	15.7	0.03	160	0.22	<0.005	0.01	<0.01	1.17	1.82	1.83	0.05	0.09	<0.005	<0.01
KEGR014	MHG12075	161.0	162.0	1.0	Pegmatite		3.15	15.65	0.02	120	0.25	<0.005	0.01	<0.01	0.94	2.29	1.29	0.15	0.08	<0.005	<0.01
KEGR014	MHG12076	162.0	163.0	1.0	Pegmatite		2.75	15.75	0.01	200	0.28	<0.005	0.01	<0.01	0.8	2.59	0.62	0.03	0.06	<0.005	<0.01
KEGR014	MHG12077	163.0	164.0	1.0	Pegmatite		0.65	8.1	0.4	40	5.37	0.007	0.27	<0.01	7.31	0.89	0.39	17.5	0.23	0.1	<0.01
KEGR014	MHG12078	164.0	165.0	1.0	Ultramafic		1.71	15.1	0.02	150	0.52	<0.005	0.02	<0.01	1.29	2.78	1.36	1.06	0.07	0.005	<0.01
KEGR014	MHG12079	165.0	166.0	1.0	Pegmatite		2.58	15.2	0.03	150	0.45	<0.005	0.02	<0.01	1.32	3.07	1.31	0.85	0.12	0.005	<0.01
KEGR014	MHG12080	166.0	167.0	1.0	Pegmatite		2.74	14.7	0.05	210	0.76	<0.005	0.03	<0.01	1.8	2.55	1.16	1.53	0.18	0.01	<0.01
KEGR014	MHG12081	167.0	168.0	1.0	Pegmatite		2.89	15.15	0.04	250	0.64	<0.005	0.03	<0.01	1.37	2.85	0.95	1.04	0.1	0.006	<0.01
KEGR014	MHG12082	168.0	169.0	1.0	Pegmatite		2.38	15.35	0.01	150	0.43	<0.005	0.02	<0.01	1.19	1.29	1.68	0.58	0.12	<0.005	<0.01
KEGR014	MHG12083	169.0	170.0	1.0	Pegmatite		0.76	15.4	0.02	80	0.36	<0.005	0.01	<0.01	2.23	1.14	2.11	0.32	0.06	<0.005	<0.01
KEGR014	MHG12084	170.0	171.0	1.0	Pegmatite		4.83	15.65	0.01	110	0.29	<0.005	0.01	<0.01	1.07	2.46	1.57	0.18	0.06	<0.005	<0.01
KEGR014	MHG12085	171.0	172.0	1.0	Pegmatite		2.11	15.7	0.01	110	0.24	<0.005	0.01	<0.01	1.3	1.72	2.11	0.07	0.05	<0.005	<0.01
KEGR014	MHG12086	172.0	173.0	1.0	Pegmatite		2.29	15.4	0.01	120	0.2	<0.005	0.01	<0.01	1.36	2.79	1.33	0.03	0.08	<0.005	<0.01
KEGR014	MHG12087	173.0	174.0	1.0	Pegmatite		2.02	15.75	0.01	160	0.32	<0.005	0.01	<0.01	1.16	4.75	0.52				



Drill Hole Id	Sample Id	Depth From (m)	Depth To (m)	Interval (m)	Lithology : major Geolog	S	SiO2	TiO2	Zn	Cs	Nb	Rb	Sn	Ta	Th	U	Au
						%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
						ME-ICP89	ME-ICP89	ME-ICP89	ME-ICP89	ME-MS91	ME-MS91	ME-MS91	ME-MS91	ME-MS91	ME-MS91	ME-MS91	ME-MS91
						0.01 60	0.2 100	0.02 83	0.01 60	0.2 25000	5 2500	0.5 25000	5 10000	0.5 2500	0.5 2500	0.5 2500	0.01 100
KEGR014	MHG12028	94.0	95.0	1.0	Pegmatite	0.1	71	<0.02	0.02	145	122	1410	33	144	6	7.9	
KEGR014	MHG12030	95.0	96.0	1.0	Pegmatite	0.04	73.8	<0.02	0.02	187.5	131	1930	95	88.3	8.2	11.2	
KEGR014	MHG12031	96.0	97.0	1.0	Pegmatite	0.08	72.3	<0.02	0.02	173	166	2130	59	88.6	11.6	13.9	
KEGR014	MHG12032	97.0	98.0	1.0	Pegmatite	0.03	73.8	<0.02	0.01	188	55	569	19	18.2	1.2	3.5	
KEGR014	MHG12033	98.0	99.0	1.0	Pegmatite	0.04	71.9	<0.02	0.01	152.5	158	1795	26	65.9	5.5	6.6	
KEGR014	MHG12034	99.0	100.0	1.0	Pegmatite	0.07	72.9	<0.02	0.01	165.5	94	2890	28	65.3	3	5	
KEGR014	MHG12036	100.0	101.0	1.0	Ultramafic	0.05	65.5	0.11	0.01	862	74	3020	39	55.5	4.2	8.9	
KEGR014	MHG12037	125.0	126.0	1.0	Ultramafic	0.01	70.6	<0.02	0.01	425	31	5450	98	27.7	0.8	2.5	
KEGR014	MHG12038	126.0	127.0	1.0	Pegmatite	0.03	76.4	0.02	0.01	193.5	88	1740	26	37.9	2.8	4.9	
KEGR014	MHG12039	127.0	128.0	1.0	Pegmatite	0.03	75.5	0.02	0.02	124.5	85	1755	56	57	4	4.9	
KEGR014	MHG12040	128.0	129.0	1.0	Pegmatite	0.02	75.5	0.02	0.01	110	109	1920	44	42	2.4	4	
KEGR014	MHG12041	129.0	130.0	1.0	Pegmatite	0.03	75.7	<0.02	0.01	139.5	65	2520	26	33.9	2.8	5.4	
KEGR014	MHG12042	130.0	131.0	1.0	Pegmatite	0.02	75.9	<0.02	0.01	77.9	109	1250	29	38.1	1.9	3.6	
KEGR014	MHG12043	131.0	132.0	1.0	Pegmatite	0.02	72.7	<0.02	0.01	229	43	3750	48	29	1.6	2.4	
KEGR014	MHG12044	132.0	133.0	1.0	Pegmatite	0.05	75.9	<0.02	0.01	135	50	1915	40	37.6	1.7	2.3	
KEGR014	MHG12045	133.0	134.0	1.0	Pegmatite	0.03	73.2	0.02	0.01	124.5	74	1515	52	52	4.3	3.6	
KEGR014	MHG12046	134.0	135.0	1.0	Pegmatite	0.07	75.1	<0.02	0.02	108	69	1850	48	42.8	2.3	3.7	
KEGR014	MHG12047	135.0	136.0	1.0	Pegmatite	0.05	76.4	<0.02	0.01	126	101	2050	48	56.9	2.4	3.1	
KEGR014	MHG12048	136.0	137.0	1.0	Pegmatite	0.04	75.7	<0.02	0.01	41.8	30	797	33	12.1	0.6	1	
KEGR014	MHG12049	137.0	138.0	1.0	Pegmatite	0.03	78.3	<0.02	0.01	12.8	7	109.5	<5	4.7	<0.5	0.7	
KEGR014	MHG12050	138.0	139.0	1.0	Pegmatite	0.04	75.7	<0.02	0.01	111.5	60	1455	22	36	3.1	5.3	
KEGR014	MHG12051	139.0	140.0	1.0	Pegmatite	0.1	72.9	0.02	0.02	141.5	70	2070	32	41.8	2.8	5.5	
KEGR014	MHG12052	140.0	141.0	1.0	Pegmatite	0.14	75.5	<0.02	0.02	127.5	69	1915	23	40.6	3	5.9	
KEGR014	MHG12053	141.0	142.0	1.0	Pegmatite	0.05	74.4	<0.02	0.02	172.5	60	2730	28	37.5	4.8	9.6	
KEGR014	MHG12054	142.0	143.0	1.0	Pegmatite	0.03	73.2	<0.02	0.01	130.5	75	2250	43	36.7	4.4	6.7	
KEGR014	MHG12055	143.0	144.0	1.0	Pegmatite	0.08	72.3	<0.02	0.02	127.5	112	2200	64	70	2.7	9.8	
KEGR014	MHG12056	144.0	145.0	1.0	Pegmatite	0.02	73.6	<0.02	0.01	142	80	2120	28	50.7	4.1	6	
KEGR014	MHG12057	145.0	146.0	1.0	Pegmatite	0.12	66.5	0.1	0.02	160	44	1060	19	27.7	1.7	4.1	
KEGR014	MHG12058	146.0	147.0	1.0	Pegmatite	0.08	74	<0.02	0.02	78.9	78	1040	20	44.6	1.6	4.8	
KEGR014	MHG12059	147.0	148.0	1.0	Pegmatite	0.05	74	<0.02	0.01	156.5	73	2100	32	56.9	4.3	5.5	
KEGR014	MHG12060	148.0	149.0	1.0	Pegmatite	0.04	73.6	<0.02	0.01	187	81	2360	45	67.1	3.1	5	
KEGR014	MHG12061	149.0	150.0	1.0	Pegmatite	0.03	73.6	<0.02	0.01	213	88	2550	45	86	3.3	6	
KEGR014	MHG12063	150.0	151.0	1.0	Pegmatite	0.04	73.4	<0.02	0.01	159.5	90	2290	28	55.7	3.6	7	
KEGR014	MHG12064	151.0	152.0	1.0	Pegmatite	0.03	71.9	<0.02	0.02	147.5	86	2570	19	48.9	2.9	5	
KEGR014	MHG12065	152.0	153.0	1.0	Pegmatite	0.03	73.4	<0.02	0.01	120	90	2440	15	53.6	4.8	7.7	
KEGR014	MHG12066	153.0	154.0	1.0	Pegmatite	0.02	73.2	<0.02	0.01	161	83	3840	28	45.7	2.5	5.4	
KEGR014	MHG12067	154.0	155.0	1.0	Pegmatite	0.02	74.7	<0.02	0.01	109.5	53	1770	12	36.3	2.4	3.7	
KEGR014	MHG12068	155.0	156.0	1.0	Pegmatite	0.02	73.6	<0.02	0.01	120	98	1085	21	61.4	5	12.8	
KEGR014	MHG12069	156.0	157.0	1.0	Pegmatite	0.01	73.6	<0.02	0.01	144.5	119	2110	27	64.1	9	9.1	
KEGR014	MHG12071	157.0	158.0	1.0	Pegmatite	0.01	73.2	<0.02	0.01	164	117	2330	66	89.6	5.3	8.3	
KEGR014	MHG12072	158.0	159.0	1.0	Pegmatite	0.02	71	0.02	0.01	219	118	2340	70	93.8	5.3	7.6	
KEGR014	MHG12073	159.0	160.0	1.0	Pegmatite	0.01	71.7	<0.02	0.01	175.5	111	2380	55	95.3	4	7.6	
KEGR014	MHG12074	160.0	161.0	1.0	Pegmatite	0.01	73.4	<0.02	0.01	91	100	1555	26	51	3.6	7.4	
KEGR014	MHG12075	161.0	162.0	1.0	Pegmatite	0.01	71.9	<0.02	0.01	120	87	2020	36	66.5	3.4	6.9	
KEGR014	MHG12076	162.0	163.0	1.0	Pegmatite	0.01	71.9	<0.02	<0.01	137.5	137	2180	46	100.5	4.6	6.6	
KEGR014	MHG12077	163.0	164.0	1.0	Pegmatite	0.01	51.3	0.23	0.01	435	23	1195	30	16.3	1.1	1.7	
KEGR014	MHG12078	164.0	165.0	1.0	Ultramafic	<0.01	71.7	0.02	0.01	146	107	2450	45	58	4.5	6.7	
KEGR014	MHG12079	165.0	166.0	1.0	Pegmatite	<0.01	71.2	<0.02	0.01	164.5	82	2750	42	60.8	5.8	7.9	
KEGR014	MHG12080	166.0	167.0	1.0	Pegmatite	0.01	69.7	0.02	0.01	138.5	107	2040	44	52.6	7.3	16.9	
KEGR014	MHG12081	167.0	168.0	1.0	Pegmatite	0.01	70.2	0.02	<0.01	110	95	2090	29	32.6	3.3	7.2	
KEGR014	MHG12082	168.0	169.0	1.0	Pegmatite	0.01	72.3	<0.02	<0.01	75.8	91	1045	27	40.7	2.6	3.5	
KEGR014	MHG12083	169.0	170.0	1.0	Pegmatite	0.02	71.2	<0.02	<0.01	50.6	82	840	17	26.6	2.3	3.6	
KEGR014	MHG12084	170.0	171.0	1.0	Pegmatite	0.01	70.8	<0.02	0.01	102.5	69	1600	16	23.5	0.9	1.8	
KEGR014	MHG12085	171.0	172.0	1.0	Pegmatite	0.01	72.7	<0.02	<0.01	49.4	59	1165	15	19.1	1.2	2.1	
KEGR014	MHG12086	172.0	173.0	1.0	Pegmatite	0.01	72.1	<0.02	0.01	103	93	1980	17	39.2	4	7.2	
KEGR014	MHG12087	173.0	174.0	1.0	Pegmatite	0.01	70.4	<0.02	0.01	147.5	102	3350	27	39.3	2.2	5	
KEGR014	MHG12088	174.0	175.0	1.0	Pegmatite	0.02	74	<0.02	0.01	82.1	105	1280	28	34.7	2.1	3.4	
KEGR014	MHG12090	175.0	176.0	1.0	Pegmatite	0.01	72.9	<0.02	<0.01	55	75	990	18	23.9	2.4	4.2	
KEGR014	MHG12091	176.0	177.0	1.0	Pegmatite	0.01	70.6	<0.02	<0.01	98.8	67	1960	19	30.1	2.7	4.5	
KEGR014	MHG12092	177.0	178.0	1.0	Pegmatite	0.01	72.1	<0.02	0.01	130.5	102	2250	27	43.9	3.7	6	
KEGR014	MHG12093	178.0	179.0	1.0	Pegmatite	0.01	71.2	<0.02	0.01	110	94	2620	19	31.6	3.5	4.3	
KEGR014	MHG12094	179.0	180.0	1.0	Pegmatite	<0.01	69.5	<0.02	0.01	100	102	2210	9	42.1	4.6	5.9	
KEGR014	MHG12095	180.0	181.0	1.0	Pegmatite	0.01	72.5	<0.02	<0.01	76.7	62	1995	16	27.5	3.1	4.2	
KEGR014	MHG12096	181.0	182.0	1.0	Pegmatite	0.01	73.8	<0.02	<0.01	86.6	75	1715	16	29.9	3	4.5	
KEGR014	MHG12097	182.0	183.0	1.0	Pegmatite	0.01	72.5	<0.02	0.01	67.3	94	1540	30	27.7	4.3	5.7	

Drill Hole Id	Sample Id	Depth From (m)	Depth To (m)	Interval (m)	Lithology : major Geolog	Element Unit Symbol Analysis Method	Recvd Wt. kg WEI-21	Al2O3 % ME-ICP89	As % ME-ICP89	Be ppm ME-ICP89	CaO % ME-ICP89	Co % ME-ICP89	Cr2O3 % ME-ICP89	Cu % ME-ICP89	Fe2O3 % ME-ICP89	K2O % ME-ICP89	Li2O % ME-ICP89	MgO % ME-ICP89	MnO % ME-ICP89	Ni % ME-ICP89	Pb % ME-ICP89
						Lower Detection Limit	0.02	0.02	0.01	20	0.01	0.005	0.01	0.01	0.01	0.01	0.02	0.01	0.01	0.005	0.01
						Upper Detection Limit	1000	100	10	10000	70	30	88	50	100	60	21.5	50	50	30	30
KEGR014	MHG12098	183.0	184.0	1.0	Pegmatite		2.58	15.5	<0.01	220	0.25	<0.005	0.01	<0.01	1.29	2.24	1.38	0.05	0.1	<0.005	<0.01
KEGR014	MHG12100	184.0	185.0	1.0	Pegmatite		3.21	15.65	<0.01	170	0.2	<0.005	0.01	<0.01	1.06	3.07	1.31	0.02	0.08	<0.005	<0.01
KEGR014	MHG12101	185.0	186.0	1.0	Pegmatite		3.24	15.3	0.01	70	0.24	<0.005	0.01	<0.01	1.03	3.43	0.97	0.02	0.08	<0.005	<0.01
KEGR014	MHG12102	186.0	187.0	1.0	Pegmatite		3.45	15.45	0.01	160	0.25	<0.005	0.01	<0.01	1.17	2.04	1.38	0.03	0.1	<0.005	<0.01
KEGR014	MHG12103	187.0	188.0	1.0	Pegmatite		1.42	15.6	0.01	160	0.27	<0.005	0.01	<0.01	0.99	2.95	0.73	0.05	0.07	<0.005	<0.01
KEGR014	MHG12104	188.0	189.0	1.0	Pegmatite		1.48	15.35	0.01	130	0.25	<0.005	0.01	<0.01	1.63	1.78	2	0.27	0.07	<0.005	<0.01
KEGR014	MHG12105	189.0	190.0	1.0	Pegmatite		2.85	15.25	<0.01	180	0.34	<0.005	0.01	<0.01	1.39	1.82	1.38	0.36	0.1	0.06	<0.01
KEGR014	MHG12106	190.0	191.0	1.0	Pegmatite		2.17	15.7	0.01	90	0.17	<0.005	0.01	<0.01	1.07	2.9	2.15	0.12	0.06	<0.005	<0.01
KEGR014	MHG12107	191.0	192.0	1.0	Pegmatite		1.96	15.65	0.01	110	0.15	<0.005	0.01	<0.01	1.19	1.24	2.82	0.1	0.07	<0.005	<0.01
KEGR014	MHG12108	192.0	193.0	1.0	Pegmatite		2.31	15.55	0.01	100	0.27	<0.005	0.01	<0.01	1.06	1.02	1.98	0.12	0.09	<0.005	<0.01
KEGR014	MHG12109	193.0	194.0	1.0	Pegmatite		1.05	15.55	0.01	140	0.25	<0.005	0.01	<0.01	1.02	2.45	1.44	0.1	0.07	<0.005	<0.01
KEGR014	MHG12110	194.0	195.0	1.0	Pegmatite		2.59	15.75	0.01	110	0.18	<0.005	0.01	<0.01	1.16	2.23	1.81	0.07	0.06	<0.005	<0.01
KEGR014	MHG12111	195.0	196.0	1.0	Pegmatite		2.35	15.6	0.01	120	0.17	<0.005	0.01	<0.01	1.17	1.51	2.37	0.07	0.08	<0.005	<0.01
KEGR014	MHG12112	196.0	197.0	1.0	Pegmatite		2.17	15.6	0.01	140	0.17	<0.005	0.01	<0.01	1	3.73	1.27	0.07	0.06	<0.005	<0.01
KEGR014	MHG12113	197.0	198.0	1.0	Pegmatite		2.29	15.75	0.01	210	0.22	<0.005	0.01	<0.01	1.14	1.76	1.72	0.07	0.12	<0.005	<0.01
KEGR014	MHG12114	198.0	199.0	1.0	Pegmatite		2.09	15.65	0.01	160	0.21	<0.005	0.01	<0.01	1	2.36	1.25	0.03	0.11	<0.005	<0.01
KEGR014	MHG12115	199.0	200.0	1.0	Ultramafic		2.98	12.65	0.12	130	2.91	<0.005	0.15	<0.01	4.2	2.26	0.95	8.72	0.16	0.05	<0.01
KEGR014	MHG12117	200.0	201.0	1.0	Pegmatite		1.85	15.4	0.03	120	0.69	<0.005	0.04	<0.01	1.64	1.84	2.43	1.82	0.11	0.013	<0.01
KEGR022	MHG12836	65.0	66.0	1.0	Ultramafic		3.4	14.3	<0.01	<20	11.9	<0.005	0.02	0.01	11.1	3.1	0.15	6.22	0.19	0.01	<0.01
KEGR022	MHG12837	66.0	67.0	1.0	Ultramafic		2.83	14.7	0.02	<20	15.9	0.005	0.02	0.01	9.79	1.6	0.13	7.05	0.21	0.015	<0.01
KEGR022	MHG12838	67.0	68.0	1.0	Ultramafic		3.34	13.4	<0.01	<20	10.55	0.005	0.02	0.01	11.5	3.14	0.13	6.38	0.18	0.014	<0.01
KEGR022	MHG12839	68.0	69.0	1.0	Ultramafic		2.35	13.6	<0.01	<20	10.9	<0.005	0.02	0.01	11.5	3.57	0.15	6.38	0.17	0.009	<0.01
KEGR022	MHG12840	69.0	70.0	1.0	Ultramafic		2.15	13.9	<0.01	<20	9.75	<0.005	0.02	0.01	11.8	2.32	0.15	7.33	0.16	0.009	<0.01
KEGR022	MHG12841	70.0	71.0	1.0	Pegmatite		3.06	12.4	0.01	<20	11.05	<0.005	0.05	<0.01	9.05	2.35	0.28	7.15	0.18	0.02	<0.01
KEGR022	MHG12842	71.0	72.0	1.0	Pegmatite		2.9	12.5	<0.01	70	3.32	<0.005	0.02	<0.01	4.45	2.43	0.37	3.4	0.16	0.01	<0.01
KEGR022	MHG12843	72.0	73.0	1.0	Pegmatite		2.7	14.35	<0.01	110	0.31	<0.005	0.01	<0.01	0.99	1.99	2.13	0.13	0.09	<0.005	<0.01
KEGR022	MHG12844	73.0	74.0	1.0	Pegmatite		2.76	15.95	<0.01	130	0.52	<0.005	0.01	<0.01	0.87	4	0.52	0.1	0.17	<0.005	<0.01
KEGR022	MHG12845	74.0	75.0	1.0	Pegmatite		3	15.8	<0.01	110	0.39	<0.005	0.01	<0.01	1.1	3.02	2.11	0.07	0.17	<0.005	<0.01
KEGR022	MHG12847	75.0	76.0	1.0	Pegmatite		2.5	15.8	0.02	170	0.36	<0.005	0.01	<0.01	0.86	3.28	0.99	0.03	0.1	<0.005	<0.01
KEGR022	MHG12848	76.0	77.0	1.0	Pegmatite		2.54	16.25	<0.01	100	0.29	<0.005	0.01	<0.01	0.81	3.41	1.96	0.03	0.17	<0.005	<0.01
KEGR022	MHG12849	77.0	78.0	1.0	Pegmatite		2.63	15.75	0.01	170	0.27	0.02	0.01	<0.01	0.84	2.02	1.55	0.05	0.16	<0.005	0.02
KEGR022	MHG12850	78.0	79.0	1.0	Pegmatite		1.77	21	0.01	220	1.83	<0.005	0.04	<0.01	2.66	2.69	0.17	2.16	0.25	0.007	<0.01
KEGR022	MHG12851	79.0	80.0	1.0	Ultramafic		3.32	10.95	0.02	<20	10.5	0.007	0.2	0.01	11.5	0.66	0.19	13.3	0.24	0.039	<0.01
KEGR022	MHG12852	80.0	81.0	1.0	Ultramafic		4.06	10.85	0.02	<20	10.25	0.007	0.2	0.01	11.45	0.52	0.19	13.8	0.19	0.038	<0.01
KEGR022	MHG12853	81.0	82.0	1.0	Ultramafic		4.11	11	0.02	<20	8.44	0.007	0.21	0.01	12	0.34	0.32	15.55	0.22	0.041	<0.01
KEGR022	MHG12854	82.0	83.0	1.0	Ultramafic		5.18	10.35	0.02	<20	9.51	0.008	0.21	0.01	11.35	0.31	0.3	15.55	0.2	0.039	<0.01
KEGR022	MHG12855	83.0	84.0	1.0	Ultramafic		5.27	11.1	0.02	<20	7.4	0.01	0.21	<0.01	11.7	0.13	0.37	15.9	0.19	0.04	<0.01
KEGR022	MHG12856	84.0	85.0	1.0	Ultramafic		5.15	11.35	0.01	<20	7.16	0.006	0.21	<0.01	11.9	0.14	0.41	15.9	0.19	0.039	<0.01
KEGR022	MHG12857	85.0	86.0	1.0	Pegmatite		2.06	15.35	0.01	80	1.08	<0.005	0.02	<0.01	1.74	2.88	0.99	1.28	0.12	<0.005	<0.01
KEGR022	MHG12858	86.0	87.0	1.0	Pegmatite		3.16	15.85	0.01	190	0.42	0.005	0.01	<0.01	1.54	2.54	1.49	0.22	0.12	<0.005	<0.01
KEGR022	MHG12859	87.0	88.0	1.0	Pegmatite		3.84	15.9	0.01	190	0.36	<0.005	0.01	<0.01	1	2.49	1.64	0.15	0.1	<0.005	<0.01
KEGR022	MHG12860	88.0	89.0	1.0	Pegmatite		3.48	15.85	<0.01	170	0.36	<0.005	0.01	<0.01	1.03	2.26	1.72	0.07	0.15	<0.005	<0.01
KEGR022	MHG12862	89.0	90.0	1.0	Ultramafic		3.41	15.4	0.01	150	1.34	<0.005	0.03	<0.01	2.4	2.29	0.93	1.49	0.13	<0.005	<0.01
KEGR022	MHG12863	90.0	91.0	1.0	Ultramafic		3.42	11.85	0.02	<20	8.17	0.007	0.16	0.01	11.1	1.41	0.5	12.1	0.19	0.029	<0.01
KEGR022	MHG12864	91.0	92.0	1.0	Ultramafic		2.59	12	0.01	20	7.61	0.005	0.15	0.01	11	1.1	0.34	12.1	0.18	0.028	<0.01
KEGR022	MHG12865	92.0	93.0	1.0	Ultramafic		3.05	12.1	0.01	<20	8.02	0.006	0.17	0.01	11.8	0.65	0.34	12.9	0.18	0.032	<0.01
KEGR022	MHG12866	93.0	94.0	1.0	Ultramafic		4.09	11.4	<0.01	<20	8.59	0.007	0.16	0.01	11.35	0.58	0.39	12.9	0.2	0.029	<0.01
KEGR022	MHG12867	94.0	95.0	1.0	Ultramafic		3.33	12.2	0.01	<20	8.07	<0.005	0.18	0.01	12	0.67	0.43	12.9	0.2	0.031	<0.01
KEGR022	MHG12868	95.0	96.0	1.0	Ultramafic		5.39	11.9	<0.01	<20	8.54	<0.005	0.17	0.01	11.55	0.95	0.24	13.2	0.19	0.032	<0.01
KEGR022	MHG12869	96.0	97.0	1.0	Ultramafic		3.56	12.35	0.02	50	7.5	0.006	0.14	0.01	9.76	0.94	0.26	11.15	0.19	0.026	<0.01
KEGR022	MHG12870	97.0	98.0	1.0	Ultramafic		2.84	11.65	0.02	<20	7.89	<0.005	0.16	0.02	11.5	1.4	0.26	12.9	0.18	0.03	<0.01
KEGR022	MHG12871	98.0	99.0	1.0	Ultramafic		4.22	11.95	<0.01	<20	9.05	<0.005	0.17	0.01	11.75	1.18	0.26	12.95	0.21	0.03	<0.01
KEGR022	MHG12872	99.0	100.0	1.0	Ultramafic		3.31	12.85	0.02	30	5.93	<0.005	0.11	0.01	7.93	2.19	0.47	8.72	0.17	0.035	<0.01
KEGR022	MHG12874	100.0	101.0	1.0	Pegmatite		3.76	16.05	<0.01	150	0.48	<0.005	0.01	<0.01	0.97	3.85	0.86	0.27	0.08	<0.005	<0.01
KEGR022	MHG12875	101.0	102.0	1.0	Ultramafic		3.33	12.8	<0.01	40	5.01	<0.005	0.1	0.01	7.28	1.31	0.26	7.79	0.18	0.017	<0.01
KEGR022	MHG12876	102.0	103.0	1.0	Ultramafic		3.71	11.8	<0.01	<20	7.81	0.005	0.17	0.01	11.6	0.39	0.34	13.8	0.22	0.032	<0.01
KEGR022	MHG12877	103.0	104																		

Drill Hole Id	Sample Id	Depth From (m)	Depth To (m)	Interval (m)	Lithology : major Geolog	S	SiO2	TiO2	Zn	Cs	Nb	Rb	Sn	Ta	Th	U	Au
						%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
						ME-ICP89	ME-ICP89	ME-ICP89	ME-ICP89	ME-MS91	ME-MS91	ME-MS91	ME-MS91	ME-MS91	ME-MS91	ME-MS91	ME-MS91
						0.01	0.2	0.02	0.01	0.2	5	0.5	5	0.5	0.5	0.5	0.01
						60	100	83	60	25000	2500	25000	10000	2500	2500	2500	100
KEGR014	MHG12098	183.0	184.0	1.0	Pegmatite	0.01	72.1	<0.02	0.01	96.8	109	1855	40	44.6	4.1	6.2	
KEGR014	MHG12100	184.0	185.0	1.0	Pegmatite	0.01	72.1	<0.02	0.01	106	106	2280	31	40.3	7.2	4.7	
KEGR014	MHG12101	185.0	186.0	1.0	Pegmatite	0.01	70.4	<0.02	0.01	93.6	151	2300	24	46.5	5.4	4.7	
KEGR014	MHG12102	186.0	187.0	1.0	Pegmatite	0.02	76.2	<0.02	0.01	86.5	115	1600	17	44.2	4.1	7.1	
KEGR014	MHG12103	187.0	188.0	1.0	Pegmatite	<0.01	74.2	<0.02	0.01	86.3	128	2060	10	61.5	6.4	5.7	
KEGR014	MHG12104	188.0	189.0	1.0	Pegmatite	0.02	74.4	<0.02	0.02	66.7	123	1300	12	45.7	4.1	5	
KEGR014	MHG12105	189.0	190.0	1.0	Pegmatite	0.01	74.4	<0.02	0.02	81.5	113	1370	17	51.8	4.5	6.7	
KEGR014	MHG12106	190.0	191.0	1.0	Pegmatite	0.01	76.4	<0.02	0.01	73.4	67	1950	14	26.1	3	4.5	
KEGR014	MHG12107	191.0	192.0	1.0	Pegmatite	0.02	76.6	<0.02	0.01	49.7	80	968	21	27.8	3.4	3.3	
KEGR014	MHG12108	192.0	193.0	1.0	Pegmatite	0.08	77	<0.02	0.01	52	124	832	22	40	4.5	4.8	
KEGR014	MHG12109	193.0	194.0	1.0	Pegmatite	0.01	73.8	<0.02	0.01	77.6	129	1775	22	50.7	4.4	3.7	
KEGR014	MHG12110	194.0	195.0	1.0	Pegmatite	0.01	75.9	<0.02	0.01	71.6	118	1615	17	45.1	5.2	4.5	
KEGR014	MHG12111	195.0	196.0	1.0	Pegmatite	0.01	77.7	<0.02	0.01	75.8	103	1115	13	36.6	6.4	8.3	
KEGR014	MHG12112	196.0	197.0	1.0	Pegmatite	<0.01	74.9	<0.02	0.01	118	130	2700	14	45.6	6.3	6.5	
KEGR014	MHG12113	197.0	198.0	1.0	Pegmatite	0.01	76.6	<0.02	0.01	101	113	1525	42	57	5.7	5.6	
KEGR014	MHG12114	198.0	199.0	1.0	Pegmatite	0.01	74.9	<0.02	0.01	156.5	85	2380	92	60.2	3.7	5.4	
KEGR014	MHG12115	199.0	200.0	1.0	Ultramafic	0.05	62.3	0.11	0.01	1900	53	4070	82	128	2.9	5.4	
KEGR014	MHG12117	200.0	201.0	1.0	Pegmatite	0.02	73.8	0.03	0.01	503	48	2220	32	54.4	2.2	4.9	
KEGR022	MHG12836	65.0	66.0	1.0	Ultramafic	0.33	49	0.68	0.01	64.2	<5	541	<5	0.8	<0.5	<0.5	
KEGR022	MHG12837	66.0	67.0	1.0	Ultramafic	0.34	38.9	0.75	0.01	65.8	<5	530	6	<0.5	<0.5	<0.5	
KEGR022	MHG12838	67.0	68.0	1.0	Ultramafic	0.08	51.8	0.67	0.01	64.5	<5	403	<5	0.5	<0.5	<0.5	
KEGR022	MHG12839	68.0	69.0	1.0	Ultramafic	0.08	50.9	0.64	0.01	50.9	<5	469	<5	0.5	<0.5	<0.5	
KEGR022	MHG12840	69.0	70.0	1.0	Ultramafic	0.04	52	0.65	0.01	69.2	<5	262	<5	<0.5	<0.5	<0.5	
KEGR022	MHG12841	70.0	71.0	1.0	Pegmatite	0.23	49.8	0.71	0.01	99.4	6	627	5	0.5	23.1	4.3	
KEGR022	MHG12842	71.0	72.0	1.0	Pegmatite	0.1	68.5	0.32	0.01	224	29	2120	81	17.5	14.7	7.5	
KEGR022	MHG12843	72.0	73.0	1.0	Pegmatite	0.01	79.4	<0.02	<0.01	120	55	2070	26	30.7	3.9	4.9	
KEGR022	MHG12844	73.0	74.0	1.0	Pegmatite	0.1	71.9	<0.02	0.01	147	62	3540	77	36.3	3.8	5.6	
KEGR022	MHG12845	74.0	75.0	1.0	Pegmatite	<0.01	73.8	<0.02	0.01	117	46	2810	41	32.8	2.4	5.1	
KEGR022	MHG12847	75.0	76.0	1.0	Pegmatite	0.02	73.8	<0.02	0.01	141	80	2930	37	62.3	3.6	6.6	
KEGR022	MHG12848	76.0	77.0	1.0	Pegmatite	0.02	74.4	<0.02	0.02	173	43	3400	73	45.3	2.9	5.3	
KEGR022	MHG12849	77.0	78.0	1.0	Pegmatite	0.06	73.4	<0.02	0.11	152.5	63	2200	79	51.3	3.4	5.2	
KEGR022	MHG12850	78.0	79.0	1.0	Pegmatite	0.03	60.5	0.08	0.02	356	63	2960	164	48.8	4.5	5	
KEGR022	MHG12851	79.0	80.0	1.0	Ultramafic	0.02	48.8	0.42	0.02	155	<5	340	5	1.7	<0.5	<0.5	
KEGR022	MHG12852	80.0	81.0	1.0	Ultramafic	0.05	48.6	0.43	0.01	119	<5	213	5	<0.5	<0.5	<0.5	
KEGR022	MHG12853	81.0	82.0	1.0	Ultramafic	0.02	48.6	0.44	0.01	122	<5	141	6	1.3	<0.5	<0.5	
KEGR022	MHG12854	82.0	83.0	1.0	Ultramafic	0.02	49.4	0.42	0.01	108	<5	136	<5	<0.5	<0.5	<0.5	
KEGR022	MHG12855	83.0	84.0	1.0	Ultramafic	0.01	49	0.42	0.01	73.6	<5	62.8	5	<0.5	<0.5	<0.5	
KEGR022	MHG12856	84.0	85.0	1.0	Ultramafic	0.01	46.8	0.45	0.01	137	<5	75.6	7	<0.5	<0.5	<0.5	
KEGR022	MHG12857	85.0	86.0	1.0	Pegmatite	0.01	70.4	0.04	0.01	119	36	2580	39	23.6	1.6	3.1	
KEGR022	MHG12858	86.0	87.0	1.0	Pegmatite	<0.01	74	<0.02	0.01	129.5	70	2410	42	46.9	3.1	5.2	
KEGR022	MHG12859	87.0	88.0	1.0	Pegmatite	0.01	75.7	<0.02	0.01	124.5	69	2350	39	39.4	2.6	4.4	
KEGR022	MHG12860	88.0	89.0	1.0	Pegmatite	<0.01	75.7	<0.02	0.01	127	94	2280	47	47.6	6.8	9.3	
KEGR022	MHG12862	89.0	90.0	1.0	Ultramafic	0.11	70.4	0.07	0.01	184.5	63	2190	56	39.3	3.2	6.5	
KEGR022	MHG12863	90.0	91.0	1.0	Ultramafic	0.01	52	0.47	0.01	152.5	<5	481	17	1.4	<0.5	<0.5	
KEGR022	MHG12864	91.0	92.0	1.0	Ultramafic	0.03	51.6	0.43	0.01	134.5	8	379	9	6.2	<0.5	0.5	
KEGR022	MHG12865	92.0	93.0	1.0	Ultramafic	0.01	49.2	0.47	0.01	85.2	<5	283	<5	<0.5	<0.5	<0.5	
KEGR022	MHG12866	93.0	94.0	1.0	Ultramafic	0.02	50.9	0.44	0.01	44.5	<5	267	<5	<0.5	<0.5	<0.5	
KEGR022	MHG12867	94.0	95.0	1.0	Ultramafic	0.05	50.1	0.47	0.01	53.8	<5	287	<5	<0.5	<0.5	<0.5	
KEGR022	MHG12868	95.0	96.0	1.0	Ultramafic	0.03	49.8	0.47	0.01	148.5	<5	398	<5	<0.5	<0.5	<0.5	
KEGR022	MHG12869	96.0	97.0	1.0	Ultramafic	0.04	52.8	0.37	0.01	133	10	364	17	8.1	0.5	0.7	
KEGR022	MHG12870	97.0	98.0	1.0	Ultramafic	0.07	49.2	0.45	0.01	160.5	7	285	5	0.6	<0.5	<0.5	
KEGR022	MHG12871	98.0	99.0	1.0	Ultramafic	0.03	51.3	0.47	0.01	119.5	<5	224	<5	<0.5	<0.5	<0.5	
KEGR022	MHG12872	99.0	100.0	1.0	Ultramafic	0.04	58.2	0.3	0.01	112.5	19	1540	36	8.6	0.6	1.8	
KEGR022	MHG12874	100.0	101.0	1.0	Pegmatite	0.01	73.6	<0.02	0.01	154.5	66	3260	33	33	2.5	4.6	
KEGR022	MHG12875	101.0	102.0	1.0	Ultramafic	0.01	61.6	0.26	0.01	109	51	1460	67	30.2	6.2	2	
KEGR022	MHG12876	102.0	103.0	1.0	Ultramafic	0.01	48.3	0.48	<0.01	77.2	<5	172	<5	0.9	<0.5	<0.5	
KEGR022	MHG12877	103.0	104.0	1.0	Ultramafic	0.01	49.4	0.49	<0.01	49.5	<5	172	<5	0.5	<0.5	<0.5	
KEGR022	MHG12878	104.0	105.0	1.0	Ultramafic	0.07	46.8	0.51	<0.01	37.7	<5	87.5	5	0.5	<0.5	<0.5	
KEGR022	MHG12879	105.0	106.0	1.0	Ultramafic	0.02	49.4	0.48	<0.01	33.3	<5	121	<5	<0.5	<0.5	<0.5	
KEGR022	MHG12880	106.0	107.0	1.0	Ultramafic	0.01	58.2	0.29	0.01	192	22	1755	53	28.3	1.5	3.1	
KEGR022	MHG12881	107.0	108.0	1.0	Pegmatite	0.01	73.6	<0.02	<0.01	113.5	32	2600	34	14.5	1	2.8	
KEGR022	MHG12882	108.0	109.0	1.0	Pegmatite	<0.01	75.7	0.02	<0.01	104	62	1740	37	32.3	2.2	4.4	
KEGR022	MHG12883	109.0	110.0	1.0	Pegmatite	<0.01	77	<0.02	<0.01	131	62	1630	108	53.5	3	5	
KEGR022	MHG12884	110.0	111.0	1.0	Pegmatite	0.01	76.8	<0.02	<0.01	127.5	56	1900	86	36.7	3.1	4.9	
KEGR022	MHG12885	111.0	112.0	1.0	Pegmatite	<0.01	74.2	<0.02	<0.01	319	37	4460	67	37.5	1.1	2.4	



Drill Hole Id	Sample Id	Depth From (m)	Depth To (m)	Interval (m)	Lithology : major Geolog	Element Unit Symbol Analysis Method	Recvd Wt.	Al2O3	As	Be	CaO	Co	Cr2O3	Cu	Fe2O3	K2O	Li2O	MgO	MnO	Ni	Pb					
							kg	%	%	ppm	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
							WEI-21	ME-ICP89	ME-ICP89	ME-ICP89	ME-ICP89	ME-ICP89	ME-ICP89	ME-ICP89	ME-ICP89	ME-ICP89	ME-ICP89	ME-ICP89	ME-ICP89	ME-ICP89	ME-ICP89	ME-ICP89	ME-ICP89	ME-ICP89	ME-ICP89	ME-ICP89
						Lower Detection Limit	0.02	0.02	0.01	20	0.01	0.005	0.01	0.01	0.01	0.01	0.02	0.01	0.01	0.005	0.01					
						Upper Detection Limit	1000	100	10	10000	70	30	88	50	100	60	21.5	50	50	30	30					
KEGR022	MHG12886	112.0	113.0	1.0	Pegmatite		3.8	15.95	0.01	130	0.22	<0.005	<0.01	<0.01	0.96	1.77	1.61	0.07	0.06	<0.005	0.01					
KEGR022	MHG12888	113.0	114.0	1.0	Pegmatite		3.32	16.15	0.01	190	0.32	<0.005	<0.01	<0.01	1.19	1.78	1.61	0.1	0.14	<0.005	<0.01					
KEGR022	MHG12889	114.0	115.0	1.0	Pegmatite		3.29	15.9	0.01	140	0.27	<0.005	0.01	<0.01	1.13	1.22	1.27	0.28	0.14	<0.005	<0.01					
KEGR022	MHG12890	115.0	116.0	1.0	Pegmatite		2.6	16	0.01	140	0.24	<0.005	<0.01	<0.01	1.03	2.46	1.1	0.33	0.05	<0.005	<0.01					
KEGR022	MHG12891	116.0	117.0	1.0	Pegmatite		1.96	15.8	<0.01	140	0.17	<0.005	<0.01	<0.01	1.23	2.65	1.81	0.17	0.09	<0.005	<0.01					
KEGR022	MHG12892	117.0	118.0	1.0	Pegmatite		3.19	15.8	<0.01	110	0.14	<0.005	<0.01	<0.01	1.3	2.26	2.54	0.23	0.14	<0.005	0.01					
KEGR022	MHG12893	118.0	119.0	1.0	Pegmatite		3.52	15.7	<0.01	130	0.2	<0.005	0.01	<0.01	1.12	2.48	2	0.18	0.05	<0.005	<0.01					
KEGR022	MHG12894	119.0	120.0	1.0	Pegmatite		3.08	13.9	<0.01	250	0.45	<0.005	<0.01	<0.01	1.24	1.47	0.58	0.13	0.06	<0.005	<0.01					
KEGR022	MHG12895	120.0	121.0	1.0	Pegmatite		2.22	15.85	0.02	190	0.27	<0.005	0.01	<0.01	1.1	5	1.21	0.15	0.04	<0.005	<0.01					
KEGR022	MHG12896	121.0	122.0	1.0	Pegmatite		2.19	15.35	0.01	150	0.28	<0.005	0.01	<0.01	1.42	0.89	2.15	0.23	0.08	<0.005	<0.01					
KEGR022	MHG12897	122.0	123.0	1.0	Pegmatite		3	15.6	0.01	100	0.29	<0.005	0.01	<0.01	0.93	1.11	2.8	0.27	0.05	<0.005	<0.01					
KEGR022	MHG12898	123.0	124.0	1.0	Pegmatite		1.64	15.3	<0.01	110	0.14	<0.005	<0.01	<0.01	1.12	2.05	2.13	0.35	0.04	<0.005	<0.01					
KEGR022	MHG12899	124.0	125.0	1.0	Pegmatite		2.49	15.55	<0.01	130	0.25	<0.005	0.01	<0.01	0.84	2.6	1.4	0.25	0.06	<0.005	<0.01					
KEGR022	MHG12901	125.0	126.0	1.0	Pegmatite		3.86	15.65	<0.01	100	0.36	<0.005	<0.01	<0.01	1.13	1.99	1.83	0.3	0.15	<0.005	<0.01					
KEGR022	MHG12902	126.0	127.0	1.0	Pegmatite		3.6	15.8	0.01	130	0.35	<0.005	0.01	<0.01	1.07	3.22	1.89	0.15	0.06	<0.005	<0.01					
KEGR022	MHG12903	127.0	128.0	1.0	Pegmatite		1	15.45	<0.01	100	0.14	<0.005	<0.01	<0.01	1.46	1.66	2.28	0.15	0.06	<0.005	<0.01					
KEGR022	MHG12904	128.0	129.0	1.0	Pegmatite		2.4	15.6	0.01	170	0.21	<0.005	0.01	<0.01	1	2.17	1.38	0.13	0.05	<0.005	<0.01					
KEGR022	MHG12905	129.0	130.0	1.0	Pegmatite		4.05	15.9	0.01	170	0.21	<0.005	0.01	<0.01	0.97	2.48	1.66	0.12	0.04	<0.005	<0.01					
KEGR022	MHG12906	130.0	131.0	1.0	Pegmatite		4.01	15.6	0.02	220	0.43	<0.005	0.01	<0.01	1.12	2.32	1.31	0.35	0.08	<0.005	<0.01					
KEGR022	MHG12907	131.0	132.0	1.0	Pegmatite		2.31	15.6	<0.01	120	0.84	<0.005	0.02	<0.01	1.64	2.29	1.94	0.86	0.09	<0.005	<0.01					
KEGR022	MHG12908	132.0	133.0	1.0	Pegmatite		2.2	15.4	0.01	110	0.74	<0.005	0.02	<0.01	1.66	3.07	1.53	0.93	0.08	<0.005	<0.01					
KEGR022	MHG12909	133.0	134.0	1.0	Pegmatite		1	15.55	0.01	190	0.41	<0.005	0.01	<0.01	1.29	2.18	0.69	0.32	0.09	<0.005	0.01					
KEGR022	MHG12910	134.0	135.0	1.0	Pegmatite		1.05	15.15	0.01	160	0.45	<0.005	0.01	<0.01	1.63	2.06	1.23	0.45	0.12	<0.005	<0.01					
KEGR022	MHG12911	135.0	136.0	1.0	Pegmatite		1.18	15.35	0.02	130	0.66	<0.005	0.03	<0.01	2.07	1.78	1.68	1.54	0.13	0.007	<0.01					
KEGR022	MHG12912	136.0	137.0	1.0	Pegmatite		1.36	15.5	0.02	140	0.39	<0.005	0.01	<0.01	1.43	2.28	1.55	0.45	0.12	<0.005	<0.01					
KEGR022	MHG12914	137.0	138.0	1.0	Pegmatite		3.27	15.4	0.02	140	0.45	<0.005	0.01	<0.01	1.59	2.3	1.61	0.48	0.12	<0.005	<0.01					
KEGR022	MHG12915	138.0	139.0	1.0	Pegmatite		1.06	16.15	0.01	150	0.28	<0.005	0.01	<0.01	1.47	2.28	2.48	0.2	0.11	<0.005	<0.01					
KEGR022	MHG12916	139.0	140.0	1.0	Pegmatite		0.93	17.2	0.04	40	0.29	<0.005	0.01	<0.01	1.8	4.34	1.59	0.36	0.1	<0.005	<0.01					
KEGR022	MHG12917	140.0	141.0	1.0	Pegmatite		1.9	15.45	0.01	130	0.41	<0.005	0.01	<0.01	1.47	0.7	2.41	0.4	0.08	<0.005	0.01					
KEGR022	MHG12918	141.0	142.0	1.0	Pegmatite		1.45	15.25	0.01	210	0.46	<0.005	0.01	<0.01	1.42	1.95	1.89	0.28	0.13	<0.005	<0.01					
KEGR022	MHG12919	142.0	143.0	1.0	Pegmatite		4.83	15.35	0.01	140	0.5	<0.005	0.01	<0.01	0.92	2.28	1.46	1.08	0.1	<0.005	<0.01					
KEGR022	MHG12920	143.0	144.0	1.0	Pegmatite		3.12	15.05	0.01	80	0.88	<0.005	0.02	<0.01	1.89	2.35	0.93	0.16	0.13	<0.005	<0.01					
KEGR022	MHG12921	144.0	145.0	1.0	Pegmatite		2.54	15.6	0.01	90	0.56	<0.005	0.02	<0.01	1.43	2.73	1.64	0.61	0.11	<0.005	<0.01					
KEGR022	MHG12922	145.0	146.0	1.0	Pegmatite		2.4	15.4	0.02	220	0.43	<0.005	0.01	<0.01	1.13	1.65	1.7	0.15	0.13	<0.005	<0.01					
KEGR022	MHG12923	146.0	147.0	1.0	Pegmatite		0.68	15.4	0.02	160	0.32	<0.005	0.01	<0.01	2.02	2.39	1.44	0.2	0.16	<0.005	0.01					
KEGR022	MHG12924	147.0	148.0	1.0	Pegmatite		1.05	15.45	<0.01	190	0.32	<0.005	0.01	<0.01	1.36	3	1.12	0.08	0.13	<0.005	<0.01					
KEGR022	MHG12925	148.0	149.0	1.0	Pegmatite		1.75	14.7	0.04	150	0.55	<0.005	0.02	<0.01	1.82	3.14	1.55	0.66	0.15	<0.005	<0.01					
KEGR022	MHG12926	149.0	150.0	1.0	Pegmatite		1.88	15.4	0.01	160	0.43	<0.005	0.02	<0.01	1.66	2.49	1.27	0.41	0.12	<0.005	<0.01					
KEGR022	MHG12928	150.0	151.0	1.0	Pegmatite		1.05	15.5	0.01	160	0.39	<0.005	0.01	<0.01	1.4	2.87	1.57	0.17	0.14	<0.005	<0.01					
KEGR022	MHG12929	151.0	152.0	1.0	Pegmatite		1.85	15.25	0.01	150	0.36	<0.005	0.01	<0.01	1.63	1.66	2.09	0.08	0.15	<0.005	<0.01					
KEGR022	MHG12930	152.0	153.0	1.0	Pegmatite		1.57	16.1	0.05	160	0.36	<0.005	0.01	<0.01	1.43	3.36	1.49	0.2	0.1	<0.005	<0.01					
KEGR022	MHG12931	153.0	154.0	1.0	Pegmatite		0.86	15.35	0.03	160	0.57	<0.005	0.02	<0.01	1.64	2.24	1.57	0.46	0.11	<0.005	<0.01					
KEGR022	MHG12932	154.0	155.0	1.0	Pegmatite		3.44	16	0.01	150	0.42	<0.005	0.02	<0.01	1.92	2.24	1.81	0.28	0.11	<0.005	<0.01					
KEGR022	MHG12933	155.0	156.0	1.0	Pegmatite		4.7	15.6	0.01	160	0.49	<0.005	0.02	<0.01	1.57	2.4	1.7	0.28	0.09	<0.005	<0.01					
KEGR022	MHG12934	156.0	157.0	1.0	Pegmatite		2.08	15.85	<0.01	160	0.46	<0.005	0.01	<0.01	1.19	2.47	1.42	0.32	0.09	<0.005	<0.01					
KEGR022	MHG12935	157.0	158.0	1.0	Pegmatite		1.82	15.35	0.01	180	0.41	<0.005	0.01	<0.01	1.69	1.55	1.94	0.13	0.13	<0.005	<0.01					
KEGR022	MHG12936	158.0	159.0	1.0	Pegmatite		1.95	15.85	<0.01	150	0.36	<0.005	0.01	<0.01	1.43	2.88	1.42	0.12	0.15	<0.005	<0.01					
KEGR022	MHG12937	159.0	160.0	1.0	Pegmatite		3.37	15.55	<0.01	190	0.49	<0.005	0.01	<0.01	1.47	2.08	1.46	0.23	0.17	<0.005	0.01					
KEGR022	MHG12938	160.0	161.0	1.0	Pegmatite		6.31	15.85	0.01	150	0.41	<0.005														

Drill Hole Id	Sample Id	Depth From (m)	Depth To (m)	Interval (m)	Lithology : major Geolog	S	SiO2	TiO2	Zn	Cs	Nb	Rb	Sn	Ta	Th	U	Au	
						%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
						ME-ICP89	ME-ICP89	ME-ICP89	ME-ICP89	ME-MS91	ME-MS91	ME-MS91	ME-MS91	ME-MS91	ME-MS91	ME-MS91	ME-MS91	ME-MS91
						0.01	0.2	0.02	0.01	0.2	5	0.5	5	0.5	0.5	0.5	0.01	
						60	100	83	60	25000	2500	25000	10000	2500	2500	2500	100	
KEGR022	MHG12886	112.0	113.0	1.0	Pegmatite	<0.01	77	<0.02	<0.01	147	58	1665	64	51.6	2.7	2		
KEGR022	MHG12888	113.0	114.0	1.0	Pegmatite	0.01	75.7	<0.02	0.01	169	70	1865	110	63.5	2.6	5		
KEGR022	MHG12889	114.0	115.0	1.0	Pegmatite	<0.01	75.5	<0.02	<0.01	127	57	1145	72	57.2	2.6	3.8		
KEGR022	MHG12890	115.0	116.0	1.0	Pegmatite	0.02	74.7	<0.02	<0.01	157.5	78	2430	91	70.4	3.6	3.6		
KEGR022	MHG12891	116.0	117.0	1.0	Pegmatite	<0.01	76.6	<0.02	<0.01	188.5	62	2060	71	60.1	2.4	3.9		
KEGR022	MHG12892	117.0	118.0	1.0	Pegmatite	<0.01	75.9	<0.02	<0.01	139.5	50	1735	67	50.7	2.1	1.8		
KEGR022	MHG12893	118.0	119.0	1.0	Pegmatite	<0.01	77	<0.02	<0.01	109	58	1915	39	37.2	1.9	2.6		
KEGR022	MHG12894	119.0	120.0	1.0	Pegmatite	<0.01	77.9	<0.02	0.01	95.5	96	1125	41	64.1	3.3	5.5		
KEGR022	MHG12895	120.0	121.0	1.0	Pegmatite	0.02	74	<0.02	0.01	175.5	93	4180	29	44.8	2.6	5.2		
KEGR022	MHG12896	121.0	122.0	1.0	Pegmatite	0.01	75.7	<0.02	0.01	77.1	75	895	64	33.3	2.8	4.7		
KEGR022	MHG12897	122.0	123.0	1.0	Pegmatite	0.01	77.7	<0.02	<0.01	65.2	53	1015	31	27.9	2.5	3.6		
KEGR022	MHG12898	123.0	124.0	1.0	Pegmatite	0.02	74	<0.02	<0.01	173	57	1865	33	61.4	2.6	2.4		
KEGR022	MHG12899	124.0	125.0	1.0	Pegmatite	<0.01	75.9	<0.02	<0.01	181.5	71	2380	46	76.1	3	2		
KEGR022	MHG12901	125.0	126.0	1.0	Pegmatite	0.01	77.4	<0.02	0.01	132.5	60	1825	45	43.9	3.3	2.8		
KEGR022	MHG12902	126.0	127.0	1.0	Pegmatite	0.01	76.4	<0.02	<0.01	118.5	56	2530	27	33.4	1.8	2.9		
KEGR022	MHG12903	127.0	128.0	1.0	Pegmatite	0.02	74.3	<0.02	0.01	116	57	1465	31	44.7	2.5	4.6		
KEGR022	MHG12904	128.0	129.0	1.0	Pegmatite	0.01	76.4	<0.02	<0.01	137	118	1855	33	66.1	3.9	7.6		
KEGR022	MHG12905	129.0	130.0	1.0	Pegmatite	0.01	74.7	<0.02	<0.01	122.5	120	2040	29	65.6	4.5	5.9		
KEGR022	MHG12906	130.0	131.0	1.0	Pegmatite	0.02	75.7	<0.02	<0.01	98.1	127	1815	32	67.3	6.2	8.4		
KEGR022	MHG12907	131.0	132.0	1.0	Pegmatite	0.01	74.7	0.03	<0.01	94.5	73	1855	41	39.3	2.9	5.2		
KEGR022	MHG12908	132.0	133.0	1.0	Pegmatite	0.02	70.6	0.04	<0.01	105	60	2450	33	33.1	2.1	4.8		
KEGR022	MHG12909	133.0	134.0	1.0	Pegmatite	0.03	71.9	0.02	<0.01	130.5	108	1995	49	70.2	5.5	7.8		
KEGR022	MHG12910	134.0	135.0	1.0	Pegmatite	0.03	71.7	0.02	0.01	135	82	1850	53	54.5	4	8		
KEGR022	MHG12911	135.0	136.0	1.0	Pegmatite	0.03	69.5	0.07	<0.01	156	71	1720	74	62.1	4	5.6		
KEGR022	MHG12912	136.0	137.0	1.0	Pegmatite	0.02	73.4	0.02	<0.01	190	76	2140	90	60.4	3.4	6.9		
KEGR022	MHG12914	137.0	138.0	1.0	Pegmatite	0.02	73.6	0.02	<0.01	185.5	80	2190	101	57.3	3.3	6.2		
KEGR022	MHG12915	138.0	139.0	1.0	Pegmatite	0.02	74.9	<0.02	<0.01	119	74	1975	43	41.3	2.7	7.1		
KEGR022	MHG12916	139.0	140.0	1.0	Pegmatite	0.04	70.2	<0.02	<0.01	215	68	3750	57	42.2	6	9.4		
KEGR022	MHG12917	140.0	141.0	1.0	Pegmatite	0.02	73.8	<0.02	<0.01	76.8	51	688	19	29.1	1.6	3.3		
KEGR022	MHG12918	141.0	142.0	1.0	Pegmatite	0.01	72.9	<0.02	<0.01	146	77	1950	36	48.6	3	7		
KEGR022	MHG12919	142.0	143.0	1.0	Pegmatite	0.02	74.7	<0.02	<0.01	122	76	2090	31	53	3.5	6.8		
KEGR022	MHG12920	143.0	144.0	1.0	Pegmatite	0.03	74	0.04	<0.01	192	62	2420	67	59.6	5	7.8		
KEGR022	MHG12921	144.0	145.0	1.0	Pegmatite	0.02	73.8	0.03	<0.01	157.5	71	2650	38	52.2	3.6	6.9		
KEGR022	MHG12922	145.0	146.0	1.0	Pegmatite	0.04	74	<0.02	<0.01	92.7	107	1535	31	50.3	3.4	8.3		
KEGR022	MHG12923	146.0	147.0	1.0	Pegmatite	0.02	72.5	<0.02	<0.01	119.5	72	2220	56	56.6	4.8	7.4		
KEGR022	MHG12924	147.0	148.0	1.0	Pegmatite	0.02	72.5	<0.02	<0.01	195	74	3130	77	56.8	3	6.6		
KEGR022	MHG12925	148.0	149.0	1.0	Pegmatite	0.04	71.9	0.03	<0.01	147	85	3230	37	52.5	3.9	10.5		
KEGR022	MHG12926	149.0	150.0	1.0	Pegmatite	0.02	73.4	0.02	<0.01	125.5	66	2440	34	49.9	3.2	7.4		
KEGR022	MHG12928	150.0	151.0	1.0	Pegmatite	0.02	72.3	<0.02	<0.01	138	69	2910	40	39.1	3.4	6.8		
KEGR022	MHG12929	151.0	152.0	1.0	Pegmatite	0.03	73.2	<0.02	<0.01	82.8	61	1645	30	33.7	2.9	7.6		
KEGR022	MHG12930	152.0	153.0	1.0	Pegmatite	0.03	72.7	<0.02	<0.01	119.5	67	3030	35	30.4	2.4	5.3		
KEGR022	MHG12931	153.0	154.0	1.0	Pegmatite	0.02	73.6	0.02	<0.01	82.4	82	1950	27	31.3	3.4	6.9		
KEGR022	MHG12932	154.0	155.0	1.0	Pegmatite	0.02	73.8	0.02	<0.01	74.2	69	1800	30	24.8	2.6	6.1		
KEGR022	MHG12933	155.0	156.0	1.0	Pegmatite	0.03	74.4	<0.02	<0.01	83.3	79	1935	23	32.4	3.1	6.4		
KEGR022	MHG12934	156.0	157.0	1.0	Pegmatite	0.02	74.2	<0.02	<0.01	79.7	83	2010	23	36.5	3.2	5.6		
KEGR022	MHG12935	157.0	158.0	1.0	Pegmatite	0.02	75.9	<0.02	<0.01	70.6	99	1360	21	38.9	3.7	7.6		
KEGR022	MHG12936	158.0	159.0	1.0	Pegmatite	0.02	74.4	<0.02	<0.01	137	80	2880	40	47.5	3.1	8.3		
KEGR022	MHG12937	159.0	160.0	1.0	Pegmatite	0.02	74.4	<0.02	<0.01	106	80	2110	33	36.7	3.1	8.3		
KEGR022	MHG12938	160.0	161.0	1.0	Pegmatite	0.03	74.7	<0.02	<0.01	137	72	2570	35	40.3	2.4	5.9		
KEGR022	MHG12939	161.0	162.0	1.0	Pegmatite	0.03	73.4	<0.02	<0.01	174.5	75	3320	42	52.6	2.7	5.7		
KEGR022	MHG12940	162.0	163.0	1.0	Pegmatite	0.04	68.7	0.03	<0.01	158.5	77	2690	35	55.1	2.4	5.4		
KEGR024	MHG12780	2.1	3.0	1.0	Pegmatite	0.05	68.5	0.28	<0.01	53.7	54	432	142	79.2	4.9	0.8		
KEGR024	MHG12781	3.0	3.6	0.6	Saprolite	0.04	72.1	0.03	0.01	162	77	1435	701	118	2.8	0.6		
KEGR024	MHG12782	3.6	5.0	1.5	Saprolite	0.05	62.3	0.5	0.01	88.9	28	777	138	49.6	2.9	1.4		
KEGR024	MHG12783	5.0	6.0	1.0	Saprolite	0.05	50.3	0.71	0.01	20.8	<5	33.7	10	1.8	1.4	1.6		
KEGR024	MHG12784	16.0	17.0	1.0	Saprolite	0.02	54.5	0.75	0.02	34	<5	56.6	7	0.6	0.6	1.5		
KEGR024	MHG12785	17.0	18.0	1.0	Saprolite	0.02	52.6	0.69	0.02	29.7	<5	120	6	<0.5	<0.5	2.9		
KEGR024	MHG12786	18.0	19.0	1.0	Saprolite	0.02	55.4	0.9	0.02	16.1	<5	57.9	<5	<0.5	0.6	2.3		
KEGR024	MHG12787	19.0	19.8	0.8	Saprolite	0.01	52.6	0.74	0.02	35.9	<5	94	<5	<0.5	<0.5	1.8		
KEGR024	MHG12788	19.8	21.0	1.2	Pegmatite	0.01	50.9	0.48	0.03	141.5	21	479	764	45.4	1.1	3.6		
KEGR024	MHG12789	21.0	21.6	0.6	Pegmatite	0.01	63.1	0.28	0.02	87.2	26	335	328	47.2	1.8	3.8		
KEGR024	MHG12790	21.6	23.0	1.4	Mafic Volcanic	0.01	55.4	0.6	0.01	23.2	<5	43.5	5	0.5	<0.5	1		
KEGR024	MHG12791	23.0	24.0	1.0	Mafic Volcanic	0.02	56.3	0.58	0.01	26	<5	33.2	<5	<0.5	<0.5	0.9		
KEGR024	MHG12792	36.0	37.0	1.0	Mafic Volcanic	0.01	55.6	0.73	0.01	34.2	<5	45	17	1.4	<0.5	0.8		
KEGR024	MHG12793	37.0	38.0	1.0	Mafic Volcanic	0.01	60.3	0.6	0.01	32.7	8	181	40	4.6	<0.5	0.9		

Drill Hole Id	Sample Id	Depth From (m)	Depth To (m)	Interval (m)	Lithology : major Geolog	Element Unit Symbol Analysis Method	Recvd Wt.	Al2O3	As	Be	CaO	Co	Cr2O3	Cu	Fe2O3	K2O	Li2O	MgO	MnO	Ni	Pb					
							kg	%	%	ppm	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
							WEI-21	ME-ICP89	ME-ICP89	ME-ICP89	ME-ICP89	ME-ICP89	ME-ICP89	ME-ICP89	ME-ICP89	ME-ICP89	ME-ICP89	ME-ICP89	ME-ICP89	ME-ICP89	ME-ICP89	ME-ICP89	ME-ICP89	ME-ICP89	ME-ICP89	ME-ICP89
						Lower Detection Limit	0.02	0.02	0.01	20	0.01	0.005	0.01	0.01	0.01	0.02	0.01	0.01	0.005	0.01	0.01					
						Upper Detection Limit	1000	100	10	10000	70	30	88	50	100	60	21.5	50	50	30	30					
KEGR024	MHG12794	38.0	39.2	1.2	Mafic Volcanic		2.88	15.4	0.01	<20	6.58	<0.005	0.03	0.01	13.25	0.3	0.06	4.43	0.14	0.03	<0.01					
KEGR024	MHG12795	39.2	39.4	0.3	Pegmatite		0.95	16.2	0.01	220	0.29	<0.005	<0.01	<0.01	1.06	2.72	<0.02	0.13	0.15	<0.005	<0.01					
KEGR024	MHG12796	39.4	40.0	0.6	Mafic Volcanic		1.93	14.35	0.01	<20	7.88	<0.005	0.01	0.01	12.5	0.17	0.06	6.8	0.17	0.018	<0.01					
KEGR024	MHG12797	40.0	41.0	1.0	Mafic Volcanic		4.46	14.4	<0.01	<20	8.34	0.005	0.01	0.01	12.7	0.12	0.04	6.83	0.18	0.013	0.01					
KEGR024	MHG12798	45.0	46.0	1.0	Mafic Volcanic		4.42	14.35	<0.01	<20	7.65	<0.005	0.01	0.01	11.9	0.16	0.04	6.47	0.19	0.01	<0.01					
KEGR024	MHG12799	46.0	47.0	1.0	Mafic Volcanic		3.71	14.25	<0.01	<20	7.11	<0.005	0.01	0.01	11	0.14	0.04	6.05	0.17	0.008	<0.01					
KEGR024	MHG12800	47.0	48.0	1.0	Mafic Volcanic		3.21	14.25	<0.01	<20	7.53	<0.005	0.01	0.01	11.95	0.19	0.11	6.42	0.19	0.013	<0.01					
KEGR024	MHG12801	48.0	48.6	0.6	Mafic Volcanic		2.12	14.2	0.01	<20	7.5	<0.005	0.01	0.01	12.5	0.2	0.39	6.72	0.18	0.013	<0.01					
KEGR024	MHG12803	48.6	48.9	0.3	Pegmatite		1.12	15.6	0.01	110	0.18	<0.005	<0.01	<0.01	0.84	1.37	0.02	0.13	0.13	<0.005	<0.01					
KEGR024	MHG12804	48.9	50.0	1.1	Mafic Volcanic		4.45	14.6	0.01	20	5.39	<0.005	0.01	0.01	10.95	0.41	0.43	5.29	0.19	0.012	<0.01					
KEGR024	MHG12805	50.0	51.0	1.0	Mafic Volcanic		4	14.4	0.01	<20	5.4	<0.005	0.01	0.01	11.4	0.33	0.41	5.52	0.21	0.018	<0.01					
KEGR024	MHG12806	51.0	51.9	0.9	Mafic Volcanic		3.72	14.3	0.01	<20	7.82	<0.005	0.01	0.01	12.7	0.22	0.52	6.93	0.18	0.01	<0.01					
KEGR024	MHG12807	51.9	53.2	1.3	Pegmatite		4.25	16.5	<0.01	300	0.14	<0.005	<0.01	<0.01	0.64	2.58	0.17	0.17	0.11	<0.005	<0.01					
KEGR024	MHG12808	53.2	54.1	0.9	Mafic Volcanic		3.62	14.1	0.01	<20	7.32	<0.005	0.01	0.01	12.2	0.37	0.56	6.7	0.18	0.011	<0.01					
KEGR024	MHG12809	54.1	55.0	0.9	Pegmatite		3.41	14.7	0.01	180	0.34	<0.005	<0.01	<0.01	0.86	1.42	0.88	0.17	0.2	<0.005	<0.01					
KEGR024	MHG12810	55.0	56.0	1.0	Pegmatite		3.66	15.6	0.01	180	0.22	<0.005	<0.01	<0.01	0.8	0.77	1.7	0.07	0.27	<0.005	<0.01					
KEGR024	MHG12811	56.0	57.0	1.0	Pegmatite		3.06	15.75	0.01	170	0.27	<0.005	<0.01	<0.01	0.77	2.81	0.84	0.13	0.2	<0.005	<0.01					
KEGR024	MHG12812	57.0	58.0	1.0	Pegmatite		2.54	15.95	0.01	130	0.24	<0.005	<0.01	<0.01	0.53	2.4	0.69	0.07	0.18	<0.005	<0.01					
KEGR024	MHG12813	58.0	59.0	1.0	Pegmatite		2.45	15.5	0.02	130	0.24	<0.005	<0.01	<0.01	0.46	2.64	0.5	0.07	0.14	<0.005	<0.01					
KEGR024	MHG12814	59.0	60.0	1.0	Pegmatite		2.55	15.8	0.01	150	0.29	<0.005	<0.01	<0.01	0.5	2.25	0.56	0.07	0.16	0.005	<0.01					
KEGR024	MHG12815	60.0	61.2	1.2	Pegmatite		3.06	15.75	<0.01	120	0.25	<0.005	<0.01	<0.01	0.63	2.84	0.34	0.05	0.18	<0.005	<0.01					
KEGR024	MHG12816	61.2	62.0	0.8	Mafic Volcanic		2.3	9.47	0.03	<20	7.61	0.007	0.24	0.01	11.85	0.3	0.28	15.85	0.29	0.049	<0.01					
KEGR024	MHG12817	62.0	63.0	1.0	Mafic Volcanic		2.84	9.49	0.02	<20	9.18	0.005	0.24	0.01	12.15	0.16	0.28	16.2	0.22	0.042	<0.01					
KEGR024	MHG12818	67.0	68.0	1.0	Mafic Volcanic		2.97	12.25	0.01	<20	9.67	0.005	0.12	0.01	11.3	0.12	0.17	10.25	0.2	0.021	<0.01					
KEGR024	MHG12819	68.0	69.0	1.0	Mafic Volcanic		2.67	11.65	<0.01	<20	9.16	<0.005	0.12	0.01	11.1	0.16	0.28	10.05	0.19	0.019	<0.01					
KEGR024	MHG12820	69.0	69.7	0.7	Mafic Volcanic		1.79	13.4	<0.01	30	7.86	<0.005	0.08	0.01	9.79	0.45	0.5	7.94	0.2	0.017	<0.01					
KEGR024	MHG12821	69.7	71.0	1.3	Pegmatite		3.01	16.35	0.02	150	0.55	<0.005	<0.01	<0.01	0.9	2.96	0.41	0.18	0.23	<0.005	<0.01					
KEGR024	MHG12822	71.0	72.0	1.0	Pegmatite		2.36	15.5	0.02	150	0.46	<0.005	<0.01	<0.01	0.86	3.32	0.39	0.12	0.2	<0.005	<0.01					
KEGR024	MHG12823	72.0	73.0	1.0	Pegmatite		2.33	15.35	0.02	170	0.45	<0.005	<0.01	<0.01	0.71	2.25	0.28	0.08	0.16	<0.005	<0.01					
KEGR024	MHG12824	73.0	74.0	1.0	Pegmatite		2.46	15.7	0.01	170	0.42	<0.005	<0.01	<0.01	0.71	3.26	0.37	0.05	0.21	<0.005	<0.01					
KEGR024	MHG12825	74.0	74.0	0.0	Pegmatite		2.39	15.25	0.04	160	0.34	<0.005	<0.01	<0.01	0.71	3.04	0.34	0.03	0.19	<0.005	<0.01					
KEGR024	MHG12826	74.0	76.0	2.0	Pegmatite		2.31	15.55	0.01	150	0.35	<0.005	<0.01	<0.01	0.54	2.6	0.43	0.05	0.22	<0.005	<0.01					
KEGR024	MHG12827	76.0	77.4	1.3	Pegmatite		3.31	15.45	0.01	160	0.52	<0.005	<0.01	<0.01	1.14	2.42	0.15	0.33	0.15	<0.005	<0.01					
KEGR024	MHG12828	77.4	78.4	1.1	Mafic Volcanic		2.48	13.3	0.01	<20	8.1	<0.005	0.07	0.01	11.3	0.31	0.58	9.52	0.21	0.051	<0.01					
KEGR024	MHG12829	78.4	78.7	0.3	Pegmatite		0.81	15.6	0.04	190	0.62	<0.005	<0.01	<0.01	1	1.23	0.13	0.17	0.07	<0.005	<0.01					
KEGR024	MHG12830	78.7	80.0	1.3	Mafic Volcanic		3.01	12.5	0.01	<20	11.1	<0.005	0.1	0.01	10.75	0.37	0.22	10.1	0.21	0.02	<0.01					
KEGR024	MHG12831	80.0	80.3	0.3	Pegmatite		0.96	15.8	0.04	140	0.94	<0.005	0.01	<0.01	1.42	1.89	0.06	0.76	0.04	<0.005	<0.01					
KEGR024	MHG12833	80.3	81.0	0.7	Mafic Volcanic		1.67	11.45	0.01	<20	9.77	0.005	0.15	<0.01	10.6	0.28	0.13	11.8	0.19	0.023	<0.01					
KEGR024	MHG12834	81.0	82.0	1.0	Mafic Volcanic		2.67	11.05	<0.01	<20	12.7	<0.005	0.14	0.01	10.35	0.23	0.09	11.45	0.19	0.022	<0.01					
KEGR024	MHG12835	82.0	83.0	1.0	Mafic Volcanic		2.69	10.25	<0.01	<20	10.75	<0.005	0.16	0.01	10.25	0.28	0.06	12.55	0.18	0.025	<0.01					



Drill Hole Id	Sample Id	Depth From (m)	Depth To (m)	Interval (m)	Lithology : major Geolog	S	SiO2	TiO2	Zn	Cs	Nb	Rb	Sn	Ta	Th	U	Au
						% ME-ICP89	% ME-ICP89	% ME-ICP89	% ME-ICP89	ppm ME-MS91	ppm ME-MS91	ppm ME-MS91	ppm ME-MS91	ppm ME-MS91	ppm ME-MS91	ppm ME-MS91	ppm Au-AA26
						0.01	0.2	0.02	0.01	0.2	5	0.5	5	0.5	0.5	0.5	0.01
						60	100	83	60	25000	2500	25000	10000	2500	2500	2500	100
KEGR024	MHG12794	38.0	39.2	1.2	Mafic Volcanic	0.01	56.7	0.74	0.02	63.9	<5	266	37	2.2	<0.5	2.3	
KEGR024	MHG12795	39.2	39.4	0.3	Pegmatite	<0.01	76.2	<0.02	<0.01	126	66	2680	120	77.8	3.4	2.3	
KEGR024	MHG12796	39.4	40.0	0.6	Mafic Volcanic	0.01	55	0.72	0.02	34.1	<5	87.2	<5	0.5	<0.5	0.5	
KEGR024	MHG12797	40.0	41.0	1.0	Mafic Volcanic	<0.01	56.7	0.74	0.01	22.4	<5	42.1	<5	<0.5	<0.5	0.5	
KEGR024	MHG12798	45.0	46.0	1.0	Mafic Volcanic	0.01	55.8	0.69	0.01	21.5	6	77.9	7	26.2	0.5	0.5	
KEGR024	MHG12799	46.0	47.0	1.0	Mafic Volcanic	0.01	58	0.66	0.01	26.3	18	79.9	<5	18.4	0.6	0.7	
KEGR024	MHG12800	47.0	48.0	1.0	Mafic Volcanic	0.05	56.7	0.76	0.01	34.4	5	109	6	5.4	0.5	0.6	
KEGR024	MHG12801	48.0	48.6	0.6	Mafic Volcanic	0.01	56.7	0.8	0.01	74.2	<5	148.5	9	0.6	<0.5	0.6	
KEGR024	MHG12803	48.6	48.9	0.3	Pegmatite	0.01	76.8	<0.02	<0.01	132	52	1740	275	44.2	3.1	1.2	
KEGR024	MHG12804	48.9	50.0	1.1	Mafic Volcanic	<0.01	59.9	0.65	0.02	548	12	546	30	12.2	0.7	0.9	
KEGR024	MHG12805	50.0	51.0	1.0	Mafic Volcanic	<0.01	59.7	0.67	0.02	350	6	349	15	9.8	0.5	0.8	
KEGR024	MHG12806	51.0	51.9	0.9	Mafic Volcanic	<0.01	56	0.75	0.01	70.6	<5	158	<5	<0.5	<0.5	<0.5	
KEGR024	MHG12807	51.9	53.2	1.3	Pegmatite	<0.01	76.4	<0.02	0.01	250	57	3180	136	124	3	1.7	
KEGR024	MHG12808	53.2	54.1	0.9	Mafic Volcanic	<0.01	55.8	0.74	0.01	406	<5	563	14	7.5	<0.5	0.7	
KEGR024	MHG12809	54.1	55.0	0.9	Pegmatite	<0.01	79.2	<0.02	0.01	183	58	1925	208	85	2.1	3.1	
KEGR024	MHG12810	55.0	56.0	1.0	Pegmatite	<0.01	78.1	<0.02	0.01	167	55	1045	162	62.5	2	3.9	
KEGR024	MHG12811	56.0	57.0	1.0	Pegmatite	<0.01	76.2	<0.02	0.01	373	64	3940	151	81.9	2.2	5	
KEGR024	MHG12812	57.0	58.0	1.0	Pegmatite	0.01	74.4	<0.02	0.01	359	54	3700	186	93.2	2.8	7.5	
KEGR024	MHG12813	58.0	59.0	1.0	Pegmatite	0.01	75.1	<0.02	0.01	307	53	3490	106	84	2.8	4.9	
KEGR024	MHG12814	59.0	60.0	1.0	Pegmatite	0.01	73.8	<0.02	0.01	291	62	3190	164	82.8	2.9	7.2	
KEGR024	MHG12815	60.0	61.2	1.2	Pegmatite	0.01	73.6	<0.02	0.01	314	55	4090	127	92.8	2.4	4.7	
KEGR024	MHG12816	61.2	62.0	0.8	Mafic Volcanic	0.01	50.1	0.52	0.02	401	<5	361	22	2.4	<0.5	0.8	
KEGR024	MHG12817	62.0	63.0	1.0	Mafic Volcanic	0.01	49.6	0.49	0.01	145.5	<5	191	10	1	<0.5	<0.5	
KEGR024	MHG12818	67.0	68.0	1.0	Mafic Volcanic	0.02	53.3	0.52	0.01	17.9	<5	101	<5	1.1	<0.5	<0.5	
KEGR024	MHG12819	68.0	69.0	1.0	Mafic Volcanic	0.03	53.7	0.55	0.01	149.5	<5	185	39	8.7	0.5	<0.5	
KEGR024	MHG12820	69.0	69.7	0.7	Mafic Volcanic	0.02	57.3	0.47	0.01	592	11	806	43	17.5	0.9	1	
KEGR024	MHG12821	69.7	71.0	1.3	Pegmatite	0.02	73.8	<0.02	0.02	245	67	3610	220	93.4	2.4	6.5	
KEGR024	MHG12822	71.0	72.0	1.0	Pegmatite	0.02	73.8	<0.02	0.02	234	64	3900	76	79.4	2.7	6	
KEGR024	MHG12823	72.0	73.0	1.0	Pegmatite	0.02	73.6	<0.02	0.01	186.5	78	2480	102	90.9	4.2	6.4	
KEGR024	MHG12824	73.0	74.0	1.0	Pegmatite	0.01	73.4	<0.02	0.02	238	77	3870	114	93.7	3.2	7.1	
KEGR024	MHG12825	74.0	74.0	0.0	Pegmatite	0.02	74.4	<0.02	0.01	192.5	71	3460	145	88.2	5.2	11.6	
KEGR024	MHG12826	74.0	76.0	2.0	Pegmatite	0.01	74	<0.02	0.01	172.5	64	3110	202	83.3	3	8.1	
KEGR024	MHG12827	76.0	77.4	1.3	Pegmatite	0.01	74	0.02	0.02	209	67	2530	105	89	2.7	7.3	
KEGR024	MHG12828	77.4	78.4	1.1	Mafic Volcanic	0.07	53.9	0.56	0.01	297	<5	303	6	0.8	<0.5	1.4	
KEGR024	MHG12829	78.4	78.7	0.3	Pegmatite	0.04	72.9	0.02	0.01	133.5	68	1140	54	114.5	3.1	6.9	
KEGR024	MHG12830	78.7	80.0	1.3	Mafic Volcanic	0.06	53.7	0.54	0.01	82.3	<5	329	15	4.6	<0.5	1	
KEGR024	MHG12831	80.0	80.3	0.3	Pegmatite	0.04	72.1	0.04	<0.01	74.2	54	1325	39	100.5	1.9	3.6	
KEGR024	MHG12833	80.3	81.0	0.7	Mafic Volcanic	0.01	53.1	0.48	0.01	104	<5	228	30	3.5	<0.5	0.9	
KEGR024	MHG12834	81.0	82.0	1.0	Mafic Volcanic	0.02	52.6	0.46	0.01	21.6	<5	98.5	<5	0.5	<0.5	<0.5	
KEGR024	MHG12835	82.0	83.0	1.0	Mafic Volcanic	0.01	53.3	0.45	0.01	9.1	<5	89.6	<5	2.3	<0.5	<0.5	

# Appendix 3

## JORC Code, 2012, Table 1

### SECTION 1 SAMPLING TECHNIQUES AND DATA

Criteria	JORC Code explanation	Commentary
Sampling techniques	<ul style="list-style-type: none"> <li>Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</li> <li>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</li> <li>Aspects of the determination of mineralisation that are Material to the Public Report.</li> <li>In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.</li> </ul>	<ul style="list-style-type: none"> <li>This table relates to recent sampling of target identified diamond core drill hole (DDH) core and reverse circulation (RC) spoil samples of spodumene bearing pegmatite from a recent surface drill holes KEGR007, KEGR011, KEGR013, KEGR014, KEGR022 and KEGR024; at Earl Grey Deposit (refer Figures 1 to 2 in text) undertaken by KDR at the Mt Holland project. Earl Grey is 3km north-northwest of Bounty Gold Mine. Core sample intervals selected average at 1m based on geological logging.</li> <li>All drill holes (Appendix 1) had sample intervals selected from them by KDR in this programme.</li> <li>Selected core sample intervals from cored holes (KEGR007 and KEGR024 were taken from the core trays by lengthwise half core cutting method as per industry standard practice.</li> <li>Selected spoil sample intervals were taken from the spoil bags by cone and quarter method as per industry standard practice for the other drill holes.</li> <li>Samples were forwarded to certified laboratory for analysis where they were weighed, crushed, reweighed, pulverised and split to produce a ~200g pulp subsample to use in the assay process.</li> <li>The samples were assayed by inductively coupled plasma mass spectrometry (ICP) or mass spectrometry (MS) (refer Appendix 2).</li> <li>Only a few pulp duplicate samples were in evidence for the reported intervals.</li> </ul>
Drilling techniques	<ul style="list-style-type: none"> <li>Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</li> </ul>	<ul style="list-style-type: none"> <li>Drill holes KEGR007 and KEGR024 were drilled by reverse circulation (RC) for the first 6 metres pre-collar as per industry standard practice. <ul style="list-style-type: none"> <li>From the end of the pre-collar RC drilling to the end of the hole was drilled by diamond core drilling (DDH) using a standard NQ2 (47.6mm) diameter core technique as per industry standard practice.</li> </ul> </li> <li>KEGR011, KEGR013 and KEG014 and KEGR022 were drilled by reverse circulation (RC) technique these are a standard RC drilling diameter.</li> </ul>
Drill sample recovery	<ul style="list-style-type: none"> <li>Method of recording and assessing core and chip sample recoveries and results assessed.</li> <li>Measures taken to maximise sample recovery and ensure representative nature of the samples.</li> <li>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</li> </ul>	<ul style="list-style-type: none"> <li>All drill holes were geologically logged and recorded within a database by KDR.</li> <li>Selected sample intervals from the reported drill holes have been logged and compiled into a database.</li> <li>Recoveries for RC pre-collar and RC drill holes are not apparent, however are expected to be 70-90% in this geological / geomorphological setting.</li> <li>Recoveries for the drill core are in the order of 90-100%.</li> <li>Samples were selected on a basis of pegmatite intersection and notable spodumene occurrence, hence are not an unbiased sample.</li> </ul>
Logging	<ul style="list-style-type: none"> <li>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</li> <li>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</li> <li>The total length and percentage of the relevant intersections logged.</li> </ul>	<ul style="list-style-type: none"> <li>Both quantitative and qualitative geological information captured by KDR personnel is imported and consolidated into a database, for interpretation, analysis, and verification purposes.</li> <li>All drill hole data includes: <ul style="list-style-type: none"> <li>Geological logging over geological and alteration basis, dependent on observed changes for various parameters (e.g. lithology, mineralogy, weathering, etc.)</li> </ul> </li> <li>The geological logging is compiled with appropriate attention to detail.</li> <li>Industry standard practice is apparent in the detail of the logging by KDR.</li> <li>The database is hence used for interpretation and geological modelling purposes.</li> </ul>
Sub-sampling techniques and sample preparation	<ul style="list-style-type: none"> <li>If core, whether cut or sawn and whether quarter, half or all core taken.</li> <li>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</li> <li>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</li> <li>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</li> <li>Measures taken to ensure that the sampling is representative of the in situ material collected, including</li> </ul>	<ul style="list-style-type: none"> <li>The select sample intervals were sub-sampled on a near 1 meter basis within geological boundaries. Interval samples of less than 1m are restricted by geological, alteration or other notable feature boundary.</li> <li>Core samples were marked up prior to logging and sampling as per standard industry practice.</li> <li>The core samples selected were cut lengthwise by diamond blade saw to give two half core lengths, this is normal industry practice.</li> <li>One half of the selected core sample was collected and bagged, marked up and forwarded to a laboratory for analysis.</li> </ul>

<p>for instance results for field duplicate/second-half sampling.</p> <ul style="list-style-type: none"> <li>• Whether sample sizes are appropriate to the grain size of the material being sampled.</li> </ul>	<ul style="list-style-type: none"> <li>• Spoil bags selected from RC holes for sampling were cone and quarter split, with ¼ of the split being bagged as the sample for analysis. It is standard industry practice to either retain a ¼ split for future studies and or to retain a chip tray of the spoils for future viewing.</li> <li>• The remainder of the sample length split samples have been retained.</li> <li>• A total of 560 samples over 553m were collected.</li> <li>• The NATA accredited laboratory is registered to ISO 9001:2008 standards. They use industry best practice.</li> <li>• The laboratory procedure used includes the following: <ul style="list-style-type: none"> <li>○ Sort all samples and note any discrepancies to the submittal form</li> <li>○ Record a received weight (WEI-21) for each sample,</li> <li>○ Crush samples to 6mm nominal (CRU-21),</li> <li>○ Record a crushed samples weight,</li> <li>○ Split any samples &gt;3.2Kg using a riffle splitter (SPL-21),</li> <li>○ Generate internal laboratory duplicates for nominated samples, assigning a 'D' suffix to the sample number,</li> <li>○ Pulverise samples in LM5 pulveriser until grind size passes 90% passing 75µm (PUL-23),</li> <li>○ Check pulverise size on 1:20 wet screen (PUL-QC),</li> <li>○ Take ~ 100g work master pulp for 0.2g sample for sodium pentoxide fusion with ICP-OES or ICP_MS finish.</li> </ul> </li> <li>• The elements the samples were assayed for are: Al<sub>2</sub>O<sub>3</sub>, As, CaO, Co, Cr<sub>2</sub>O<sub>3</sub>, Cu, Fe<sub>2</sub>O<sub>3</sub>, K<sub>2</sub>O, Li<sub>2</sub>O, MgO, MnO, Ni, Pb, S, SiO<sub>2</sub>, TiO<sub>2</sub>, Zn, Cs, Nb, Rb, Sn, Ta, Th, and U. The code for the method used, the method units of measure, limits of detection are shown in Table 2, Appendix 2. A small number of select samples had gold (Au) analyses conducted on them.</li> </ul>
<p>Quality of assay data and laboratory tests</p>	<ul style="list-style-type: none"> <li>• The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</li> <li>• For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</li> <li>• Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.</li> </ul>
<p>Verification of sampling and assaying</p>	<ul style="list-style-type: none"> <li>• For the all samples being reported elemental concentrations has been determined as per the outline in the proceeding item. These are listed in Appendix 2.</li> <li>• No geophysical results are reported.</li> <li>• Limited field QAQC has been supplied by KDR for the reported intervals. QAQC is reliant upon high standard laboratory practice and supply of laboratory internal QAQC data.</li> <li>• It is recommended that future sampling programmes incorporate field QAQC best practice for selected reporting intervals.</li> </ul>
<p>Location of data points</p>	<ul style="list-style-type: none"> <li>• Historical drill holes have not been specifically twinned by KDR as far as the technical expert is aware.</li> <li>• Industry standard practice is assumed for activities which occurred prior to KDR.</li> <li>• Primary historical data and any re-logging / new sampling data have been compiled into the database. This database is in a process of on-going re-evaluation and consolidation by KDR.</li> <li>• No adjustments or calibrations to the assay data have been made. All reported intercept intervals are normalised to the sample interval – weighted average method.</li> </ul>
<p>Data spacing and distribution</p>	<ul style="list-style-type: none"> <li>• Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</li> <li>• Specification of the grid system used.</li> <li>• Quality and adequacy of topographic control.</li> </ul>
	<ul style="list-style-type: none"> <li>• All co-ordinates are MGA94 zone 50S grid datum.</li> <li>• Vertical regional level (RL) is assumed to be Australian height datum level as the drill hole has an RL of whilst a local topographic peak at Mount Holland is 473 m above sea level.</li> <li>• The drill holes were surveyed by hand held GPS.</li> <li>• No re-survey of the drill hole collar co-ordinates has been undertaken by KDR.</li> </ul>
	<ul style="list-style-type: none"> <li>• The reported results are based on selective sampling of target identified core and spoil samples (spodumene bearing pegmatite) from the most recent drill holes being reported (Appendix 1) at Earl Grey Gold Deposit.</li> <li>• Samples were selected on a basis of pegmatite occurrence and high visual spodumene occurrence, hence are not an unbiased sample.</li> <li>• The recent assay sample spacing of the drill holes being reported alone are not sufficient to establish a high degree of geological and grade continuity appropriate for Mineral Resource and Ore Reserve reporting. Combined with all previous drilling results a reasonable degree of geological control, continuity and confidence may be gained to enable maiden resource modelling and definition to be undertaken in the near future.</li> <li>• The reported intervals are weighted average grades over the summed thicknesses, this is normal industry practice.</li> <li>• Historical and previous KDR drill hole data and surface mapping indicates a high number of pegmatite intersections in the Mt Holland Project leases (refer to ASX Announcement 21 September 2016) and</li> </ul>



		occurrences in application E77/2244 to the north. It is not known if all these intersections are spodumene bearing.
<i>Orientation of data in relation to geological structure</i>	<ul style="list-style-type: none"> <li>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</li> <li>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</li> </ul>	<ul style="list-style-type: none"> <li>The orientation of the targeted drill holes for selective sampling is given in Appendix 1, Table 1 in the text.</li> <li>The orientation of the drill holes in relation to the pegmatites sampled as interpreted by KDR are shown on the sections Figures 1; initial geological modelling indicates the drill holes intersected the pegmatite at steep angles, and are therefore not considered a representations of the pegmatite true thickness.</li> <li>True thickness is estimated from the drill holes angle of repose and the intersected pegmatite interval; this continues to gives an estimated true thickness of 70-80m, dependent upon the drill hole in review.</li> <li>Discussions with KDR personnel indicated that in the main the pegmatite has a gentle westerly dip (Figure 1 in text) in the drilled section but steepens with depth. However elsewhere in the Mount Holland Project there are other pegmatite occurrences which appear to be southeast dipping and others which are near vertical. The pegmatites can be truncated by east – northeast trending fracture zones.</li> <li>Notable sections of the sampled pegmatite intervals are recorded as being highly fractured. Particularly on the hanging-wall. Few orientations of these fractures have been recorded.</li> <li>Relationship of the pegmatites and local or regional structures has not been fully established at this stage.</li> <li>Pegmatites may intrude along fracture zones.</li> <li>Several occurrences of shallow angle outward trending narrow extensions (apophysis) from the main pegmatite have been noted. These are variably mineralised.</li> </ul>
<i>Sample security</i>	<ul style="list-style-type: none"> <li>The measures taken to ensure sample security.</li> </ul>	<ul style="list-style-type: none"> <li>Sample chain of custody is managed by KDR.</li> <li>Samples were collected and stored on site prior to delivery to the laboratory in Perth by KDR personnel.</li> <li>Whilst in storage samples are kept in a locked yard.</li> <li>Tracking sheets are used to track the progress of batches of samples.</li> </ul>
<i>Audits or reviews</i>	<ul style="list-style-type: none"> <li>The results of any audits or reviews of sampling techniques and data.</li> </ul>	<ul style="list-style-type: none"> <li>Internal review of sampling techniques as well as data handling and validation is conducted by KDR as part of due diligence and continual review of protocols.</li> <li>Further application of industry best practice in applying statistically valid number of field duplicates and field standards within intervals of high interest should be addressed in future sampling programmes.</li> <li>Recording of LOI from sample analyses is also recommended to be included in all sample results in future programmes, as is analysis for Na<sub>2</sub>O or Na.</li> </ul>

## SECTION 2 REPORTING OF EXPLORATION RESULTS

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
<i>Mineral tenement and land tenure status</i>	<ul style="list-style-type: none"> <li>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</li> <li>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</li> </ul>	<ul style="list-style-type: none"> <li>KDR has signed a binding agreement to acquire the Mt Holland gold project package of tenements.</li> <li>The author is not aware of issues which may impede KDR tenure position and understands the tenements are in good standing.</li> <li>Application E77/2244 is pending grant.</li> <li>No cultural heritage issues have been reported.</li> </ul>
<i>Exploration done by other parties</i>	<ul style="list-style-type: none"> <li>Acknowledgment and appraisal of exploration by other parties.</li> </ul>	<ul style="list-style-type: none"> <li>Potential first recognised in 1980 by Harmark – Au and Ni</li> <li>In 1985 Aztec conducted soil sampling of the tenement which highlighted a number of discrete zones with values ranging from 100ppb-1000ppb Au within a broad anomalous trend and significant anomalism around the future Bounty pit. The anomalies were then tested with RAB drilling.</li> <li>During 1986 further RAB and follow-up RC intersected the main body of gold (Au) mineralisation which was eventually drilled out on 20x12m. The Au mineralisation was recognised as being associated with the pyrite and pyrrhotite.</li> <li>Transient Electromagnetic surveys (TEM) were conducted over and along strike of the Bounty ore body further delineating the resource. This found that the data was dominated by a westerly dipping, near vertical semi-continuous conductive</li> </ul>

	<p>zone, which thickens to the south and extends over the length of the survey. This is associated with sulphides within and peripheral to the contacts of the Bounty horizon.</p> <ul style="list-style-type: none"> <li>• In 1989 mining of the Bounty pit started.</li> <li>• The total ore mined from the Bounty, West and North Bounty pits was 640,000t @ 5.55g/t Au or 114,000oz Au.</li> <li>• Minor RAB and occasional RC drilling was undertaken north and south testing for strike extension. This effectively closed off the Au resource to the north but left it open to the south.</li> <li>• In 1997 Forresteria drilled a number of holes to the east of the pit to test for potential nickel mineralisation.</li> <li>• No known previous exploration focussed on lithium.</li> </ul>
<p><b>Geology</b></p> <ul style="list-style-type: none"> <li>• <i>Deposit type, geological setting and style of mineralisation.</i></li> </ul>	<ul style="list-style-type: none"> <li>• Regional Geology</li> <li>• N-S trending linear greenstone stratigraphy</li> <li>• E-W cross-cutting Proterozoic dykes</li> <li>• Alternating peridotitic and basaltic komatiites to the east, overlain by sheared and brecciated metasediment, which in turn has a sheared upper contact with the overlying dolerite.</li> <li>• Intrude by granite to the east and west.</li> <li>• Local Bounty Mine Geology</li> <li>• Bounty Horizon BIF (a variably deformed Fe-Am-chert formation) is the western most and youngest horizon of an ultramafic sequence of basaltic and peridotitic komatiite and associated sediments known as the Bounty sequence; strike N-S.</li> <li>• Hanging wall dolerite has a mylonitised chloritic sheared contact.</li> <li>• Sequence is a near-vertical, westerly dipping (75°–85°) semi-continuous horizon with discontinuities due to cross cutting fracture zones.</li> <li>• Fracture zones are intruded by pegmatites and younger north-northeast trending dykes i.e. the 280m wide Proterozoic Binneringie dyke.</li> <li>• Spodumene (lithium containing mineral) bearing pegmatite zonation within larger pegmatite body; typical LIT pegmatite association.</li> <li>• Zonation of pegmatites within the Mt Holland project is not fully understood or has not been fully investigated at this stage.</li> <li>• The current drill hole KEGR001 and the assay results indicate that the pegmatite is zoned, further work is required to better understand this zonation.</li> </ul>
<p><b>Drillhole Information</b></p> <ul style="list-style-type: none"> <li>• <i>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:</i></li> <li>• <i>easting and northing of the drill hole collar</i></li> <li>• <i>elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar</i></li> <li>• <i>dip and azimuth of the hole</i></li> <li>• <i>down hole length and interception depth</i></li> <li>• <i>hole length.</i></li> <li>• <i>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</i></li> </ul>	<ul style="list-style-type: none"> <li>• Details of the drill holes being reported are listed in Table 1 – Appendix 1.</li> <li>• The interception depth of the pegmatite intervals is given in Appendix 2.</li> <li>• All horizontal co-ordinates are MGA94 zone 50S grid datum.</li> <li>• Vertical regional level (RL) is assumed to be Australian height datum level as the surface drill holes have an RL of 447m to 450m whilst a local topographic peak at Mount Holland is 473 m above sea level.</li> <li>• No resurvey of the drill hole collar co-ordinates has been undertaken by KDR.</li> </ul>
<p><b>Data aggregation methods</b></p> <ul style="list-style-type: none"> <li>• <i>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated.</i></li> <li>• <i>Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</i></li> <li>• <i>The assumptions used for any reporting of metal equivalent values should be clearly stated</i></li> </ul>	<ul style="list-style-type: none"> <li>• Sample intervals selected (Table 2 – Appendix 2) are based on 1m lengths within geological feature boundaries. A number of sample intervals are less than 1m (particularly in DDH drill holes) due to various geological boundaries.</li> <li>• RC drill holes are logged and generally sampled on a 1m return of drill spoils basis.</li> <li>• For assay results greater than 1% Li<sub>2</sub>O a weighted average result has been reported:</li> <li>• The assay results are weighted averaged to the individual sample lengths for the combined interval.</li> <li>• No metal equivalent has been used.</li> <li>• No top cut has been applied.</li> </ul>
<p><b>Relationship between mineralisation widths and intercept</b></p> <ul style="list-style-type: none"> <li>• <i>These relationships are particularly important in the reporting of Exploration Results.</i></li> <li>• <i>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</i></li> </ul>	<ul style="list-style-type: none"> <li>• The relationship between sample interval lengths to the pegmatite orientation and drill core orientation has not been fully noted.</li> <li>• Sample intervals are restricted by geological contacts and changes where applicable.</li> <li>• Initial modelling indicates the drill holes intersect</li> </ul>

<p><i>lengths</i></p>	<ul style="list-style-type: none"> <li><i>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known')..</i></li> </ul>	<ul style="list-style-type: none"> <li>pegmatite at steep angles.</li> <li>Interpretation shown in Figure1 indicates drill holes intersect the pegmatite at steep angles and do not reflect true thickness over the pegmatite in the logged intersects.</li> <li>Pegmatite true thickness intersection is estimated at s 70 – 80 m in length from the reported drill holes.</li> <li>Work to define the continued trend and variability of the pegmatite is ongoing.</li> </ul>
<p><i>Diagrams</i></p>	<ul style="list-style-type: none"> <li><i>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</i></li> </ul>	<ul style="list-style-type: none"> <li>Diagrams of the location of the drill holes have been provided as Figures 1, and 2.</li> <li>These preliminary results are sufficient in numbers to only enable a preliminary geological interpretation of the pegmatite in section to be made. The combined results from all the 2016 work by KDR are enabling a more detailed geological interpretation.</li> <li>Further planned work will progress the geological knowledge and model enabling further detailed interpretation plans and sections to be constructed.</li> </ul>
<p><i>Balanced reporting</i></p>	<ul style="list-style-type: none"> <li><i>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</i></li> </ul>	<ul style="list-style-type: none"> <li>The current results reported constitute all known results for lithium mineralisation within pegmatite intersected with drill holes reported in Appendix 1 – Table 1 at Earl Grey Deposit.</li> <li>All sample assay results to date for the pegmatite intersection in drill holes listed in Appendix 1 – Table 1 are reported in Appendix 2, table 2.</li> </ul>
<p><i>Other substantive exploration data</i></p>	<ul style="list-style-type: none"> <li><i>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances..</i></li> </ul>	<ul style="list-style-type: none"> <li>Systematic sampling and multi element assaying of the pegmatites has not historically been conducted and has only been commenced by KDR within the past year.</li> <li>This work is part of continued and ongoing work aimed at improving the geological knowledge of the mineralised pegmatite at Earl Grey Deposit.</li> <li>This work confirms earlier re-assay results for selected reverse circulation drill holes which were drilled into the pegmatite at Earl Grey (ASX Announcement 15<sup>th</sup> July 2015) and are additional to the previous drill hole results as reported in ASX Announcement 2 September 2016 and ASX Announcement 21 September 2016.</li> </ul>
<p><i>Further work</i></p>	<ul style="list-style-type: none"> <li><i>The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling).</i></li> <li><i>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i></li> </ul>	<ul style="list-style-type: none"> <li>Any further sampling of spodumene pegmatite intersection from drill holes from within the Mount Holland Project undertaken by KDR will be reported in accordance with reporting standards.</li> <li>Results of analyses of samples outstanding, pending or future will be reported in accordance to the 2012 JORC Code.</li> <li>Current ongoing work is building a preliminary model of the geology, mineralogy and geochemistry of these pegmatites, and further planned work is intended to assist in defining the mineralisation within the pegmatites; with the intent to produce a maiden resource.</li> <li>NO bulk density samples have been conducted on material (core or RC chips) to date as far as the competent person (technical expert) is aware.</li> <li>Provision must be made to conduct some core bulk density testing of mineralised and non-mineralised pegmatite material in the future. Bulk density determination will be necessary for any resource modelling work.</li> <li>Continued project-wide geological review and database consolidation may assist in locating further historically mapped pegmatites and or others not previously identified.</li> </ul>