

Orion Goldnl ASX Code: ORN

Exploration Update

- High Grade Copper & Zinc drilled at PC Project drilling continues
- Orion Gold NL · Assays awaited for highly mineralised Marydale intersections
 - Geophysics underway in Fraser Range
 - Drilling due to commence at Connors Arc in September







Disclaimer and Forward-Looking Statements



- Certain statements contained in this presentation, including information as to the future financial or operating performance of Orion Gold NL (**Orion**) and its projects, are forward-looking statements. Such forward-looking statements:
 - are necessarily based upon a number of estimates and assumptions that, while considered reasonable by Orion Gold NL, are inherently subject to significant technical, business, economic, competitive, political and social uncertainties and contingencies;
 - involve known and unknown risks and uncertainties that could cause actual events or results to differ materially from estimated or anticipated events or results reflected in such forward-looking statements; and
 - may include, among other things, statements regarding targets, estimates and assumptions in respect of metal production and prices, operating costs and results, capital
 expenditures, mineral reserves and mineral resources and anticipated grades and recovery rates, and are or may be based on assumptions and estimates related to future
 technical, economic, market, political, social and other conditions.
- Orion disclaims any intent or obligation to update publicly any forward-looking statements whether as a result of new information, future events or results or otherwise.
- The words 'believe', 'expect', 'anticipate', 'indicate', 'contemplate', 'target', 'plan', 'intends', 'continue', 'budget', 'estimate', 'may', 'will', 'schedule' and similar expressions identify forward-looking statements.
- All forward-looking statements made in this presentation are qualified by the foregoing cautionary statements. Investors are cautioned that forward-looking statements are not guarantees of future performance and accordingly investors are cautioned not to put undue reliance on forward-looking statements due to the inherent uncertainty therein.
- All information in respect of Exploration Results and other technical information should be read in conjunction with the Competent Person Statements at the end of this presentation
- To the maximum extent permitted by law, Orion and any of its related bodies corporate and affiliates and their officers, employees, agents, associates and advisers:
 - disclaim any obligations or undertaking to release any updates or revisions to the information to reflect any change in expectations or assumptions;
 - do not make any representation or warranty, express or implied, as to the accuracy, reliability or completeness of the information in this presentation, or likelihood of fulfilment of any forward-looking statement or any event or results expressed or implied in any forward-looking statement; and
 - disclaim all responsibility and liability for these forward-looking statements (including, without limitation, liability for negligence).
- Nothing contained in this presentation constitutes investment, legal, tax or other advice. The information does not take into account the investment objectives, financial situation or particular needs of any recipient. Before making an investment decision, each recipient of this presentation should make its own assessment and take independent professional advice in relation to the information and any action taken on the basis of this presentation.

Orion: Corporate Summary



Capital Structure Summary		
Shares on Issue	475M	
Options on Issue (as at 31 July '16)	85M	
Market Capitalisation (at 2.3cps)	\$11M	
Cash on Hand (as at 30 June '16)	\$0.7M	

Significant Holder Name	Number	%
Tarney Holdings	66,546,104	14%
Silja Investment Ltd (1)	56,706,578	12%
Eastern Goldfields	33,333,333	7%
Creasy Group	20,765,447	4%
Alexander Haller (1)	11,302,248	2%
Significant Holder Total	188,653,710	39%

Board & Management		
Denis Waddell	Chairman	
Errol Smart	CEO, Managing Director	
Bill Oliver	Technical Director	
Alexander Haller	Non Executive Director	
Martin Bouwmeester	Company Secretary	

⁽¹⁾ Mr Alexander Haller is deemed to have a relevant interest in securities held by Silja Investment Ltd.

Orion Provides Diversified Metals Exposure



- Project portfolio provides exposure to :
 - Gold, Silver, Zinc, Copper, Nickel + PGE, REE + Lithium

South African Projects

- Advanced stage with major brownfield/greenfield upside.
- High density of multi metal occurrences.
- Commanding mineral rights holdings in an exceptional geological terrain.


Australian Projects

- Large 100% tenement holding in Queensland's Connors Arc.
- Large tenement position in WA Fraser Range.

Exploration underway on all key projects – strong news flow

Areachap South Africa - Three Superimposed Geological Events Produce An Exceptional Metals Province






Gold and base metal deposits were deposited in an active volcanogenic environment at 1.28 Ga.

Prieska **Cu-Zn** deposit recoded as one of world's 30 largest VMS deposits.


Numerous other VMS centers identified.



The terrain is within a tectonic / mobile belt on western margin of Kaapvaal Craton and has subsequently been intensely altered & tectonised.

Mafic Intrusives analogous to Fraser Range, WA with Ni-Cu deposits intruding pre existing VMS & VHMS.


Jacomynspan **Ni-Cu-PGE** deposit contains demonstrated huge metal endowment.



Late stage granites and pegmatites intrude, with **Li** and REE deposits.

Areachap – Underexplored, world class VMS & Mafic Intrusive belt, with late stage pegmatites






- Despite numerous mineral occurrences being discovered between 1970-1998, no major exploration for past 20 years.
- Most discoveries remain open down dip and along strike.
- Numerous surface occurrences not drill tested.
- Belt has not benefitted from modern exploration:
 - Areachap Belt is tectonic and time correlate of Fraser Range (WA)
 - Despite discovery of large low grade Ni-Cu deposit the belt has not been explored for that style of mineralisation
- Major consolidation opportunity Orion acted at bottom of cycle and secured a large consolidated land package.
- Orion holdings have Cu-Zn, Ni-Cu-PGE, Au-Cu, REE + Li occurrences and major deposits.

Areachap Project - Agama



Agama - Binding Option Term Sheet

- Orion has secured an option until 31 December 2016 to acquire 73.3% interests in a world class VMS Zinc, Copper project and a virgin epithermal Gold discovery.
- Option price: ZAR85.5 million (approx. A\$7.8m) = **ZAR64 million cash + ZAR21.5 million in Orion shares** (1)(2).
- PC has a **ZAR30 million financing facility in place to fund feasibility study**, secured late 2015.



- Exchange rate assumption AUD1 = ZAR11
- In the event that vendors are unable to obtain the requisite regulatory approvals for the issue of Orion shares, that proportion of shares consideration will be paid to the vendors in cash.


Project Locations

9

270 km SW of Kimberley (Regional Capital)

Excellent regional & mine infrastructure:

- Access via bitumen road.
- 2km from small village of Copperton (38 brick & mortar houses – 54 room workmans camp).
- Railway siding at Groveput 48km.
- Region power substation on site.
- Green energy (wind & solar) generation projects operational surrounding site.
- Bulk / treated water piped from Orange River to site (65km) in 400mm pipeline.
- 1900m landing strip.



PC Exploration/ Development Project - "PC"




Reviving a historic success



1971-1991 the mine employed 4,000 people and milled 8,000tpd Produced >430,000tons Copper and > 1million tons Zinc Mine closed and site rehabilitated 1991

Returned R2.64 (US\$1.16 at the time) per share in dividend yields for R0.50 (US\$0.7 at the time) per share investment from shareholders


Source: Company and Mine Records




Low regional environmental sensitivity – existing disturbed/rehabilitated mine footprint All mining plant and equipment has been removed, and site rehabilitated except for major civil works and infrastructure.

4 separate regional HV lines link to national electricity grid.

- Tarred road to project site
- 48km via bitumen road to existing rail siding
- 800km rail link to major, bulk commodity, deep water port
- Bulk water pipeline supplies site





Exploration Targets




Exploration Target	Tonnage	Cu %	Zn%
+ 105 (Open Pit)	3.0 - 4.5 million tonnes	1.0 - 1.6%	1.3 – 2.0%
Deep Sulphide	7.0 - 11.0 million tonnes	1.2 – 1.8%	3.9 - 5.9%


- Cautionary Statement: The potential quantity (tonnage) and grade of the Exploration Targets are conceptual in nature. The exploration data to date is insufficient to estimate Mineral Resources and it is uncertain if further exploration will result in the estimation of Mineral Resources.
- The Exploration Targets are based on Exploration Results, namely historical drilling intersections. Information relating to the Exploration Targets and the Exploration Results which have resulted in the estimation of the Exploration Targets is contained in the ASX Release of 18 November 2015.
- It should be noted that at mine closure (1991) the Deep Sulphide Exploration Target was included in the mine's published "resource inventory", estimated under the supervision of Dr. D. Krige (the father of the Kriging resource estimation geostatistical method). This inventory was classified using similar methodology to the JORC Code and adheres to some of the criteria for a "historical resource" as defined in the ASX Listing Rules, however the Company has decided it is more appropriate to re-estimate the mineralisation using all available data.
- Incomplete archive records mean that the Competent Person believes it is not currently appropriate to classify the mineralisation as a Mineral Resource of any category. However further drilling, if consistent with historical Exploration Results, may lead to the definition of a Mineral Resource. The amount of validation drilling required to ascertain this is not substantial and, coupled with infill drilling in key areas, represents a substantial opportunity for the Company.

+105 Open Pit Target – High Grade Intersections Drilled










PC Underground Infrastructure



Permitting underway to re-access




Please refer to Appendix 1 of the ASX Release of 18 November 2015 for complete information regarding the drilling data from which these statistics have been generated.

- 8.8m diameter concrete lined vertical shaft to 1,024m.
- 3 separate ramp declines (6.5 x 3.8m) reach deepest ore at 1,140m.
- Primary mine development in place to reach deep sulphide mineralisation together with extensive regional infrastructure would significantly reduce future development costs.
- Historic drilling shows high grade copper and zinc remaining.



Location and Infrastructure


- 65 km NW of Copperton and 280km SW of Kimberley.
- In close proximity to excellent infrastructure:
 - Marydale on the N10 highway
 - Railway station at Marydale
 - Eskom grid power
 - Good all-weather road links to PC site



History

- First prospected by Anglo American Prospecting Services (Anglo) for Copperton style base metal mineralisation during the period 1975 to 1982.
- Anglo was searching for VMS Cu but the grade of mineralisation is lower than Prieska Copper dropped their option agreement.
- 1988 to 1989 Anglo re-optioned the property to evaluate it for gold potential.
- •Significantly anomalous gold values were found in trenches and followed up with scout drilling to along 1.8km of interpreted trend. (1)
 - Agama drilled for gold in 2013 with significant results (1) including:
 - 50.4 metres at 2.68g/t gold from 8.1 metres (WC08)
 - 37.1 metres at 2.72g/t gold from 61.1 metres (WC09)
 - 25.7 metres at 2.72g/t gold from 47.8 metres (WC22)
 - 11.3 metres at 3.36g/t gold from 1.4 metres (WC10)
 - 12.1 metres at 2.37g/t gold from 56.2 metres & 27.4 metres at 2.18g/t gold from 72.6metres (WC01)
 - Re-Interpretation of drill results by Orion indicates a structurally complicated, body that justifies further investigation.


Structurally Oriented Core Across Mineralisation to Work Out Morphology



High Sulphide Ore – Amenable to IP or EM



IP & EM Surveys planned to commence August 2016



- Historic drilling did not test highest IP responses
- Low grade Au, Cu & Zn values were intersected at lower IP response
 - Modern IP & EM considered to be key tools to test entire mineralsed target area
 - Potential for larger targets at depth zoned VHMS system possible


Plan showing historical drilling and geochemical anomalies over conductivity response in IP survey at the Marydale Project. The box indicates the NW Quadrant area, where drilling is currently being conducted.

Areachap Project - Masiqhame




Masiqhame - Binding Option Term Sheet

- •Orion has secured an option until 30 September 2016 to acquire initial 50% interest increasing to 73%.
- •Initial investment of R1.5million (A\$135,000) to achieve 50% interest. **Funds to be used for initial exploration.**
- •Orion provides additional funding (minimum A\$100,000 per annum), via loan account, to advance FS and apply for Mining Right.
- •Orion's interest increases to 73% when FS completed & Mining Right applied for.



Areachap Project - Masiqhame







- Numerous occurrences of Zn Cu.
- Most only drill tested to < 250m.
- Most significant is the Kantienpan Deposit:
 - 14 diamond core holes for 3,199 metres.
 - · Mineralisation open along strike & down dip.
- Significant Cu and Zn mineralisation are recorded at other occurrences providing focus for further exploration:
 - Boksputs Prospect was RAB drilled by AAC to a depth of 35m but only few holes tested sulphide ore.
 - Van Wyks Pan comprises a large, wide outcropping massive sulphide body, limited drill testing.
- The Jacomynspan Ni-Cu mafic intrusive is traced to within 2500m of the Masiqhame PR and appears to trend into the PR (analogies with Fraser Range).
- A recent field visit by Errol Smart (MD) noted numerous pegmatite intrusives. Similar pegmatites nearby are known to contain lithium (as spodumene) with berylium. Some of these have been small mines in the past.

Kantienpan Zn-Cu – mobilising to drill



Drill Holes at Kantienpan Deposit





Best Intersections:


- 8.84 metres at 6.32% zinc and 1.02% copper (KN005);
- 6.15 metres at 4.74% zinc and 0.49% copper (KN010);
- 7 metres at 3.15% zinc and 0.57% copper (KN007);
- 13 metres at 3.96% zinc and 0.36% copper (KN003);
- 2.6 metres at 6.59% zinc and 0.35% copper (KN011).

Areachap Project - Namaqua Nickel / Disawell




Namaqua / Disawell – Binding Earn In Term Sheet Signed

- •Orion has secured a right until 9 January 2017 to commence initial earn in to 25% of both Namaqua and Disawell via a South African Special Purpose Vehicle (to be formed).
- •Orion SPV will spend US\$0.5million over 12 months to earn an initial 25% interest.
- •Orion's SPV can earn up to 80% by spending an additional US\$1.5million (total US\$2 million) over a 2 year period (3 years in total), completing a FS and securing project finance.



Areachap Project – Namaqua-Disawall





- Adjacent to Masiqhame PR.
- Interaction of mafic intrusives (Fraser Range Analogue) and VMS/VHMS horizon.
- Most significant is the Jacomynspan Deposit:
 - SAMREC resource 78Mt at 0.26% Ni + 0.18% Cu (1)
- Significant potential outside resource area:
 - High quality aeromagnetic survey identified numerous harzburgite targets
 - "Area 4" 62.5m at 0.26% Ni, 0.17% Cu & 0.018% Co(1)
- Airborne and ground EM used techniques largely superseded in recent years.
- ORN plans to use recent advances in technology and thinking to drive exploration for Ni-Cu-PGE & Cu-Zn massive sulphides within the project area.



Retained exposure to large greenfields projects in Australia



- Fraser Range Nickel-Copper & Gold Project in Western Australia
- Substantial (4,000 sq.km) landholding in the Fraser Range Belt
- Located between two of the most significant Australian mineral discoveries of the past decade (Nova and Tropicana)
- Drilling has intersected maficultramafic intrusions and defined their geochemical characteristics
- Gravity modelling has defined new targets
- These targets are interpreted as large scale intrusive bodies

- Connors Arc Epithermal Gold and Porphyry Project in Queensland
 - Sizeable underexplored landholding between Cracow and Mt Carlton (3,500sq.km)
 - Significant epithermal veining mapped at surface
 - Encouraging results from initial drilling, several prospects yet to be tested
 - Indications that this could be a district analogy to Lepanto (Philippines) with high, intermediate and low sulphidation epithermal + porphyry style potential



Orion Gold is focused on acquiring, exploring and developing large tenement holdings or regional scale mineral opportunities in world-class mineral provinces.

Fraser Range

Connors Arc Epithermal Au-Ag Project



6 Mile Creek

- 1.6km of epithermal veining
- Significant gold+silver results in historical rock chips
- Gold mineralisation returned in historical drilling
- New structural model to be drill tested

Chough

- ORN drilling intersected 82m at 0.11g/t gold (1)
- Significant alteration system with epithermal veining

Veinglorious

- Substantial epithermal system (+4km veining)
- Drilling intersected high grade silver mineralisation
- Yet to test optimum depth for deposition of precious metals

WHITE BLUFF 0 RNEY GOSSANS PLUM CREEK **BOWEN BASIN** CBOLTED HORSESHOE OMt Joss 10km **ORN Tenements** Mineral Occurence (recorded by DNRM)

Killarney

- ~ 700m of outcropping epithermal breccia & vein
- Historical drilling returned results including 57m at 0.3g/t and 10m at 1.0g/t (2)

Mt Joss

- Historical gold mine
- Limited modern day exploration


Aurora Flats

- 5km of outcroppping epithermal veins
- Drilling encountered anomalous gold and silver consistent with the higher levels of an epithermal system
- (2) Refer ASX Release 6 November 2015

(1) Refer ASX Release19 February 2016

Chough Prospect – mobilising for drilling







6 Mile Creek Prospect - mobilising to drill

7552300mN

7552400mN






7 Dec 2015


Killarney Prospect – mobilising to drill





Killarney Prospect






- 700 m of outcropping breccia weakly mineralised at surface, no exploration since 1990's
- Previous drill intercepts include 57 m at 0.3 g/t gold and 10 m at 1.0 g/t gold
- Note grade improving with depth
 - 2 drill holes planned for 500m
 - Surface surveys to be carried out in parallel (soils and ground magnetics)


Fraser Range - significant untested targets



- Significant number of bodies identified with high SG within project area
 - These are now priority targets
 - High SG characteristic of mafic intrusions in the Albany-Fraser Belt measured at 3.0g/cm³ (GSWA)



Current work generating new targets on Southern Tenements



Competent Persons Statement



- The information in this report that relates to Exploration Targets at the Prieska Copper project complies with the 2012 Edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves (**JORC Code**) and is based on information compiled by Mr Paul Matthews, a Competent Person who is a Member of the Australian Institute of Geoscientists. Mr Matthews has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the JORC Code. Mr Matthews consents to the inclusion in this announcement of the matters based on his information in the form and context in which it appears. The Exploration Results are based on standard industry practises for drilling, logging, sampling, assay methods including quality assurance and quality control measures as detailed in the ASX release dated 18 November 2015.
- The information in this report that relates to Exploration Results at the Areachap Belt projects complies with the JORC Code and is based on information compiled by and for Mr Errol Smart, Orion Gold NL's Managing Director. Mr Smart (PrSciNat) is registered with the South African Council for Natural Scientific Professionals, a ROPO for JORC purposes, and sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the JORC Code. Mr Smart consents to the inclusion in this announcement of the matters based on his information in the form and context in which it appears. The Exploration Results are based on standard industry practises for drilling, logging, sampling, assay methods including quality assurance and quality control measures as detailed in as detailed in the ASX releases referred to in the text.
- The information in this report which relates to the Jacomynspan SAMREC (2007) resource has been compiled and assessed under the supervision of Mr Errol Smart, Orion Gold NL's Managing Director. Mr Smart has concluded that the information provided in this document complies with ASX Listing Rule 5.12 and is an accurate representation of the data and studies available and relating to this resource. However Mr Smart, as the Competent Person, has not yet completed sufficient review on the qualifying foreign resource estimate to classify it in accordance with the JORC Code at this time and consequently it is uncertain that, following evaluation and/or further exploration work that the qualifying foreign resource estimate will be able to be reported as a Mineral Resource in accordance with the JORC Code. Mr Smart consents to the inclusion in this announcement of the matters based on his information in the form and context in which it appears.
- The information in this report that relates to Exploration Results at the Fraser Range and Connors Arc Projects complies with the JORC Code and is based on information compiled by Mr Bill Oliver, Orion Gold NL's Technical Director. Mr Oliver is a Member of the Australian Institute of Mining and Metallurgy and the Australasian Institute of Geoscientists. Mr Oliver has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the JORC Code. Mr Oliver consents to the inclusion in this announcement of the matters based on his information in the form and context in which it appears. The Exploration Results are based on standard industry practises for drilling, logging, sampling, assay methods including quality assurance and quality control measures as detailed in as detailed in the ASX releases referred to in the text.

33

Orion Gold NL contact information:

Phone: +61 8 9485 2685

Email: info@oriongold.com.au

Website: www.oriongold.com.au



