

ASX code: MAU

ASX Release
8 February 2021**INFILL DRILLING VERY HIGH-GRADE INTERSECTION OF 4M AT 70G/T GOLD FROM SURFACE.**

A number of high-grade intersections have been recorded from part of an infill drilling programme that was completed prior to the end of 2020 including:

4m at 70.7g/t from 0m in MHNRC851
4m at 5.7g/t from 12m in MHNRC814
4m at 5.1g/t from 56m in MHNRC855
3m at 3.4g/t from 40m in MHNRC801
12m at 1.2g/t from 52m in MHNRC828
8m at 1.6g/t from 64m in MHNRC836
8m at 1.4g/t from 32m in MHNRC843
8m at 1.3g/t from 28m in MHNRC858

Within the 3km mineralised shear zone there are now many new shallow intersections (Fig 1 and Table 2) with a total of 601 intersections (ranging from 1 to 12m) greater than 0.5g/t Au, which includes 255 greater than 1g/t Au, 95 greater than 2g/t Au, 47 greater than 3g/t Au and 34 greater than 4g/t Au.

The last drilling programme completed includes 86 RC holes for 5,033m and was designed as infill drilling to help establish an Indicated Resource both within the 3km long NNW and the NE main mineralised trends. From this drill programme assays are still pending for 32 RC drillholes totaling 2,026m (Fig 1).

Major drill programmes have accelerated in the New Year at HN9 and Lady Julie with two rigs being used. These programmes are proceeding with 98 RC holes for 11,937m at HN9 and 97 RC holes for 7,595m at Lady Julie. **Figure 2 shows all intersections greater than 1g/t with the planned follow up drilling. These drilling programmes are planned to test and extend the 3km coherent drilling intersections pattern (greater than 1g/t Au) at HN9 to a 4km length and to test mineralised zones 1km to the south of the Southern Thickened Zone and 1.5km west of HN9. At Lady Julie the drilling will cover a 3km length linking various mineralised drilled zones and historical workings within four long NS mineralised linear shear zones.**

A new thickened intersection of 90m at 0.37g/t Au from 80m which includes 8m at 2.5g/t from 80m in MHNRC780 (Figure 1 and Table 1) has been located in the southern part of HN9. This intersection is only 60m north of an intersection of 7m at 3.04g/t Au from 108m in MHNRC718. This new Southern Thickened Zone is 600m south of the original Central Thickened Zone (Figures 1 and Table1) which has some very thick intersections including 104m at 0.82g/t Au from 8m in MHNRC582 (including 20m at 2.23g/t Au from 95m and 70m at 0.49g/t Au from 13m in MHNRC54. The areal extent of the mineralisation is growing in the southern direction and remains open to the northeast and at depth.

At Hawks Nest 9 (HN9) extensive drilling programmes have been completed. (Tables 2 and 3), including 769 RC holes totaling 42,667m (average 55m depth), 10,178 2–5m composites and 6,090 1m splits. This release is mainly reporting on 782 composite assays (2-5m) from 54 RC holes (MHNRC778,805-844,847-849,851-855,857,858,862-864 and MHNRC866), totaling 3,027m, deepening MHNRC510 from 85m to 120m and 280 1m splits from these and previous drilling.




Figure 1. HN9 historical drilling (64 RAB/RC), MAU 769 RC holes for 42,667m and a further 98 RC holes for 11,937m planned in blue within the 3km mineralised gold zone and the new Southern Thickened Zone.

This Southern Thickened Zone remains open to the NNE and SSW. A follow up drilling programme of 18 holes for 3000m (average depth 167m) is planned to infill and extend these promising intersections within the Southern Thickened Zone and test for the potential linkage with the Central Thickened Zone and to also ascertain the extension of these zones in a southern direction.

The southern part of HN9 is now interpreted to split into up to four NE-trending mineralised zones that are open to the NE and SW and are now being tested over a total length of 1100m. (Fig. 1 and 2). In addition, other areas are being assessed for their potential for thickened zones and the results from a shallow seismic survey are due in mid-February, which will help outline the scale of existing thickened zones, other thickened zones, intrusions at depth and controlling deep seated structures for the 3km long HN9 mineralisation. The seismic survey will assist in a deeper drilling programme below the current average drilling depth of 55m down to 300 to 400m depth.




Figure 2. Gold intersection overview covering the HN9 Project and adjacent Lady Julie showing significant historical gold and recent Magnetic intercepts (greater than 1g/t and greater than 0.5g/t) and planned 98 RC holes at HN9 for 11,937m and 97 RC holes at Lady Julie for 7,595m.

**Table 1. HN9 Thick Gold Intersections**

Hole_ID	Easting MGAz51	Northing MGAz51	From metres	To metres	Width metres	Gold ppm
MHNRC152	429417	6822022	12	21	9	0.89
MHNRC155	429440	6822073	26	47	21	0.56
MHNRC179	429669	6821219	25	37	12	0.75
MHNRC203	429590	6821827	44	53	9	1.37
MHNRC204	429493	6821763	8	19	11	1.29
MHNRC206	429556	6821719	22	32	10	1.06
MHNRC223	429465	6822016	23	34	11	0.72
MHNRC231	429537	6821761	16	25	9	0.82
MHNRC261	429394	6822043	9	18	9	1.56
MHNRC287	429490	6821684	0	16	16	1.64
MHNRC458	429392	6822061	11	21	10	0.89
MHNRC465	429488	6821755	4	25	11	0.81
MHNRC497	429675	6821202	3	32	29	0.64
MHNRC500	429673	6820948	0	14	14	0.64
MHNRC531	429393	6822080	13	23	10	1.44
MHNRC541	429710	6821250	13	83	70	0.49
MHNRC541		including	51	83	32	0.68
MHNRC564	429722	6821289	60	71	11	0.97
MHNRC582	429790	6821616	8	112	104	0.82
MHNRC582		including	96	112	16	2.76
MHNRC582		including	104	106	2	20.23
MHNRC586	429831	6821346	107	130	23	0.67
MHNRC627	424458	6822117	35	50	15	0.79
MHNRC628	429436	6822105	28	42	14	1.28
MHNRC644	429476	6821583	77	90	13	0.63
MHNRC650	429892	6821376	116	121	5	1.47
MHNRC651	429831	6821376	79	113	34	0.48
MHNRC651		including	79	87	8	0.48
MHNRC651		including	95	113	18	0.61
MHNRC652	429866	6821346	68	92	24	0.61
MHNRC653	429796	6821346	68	91	23	0.47
MHNRC659	429736	6821250	21	31	10	0.6
MHNRC720	429645	6821235	32	60	38	0.47
MHNRC727	429743	6821330	65	93	28	0.42
MHNRC730	429855	6821800	105	136	31	0.45
MHNRC780	429735	6820448	80	170	90	0.37
MHNRC780		including	76	88	12	1.74



Hole_ID	Easting MGAz51	Northing MGAz51	From metres	To metres	Width metres	Gold ppm
MHNRC811	429695	6820979	0	12	12	0.46
MHNRC812	429771	6821169	28	40	12	0,66
MHNRC830	429569	6821891	40	52	12	0.75
MHNRC837	429181	6822356	4	24	20	0.41
MHNRC843	428994	6822421	8	20	12	0.42
* New intercept						

There are now at least four discernible mineralised lodes recognised that mostly dip shallowly around 20–30° to the east and plunge shallowly to the northeast within the Central Thickened zone. There are at least four stacked thickened lodes with some very thick intersections including 104m at 0.82g/t from 8m in MHNRC582 including 20m at 2.23g/t from 95m and 70m at 0.49g/t from 13m in MHNRC541. These multi-stacked thickened lodes show similarities with the adjacent Wallaby, Sunrise Dam and Jupiter major gold deposits. Table 1 shows many other thick intersections associated with quartz veins and stockworks with potential for bulk tonnage.

Following on from these exciting results, a large drill programme of 98 RC drillholes for 11,937m and is planned mainly aimed at defining an Indicated Resource within the HN9 Deposit and extending the size of the new Southern Thickened Zone. In addition, four diamond holes for 400m are nearly completed, which will be used for density measurements for calculation of the Indicated Resource tonnage.

This Central Thickened Zone crosscuts the NNW-trending near-surface flat-dipping mineralisation and may represent a blowout zone at the intersection of the NNW shear zone with NE-trending porphyries and dolerites, where four separate shallow-dipping porphyry zones coalesce and thicken.




Figure 3. Location Map showing HN9 near major gold mines in the Laverton district

Table 2. HN9 Significant Drilling Intercepts Gold (>1g/t highlighted)

Hole_Id	Easting MGAz51	Northing MGAz51	From metres	To metres	Width metres	Gold ppm
RC - Magnetic Resources NL 2-5m composites and 1m splits 4th Feb 2021						
MHNRC124	428952	6822397	14	15	1	1.004
MHNRC125	429140	6822367	8	9	1	1.838
MHNRC126	429165	6822366	20	21	1	1.855
MHNRC127	429076	6822369	16	17	1	1.030
MHNRC129	429238	6822208	5	6	1	1.317
MHNRC131	429225	6822271	3	4	1	1.451
MHNRC135	429661	6821344	18	19	1	2.402
MHNRC136	429516	6821406	6	7	1	1.962
MHNRC139	429550	6821541	11	12	1	1.229
MHNRC139			16	17	1	1.158
MHNRC140	429550	6821615	20	23	3	2.624
MHNRC142	429524	6821702	14	15	1	4.265
MHNRC143	429558	6821740	29	30	1	4.426
MHNRC144	429537	6821824	22	27	5	2.319
MHNRC144		including	23	24	1	3.422
MHNRC144		including	25	26	1	4.637
MHNRC145	429560	6821825	35	37	2	4.560
MHNRC146	429463	6821761	5	6	1	2.223



Hole_Id	Easting MGAz51	Northing MGAz51	From metres	To metres	Width metres	Gold ppm
MHNRC146			9	10	1	1.487
MHNRC147	429465	6821858	5	11	6	2.070
MHNRC147		including	6	7	1	2.836
MHNRC147		including	10	11	1	6.266
MHNRC149	429496	6821889	24	25	1	5.149
MHNRC149			24	29	5	1.696
MHNRC150	429512	6821921	27	28	1	3.671
MHNRC151	429536	6821924	37	38	1	3.508
MHNRC151			37	40	3	1.862
MHNRC152	429417	6822022	13	17	4	1.246
MHNRC152		including	14	15	1	2.023
MHNRC152			19	20	1	1.997
MHNRC153	429378	6822014	3	6	3	1.257
MHNRC153		including	9	10	1	9.695
MHNRC153			9	11	2	5.713
MHNRC154	429422	6822060	19	21	2	1.426
MHNRC154		including	26	27	1	2.563
MHNRC154			26	30	4	1.054
MHNRC154			36	37	1	2.149
MHNRC155	429440	6822073	26	31	5	1.212
MHNRC165	429540	6822168	70	71	1	1.673
MHNRC167	429432	6821993	9	12	3	4.129
MHNRC167		including	11	12	1	9.822
MHNRC170	429435	6821901	2	3	1	1.201
MHNRC172	429474	6821674	6	9	3	1.393
MHNRC175	429539	6821584	1	3	2	1.046
MHNRC179	429670	6821219	6	7	1	1.126
MHNRC179			27	29	2	1.498
MHNRC179			36	37	1	1.047
MHNRC182	429592	6821346	20	21	1	1.036
MHNRC182			35	36	1	1.032
MHNRC183	429395	6821973	4	7	3	1.298
MHNRC183		including	6	7	1	2.262
MHNRC184	429414	6821984	2	3	1	1.471
MHNRC184			11	12	1	1.453
MHNRC191	429068	6822429	7	8	1	1.213
MHNRC193	428980	6822382	1	2	1	1.110
MHNRC194	429195	6822368	13	14	1	1.575
MHNRC196	429289	6822212	27	28	1	1.169
MHNRC197	429391	6822116	20	23	3	1.009
MHNRC198	429476	6822089	42	44	2	1.330
MHNRC198			53	54	1	1.746
MHNRC199	429451	6822040	29	30	1	1.442
MHNRC199			33	34	1	2.268
MHNRC200	429569	6821925	48	50	2	1.211
MHNRC200			53	54	1	5.899
MHNRC202	429491	6821856	12	13	1	8.086

*



Hole_Id	Easting MGaz51	Northing MGaz51	From metres	To metres	Width metres	Gold ppm
MHNRC202			16	17	1	1.512
MHNRC203	429590	6821827	45	48	3	3.558
MHNRC203		including	47	48	1	9.396
MHNRC204	429493	6821763	11	12	1	2.681
MHNRC204			11	15	4	2.991
MHNRC204		including	13	15	2	4.387
MHNRC205	429611	6821735	49	50	1	2.431
MHNRC205			49	51	2	2.138
MHNRC206	429556	6821719	23	24	1	6.508
MHNRC210	429648	6821440	45	46	1	1.061
MHNRC211	429690	6821344	18	19	1	1.821
MHNRC214	429014	6822533	35	36	1	1.012
MHNRC215	429048	6822553	45	46	1	2.006
MHNRC215			45	50	5	1.047
MHNRC218	429316	6822215	16	17	1	1.675
MHNRC218			28	29	1	2.753
MHNRC219	429366	6822188	30	32	2	2.781
MHNRC219		including	31	32	1	3.709
MHNRC220	429420	6822136	28	29	1	4.337
MHNRC221	429502	6822102	59	60	1	1.059
MHNRC222	429489	6822064	41	43	2	2.537
MHNRC222			41	46	5	1.670
MHNRC223	429465	6822016	26	27	1	3.455
MHNRC223			33	34	1	1.167
MHNRC224	429428	6821959	2	3	1	1.899
MHNRC229	429543	6821856	29	30	1	1.487
MHNRC229			33	35	2	3.608
MHNRC229		including	34	35	1	5.837
MHNRC231	429537	6821761	19	21	2	1.546
MHNRC231			24	25	1	2.577
MHNRC232	428121	6821635	32	33	1	2.949
MHNRC235	429648	6821343	50	51	1	1.020
MHNRC242	429729	6821098	18	19	1	1.121
MHNRC243	429757	6821097	16	17	1	1.411
MHNRC244	429786	6821097	35	36	1	1.300
MHNRC252	429017	6822400	15	16	1	1.783
MHNRC254	429094	6822366	1	2	1	1.439
MHNRC254			17	20	3	4.843
MHNRC254		including	19	20	1	13.379
MHNRC258	429205	6822177	19	20	1	2.875
MHNRC261	429394	6822043	9	10	1	6.161
MHNRC261			9	13	4	2.581
MHNRC261		including	12	13	1	2.842
MHNRC261			15	16	1	1.641
MHNRC263	429403	6822018	9	10	1	2.645
MHNRC263			15	16	1	1.071
MHNRC268	429475	6821922	18	19	1	3.085



Hole_Id	Easting MGAz51	Northing MGAz51	From metres	To metres	Width metres	Gold ppm
MHNRC270	429452	6821898	0	2	2	5.634
MHNRC270			0	6	6	2.736
MHNRC270		including	5	6	1	3.235
MHNRC270			7	8	1	3.147
MHNRC273	429448	6821861	0	1	1	1.004
MHNRC273			4	5	1	3.081
MHNRC275	429464	6821835	8	9	1	1.529
MHNRC275			11	12	1	1.176
MHNRC276	429432	6821838	0	1	1	1.056
MHNRC276			3	4	1	1.001
MHNRC277	429481	6821822	13	14	1	3.230
MHNRC278	429465	6821822	8	9	1	1.860
MHNRC280	429451	6821762	1	4	3	4.435
MHNRC282	429484	6821745	7	9	2	5.314
MHNRC282			7	12	5	2.574
MHNRC284	429511	6821718	9	10	1	2.118
MHNRC287	429490	6821684	2	3	1	1.187
MHNRC287			4	8	4	5.499
MHNRC287		including	6	8	2	10.280
MHNRC289	429524	6821647	6	7	1	1.196
MHNRC289			12	13	1	1.068
MHNRC292	429507	6821614	6	8	2	5.256
MHNRC292		including	7	8	1	8.976
MHNRC294	429617	6821584	42	43	1	1.376
MHNRC294			49	50	1	1.037
MHNRC295	429521	6821581	8	9	1	1.001
MHNRC297	429538	6821541	9	10	1	1.085
MHNRC297			13	17	4	1.079
MHNRC300	429576	6821511	20	21	1	1.340
MHNRC302	429569	6821439	4	5	1	3.045
MHNRC302			4	7	3	2.483
MHNRC302		including	6	7	1	3.820
MHNRC302			11	12	1	2.710
MHNRC332	429649	6820901	5	6	1	2.258
MHNRC332			5	8	3	1.333
MHNRC332			13	14	1	1.946
MHNRC333	429697	6820902	24	25	1	1.504
MHNRC333			28	30	2	1.204
MHNRC337	429597	6820801	8	10	2	1.723
MHNRC371	428992	6822720	34	35	1	1.349
MHNRC373	429039	6822642	72	73	1	2.532
MHNRC377	429195	6822500	46	47	1	1.374
MHNRC378	429240	6822524	51	52	1	4.149
MHNRC380	429275	6822368	30	31	1	2.176
MHNRC381	429339	6822371	42	44	2	4.380
MHNRC381		including	43	44	1	7.038
MHNRC383	429369	6822277	36	37	1	1.434



Hole_Id	Easting MGAz51	Northing MGAz51	From metres	To metres	Width metres	Gold ppm
MHNRC383			48	49	1	4.362
MHNRC387	429453	6822151	37	38	1	1.076
MHNRC388	429494	6822178	48	49	1	5.384
MHNRC389	429523	6822079	53	54	1	1.204
MHNRC391	429361	6822026	5	6	1	3.253
MHNRC392	429371	6822036	2	3	1	2.745
MHNRC392			2	6	4	1.979
MHNRC392		including	4	5	1	2.856
MHNRC392			9	11	2	2.342
MHNRC392		including	10	11	1	3.214
MHNRC394	429573	6822001	62	63	1	2.864
MHNRC397	429441	6821960	8	9	1	1.565
MHNRC397			11	12	1	1.641
MHNRC398	429438	6821940	8	9	1	2.995
MHNRC400	429444	6821925	3	4	1	2.006
MHNRC400			3	7	4	1.142
MHNRC400			8	9	1	1.489
MHNRC401	429441	6821911	3	4	1	2.555
MHNRC402	429449	6821909	6	7	1	4.025
MHNRC403	429471	6821912	6	12	6	1.883
MHNRC403		including	7	8	1	3.553
MHNRC403		including	11	12	1	3.246
MHNRC403			13	14	1	2.456
MHNRC404	429482	6821912	10	11	1	8.144
MHNRC410	429464	6821875	7	8	1	11.208
MHNRC411	429432	6821860	8	9	1	2.146
MHNRC414	429440	6821838	5	6	1	3.086
MHNRC415	429474	6821836	14	15	1	9.684
MHNRC416	429485	6821836	11	12	1	11.868
MHNRC417	429571	6821856	42	44	2	1.355
MHNRC421	429580	6821715	30	31	1	1.145
MHNRC421			34	35	1	2.275
MHNRC421			38	39	1	1.919
MHNRC422	429576	6821763	31	32	1	4.944
MHNRC433	429507	6821103	4	5	1	2.443
MHNRC436	429519	6821050	10	11	1	1.911
MHNRC441	429690	6821061	20	21	1	1.086
MHNRC443	429753	6821001	40	41	1	1.294
MHNRC444	429779	6820972	47	48	1	1.458
MHNRC445	429823	6821098	46	47	1	1.733
MHNRC455	429122	6822355	2	3	1	1.191
MHNRC456	429139	6822352	16	17	1	31.485
MHNRC456			16	19	3	10.994
MHNRC458	429392	6822061	12	17	5	1.433
MHNRC458		including	14	15	1	2.246
MHNRC459	429406	6822040	18	20	2	1.562
MHNRC461	429472	6821954	19	20	1	2.414



Hole_Id	Easting MGAz51	Northing MGAz51	From metres	To metres	Width metres	Gold ppm
MHNRC462	429446	6821781	5	6	1	1.772
MHNRC464	429478	6821753	6	7	1	2.274
MHNRC464			6	8	2	1.805
MHNRC465	429488	6821755	8	9	1	1.193
MHNRC465			14	15	1	4.762
MHNRC466	429469	6821690	1	3	2	2.728
MHNRC466		including	2	3	1	4.077
MHNRC468	429491	6821704	6	7	1	1.507
MHNRC469	429496	6821661	2	3	1	1.527
MHNRC469			5	6	1	1.400
MHNRC470	429507	6821671	5	7	2	3.150
MHNRC470			13	17	4	2.313
MHNRC470		including	16	17	1	7.850
MHNRC473	429510	6821634	8	9	1	4.447
MHNRC473			8	12	4	1.825
MHNRC474	429507	6821603	6	7	1	1.874
MHNRC476	429015	6822430	8	9	1	6.522
MHNRC476			15	16	1	1.948
MHNRC479	428906	6822400	57	58	1	1.824
MHNRC482	429039	6822440	20	22	2	4.016
MHNRC482		including	21	22	1	6.422
MHNRC489	429503	6821835	17	18	1	2.608
MHNRC489			17	22	5	3.072
MHNRC489		including	20	22	2	6.164
MHNRC490	429613	6821764	44	45	1	2.491
MHNRC496	429677	6821249	48	49	1	1.443
MHNRC496			58	59	1	6.342
MHNRC497	429675	6821202	7	8	1	1.012
MHNRC497			18	19	1	1.439
MHNRC497			22	25	3	1.036
MHNRC500	429673	6820948	1	2	1	1.556
MHNRC500			8	9	1	1.787
MHNRC501	429722	6820945	25	26	1	1.083
MHNRC507	428938	6822450	11	14	3	1.007
MHNRC508	429647	6821926	76	77	1	3.009
MHNRC511	429510	6822122	53	55	2	2.776
MHNRC511			53	56	3	2.235
MHNRC514	429097	6822389	6	7	1	2.227
MHNRC515	429129	6822355	3	5	2	1.343
MHNRC516	429152	6822355	6	8	2	1.251
MHNRC517	429109	6822340	10	12	2	1.235
MHNRC520	429154	6822339	19	20	1	1.293
MHNRC521	429164	6822339	16	17	1	14.561
MHNRC524	429137	6822315	6	9	3	1.424
MHNRC524			13	14	1	2.148
MHNRC529	429387	6822098	16	18	2	1.112
MHNRC531	429391	6822081	14	15	1	7.393



Hole_Id	Easting MGAz51	Northing MGAz51	From metres	To metres	Width metres	Gold ppm
MHNRC531			14	20	6	2.164
MHNRC531		including	18	19	1	2.089
MHNRC535	429484	6821662	6	7	1	1.786
MHNRC536	429558	6821479	18	19	1	1.497
MHNRC541	429709	6821254	24	25	1	1.320
MHNRC541			55	58	3	2.300
MHNRC541		including	57	58	1	4.949
MHNRC541			62	66	4	1.078
MHNRC541			73	74	1	1.028
MHNRC546	429656	6821167	0	1	1	1.083
MHNRC546			12	13	1	1.231
MHNRC552	429730	6821136	23	24	1	2.866
MHNRC553	429760	6821136	33	34	1	1.455
MHNRC558	428990	6822450	14	15	1	1.204
MHNRC558			21	22	1	4.394
MHNRC559	428984	6822676	81	82	1	1.051
MHNRC563	429759	6821180	28	32	4	1.046
MHNRC564	429721	6821289	60	61	1	6.772
MHNRC564			71	72	1	1.075
MHNRC576	429147	6822355	3	4	1	1.521
MHNRC576			7	8	1	1.089
MHNRC577	429536	6822126	67	69	2	2.787
MHNRC577		including	68	69	1	4.421
MHNRC579	429654	6821741	58	59	1	1.489
MHNRC579			67	69	2	2.744
MHNRC581	429849	6821169	27	28	1	1.596
MHNRC581			37	38	1	1.780
MHNRC581			73	74	1	1.083
MHNRC582	429790	6821311	8	9	1	27.715
MHNRC582			56	57	1	5.043
MHNRC582			104	105	1	39.724
MHNRC583	429769	6821252	37	38	1	2.887
MHNRC583			48	49	1	1.075
MHNRC585	429853	6821315	1	2	1	2.585
MHNRC586	429831	6821341	75	76	1	1.607
MHNRC586			79	80	1	1.002
MHNRC586			111	112	1	1.132
MHNRC586			116	117	1	1.348
MHNRC586			120	125	5	1.413
MHNRC586		including	123	124	1	2.740
MHNRC587	429859	6821378	94	95	1	2.254
MHNRC587			94	97	3	1.273
MHNRC587			117	118	1	1.197
MHNRC590	429600	6821133	39	40	1	1.202
MHNRC593	429410	6822089	21	22	1	2.039
MHNRC596	429190	6822339	19	21	2	1.917
MHNRC596		including	20	21	1	2.538



Hole_Id	Easting MGAz51	Northing MGAz51	From metres	To metres	Width metres	Gold ppm
MHNRC605	429459	6821049	36	37	1	1.435
MHNRC608	429594	6822121	80	81	1	2.081
MHNRC608			85	86	1	2.936
MHNRC609	429179	6822401	12	13	1	1.222
MHNRC609			26	27	1	4.443
MHNRC610	429101	6822528	40	42	2	1.808
MHNRC610		including	41	42	1	2.509
MHNRC613	429600	6822200	72	73	1	1.213
MHNRC613			82	83	1	1.306
MHNRC614	429258	6822545	58	59	1	1.845
MHNRC618	428709	6822652	56	57	1	1.145
MHNRC620	428844	6822638	67	68	1	4.951
MHNRC620			67	71	4	2.360
MHNRC620		including	69	70	1	2.942
MHNRC621	428786	6822606	57	58	1	2.342
MHNRC625	429226	6822658	77	78	1	1.873
MHNRC626	429035	6822486	28	29	1	1.812
MHNRC627	429456	6822116	35	37	2	5.409
MHNRC628	429434	6822104	9	10	1	2.719
MHNRC628			29	31	2	7.345
MHNRC649	429901	6821426	89	90	1	6.433
MHNRC649			111	112	1	1.413
MHNRC649			123	124	1	1.924
MHNRC650	429892	6821377	120	121	1	5.773
MHNRC651	429829	6821377	84	85	1	1.234
MHNRC651			95	96	1	2.039
MHNRC651			101	102	1	1.036
MHNRC651			105	106	1	1.131
MHNRC652	429864	6821346	89	90	1	1.269
MHNRC652			123	124	1	2.131
MHNRC656	429721	6821311	59	60	1	11.076
MHNRC657	429692	6821284	47	48	1	1.585
MHNRC658	429759	6821284	41	42	1	1.401
MHNRC659	429738	6821250	28	30	2	1.433
MHNRC659			39	40	1	1.040
MHNRC660	429644	6821224	12	13	1	1.006
MHNRC663	429552	6821200	24	28	4	1.213
MHNRC665	429660	6821199	33	34	1	1.533
MHNRC666	429688	6821200	29	30	1	1.675
MHNRC666			33	34	1	1.862
MHNRC667	429662	6821165	24	25	1	1.510
MHNRC673	429604	6821073	45	46	1	85.643
MHNRC678	429793	6821049	18	20	2	1.295
MHNRC679	429820	6820997	1	2	1	2.838
MHNRC679			72	73	1	2.133
MHNRC684	429831	6820901	73	74	1	2.902
MHNRC684			73	76	3	1.762

*



Hole_Id	Easting MGAz51	Northing MGAz51	From metres	To metres	Width metres	Gold ppm
MHNRC684		including	75	76	1	2.094
MHNRC692	429408	6820557	55	56	1	4.324
MHNRC696	429639	6820385	111	112	1	1.275
MHNRC700	429670	6821101	16	17	1	2.456
MHNRC700			16	18	2	2.034
MHNRC702	429505	6821002	2	3	1	2.320
MHNRC710	429754	6821346	78	79	1	6.290
MHNRC711	429867	6821000	43	44	1	2.212
MHNRC716	428743	6822586	37	38	1	1.083
MHNRC716			54	55	1	1.038
MHNRC718	429716	6820392	108	114	6	3.469
MHNRC718		including	109	112	3	5.345
MHNRC718		including	113	114	1	2.151
MHNRC720	429683	6821237	35	36	1	1.156
MHNRC720			54	55	1	1.061
MHNRC720			69	70	1	1.543
MHNRC721	429721	6821236	19	22	3	1.740
MHNRC721		including	21	22	1	3.016
MHNRC723	429730	6821268	4	5	1	1.088
MHNRC723			18	19	1	1.009
MHNRC723			29	30	1	1.015
MHNRC724	429803	6821282	55	56	1	1.385
MHNRC727	429790	6821331	77	78	1	1.220
MHNRC727			85	86	1	1.215
MHNRC728	429832	6821328	77	78	1	1.333
MHNRC728			100	101	1	1.188
MHNRC728			104	105	1	3.250
MHNRC729	429870	6821426	118	119	1	1.889
MHNRC730	429928	6821474	115	117	2	1.532
MHNRC730			136	137	1	1.916
MHNRC731	429536	6821801	25	27	2	2.242
MHNRC731			25	31	6	3.630
MHNRC731		including	29	31	2	8.312
MHNRC732	429572	6821802	35	37	2	3.653
MHNRC733	429613	6821802	50	51	1	2.135
MHNRC733			50	54	4	1.380
MHNRC733		including	53	54	1	2.291
MHNRC733			55	57	2	2.082
MHNRC733		including	56	57	1	2.293
MHNRC734	429500	6821877	19	21	2	7.237
MHNRC734			19	23	4	4.109
MHNRC736	429547	6822280	67	68	1	1.723
MHNRC738	429069	6822463	18	19	1	1.158
MHNRC743	428823	6822883	57	58	1	2.875
MHNRC780	429733	6820451	80	88	8	2.503
MHNRC780		including	84	88	4	3.890
MHNRC795	429336	6822325	45	47	2	2.462

*
*
*
*



Hole_Id	Easting MGAz51	Northing MGAz51	From metres	To metres	Width metres	Gold ppm
MHNRC795		including	46	47	1	3.729
MHNRC796	429375	6822326	44	45	1	4.189
MHNRC796			44	46	2	2.649
MHNRC796			53	54	1	1.182
MHNRC797	429173	6822441	32	36	4	1.497
MHNRC798	429212	6822460	42	43	1	1.004
MHNRC799	429258	6822483	48	49	1	5.280
MHNRC799			48	52	4	1.779
MHNRC801	429255	6822426	40	43	3	3.385
MHNRC802	429291	6822444	49	51	2	1.458
MHNRC814	429800	6821202	12	16	4	5.657
MHNRC828	429540	6822044	52	60	8	1.458
MHNRC830	429569	6821891	40	44	4	1.679
MHNRC836	429294	6822558	64	68	4	2.499
MHNRC844	429577	6822151	80	84	4	1.107
MHNRC848	429533	6821912	32	40	8	1.418
MHNRC851	429426	6821877	0	4	4	70.696
MHNRC853	429483	6821805	12	16	4	1.008
MHNRC855	429643	6821766	56	64	8	5.081
MHNRC858	429536	6821780	20	24	4	2.212
MHNRC862	429542	6821689	16	20	4	1.540
<i>AC - Metex Resources Ltd 2001 A62445</i>						
RFAC357	429937	6820538	44	45	1	0.721
RFAC358	429937	6820618	69	70	1	0.824
RFAC402	429737	6820438	37	38	1	0.849
<i>AC - Metex Resources Ltd 2000 A74219</i>						
HNAC038	429538	6820479	65	69	4	1.840
HNAC050	429138	6820578	35	36	1	1.020
HNAC057	429338	6820358	18	19	1	1.680
HNAC061	429338	6820518	12	13	1	1.190
<i>RAB - Gwalia 1989 A29728</i>						
RFR-25	429535	6821406	28	32	4	0.577
RFR-31	429575	6821511	16	20	4	2.660
			24	28	4	3.110
RFR-32	429595	6821510	12	16	4	0.873
			16	20	4	0.920
RFR-35	429515	6821614	0	4	4	0.797
RFR-37	429491	6821684	0	4	4	1.120
			4	8	4	3.540
			12	16	4	0.501
RFR-44	429475	6821823	8	12	4	1.220
RFR-45	429496	6821823	12	16	4	1.530
			16	20	4	0.858
RFR-47	429436	6821925	0	4	4	0.751



Hole_Id	Easting MGAz51	Northing MGAz51	From metres	To metres	Width metres	Gold ppm
RFR-49	429476	6821925	16	20	4	2.130
RFR-50	429496	6821926	12	16	4	0.686
			16	20	4	1.910
RFR-51	429416	6822031	8	12	4	0.977
RFR-52	429391	6822044	8	12	4	0.923
			12	16	4	0.753
RFR-53	429409	6822054	8	12	4	1.640
			16	20	4	0.683
<i>RAB - Duketon/Golconda 1987 A22722</i>						
RFR-109	429106	6822361	0	2	2	1.300
RFR-219	429125	6822351	5	6	1	1.310
RFR-220	429128	6822358	6	7	1	2.600
<i>RC - Julia Mines 1986 A18060</i>						
RN1	429469	6821820	8	10	2	1.930
			10	12	2	0.700
			20	22	2	0.750
RN2	429487	6821863	16	18	2	1.130
			22	24	2	0.700
RN3	429483	6821916	14	16	2	3.150
RN5	429404	6822044	12	14	2	0.950
			18	20	2	2.510
<i>RC - Placer Exploration Ltd 1991 A34935</i>						
RRC065	429588	6821441	10	15	5	0.658
RRC067	429531	6821543	5	10	5	0.925
RRC069	429495	6821642	5	10	5	0.735
RRC071	429537	6821643	10	15	5	0.548
			15	20	5	0.664
RRC072	429503	6821742	5	10	5	0.637
			10	15	5	0.695
RRC073	429525	6821744	15	20	5	0.978
RRC077	429222	6822180	15	20	5	0.820
RRC079	429137	6822275	0	5	5	1.540

* New MAU intercept from 4m and/or 1m assays

The newly discovered multiple shallow dipping extensive thickened lodes at HN9 are a potential indicator for deeper mineralisation because all the numerous nearby large deposits in the region including Wallaby (7Moz), Sunrise Dam (10Moz) and Jupiter (1.3Moz) have persistent internal shallow-dipping mineralised lodes that are often called shear zones, which are ubiquitous throughout these deposits and have been defined down to 1500m depth at the Wallaby deposit (Figure 3). In addition, many discoveries in recent times have been made by drilling below 100m because the historical drilling was far too shallow. At HN9 the average hole depth is only 55m providing tremendous scope for upside potential. In addition, the length of our 3km mineralised shear zone is like the length of the large Jupiter, Wallaby and Sunrise Dam Deposits.

Managing Director George Sakalidis commented: “With the Australian gold price at near record levels of \$2,365 the HN9 Project being only 15km NW of the Granny Smith Operations owned by Gold Fields Australia Pty Ltd and only 10km NE of the Jupiter Operations owned by Dacian Gold Ltd and 35km north of the Sunrise Dam deposit owned by AngloGold Ashanti Ltd at Laverton, WA. (Figure 3), is shaping up and has potential for a large-scale shallow deposit with the addition of a large thickened mineralised zone trending to the NE containing some high-grade intersections and many large thick intersections with potential for bulk tonnage. This significant 3km mineralised zone is so far defined by 769 RC holes totaling 42,557m (Figures 1-2 and Tables 1-3) is coherent. Extensive drilling is planned both for infill and extension drilling to get the resources to an Indicated Resource status and to test the new Southern Thickened Zone over a 4km length (Table 4). The multiple stacked lodes within the Central Thickened Zone have similarities to the stacked lodes at the Wallaby, Sunrise Dam and Jupiter major gold deposits.

A further very ambitious drill programme of 98 RC drillholes for 11,937m (Table 4) is planned and the shallow seismic survey results are due to start in mid-February, which will map the subsurface structure and potential intrusions and deep-seated tapping structures for the 3km long HN9 deposit. We are looking forward to testing a number of promising intersections and potential extensions and potential large-scale targets generated from the shallow seismic survey down to 300-400m depth, which in recent times has been increasingly used in and around operating gold mines.”

Table 3. HN9 Completed RC Drilling

Hole_ID	Easting MGAz51	Northing MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Tenement
MHNRC121	428722	6822191	420.0	40	-60	300	E38/3127
MHNRC122	428916	6822418	421.0	20	-60	300	E38/3127
MHNRC123	428932	6822409	422.0	40	-60	300	E38/3127
MHNRC124	428952	6822397	422.0	40	-60	300	E38/3127
MHNRC125	429140	6822367	426.0	40	-60	270	M38/1041
MHNRC126	429165	6822366	426.0	40	-60	270	M38/1041
MHNRC127	429076	6822369	426.0	40	-60	270	M38/1041
MHNRC128	429159	6822273	428.0	40	-60	270	M38/1041
MHNRC129	429238	6822208	425.0	34	-60	270	M38/1041
MHNRC130	429260	6822206	428.0	40	-60	270	M38/1041
MHNRC131	429225	6822271	429.0	40	-60	270	M38/1041
MHNRC132	429248	6822273	430.0	40	-60	270	M38/1041
MHNRC133	429674	6821078	423.0	40	-60	230	E38/3127
MHNRC134	429694	6821094	423.0	40	-60	230	E38/3127
MHNRC135	429661	6821344	424.0	40	-60	270	E38/3127
MHNRC136	429516	6821406	426.0	40	-60	270	E38/3127
MHNRC137	429617	6821439	427.0	40	-60	270	E38/3127
MHNRC138	429616	6821510	428.0	55	-60	270	E38/3127
MHNRC139	429550	6821541	427.0	40	-60	270	E38/3127
MHNRC140	429550	6821615	427.0	40	-60	270	E38/3127
MHNRC141	429506	6821691	430.0	40	-60	240	E38/3127
MHNRC142	429524	6821702	430.0	40	-60	240	E38/3127
MHNRC143	429558	6821740	430.0	50	-60	270	E38/3127
MHNRC144	429537	6821824	430.0	40	-60	270	E38/3127



Hole_ID	Easting MGAz51	Northing MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Tenement
MHNRC145	429560	6821825	430.0	50	-60	270	E38/3127
MHNRC146	429463	6821761	431.0	40	-60	270	E38/3127
MHNRC147	429465	6821858	430.0	40	-60	270	E38/3127
MHNRC148	429497	6821890	430.0	40	-60	270	E38/3127
MHNRC149	429496	6821889	433.0	40	-60	270	E38/3127
MHNRC150	429512	6821921	434.0	40	-60	270	E38/3127
MHNRC151	429536	6821924	434.0	50	-60	270	E38/3127
MHNRC152	429417	6822022	429.0	40	-60	240	E38/3127
MHNRC153	429378	6822014	430.0	50	-60	240	E38/3127
MHNRC154	429422	6822060	429.0	40	-60	240	E38/3127
MHNRC155	429440	6822073	429.0	66	-60	240	E38/3127
MHNRC156	429516	6822144	432.0	40	-60	230	E38/3127
MHNRC157	429687	6822174	435.0	40	-60	270	E38/3127
MHNRC158	429651	6822125	437.0	40	-60	270	E38/3127
MHNRC159	429339	6822090	427.0	40	-60	240	E38/3127
MHNRC160	429355	6822099	427.0	40	-60	240	E38/3127
MHNRC161	429115	6822369	426.0	40	-60	270	M38/1041
MHNRC162	429115	6822299	427.0	42	-60	270	M38/1041
MHNRC163	429153	6822213	427.0	48	-60	270	M38/1041
MHNRC164	429195	6822208	424.0	48	-60	270	M38/1041
MHNRC165	429540	6822168	430.0	95	-60	230	E38/3127
MHNRC166	429482	6822115	431.0	40	-60	240	E38/3127
MHNRC167	429432	6821993	430.0	40	-60	240	E38/3127
MHNRC168	429388	6821936	432.0	48	-60	270	E38/3127
MHNRC169	429339	6822001	431.0	40	-60	240	E38/3127
MHNRC170	429435	6821901	432.0	40	-60	270	E38/3127
MHNRC171	429588	6821732	430.0	40	-60	270	E38/3127
MHNRC172	429474	6821674	430.0	40	-60	240	E38/3127
MHNRC173	429392	6821632	428.0	54	-60	270	E38/3127
MHNRC174	429444	6821632	428.0	48	-60	270	E38/3127
MHNRC175	429539	6821584	427.0	40	-60	270	E38/3127
MHNRC176	429586	6821586	429.0	42	-60	270	E38/3127
MHNRC177	429579	6821222	421.0	42	-60	270	E38/3127
MHNRC178	429625	6821222	424.0	40	-60	270	E38/3127
MHNRC179	429670	6821219	424.0	70	-60	270	E38/3127
MHNRC180	429519	6821341	426.0	40	-60	270	E38/3127
MHNRC181	429561	6821343	426.0	48	-60	270	E38/3127
MHNRC182	429592	6821346	425.0	40	-60	270	E38/3127
MHNRC183	429395	6821973	430.0	48	-60	240	E38/3127
MHNRC184	429414	6821984	430.0	40	-60	240	E38/3127
MHNRC185	429260	6822125	426.0	40	-60	240	M38/1041
MHNRC186	429282	6822138	427.0	40	-60	240	M38/1041
MHNRC187	429302	6822150	427.0	40	-60	240	M38/1041
MHNRC188	429325	6822163	428.0	40	-60	240	M38/1041
MHNRC189	429194	6822277	429.0	42	-60	270	M38/1041
MHNRC190	429139	6821972	431.0	48	-60	270	E38/3127
MHNRC191	429068	6822429	423.0	40	-60	240	M38/1041
MHNRC192	429042	6822415	423.0	40	-60	240	M38/1041



Hole_ID	Easting MGAz51	Northing MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Tenement
MHNRC193	428980	6822382	423.0	60	-60	300	E38/3127
MHNRC194	429195	6822368	428.0	60	-60	270	M38/1041
MHNRC195	429280	6822276	431.0	60	-60	270	M38/1041
MHNRC196	429289	6822212	429.0	60	-60	270	M38/1041
MHNRC197	429391	6822116	432.0	60	-60	240	E38/3127
MHNRC198	429476	6822089	431.0	60	-60	240	E38/3127
MHNRC199	429451	6822040	431.0	60	-60	240	E38/3127
MHNRC200	429569	6821925	435.0	60	-60	270	E38/3127
MHNRC201	429529	6821893	433.0	60	-60	270	E38/3127
MHNRC202	429491	6821856	432.0	60	-60	270	E38/3127
MHNRC203	429590	6821827	430.0	60	-60	270	E38/3127
MHNRC204	429493	6821763	431.0	60	-60	270	E38/3127
MHNRC205	429611	6821735	432.0	60	-60	270	E38/3127
MHNRC206	429556	6821719	429.0	60	-60	240	E38/3127
MHNRC207	429585	6821642	430.0	60	-60	270	E38/3127
MHNRC208	429583	6821540	428.0	60	-60	270	E38/3127
MHNRC209	429644	6821511	428.0	60	-60	270	E38/3127
MHNRC210	429648	6821440	426.0	60	-60	270	E38/3127
MHNRC211	429690	6821344	423.0	60	-60	270	E38/3127
MHNRC212	429106	6822454	424.0	60	-60	240	M38/1041
MHNRC213	428984	6822515	421.0	18	-60	240	E38/3127
MHNRC213cont	428984	6822516	418.0	60	-60	240	E38/3127
MHNRC214	429014	6822533	421.0	60	-60	240	E38/3127
MHNRC215	429048	6822553	422.0	60	-60	240	E38/3127
MHNRC216	429005	6822369	424.0	60	-60	300	E38/3127
MHNRC217	429136	6822470	425.0	60	-60	240	M38/1041
MHNRC218	429316	6822215	430.0	60	-60	270	M38/1041
MHNRC219	429366	6822188	430.0	60	-60	240	E38/3127
MHNRC220	429420	6822136	429.0	80	-60	240	E38/3127
MHNRC221	429502	6822102	432.0	80	-60	240	E38/3127
MHNRC222	429489	6822064	429.0	100	-60	240	E38/3127
MHNRC223	429465	6822016	431.0	60	-60	240	E38/3127
MHNRC224	429428	6821959	431.0	60	-60	250	E38/3127
MHNRC225	429459	6821967	431.0	60	-60	250	E38/3127
MHNRC226	429494	6821978	433.0	60	-60	250	E38/3127
MHNRC227	429526	6821989	434.0	60	-60	250	E38/3127
MHNRC228	429598	6821926	434.0	80	-60	270	E38/3127
MHNRC229	429543	6821856	433.0	50	-60	270	E38/3127
MHNRC230	429632	6821828	430.0	80	-60	270	E38/3127
MHNRC231	429537	6821761	431.0	40	-60	270	E38/3127
MHNRC232	428121	6821635	414.0	54	-60	90	E38/3127
MHNRC233	428138	6821599	414.0	75	-60	90	E38/3127
MHNRC234	429676	6821440	426.0	80	-60	270	E38/3127
MHNRC235	429648	6821343	425.0	65	-60	270	E38/3127
MHNRC236	429716	6821343	421.0	50	-60	270	E38/3127
MHNRC237	429712	6821220	423.0	65	-60	270	E38/3127
MHNRC238	429749	6821222	420.0	140	-60	270	E38/3127
MHNRC239	429524	6821098	425.0	40	-60	270	E38/3127



Hole_ID	Easting MGAz51	Northing MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Tenement
MHNRC240	429568	6821096	426.0	40	-60	270	E38/3127
MHNRC241	429624	6821101	425.0	80	-60	270	E38/3127
MHNRC242	429729	6821098	422.0	40	-60	270	E38/3127
MHNRC243	429757	6821097	422.0	40	-60	270	E38/3127
MHNRC244	429786	6821097	419.0	125	-60	270	E38/3127
MHNRC245	429674	6821049	422.0	40	-60	270	E38/3127
MHNRC246	429720	6821046	421.0	40	-60	270	E38/3127
MHNRC247	429617	6820998	421.0	40	-60	270	E38/3127
MHNRC248	429669	6821000	422.0	40	-60	270	E38/3127
MHNRC249	429721	6820999	420.0	40	-60	270	E38/3127
MHNRC250	429766	6820999	420.0	40	-60	270	E38/3127
MHNRC251	428896	6822431	421.0	20	-60	300	E38/3127
MHNRC252	429017	6822400	424.0	30	-60	240	E38/3127
MHNRC253	428958	6822366	424.0	30	-60	240	E38/3127
MHNRC254	429094	6822366	426.0	30	-60	270	M38/1041
MHNRC255	429208	6822275	429.0	30	-60	270	M38/1041
MHNRC256	429112	6822270	428.0	35	-60	270	M38/1041
MHNRC257	429219	6822211	425.0	25	-60	270	M38/1041
MHNRC258	429205	6822177	426.0	20	-60	270	M38/1041
MHNRC259	429185	6822178	425.0	15	-60	270	M38/1041
MHNRC260	429328	6822086	427.0	15	-60	240	E38/3127
MHNRC261	429394	6822043	428.0	40	-60	240	E38/3127
MHNRC262	429366	6822043	429.0	30	-60	240	E38/3127
MHNRC263	429403	6822018	430.0	45	-60	240	E38/3127
MHNRC264	429380	6822003	430.0	15	-60	240	E38/3127
MHNRC265	429363	6821995	428.0	15	-60	240	E38/3127
MHNRC266	429384	6821965	431.0	15	-60	240	E38/3127
MHNRC267	429371	6821955	432.0	30	-60	240	E38/3127
MHNRC268	429475	6821922	433.0	40	-60	270	E38/3127
MHNRC269	429421	6821926	432.0	20	-60	270	E38/3127
MHNRC270	429452	6821898	433.0	25	-60	270	E38/3127
MHNRC271	429416	6821891	433.0	70	-60	270	E38/3127
MHNRC272	429402	6821891	433.0	10	-60	270	E38/3127
MHNRC273	429448	6821861	432.0	15	-60	270	E38/3127
MHNRC274	429423	6821853	432.0	10	-60	270	E38/3127
MHNRC275	429464	6821835	432.0	25	-60	270	E38/3127
MHNRC276	429432	6821838	432.0	10	-60	270	E38/3127
MHNRC277	429481	6821822	432.0	30	-60	270	E38/3127
MHNRC278	429465	6821822	432.0	25	-60	270	E38/3127
MHNRC279	429439	6821823	432.0	15	-60	270	E38/3127
MHNRC280	429451	6821762	431.0	15	-60	270	E38/3127
MHNRC281	429435	6821760	431.0	10	-60	270	E38/3127
MHNRC282	429484	6821745	431.0	15	-60	270	E38/3127
MHNRC283	429470	6821740	431.0	15	-60	270	E38/3127
MHNRC284	429511	6821718	431.0	25	-60	270	E38/3127
MHNRC285	429484	6821718	431.0	15	-60	270	E38/3127
MHNRC286	429450	6821718	431.0	15	-60	270	E38/3127
MHNRC287	429490	6821684	430.0	20	-60	240	E38/3127



Hole_ID	Easting MGAz51	Northing MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Tenement
MHNRC288	429451	6821663	429.0	10	-60	240	E38/3127
MHNRC289	429524	6821647	428.0	20	-60	270	E38/3127
MHNRC290	429475	6821643	429.0	10	-60	270	E38/3127
MHNRC291	429523	6821613	428.0	20	-60	270	E38/3127
MHNRC292	429507	6821614	428.0	15	-60	270	E38/3127
MHNRC293	429462	6821615	428.0	10	-60	270	E38/3127
MHNRC294	429617	6821584	430.0	55	-60	270	E38/3127
MHNRC295	429521	6821581	427.0	10	-60	270	E38/3127
MHNRC296	429499	6821582	427.0	10	-60	270	E38/3127
MHNRC297	429538	6821541	427.0	20	-60	270	E38/3127
MHNRC298	429516	6821541	426.0	15	-60	270	E38/3127
MHNRC299	429486	6821541	426.0	10	-60	270	E38/3127
MHNRC300	429576	6821511	427.0	40	-60	270	E38/3127
MHNRC301	429551	6821511	427.0	40	-60	270	E38/3127
MHNRC302	429569	6821439	424.0	80	-60	270	E38/3127
MHNRC303	429533	6821438	426.0	10	-60	270	E38/3127
MHNRC304	429501	6821405	426.0	10	-60	270	E38/3127
MHNRC305	429487	6821406	426.0	10	-60	270	E38/3127
MHNRC306	429627	6821346	425.0	20	-60	270	E38/3127
MHNRC307	429633	6821224	424.0	20	-60	270	E38/3127
MHNRC308	429607	6821224	424.0	10	-60	270	E38/3127
MHNRC309	429218	6820979	420.0	36	-60	315	E38/3127
MHNRC310	429254	6820944	421.0	36	-60	315	E38/3127
MHNRC311	429290	6820907	420.0	36	-60	315	E38/3127
MHNRC312	429324	6820872	419.0	36	-60	315	E38/3127
MHNRC313	429360	6820837	418.0	36	-60	315	E38/3127
MHNRC314	429396	6820801	419.0	36	-60	315	E38/3127
MHNRC315	429433	6820765	418.0	36	-60	315	E38/3127
MHNRC316	429100	6820930	418.0	36	-60	315	E38/3127
MHNRC317	429134	6820896	418.0	36	-60	315	E38/3127
MHNRC318	429170	6820859	418.0	36	-60	315	E38/3127
MHNRC319	429205	6820824	418.0	36	-60	315	E38/3127
MHNRC320	429236	6820792	418.0	36	-60	315	E38/3127
MHNRC321	429277	6820752	417.0	36	-60	315	E38/3127
MHNRC322	429309	6820719	417.0	36	-60	315	E38/3127
MHNRC323	429347	6820684	417.0	36	-60	315	E38/3127
MHNRC324	429058	6820812	417.0	36	-60	315	E38/3127
MHNRC325	429093	6820776	417.0	36	-60	315	E38/3127
MHNRC326	429128	6820744	417.0	36	-60	315	E38/3127
MHNRC327	429162	6820709	417.0	36	-60	315	E38/3127
MHNRC328	429198	6820674	416.0	36	-60	315	E38/3127
MHNRC329	429235	6820636	416.0	36	-60	315	E38/3127
MHNRC330	429548	6820900	421.0	36	-60	270	E38/3127
MHNRC331	429597	6820902	421.0	36	-60	270	E38/3127
MHNRC332	429649	6820901	420.0	36	-60	270	E38/3127
MHNRC333	429697	6820902	419.0	36	-60	270	E38/3127
MHNRC334	429743	6820901	419.0	36	-60	270	E38/3127
MHNRC335	429797	6820901	420.0	36	-60	270	E38/3127



Hole_ID	Easting MGAz51	Northing MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Tenement
MHNRC336	429545	6820802	419.0	36	-60	270	E38/3127
MHNRC337	429597	6820801	418.0	36	-60	270	E38/3127
MHNRC338	429650	6820801	418.0	80	-60	270	E38/3127
MHNRC339	429699	6820802	419.0	36	-60	270	E38/3127
MHNRC340	429747	6820802	418.0	36	-60	270	E38/3127
MHNRC341	429799	6820802	418.0	110	-60	270	E38/3127
MHNRC342	429548	6820702	415.0	36	-60	270	E38/3127
MHNRC343	429597	6820703	416.0	36	-60	270	E38/3127
MHNRC344	429846	6820503	421.0	36	-60	270	E38/3127
MHNRC345	429898	6820500	422.0	36	-60	270	E38/3127
MHNRC346	429700	6820398	418.0	36	-60	270	E38/3127
MHNRC347	429748	6820399	421.0	36	-60	270	E38/3127
MHNRC348	429800	6820398	421.0	36	-60	270	E38/3127
MHNRC349	429849	6820400	421.0	36	-60	270	E38/3127
MHNRC350	429897	6820399	422.0	36	-60	270	E38/3127
MHNRC351	429949	6820401	422.0	36	-60	270	E38/3127
MHNRC352	429649	6820299	418.0	36	-60	270	E38/3127
MHNRC353	429700	6820300	418.0	36	-60	270	E38/3127
MHNRC354	429748	6820301	418.0	36	-60	270	E38/3127
MHNRC355	429798	6820301	418.0	36	-60	270	E38/3127
MHNRC356	429847	6820301	418.0	36	-60	270	E38/3127
MHNRC357	429897	6820300	419.0	36	-60	270	E38/3127
MHNRC358	429946	6820300	419.0	36	-60	270	E38/3127
MHNRC359	429606	6820030	419.0	36	-60	270	E38/3127
MHNRC360	429658	6820032	419.0	36	-60	270	E38/3127
MHNRC361	429706	6820027	419.0	36	-60	270	E38/3127
MHNRC362	429754	6820027	419.0	36	-60	270	E38/3127
MHNRC363	429803	6820023	419.0	36	-60	270	E38/3127
MHNRC364	429856	6820026	419.0	36	-60	270	E38/3127
MHNRC365	429907	6820029	420.0	36	-60	270	E38/3127
MHNRC366	429485	6819821	417.0	42	-60	270	E38/3127
MHNRC367	429588	6819819	417.0	36	-60	270	E38/3127
MHNRC368	429638	6819822	417.0	48	-60	270	E38/3127
MHNRC369	429677	6819825	417.0	42	-60	270	E38/3127
MHNRC370	428953	6822698	420.0	75	-60	240	E38/3127
MHNRC371	428992	6822720	421.0	75	-60	240	E38/3127
MHNRC372	429003	6822620	421.0	75	-60	240	E38/3127
MHNRC373	429039	6822642	418.0	100	-60	240	E38/3127
MHNRC374	429093	6822674	423.0	100	-60	240	E38/3127
MHNRC375	429086	6822575	422.0	80	-60	240	E38/3127
MHNRC376	429131	6822599	424.0	100	-60	240	E38/3127
MHNRC377	429195	6822500	426.0	100	-60	240	M38/1041
MHNRC378	429240	6822524	426.0	100	-60	240	E38/3127
MHNRC379	429220	6822368	429.0	60	-60	270	M38/1041
MHNRC380	429275	6822368	430.0	100	-60	270	M38/1041
MHNRC381	429339	6822371	432.0	100	-60	270	E38/3127
MHNRC382	429313	6822273	433.0	60	-60	270	M38/1041
MHNRC383	429369	6822277	434.0	100	-60	270	E38/3127



Hole_ID	Easting MGAz51	Northing MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Tenement
MHNRC384	429355	6822212	430.0	60	-60	270	E38/3127
MHNRC385	429403	6822207	431.0	80	-60	240	E38/3127
MHNRC386	429441	6822227	432.0	100	-60	240	E38/3127
MHNRC387	429453	6822151	431.0	70	-60	240	E38/3127
MHNRC388	429494	6822178	432.0	100	-60	240	E38/3127
MHNRC389	429523	6822079	433.0	80	-60	240	E38/3127
MHNRC390	429571	6822105	435.0	100	-60	240	E38/3127
MHNRC391	429361	6822026	430.0	20	-60	240	E38/3127
MHNRC392	429371	6822036	429.0	25	-60	240	E38/3127
MHNRC393	429492	6822027	432.0	60	-60	240	E38/3127
MHNRC394	429573	6822001	436.0	100	-60	250	E38/3127
MHNRC395	429620	6822017	439.0	100	-60	250	E38/3127
MHNRC396	429411	6821943	431.0	15	-60	250	E38/3127
MHNRC397	429441	6821960	431.0	15	-60	250	E38/3127
MHNRC398	429438	6821940	431.0	15	-60	250	E38/3127
MHNRC399	429457	6821941	432.0	15	-60	250	E38/3127
MHNRC400	429444	6821925	429.0	30	-60	270	E38/3127
MHNRC401	429441	6821911	432.0	15	-60	270	E38/3127
MHNRC402	429449	6821909	432.0	15	-60	270	E38/3127
MHNRC403	429471	6821912	433.0	15	-60	270	E38/3127
MHNRC404	429482	6821912	433.0	15	-60	270	E38/3127
MHNRC405	429436	6821891	433.0	15	-60	270	E38/3127
MHNRC406	429468	6821893	433.0	25	-60	270	E38/3127
MHNRC407	429430	6821869	432.0	15	-60	270	E38/3127
MHNRC408	429444	6821873	432.0	15	-60	270	E38/3127
MHNRC409	429453	6821873	432.0	15	-60	270	E38/3127
MHNRC410	429464	6821875	432.0	15	-60	270	E38/3127
MHNRC411	429432	6821860	432.0	10	-60	270	E38/3127
MHNRC412	429405	6821841	432.0	10	-60	270	E38/3127
MHNRC413	429417	6821840	432.0	10	-60	270	E38/3127
MHNRC414	429440	6821838	432.0	10	-60	270	E38/3127
MHNRC415	429474	6821836	432.0	15	-60	270	E38/3127
MHNRC416	429485	6821836	432.0	15	-60	270	E38/3127
MHNRC417	429571	6821856	433.0	60	-60	270	E38/3127
MHNRC418	429452	6821741	431.0	15	-60	270	E38/3127
MHNRC419	429484	6821741	431.0	25	-60	270	E38/3127
MHNRC420	429509	6821740	431.0	40	-60	270	E38/3127
MHNRC421	429580	6821715	430.0	60	-60	270	E38/3127
MHNRC422	429576	6821763	431.0	50	-60	270	E38/3127
MHNRC423	429446	6821787	431.0	15	-60	270	E38/3127
MHNRC424	429456	6821788	431.0	15	-60	270	E38/3127
MHNRC425	429469	6821789	432.0	15	-60	270	E38/3127
MHNRC426	429481	6821790	432.0	15	-60	270	E38/3127
MHNRC427	429458	6821667	430.0	10	-60	240	E38/3127
MHNRC428	429485	6821166	426.0	20	-60	270	E38/3127
MHNRC429	429503	6821165	426.0	20	-60	270	E38/3127
MHNRC430	429523	6821165	426.0	20	-60	270	E38/3127
MHNRC431	429469	6821101	425.0	10	-60	270	E38/3127



Hole_ID	Easting MGAz51	Northing MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Tenement
MHNRC432	429490	6821101	425.0	15	-60	270	E38/3127
MHNRC433	429507	6821103	425.0	20	-60	270	E38/3127
MHNRC434	429482	6821051	424.0	20	-60	270	E38/3127
MHNRC435	429500	6821050	424.0	20	-60	270	E38/3127
MHNRC436	429519	6821050	425.0	20	-60	270	E38/3127
MHNRC437	429527	6821069	423.0	50	-60	315	E38/3127
MHNRC438	429552	6821040	425.0	50	-60	315	E38/3127
MHNRC439	429581	6821011	421.0	50	-60	315	E38/3127
MHNRC440	429613	6820981	420.0	50	-60	315	E38/3127
MHNRC441	429690	6821061	422.0	50	-60	15	E38/3127
MHNRC442	429722	6821034	421.0	50	-60	15	E38/3127
MHNRC443	429753	6821001	420.0	50	-60	15	E38/3127
MHNRC444	429779	6820972	420.0	50	-60	325	E38/3127
MHNRC445	429823	6821098	421.0	70	-60	315	E38/3127
MHNRC446	429628	6821330	425.0	20	-60	315	E38/3127
MHNRC447	429663	6821309	424.0	100	-60	270	E38/3127
MHNRC448	429628	6821329	425.0	20	-60	270	E38/3127
MHNRC449	429818	6821098	421.0	70	-60	270	E38/3127
MHNRC450	429689	6821063	422.0	50	-60	315	E38/3127
MHNRC451	429778	6820969	420.0	50	-60	270	E38/3127
MHNRC452	429780	6820902	420.0	70	-60	270	E38/3127
MHNRC453	429720	6820801	419.0	65	-60	270	E38/3127
MHNRC454	429094	6822356	426.0	25	-60	270	M38/1041
MHNRC455	429122	6822355	427.0	25	-60	270	M38/1041
MHNRC456	429139	6822352	426.0	25	-60	270	M38/1041
MHNRC457	429216	6822199	424.0	25	-60	270	M38/1041
MHNRC458	429392	6822061	428.0	25	-60	240	E38/3127
MHNRC459	429406	6822040	428.0	25	-60	240	E38/3127
MHNRC460	429465	6821945	432.0	25	-60	250	E38/3127
MHNRC461	429472	6821954	432.0	25	-60	250	E38/3127
MHNRC462	429446	6821781	431.0	25	-60	270	E38/3127
MHNRC463	429460	6821779	431.0	25	-60	270	E38/3127
MHNRC464	429478	6821753	431.0	25	-60	270	E38/3127
MHNRC465	429488	6821755	431.0	25	-60	270	E38/3127
MHNRC466	429469	6821690	430.0	25	-60	240	E38/3127
MHNRC467	429482	6821699	430.0	25	-60	240	E38/3127
MHNRC468	429491	6821704	430.0	25	-60	240	E38/3127
MHNRC469	429496	6821661	429.0	25	-60	240	E38/3127
MHNRC470	429507	6821671	430.0	25	-60	240	E38/3127
MHNRC471	429516	6821680	430.0	25	-60	240	E38/3127
MHNRC472	429496	6821631	428.0	25	-60	270	E38/3127
MHNRC473	429510	6821634	428.0	25	-60	270	E38/3127
MHNRC474	429507	6821603	428.0	25	-60	270	E38/3127
MHNRC475	429158	6821990	431.0	25	-60	270	E38/3127
MHNRC476	429015	6822430	423.0	36	-60	240	M38/1041
MHNRC477	428963	6822600	421.0	75	-60	240	E38/3127
MHNRC478	428931	6822439	422.0	75	-60	270	E38/3127
MHNRC479	428906	6822400	422.0	75	-60	270	E38/3127



Hole_ID	Easting MGAz51	Northing MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Tenement	
MHNRC480	429060	6822397	424.0	40	-60	240	M38/1041	*
MHNRC481	429101	6822420	424.0	40	-60	240	M38/1041	*
MHNRC482	429039	6822440	422.0	40	-60	240	M38/1041	*
MHNRC483	429198	6822164	425.0	40	-60	270	M38/1041	*
MHNRC484	429218	6822164	426.0	40	-60	270	M38/1041	*
MHNRC485	429237	6822164	426.0	40	-60	270	M38/1041	*
MHNRC486	429344	6821985	431.0	15	-60	240	E38/3127	*
MHNRC487	429352	6821978	431.0	20	-60	240	E38/3127	*
MHNRC488	429365	6821981	431.0	20	-60	240	E38/3127	*
MHNRC489	429503	6821835	432.0	30	-60	270	E38/3127	*
MHNRC490	429613	6821764	432.0	60	-60	270	E38/3127	*
MHNRC491	429608	6821719	432.0	60	-60	270	E38/3127	*
MHNRC492	429495	6821598	427.0	25	-60	270	E38/3127	*
MHNRC493	429652	6821587	432.0	75	-60	270	E38/3127	*
MHNRC494	429616	6821361	426.0	25	-60	270	E38/3127	*
MHNRC495	429636	6821362	425.0	25	-60	270	E38/3127	*
MHNRC496	429677	6821249	424.0	110	-60	270	E38/3127	*
MHNRC497	429675	6821202	424.0	50	-60	270	E38/3127	*
MHNRC498	429799	6821126	421.0	50	-60	325	E38/3127	*
MHNRC499	429797	6820942	420.0	80	-60	325	E38/3127	*
MHNRC500	429673	6820948	420.0	40	-60	270	E38/3127	*
MHNRC501	429722	6820945	420.0	40	-60	270	E38/3127	*
MHNRC502	429633	6820848	421.0	80	-60	270	E38/3127	*
MHNRC503	429684	6820853	420.0	40	-60	270	E38/3127	*
MHNRC504	428663	6822184	421.0	48	-60	0	E38/3127	*
MHNRC505	428659	6822171	420.0	50	-60	0	E38/3127	*
MHNRC506	428898	6822385	421.0	54	-60	270	E38/3127	*
MHNRC507	428938	6822450	421.0	54	-60	270	E38/3127	*
MHNRC508	429647	6821926	435.0	100	-60	270	E38/3127	*
MHNRC509	429639	6822112	434.0	75	-60	270	E38/3127	*
MHNRC510	429650	6822141	434.0	120	-60	270	E38/3127	**
MHNRC511	429510	6822122	429.0	60	-60	270	E38/3127	*
MHNRC512	428701	6822199	418.0	100	-60	270	E38/3127	*
MHNRC513	429765	6822567	425.0	60	-60	270	E38/3127	*
MHNRC514	429097	6822389	422.0	30	-60	270	M38/1041	*
MHNRC515	429129	6822355	424.0	30	-60	270	M38/1041	*
MHNRC516	429152	6822355	423.0	24	-60	270	M38/1041	*
MHNRC517	429109	6822340	424.0	15	-60	270	M38/1041	*
MHNRC518	429127	6822339	424.0	20	-60	270	M38/1041	*
MHNRC519	429138	6822339	424.0	25	-60	270	M38/1041	*
MHNRC520	429154	6822339	424.0	30	-60	270	M38/1041	*
MHNRC521	429164	6822339	424.0	27	-60	270	M38/1041	*
MHNRC522	429112	6822315	424.0	15	-60	270	M38/1041	*
MHNRC523	429129	6822315	425.0	20	-60	270	M38/1041	*
MHNRC524	429137	6822315	425.0	25	-60	270	M38/1041	*
MHNRC525	429153	6822316	425.0	30	-60	270	M38/1041	*
MHNRC526	429167	6822316	425.0	30	-60	270	M38/1041	*
MHNRC527	429183	6822316	425.0	30	-60	270	M38/1041	*



Hole_ID	Easting MGAz51	Northing MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Tenement
MHNRC528	429369	6822088	424.0	30	-60	240	E38/3127
MHNRC529	429387	6822098	425.0	30	-60	240	E38/3127
MHNRC530	429379	6822073	428.0	30	-60	240	E38/3127
MHNRC531	429391	6822081	425.0	30	-60	240	E38/3127
MHNRC532	429464	6821708	428.0	15	-60	240	E38/3127
MHNRC533	429472	6821714	428.0	20	-60	240	E38/3127
MHNRC534	429462	6821686	428.0	10	-60	240	E38/3127
MHNRC535	429484	6821662	427.0	10	-60	240	E38/3127
MHNRC536	429558	6821479	424.0	30	-60	270	E38/3127
MHNRC537	429573	6821479	424.0	30	-60	270	E38/3127
MHNRC538	429589	6821479	425.0	30	-60	270	E38/3127
MHNRC539	429671	6821276	422.0	70	-60	270	E38/3127
MHNRC540	429669	6821264	422.0	70	-60	270	E38/3127
MHNRC541	429709	6821254	421.0	110	-60	270	E38/3127
MHNRC542	429649	6821252	422.0	50	-60	270	E38/3127
MHNRC543	429636	6821203	423.0	30	-60	270	E38/3127
MHNRC544	429704	6821201	421.0	71	-60	270	E38/3127
MHNRC545	429683	6821185	421.0	70	-60	270	E38/3127
MHNRC546	429656	6821167	422.0	30	-60	270	E38/3127
MHNRC547	429676	6821167	421.0	40	-60	270	E38/3127
MHNRC548	429689	6821166	421.0	50	-60	270	E38/3127
MHNRC549	429653	6821134	422.0	30	-60	270	E38/3127
MHNRC550	429677	6821135	421.0	40	-60	270	E38/3127
MHNRC551	429701	6821135	420.0	50	-60	270	E38/3127
MHNRC552	429730	6821136	420.0	60	-60	270	E38/3127
MHNRC553	429760	6821136	419.0	125	-60	270	E38/3127
MHNRC554	429728	6821170	420.0	60	-60	270	E38/3127
MHNRC555	429651	6821202	423.0	70	-60	270	E38/3127
MHNRC556	429629	6821239	423.0	30	-60	270	E38/3127
MHNRC557	429650	6821039	422.0	60	-60	270	E38/3127
MHNRC558	428990	6822450	419.0	60	-60	270	E38/3127
MHNRC559	428984	6822676	417.0	105	-60	240	E38/3127
MHNRC560	429635	6821167	423.0	50	-60	270	E38/3127
MHNRC561	429631	6821134	422.0	30	-60	270	E38/3127
MHNRC562	429638	6821071	422.0	79	-60	270	E38/3127
MHNRC563	429759	6821180	420.0	90	-60	270	E38/3127
MHNRC564	429721	6821289	421.0	110	-60	270	E38/3127
MHNRC565	429222	6819645	413.0	74	-60	270	E38/3127
MHNRC566	429250	6820165	415.0	42	-60	270	E38/3127
MHNRC567	429347	6820164	416.0	52	-60	270	E38/3127
MHNRC568	429444	6820167	416.0	75	-60	270	E38/3127
MHNRC569	429546	6820165	417.0	75	-60	270	E38/3127
MHNRC570	429400	6820375	416.0	50	-60	270	E38/3127
MHNRC571	429500	6820372	417.0	75	-60	270	E38/3127
MHNRC572	429538	6820422	417.0	100	-60	0	E38/3127
MHNRC573	429477	6820578	416.0	24	-60	270	E38/3127
MHNRC574	429513	6820581	416.0	36	-60	270	E38/3127
MHNRC575	429584	6820581	417.0	60	-60	270	E38/3127



Hole_ID	Easting MGAz51	Northing MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Tenement
MHNRC576	429147	6822355	423.0	40	-60	270	M38/1041
MHNRC577	429536	6822126	430.0	225	-50	240	E38/3127
MHNRC578	429609	6821856	430.0	225	-50	270	E38/3127
MHNRC579	429654	6821741	433.0	225	-50	270	E38/3127
MHNRC580	429631	6821643	430.0	225	-50	270	E38/3127
MHNRC581	429849	6821169	419.0	250	-50	270	E38/3127
MHNRC582	429790	6821311	421.0	225	-50	270	E38/3127
MHNRC583	429769	6821252	420.0	150	-60	270	E38/3127
MHNRC584	429656	6821187	422.0	50	-60	270	E38/3127
MHNRC585	429853	6821315	421.0	170	-60	270	E38/3127
MHNRC586	429831	6821341	421.0	150	-60	270	E38/3127
MHNRC587	429859	6821378	422.0	160	-60	270	E38/3127
MHNRC588	429538	6821131	423.0	50	-60	270	E38/3127
MHNRC589	429571	6821132	424.0	50	-60	270	E38/3127
MHNRC590	429600	6821133	423.0	50	-60	270	E38/3127
MHNRC591	429563	6821164	424.0	50	-60	270	E38/3127
MHNRC592	429599	6821166	424.0	50	-60	270	E38/3127
MHNRC593	429410	6822089	425.0	36	-60	240	E38/3127
MHNRC594	429369	6822098	424.0	21	-60	240	E38/3127
MHNRC595	429354	6822092	424.0	21	-60	240	E38/3127
MHNRC596	429190	6822339	425.0	27	-60	270	M38/1041
MHNRC597	428824	6822715	416.0	50	-60	240	E38/3127
MHNRC598	429681	6821150	421.0	65	-60	270	E38/3127
MHNRC599	429559	6821250	424.0	100	-60	270	E38/3127
MHNRC600	429468	6821502	423.0	100	-60	270	E38/3127
MHNRC601	429296	6821549	421.0	100	-60	270	E38/3127
MHNRC602	429212	6821551	420.0	75	-60	270	E38/3127
MHNRC603	429391	6821705	426.0	90	-60	270	E38/3127
MHNRC604	429563	6820850	417.0	70	-60	270	E38/3127
MHNRC605	429459	6821049	421.0	50	-60	270	E38/3127
MHNRC606	429919	6821553	424.0	145	-60	270	E38/3127
MHNRC607	429640	6821643	431.0	50	-60	270	E38/3127
MHNRC608	429594	6822121	433.0	100	-60	240	E38/3127
MHNRC609	429179	6822401	424.0	100	-60	270	M38/1041
MHNRC610	429101	6822528	420.0	100	-60	240	E38/3127
MHNRC611	429301	6821049	419.0	124	-60	270	E38/3127
MHNRC612	429404	6821853	430.0	120	-60	270	E38/3127
MHNRC613	429600	6822200	434.0	100	-60	270	E38/3127
MHNRC614	429258	6822545	423.0	100	-60	270	E38/3127
MHNRC615	429055	6821788	423.0	100	-60	270	E38/3127
MHNRC616	428788	6822693	416	60	-60	240	E38/3127
MHNRC617	428750	6822673	415	60	-60	240	E38/3127
MHNRC618	428709	6822652	415	60	-60	240	E38/3127
MHNRC619	428878	6822658	417	60	-60	240	E38/3127
MHNRC620	428844	6822638	416	92	-60	240	E38/3127
MHNRC621	428786	6822606	416	60	-60	240	E38/3127
MHNRC622	428880	6822559	416	59	-60	240	E38/3127



Hole_ID	Easting MGAz51	Northing MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Tenement
MHNRC623	428879	6822462	418	75	-60	240	E38/3127
MHNRC624	428938	6822491	418	60	-60	240	E38/3127
MHNRC625	429226	6822658	421	110	-60	240	E38/3127
MHNRC626	429035	6822486	419	60	-60	240	E38/3127
MHNRC627	429456	6822116	427	50	-60	240	E38/3127
MHNRC628	429434	6822104	426	50	-60	240	E38/3127
MHNRC629	429304	6822079	424	40	-60	240	E38/3127
MHNRC630	429343	6822060	425	40	-60	240	E38/3127
MHNRC631	429316	6822046	426	40	-60	240	E38/3127
MHNRC632	429329	6822027	427	40	-60	240	E38/3127
MHNRC633	429311	6822009	428	40	-60	240	E38/3127
MHNRC634	429321	6821987	429	40	-60	240	E38/3127
MHNRC635	429333	6821969	429	40	-60	240	E38/3127
MHNRC636	429376	6821894	430	40	-60	240	E38/3127
MHNRC637	429401	6821823	430	40	-60	240	E38/3127
MHNRC638	429409	6821789	429	40	-60	270	E38/3127
MHNRC639	429418	6821752	428	40	-60	270	E38/3127
MHNRC640	429425	6821700	427	37	-60	270	E38/3127
MHNRC641	429427	6821663	426	40	-60	270	E38/3127
MHNRC642	429434	6821614	426	40	-60	270	E38/3127
MHNRC643	429443	6821583	425	40	-60	270	E38/3127
MHNRC644	429476	6821583	424	40	-60	270	E38/3127
MHNRC645	429449	6821542	423	40	-60	270	E38/3127
MHNRC646	429491	6821511	424	40	-60	270	E38/3127
MHNRC647	429520	6821477	424	45	-60	270	E38/3127
MHNRC648	429489	6821441	423	40	-60	270	E38/3127
MHNRC649	429901	6821426	423	190	-60	270	E38/3127
MHNRC650	429892	6821377	422	150	-60	270	E38/3127
MHNRC651	429829	6821377	422	150	-60	270	E38/3127
MHNRC652	429864	6821346	422	150	-60	270	E38/3127
MHNRC653	429797	6821346	421	150	-60	270	E38/3127
MHNRC654	429594	6821310	423	50	-60	270	E38/3127
MHNRC655	429548	6821311	423	40	-60	270	E38/3127
MHNRC656	429721	6821311	421	130	-55	270	E38/3127
MHNRC657	429692	6821284	421	110	-60	270	E38/3127
MHNRC658	429759	6821284	421	115	-60	270	E38/3127
MHNRC659	429738	6821250	420	150	-57	270	E38/3127
MHNRC660	429644	6821224	422	50	-60	270	E38/3127
MHNRC661	429687	6821224	421	60	-60	270	E38/3127
MHNRC662	429505	6821200	424	40	-60	270	E38/3127
MHNRC663	429552	6821200	424	40	-60	270	E38/3127
MHNRC664	429606	6821200	424	80	-60	270	E38/3127
MHNRC665	429660	6821199	422	90	-60	270	E38/3127
MHNRC666	429688	6821200	421	90	-60	270	E38/3127
MHNRC667	429662	6821165	422	110	-60	270	E38/3127
MHNRC668	429814	6821167	419	80	-55	270	E38/3127
MHNRC669	429893	6821167	419	100	-55	270	E38/3127
MHNRC670	429613	6821133	423	50	-60	270	E38/3127



Hole_ID	Easting MGAz51	Northing MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Tenement
MHNRC671	429540	6821100	423	50	-60	270	E38/3127
MHNRC672	429586	6821094	423	50	-60	270	E38/3127
MHNRC673	429604	6821073	422	50	-60	270	E38/3127
MHNRC674	429672	6821070	420	55	-60	270	E38/3127
MHNRC675	429417	6821050	420	40	-60	270	E38/3127
MHNRC676	429535	6821048	423	70	-60	270	E38/3127
MHNRC677	429573	6821049	423	45	-60	270	E38/3127
MHNRC678	429793	6821049	418	110	-60	270	E38/3127
MHNRC679	429820	6820997	417	85	-60	270	E38/3127
MHNRC680	429533	6820998	420	40	-60	270	E38/3127
MHNRC681	429582	6820999	421	40	-60	270	E38/3127
MHNRC682	429558	6820950	419	40	-60	270	E38/3127
MHNRC683	429843	6820945	418	90	-60	270	E38/3127
MHNRC684	429831	6820901	418	100	-60	270	E38/3127
MHNRC685	429764	6820853	417	70	-60	270	E38/3127
MHNRC686	429476	6820849	417	40	-60	270	E38/3127
MHNRC687	429278	6820799	416	50	-60	270	E38/3127
MHNRC688	429197	6820895	417	50	-60	270	E38/3127
MHNRC689	428972	6820550	412	40	-60	270	E38/3127
MHNRC690	429191	6820599	413	80	-60	270	E38/3127
MHNRC691	429406	6820480	415	80	-60	270	E38/3127
MHNRC692	429408	6820557	415	60	-60	270	E38/3127
MHNRC693	429660	6820582	417	120	-60	270	E38/3127
MHNRC694	429650	6820511	417	130	-60	270	E38/3127
MHNRC696	429639	6820385	418	120	-60	270	E38/3127
MHNRC697	429797	6820448	419	80	-60	270	E38/3127
MHNRC698	429359	6821991	429	40	-60	240	E38/3127
MHNRC699	429679	6822052	437	105	-60	240	E38/3127
MHNRC700	429670	6821101	421	40	-60	270	E38/3127
MHNRC701	429444	6820851	417	40	-60	270	E38/3127
MHNRC702	429505	6821002	421	40	-60	270	E38/3127
MHNRC703	429470	6820951	419	40	-60	270	E38/3127
MHNRC704	429504	6820952	419	40	-60	270	E38/3127
MHNRC705	429520	6820697	415	40	-60	270	E38/3127
MHNRC706	429936	6821299	421	70	-60	270	E38/3127
MHNRC707	429979	6821300	421	70	-60	270	E38/3127
MHNRC708	430019	6821394	421	70	-60	270	E38/3127
MHNRC709	430060	6821394	421	70	-60	270	E38/3127
MHNRC710	429754	6821346	421	125	-60	270	E38/3127
MHNRC711	429867	6821000	418	50	-60	270	E38/3127
MHNRC712	428835	6822437	418	60	-60	240	E38/3127
MHNRC713	428788	6822510	416	60	-60	240	E38/3127
MHNRC714	428833	6822533	416	60	-60	240	E38/3127
MHNRC715	428690	6822554	415	60	-60	240	E38/3127
MHNRC716	428743	6822586	415	60	-60	240	E38/3127
MHNRC717	428600	6822588	414	50	-60	240	E38/3127
MHNRC718	429716	6820392	418	115	-60	270	E38/3127
MHNRC719	429468	6820553	416	100	-60	270	E38/3127



Hole_ID	Easting MGAz51	Northing MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Tenement
MHNRC720	429683	6821237	421	70	-60	270	E38/3127
MHNRC721	429721	6821236	420	90	-60	270	E38/3127
MHNRC722	429692	6821270	421	80	-60	270	E38/3127
MHNRC723	429730	6821268	421	100	-60	270	E38/3127
MHNRC724	429803	6821282	420	141	-60	270	E38/3127
MHNRC725	429711	6821331	421	70	-60	270	E38/3127
MHNRC726	429749	6821333	421	110	-60	270	E38/3127
MHNRC727	429790	6821331	421	130	-60	270	E38/3127
MHNRC728	429832	6821328	421	150	-60	270	E38/3127
MHNRC729	429870	6821426	423	120	-60	270	E38/3127
MHNRC730	429928	6821474	424	198	-60	270	E38/3127
MHNRC731	429536	6821801	429	50	-60	270	E38/3127
MHNRC732	429572	6821802	429	60	-60	270	E38/3127
MHNRC733	429613	6821802	429	70	-60	270	E38/3127
MHNRC734	429500	6821877	430	40	-60	270	E38/3127
MHNRC735	429526	6821877	431	50	-60	270	E38/3127
MHNRC736	429547	6822280	431	120	-60	240	E38/3127
MHNRC737	429391	6822378	429	80	-60	270	E38/3127
MHNRC738	429069	6822463	420	55	-60	240	M38/1041
MHNRC739	428639	6822609	414	60	-60	240	E38/3127
MHNRC740	428890	6822748	416	75	-60	240	E38/3127
MHNRC741	428935	6822772	417	75	-60	240	E38/3127
MHNRC742	428975	6822793	417	75	-60	240	E38/3127
MHNRC743	428823	6822883	416	75	-60	240	E38/3127
MHNRC744	428866	6822906	417	75	-60	240	E38/3127
MHNRC745	428906	6822927	417	75	-60	240	E38/3127
MHNRC746	428462	6822693	414	73	-60	225	E38/3127
MHNRC747	428501	6822738	415	75	-60	225	E38/3127
MHNRC748	428538	6822773	415	73	-60	225	E38/3127
MHNRC749	428575	6822810	415	79	-60	225	E38/3127
MHNRC750	428615	6822850	415	75	-60	225	E38/3127
MHNRC751	428649	6822885	415	75	-60	225	E38/3127
MHNRC752	428271	6822784	414	85	-60	225	E38/3127
MHNRC753	428311	6822821	414	75	-60	225	E38/3127
MHNRC754	428351	6822859	414	75	-60	225	E38/3127
MHNRC755	428389	6822896	414	75	-60	225	E38/3127
MHNRC756	428453	6822926	415	75	-60	225	E38/3127
MHNRC757	428472	6823010	415	76	-60	225	E38/3127
MHNRC758	428111	6822892	414	75	-60	225	E38/3127
MHNRC759	428153	6822932	414	75	-60	225	E38/3127
MHNRC760	428190	6822967	414	75	-60	225	E38/3127
MHNRC761	428229	6823006	414	75	-60	225	E38/3127
MHNRC762	428266	6823043	414	75	-60	225	E38/3127
MHNRC763	428304	6823081	415	75	-60	225	E38/3127
MHNRC764	428787	6823053	416	75	-60	330	E38/3127
MHNRC765	428761	6823099	416	75	-60	330	E38/3127
MHNRC766	428724	6823162	416	75	-60	330	E38/3127
MHNRC767	428699	6823207	416	75	-60	330	E38/3127



Hole_ID	Easting MGAz51	Northing MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Tenement	
MHNRC768	429069	6823208	417	75	-60	330	E38/3127	*
MHNRC769	429042	6823252	417	75	-60	330	E38/3127	*
MHNRC770	429014	6823300	417	75	-60	330	E38/3127	*
MHNRC771	428977	6823361	417	75	-60	330	E38/3127	*
MHNRC772	428958	6823300	417	75	-60	240	E38/3127	*
MHNRC773	429012	6823328	417	75	-60	240	E38/3127	*
MHNRC774	429048	6823351	417	75	-60	240	E38/3127	*
MHNRC775	429603	6821048	422	75	-60	270	E38/3127	*
MHNRC776	429647	6821100	422	75	-60	270	E38/3127	*
MHNRC777	429759	6821377	422	100	-60	270	E38/3127	*
MHNRC778	429571	6821071	423	50	-60	270	E38/3127	**
MHNRC779	429775	6820393	418	181	-60	270	E38/3127	*
MHNRC780	429733	6820451	418	170	-60	270	E38/3127	*
MHNRC781	429753	6820506	418	162	-60	270	E38/3127	*
MHNRC782	429692	6820334	418	170	-60	270	E38/3127	*
MHNRC783	429372	6822152	426	50	-60	240	E38/3127	*
MHNRC784	429402	6822168	427	60	-60	240	E38/3127	*
MHNRC785	429430	6822185	427	70	-60	240	E38/3127	*
MHNRC786	429460	6822205	429	80	-60	240	E38/3127	*
MHNRC787	429381	6822250	430	70	-60	270	E38/3127	*
MHNRC788	429344	6822251	429	60	-60	270	E38/3127	*
MHNRC789	429303	6822250	429	50	-60	270	M38/1041	*
MHNRC790	429265	6822250	427	40	-60	270	M38/1041	*
MHNRC791	429222	6822250	426	30	-60	270	M38/1041	*
MHNRC792	429209	6822325	426	40	-60	270	M38/1041	*
MHNRC793	429252	6822324	427	50	-60	270	M38/1041	*
MHNRC794	429295	6822324	429	55	-60	270	M38/1041	*
MHNRC795	429336	6822325	431	60	-60	270	E38/3127	*
MHNRC796	429375	6822326	432	65	-60	270	E38/3127	*
MHNRC797	429173	6822441	423	55	-60	240	M38/1041	*
MHNRC798	429212	6822460	423	65	-60	240	M38/1041	*
MHNRC799	429258	6822483	423	70	-60	240	E38/3127	*
MHNRC800	429213	6822407	425	40	-60	240	M38/1041	*
MHNRC801	429255	6822426	424	50	-60	240	M38/1041	*
MHNRC802	429291	6822444	425	60	-60	240	E38/3127	*
MHNRC803	428800	6823291	417	75	-60	225	E38/3127	*
MHNRC805	429693	6821548	429	70	-60	270	E38/3127	**
MHNRC806	429660	6820925	418	36	-60	270	E38/3127	**
MHNRC807	429692	6820926	417	46	-60	270	E38/3127	**
MHNRC808	429721	6820926	417	48	-60	270	E38/3127	**
MHNRC809	429668	6820978	419	21	-60	270	E38/3127	**
MHNRC810	429680	6820979	418	21	-60	270	E38/3127	**
MHNRC811	429695	6820979	418	21	-60	270	E38/3127	**
MHNRC812	429771	6821169	420	90	-60	270	E38/3127	**
MHNRC813	429738	6821199	420	90	-60	270	E38/3127	*
MHNRC814	429800	6821202	419	100	-60	270	E38/3127	**
MHNRC815	429854	6821201	420	120	-60	270	E38/3127	**
MHNRC816	429523	6821024	422	64	-60	270	E38/3127	**



Hole_ID	Easting MGAz51	Northing MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Tenement	
MHNRC817	429518	6820970	419	50	-60	270	E38/3127	**
MHNRC818	429400	6822789	421	60	-60	270	E38/3127	**
MHNRC819	429188	6822247	426	50	-60	270	M38/1041	**
MHNRC820	429159	6822245	425	30	-60	270	M38/1041	**
MHNRC821	429138	6822245	425	30	-60	270	M38/1041	**
MHNRC822	429138	6822294	425	30	-60	270	M38/1041	**
MHNRC823	429159	6822295	426	30	-60	270	M38/1041	**
MHNRC824	429181	6822296	426	30	-60	270	M38/1041	**
MHNRC825	429352	6822134	426	50	-60	240	M38/1041	**
MHNRC826	429324	6822120	424	50	-60	240	M38/1041	**
MHNRC827	429296	6822106	423	50	-60	240	M38/1041	**
MHNRC828	429540	6822044	432	80	-60	240	E38/3127	**
MHNRC829	429568	6821966	433	80	-60	250	E38/3127	**
MHNRC830	429569	6821891	431	80	-60	270	E38/3127	**
MHNRC831	429591	6821682	428	80	-60	270	E38/3127	**
MHNRC832	429619	6821614	429	55	-60	270	E38/3127	**
MHNRC833	429656	6821615	431	75	-60	270	E38/3127	**
MHNRC834	429650	6821401	423	75	-60	270	E38/3127	**
MHNRC835	429157	6822557	422	85	-60	240	E38/3127	**
MHNRC836	429294	6822558	423	85	-60	240	E38/3127	**
MHNRC837	429181	6822356	424	50	-60	270	M38/1041	**
MHNRC838	429136	6822353	423	50	-60	270	M38/1041	**
MHNRC839	429135	6822367	423	50	-60	270	M38/1041	**
MHNRC840	429139	6822332	425	50	-60	270	M38/1041	**
MHNRC841	429199	6822195	424	50	-60	270	M38/1041	**
MHNRC842	429116	6822409	421	50	-60	240	M38/1041	**
MHNRC843	428994	6822421	420	50	-60	240	E38/3127	**
MHNRC844	429577	6822151	432	110	-60	240	E38/3127	**
MHNRC847	429526	6821953	432	60	-60	270	E38/3127	**
MHNRC848	429533	6821912	432	60	-60	270	E38/3127	**
MHNRC849	429342	6821893	430	40	-60	270	E38/3127	**
MHNRC851	429426	6821877	430	70	-60	270	E38/3127	**
MHNRC852	429536	6821844	430	50	-60	270	E38/3127	**
MHNRC853	429483	6821805	429	30	-60	270	E38/3127	**
MHNRC854	429655	6821801	430	90	-60	270	E38/3127	**
MHNRC855	429643	6821766	431	70	-60	270	E38/3127	**
MHNRC856	429433	6821786		15	-60	270	E38/3127	***
MHNRC857	429495	6821779	429	40	-60	270	E38/3127	**
MHNRC858	429536	6821780	428	50	-60	270	E38/3127	**
MHNRC859	429457	6821700		15	-60	240	E38/3127	***
MHNRC860	429467	6821669		15	-60	240	E38/3127	***
MHNRC861	429498	6821687		15	-60	240	E38/3127	***
MHNRC862	429542	6821689	426	50	-60	270	E38/3127	**
MHNRC863	429551	6821645	426	40	-60	270	E38/3127	**
MHNRC864	429575	6821618	426	40	-60	270	E38/3127	**
MHNRC865	429521	6821581		15	-60	270	E38/3127	***
MHNRC866	429561	6821590	425	35	-60	270	E38/3127	**
MHNRC867	429628	6821480	425	65	-60	270	E38/3127	***



Hole_ID	Easting MGAz51	Northing MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Tenement	
MHNRC868	429455	6821440	423	25	-60	270	E38/3127	***
MHNRC871	429548	6821402	424	45	-60	270	E38/3127	***
MHNRC872	429590	6821402	424	55	-60	270	E38/3127	***
MHNRC873	429517	6821310	424	35	-60	270	E38/3127	***
MHNRC874	429522	6821249		10	-60	270	E38/3127	***
MHNRC875	429605	6821247	423	60	-60	270	E38/3127	***
MHNRC876	429555	6821228	424	50	-60	270	E38/3127	***
MHNRC877	429790	6821130	419	60	-60	270	E38/3127	***
MHNRC879	429621	6820802	416	30	-60	270	E38/3127	***
MHNRC882	429658	6820853	416	30	-60	270	E38/3127	***
MHNRC883	429671	6820906	417	35	-60	270	E38/3127	***
MHNRC884	429629	6820907	418	15	-60	270	E38/3127	***
MHNRC886	429700	6820949	417	25	-60	270	E38/3127	***
MHNRC887	429649	6820951	419	15	-60	270	E38/3127	***
MHNRC888	429692	6821003	419	40	-60	270	E38/3127	***
MHNRC889	429837	6821054	418	120	-60	270	E38/3127	***
MHNRC890	429846	6821099	418	70	-60	270	E38/3127	***
MHNRC891	429829	6821136	419	80	-60	270	E38/3127	***
MHNRC892	429841	6821288	421	130	-60	270	E38/3127	***
MHNRC893	429921	6821378	422	145	-60	270	E38/3127	***
MHNRC894	429855	6821478	424	145	-60	270	E38/3127	***
MHNRC896	429951	6821550	424	108	-60	270	E38/3127	***
MHNRC897	429839	6821428	423	130	-60	270	E38/3127	***
MHNRC913	429705	6821400		142	-60	270	E38/3127	***
MHNRC914	429748	6821400		143	-60	270	E38/3127	***
MHNRC915	429788	6821400		143	-60	270	E38/3127	***
769 RC Drillhole for 42,667m								

** New drillhole assays received

*** New drillhole assays pending

Table 4. HN9 Planned RC & Diamond Drilling

Hole_ID	Easting MGAz51	Northing MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole Type	Tenement
MHNDD001	429439	6822106	429	95	-60	240	DDH	E38/3127
MHNDD002	429505	6821835	433	90	-60	270	DDH	E38/3127
MHNDD003	429607	6821075	425	140	-60	270	DDH	E38/3127
MHNDD004	429578	6821510	427	75	-60	270	DDH	E38/3127
MHNRC846	429684	6822051	436	120	-60	240	RC	E38/3127
MHNRC878	429490	6821000	420	10	-60	270	RC	E38/3127
MHNRC880	429575	6820802	419	15	-60	270	RC	E38/3127
MHNRC881	429605	6820850	419	15	-60	270	RC	E38/3127
MHNRC885	429743	6820901	419	55	-60	270	RC	E38/3127
MHNRC898	428777	6822860	416	75	-60	240	RC	E38/3127
MHNRC899	428756	6822932	416	75	-60	240	RC	E38/3127
MHNRC900	428786	6822950	416	75	-60	240	RC	E38/3127
MHNRC901	428858	6822817	416	75	-60	240	RC	E38/3127
MHNRC902	429935	6821514	424	200	-60	270	RC	E38/3127
MHNRC903	429751	6821452	425	145	-60	270	RC	E38/3127



Hole_ID	Easting MGAz51	Northing MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole Type	Tenement
MHNRC904	429800	6821454	424	145	-60	270	RC	E38/3127
MHNRC905	429854	6821455	424	195	-60	270	RC	E38/3127
MHNRC906	429909	6821455	423	145	-60	270	RC	E38/3127
MHNRC907	429957	6821455	423	200	-60	270	RC	E38/3127
MHNRC908	430014	6821455	422	205	-60	270	RC	E38/3127
MHNRC909	430061	6821455	422	215	-60	270	RC	E38/3127
MHNRC910	429820	6821433	423	325	-90	0	RC	E38/3127
MHNRC911	429942	6821427	423	165	-60	270	RC	E38/3127
MHNRC912	430023	6821428	422	200	-60	270	RC	E38/3127
MHNRC916	429908	6821400	423	170	-60	270	RC	E38/3127
MHNRC917	429956	6821400	422	185	-60	270	RC	E38/3127
MHNRC918	429993	6821400	422	192	-60	270	RC	E38/3127
MHNRC919	429968	6821376	422	165	-60	270	RC	E38/3127
MHNRC920	429888	6821347	422	325	-90	0	RC	E38/3127
MHNRC921	429920	6821345	422	160	-60	270	RC	E38/3127
MHNRC922	429963	6821345	421	175	-60	270	RC	E38/3127
MHNRC923	429575	6820700	416	60	-60	270	RC	E38/3127
MHNRC924	429625	6820700	417	80	-60	270	RC	E38/3127
MHNRC925	429690	6820700	418	120	-60	270	RC	E38/3127
MHNRC926	429755	6820700	418	150	-60	270	RC	E38/3127
MHNRC927	429810	6820700	419	180	-60	270	RC	E38/3127
MHNRC928	429855	6820700	419	200	-60	270	RC	E38/3127
MHNRC929	429733	6820631	418	140	-60	270	RC	E38/3127
MHNRC930	429781	6820630	418	140	-60	270	RC	E38/3127
MHNRC931	429828	6820631	420	140	-60	270	RC	E38/3127
MHNRC932	429722	6820506	418	120	-60	270	RC	E38/3127
MHNRC933	429783	6820506	419	180	-60	270	RC	E38/3127
MHNRC934	429713	6820477	418	160	-60	270	RC	E38/3127
MHNRC935	429743	6820477	418	160	-60	270	RC	E38/3127
MHNRC936	429700	6820447	419	180	-60	270	RC	E38/3127
MHNRC937	429773	6820477	418	160	-60	270	RC	E38/3127
MHNRC938	429765	6820447	419	200	-60	270	RC	E38/3127
MHNRC939	429695	6820420	420	160	-60	270	RC	E38/3127
MHNRC940	429725	6820420	418	160	-60	270	RC	E38/3127
MHNRC941	429755	6820420	420	160	-60	270	RC	E38/3127
MHNRC942	429606	6820391	417	140	-60	270	RC	E38/3127
MHNRC943	429683	6820391	420	160	-60	270	RC	E38/3127
MHNRC944	429670	6820364	418	170	-60	270	RC	E38/3127
MHNRC945	429710	6820364	419	190	-60	270	RC	E38/3127
MHNRC946	429727	6820334	417	190	-60	270	RC	E38/3127
MHNRC947	429149	6820558	415	70	-60	315	RC	E38/3127
MHNRC948	429183	6820527	415	90	-60	315	RC	E38/3127
MHNRC949	429125	6820446	415	90	-60	315	RC	E38/3127
MHNRC950	429095	6820475	415	70	-60	315	RC	E38/3127
MHNRC951	429429	6820860	415	70	-60	315	RC	E38/3127
MHNRC952	429401	6820889	415	70	-60	315	RC	E38/3127
MHNRC953	429418	6820571	415	70	-60	300	RC	E38/3127
MHNRC954	429388	6820590	415	70	-60	300	RC	E38/3127



Hole_ID	Easting MGAz51	Northing MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole Type	Tenement
MHNRC955	429381	6820497	415	70	-60	300	RC	E38/3127
MHNRC956	429351	6820517	415	70	-60	300	RC	E38/3127
MHNRC957	429352	6820353	415	70	-60	300	RC	E38/3127
MHNRC958	429322	6820371	415	70	-60	300	RC	E38/3127
MHNRC959	429292	6820388	415	70	-60	300	RC	E38/3127
MHNRC960	429602	6820630	415	70	-60	270	RC	E38/3127
MHNRC961	429567	6820630	415	70	-60	270	RC	E38/3127
MHNRC962	429584	6820510	415	90	-60	270	RC	E38/3127
MHNRC963	429535	6820510	415	70	-60	270	RC	E38/3127
MHNRC964	429536	6820391	415	70	-60	270	RC	E38/3127
MHNRC965	429578	6820447	415	90	-60	270	RC	E38/3127
MHNRC966	429536	6820447	415	70	-60	270	RC	E38/3127
MHNRC967	429651	6820230	415	130	-60	270	RC	E38/3127
MHNRC968	429583	6820230	415	110	-60	270	RC	E38/3127
MHNRC969	429908	6821000	418	100	-60	270	RC	E38/3127
MHNRC970	429903	6821054	418	100	-60	270	RC	E38/3127
MHNRC971	429616	6821891	430	100	-60	270	RC	E38/3127
MHNRC972	429590	6822068	432	100	-60	240	RC	E38/3127
MHNRC973	429348	6822587	424	120	-60	240	RC	E38/3127
MHNRC974	429305	6822510	424	90	-60	240	RC	E38/3127
MHNRC975	429347	6822535	424	120	-60	240	RC	E38/3127
MHNRC976	429222	6822592	424	110	-60	240	RC	E38/3127
MHNRC977	429284	6822628	424	140	-60	240	RC	E38/3127
MHNRC978	429159	6822708	423	150	-60	240	RC	E38/3127
MHNRC979	428852	6822400	421	70	-60	270	RC	E38/3127
MHNRC980	428939	6822401	421	90	-60	270	RC	E38/3127
MHNRC981	428940	6822345	421	90	-60	270	RC	E38/3127
MHNRC982	428890	6822345	421	90	-60	270	RC	E38/3127
MHNRC983	428840	6822345	421	90	-60	270	RC	E38/3127
MHNRC984	428100	6821700	415	90	-60	90	RC	E38/3127
MHNRC985	428150	6821700	415	90	-60	90	RC	E38/3127
MHNRC986	428080	6821835	415	120	-60	90	RC	E38/3127
MHNRC987	430340	6819400	420	90	-60	270	RC	E38/3127
MHNRC988	430280	6819400	420	90	-60	270	RC	E38/3127
MHNRC989	430220	6819400	420	90	-60	270	RC	E38/3127
MHNRC990	430160	6819400	420	90	-60	270	RC	E38/3127
MHNRC991	430100	6819400	420	90	-60	270	RC	E38/3127
MHNRC992	430040	6819400	420	90	-60	270	RC	E38/3127
MHNRC993	429980	6819400	420	90	-60	270	RC	E38/3127
Total 98 RC drillholes for 11,937m and 4 DDH for 400m								

This announcement has been authorised for release by Managing Director George Sakalidis.

For more information on the company visit www.magres.com.au

For more information on the company visit www.magres.com.au

George Sakalidis
Managing Director
Phone (08) 9226 1777
Mobile 0411 640 337
Email george@magres.com.au

The information in this report is based on information compiled by George Sakalidis BSc (Hons), who is a member of the Australasian Institute of Mining and Metallurgy. George Sakalidis is a Director of Magnetic Resources NL. George Sakalidis has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2012 edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. George Sakalidis consents to the inclusion of this information in the form and context in which it appears in this report.

The Information in this report that relates to:

1. Promising 200m wide 0.7g/t soil geochemistry associated with extensive 1km long NS porphyries at newly named Hawks Nest 9. MAU ASX Release 15 October 2018
2. 1.1km NNW Mineralised Gold Intersections at HN9. MAU ASX Release 7 November 2018
3. Surface drilled Mineralisation extends to significant 1.5km at HN9. MAU Release 20 November 2018
4. Hawks Nest Delivers with 8m@4.2g/t Gold from 4m MAU Release 29 January 2018
5. Robust Near Surface High-grade Zone of 7m @ 4.5g/t Gold from 5m from 1m splits. MAU Release 5 March 2018
6. Hawks Nest Geochemical Survey Outlines Potential Extensions to the Prospective 7m @ 4.5g/t Gold Intersected. MAU Release 20 March 2018
7. An 865m RC drilling programme started testing promising 7m at 4.5g/t gold and eight separate anomalous soil geochemical targets at HN5. MAU Release 10 May 2018
8. Large Gold Mineralised Shear Zone Greater Than 250m at Hawks Nest 5. MAU Release 9 June 2018
9. Gold Geochemical Target Zone Grows to Significant 2km in Length at HN9. MAU Release 7 January 2019
10. Significant 2km Gold Target is open to the East on 83% of the 24 Lines Drilled at HN9. MAU Release 4 February 2019
11. Significant 2.1km Gold Target Still open to North, South, East and at Depth. MAU Release 25 March 2019
12. Gold Target Enlarged By 47% to Significant 3.1km and is still open to the North, East and at Depth. MAU Release 22 May 2019
13. HN9 Prospective Zone Enlarged by 170% with Lady Julie Tenements. MAU Release 24 June 2019
14. 200m-Wide Gold Zone Open to The Northeast and Very Extensive Surface Gold Mineralisation Confirmed at HN9 Laverton. MAU Release 27 June 2019
15. 200m Wide Gold Zone Open to the North and New 800m Anomalous Gold Zone defined at HN9 Laverton. MAU Release 4 September 2019
16. Highest Grades Outlined at HN9 and are being Followed Up and Lady Julie Shallow Drilling Commencing Shortly. MAU Release 14 October 2019
17. Central Part of HN9 Shows Significant Thickening of The Mineralised Zone to 28m. MAU Release 28 November 2019
18. Multiple Silicified Porphyry Horizons from Deep Drilling and 57m Mineralised Feeder Zone at MAU Release 17 January 2020
19. Very High-Grade Intersection of 4m at 49g/t Adjacent to 70m Thick Mineralised Feeder Zone MAU Release 5 February 2020
20. 20 km of thickened porphyry units outlined by ground magnetic interpretation at Hawks Nest 9. MAU Release 9 March 2020
21. Further Thick Down Plunge Extensions and NW Extension Shown up at HN9. MAU Release 18 May 2020
22. Four Stacked Thickened Porphyry Lodes at HN9. MAU Release 3 August 2020
23. High-Grade Intersections in Thickened Zone at HN9. MAU Release 18 September 2020
24. Follow up of 16m at 1.16g/t gold from 64m at Lady Julie MAU Release 2 November 2020
25. Shallow Seismic searching for multiple thickened lodes MAU Release 16 November 2020
26. New thicken zone in southern part of Hawks Nest 9. MAU Release 1 December 2020
27. Two RC rigs now operating at HN9 and Lady Julie. MAU Release 11 January 2021

All of which are available on www.magres.com.au

This announcement contains forward-looking statements which involve a number of risks and uncertainties. These forward-looking statements are expressed in good faith and believed to have a reasonable basis. These statements reflect current expectations, intentions or strategies regarding the future and assumptions based on currently available information. Should one or more of the risks or uncertainties materialize, or should underlying assumptions prove incorrect, actual results may vary from the expectations, intentions and strategies described in this announcement. No obligation is assumed to update forward looking statements if these beliefs, opinions and estimates should change or to reflect other future developments.



JORC Code, 2012 Edition – Table 1 report

Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code explanation	Commentary
Sampling techniques	<ul style="list-style-type: none"> Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases, more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information. 	<ul style="list-style-type: none"> For RAB sampling, 1m completed by Duketon (A22722) For RAB sampling, 4m composites completed by Gwalia (A29728) For AC sampling, 4m composites and 1m splits completed by Metex (A62445, A72419) For RC sampling, 2m composites completed by Julia Mines (A18060) and 5m composites completed by Placer (A34935) All the reported historical drilling and their relevant sampling procedures, QAQC and analytical methods etc. are referred to in the original WAMEX reports (references in the main text of ASX release of 7 November 2018). The targets at HN9 have been tested by RC drilling. A 1 metre split is taken directly from a cone splitter mounted beneath the rig's cyclone. The cyclone and splitter are cleaned regularly to minimize contamination. Sampling and QAQC procedures are carried out using Magnetic's protocols as per industry sound practice. RC drilling was used to obtain bulk 1 metre samples from which composite 4m samples were prepared by spear sampling of the bulk 1m samples. 3kg of the composite sample was pulverized to produce a 50g charge for fire assay for gold. The assay results of the composite samples are used to determine which 1m samples from the rig's cyclone and splitter are selected for fire assay using the same method.
Drilling techniques	<ul style="list-style-type: none"> Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc). 	<ul style="list-style-type: none"> Rotary air blast (RAB) drilling with a blade bit. Reverse Circulation (RC) drilling was carried out using a face sampling hammer with a nominal diameter of 140mm. Aircore (AC) drilling.
Drill sample recovery	<ul style="list-style-type: none"> Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure representative nature of the samples. 	<ul style="list-style-type: none"> RC sample recoveries are visually estimated qualitatively on a metre basis. Various drilling additive (including muds and foams) have been used to condition the RC holes to maximize recoveries and sample quality.



Criteria	JORC Code explanation	Commentary
	<ul style="list-style-type: none"> Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. 	<ul style="list-style-type: none"> Insufficient drilling and geochemical data is available at the present stage to evaluate potential sample bias. Drill samples are sometimes wet which may result in sample bias because of preferential loss/gain of fine/coarse material.
Logging	<ul style="list-style-type: none"> Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. The total length and percentage of the relevant intersections logged. 	<ul style="list-style-type: none"> Lithology, alteration and veining is recorded and imported into the Magnetic Resources central database. The logging is considered to be of sufficient standard to support a geological resource. All drill holes were logged in full.
Sub-sampling techniques and sample preparation	<ul style="list-style-type: none"> If core, whether cut or sawn and whether quarter, half or all core taken. If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. For all sample types, the nature, quality and appropriateness of the sample preparation technique. Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling. Whether sample sizes are appropriate to the grain size of the material being sampled. 	<ul style="list-style-type: none"> RC samples are cyclone split to produce a 2-3kg sample. 4m composite samples are prepared by tube sampling bulk 1m samples. No field duplicates were taken Sample sizes are appropriate for the grain size being sampled
Quality of assay data and laboratory tests	<ul style="list-style-type: none"> The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established. 	<ul style="list-style-type: none"> RC samples are assayed using a 50g charge and a fire assay method with an AAS finish which is regarded as appropriate. The technique provides an estimate of the total gold content Industry standard standards and duplicates are used by the NATA registered laboratory conducting the analyses
Verification	<ul style="list-style-type: none"> The verification of significant intersections by 	<ul style="list-style-type: none"> No independent verification of drill intersections



Criteria	JORC Code explanation	Commentary
<i>of sampling and assaying</i>	<p><i>either independent or alternative company personnel.</i></p> <ul style="list-style-type: none"> <i>The use of twinned holes.</i> <i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i> <i>Discuss any adjustment to assay data.</i> 	<p>has yet been carried out.</p> <ul style="list-style-type: none"> Twin holes are planned to be drilled. Primary data is entered into an in-house database and checked by the database manager. No adjustment of assay data other than averaging of repeat and duplicate assays No verification of historically reported drilling has been carried out
<i>Location of data points</i>	<ul style="list-style-type: none"> <i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i> <i>Specification of the grid system used.</i> <i>Quality and adequacy of topographic control.</i> 	<ul style="list-style-type: none"> Drill collars located by hand- held GPS with an accuracy of +/- 5m. Grid system: MGAz51 GDA94. Topographic control using regional DEM data.
<i>Data spacing and distribution</i>	<ul style="list-style-type: none"> <i>Data spacing for reporting of Exploration Results.</i> <i>Whether the data spacing, and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i> <i>Whether sample compositing has been applied.</i> 	<ul style="list-style-type: none"> RC drilling was carried out at HN9 prospect. 1m samples were composited into 4m composite samples for assay. RC drilling was carried out and 1m samples were composited into 2m and 5m composite samples for assay
<i>Orientation of data in relation to geological structure</i>	<ul style="list-style-type: none"> <i>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</i> <i>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i> 	<ul style="list-style-type: none"> At HN9 historical geological mapping and the trends of old gold diggings indicate a general NNW to SSE trend to the geological structures. The historical drilling was carried out orthogonal to this trend.
<i>Sample security</i>	<ul style="list-style-type: none"> <i>The measures taken to ensure sample security.</i> 	<ul style="list-style-type: none"> Samples were stored in the field prior to dispatch to Perth using a commercial freight company.
<i>Audits or reviews</i>	<ul style="list-style-type: none"> <i>The results of any audits or reviews of sampling techniques and data.</i> 	<ul style="list-style-type: none"> No audits or reviews of the sampling techniques and data from historical drilling have been carried out.

Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
<i>Mineral tenement and land tenure status</i>	<ul style="list-style-type: none"> Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area. 	<ul style="list-style-type: none"> The HN9 target area is situated on exploration Licence E38/3127 and M38/1041 held 100% by Magnetic Resources NL. Both E38/3127 and M38/1041 are granted tenements with no known impediments to obtaining a licence to operate.
<i>Exploration done by other parties</i>	<ul style="list-style-type: none"> Acknowledgment and appraisal of exploration by other parties. 	<ul style="list-style-type: none"> The HN9 area has been subject to historical exploration refer to text
<i>Geology</i>	<ul style="list-style-type: none"> Deposit type, geological setting and style of mineralisation. 	<ul style="list-style-type: none"> HN9 Two mineralization styles have been observed: quartz veining and stock working in the porphyries and shear-hosted quartz veins on porphyry-amphibolite contacts.
<i>Drill hole Information</i>	<ul style="list-style-type: none"> A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: <ul style="list-style-type: none"> easting and northing of the drill hole collar elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar dip and azimuth of the hole down hole length and interception depth hole length. If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case. 	<ul style="list-style-type: none"> Refer to table in the text of this release.
<i>Data aggregation methods</i>	<ul style="list-style-type: none"> In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated. Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low- grade results, the procedure used for such 	<ul style="list-style-type: none"> No weighting or cutting of gold values, other than averaging of duplicate and repeat analyses.



Criteria	JORC Code explanation	Commentary
	<p>aggregation should be stated and some typical examples of such aggregations should be shown in detail.</p> <ul style="list-style-type: none"> The assumptions used for any reporting of metal equivalent values should be clearly stated. 	
Relationship between mineralisation widths and intercept lengths	<ul style="list-style-type: none"> These relationships are particularly important in the reporting of Exploration Results. If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known'). 	<ul style="list-style-type: none"> The relationships between mineralization widths and intercept lengths at HN9 remain to be clarified.
Diagrams	<ul style="list-style-type: none"> Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views. 	<ul style="list-style-type: none"> Refer to text.
Balanced reporting	<ul style="list-style-type: none"> Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced avoiding misleading reporting of Exploration Results. 	<ul style="list-style-type: none"> Plus 1g/t Au intersections from the RC drilling have been reported in this release.
Other substantive exploration data	<ul style="list-style-type: none"> Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances. 	<ul style="list-style-type: none"> Metallurgical results refer to ASX Release 27/10/2020 Positive metallurgical results from Hawks Nest 9.
Further work	<ul style="list-style-type: none"> The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling). Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive. 	<ul style="list-style-type: none"> Table 4 shows the drilling planned. Further deeper drilling will be planned to follow up results from deeper intersections with 98 RC holes totaling 11,937m and 4 diamond holes for 400m at HN9. As outlined in this release. A map and table of the proposed drilling is shown in this release.