



ASX ANNOUNCEMENT

25th January 2021



Further High-grade Gold Results from Reedy South RC Drilling

HIGHLIGHTS

- ❖ All assays from the first 38 drill holes of the maiden RC program have now been received, with 5 deeper RC holes (~1,500m) to be drilled shortly.
- ❖ Significant results from latest assays include:
 - **11m @ 3.19 g/t Au** from 51m including **3m @ 8.87 g/t Au** (RSRC021)
 - **6m @ 2.96 g/t Au** from 18m (RSRC014)
 - **12m @ 1.49 g/t Au** from 77m (RSRC024)
 - **13m @ 1.07 g/t Au** from 7m (RSRC022)
 - **8m @ 1.44 g/t Au** from 27m (RSRC023)
 - **7m @ 1.60g/t Au** from 48m including **3m @ 2.86 g/t Au** (RSRC033)
- ❖ Results highlight grade continuation between the King Cole prospect in the north and Pegasus in the central portion of the project.
- ❖ Drilling of the remaining 5 deeper RC holes, which aims to extend mineralisation at depth at both King Cole and Pegasus, to commence in the coming weeks.

White Cliff Minerals Limited (**White Cliff** or the **Company**) is pleased to provide further results from the maiden reverse circulation (**RC**) drilling program at the Company's 100% owned Reedy South Gold Project (the **Project**) near Cue, Western Australia. The ~4,500m RC program commenced in mid-November 2020, with ~3,000m (38 of 43 holes) completed prior to the Christmas shutdown period.

Assay results have now been received for all the 38 holes drilled to date, covering the northern end of the King Cole prospect and central portion of the project around the Pegasus prospect (**Figure 1**). The RC rig will be remobilising to Reedy South in the first week of February to complete the deeper holes which will be targeting depth extensions to the mineral resource estimate (**MRE**) area.¹

Technical director Ed Mead commented, "It is great to see the continuation of excellent assay results from all of the first 38 drillholes, and I am looking forward

¹ Refer ASX announcement 29 October 2020 for additional details

to the restart of drilling in the next few weeks, with the drilling targeting down dip/plunge extents to the higher-grade zones. The Emu South/Triton underground mine operated by Westgold is less than 600m from our northern tenement boundary, and along strike on the RSZ, with known resources down to 500m vertical. I see significant potential to continue to advance and grow our Cue assets.”

Maiden RC Drilling Program

The Company’s maiden RC drilling program at the Reedy South Gold Project commenced in mid-November 2020. A total of 3,537m of a ~4,500m was completed prior to the Christmas shut-down period. The program consists of shallower (~60-80m) infill drill holes aimed at increasing resource confidence and testing strike extensions, and a series of deeper holes to target mineralisation at depth. Historical drilling, which was incorporated into the Company’s maiden MRE (refer announcement 29 October 2020), averaged 60m in depth. Assays from the Company’s maiden drill program have shown that mineralisation extends to at least 135m below surface, with the remaining 5 deeper RC holes to target mineralisation up to 250m below surface. Mineralisation remains open to the south of Pegasus.

The Company has now received assay results from 38 completed holes, which covers the area between the King Cole and Pegasus prospects, with significant results including:

- **11m @ 3.19 g/t Au** from 51m including **3m @ 8.87 g/t Au** (RSRC021)
- **7m @ 3.16 g/t Au** from 53m (RSRC010)
- **11m @ 2.29 g/t Au** from 21m (RSRC007)
- **6m @ 2.96 g/t Au** from 18m (RSRC014)
- **12m @ 1.49 g/t Au** from 77m (RSRC024)
- **13m @ 1.07 g/t Au** from 7m (RSRC022)
- **8m @ 1.44 g/t Au** from 27m (RSRC023)
- **7m @ 1.60g/t Au** from 48m including **3m @ 2.86 g/t Au** (RSRC033)
- **8m @ 1.06 g/t Au** from 48m and **16m @ 1.74 g/t Au** from 72m (RSRC003)
- **7m @ 1.50 g/t Au** from 48m (RSRC004)




Figure 1: Location of recent RC drilling at the Reedy South Gold Project




Figure 2: Pegasus prospect oblique section

King Cole and Pegasus Prospects, Reedy South

The King Cole prospect is at the northern end of M20/446, close to the tenement boundary with ASX-listed Westgold Resources Ltd (and ~600m from the South Emu pit), and sits along the Reedy Shear Zone (**RSZ**). The RSZ is a localised disconformable contact between two greenstone groups. Anastomosing structures develop within the RSZ that focus fluid migration and gold mineralisation. Strong potassic-silicic-pyritic alteration is associated with gold mineralisation and localised within the footwall and hanging wall contacts of the ~20m wide sub-vertical RSZ.

The Pegasus prospect, ~400m south west of King Cole, also sits along the RSZ and has been subject to historic underground workings. At Pegasus, gold mineralisation has been defined to ~70m depth and along 600m+ of strike length.

Overview of Reedy South

The Project covers 272km² of the highly prospective Cue goldfields, centred on the southern portion of the prolific Reedy Shear Zone, within the Meekatharra-Wyldgee greenstone belt.

The Project comprises one granted mining lease (M20/446) covering the historic underground workings of Pegasus and King Cole, a granted exploration and prospecting license (E20/938 & P20/2289) and four exploration license applications (E20/969, E20/971, E20/972 & E20/974). The Project is situated 40km north of Cue, via the Great Northern Highway and is 80km south of Meekatharra.

This announcement has been approved by the Board of White Cliff Minerals Limited.

Further Information:

Dan Smith
Director
+61 8 9486 4036

Nicholas Ong
Director & Company Secretary
+61 8 9486 4036

Competent Persons Statement

The Information in this report that relates to exploration results, mineral resources or ore reserves is based on information compiled by Mr Edward Mead, who is a Member of the Australian Institute of Mining and Metallurgy. Mr Mead is a director of the company. Mr Mead has sufficient experience which is relevant to the style of mineralisation and type of deposits under consideration and to the activity that he is undertaking to qualify as a Competent Person as defined in the 2012 edition of the 'Australian Code for Reporting Exploration Results, Mineral Resources and Ore Reserves' (the JORC Code). Mr Mead consents to the inclusion of this information in the form and context in which it appears in this report.

Forward Looking Information

This announcement contains forward looking statements concerning the Company. Forward-looking statements are not statements of historical fact and actual events and results may differ materially from those described in the forward-looking statements as a result of a variety of risks, uncertainties and other factors. Forward-looking statements are inherently subject to business, economic, competitive, political and social uncertainties and contingencies. Many factors could cause the Company's actual results to differ materially from those expressed or implied in any forward-looking information provided by the Company, or on behalf of the Company. Such factors include, among other things, risks relating to additional funding requirements, metal prices, exploration, development and operating risks, competition, production risks, regulatory restrictions, including environmental regulation and liability and potential title disputes. Forward looking statements in this announcement are based on the Company's beliefs, opinions and estimates of the Company as of the dates the forward- looking statements are made, and no obligation is assumed to update forward looking statements if these beliefs, opinions and estimates should change or to reflect other future developments. Although management believes that the assumptions made by the Company and the expectations represented by such information are reasonable, there can be no assurance that the forward- looking information will prove to be accurate. Forward-looking information involves known and unknown risks, uncertainties, and other factors which may cause the actual results, performance or achievements of the Company to be materially different from any anticipated future results, performance or achievements expressed or implied by such forward-looking information. Such factors include, among others, the actual market price of commodities, the actual results of future exploration, changes in project parameters as plans continue to be evaluated, as well as those factors disclosed in the Company's publicly filed announcements. Readers should not place undue reliance on forward-looking information.

The Company does not undertake to update any forward-looking information, except in accordance with applicable securities laws. No representation, warranty or undertaking, express or implied, is given or made by the Company that the occurrence of the events expressed or implied in any forward-looking statements in this announcement will actually occur.

Table 1: Drilling Collars

Hole_ID	Hole_Type	East (m)	North (m)	RL (m)	Dip	Azimuth	Depth (m)
RSRC001	RC	625122	6996740	487	-60	100	60
RSRC002	RC	625103	6996744	487	-60	100	96
RSRC003	RC	625084	6996748	488	-60	100	120
RSRC004	RC	625141	6996715	487	-60	280	80
RSRC005	RC	625140	6996682	486	-60	280	100
RSRC006	RC	625124	6996685	486	-60	280	40
RSRC007	RC	625097	6996704	486	-60	100	60
RSRC008	RC	625053	6996625	484	-60	100	50
RSRC009	RC	625032	6996629	485	-60	100	120
RSRC010	RC	625084	6996706	486	-60	100	96
RSRC011	RC	625060	6996677	485	-60	100	120
RSRC012	RC	625081	6996674	485	-60	100	85
RSRC013	RC	625087	6996725	488	-60	100	120
RSRC014	RC	625045	6996588	484	-60	100	45
RSRC015	RC	625019	6996592	485	-60	100	100
RSRC016	RC	625045	6996648	485	-60	100	96
RSRC017	RC	625038	6996547	484	-60	100	60
RSRC019	RC	625025	6996549	484	-60	100	75
RSRC020	RC	624996	6996554	483	-60	100	100
RSRC021	RC	625007	6996510	483	-60	100	100
RSRC022	RC	625024	6996507	483	-60	100	70
RSRC023	RC	625013	6996469	482	-60	100	80
RSRC024	RC	624981	6996474	481	-60	100	120
RSRC025	RC	624999	6996430	481	-60	100	66
RSRC026	RC	624984	6996433	481	-60	100	100
RSRC027	RC	624957	6996437	482	-60	100	120
RSRC028	RC	624968	6996369	480	-60	100	60
RSRC029	RC	624953	6996371	480	-60	100	100
RSRC030	RC	624936	6996374	480	-60	100	120
RSRC031	RC	624955	6996332	480	-60	100	70
RSRC033	RC	624984	6996291	479	-60	280	100
RSRC034	RC	624942	6996334	480	-60	100	100
RSRC035	RC	624944	6996260	479	-60	280	60
RSRC036	RC	624912	6996267	479	-60	100	78
RSRC037	RC	624881	6996271	478	-60	100	130
RSRC038	RC	625195	6996687	487	-60	280	220

Table 2: Assay Data from RC drilling at the Reedy South Gold Project

Hole_ID	From	To	Au (g/t)
RSRC001	0	1	0.29
RSRC001	1	2	0.25
RSRC001	2	3	0.26
RSRC001	3	4	0.26
RSRC001	4	5	0.41
RSRC001	5	6	0.09
RSRC001	6	7	0.05
RSRC001	7	8	0.10
RSRC001	8	9	0.20
RSRC001	9	10	0.44
RSRC001	10	11	0.32
RSRC001	11	12	0.11
RSRC001	12	13	0.36
RSRC001	13	14	0.13
RSRC001	14	15	0.07
RSRC001	15	16	0.13
RSRC001	16	17	0.01
RSRC001	17	18	0.01
RSRC001	18	19	0.03
RSRC001	19	20	0.01
RSRC001	20	21	0.01
RSRC001	21	22	0.01
RSRC001	22	23	0.01
RSRC001	23	24	0.01
RSRC001	24	25	0.07
RSRC001	25	26	0.09
RSRC001	26	30	0.03
RSRC001	30	34	0.01
RSRC001	34	38	0.01
RSRC001	38	42	0.01
RSRC001	42	46	0.02
RSRC001	46	50	0.02
RSRC002	0	4	0.03
RSRC002	4	8	0.01
RSRC002	8	12	0.31
RSRC002	12	16	0.71
RSRC002	16	20	0.12
RSRC002	20	24	0.37
RSRC002	24	28	0.15
RSRC002	28	32	0.10
RSRC002	32	33	0.18
RSRC002	33	34	0.08
RSRC002	34	35	0.12
RSRC002	35	36	0.04
RSRC002	36	37	0.10
RSRC002	37	38	0.14
RSRC002	38	39	0.17
RSRC002	39	40	0.06
RSRC002	40	41	0.21
RSRC002	41	42	0.03
RSRC002	42	43	0.07
RSRC002	43	44	0.05
RSRC002	44	45	0.05
RSRC002	45	46	0.02
RSRC002	46	47	0.02
RSRC002	47	48	0.02
RSRC002	48	49	0.01
RSRC002	49	50	0.01
RSRC002	50	51	0.01
RSRC002	51	52	0.03

Hole_ID	From	To	Au (g/t)
RSRC002	52	56	0.03
RSRC002	56	60	0.01
RSRC002	60	64	0.01
RSRC002	64	68	0.03
RSRC002	68	72	0.03
RSRC002	72	76	0.03
RSRC002	76	80	0.10
RSRC002	80	84	0.08
RSRC002	84	88	0.05
RSRC002	88	92	0.02
RSRC002	92	96	0.02
RSRC003	0	4	0.00
RSRC003	4	8	0.01
RSRC003	8	12	0.01
RSRC003	12	16	0.03
RSRC003	16	20	0.02
RSRC003	20	24	0.02
RSRC003	24	28	0.03
RSRC003	28	32	0.03
RSRC003	32	36	0.01
RSRC003	36	40	0.04
RSRC003	40	44	0.01
RSRC003	44	48	0.01
RSRC003	48	52	1.18
RSRC003	52	56	0.95
RSRC003	56	60	0.11
RSRC003	60	64	0.07
RSRC003	64	68	0.10
RSRC003	68	72	0.02
RSRC003	72	76	2.15
RSRC003	76	80	0.25
RSRC003	80	84	4.07
RSRC003	84	88	0.49
RSRC003	88	92	0.05
RSRC003	92	96	0.05
RSRC003	96	100	0.07
RSRC003	100	104	0.05
RSRC003	104	108	0.06
RSRC003	108	112	0.01
RSRC003	112	116	0.03
RSRC003	116	120	0.01
RSRC004	0	4	0.09
RSRC004	4	8	0.05
RSRC004	8	12	0.03
RSRC004	12	16	0.03
RSRC004	16	20	0.02
RSRC004	20	24	0.03
RSRC004	24	28	0.03
RSRC004	28	32	0.10
RSRC004	32	33	0.00
RSRC004	33	34	0.00
RSRC004	34	35	0.03
RSRC004	35	36	0.03
RSRC004	36	37	0.11
RSRC004	37	38	0.86
RSRC004	38	39	1.79
RSRC004	39	40	0.10
RSRC004	40	41	2.73
RSRC004	41	42	2.52
RSRC004	42	43	1.85
RSRC004	43	44	0.66
RSRC004	44	45	0.26

Hole_ID	From	To	Au (g/t)
RSRC004	45	46	0.18
RSRC004	46	47	0.10
RSRC004	47	48	0.37
RSRC004	48	49	0.05
RSRC004	49	50	0.07
RSRC004	50	51	0.09
RSRC004	51	52	0.23
RSRC004	52	56	0.02
RSRC004	56	60	0.05
RSRC004	60	64	0.11
RSRC004	64	68	0.06
RSRC004	68	72	0.01
RSRC004	72	76	0.01
RSRC004	76	80	0.03
RSRC005	0	4	0.03
RSRC005	4	8	0.01
RSRC005	8	12	0.01
RSRC005	12	16	0.08
RSRC005	16	20	0.43
RSRC005	20	24	0.07
RSRC005	24	28	0.65
RSRC005	28	32	0.63
RSRC005	32	36	0.02
RSRC005	36	40	0.07
RSRC005	40	44	0.02
RSRC005	44	48	0.04
RSRC005	48	52	0.03
RSRC005	52	56	0.46
RSRC005	56	57	1.18
RSRC005	57	58	1.32
RSRC005	58	59	2.21
RSRC005	59	60	1.91
RSRC005	60	61	1.09
RSRC005	61	62	0.06
RSRC005	62	63	0.06
RSRC005	63	64	0.52
RSRC005	64	65	0.34
RSRC005	65	66	1.05
RSRC005	66	67	0.21
RSRC005	67	68	0.14
RSRC005	68	69	0.35
RSRC005	69	70	0.66
RSRC005	70	71	0.69
RSRC005	71	72	0.72
RSRC005	72	73	0.18
RSRC005	73	74	0.03
RSRC005	74	75	0.04
RSRC005	75	76	0.05
RSRC005	76	77	0.1
RSRC005	77	78	0.06
RSRC005	78	79	0.06
RSRC005	79	80	0.61
RSRC005	80	84	0.09
RSRC005	84	88	0.03
RSRC005	88	92	0.04
RSRC005	92	96	0.00
RSRC005	96	100	0.03
RSRC006	0	4	0.09
RSRC006	4	8	0.03
RSRC006	8	12	0.03
RSRC006	12	16	0.05
RSRC006	16	20	0.92

Hole_ID	From	To	Au (g/t)
RSRC006	20	21	0.16
RSRC006	21	22	0.02
RSRC006	22	23	0.01
RSRC006	23	24	0.01
RSRC006	24	25	0.05
RSRC006	25	26	0.06
RSRC006	26	27	0.03
RSRC006	27	28	0.06
RSRC006	28	29	0.24
RSRC006	29	30	0.22
RSRC006	30	31	0.54
RSRC006	31	32	2.52
RSRC006	32	33	1.84
RSRC006	33	34	2.43
RSRC006	34	35	0.23
RSRC006	35	36	0.13
RSRC006	36	37	0.18
RSRC006	37	38	0.59
RSRC006	38	39	1.76
RSRC006	39	40	0.39
RSRC007	0	1	0.85
RSRC007	1	2	0.22
RSRC007	2	3	0.2
RSRC007	3	4	0.13
RSRC007	4	5	0.07
RSRC007	5	6	0.06
RSRC007	6	7	0.09
RSRC007	7	8	0.04
RSRC007	8	9	0.11
RSRC007	9	10	0.08
RSRC007	10	11	0.19
RSRC007	11	12	0.66
RSRC007	12	13	0.12
RSRC007	13	14	0.11
RSRC007	14	15	0.11
RSRC007	15	16	1.54
RSRC007	16	17	0.2
RSRC007	17	18	0.26
RSRC007	18	19	0.19
RSRC007	19	20	0.14
RSRC007	20	21	0.12
RSRC007	21	22	0.95
RSRC007	22	23	0.67
RSRC007	23	24	1.17
RSRC007	24	25	0.45
RSRC007	25	26	0.43
RSRC007	26	27	6.99
RSRC007	27	28	1.95
RSRC007	28	29	3.36
RSRC007	29	30	2.99
RSRC007	30	31	3.48
RSRC007	31	32	2.78
RSRC007	32	33	0.18
RSRC007	33	34	0.07
RSRC007	34	35	0.10
RSRC007	35	36	0.05
RSRC007	36	37	0.07
RSRC007	37	38	0.08
RSRC007	38	39	0.04
RSRC007	39	40	0.01
RSRC007	40	44	0.03
RSRC007	44	48	0.01

Hole_ID	From	To	Au (g/t)
RSRC007	48	52	0.08
RSRC007	52	55	0.09
RSRC008	0	4	0.04
RSRC008	4	8	0.02
RSRC008	8	12	0.02
RSRC008	12	16	0.01
RSRC008	16	17	0.03
RSRC008	17	18	0.01
RSRC008	18	19	0.10
RSRC008	19	20	0.35
RSRC008	20	21	0.09
RSRC008	21	22	0.24
RSRC008	22	23	0.71
RSRC008	23	24	0.27
RSRC008	24	25	0.24
RSRC008	25	26	0.11
RSRC008	26	27	0.05
RSRC008	27	28	0.24
RSRC008	28	29	0.06
RSRC008	29	30	0.00
RSRC008	30	31	0.05
RSRC008	31	32	0.01
RSRC008	32	33	0.02
RSRC008	33	34	0.05
RSRC008	34	35	0.02
RSRC008	35	36	0.03
RSRC008	36	37	0.17
RSRC008	37	38	0.14
RSRC008	38	39	0.05
RSRC008	39	40	0.27
RSRC008	40	41	0.10
RSRC008	41	42	0.35
RSRC008	42	46	0.19
RSRC008	46	50	0.04
RSRC009	0	4	0.02
RSRC009	4	8	0.01
RSRC009	8	12	0.01
RSRC009	12	16	0.01
RSRC009	16	20	0.02
RSRC009	20	24	0.01
RSRC009	24	28	0.01
RSRC009	28	32	0.05
RSRC009	32	36	0.02
RSRC009	36	40	0.01
RSRC009	40	44	0.00
RSRC009	44	48	0.01
RSRC009	48	52	0.02
RSRC009	52	56	0.02
RSRC009	56	60	0.01
RSRC009	60	64	0.04
RSRC009	64	68	0.01
RSRC009	68	72	0.02
RSRC009	72	76	0.04
RSRC009	76	80	0.22
RSRC009	80	81	0.12
RSRC009	81	82	0.05
RSRC009	82	83	0.03
RSRC009	83	84	0.04
RSRC009	84	85	0.04
RSRC009	85	86	0.15
RSRC009	86	87	0.48
RSRC009	87	88	2.07

Hole_ID	From	To	Au (g/t)
RSRC009	88	89	0.12
RSRC009	89	90	0.09
RSRC009	90	91	0.14
RSRC009	91	92	0.08
RSRC009	92	93	0.37
RSRC009	93	94	0.90
RSRC009	94	95	1.8
RSRC009	95	96	0.32
RSRC009	96	97	1.38
RSRC009	97	98	1.12
RSRC009	98	99	0.08
RSRC009	99	100	0.04
RSRC009	100	101	0.19
RSRC009	101	102	0.28
RSRC009	102	103	0.11
RSRC009	103	104	0.42
RSRC009	104	105	0.31
RSRC009	105	106	0.09
RSRC009	106	107	0.06
RSRC009	107	108	0.08
RSRC009	108	109	0.17
RSRC009	109	110	0.01
RSRC009	110	111	0.05
RSRC009	111	112	0.02
RSRC009	112	113	0.03
RSRC009	113	114	0.06
RSRC009	114	115	0.01
RSRC009	115	116	0.02
RSRC009	116	117	0.01
RSRC009	117	118	0.01
RSRC009	118	119	0.29
RSRC009	119	120	0.18
RSRC010	0	4	0.03
RSRC010	4	8	0.01
RSRC010	8	12	0.01
RSRC010	12	13	0.00
RSRC010	13	14	0.00
RSRC010	14	15	0.01
RSRC010	15	16	0.01
RSRC010	16	17	0.01
RSRC010	17	18	0.00
RSRC010	18	19	0.06
RSRC010	19	20	0.57
RSRC010	20	21	0.37
RSRC010	21	22	0.31
RSRC010	22	23	0.60
RSRC010	23	24	0.09
RSRC010	24	25	0.29
RSRC010	25	26	0.09
RSRC010	26	27	0.08
RSRC010	27	28	0.05
RSRC010	28	29	0.07
RSRC010	29	30	0.43
RSRC010	30	31	0.02
RSRC010	31	32	0.03
RSRC010	32	33	0.02
RSRC010	33	34	0.01
RSRC010	34	35	0.03
RSRC010	35	36	0.05
RSRC010	36	37	0.03
RSRC010	37	38	0.01
RSRC010	38	39	0.02

Hole_ID	From	To	Au (g/t)
RSRC010	39	40	0.02
RSRC010	40	41	0.03
RSRC010	41	42	0.02
RSRC010	42	43	0.02
RSRC010	43	44	0.28
RSRC010	44	45	0.36
RSRC010	45	46	0.17
RSRC010	46	47	0.04
RSRC010	47	48	0.05
RSRC010	48	49	0.62
RSRC010	49	50	0.09
RSRC010	50	51	0.01
RSRC010	51	52	0.04
RSRC010	52	53	0.09
RSRC010	53	54	2.37
RSRC010	54	55	12.3
RSRC010	55	56	2.88
RSRC010	56	57	0.61
RSRC010	57	58	2.01
RSRC010	58	59	0.62
RSRC010	59	60	1.35
RSRC010	60	64	0.06
RSRC010	64	68	0.06
RSRC010	68	72	0.24
RSRC010	72	76	0.06
RSRC010	76	80	0.04
RSRC010	80	84	0.03
RSRC010	84	88	0.13
RSRC010	88	92	0.10
RSRC010	92	96	0.04
RSRC011	0	4	0.02
RSRC011	4	8	0.02
RSRC011	8	12	0.01
RSRC011	12	16	0.01
RSRC011	16	20	0.02
RSRC011	20	24	0.01
RSRC011	24	28	0.03
RSRC011	28	32	0.03
RSRC011	32	36	0.03
RSRC011	36	40	0.02
RSRC011	40	44	0.20
RSRC011	44	48	0.31
RSRC011	48	52	0.23
RSRC011	52	53	0.03
RSRC011	53	54	0.03
RSRC011	54	55	0.02
RSRC011	55	56	0.06
RSRC011	56	57	0.03
RSRC011	57	58	0.06
RSRC011	58	59	0.05
RSRC011	59	60	0.10
RSRC011	60	61	0.46
RSRC011	61	62	0.28
RSRC011	62	63	0.08
RSRC011	63	64	0.09
RSRC011	64	65	0.11
RSRC011	65	66	0.09
RSRC011	66	67	0.03
RSRC011	67	68	0.03
RSRC011	68	69	0.06
RSRC011	69	70	0.38
RSRC011	70	71	0.03

Hole_ID	From	To	Au (g/t)
RSRC011	71	72	0.11
RSRC011	72	73	0.03
RSRC011	73	74	0.02
RSRC011	74	75	0.17
RSRC011	75	76	1.16
RSRC011	76	77	0.11
RSRC011	77	78	0.01
RSRC011	78	79	0.02
RSRC011	79	80	0.06
RSRC011	80	84	0.07
RSRC011	84	88	0.05
RSRC011	88	92	0.04
RSRC011	92	96	0.04
RSRC011	96	100	0.08
RSRC011	100	104	0.03
RSRC011	104	108	0.09
RSRC011	108	112	0.03
RSRC011	112	116	0.08
RSRC011	116	120	0.18
RSRC012	0	1	0.2
RSRC012	1	2	0.43
RSRC012	2	3	0.87
RSRC012	3	4	0.12
RSRC012	4	5	0.13
RSRC012	5	6	0.06
RSRC012	6	7	0.07
RSRC012	7	8	0.9
RSRC012	8	9	0.41
RSRC012	9	10	0.11
RSRC012	10	11	0.07
RSRC012	11	12	0.04
RSRC012	12	13	0.02
RSRC012	13	14	0.22
RSRC012	14	15	0.24
RSRC012	15	16	0.11
RSRC012	16	17	0.79
RSRC012	17	18	0.38
RSRC012	18	19	0.61
RSRC012	19	20	0.7
RSRC012	20	21	0.88
RSRC012	21	22	0.1
RSRC012	22	23	0.04
RSRC012	23	24	0.03
RSRC012	24	25	0.08
RSRC012	25	26	0.12
RSRC012	26	27	0.34
RSRC012	27	28	0.25
RSRC012	28	29	0.73
RSRC012	29	30	0.06
RSRC012	30	31	0.34
RSRC012	31	32	0.07
RSRC012	32	33	0.18
RSRC012	33	34	0.07
RSRC012	34	35	3.22
RSRC012	35	36	0.5
RSRC012	36	37	0.05
RSRC012	37	38	0.04
RSRC012	38	39	0.07
RSRC012	39	40	0.31
RSRC012	40	41	0.06
RSRC012	41	42	0.02
RSRC012	42	46	0.01

Hole_ID	From	To	Au (g/t)
RSRC012	46	50	0.37
RSRC012	50	54	0.02
RSRC012	54	58	0.02
RSRC012	58	62	0.1
RSRC012	62	66	0.03
RSRC012	66	70	0.07
RSRC012	70	74	0.3
RSRC012	74	78	0.21
RSRC012	78	82	0.07
RSRC012	82	85	0.03
RSRC013	0	4	0.01
RSRC013	4	8	0.00
RSRC013	8	12	0.02
RSRC013	12	16	0.03
RSRC013	16	20	0.02
RSRC013	20	24	0.01
RSRC013	24	28	0.02
RSRC013	28	29	0.02
RSRC013	29	30	0.01
RSRC013	30	31	0.03
RSRC013	31	32	0.16
RSRC013	32	33	1.61
RSRC013	33	34	0.77
RSRC013	34	35	0.09
RSRC013	35	36	0.06
RSRC013	36	37	0.26
RSRC013	37	38	0.08
RSRC013	38	39	0.08
RSRC013	39	40	0.05
RSRC013	40	41	0.04
RSRC013	41	42	0.04
RSRC013	42	43	0.07
RSRC013	43	44	0.05
RSRC013	44	45	0.03
RSRC013	45	46	0.02
RSRC013	46	47	0.02
RSRC013	47	48	0.02
RSRC013	48	49	0.02
RSRC013	49	50	0.02
RSRC013	50	51	0.02
RSRC013	51	52	0.09
RSRC013	52	53	0.22
RSRC013	53	54	0.08
RSRC013	54	55	0.12
RSRC013	55	56	0.64
RSRC013	56	57	0.54
RSRC013	57	58	1.71
RSRC013	58	59	0.03
RSRC013	59	60	0.09
RSRC013	60	61	0.08
RSRC013	61	62	0.13
RSRC013	62	63	3.49
RSRC013	63	64	4.58
RSRC013	64	65	0.08
RSRC013	65	66	0.18
RSRC013	66	67	2.99
RSRC013	67	68	0.71
RSRC013	68	72	0.34
RSRC013	72	76	0.07
RSRC013	76	80	0.03
RSRC013	80	84	0.18
RSRC013	84	88	0.08

Hole_ID	From	To	Au (g/t)
RSRC013	88	92	0.02
RSRC014	0	4	0.05
RSRC014	4	8	0.11
RSRC014	8	9	0.14
RSRC014	9	10	0.11
RSRC014	10	11	0.12
RSRC014	11	12	0.24
RSRC014	12	13	0.06
RSRC014	13	14	0.34
RSRC014	14	15	0.27
RSRC014	15	16	0.06
RSRC014	16	17	0.3
RSRC014	17	18	0.35
RSRC014	18	19	1.41
RSRC014	19	20	9.25
RSRC014	20	21	2.71
RSRC014	21	22	0.15
RSRC014	22	23	0.11
RSRC014	23	24	4.1
RSRC014	24	25	0.19
RSRC014	25	26	0.18
RSRC014	26	27	0.16
RSRC014	27	28	0.05
RSRC014	28	29	0.02
RSRC014	29	30	0.04
RSRC014	30	31	0.07
RSRC014	31	32	0.23
RSRC014	32	33	0.1
RSRC014	33	34	0.14
RSRC014	34	35	0.12
RSRC014	35	36	0.05
RSRC014	36	40	0.1
RSRC014	40	45	0.09
RSRC015	0	4	0.01
RSRC015	4	8	0.01
RSRC015	8	12	0.02
RSRC015	12	16	0.01
RSRC015	16	20	0.02
RSRC015	20	24	0.01
RSRC015	24	28	0.02
RSRC015	28	32	0.01
RSRC015	32	36	0.00
RSRC015	36	40	0.01
RSRC015	40	44	0.00
RSRC015	44	48	0.01
RSRC015	48	52	0.01
RSRC015	52	56	0.00
RSRC015	56	60	0.00
RSRC015	60	64	0.03
RSRC015	64	68	0.02
RSRC015	68	72	0.03
RSRC015	72	76	0.38
RSRC015	76	80	0.14
RSRC015	80	81	0.05
RSRC015	81	82	0.04
RSRC015	82	83	0.04
RSRC015	83	84	0.02
RSRC015	84	85	0.04
RSRC015	85	86	0.05
RSRC015	86	87	0.35
RSRC015	87	88	0.93
RSRC015	88	89	0.16

Hole_ID	From	To	Au (g/t)
RSRC015	89	90	0.13
RSRC015	90	91	0.06
RSRC015	91	92	0.07
RSRC015	92	93	0.06
RSRC015	93	94	0.05
RSRC015	94	95	0.1
RSRC015	95	96	0.06
RSRC015	96	97	0.11
RSRC015	97	98	1.83
RSRC015	98	99	2.28
RSRC015	99	100	1.28
RSRC016	0	4	0.02
RSRC016	4	8	0.01
RSRC016	8	12	0.01
RSRC016	12	16	0.03
RSRC016	16	20	0.02
RSRC016	20	24	0.01
RSRC016	24	28	0.01
RSRC016	28	32	0.01
RSRC016	32	36	0.03
RSRC016	36	40	0.02
RSRC016	40	41	0.01
RSRC016	41	42	0.02
RSRC016	42	43	0.02
RSRC016	43	44	0.01
RSRC016	44	45	0.02
RSRC016	45	46	0.02
RSRC016	46	47	0.11
RSRC016	47	48	0.38
RSRC016	48	49	0.14
RSRC016	49	50	0.06
RSRC016	50	51	0.74
RSRC016	51	52	1.89
RSRC016	52	53	0.96
RSRC016	53	54	0.44
RSRC016	54	55	0.11
RSRC016	55	56	0.05
RSRC016	56	57	0.05
RSRC016	57	58	0.03
RSRC016	58	59	0.07
RSRC016	59	60	0.29
RSRC016	60	61	1.33
RSRC016	61	62	2.61
RSRC016	62	63	1.57
RSRC016	63	64	0.47
RSRC016	64	65	2.66
RSRC016	65	66	0.13
RSRC016	66	67	0.07
RSRC016	67	68	0.03
RSRC016	68	69	0.07
RSRC016	69	70	0.04
RSRC016	70	71	0.09
RSRC016	71	72	0.12
RSRC016	72	73	0.08
RSRC016	73	74	0.18
RSRC016	74	75	0.36
RSRC016	75	76	0.2
RSRC016	76	77	0.11
RSRC016	77	78	0.1
RSRC016	78	79	0.09
RSRC016	79	80	0.19
RSRC016	80	84	0.13

Hole_ID	From	To	Au (g/t)
RSRC016	84	88	0.07
RSRC016	88	92	0.15
RSRC016	92	96	0.08
RSRC017	0	1	0.07
RSRC017	1	2	0.12
RSRC017	2	3	0.1
RSRC017	3	4	0.07
RSRC017	4	5	0.07
RSRC017	5	6	0.03
RSRC017	6	7	0.06
RSRC017	7	8	0.01
RSRC017	8	9	0.08
RSRC017	9	10	0.04
RSRC017	10	11	0.07
RSRC017	11	12	0.21
RSRC017	12	13	0.32
RSRC017	13	14	0.36
RSRC017	14	15	0.6
RSRC017	15	16	0.49
RSRC017	16	17	0.43
RSRC017	17	18	2.14
RSRC017	18	19	0.26
RSRC017	19	20	0.03
RSRC017	20	21	0.03
RSRC017	21	22	0.04
RSRC017	22	23	0.15
RSRC017	23	24	0.16
RSRC017	24	25	0.04
RSRC017	25	26	0.07
RSRC017	26	27	0.53
RSRC017	27	28	1.32
RSRC017	28	29	0.05
RSRC017	29	30	0.1
RSRC017	30	31	0.04
RSRC017	31	32	0.04
RSRC017	32	36	0.04
RSRC017	36	40	0.06
RSRC017	40	44	0.04
RSRC017	44	48	0.03
RSRC017	48	52	0.02
RSRC017	52	56	0.02
RSRC017	56	60	0.02
RSRC019	0	4	0.01
RSRC019	4	8	0.00
RSRC019	8	12	0.00
RSRC019	12	16	0.01
RSRC019	16	20	0.02
RSRC019	20	24	0.03
RSRC019	24	28	0.07
RSRC019	28	32	0.05
RSRC019	32	33	0.05
RSRC019	33	34	0.09
RSRC019	34	35	0.2
RSRC019	35	36	3.47
RSRC019	36	37	1.78
RSRC019	37	38	2.19
RSRC019	38	39	0.54
RSRC019	39	40	0.64
RSRC019	40	41	0.45
RSRC019	41	42	0.19
RSRC019	42	43	0.07
RSRC019	43	44	0.06

Hole_ID	From	To	Au (g/t)
RSRC019	44	48	0.14
RSRC019	48	52	0.13
RSRC019	52	56	0.06
RSRC019	56	60	0.04
RSRC019	60	64	0.03
RSRC019	64	68	0.01
RSRC019	68	72	0.00
RSRC019	72	75	0.00
RSRC020	0	4	0.03
RSRC020	4	8	0.01
RSRC020	8	12	0.00
RSRC020	12	16	0.03
RSRC020	16	20	0.01
RSRC020	20	24	0.02
RSRC020	24	28	0.01
RSRC020	28	32	0.02
RSRC020	32	36	0.01
RSRC020	36	40	0.01
RSRC020	40	44	0.01
RSRC020	44	48	0.00
RSRC020	48	52	0.01
RSRC020	52	56	0.01
RSRC020	56	60	0.01
RSRC020	60	64	0.00
RSRC020	64	68	0.00
RSRC020	68	72	0.00
RSRC020	72	76	0.00
RSRC020	76	80	0.00
RSRC020	80	84	0.01
RSRC020	84	88	0.00
RSRC020	88	92	0.01
RSRC020	92	96	0.01
RSRC020	96	100	0.01
RSRC020	100	104	0.01
RSRC020	104	108	0.01
RSRC020	108	112	0.01
RSRC020	112	116	0.03
RSRC020	116	117	0.03
RSRC020	117	118	0.02
RSRC020	118	119	0.01
RSRC020	119	120	0.03
RSRC020	120	121	0.02
RSRC020	121	122	0.03
RSRC020	122	123	0.02
RSRC020	123	124	0.01
RSRC020	124	125	0.01
RSRC020	125	126	0.01
RSRC020	126	127	0.00
RSRC020	127	128	0.01
RSRC020	128	129	0.01
RSRC020	129	130	0.07
RSRC021	0	4	0.01
RSRC021	4	8	0.02
RSRC021	8	12	0.02
RSRC021	12	16	0.01
RSRC021	16	20	0.01
RSRC021	20	24	0.02
RSRC021	24	28	0.03
RSRC021	28	32	0.01
RSRC021	32	36	0.02
RSRC021	36	40	0.02
RSRC021	40	44	0.02

Hole_ID	From	To	Au (g/t)
RSRC021	44	45	0.03
RSRC021	45	46	0.1
RSRC021	46	47	0.03
RSRC021	47	48	0.04
RSRC021	48	49	0.52
RSRC021	49	50	0.34
RSRC021	50	51	0.09
RSRC021	51	52	1.24
RSRC021	52	53	11.55
RSRC021	53	54	11.9
RSRC021	54	55	3.15
RSRC021	55	56	1.32
RSRC021	56	57	0.17
RSRC021	57	58	0.13
RSRC021	58	59	1.98
RSRC021	59	60	1.24
RSRC021	60	61	1.69
RSRC021	61	62	0.74
RSRC021	62	63	0.2
RSRC021	63	64	0.11
RSRC021	64	65	0.09
RSRC021	65	66	0.09
RSRC021	66	67	0.04
RSRC021	67	68	0.04
RSRC021	68	72	0.04
RSRC021	72	76	0.12
RSRC021	76	80	0.13
RSRC021	80	84	0.08
RSRC021	84	88	0.12
RSRC021	88	92	0.01
RSRC021	92	96	0.01
RSRC021	96	100	0.00
RSRC022	0	1	0.07
RSRC022	1	2	0.09
RSRC022	2	3	0.04
RSRC022	3	4	0.02
RSRC022	4	5	0.03
RSRC022	5	6	0.04
RSRC022	6	7	0.18
RSRC022	7	8	0.47
RSRC022	8	9	0.16
RSRC022	9	10	5.85
RSRC022	10	11	0.49
RSRC022	11	12	0.96
RSRC022	12	13	0.12
RSRC022	13	14	0.23
RSRC022	14	15	0.25
RSRC022	15	16	1.23
RSRC022	16	17	1.14
RSRC022	17	18	0.99
RSRC022	18	19	1.31
RSRC022	19	20	0.71
RSRC022	20	21	0.11
RSRC022	21	22	0.09
RSRC022	22	23	0.09
RSRC022	23	24	0.37
RSRC022	24	25	0.18
RSRC022	25	26	0.09
RSRC022	26	27	0.24
RSRC022	27	28	0.05
RSRC022	28	29	1.02
RSRC022	29	30	0.46

Hole_ID	From	To	Au (g/t)
RSRC022	30	31	0.51
RSRC022	31	32	0.19
RSRC022	32	33	0.04
RSRC022	33	34	0.29
RSRC022	34	35	0.13
RSRC022	35	36	0.1
RSRC022	36	40	0.18
RSRC022	40	44	0.26
RSRC022	44	48	0.02
RSRC022	48	52	0.01
RSRC022	52	56	0.00
RSRC022	56	60	0.00
RSRC022	60	64	0.00
RSRC022	64	68	0.01
RSRC022	68	72	0.01
RSRC022	72	76	0.00
RSRC022	76	80	0.00
RSRC022	80	85	0.00
RSRC023	0	1	0.11
RSRC023	1	2	0.07
RSRC023	2	3	0.1
RSRC023	3	4	0.08
RSRC023	4	5	0.04
RSRC023	5	6	0.06
RSRC023	6	7	0.84
RSRC023	7	8	0.24
RSRC023	8	9	0.34
RSRC023	9	10	0.59
RSRC023	10	11	0.66
RSRC023	11	12	0.14
RSRC023	12	13	0.06
RSRC023	13	14	1.76
RSRC023	14	15	0.33
RSRC023	15	16	0.4
RSRC023	16	17	0.43
RSRC023	17	18	0.27
RSRC023	18	19	0.26
RSRC023	19	20	0.56
RSRC023	20	21	0.33
RSRC023	21	22	0.13
RSRC023	22	23	0.1
RSRC023	23	24	0.27
RSRC023	24	25	0.59
RSRC023	25	26	0.09
RSRC023	26	27	0.1
RSRC023	27	28	1.97
RSRC023	28	29	0.11
RSRC023	29	30	0.06
RSRC023	30	31	2.34
RSRC023	31	32	0.54
RSRC023	32	33	4.27
RSRC023	33	34	1.57
RSRC023	34	35	0.71
RSRC023	35	36	0.22
RSRC023	36	37	0.3
RSRC023	37	38	0.12
RSRC023	38	39	0.05
RSRC023	39	40	0.02
RSRC023	40	41	0.02
RSRC023	41	42	0.06
RSRC023	42	43	0.08
RSRC023	43	44	0.06

Hole_ID	From	To	Au (g/t)
RSRC023	44	48	0.08
RSRC023	48	52	0.06
RSRC023	52	56	0.01
RSRC023	56	60	0.01
RSRC023	60	64	0.01
RSRC023	64	68	0.01
RSRC023	68	72	0.01
RSRC023	72	76	0.01
RSRC023	76	80	0.01
RSRC024	0	4	0.01
RSRC024	4	8	0.01
RSRC024	8	12	0.02
RSRC024	12	16	0.02
RSRC024	16	20	0.02
RSRC024	20	24	0.01
RSRC024	24	28	0.01
RSRC024	28	32	0.03
RSRC024	32	36	0.01
RSRC024	36	40	0.02
RSRC024	40	44	0.01
RSRC024	44	48	0.02
RSRC024	48	52	0.02
RSRC024	52	56	0.14
RSRC024	56	60	0.02
RSRC024	60	64	0.03
RSRC024	64	68	0.02
RSRC024	68	72	0.02
RSRC024	72	73	0.03
RSRC024	73	74	0.04
RSRC024	74	75	0.03
RSRC024	75	76	0.06
RSRC024	76	77	0.27
RSRC024	77	78	5.07
RSRC024	78	79	0.06
RSRC024	79	80	0.08
RSRC024	80	81	0.26
RSRC024	81	82	5.37
RSRC024	82	83	1.65
RSRC024	83	84	0.25
RSRC024	84	85	1.29
RSRC024	85	86	0.96
RSRC024	86	87	0.55
RSRC024	87	88	1.87
RSRC024	88	89	0.48
RSRC024	89	90	0.28
RSRC024	90	91	0.14
RSRC024	91	92	0.14
RSRC024	92	93	0.03
RSRC024	93	94	0.26
RSRC024	94	95	0.1
RSRC024	95	96	0.06
RSRC024	96	97	0.12
RSRC024	97	98	0.08
RSRC024	98	99	0.34
RSRC024	99	100	0.29
RSRC024	100	101	0.24
RSRC024	101	102	0.04
RSRC024	102	103	0.03
RSRC024	103	104	0.03
RSRC024	104	105	0.22
RSRC024	105	106	0.14
RSRC024	106	107	0.41

Hole_ID	From	To	Au (g/t)
RSRC024	107	108	0.09
RSRC024	108	112	0.04
RSRC024	112	116	0.02
RSRC024	116	120	0.02
RSRC025	0	1	0.1
RSRC025	1	2	0.06
RSRC025	2	3	0.07
RSRC025	3	4	0.07
RSRC025	4	5	0.17
RSRC025	5	6	0.07
RSRC025	6	7	0.02
RSRC025	7	8	0.15
RSRC025	8	9	0.12
RSRC025	9	10	0.19
RSRC025	10	11	0.64
RSRC025	11	12	0.48
RSRC025	12	13	0.13
RSRC025	13	14	0.24
RSRC025	14	15	0.39
RSRC025	15	16	0.79
RSRC025	16	17	1.21
RSRC025	17	18	1.06
RSRC025	18	19	0.74
RSRC025	19	20	0.08
RSRC025	20	21	0.04
RSRC025	21	22	0.1
RSRC025	22	23	0.15
RSRC025	23	24	0.05
RSRC025	24	25	1.18
RSRC025	25	26	0.05
RSRC025	26	27	0.02
RSRC025	27	28	0.06
RSRC025	28	29	0.84
RSRC025	29	30	0.3
RSRC025	30	31	0.17
RSRC025	31	32	0.09
RSRC025	32	33	0.04
RSRC025	33	34	0.08
RSRC025	34	35	0.02
RSRC025	35	36	0.04
RSRC025	36	37	0.03
RSRC025	37	38	0.02
RSRC025	38	39	0.02
RSRC025	39	40	0.01
RSRC025	40	41	0.47
RSRC025	41	42	0.62
RSRC025	42	43	0.31
RSRC025	43	44	0.08
RSRC025	44	45	0.16
RSRC025	45	46	0.06
RSRC025	46	47	0.24
RSRC025	47	48	0.42
RSRC025	48	49	1.38
RSRC025	49	50	0.08
RSRC025	50	51	0.08
RSRC025	51	52	0.08
RSRC025	52	53	0.02
RSRC025	53	54	0.00
RSRC025	54	55	0.01
RSRC025	55	56	0.00
RSRC025	56	60	0.01
RSRC025	60	64	0.01

Hole_ID	From	To	Au (g/t)
RSRC025	64	66	0.01
RSRC026	0	4	0.02
RSRC026	4	8	0.03
RSRC026	8	12	0.02
RSRC026	12	16	0.02
RSRC026	16	20	0.00
RSRC026	20	24	0.01
RSRC026	24	28	0.01
RSRC026	28	32	0.02
RSRC026	32	33	0.01
RSRC026	33	34	0.02
RSRC026	34	35	0.06
RSRC026	35	36	0.03
RSRC026	36	37	0.03
RSRC026	37	38	0.02
RSRC026	38	39	0.02
RSRC026	39	40	0.03
RSRC026	40	41	0.02
RSRC026	41	42	0.03
RSRC026	42	43	0.03
RSRC026	43	44	0.03
RSRC026	44	45	0.06
RSRC026	45	46	0.09
RSRC026	46	47	0.14
RSRC026	47	48	0.1
RSRC026	48	49	0.59
RSRC026	49	50	0.04
RSRC026	50	51	0.03
RSRC026	51	52	1.31
RSRC026	52	53	0.48
RSRC026	53	54	0.14
RSRC026	54	55	0.08
RSRC026	55	56	2.43
RSRC026	56	57	0.41
RSRC026	57	58	0.14
RSRC026	58	59	0.32
RSRC026	59	60	0.92
RSRC026	60	64	0.04
RSRC026	64	68	0.17
RSRC026	68	72	0.14
RSRC026	72	76	0.51
RSRC026	76	80	0.09
RSRC026	80	84	0.01
RSRC026	84	88	0.00
RSRC026	88	92	0.00
RSRC026	92	96	0.00
RSRC026	96	100	0.00
RSRC027	0	4	0.01
RSRC027	4	8	0.01
RSRC027	8	12	0.00
RSRC027	12	16	0.01
RSRC027	16	20	0.01
RSRC027	20	24	0.00
RSRC027	24	28	0.00
RSRC027	28	32	0.01
RSRC027	32	36	0.02
RSRC027	36	40	0.11
RSRC027	40	44	0.01
RSRC027	44	48	0.01
RSRC027	48	52	0.01
RSRC027	52	56	0.01
RSRC027	56	60	0.02

Hole_ID	From	To	Au (g/t)
RSRC027	60	64	0.01
RSRC027	64	68	0.01
RSRC027	68	72	0.01
RSRC027	72	76	0.01
RSRC027	76	80	0.02
RSRC027	80	84	0.01
RSRC027	84	88	0.01
RSRC027	88	92	0.01
RSRC027	92	96	0.01
RSRC027	96	100	0.00
RSRC027	100	101	0.01
RSRC027	101	102	0.01
RSRC027	102	103	0.04
RSRC027	103	104	0.19
RSRC027	104	105	0.02
RSRC027	105	106	0.04
RSRC027	106	107	0.02
RSRC027	107	108	0.03
RSRC027	108	109	0.03
RSRC027	109	110	0.08
RSRC027	110	111	0.02
RSRC027	111	112	0.03
RSRC027	112	113	0.06
RSRC027	113	114	0.01
RSRC027	114	115	0.03
RSRC027	115	116	0.01
RSRC027	116	117	0.04
RSRC027	117	118	0.02
RSRC027	118	119	0.02
RSRC027	119	120	0.31
RSRC028	0	4	0.03
RSRC028	4	8	0.03
RSRC028	8	12	0.03
RSRC028	12	16	0.08
RSRC028	16	17	0.04
RSRC028	17	18	0.06
RSRC028	18	19	0.01
RSRC028	19	20	0.07
RSRC028	20	21	0.13
RSRC028	21	22	0.16
RSRC028	22	23	0.1
RSRC028	23	24	0.1
RSRC028	24	25	0.12
RSRC028	25	26	0.09
RSRC028	26	27	0.09
RSRC028	27	28	0.03
RSRC028	28	29	0.03
RSRC028	29	30	0.1
RSRC028	30	31	0.05
RSRC028	31	32	0.02
RSRC028	32	33	0.08
RSRC028	33	34	0.94
RSRC028	34	35	0.53
RSRC028	35	36	0.04
RSRC028	36	37	0.14
RSRC028	37	38	0.42
RSRC028	38	39	0.48
RSRC028	39	40	0.5
RSRC028	40	44	0.13
RSRC028	44	48	0.3
RSRC028	48	52	0.05
RSRC028	52	56	0.1

Hole_ID	From	To	Au (g/t)
RSRC028	56	60	0.05
RSRC029	0	4	0.01
RSRC029	4	8	0.01
RSRC029	8	12	0.01
RSRC029	12	16	0.01
RSRC029	16	20	0.01
RSRC029	20	24	0.00
RSRC029	24	28	0.00
RSRC029	28	32	0.01
RSRC029	32	36	0.03
RSRC029	36	40	0.2
RSRC029	40	44	0.02
RSRC029	44	48	0.01
RSRC029	48	52	0.02
RSRC029	52	56	0.02
RSRC029	56	57	0.03
RSRC029	57	58	0.02
RSRC029	58	59	0.01
RSRC029	59	60	0.01
RSRC029	60	61	0.02
RSRC029	61	62	0.04
RSRC029	62	63	0.08
RSRC029	63	64	0.1
RSRC029	64	65	0.62
RSRC029	65	66	0.11
RSRC029	66	67	0.08
RSRC029	67	68	0.06
RSRC029	68	69	0.05
RSRC029	69	70	0.04
RSRC029	70	71	0.04
RSRC029	71	72	0.03
RSRC029	72	73	0.03
RSRC029	73	74	0.05
RSRC029	74	75	0.02
RSRC029	75	76	0.06
RSRC029	76	77	4.67
RSRC029	77	78	0.5
RSRC029	78	79	0.11
RSRC029	79	80	0.05
RSRC029	80	81	0.02
RSRC029	81	82	0.02
RSRC029	82	83	0.5
RSRC029	83	84	0.29
RSRC029	84	85	0.62
RSRC029	85	86	0.6
RSRC029	86	87	0.69
RSRC029	87	88	0.57
RSRC029	88	89	0.21
RSRC029	89	90	0.27
RSRC029	90	91	0.05
RSRC029	91	92	0.14
RSRC029	92	93	0.09
RSRC029	93	94	0.01
RSRC029	94	95	0.03
RSRC029	95	96	0.03
RSRC029	96	97	0.02
RSRC029	97	98	0.01
RSRC029	98	99	0.09
RSRC029	99	100	0.1
RSRC030	0	4	0.01
RSRC030	4	8	0.00
RSRC030	8	12	0.00

Hole_ID	From	To	Au (g/t)
RSRC030	12	16	0.00
RSRC030	16	20	0.02
RSRC030	20	24	0.01
RSRC030	24	28	0.01
RSRC030	28	32	0.03
RSRC030	32	36	0.00
RSRC030	36	40	0.02
RSRC030	40	44	0.01
RSRC030	44	48	0.02
RSRC030	48	52	0.01
RSRC030	52	56	0.01
RSRC030	56	60	0.01
RSRC030	60	64	0.03
RSRC030	64	68	0.05
RSRC030	68	72	0.03
RSRC030	72	76	0.59
RSRC030	76	80	0.03
RSRC030	80	84	0.01
RSRC030	84	88	0.03
RSRC030	88	89	0.04
RSRC030	89	90	0.07
RSRC030	90	91	0.04
RSRC030	91	92	0.03
RSRC030	92	93	0.01
RSRC030	93	94	0.01
RSRC030	94	95	0.01
RSRC030	95	96	0.02
RSRC030	96	97	0.02
RSRC030	97	98	0.01
RSRC030	98	99	0.02
RSRC030	99	100	0.02
RSRC030	100	101	0.05
RSRC030	101	102	0.23
RSRC030	102	103	0.04
RSRC030	103	104	0.03
RSRC030	104	105	0.07
RSRC030	105	106	0.11
RSRC030	106	107	0.06
RSRC030	107	108	0.02
RSRC030	108	109	0.02
RSRC030	109	110	0.07
RSRC030	110	111	0.08
RSRC030	111	112	0.05
RSRC030	112	113	0.07
RSRC030	113	114	0.00
RSRC030	114	115	0.01
RSRC030	115	116	0.01
RSRC030	116	117	0.02
RSRC030	117	118	0.01
RSRC030	118	119	0.09
RSRC030	119	120	1.43
RSRC030	120	121	0.22
RSRC030	121	122	0.06
RSRC030	122	123	0.19
RSRC030	123	124	0.19
RSRC030	124	125	0.1
RSRC030	125	126	0.02
RSRC030	126	127	0.01
RSRC031	0	4	0.02
RSRC031	4	8	0.03
RSRC031	8	12	0.03
RSRC031	12	16	0.02

Hole_ID	From	To	Au (g/t)
RSRC031	16	17	0.1
RSRC031	17	18	0.19
RSRC031	18	19	0.07
RSRC031	19	20	0.08
RSRC031	20	21	0.05
RSRC031	21	22	0.08
RSRC031	22	23	0.09
RSRC031	23	24	0.04
RSRC031	24	25	0.12
RSRC031	25	26	0.03
RSRC031	26	27	0.02
RSRC031	27	28	0.02
RSRC031	28	29	0.09
RSRC031	29	30	0.02
RSRC031	30	31	0.02
RSRC031	31	32	0.03
RSRC031	32	33	0.15
RSRC031	33	34	4.33
RSRC031	34	35	0.64
RSRC031	35	36	0.06
RSRC031	36	37	0.06
RSRC031	37	38	0.96
RSRC031	38	39	0.58
RSRC031	39	40	0.77
RSRC031	40	41	1.42
RSRC031	41	42	0.36
RSRC031	42	43	0.32
RSRC031	43	44	0.75
RSRC031	44	45	0.04
RSRC031	45	46	0.04
RSRC031	46	47	0.11
RSRC031	47	48	0.14
RSRC031	48	49	0.02
RSRC031	49	50	0.09
RSRC031	50	51	0.08
RSRC031	51	52	0.25
RSRC031	52	56	0.35
RSRC031	56	60	0.02
RSRC031	60	64	0.04
RSRC031	64	68	0.03
RSRC031	68	70	0.00
RSRC033	0	4	0.01
RSRC033	4	8	0.00
RSRC033	8	12	0.00
RSRC033	12	16	0.00
RSRC033	16	20	0.00
RSRC033	20	24	0.00
RSRC033	24	28	0.00
RSRC033	28	32	0.00
RSRC033	32	33	0.00
RSRC033	33	34	0.00
RSRC033	34	35	0.00
RSRC033	35	36	0.00
RSRC033	36	37	0.01
RSRC033	37	38	0.03
RSRC033	38	39	0.02
RSRC033	39	40	0.05
RSRC033	40	41	0.06
RSRC033	41	42	0.13
RSRC033	42	43	0.08
RSRC033	43	44	0.74
RSRC033	44	45	0.06

Hole_ID	From	To	Au (g/t)
RSRC033	45	46	0.25
RSRC033	46	47	0.04
RSRC033	47	48	0.18
RSRC033	48	49	0.74
RSRC033	49	50	0.55
RSRC033	50	51	0.79
RSRC033	51	52	1.36
RSRC033	52	53	5.47
RSRC033	53	54	1.75
RSRC033	54	55	0.57
RSRC033	55	56	0.14
RSRC033	56	57	0.07
RSRC033	57	58	0.08
RSRC033	58	59	0.04
RSRC033	59	60	0.07
RSRC033	60	64	0.04
RSRC033	64	68	0.02
RSRC033	68	72	0.01
RSRC033	72	76	0.01
RSRC033	76	80	0.01
RSRC033	80	84	0.02
RSRC033	84	88	0.04
RSRC033	88	92	0.01
RSRC033	92	96	0.01
RSRC033	96	100	0.01
RSRC034	0	4	0.00
RSRC034	4	8	0.05
RSRC034	8	12	0.00
RSRC034	12	16	0.00
RSRC034	16	17	0.02
RSRC034	17	18	0.00
RSRC034	18	19	0.79
RSRC034	19	20	0.12
RSRC034	20	21	0.03
RSRC034	21	22	0.01
RSRC034	22	23	0.04
RSRC034	23	24	0.01
RSRC034	24	28	0.01
RSRC034	28	32	0.02
RSRC034	32	36	0.03
RSRC034	36	40	0.01
RSRC034	40	41	0.01
RSRC034	41	42	0.01
RSRC034	42	43	0.00
RSRC034	43	44	0.05
RSRC034	44	45	0.23
RSRC034	45	46	0.17
RSRC034	46	47	0.03
RSRC034	47	48	0.27
RSRC034	48	52	1.15
RSRC034	52	56	0.08
RSRC034	56	60	0.38
RSRC034	60	61	0.03
RSRC034	61	62	2.2
RSRC034	62	63	2.23
RSRC034	63	64	0.37
RSRC034	64	65	0.35
RSRC034	65	66	0.32
RSRC034	66	67	0.29
RSRC034	67	68	0.02
RSRC034	68	69	0.03
RSRC034	69	70	0.02

Hole_ID	From	To	Au (g/t)
RSRC034	70	71	0.02
RSRC034	71	72	0.09
RSRC034	72	73	0.28
RSRC034	73	74	0.05
RSRC034	74	75	0.06
RSRC034	75	76	0.1
RSRC034	76	77	0.04
RSRC034	77	78	0.07
RSRC034	78	79	0.83
RSRC034	79	80	0.34
RSRC034	80	84	0.08
RSRC034	84	88	1.02
RSRC034	88	92	0.03
RSRC034	92	96	0.01
RSRC034	96	100	0.01
RSRC035	0	1	0.02
RSRC035	1	2	0.01
RSRC035	2	3	0.02
RSRC035	3	4	0.00
RSRC035	4	5	0.01
RSRC035	5	6	0.00
RSRC035	6	7	0.00
RSRC035	7	8	0.02
RSRC035	8	9	0.02
RSRC035	9	10	0.04
RSRC035	10	11	0.36
RSRC035	11	12	0.17
RSRC035	12	13	0.02
RSRC035	13	14	0.05
RSRC035	14	15	0.2
RSRC035	15	16	0.35
RSRC035	16	17	0.33
RSRC035	17	18	0.13
RSRC035	18	19	0.04
RSRC035	19	20	0.04
RSRC035	20	21	0.05
RSRC035	21	22	0.1
RSRC035	22	23	0.09
RSRC035	23	24	0.04
RSRC035	24	25	0.08
RSRC035	25	26	0.1
RSRC035	26	27	0.1
RSRC035	27	28	0.04
RSRC035	28	29	0.04
RSRC035	29	30	0.08
RSRC035	30	31	0.18
RSRC035	31	32	0.38
RSRC035	32	33	0.07
RSRC035	33	34	0.06
RSRC035	34	35	0.06
RSRC035	35	36	0.04
RSRC035	36	40	0.04
RSRC035	40	44	0.04
RSRC035	44	48	0.01
RSRC035	48	52	0.02
RSRC035	52	56	0.02
RSRC035	56	60	0.01
RSRC036	0	4	0.00
RSRC036	4	8	0.01
RSRC036	8	12	0.03
RSRC036	12	16	0.04
RSRC036	16	20	0.61

Hole_ID	From	To	Au (g/t)
RSRC036	20	21	0.68
RSRC036	21	22	0.43
RSRC036	22	23	0.2
RSRC036	23	24	1.05
RSRC036	24	25	0.38
RSRC036	25	26	0.3
RSRC036	26	27	0.37
RSRC036	27	28	0.13
RSRC036	28	29	0.33
RSRC036	29	30	0.12
RSRC036	30	31	0.05
RSRC036	31	32	0.17
RSRC036	32	33	0.13
RSRC036	33	34	0.12
RSRC036	34	35	0.16
RSRC036	35	36	0.1
RSRC036	36	37	0.05
RSRC036	37	38	0.08
RSRC036	38	39	0.05
RSRC036	39	40	0.04
RSRC036	40	41	0.16
RSRC036	41	42	0.22
RSRC036	42	43	0.5
RSRC036	43	44	0.25
RSRC036	44	48	0.07
RSRC036	48	52	0.09
RSRC036	52	56	0.08
RSRC036	56	60	0.02
RSRC036	60	64	0.87
RSRC036	64	68	0.55
RSRC036	68	72	0.04
RSRC036	72	76	0.02
RSRC036	76	80	0.01
RSRC037	0	4	0.03
RSRC037	4	8	0.00
RSRC037	8	12	0.01
RSRC037	12	16	0.14
RSRC037	16	20	0.01
RSRC037	20	24	0.00
RSRC037	24	28	0.03
RSRC037	28	32	0.12
RSRC037	32	36	0.05
RSRC037	36	40	0.05
RSRC037	40	44	0.03
RSRC037	44	48	0.01
RSRC037	48	52	0.01
RSRC037	52	56	0.01
RSRC037	56	60	0.00
RSRC037	60	64	0.00
RSRC037	64	68	0.00
RSRC037	68	72	0.01
RSRC037	72	76	0.00
RSRC037	76	80	0.01
RSRC037	80	84	0.01
RSRC037	84	88	0.00
RSRC037	88	92	0.00
RSRC037	92	96	0.01
RSRC037	96	100	0.01
RSRC037	100	104	0.00
RSRC037	104	108	0.00
RSRC037	108	112	0.01
RSRC037	112	116	0.02

Hole_ID	From	To	Au (g/t)
RSRC037	116	117	0.01
RSRC037	117	118	2.2
RSRC037	118	119	0.19
RSRC037	119	120	0.14
RSRC037	120	121	0.15
RSRC037	121	122	0.07
RSRC037	122	123	2.21
RSRC037	123	124	2.73
RSRC037	124	125	0.17
RSRC037	125	126	0.22
RSRC037	126	127	0.08
RSRC037	127	128	0.05
RSRC037	128	129	0.14
RSRC037	129	130	0.2
RSRC038	0	4	0.03
RSRC038	4	8	0.01
RSRC038	8	12	0.01
RSRC038	12	16	0.00
RSRC038	16	20	0.00
RSRC038	20	24	0.00
RSRC038	24	28	0.00
RSRC038	28	32	0.01
RSRC038	32	36	0.00
RSRC038	36	40	0.01
RSRC038	40	44	0.01
RSRC038	44	48	0.00
RSRC038	48	52	0.01
RSRC038	52	56	0.02
RSRC038	56	60	0.01
RSRC038	60	64	0.00
RSRC038	64	68	0.00
RSRC038	68	72	0.00
RSRC038	72	76	0.02
RSRC038	76	80	0.1
RSRC038	80	84	0.07
RSRC038	84	88	0.03
RSRC038	88	92	0.03
RSRC038	92	96	0.05
RSRC038	96	100	0.16
RSRC038	100	104	1.1
RSRC038	104	108	0.65
RSRC038	108	112	0.09
RSRC038	112	116	0.59
RSRC038	116	120	0.05
RSRC038	120	124	0.06
RSRC038	124	128	0.02
RSRC038	128	132	0.02
RSRC038	132	133	0.01
RSRC038	133	134	0.00
RSRC038	134	135	0.00
RSRC038	135	136	0.00
RSRC038	136	137	0.00
RSRC038	137	138	0.02
RSRC038	138	139	0.01
RSRC038	139	140	0.01
RSRC038	140	141	0.09
RSRC038	141	142	0.09
RSRC038	142	143	0.06
RSRC038	143	144	4.56
RSRC038	144	145	1.22
RSRC038	145	146	3.87
RSRC038	146	147	0.43

Hole_ID	From	To	Au (g/t)
RSRC038	147	148	0.69
RSRC038	148	149	0.28
RSRC038	149	150	0.44
RSRC038	150	151	0.04
RSRC038	151	152	0.05
RSRC038	152	153	0.04
RSRC038	153	154	0.01
RSRC038	154	155	0.04
RSRC038	155	156	0.2
RSRC038	156	157	0.12
RSRC038	157	158	1.37
RSRC038	158	159	0.77
RSRC038	159	160	0.17
RSRC038	160	164	0.49
RSRC038	164	168	0.34
RSRC038	168	172	0.12
RSRC038	172	176	0.01
RSRC038	176	180	0.02
RSRC038	180	184	0.01
RSRC038	184	188	0.03
RSRC038	188	192	0.01
RSRC038	192	196	0.01
RSRC038	196	200	0.01
RSRC038	200	204	0.01
RSRC038	204	208	0.01
RSRC038	208	212	0.01
RSRC038	212	216	0.02
RSRC038	216	220	0.01

APPENDIX 1.

The following Tables are provided to ensure compliance with the JORC Code (2012 Edition) requirements for the reporting of Exploration Results at the Reedy South Project.

Section 1: Sampling Techniques and Data

(Criteria in this section applies to all succeeding sections)

Criteria	JORC Code explanation	Commentary
Sampling techniques	<i>Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</i>	Every metre drilled was sampled at the drill rig using a rig mounted static cone splitter to collect 2 – 3kg sub samples. 4m composites through the geologically determined non-mineralised zones were collected using the pipe/spear method of sampling the coarse reject sample collected in standard green bags, which remain at the drill site.
	<i>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</i>	Standard reference material, sample duplicates were automatically collected at 25m sample intervals from the cone splitter Where a duplicate, produced from the cone splitter, wasn't sampled due to it being in a non-mineralised zone, a 4m composite field duplicate was obtained using the pipe/spear method from the sample reject bag. This method maintained a ~25m duplicate and standard insertion rate throughout the entire program.
	<i>Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.</i>	A combination of 1m split for geologically identified mineralised zones and 4m composite samples for geologically identified waste zones were sent to the laboratory for crushing, splitting and analysis. Analysis was undertaken by ALS laboratories (Perth) for gold assay by 50g fire assay.
Drilling techniques	<i>Drill type (e.g. core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic etc) and details (e.g. core diameter, triple of standard tube, depth of diamond tails, face-sampling bit or other type, whether core is orientated and if so, by what method, etc).</i>	RSRC001-37 were completed by reverse circulation drilling techniques using a slimline RC rig. Slimline RC utilises a drill bit diameter of 3.5 inches or 89mm. RSRC0038 was completed by reverse circulation drilling techniques using a standard 5.5 inch (143mm) diameter bit. A face sampling down hole hammer was used at all times.
Drill sample recovery	<i>Method of recording and assessing core and chip sample recoveries and results assessed.</i>	Drill recovery was routinely recorded via estimation of the comparative percentage of the volume of the sample bag by the company geologist. The sample recovery was deemed adequate for representative assays.
	<i>Measures taken to maximise sample recovery and ensure representative nature of the samples.</i>	A qualitative estimate of sample weight was undertaken to ensure consistency of sample size and to monitor sample recoveries at the time of drilling..

	<i>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</i>	Drill sample recovery and quality is considered to be adequate for the drilling technique employed.
Logging	<i>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</i>	All holes have been geologically logged for lithology, mineralisation and weathering. A brief description of each drilling sample was recorded and a permanent record has been collected and stored in chip trays for reference.
	<i>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</i>	Lithology codes have been interpreted by a geologist for consistency across the project.

Criteria	JORC Code explanation	Commentary
	<i>The total length and percentage of the relevant intersections logged.</i>	Veining and mineralisation noted in lithological logs
Sub-sampling techniques and sample preparation	<i>If core, whether cut or sawn and whether quarter, half or all core taken.</i>	A sub sample from the RC drill rig of approximately 2-4kg was taken from the sample splitter off the cyclone. For holes drilled by Homestake, Murchison Mining and St Barbara samples were pulverised to 85% passing 75 microns. From this a 50g charge was taken for fire assay with AAS finish. These assaying techniques are considered appropriate for this style of mineralisation.
	<i>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</i>	
	<i>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</i>	
	<i>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</i>	No QAQC data is available for prior drilling campaigns by Wakefield.
	<i>Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling.</i>	The use of fire assay with 50g charge for all RC drilling provides a level of confidence in the assay database. The sampling and assaying is considered representative of the in-situ material.
	<i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i>	The sample size of 2-4 kilograms is appropriate and representative of the grain size and mineralisation style of the deposit.
Quality of assay data and laboratory tests	<p><i>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</i></p> <p><i>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</i></p> <p><i>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.</i></p>	<p>ALS (Perth) were used for all analysis of drill samples submitted by Artemis. The laboratory techniques below are for all samples submitted to ALS and are considered appropriate for the style of mineralisation defined within the Carlow Castle Project area:</p> <p>Samples above 3Kg riffle split.</p> <p>Pulverise to 95% passing 75 microns</p> <p>50-gram Fire Assay (Au-AA26) with ICP finish - Au.</p> <p>4 Acid Digest ICP-AES Finish (ME-ICP61) – Ag, Al, As, Ba, Be, Bi, Ca, Cd, Co, Cr, Cu, Fe, Ga, K, La, Mg, Mn, Mo, Na, Ni, P, Pb, S, Sb, Sc, Sr, Th, Ti, Tl, U, V, W, Zn.</p> <p>Ore Grade 4 Acid Digest ICP-AES Finish (ME-OG62)</p> <p>Standards were used for external laboratory checks by WCN.</p> <p>Duplicates were used for external laboratory checks by WCN.</p>

Criteria	JORC Code explanation	Commentary
Verification of sampling and assaying	<i>The verification of significant intersections by either independent or alternative company personnel.</i>	Several drilling campaigns have been conducted at South Reedy since 1984. These campaigns with subsequent infill drilling provide verification of the significant intersections as they have been repeated along strike at distances as close as 10m.
	<i>The use of twinned holes.</i>	No twinned holes were drilled but several holes are in close proximity to each other illustrating continuity of mineralisation.
	<i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i>	Electronic data capture, storage and transfer as .csv. Routine QC checks performed by contractor and independent geophysical consultant. Data were found to be of high quality and in accordance with contract specifications. Laboratory standards and blank samples were inserted at regular intervals and some duplicate samples were taken for QC checks.
	<i>Discuss any adjustment to assay data.</i>	No adjustments were made to assay data.
Location of points	<i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i>	A Garmin GPSMap62 hand-held GPS was used to define the location of the drill hole collars. Standard practice is for the GPS to be left at the site of the collar for a period of 5 minutes to obtain a steady reading. Collar locations are considered to be accurate to within 5m. Hole collars will be picked up by licensed surveyors on completion of the drilling. GDA94 Zone 51 co-ordinates.
	<i>Specification of the grid system used.</i>	
	<i>Quality and adequacy of topographic control.</i>	

Criteria	JORC Code explanation	Commentary
Data spacing and distribution	<i>Data spacing for reporting of Exploration Results.</i>	Collar information or the reported holes is provided. Rockchip samples were randomly collected and were appropriate given the objectives of the program.
	<i>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i>	Intercepts given are downhole widths with the true widths not determined.
	<i>Whether sample compositing has been applied.</i>	Single metre sampling used within mineralised zones.
Orientation of data in relation to geological structure	<i>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</i>	Drill holes have generally been drilled perpendicular to the general strike and dip of the orebody. Holes in this announcement have been collared with lease boundary restrictions so have intersected the ore-zone at an oblique angle.
	<i>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i>	
Sample security	<i>The measures taken to ensure sample security.</i>	Sample security measures for historical drilling are unknown. The chain of custody is managed by the supervising geologist who places calico sample bags in polyweave sacks. Up to 10 calico sample bags are placed in each sack. Each sack is clearly labelled with: <ul style="list-style-type: none"> WhiteCliff Minerals Ltd

Criteria	JORC Code explanation	Commentary
		<ul style="list-style-type: none"> o Address of laboratory o Sample range o Samples were delivered by Whitecliff personnel to the transport company in Cue <p>The transport company then delivers the samples directly to the ALS laboratory.</p>
Audits or reviews	<i>The results of any audits or reviews of sampling techniques and data.</i>	<p>QA/QC data from the metallurgical testwork provides a high confidence in the recent RC drilling's assay data. Historical data has been extensively reviewed.</p> <p>Data is validated upon up-loading into the master database. Any validation issues identified are investigated prior to reporting of results.</p>

Section 2: Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section)

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	<i>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</i>	South Reedy is located on M20/446, registered in the name of Harley Sears (50%) and Wakeford Holdings (50%). White Cliff Minerals Ltd has purchased the tenement from the registered holders as announced to the ASX on 8 October 2020. There are no known impediments to the future exploration or mining of this deposit.
	<i>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</i>	Minimum expenditure requirement of \$10,000 per annum has been met for the current reporting period
Exploration done by other parties	<i>Acknowledgment and appraisal of exploration by other parties.</i>	Historical exploration has been conducted by Homestake Australia Ltd, St Barbara Ltd, Wakeford Holdings and Murchison Mining Pty Ltd. A total of 117 RC holes for 7,182m has been drilled. Data was compiled from WAMEX reports.
Geology	<i>Deposit type, geological setting and style of mineralisation.</i>	Mineralisation in the Mining Lease is hosted by the Reedy Shear Zone (RSZ) localised by a dis-conformable contact between two greenstone groups. Anastomosing structures develop within the RSZ focusing fluid migration and Au mineralisation. Strong potassic-silicic-pyritic alteration is associated with gold mineralisation localised within the footwall and hanging contacts of the 20m wide sub-vertical RSZ. Linear zones of more intense deformation appear to be important in the localisation of gold mineralisation within ultramafic zones often adjacent to mineralisation. Minor bucky quartz veining intrudes the shear and appears to run parallel to the shear zone.
Drill hole Information	<i>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:</i> <ul style="list-style-type: none"> • easting and northing of the drill hole collar • elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar • dip and azimuth of the hole • down hole length and interception depth • hole length. 	A summary of all exploration drilling and sampling is contained in tabulated data within this announcement.
	<i>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</i>	
Data aggregation methods	<i>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg. cutting of high grades) and cut-off grades are usually Material and should be stated.</i>	Intersections have been calculated generally using a 1g/t cut off and internal waste of up to 2m thickness with total intercepts greater than 1g/t. No upper cut off has been applied to intersections or samples.

Criteria	JORC Code explanation	Commentary
	<i>Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</i>	Only relevant elements (gold) are reported here. However, the samples underwent multi element assay as industry standard.
	<i>The assumptions used for any reporting of metal equivalent values should be clearly stated.</i>	No metal equivalent values are being used.
Relationship between mineralisation widths and intercept lengths	<i>These relationships are particularly important in the reporting of Exploration Results. If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known').</i>	Reported intersection widths are generally greater than true widths by about 20% however this does vary within the deposit. Holes have generally been drilled perpendicular to strike. The orebody is sub-vertical with most holes drilled at -60° from horizontal.
Diagrams	<i>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drillhole collar locations and appropriate sectional views.</i>	Location maps and drill cross sections are included in the body of this announcement.
Balanced reporting	<i>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</i>	The reporting of exploration results is considered balanced by the competent person. The locations of the drill holes are included in this release.
Other substantive exploration data	<i>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</i>	The Company's technical consultants are continuing to review available historical data, and WAMEX data over all WCN controlled tenements in the RSZ area.
Further work	<i>The nature and scale of planned further work (eg. tests for lateral extensions or depth extensions or large-scale step-out drilling). Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i>	Following the delivery of the maiden MRE, and the maiden drill program, additional drilling is planned to infill the deposit to either grow the resource or upgrade the resource category and also to extend the deposit along strike and at depth.