



20 July 2014

Results From Recent Drill Program

Highlights:

- **GDD003 at The Cup intersected 53m @ 1.01% Cu from 67m, incl 27m @ 1.55% Cu from 87m**
- **First hole at Blind Bat intersected another VMS mineralised trend with strong geochemistry and strong massive sulphide accumulations**
- **GRC294 at Julia's Fault intersected 17m @ 1.28g/t Au and 3.2g/t Ag from 54m**
- **Drilling at Apex 60m @ 0.11% Ni, 0.04g/t Pt and 0.13g/t Pd from 180m**
- **Drilling confirms a very extensive VMS system; Company remains very confident in prospectivity of ground**
- **Aircore program commencing in August**


Gateway Mining Ltd ('Gateway' or 'the Company') recently finished a successful drill program at its flagship project in Gidjee, Western Australia. Approximately 1,400m of RC drilling and 500m of diamond drilling was completed.

First drilling was conducted at both the Blind Bat and Intrepid prospects with one hole drilled at each target. Both holes returned very encouraging VMS geochemistry, providing excellent follow up targets for the next drill program. Further drilling at Julia's Fault continued to intercept significant gold intersections, while the Apex target returned very anomalous nickel and copper.

What these results have shown is that the VMS stratigraphy which is host to The Cup, Julia's Fault, Intrepid, Blind Bat and a number of other targets is a very extensive VMS mineralised system. The Company remains very confident in the prospectivity of the ground.

The Company will continue its strategy of systematically testing conductive units with coincident geochemistry within the VMS stratigraphy. This has allowed Gateway to efficiently manage its exploration program. It is expected an aircore program will commence before the end of August, followed by a further RC and diamond drilling program in September / October

ABN: 31 008 402 391
Level 8, 210 George Street Sydney NSW 2000
GPO Box 225 Sydney NSW 2001
Tel: 61 2 9191 4543
Fax: 61 2 8247 7999
Website: www.gatewaymining.com.au
Email: info@gatewaymining.com.au




Overview of drill holes from May 2014 program.

The Cup

GDD003 was drilled at The Cup and was designed to test the chalcocite zone with diamond drilling. The hole intersected:

53m @ 1.01% Cu, 1.77g/t Ag from 67m
Incl 27m @ 1.55% Cu, 0.95g/t Ag from 87m

A strong sulphide zone was intersected at the top of the copper mineralisation with better copper grade sitting below the base of the sulphide zone in lower saprolite clays (reduced clays). Dark and light banding in the clay was returned in drill core and when analysed using an XRF gun the darker bands were more strongly mineralised for copper. The lamination is most likely the product of supergene weathering with the darker bands enriched in the copper sulphide mineral chalcocite. Structural measurements taken from GDD003 support geometry of mineralised interpretations.



Overview of targets within the VMS stratigraphy



This level of copper represents an approximate 10% increase in grade compared with previous drilling. Further work is being planned at The Cup to continue developing an understanding of the mineralised horizon. However, work to date shows that it is an excellent mineralised target that warrants further step out and extensional drilling.

Apex

One RC hole was drilled at Apex targeting DHTM conductivity that was identified during the previous round of drilling in March 2014. Drilling intersected a wide zone of ultramafic intrusive rocks anomalous for Ni, Pt, Pd and Cu including:

60m @ 0.11% Ni, 0.04g/t Pt and 0.13g/t Pd from 180m

Highly elevated magnetic susceptibility readings were also returned at or close to these anomalous intersections.

Further geophysical work is planned in the area to better define further conductive units. The Apex area has very strongly anomalous surface expression of sulphide mineralisation and very anomalous results in drilling.

Also intersected were sheared zones of fine grained biotite alteration with up to 25% sulphide content and these are the most likely cause of localised EM conductivity. In particular a 30m zone of alteration from 110m corresponds closely to the location of modelled DHTM conductivity. The biotite alteration is depleted for Ni, Pt and Pd but has moderately elevated anomalism for Cu, W and Mo.


Julia's Fault

GRC294 was drilled at Julia's Fault prospect targeting copper and gold mineralisation. Much historic work in the area was not assayed for a full multielement suite, with a significant number of samples not having copper assays. Hence the hole was designed to test for both copper and gold, along with the objective of obtaining a wider set of assays. Significant gold mineralisation was intersected including:

17m @ 1.28g/t Au and 3.20g/t Ag from 54m

Gold enrichment occurred within a highly weathered siliceous gossan in fine grained intermediate tuffaceous rocks. The gold zone is also strongly anomalous for antimony to 142.5ppm and arsenic to 7640ppm. Other multi-element anomalism includes Bi to 2.13ppm, Mo to 11.1ppm, Pb to 293ppm, Se to 46ppm and W to 7.1ppm.

A 2m zone of enriched copper (+1000ppm) and silver associated with weak sulphide dissemination was intersected at the base of the gold zone and at the top of lower saprolite weathering. The copper zone targeted in the lower portion of the hole was not encountered. This copper zone was an interpreted possible extension of strong sulphide/copper intersected 50m to the south in GRC206.



Potential exists for stronger gold grades further north on the tenement. The Company is currently planning additional work surrounding the known gold mineralisation.

Blind Bat

Diamond drill hole GDD005 intersected VMS related stratigraphy that would appear to explain the conductor identified in FLTEM surveying. Stratigraphy includes two 8m wide zones of massive pyrite overlying 40 metres of carbonaceous shale. The sulphide zones and the shale show elevated VMS multi-element anomalism and sit at the contact between sheared basalt and fine grained felsic tuffaceous rocks. The massive sulphide zones show signs of possible re-mobilisation, perhaps during the phase of high deformation that has caused shearing in the overlying basalt. Moderately intense quartz veining and biotite alteration are located at the base of the carbonaceous shale that appear related to later stage orogenic hydrothermal activity.

The top of the hole consists of strongly sheared basalt with selvages of relative low deformation. Diagenetic fracture fill quartz veining within the basalt occurs as occasional coarse 'conglomeritic quartz

eyes' up to 5cm throughout sheared zones. Shearing has moderate to steep NW dip. The basalt above the contact of the upper sulphide zone is sericite altered grading up to silica alteration approaching the contact. Altered basalt is anomalous Mo to 7.96ppm and Sb to 12.35ppm.



Sheared Basalt – 225.7m

(286–294m) Upper massive sulphide zone: This 8m sulphide zone commences from 286m and is comprised of a pyrite dominant massive sulphide perimeter with a pyrrhotite core. The massive pyrite is laminated and perhaps emplaced or re-mobilised during the phase of deformation that has resulted in the shearing of the overlying basalt. The pyrite is anomalous for gold (Au to 1.14g/t and minimum Au 0.45g/t, see also significant intersection above) whilst the pyrrhotite is anomalous for copper (Cu to 1240ppm and min Cu 900ppm). Both pyrite and pyrrhotite are otherwise strongly anomalous for Ag to 2.36g/t, Pb to 114ppm, As to 2400ppm, Sb to 147ppm and Cd to 3.2ppm, low range anomalism occurs for Bi to 2.62ppm.




Laminated Massive Sulphides (dominantly pyrite) – 293m

(294-304m) Strongly altered basalt lies between the massive sulphide zones that has very high arsenic, up to 9520ppm.

(304-312m) Lower massive sulphide zone: This sulphide zone is also 8m wide and is comprised completely of pyrite dominant massive sulphides with similar character to the pyritic sulphides of the upper zone, strong anomalism occurs for Au to 0.31g/t, Ag to 2.07g/t, Pb to 127ppm, As to 730ppm, Sb to 188ppm, Cd to 1.3ppm with low range anomalism for Bi to 0.95ppm. There is a narrow band of strong zinc/cadmium/indium/selenium at the upper contact, 0.9m @ 0.54% Zn, 11.8ppm Cd, 2.41ppm In, 19ppm Se from 304.1m depth, There are also minor inclusions of the underlying carbonaceous shale within these sulphides.

(312-352m) Carbonaceous shale: A 40m wide, black, fine grained zone below the massive sulphide mineralisation is an interpreted unit of carbonaceous shale. There is no shearing, nor do underlying rocks show signs of significant deformation. A 9m zone of strong quartz veining (45%) occurs at the base of the shale. The shale contains 10 to 15% pyrite and pyrrhotite stringers and is strongly anomalous for multi-elements including Ag to 1.11ppm, Zn to 2000ppm, Pb to 85ppm, As to 129ppm, Sb to 32.5ppm, Sn to 10.6ppm, Bi to 1.46ppm, Mo to 7.98ppm, In to 1.27ppm. The zone of quartz veining at the base of the shale is more anomalous for As (to 1460ppm) but less anomalous for Sb (to 6.3ppm).



Carbonaceous shale, pyrite/pyrrhotite stringers – 328m

The lower portion of the hole consists of flow banded fine grained felsic tuff. Minor quartz veining is flanked by zones of black, fine grained biotite alteration.




Gossans Galore

Gossans Galore East:- GRC297 is the first RC hole drilled at Gossans Galore East where shallow transported cover overlies a strong conductive response from ground MLTEM work and strong geochemical anomalism was intersected in shallow aircore drilling.

Recent drilling successfully intersected VMS stratigraphy including gossan and sulphide zones in carbonaceous shale. 41 meters of strongly sulphidic carbonaceous shale was intersected from 72m depth with sub-vertical to steep northerly dip.

Strong silver/gold anomalism was intersected including 25m @ 0.12g/t Au and 2.09g/t Ag from 100m depth including **5m @ 0.38g/t Au and 4.14g/t Ag from 115m**. Other geochemical anomalism includes As to 229ppm, Bi to 1.04ppm, Cd to 10.25ppm, Cu to 432ppm, Mo to 3.66ppm, Pb to 134ppm, Sb to 7.22ppm, Sn to 6ppm, W to 4.5ppm and Zn to 1140ppm. Intersection of VMS stratigraphy with strongly anomalous gold and silver is an encouraging result for this section of the project where only significant copper had been intersected to date and exploration is in very early stages.



ABN: 31 008 402 391
Level 8, 210 George Street Sydney NSW 2000
GPO Box 225 Sydney NSW 2001
Tel: 61 2 9191 4543
Fax: 61 2 8247 7999
Website: www.gatewaymining.com.au
Email: info@gatewaymining.com.au




Gossans Galore East: GRC297 is the first RC hole drilled at Gossans Galore East where shallow transported cover overlies a strong conductive response from ground MLTEM work and strong geochemical anomalism was intersected in shallow aircore drilling.

Recent drilling successfully intersected VMS stratigraphy including gossan and sulphide zones in carbonaceous shale. 41 meters of strongly sulphidic carbonaceous shale was intersected from 72m depth with sub-vertical to steep northerly dip. Strong silver/gold anomalism was intersected including 25m @ 0.12g/t Au and 2.09g/t Ag from 100m depth including **5m @ 0.38g/t Au and 4.14g/t Ag from 115m**. Other geochemical anomalism includes As to 229ppm, Bi to 1.04ppm, Cd to 10.25ppm, Cu to 432ppm, Mo to 3.66ppm, Pb to 134ppm, Sb to 7.22ppm, Sn to 6ppm, W to 4.5ppm and Zn to 1140ppm. Intersection of VMS stratigraphy with strongly anomalous gold and silver is an encouraging result for this section of the project where only significant copper had been intersected to date and exploration is in very early stages. Further gradual work will be completed in coming programs at Gossans Galore East.

The Spot is defined by an electromagnetic anomaly identified in previous MLTEM surveying. Drilling successfully intersected a broad zone of conductive lithology consisting of sulphidic basalt. Multi-element anomalism intersected includes Pb to 71.5ppm, W to 5.4ppm, As to 63.8ppm and Cd to 2.96ppm.

Dummy Spit: At Dummy Spit the prospective VMS horizon sits at the contact between VMS sediments and basalt. GRC298 drilled through pallid saprolitic clay (interpreted as the weathering product of carbonaceous shale), and continued through the prospective horizon into the basalt footwall unit. No significant sulphide accumulation was intersected at the contact and neither was strong anomalism for base metals or multi-elements. A surprising result given it was drilled only 25m away from GRC245 that intersected 5m @ 0.56% Cu from 90m. Potential for extension of the copper in GRC245 now appears to be limited to down dip to the north and to the northeast.

ABN: 31 008 402 391
Level 8, 210 George Street Sydney NSW 2000
GPO Box 225 Sydney NSW 2001
Tel: 61 2 9191 4543
Fax: 61 2 8247 7999
Website: www.gatewaymining.com.au
Email: info@gatewaymining.com.au



Upcoming aircore program

A 3,000m aircore program is scheduled to commence in mid to late August. The program is designed to meet tenement expenditure on a number of tenements, while also to follow up on significant surface samples and leads in previous exploration work which have never been followed up. Throughout the VMS stratigraphy and the Montague Granodiorite there are a large number of highly anomalous leads which represent attractive early stage targets.

An overview of the program will be released to the market closer to the commencement date of drilling.



Table 1 – Section 1: Sampling Techniques and Data as required by the 2012 JORC Code

Criteria	JORC Code Explanation	Commentary
Sampling Techniques	<i>Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</i>	<p>The Cup- Drilling intersections include Gateway Mining Ltd RC (GRC*) and diamond (GDD*) 2007-2014 and Panoramic Resources Ltd aircore (GPAC*) in 2011. Apex- Drilling intersections include Gateway Mining Ltd RC drilling 2014, Legend Mining Ltd aircore (LGCA*) in 2008 and INCO RAB 1970 (Z8265). Intrepid- Drilling intersections include Gateway Mining Ltd RC 2014, Panoramic Resources Ltd aircore 2011, Arimco RC 1991-92 and RAB 1991-2001. Julia's Fault- Drilling intersections include Gateway Mining Ltd RC (GRC*), aircore (GAC*, BGAC*) and RAB (GRB*) 2007-2014. Gossans Galore- Drilling intersections include Gateway Mining Ltd RC, AC (GAC*, AGAC*) and RAB 2011-14. Blind Bat- Two Gateway Mining Ltd diamond holes (GDD004, 5) GDD004 abandoned short of target depth with too much direction deviation.</p> <p>The FLTEM survey at The Cup was completed with two alternate coupling loops, with one loop (CUP1) having 105 stations and the other loop (CUP2) having 42 stations.</p>
	<i>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</i>	<p>Gateway 1m RC samples- Split through a riffle or cone splitter under cyclone down to 3kg, wet sample sent directly into plastic bags for maximum sample return then spear or grab sampled down to 3kg. Occasional duplicate field split test work. Gateway RC, AC and RAB 5m composite samples- Directly into bucket under cyclone and pile set on ground in rows for equal portion and best representation scoop sampling for 3kg of sample. Gateway diamond drilling- Typically half cut 1m NQ core samples. GDD003 is 1m half cut HQ3 samples from 45m depth, very soft clays split with hand tool, crumbling sample broken into smaller fragments for half sampling.</p>
	<i>Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.</i>	<p>Gateway RC drilling generates 3kg of sample from 1m intervals within zones of interest and 3kg of sample from 5m intervals outside zones of interest. Samples are pulverised to produce a 30g charge for fire assay (Au), a 30g charge for ICP analysis (PGE) and a 0.25g charge for ICP-MS analysis (multiple elements). Historic drilling by Legend was composite sampled on 4m intervals – 5m max, INCO drilling was sampled on 5ft intervals, Panoramic aircore drilling was composite sampled on 4m intervals. Arimco RC</p>

ABN: 31 008 402 391
 Level 8, 210 George Street Sydney NSW 2000
 GPO Box 225 Sydney NSW 2001
 Tel: 61 2 9191 4543
 Fax: 61 2 8247 7999
 Website: www.gatewaymining.com.au
 Email: info@gatewaymining.com.au



		and RAB drilling was composite sampled on 3m intervals and zones of interest sampled on 1m intervals in RC drill holes. Historic drilling sample preparation and analysis types are not known.
Drilling Techniques	<i>Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</i>	<p>The Cup- Gateway RC and diamond drilling (GDD003-HQ3 triple tube, GDD001-NQ2. Core orientation via ACE tool) and Panoramic Aircore drilling used for exploration evaluation.</p> <p>Apex- Gateway RC, Legend RC/aircore and INCO drilling are used for exploration evaluation.</p> <p>Intrepid- Gateway RC and Panoramic aircore are used for exploration evaluation.</p> <p>Julia's Fault- Gateway RC, aircore and RAB are used for exploration evaluation.</p> <p>Gossans Galore- Gateway RC, aircore and RAB are used for exploration evaluation.</p> <p>Blind Bat- Gateway diamond drilling is all that has been completed at Blind Bat (NQ3, ACE tool orientation)</p>
Drill Sample Recovery	<i>Method of recording and assessing core and chip sample recoveries and results assessed.</i>	Gateway RC recoveries are logged visually as a percentage. Diamond drill core recoveries are measured and logged.
	<i>Measures taken to maximise sample recovery and ensure representative nature of the samples.</i>	Every effort is made to ensure minimal return of wet sample. Wet sample is delivered directly from the cyclone into plastic bags from which a spear sample is taken. The cyclone and splitter are regularly cleaned. Larger diameter HQ3 core and triple tube diamond drilling method was used to drill through near surface clays at The Cup to attain best sample recovery.
	<i>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</i>	Recoveries have generally been very good and a relationship between recovery and grade has not been established. A considerable population of samples with low recovery within mineralised zones would be required to establish this relationship.
Logging	<i>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</i>	RC drilling and diamond drilling are being logged to a level of detail to support mineral resource estimation, mining studies and metallurgical studies.
	<i>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</i>	Gateway RC logging records lithology, weathering, colour, mineralogy, vein, structure (foliation), sample wetness, sample method used and sample recovery estimate by volume. Extra logging for diamond drilling includes RQD, Structural measurements and Geotechnical

ABN: 31 008 402 391
 Level 8, 210 George Street Sydney NSW 2000
 GPO Box 225 Sydney NSW 2001
 Tel: 61 2 9191 4543
 Fax: 61 2 8247 7999
 Website: www.gatewaymining.com.au
 Email: info@gatewaymining.com.au



		competency.
	<i>The total length and percentage of the relevant intersections logged.</i>	All drillholes are fully logged.
Sub-sampling techniques and sample preparation	<i>If core, whether cut or sawn and whether quarter, half or all core taken.</i>	All core sampled is half cut. Very soft clays in GDD003 were split using a hand tool, crumbling sample was broken into smaller fragments for half sampling.
	<i>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</i>	Gateway 5m percussion composite samples are scoop sampled wet or dry. 1m samples are split with a cone splitter when dry, and spear sampled when wet.
	<i>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</i>	Gateway samples are submitted to Australian Laboratory Services in Perth. Sample preparation follows industry best practice, the whole 3kg sample is dried crushed and pulverised to 85% passing 75 micron to produce a homogeneous representative sub-sample for analysis. Legend samples were submitted to Ultra Trace Perth for worlds best practice analysis (2007-2009). INCO (1970) sample methodology is not known. Diamond drill core is cut in half via core saw at ALS.
	<i>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</i>	Certified reference materials and/or in house laboratory controls, blanks and replicates are analysed with each batch of samples. These quality control results are reported along with sample values. The company also sends certified reference materials sourced from Geostats Pty Ltd at a nominal 1/50 samples.
	<i>Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling.</i>	Field duplicates of 1m samples are generated from a cone splitter as nominated within mineralised zones.
	<i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i>	Sample sizes are considered appropriate to give an accurate indication of mineralisation of this nature.
Quality of assay data and laboratory tests	<i>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</i>	Three main analytical techniques are used. 1) For gold only, 30g fire assay - total recovery and AAS analysis. 2) Gold and PGE elements, 30g fire assay – total recovery and ICP analysis. 3) Multiple elements, 0.25g four acid digestion – near full recovery and ICP-MS analysis.
	<i>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc</i>	For FLTEM Survey: 800 x 300 m loop with five lines 1,500m long and station spacing of 75m totalling 105 stations (CUP1) and 800 x 300m loop with two lines 1500m long and station spacing of 75m totalling

ABN: 31 008 402 391
 Level 8, 210 George Street Sydney NSW 2000
 GPO Box 225 Sydney NSW 2001
 Tel: 61 2 9191 4543
 Fax: 61 2 8247 7999
 Website: www.gatewaymining.com.au
 Email: info@gatewaymining.com.au



		42 stations (CUP2). Time base 1 sec (.25Hz) B-Field Landtem sensor, Smartem 24 Receiver.
	<i>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.</i>	Gateway internal certified reference materials and field duplicates sent for analysis were returned within acceptable limits of accuracy.
Verification of Sampling and Assaying	<i>The verification of significant intersections by either independent or alternative company personnel.</i>	Both the Exploration Manager and Head Geologist have verified significant intersections
	<i>The use of twinned holes.</i>	One recently drilled diamond hole has twinned an RC hole at The Cup to determine whether grades are underestimated in percussion drilling styles due to the presence of sooty chalcocite. The diamond hole returned copper grades about 10% higher.
	<i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i>	Gateway primary data is entered into a standard Excel template, loaded and stored in a MS Access relational database, further data validation in Micromine software and visual validation using Micromine plot generations. Legend drill hole and surface sample data was acquired in MS Access database format and the INCO drilling was included within. Panoramic drill data was supplied in Excel spreadsheet format and was imported into the Gateway Database.
	<i>Discuss any adjustment to assay data.</i>	No adjustments have been made.
Location of data points	<i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i>	Gateway drillhole collars are located by handheld GPS. Expected accuracy is +/-5m for easting and northing and +/-10m for elevation coordinates. Legend DGPS collars are located to a greater degree of accuracy.
	<i>Specification of the grid system used.</i>	AGD84 (AMG), zone50.
	<i>Quality and adequacy of topographic control.</i>	500mRL is applied at The Cup, Julia's Fault, Intrepid, and Gossans Galore where there is very flat terrain and GPS accuracy is too inaccurate, +/-10m. 540mRL is applied at Apex.
Data spacing and distribution	<i>Data spacing for reporting of Exploration Results.</i>	N/A as only one hole reported
	<i>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i>	N/A - Neither a Mineral Resource or an Ore Reserve estimation has been applied.
	<i>Whether sample compositing has been applied.</i>	No compositing has been applied.
Orientation of data in relation to geological	<i>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</i>	Current interpretation of geological structure supports orientation of drilling and sampling as highly favourable and almost oblique to

ABN: 31 008 402 391
 Level 8, 210 George Street Sydney NSW 2000
 GPO Box 225 Sydney NSW 2001
 Tel: 61 2 9191 4543
 Fax: 61 2 8247 7999
 Website: www.gatewaymining.com.au
 Email: info@gatewaymining.com.au



structure		geological structures. Orientation of The Cup Ni-Cu-PGE mineralisation and at Intrepid is not known.
	<i>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i>	No bias is known.

Sample security	<i>The measures taken to ensure sample security.</i>	Sample chain of custody goes from Gateway Mining to trusted subcontracting companies including JPS contracting, Nexus Sadleir Transport who deliver samples to Australian Laboratory Services.
-----------------	--	--

Audits or reviews	<i>The results of any audits or reviews of sampling techniques and data.</i>	The Company is currently conducting a review of RC drilling data and drill chips to further develop and test a model to determine whether underestimation of copper grades has been caused by use of RC drilling only in areas where the dominant copper mineral is sooty chalcocite
-------------------	--	--

Table 1 – Section 2: Reporting of Exploration Results as required by the 2012 JORC Code

Criteria	JORC Code Explanation	Commentary
Mineral tenement and land tenure status	<i>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</i>	<p>The Cup- Straddles E57/417 and M57/633. Tenement M57/633 is subject to a Joint Venture with Panoramic Resources Ltd (refer Gateway announcement 12 August 2013 for details). E57/417 is 100% Gateway.</p> <p>Intrepid- Falls wholly within M57/633 Panoramic JV.</p> <p>Apex- Within tenement E57/706 – Gateway (100%). Julia's Fault- Within M57/429- Gateway (75%) and Red 5 Ltd (25%).</p> <p>Gossans Galore- This area straddles a number of tenements, all of which are Gateway (100%).</p> <p>Blind Bat- Within M57/485- Gateway (75%) and Red 5 Ltd (25%).</p>
	<i>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</i>	Tenements are in good standing

ABN: 31 008 402 391
 Level 8, 210 George Street Sydney NSW 2000
 GPO Box 225 Sydney NSW 2001
 Tel: 61 2 9191 4543
 Fax: 61 2 8247 7999
 Website: www.gatewaymining.com.au
 Email: info@gatewaymining.com.au



Exploration done by other parties	<i>Acknowledgment and appraisal of exploration by other parties.</i>	<p>Gold was first discovered in the district in 1926 and historically the Gum Creek Greenstone Belt has produced 1.5 million ounces Au. Over the project area base metal exploration was first carried out in the 70's and 80's by INCO and CRA. Historic mining of approximately 100,000oz of gold occurred along the Airport Trend on the western flank of the Montague Granodiorite by Herald Resources during the 80's, little attention was paid to mineralisation other than gold.</p> <p>At The Cup prospect, gold was explored for by Arimco from 1983 and by Abelle from 1999 with little attention given to base metals. Base metal VMS mineralisation was discovered by Gateway Mining in 2006 close to the tenement boundary of E57/417. Panoramic Resources Ltd acquired a package of Gidgee tenements in 2011 when it purchased the Gidgee Gold Project. One of these tenements included the Joint Venture tenement M57/633.</p> <p>Apex and Photo Feature prospects are in the northern portion of the project area where the Bungarra Igneous Complex is located and exploration was carried out by Legend Mining Ltd from 2007 to 2009 with focus on intrusive related Ni-Cu-PGE style mineralisation.</p> <p>Exploration for VMS mineralisation has been the focus for Gateway since 2006 with the discovery of The Cup prospect, a recent joint venture agreement made for an adjoining tenement with Panoramic Resources has facilitated renewed VMS exploration endeavour. During this recent exploration at The Cup, intrusion related Cu-Ni-PGE mineralisation was intersected for which evaluation is in early stages.</p>
-----------------------------------	--	--

Geology	<i>Deposit type, geological setting and style of mineralisation.</i>	<p>The Gidgee South Project is situated within the Gum Creek Greenstone Belt of the Achaean Yilgarn Craton and locally includes basalts, felsic volcanics, the Montague Granodiorite intrusion and mafic-ultramafic intrusives of the Bungarra Igneous Complex.</p> <p>Mineralisation styles within the project include:</p> <p>1) VMS Cu-Zn-Ag, occurs widely across the project with up to 30km of prospective strike. 2) Mafic/ultramafic intrusion related Cu-Ni-PGE, occurs at The Cup and within the northern portion of the project within the Bungarra Igneous Complex. 3) Au-Mo-Cu-Ag-Pb-Bi (+/-) W-Zn related to felsic/intermediate intrusions such as</p>
---------	--	---



		the Montague Granodiorite. 4) Lode orogenic Au (Victory Creek prospect). A prime example occurs at the Gidgee Gold Operation that sits just 6.5km west from the NW project boundary and has past production of approximately one million ounces.
--	--	--

Drill hole Information	<ul style="list-style-type: none"> A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: <ul style="list-style-type: none"> easting and northing of the drill hole collar elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar dip and azimuth of the hole down hole length and interception depth hole length. 	Refer to tables below.
	If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.	

Data Aggregation Methods	In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated.	All reported assays have been length weighted. No top-cuts have been applied.
	Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.	N/A
	The assumptions used for any reporting of metal equivalent values should be clearly stated.	N/A, no metal equivalent is reported.

Relationship between mineralisation widths and intercept lengths	<p>These relationships are particularly important in the reporting of Exploration Results.</p> <p>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known').</p>	Down hole lengths are close approximations of true width for The Cup Cu-Ag mineralised intercepts reported and Julia's Fault Au-Ag intercept. The Blind Bat intersection is very close to true width based on drill core structural orientation measurements. Relationship between downhole length and true width is not known for the Ni-Cu-PGE intersection at The Cup, Apex and intrepid and Gossans Galore drill hole intersections.
--	---	--

Diagrams	Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a	For The Cup prospect refer to announcements made on 29 November 2013 and 2 December 2013, For Apex refer to announcement made
----------	---	---

ABN: 31 008 402 391
 Level 8, 210 George Street Sydney NSW 2000
 GPO Box 225 Sydney NSW 2001
 Tel: 61 2 9191 4543
 Fax: 61 2 8247 7999
 Website: www.gatewaymining.com.au
 Email: info@gatewaymining.com.au



	<i>plan view of drill hole collar locations and appropriate sectional views.</i>	28/01/2014.
Balanced Reporting	<i>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</i>	Only one hole has been drilled into The Cup Ni-Cu-PGE prospect. The prospect is in an early stage of exploration. Refer to announcement on 29 November 2013 and 2 December 2013 for results on The Cup Cu-Ag zone. For Apex see announcement made 28/01/2014.
Other substantive exploration data	<i>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</i>	Refer to body of announcement.
Further work	<i>The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling). Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i>	Refer to body of announcement.

Full details of holes at The Cup, Cu and Ag intersections:

Hole	Type	Total Depth	North	East	RL	Dip	Azim	From	To	Width	Cu%	Ag g/t
AGRC007	RC	162	6967997	747987	500	-90	0				NSI	NSI
GAC030	AC	101	6968500	748000	500	-60	90				NSI	NSI
GAC031	AC	42	6968500	747900	500	-60	90				NSI	NSI
GAC032	AC	105	6968500	747800	500	-60	90				NSI	NSI
GAC033	AC	76	6968500	747798	500	-90	0				NSI	NSI
GAC034	AC	56	6968070	747970	500	-90	0				NSI	NSI
GDD001	DD_RC	664.2	6967790	747498	500	-75	90	59	61	2	0.79	3.91
GDD003	DD	120.6	6968001	747979	500	-60	90	87	114	27	1.55	0.95

ABN: 31 008 402 391
 Level 8, 210 George Street Sydney NSW 2000
 GPO Box 225 Sydney NSW 2001
 Tel: 61 2 9191 4543
 Fax: 61 2 8247 7999
 Website: www.gatewaymining.com.au
 Email: info@gatewaymining.com.au



GPAC0618	AC	10	6968108	747859	500	-90	0				NSI	NSI
GPAC0619	AC	90	6968113	747839	500	-90	0				NSI	NSI
GPAC0620	AC	90	6968108	747759	500	-90	0	64	80	16	0.33	1.50
GPAC0621	AC	93	6968108	747659	500	-90	0				NSI	NSI
GPAC0622	AC	96	6968108	747559	500	-90	0				NSI	NSI
GPAC0623	AC	117	6968108	747459	500	-90	0				NSI	NSI
GPAC0624	AC	144	6968108	747349	500	-90	0				NSI	NSI
GPAC0626	AC	93	6967908	747159	500	-90	0				NSI	NSI
GPAC0627	AC	123	6967908	747259	500	-90	0				NSI	NSI
GPAC0628	AC	129	6967908	747359	500	-90	0				NSI	NSI
GPAC0629	AC	141	6967908	747459	500	-90	0				NSI	NSI
GPAC0630	AC	129	6967908	747559	500	-90	0	56	60	4	0.21	3.00
GPAC0631	AC	120	6967908	747659	500	-90	0	68	72	4	0.37	NSI
GPAC0632	AC	129	6967908	747759	500	-90	0	64	76	12	0.74	NSI
GPAC0633	AC	141	6967908	747859	500	-90	0				NSI	NSI
GPAC0634	AC	115	6967908	747959	500	-90	0				NSI	NSI
GPAC0636	AC	90	6967708	747159	500	-90	0				NSI	NSI
GPAC0637	AC	105	6967708	747259	500	-90	0				NSI	NSI
GPAC0638	AC	135	6967708	747359	500	-90	0				NSI	NSI
GPAC0639	AC	129	6967708	747459	500	-90	0				NSI	NSI
GPAC0640	AC	156	6967708	747559	500	-90	0	44	48	4	0.23	3
GPAC0641	AC	123	6967608	747109	500	-90	0				NSI	NSI
GPAC0642	AC	105	6967608	747209	500	-90	0				NSI	NSI
GPAC0643	AC	126	6967608	747309	500	-90	0				NSI	NSI
GPAC0692	AC	63	6968408	747209	500	-90	0				NSI	NSI
GPAC0693	AC	92	6968408	747359	500	-90	0				NSI	NSI
GPAC0702	AC	102	6967883	747274	500	-90	0				NSI	NSI
GPAC0703	AC	102	6967894	747300	500	-90	0				NSI	NSI
GRB2361	RAB	50	6968600	748500	500	-60	90				NSI	NSI
GRB2478	RAB	32	6968000	748200	500	-60	90				NSI	NSI
GRB2479	RAB	42	6968000	748175	500	-60	90				NSI	NSI

ABN: 31 008 402 391
 Level 8, 210 George Street Sydney NSW 2000
 GPO Box 225 Sydney NSW 2001
 Tel: 61 2 9191 4543
 Fax: 61 2 8247 7999
 Website: www.gatewaymining.com.au
 Email: info@gatewaymining.com.au



GRB2480	RAB	49	6968000	748150	500	-60	90				NSI	NSI
GRB2481	RAB	36	6968000	748125	500	-60	90				NSI	NSI
GRB2482	RAB	26	6968000	748100	500	-60	90				NSI	NSI
GRB2483	RAB	38	6968000	748050	500	-60	90	35	38	3	0.3	1.2
GRB2484	RAB	45	6968000	748000	500	-60	90				NSI	NSI
GRB2485	RAB	30	6968000	747950	500	-60	90				NSI	NSI
GRB2486	RAB	49	6968200	748400	500	-60	90				NSI	NSI
GRB2487	RAB	45	6968200	748350	500	-60	90				NSI	NSI
GRB2488	RAB	50	6968200	748300	500	-60	90				NSI	NSI
GRB2489	RAB	55	6968200	748250	500	-60	90				NSI	NSI
GRB2490	RAB	25	6968200	748200	500	-60	90				NSI	NSI
GRB2493	RAB	51	6968400	748500	500	-60	90				NSI	NSI
GRB2494	RAB	20	6968400	748450	500	-60	90				NSI	NSI
GRB2495	RAB	48	6968400	748400	500	-60	90				NSI	NSI
GRB2565	RAB	38	6968500	748000	500	-60	90				NSI	NSI
GRB2566	RAB	16	6968500	747950	500	-60	90				NSI	NSI
GRB2567	RAB	29	6968500	747900	500	-60	90				NSI	NSI
GRB2568	RAB	18	6968500	747850	500	-60	90				NSI	NSI
GRB2569	RAB	8	6968500	747800	500	-60	90				NSI	NSI
GRB2570	RAB	22	6968500	747750	500	-60	90				NSI	NSI
GRB2624	RAB	39	6967950	748100	500	-60	90				NSI	NSI
GRB2625	RAB	35	6967950	748050	500	-60	90				NSI	NSI
GRB2626	RAB	38	6967950	748000	500	-60	90				NSI	NSI
GRB2627	RAB	34	6967950	747950	500	-60	90				NSI	NSI
GRB2628	RAB	20	6967975	748152	500	-60	90				NSI	NSI
GRB2629	RAB	30	6967975	748142	500	-60	90				NSI	NSI
GRB2630	RAB	46	6968050	748100	500	-60	90				NSI	NSI
GRB2631	RAB	40	6968050	748050	500	-60	90				NSI	NSI
GRB2632	RAB	39	6968050	748000	500	-60	90				NSI	NSI
GRB2633	RAB	41	6968050	747950	500	-60	90				NSI	NSI
GRB2634	RAB	30	6968200	748150	500	-60	90				NSI	NSI

ABN: 31 008 402 391
 Level 8, 210 George Street Sydney NSW 2000
 GPO Box 225 Sydney NSW 2001
 Tel: 61 2 9191 4543
 Fax: 61 2 8247 7999
 Website: www.gatewaymining.com.au
 Email: info@gatewaymining.com.au



GRB2635	RAB	35	6968200	748100	500	-60	90				NSI	NSI
GRB2636	RAB	46	6968200	748050	500	-60	90				NSI	NSI
GRB2637	RAB	28	6968200	748000	500	-60	90				NSI	NSI
GRB2638	RAB	39	6968200	747950	500	-60	90				NSI	NSI
GRB2639	RAB	49	6968200	747900	500	-60	90				NSI	NSI
GRB2779	RAB	37	6967800	748200	500	-60	90				NSI	NSI
GRB2780	RAB	42	6967800	748150	500	-60	90				NSI	NSI
GRB2781	RAB	16	6967800	748100	500	-60	90				NSI	NSI
GRB2782	RAB	38	6967800	748050	500	-60	90				NSI	NSI
GRB2783	RAB	38	6967800	748000	500	-60	90				NSI	NSI
GRB2784	RAB	39	6967600	748300	500	-60	90				NSI	NSI
GRB2785	RAB	27	6967600	748250	500	-60	90				NSI	NSI
GRB2786	RAB	30	6967600	748200	500	-60	90				NSI	NSI
GRB2787	RAB	50	6967600	748150	500	-60	90				NSI	NSI
GRB2788	RAB	48	6967600	748100	500	-60	90				NSI	NSI
GRC182	RC	76	6968000	748050	500	-60	90	36	44	8	0.32	0.68
GRC183	RC	150	6967991	748010	500	-60	90	74	92	18	1.48	2.17
GRC197	RC	153	6968300	748000	500	-60	90	81	92	11	0.37	4.77
GRC198	RC	183	6968300	747900	500	-60	90	126	140	14	0.38	3.61
GRC199	RC	171	6968070	748000	500	-60	90	58	99	41	0.53	7.94
GRC200	RC	171	6968000	747975	500	-60	90	89	116	27	1.42	0.54
GRC201	RC	170	6967950	748000	500	-60	90	25	31	6	0.78	NSI
GRC209	RC	162	6968100	747950	500	-90	0	72	94	22	0.7	1.13
GRC226	RC	144	6968050	748110	500	-60	90	75	80	5	0.25	4.97
GRC239	RC	140	6968048	747954	500	-60	90	73	86	13	1.28	NSI
GRC240	RC	115	6968045	747947	500	-90	0	15	20	5	0.21	NSI
GRC254	RC	175	6968209	747909	500	-73	90	70	100	30	0.16	2.7
GRC255	RC	150	6967947	748082	500	-60	90	93	100	7	0.84	NSI
GRC256	RC	178	6967803	748041	500	-90	0				NSI	NSI
GRC257	RC	115	6967900	748240	500	-60	90				NSI	NSI
GRC258	RC	130	6967899	748073	500	-60	90	92	100	8	0.78	1.17

ABN: 31 008 402 391
Level 8, 210 George Street Sydney NSW 2000
GPO Box 225 Sydney NSW 2001
Tel: 61 2 9191 4543
Fax: 61 2 8247 7999
Website: www.gatewaymining.com.au
Email: info@gatewaymining.com.au



GRC259	RC	90	6967900	748165	500	-60	90				NSI	NSI
GRC260	RC	155	6968002	748041	500	-60	90	81	95	14	0.93	2.24
GRC274	RC	118	6967949	747982	500	-90	0				NSI	NSI
GRC276	RC	208	6968000	747874	500	-60	90				NSI	NSI
GRC277	RC	208	6968047	747872	500	-60	90	69	81	12	0.52	3.53
GRC278	RC	204	6968103	747781	500	-60	90	125	160	35	0.18	3.07
GRC279	RC	213	6968195	747752	500	-60	90	160	190	30	0.15	3.35
GRC280	RC	282	6968000	747713	500	-60	90	75	90	15	0.62	2.07
GRC281	RC	328	6968206	747589	500	-60	90	185	200	15	0.16	2.11
GRC282	RC	148	6968102	747861	500	-60	90	85	100	15	0.23	3.08
GRC283	RC	223	6967797	747883	500	-60	90	See	Below	Table		
GRC285	RC	276	6967790	747802	500	-60	90	65	70	5	0.27	1.6
GRC287	RC	173	6968184	748002	500	-60	90	75	145	70	0.21	3.06

Full details of holes at The Cup, Cu, Ni, Pt, Pd intersections:

Hole	Type	Total Depth	North	East	RL	Dip	Azim	From	To	Width	Cu%	Ni%	Pt g/t	Pd g/t
GRC283	RC	223	6967797	747883	500	-60	90	137	141	4	1.03	0.44	0.32	0.55

Full details of holes at Julia's Fault, Cu and Au intersections (Multi-elements analysed):

Hole	Type	Total Depth	North	East	RL	Dip	Azim	From	To	Width	Cu%	Au g/t
GAC001	AC	40	6969200	748175	500	-60	90	30	40	10	NSI	0.92
GAC002	AC	49	6969200	748150	500	-60	90				NSI	NSI
GAC003	AC	117	6968950	748125	500	-60	90	40	45	5	NSI	1.07
GAC004	AC	71	6968950	748100	500	-60	90	35	45	10	NSI	0.77
								65	70	5	NSI	3.47
GAC005	AC	119	6968950	748075	500	-60	90	70	75	5	0.30	NSI
								40	50	10	NSI	0.8

ABN: 31 008 402 391
 Level 8, 210 George Street Sydney NSW 2000
 GPO Box 225 Sydney NSW 2001
 Tel: 61 2 9191 4543
 Fax: 61 2 8247 7999
 Website: www.gatewaymining.com.au
 Email: info@gatewaymining.com.au



GAC006	AC	105	6968950	748050	500	-60	90	80	85	5	0.25	NSI
											NSI	NSI
GAC007	AC	53	6969000	748120	500	-60	90	50	53	3	NSI	1.05
GAC008	AC	42	6969050	748115	500	-60	90	30	35	5	NSI	0.52
GAC009	AC	45	6969050	748090	500	-60	90	40	45	5	NSI	0.85
GAC010	AC	74	6969050	748065	500	-60	90				NSI	NSI
GAC011	AC	79	6969100	748200	500	-60	90				NSI	NSI
GAC012	AC	72	6969150	748110	500	-60	90	70	72	2	NSI	0.62
GAC013	AC	95	6969333	748175	500	-60	90				NSI	NSI
GAC024	AC	34	6969200	747550	500	-90	0				NSI	NSI
GAC025	AC	50	6969150	748125	500	-60	90				NSI	NSI
GAC026	AC	34	6968700	747875	500	-60	90				NSI	NSI
GAC027	AC	54	6968700	747825	500	-60	90				NSI	NSI
GAC028	AC	38	6968700	747775	500	-60	90				NSI	NSI
GAC029	AC	83	6968700	747725	500	-60	90				NSI	NSI
GAC044	AC	91	6969450	748245	500	-60	90				NSI	NSI
GRC174	RC	123	6969000	748025	500	-60	90	82	91	9	NSI	2.01
GRC180	RC	118	6969000	748070	500	-60	90	57	59	2	NSI	1.10
								64	88	24	NSI	1.44
GRC181	RC	196	6969000	747950	500	-60	90				NSI	NSI
GRC188	RC	120	6969335	748212	500	-60	90				NSI	NSI
GRC189	RC	137	6969340	748150	500	-60	90	86	93	7	NSI	1.00
GRC192	RC	70	6969100	748175	500	-60	90				NSI	NSI
GRC193	RC	51	6969100	748140	500	-60	90	43	47	4	NSI	1.58
								50	51	1	NSI	2.22
GRC194	RC	81	6969000	748100	500	-60	90	17	20	3	NSI	0.65
								28	34	6	NSI	3.80
								55	64	9	NSI	1.54
								74	76	2	NSI	1.52
GRC195	RC	100	6969200	748110	500	-60	90				NSI	NSI
GRC196	RC	81	6969100	748090	500	-60	90	67	81	14	NSI	2.94

ABN: 31 008 402 391
 Level 8, 210 George Street Sydney NSW 2000
 GPO Box 225 Sydney NSW 2001
 Tel: 61 2 9191 4543
 Fax: 61 2 8247 7999
 Website: www.gatewaymining.com.au
 Email: info@gatewaymining.com.au



GRC206	RC	139	6969049	748077	500	-60	88	85	93	8	NSI	0.73
								116	129	13	0.28	NSI
GRC207	RC	150	6969094	748103	500	-90	0	90	95	5	NSI	1.43
GRC208	RC	140	6969150	748100	500	-60	90	102	104	2	NSI	0.85
GRC214	RC	198	6969050	748050	500	-90	0				NSI	NSI
GRC261	RC	205	6968642	747868	500	-60	90				NSI	NSI
GRC294	RC	153	6969096	748118	500	-60	90	46	48	2	NSI	0.9
								54	71	17	NSI	1.28

Full details of holes at Julia's Fault, Au intersections (Multi-elements not analysed):

Hole	Type	Total Depth	North	East	RL	Dip	Azim	From	To	Width	Au g/t
BGAC0001	RAB	98	6968800	748050	500	-60	90				NSI
BGAC0002	RAB	90	6968800	748025	500	-60	90	24	28	4	0.90
BGAC0003	RAB	78	6968800	748000	500	-60	90	32	36	4	0.59
BGAC0004	RAB	70	6968800	747950	500	-60	90				NSI
BGAC0005	RAB	91	6968800	747900	500	-60	90				NSI
BGAC0006	RAB	95	6968800	747850	500	-60	90				NSI
BGAC0007	RAB	86	6968900	748200	500	-60	90				NSI
BGAC0008	RAB	86	6968900	748150	500	-60	90				NSI
BGAC0009	RAB	107	6968900	748100	500	-60	90				NSI
BGAC0010	RAB	110	6968900	748050	500	-60	90				NSI
BGAC0011	RAB	113	6968900	748000	500	-60	90				NSI
BGAC0012	RAB	105	6968900	747950	500	-60	90				NSI
BGAC0013	RAB	43	6969100	748150	500	-60	90	36	43	7	1.97
BGAC0014	RAB	97	6969100	748050	500	-60	90				NSI
BGAC0015	RAB	101	6969100	748000	500	-60	90				NSI
BGAC0016	RAB	65	6969100	748100	500	-60	90				NSI
BGAC0017	RAB	37	6969095	748150	500	-60	90	32	37	5	0.65
BGAC0018	RAB	100	6969350	748100	500	-60	90				NSI

ABN: 31 008 402 391
 Level 8, 210 George Street Sydney NSW 2000
 GPO Box 225 Sydney NSW 2001
 Tel: 61 2 9191 4543
 Fax: 61 2 8247 7999
 Website: www.gatewaymining.com.au
 Email: info@gatewaymining.com.au



BGAC0019	RAB	88	6969350	748300	500	-60	90	32	36	4	0.58
GRB1828	RAB	40	6969700	749000	500	-60	270				NSI
GRB1932	RAB	59	6969700	748900	500	-60	270				NSI
GRB1936	RAB	50	6969200	749000	500	-60	90				NSI
GRB1937	RAB	49	6969200	748900	500	-60	90				NSI
GRB1938	RAB	37	6969200	748800	500	-60	90				NSI
GRB1939	RAB	26	6969200	748700	500	-60	90				NSI
GRB1940	RAB	42	6969200	748600	500	-60	90				NSI
GRB1941	RAB	47	6969200	748500	500	-60	90				NSI
GRB1942	RAB	52	6969200	748400	500	-60	90				NSI
GRB1943	RAB	32	6969200	748300	500	-60	90				NSI
GRB1944	RAB	23	6969200	748200	500	-60	90				NSI
GRB1945	RAB	23	6969200	748100	500	-60	90				NSI
GRB1946	RAB	53	6968700	748700	500	-60	90				NSI
GRB1947	RAB	63	6968700	748600	500	-60	90				NSI
GRB1948	RAB	44	6968700	748500	500	-60	90				NSI
GRB1949	RAB	55	6968700	748400	500	-60	90				NSI
GRB1950	RAB	62	6968700	748300	500	-60	90				NSI
GRB1951	RAB	26	6968700	748200	500	-60	90				NSI
GRB1952	RAB	70	6968700	748100	500	-60	90				NSI
GRB1953	RAB	58	6968700	748000	500	-60	90				NSI
GRB1954	RAB	58	6968700	747900	500	-60	90	25	30	5	0.83
GRB1955	RAB	41	6968700	747800	500	-60	90				NSI
GRB1956	RAB	50	6968700	747700	500	-60	90				NSI
GRB1957	RAB	43	6969200	748000	500	-60	90				NSI
GRB1958	RAB	39	6969200	747800	500	-60	90				NSI
GRB1959	RAB	44	6969200	747600	500	-60	90				NSI
GRB1965	RAB	49	6968700	749000	500	-60	90				NSI
GRB1966	RAB	36	6968700	748900	500	-60	90				NSI
GRB1967	RAB	63	6968700	748800	500	-60	90				NSI
GRB2087	RAB	54	6968700	748750	500	-60	90	20	25	5	0.65

ABN: 31 008 402 391
 Level 8, 210 George Street Sydney NSW 2000
 GPO Box 225 Sydney NSW 2001
 Tel: 61 2 9191 4543
 Fax: 61 2 8247 7999
 Website: www.gatewaymining.com.au
 Email: info@gatewaymining.com.au



GRB2088	RAB	35	6968700	748650	500	-60	90				NSI
GRB2089	RAB	37	6969000	748150	500	-60	90	10	15	5	0.51
GRB2090	RAB	30	6969000	748050	500	-60	90				NSI
GRB2221	RAB	21	6968600	748750	500	-60	90				NSI
GRB2222	RAB	36	6968600	748700	500	-60	90				NSI
GRB2223	RAB	22	6968600	748650	500	-60	90				NSI
GRB2249	RAB	30	6969700	748950	500	-60	90				NSI
GRB2250	RAB	27	6969700	748925	500	-60	90				NSI
GRB2251	RAB	54	6969700	748900	500	-60	90				NSI
GRB2269	RAB	38	6969450	748900	500	-60	90				NSI
GRB2270	RAB	35	6969450	748800	500	-60	90				NSI
GRB2271	RAB	42	6969450	748700	500	-60	90				NSI
GRB2272	RAB	49	6969450	748600	500	-60	90				NSI
GRB2273	RAB	53	6969450	748500	500	-60	90				NSI
GRB2274	RAB	20	6969450	748450	500	-60	90				NSI
GRB2275	RAB	40	6969450	748400	500	-60	90				NSI
GRB2276	RAB	42	6969450	748350	500	-60	90	30	35	5	0.94
GRB2277	RAB	49	6969450	748300	500	-60	90				NSI
GRB2278	RAB	20	6969450	748200	500	-60	90				NSI
GRB2286	RAB	64	6969000	749000	500	-60	90				NSI
GRB2287	RAB	54	6969000	748900	500	-60	90				NSI
GRB2288	RAB	39	6969000	748800	500	-60	90				NSI
GRB2350	RAB	52	6968700	748719	500	-60	90				NSI
GRB2351	RAB	55	6968700	748790	500	-60	270				NSI
GRB2357	RAB	28	6969000	748950	500	-60	90				NSI
GRB2358	RAB	50	6969000	748850	500	-60	90				NSI
GRB2359	RAB	34	6968600	748600	500	-60	90				NSI
GRB2360	RAB	28	6968600	748550	500	-60	90				NSI
GRB2361	RAB	50	6968600	748500	500	-60	90				NSI
GRB3032	RAB	24	6969700	748950	500	-60	270				NSI
GRB3037	RAB	35	6969250	748550	500	-60	90				NSI

ABN: 31 008 402 391
 Level 8, 210 George Street Sydney NSW 2000
 GPO Box 225 Sydney NSW 2001
 Tel: 61 2 9191 4543
 Fax: 61 2 8247 7999
 Website: www.gatewaymining.com.au
 Email: info@gatewaymining.com.au



GRB3038	RAB	47	6969250	748450	500	-60	90				NSI
GRB3039	RAB	18	6969250	748350	500	-60	90				NSI
GRB3040	RAB	54	6969250	748250	500	-60	90				NSI
GRB3041	RAB	40	6969250	748150	500	-60	90	30	35	5	0.52
GRB3042	RAB	50	6969200	748450	500	-60	90				NSI
GRB3043	RAB	50	6969200	748360	500	-60	90				NSI
GRB3044	RAB	49	6969200	748250	500	-60	90				NSI
GRB3045	RAB	43	6969200	748150	500	-60	90				NSI
GRB3046	RAB	44	6969150	748450	500	-60	90				NSI
GRB3047	RAB	43	6969150	748350	500	-60	90				NSI
GRB3048	RAB	59	6969150	748250	500	-60	90				NSI
GRB3049	RAB	44	6969150	748150	500	-60	90				NSI
GRB3050	RAB	47	6969150	748050	500	-60	90				NSI
GRB3051	RAB	53	6968700	748250	500	-60	90				NSI
GRB3052	RAB	53	6968700	748150	500	-60	90				NSI
GRB3053	RAB	68	6968700	748050	500	-60	90				NSI
GRB3054	RAB	26	6968700	747950	500	-60	90	24	26	2	1.05
GRB3055	RAB	50	6968700	747850	500	-60	90				NSI
GRB3056	RAB	39	6968700	747750	500	-60	90				NSI
GRB3078	RAB	40	6969000	748480	500	-60	90				NSI
GRB3079	RAB	38	6969000	748400	500	-60	90				NSI
GRB3080	RAB	37	6969000	748300	500	-60	90				NSI
GRB3081	RAB	60	6969000	748200	500	-60	90				NSI
GRB3082	RAB	19	6969000	748100	500	-60	90				NSI
GRB3083	RAB	14	6969000	748000	500	-60	90				NSI
GRC157	RC	120	6969204	748264	500	-60	270				NSI
GRC158	RC	120	6968699	747970	500	-60	270	18	23	5	0.74

Full details of holes at Apex, Cu, Ni, Pt, Pd intersections

ABN: 31 008 402 391
 Level 8, 210 George Street Sydney NSW 2000
 GPO Box 225 Sydney NSW 2001
 Tel: 61 2 9191 4543
 Fax: 61 2 8247 7999
 Website: www.gatewaymining.com.au
 Email: info@gatewaymining.com.au



Hole	Type	Total Depth	North	East	RL	Dip	Azim	From	To	Width	Cu%	Ni%	Pt g/t	Pd g/t
GRC289	RC	80	6981134	750628	540	-60	68	0	35	35	NSI	0.15	0.03	0.10
GRC290	RC	89	6981108	750556	540	-60	68	0	5	5	NSI	0.13	0.03	0.09
GRC296	RC	265	6981073	750483	540	-60	68	60	70	10	NSI	0.11	0.04	0.10
								180	240	60	NSI	0.11	0.04	0.13

Full details of holes at Gossans Galore, Cu intersections:

Hole	Type	Total Depth	North	East	RL	Dip	Azim	From	To	Width	Cu%
AGAC001	AC	41	6963100	748000	500	-60	360				NSI
AGAC002	AC	108	6963000	748000	500	-60	360				NSI
AGAC003	AC	76	6962900	748000	500	-60	360	55	60	5	0.21
AGAC004	AC	45	6962800	748000	500	-60	360				NSI
AGAC005	AC	54	6963800	747460	500	-60	360				NSI
AGAC006	AC	45	6963700	747460	500	-60	360				NSI
AGAC007	AC	52	6963600	747460	500	-60	360				NSI
AGAC008	AC	70	6963500	747460	500	-60	360				NSI
AGAC009	AC	76	6963400	746000	500	-60	360				NSI
AGAC010	AC	86	6963350	746000	500	-60	360				NSI
AGAC011	AC	88	6963300	746000	500	-60	360				NSI
AGAC012	AC	67	6962400	747650	500	-60	90				NSI
AGAC013	AC	55	6962400	747600	500	-60	90				NSI
AGAC014	AC	55	6962400	747550	500	-60	90				NSI
AGAC015	AC	79	6962400	747450	500	-60	90				NSI
AGAC016	AC	50	6962400	747350	500	-60	90				NSI
AGAC017	AC	74	6962400	747300	500	-60	90				NSI
AGAC018	AC	53	6962400	747750	500	-60	90				NSI
AGAC019	AC	108	6962950	748000	500	-60	360				NSI
GAC102	AC	36	6963995	748565	503	-60	90				NSI

ABN: 31 008 402 391
 Level 8, 210 George Street Sydney NSW 2000
 GPO Box 225 Sydney NSW 2001
 Tel: 61 2 9191 4543
 Fax: 61 2 8247 7999
 Website: www.gatewaymining.com.au
 Email: info@gatewaymining.com.au



GAC126	AC	54	6962751	748248	501	-60	180				NSI
GAC127	AC	57	6962852	748247	499	-60	180				NSI
GAC128	AC	47	6962951	748253	502	-60	180				NSI
GAC129	AC	11	6963053	748250	501	-60	180				NSI
GAC130	AC	49	6963149	748249	502	-60	180				NSI
GAC131	AC	16	6963249	748247	504	-60	180				NSI
GAC132	AC	8	6963346	748252	505	-60	180				NSI
GAC133	AC	37	6963092	748232	504	-60	180				NSI
GAC134	AC	36	6963018	748245	503	-60	0				NSI
GAC135	AC	37	6962851	748005	507	-60	0				NSI
GAC136	AC	29	6962755	748009	505	-60	0				NSI
GAC137	AC	53	6962707	748001	507	-60	0				NSI
GAC138	AC	74	6963255	747450	498	-60	180				NSI
GAC139	AC	19	6963356	747450	499	-60	180				NSI
GAC140	AC	68	6963455	747450	502	-60	180				NSI
GAC141	AC	62	6963554	747450	501	-60	180				NSI
GAC142	AC	43	6963654	747450	502	-60	180				NSI
GAC143	AC	47	6963746	747458	504	-60	180				NSI
GAC144	AC	78	6963394	747458	504	-60	180				NSI
GAC145	AC	50	6963493	746896	507	-60	180				NSI
GAC146	AC	77	6963700	746892	501	-60	180				NSI
GAC147	AC	74	6963784	746898	505	-60	180				NSI
GAC148	AC	73	6963897	746899	507	-60	180				NSI
GAC149	AC	60	6963999	746905	508	-60	180				NSI
GAC150	AC	77	6964098	746907	505	-60	180				NSI
GAC151	AC	68	6964194	746905	503	-60	180				NSI
GAC152	AC	65	6963959	746899	504	-60	180				NSI
GAC153	AC	80	6963598	746897	504	-60	180				NSI
GAC154	AC	77	6963362	747246	501	-60	180				NSI
GAC155	AC	83	6963004	746499	507	-60	180				NSI
GAC156	AC	87	6963102	746493	505	-60	180				NSI

ABN: 31 008 402 391
 Level 8, 210 George Street Sydney NSW 2000
 GPO Box 225 Sydney NSW 2001
 Tel: 61 2 9191 4543
 Fax: 61 2 8247 7999
 Website: www.gatewaymining.com.au
 Email: info@gatewaymining.com.au



GAC157	AC	53	6963202	746492	502	-60	180				NSI
GAC158	AC	49	6963394	746502	506	-60	180				NSI
GAC159	AC	86	6963353	746100	505	-60	0				NSI
GAC160	AC	88	6963297	746099	504	-60	0				NSI
GAC161	AC	86	6963359	746099	506	-60	180				NSI
GAC162	AC	73	6963372	747448	507	-60	180				NSI
GRB2470	RAB	47	6962815	747450	500	-60	270				NSI
GRB2471	RAB	45	6962815	747550	500	-60	270				NSI
GRB2472	RAB	32	6962810	747750	500	-60	270				NSI
GRB2473	RAB	31	6962808	747950	500	-60	270				NSI
GRB2474	RAB	58	6962805	748050	500	-60	270				NSI
GRB2475	RAB	38	6962700	748600	500	-60	180				NSI
GRB2476	RAB	53	6962800	748600	500	-60	180				NSI
GRB2477	RAB	35	6962900	748600	500	-60	180				NSI
GRB2795	RAB	38	6963600	748000	500	-60	90				NSI
GRB2796	RAB	34	6963600	747900	500	-60	90				NSI
GRB2797	RAB	24	6963600	747800	500	-60	90				NSI
GRB2798	RAB	39	6963600	747700	500	-60	90				NSI
GRB2799	RAB	30	6963600	747600	500	-60	90				NSI
GRB2800	RAB	30	6963600	747500	500	-60	90				NSI
GRB2801	RAB	32	6963600	747400	500	-60	90				NSI
GRB2802	RAB	36	6963600	747300	500	-60	90				NSI
GRB2803	RAB	21	6963600	747200	500	-60	90				NSI
GRB2907	RAB	34	6962600	747450	500	-60	180				NSI
GRB2908	RAB	35	6962650	747450	500	-60	180				NSI
GRB2909	RAB	32	6962700	747450	500	-60	180				NSI
GRB2910	RAB	36	6962750	747450	500	-60	180				NSI
GRB2911	RAB	27	6962775	747450	500	-60	180				NSI
GRB2912	RAB	32	6962800	747450	500	-60	180				NSI
GRB2913	RAB	37	6962825	747450	500	-60	180				NSI
GRB2914	RAB	38	6962850	747450	500	-60	180				NSI

ABN: 31 008 402 391
 Level 8, 210 George Street Sydney NSW 2000
 GPO Box 225 Sydney NSW 2001
 Tel: 61 2 9191 4543
 Fax: 61 2 8247 7999
 Website: www.gatewaymining.com.au
 Email: info@gatewaymining.com.au



GRB2990	RAB	23	6962900	747450	500	-60	180				NSI
GRB2991	RAB	21	6962925	747450	500	-60	180				NSI
GRB2992	RAB	31	6962950	747450	500	-60	180				NSI
GRB2993	RAB	12	6963000	747450	500	-60	180				NSI
GRB2994	RAB	20	6963025	747450	500	-60	180				NSI
GRB2995	RAB	21	6963050	747450	500	-60	180				NSI
GRB646	RAB	50	6963000	748000	500	-60	180				NSI
GRB647	RAB	40	6962900	748000	500	-60	180				NSI
GRB648	RAB	30	6962800	748000	500	-60	180				NSI
GRB649	RAB	58	6962794	748312	500	-60	270				NSI
GRB650	RAB	42	6962799	748412	500	-60	270				NSI
GRB651	RAB	20	6962804	748512	500	-60	270				NSI
GRB883	RAB	60	6962793	748287	500	-60	270				NSI
GRB884	RAB	45	6962795	748337	500	-60	270				NSI
GRC221	RC	158	6963365	746000	500	-60	360				NSI
GRC222	RC	89	6963240	746250	500	-60	180				NSI
GRC223	RC	126	6963460	747250	500	-60	180				NSI
GRC224	RC	90	6962485	747250	500	-60	180				NSI
GRC245	RC	108	6963409	747252	500	-60	270	90	100	10	0.38
							inc.	90	95	5	0.56
GRC246	RC	90	6963206	746253	500	-60	270				NSI
GRC247	RC	305	6963576	747200	500	-60	180				NSI
GRC248	RC	145	6963293	746097	500	-60	0				NSI
GRC249	RC	130	6963262	746157	500	-60	0				NSI
GRC275	RC	165	6963435	747205	500	-60	180				NSI
GRC297	RC	145	6962989	748252	500	-60	0				NSI
GRC298	RC	175	6963410	747273	503	-60	180				NSI
GRC299	RC	169	6962460	747262	500	-70	90				NSI

Full details of holes at Intrepid, Au, Ag intersections (Multi-elements analysed):

ABN: 31 008 402 391
Level 8, 210 George Street Sydney NSW 2000
GPO Box 225 Sydney NSW 2001
Tel: 61 2 9191 4543
Fax: 61 2 8247 7999
Website: www.gatewaymining.com.au
Email: info@gatewaymining.com.au



Hole	Type	Total Depth	North	East	RL	Dip	Azim	From	To	Width	Au g/t	Ag g/t
GPAC0644	AC	48	6965808	747359	500	-90	0				NSI	NSI
GPAC0645	AC	34	6965808	747459	500	-90	0				NSI	NSI
GPAC0646	AC	66	6965808	747559	500	-90	0				NSI	NSI
GPAC0647	AC	32	6965808	747659	500	-90	0				NSI	NSI
GPAC0648	AC	120	6966008	747159	500	-90	0				NSI	NSI
GPAC0649	AC	79	6966008	747259	500	-90	0				NSI	NSI
GPAC0650	AC	99	6966008	747359	500	-90	0				NSI	NSI
GPAC0651	AC	90	6966008	747459	500	-90	0				NSI	NSI
GPAC0652	AC	96	6966008	747559	500	-90	0				NSI	NSI
GPAC0653	AC	82	6966208	747159	500	-90	0				NSI	NSI
GPAC0654	AC	30	6966208	747259	500	-90	0				NSI	NSI
GPAC0655	AC	31	6966208	747284	500	-90	0	24	28	4	0.55	1.00
GPAC0656	AC	101	6966208	747359	500	-90	0				NSI	NSI
GPAC0657	AC	32	6966208	747459	500	-90	0	28	32	4	0.62	1.00
GRC295	RC	181	6965900	747376	500	-60	90	45	60	15	0.22	6.72

Full details of holes at Intrepid, Au intersections (Multi-elements not analysed):

Hole	Type	Total Depth	North	East	RL	Dip	Azim	From	To	Width	Au g/t
3230/2890	RAB	35	6965511	747388	500	-90	0				NSI
3230/2892	RAB	35	6965511	747408	500	-90	0				NSI
3230/2894	RAB	35	6965511	747428	500	-90	0				NSI
3230/2896	RAB	35	6965510	747448	500	-90	0				NSI
3230/2898	RAB	35	6965510	747468	500	-90	0				NSI
3230/2900	RAB	35	6965510	747488	500	-90	0				NSI
3230/2902	RAB	35	6965510	747508	500	-90	0				NSI
3230/2904	RAB	35	6965509	747528	500	-90	0				NSI
3230/2920	RAB	35	6965507	747688	500	-90	0				NSI

ABN: 31 008 402 391
 Level 8, 210 George Street Sydney NSW 2000
 GPO Box 225 Sydney NSW 2001
 Tel: 61 2 9191 4543
 Fax: 61 2 8247 7999
 Website: www.gatewaymining.com.au
 Email: info@gatewaymining.com.au



3240/2860	RAB	35	6965615	747089	500	-90	0				NSI
3240/2862	RAB	35	6965615	747109	500	-90	0				NSI
3240/2864	RAB	35	6965614	747129	500	-90	0				NSI
3240/2876	RAB	27	6965613	747249	500	-90	0				NSI
3240/2878	RAB	30	6965613	747269	500	-90	0				NSI
3240/2880	RAB	35	6965612	747289	500	-90	0				NSI
3240/2882	RAB	35	6965612	747309	500	-90	0				NSI
3240/2884	RAB	35	6965612	747329	500	-90	0				NSI
3240/2886	RAB	35	6965612	747349	500	-90	0				NSI
3240/2888	RAB	35	6965611	747369	500	-90	0				NSI
3240/2890	RAB	35	6965611	747389	500	-90	0				NSI
3240/2892	RAB	35	6965611	747409	500	-90	0				NSI
3240/2894	RAB	35	6965611	747429	500	-90	0				NSI
3240/2896	RAB	35	6965610	747449	500	-90	0				NSI
3240/2898	RAB	35	6965610	747469	500	-90	0				NSI
3240/2900	RAB	35	6965610	747489	500	-90	0				NSI
3240/2902	RAB	35	6965610	747509	500	-90	0				NSI
3240/2904	RAB	35	6965609	747529	500	-90	0				NSI
3240/2906	RAB	35	6965609	747549	500	-90	0				NSI
3240/2908	RAB	35	6965609	747569	500	-90	0				NSI
3240/2910	RAB	35	6965609	747589	500	-90	0				NSI
3240/2912	RAB	35	6965608	747609	500	-90	0	27	30	3	0.80
3240/2914	RAB	35	6965608	747629	500	-90	0				NSI
3240/2916	RAB	25	6965608	747649	500	-90	0				NSI
3240/2918	RAB	35	6965608	747669	500	-90	0				NSI
3240/2920	RAB	35	6965607	747689	500	-90	0				NSI
3240/2922	RAB	35	6965607	747709	500	-90	0				NSI
3240/2924	RAB	35	6965607	747729	500	-90	0				NSI
3240/2926	RAB	35	6965607	747749	500	-90	0				NSI
3240/2928	RAB	35	6965606	747769	500	-90	0				NSI
3250/2890	RAB	35	6965711	747391	500	-90	0				NSI

ABN: 31 008 402 391
 Level 8, 210 George Street Sydney NSW 2000
 GPO Box 225 Sydney NSW 2001
 Tel: 61 2 9191 4543
 Fax: 61 2 8247 7999
 Website: www.gatewaymining.com.au
 Email: info@gatewaymining.com.au



3250/2892	RAB	35	6965711	747411	500	-90	0				NSI
3250/2894	RAB	35	6965711	747431	500	-90	0				NSI
3250/2896	RAB	35	6965710	747451	500	-90	0	21	24	3	1.50
3250/2898	RAB	35	6965710	747471	500	-90	0				NSI
3250/2900	RAB	35	6965710	747491	500	-90	0				NSI
3250/2902	RAB	40	6965710	747511	500	-90	0				NSI
3250/2904	RAB	35	6965709	747531	500	-90	0				NSI
3250/2906	RAB	35	6965709	747551	500	-90	0				NSI
3250/2908	RAB	35	6965709	747571	500	-90	0	24	27	3	1.30
3250/2910	RAB	35	6965709	747591	500	-90	0				NSI
3250/2912	RAB	40	6965700	747614	500	-90	0				NSI
3250/2914	RAB	35	6965700	747634	500	-90	0				NSI
3250/2916	RAB	35	6965700	747654	500	-90	0				NSI
3250/2918	RAB	35	6965700	747674	500	-90	0				NSI
3250/2920	RAB	35	6965699	747694	500	-90	0				NSI
3260/2888	RAB	35	6965803	747375	500	-90	0				NSI
3260/2890	RAB	35	6965803	747395	500	-90	0				NSI
3260/2892	RAB	24	6965803	747415	500	-90	0				NSI
3260/2894	RAB	35	6965803	747435	500	-90	0				NSI
3260/2896	RAB	35	6965803	747455	500	-90	0				NSI
3260/2898	RAB	35	6965802	747475	500	-90	0				NSI
3260/2900	RAB	35	6965802	747495	500	-90	0	21	24	3	0.65
3260/2902	RAB	35	6965802	747515	500	-90	0				NSI
3260/2904	RAB	35	6965802	747535	500	-90	0				NSI
3260/2906	RAB	35	6965801	747555	500	-90	0				NSI
3260/2908	RAB	35	6965801	747575	500	-90	0				NSI
3260/2910	RAB	35	6965801	747595	500	-90	0				NSI
3260/2912	RAB	35	6965801	747615	500	-90	0				NSI
3260/2914	RAB	35	6965800	747635	500	-90	0				NSI
3260/2916	RAB	35	6965800	747655	500	-90	0				NSI
3260/2918	RAB	35	6965800	747675	500	-90	0				NSI

ABN: 31 008 402 391
 Level 8, 210 George Street Sydney NSW 2000
 GPO Box 225 Sydney NSW 2001
 Tel: 61 2 9191 4543
 Fax: 61 2 8247 7999
 Website: www.gatewaymining.com.au
 Email: info@gatewaymining.com.au



3260/2920	RAB	35	6965800	747695	500	-90	0				NSI
3270/2876	RAB	35	6965905	747256	500	-90	0				NSI
3270/2878	RAB	35	6965905	747276	500	-90	0				NSI
3270/2880	RAB	35	6965905	747296	500	-90	0				NSI
3270/2882	RAB	35	6965904	747316	500	-90	0				NSI
3270/2884	RAB	26	6965904	747336	500	-90	0				NSI
3270/2886	RAB	35	6965904	747357	500	-90	0				NSI
3270/2888	RAB	35	6965904	747377	500	-90	0				NSI
3270/2890	RAB	35	6965903	747397	500	-90	0				NSI
3270/2892	RAB	35	6965903	747417	500	-90	0				NSI
3270/2894	RAB	35	6965903	747437	500	-90	0	30	33	3	0.58
3270/2896	RAB	35	6965903	747457	500	-90	0				NSI
3270/2898	RAB	35	6965902	747477	500	-90	0	27	30	3	0.70
3270/2900	RAB	35	6965902	747497	500	-90	0	24	27	3	2.60
								30	33	3	1.30
3270/2902	RAB	35	6965902	747517	500	-90	0				NSI
3270/2904	RAB	35	6965902	747537	500	-90	0				NSI
3270/2906	RAB	35	6965901	747557	500	-90	0				NSI
3270/2908	RAB	35	6965901	747577	500	-90	0				NSI
3270/2910	RAB	35	6965901	747597	500	-90	0				NSI
3270/2912	RAB	35	6965901	747617	500	-90	0				NSI
3270/2914	RAB	35	6965900	747637	500	-90	0				NSI
3270/2916	RAB	35	6965900	747657	500	-90	0				NSI
3270/2918	RAB	34	6965900	747677	500	-90	0				NSI
3280/2870	RAB	40	6966006	747198	500	-90	0				NSI
3280/2872	RAB	40	6966006	747218	500	-90	0				NSI
3280/2874	RAB	35	6966005	747238	500	-90	0				NSI
3280/2876	RAB	35	6966005	747258	500	-90	0				NSI
3280/2878	RAB	35	6966005	747278	500	-90	0				NSI
3280/2880	RAB	29	6966005	747298	500	-90	0				NSI
3280/2882	RAB	35	6966004	747318	500	-90	0				NSI

ABN: 31 008 402 391
 Level 8, 210 George Street Sydney NSW 2000
 GPO Box 225 Sydney NSW 2001
 Tel: 61 2 9191 4543
 Fax: 61 2 8247 7999
 Website: www.gatewaymining.com.au
 Email: info@gatewaymining.com.au



3280/2884	RAB	25	6966004	747338	500	-90	0				NSI
3280/2886	RAB	28	6966004	747358	500	-90	0				NSI
3280/2888	RAB	29	6966004	747378	500	-90	0	12	18	6	4.53
								21	24	3	0.51
3280/2890	RAB	30	6966003	747398	500	-90	0				NSI
3280/2892	RAB	25	6966003	747418	500	-90	0				NSI
3280/2894	RAB	29	6966003	747438	500	-90	0	21	29	8	1.35
3280/2896	RAB	35	6966003	747458	500	-90	0				NSI
3280/2898	RAB	22	6966002	747478	500	-90	0				NSI
3280/2900	RAB	30	6966002	747498	500	-90	0				NSI
3280/2902	RAB	30	6966002	747518	500	-90	0				NSI
3280/2904	RAB	35	6966002	747538	500	-90	0				NSI
3280/2906	RAB	35	6966001	747558	500	-90	0				NSI
3280/2908	RAB	35	6966001	747578	500	-90	0	27	33	6	0.70
3280/2910	RAB	35	6966001	747598	500	-90	0				NSI
3280/2912	RAB	35	6966001	747618	500	-90	0				NSI
3280/2913	RAB	35	6966001	747628	500	-90	0				NSI
3280/2916	RAB	18	6966000	747658	500	-90	0				NSI
3280/2918	RAB	21	6966000	747678	500	-90	0				NSI
3280/2920	RAB	24	6966000	747698	500	-90	0				NSI
3280/2922	RAB	36	6965999	747718	500	-90	0				NSI
3280/2924	RAB	26	6965999	747738	500	-90	0				NSI
3280/2926	RAB	25	6965999	747758	500	-90	0				NSI
3280/2928	RAB	35	6965999	747778	500	-90	0				NSI
3280/2930	RAB	35	6965998	747798	500	-90	0				NSI
3280/2932	RAB	35	6965998	747818	500	-90	0				NSI
3280/2934	RAB	35	6965998	747838	500	-90	0				NSI
3280/2936	RAB	35	6965998	747858	500	-90	0				NSI
3280/2938	RAB	35	6965997	747878	500	-90	0				NSI
3280/2940	RAB	35	6965997	747898	500	-90	0				NSI
3290/2876	RAB	35	6966105	747259	500	-90	0				NSI

ABN: 31 008 402 391
 Level 8, 210 George Street Sydney NSW 2000
 GPO Box 225 Sydney NSW 2001
 Tel: 61 2 9191 4543
 Fax: 61 2 8247 7999
 Website: www.gatewaymining.com.au
 Email: info@gatewaymining.com.au



3290/2878	RAB	31	6966105	747279	500	-90	0				NSI
3290/2880	RAB	30	6966105	747299	500	-90	0				NSI
3290/2882	RAB	30	6966104	747319	500	-90	0				NSI
3290/2884	RAB	35	6966104	747339	500	-90	0				NSI
3290/2886	RAB	35	6966104	747359	500	-90	0	30	33	3	0.72
3290/2888	RAB	35	6966104	747379	500	-90	0				NSI
3290/2890	RAB	35	6966103	747399	500	-90	0				NSI
3290/2892	RAB	35	6966103	747419	500	-90	0				NSI
3290/2894	RAB	35	6966103	747439	500	-90	0				NSI
3290/2896	RAB	35	6966103	747459	500	-90	0				NSI
3290/2898	RAB	35	6966102	747479	500	-90	0				NSI
3290/2900	RAB	35	6966102	747499	500	-90	0				NSI
3290/2902	RAB	35	6966102	747519	500	-90	0				NSI
3290/2904	RAB	35	6966102	747539	500	-90	0				NSI
3290/2906	RAB	35	6966101	747559	500	-90	0				NSI
3290/2908	RAB	35	6966101	747579	500	-90	0				NSI
3290/2910	RAB	35	6966101	747599	500	-90	0				NSI
3320/2856	RAB	40	6966408	747062	500	-90	0				NSI
3320/2860	RAB	40	6966407	747102	500	-90	0				NSI
3320/2864	RAB	35	6966407	747143	500	-90	0				NSI
3320/2868	RAB	40	6966406	747183	500	-90	0				NSI
3320/2872	RAB	40	6966406	747223	500	-90	0				NSI
3320/2876	RAB	40	6966405	747263	500	-90	0				NSI
3320/2880	RAB	40	6966405	747303	500	-90	0				NSI
3320/2884	RAB	35	6966404	747343	500	-90	0				NSI
3320/2888	RAB	32	6966404	747383	500	-90	0				NSI
3320/2892	RAB	34	6966403	747423	500	-90	0				NSI
3320/2896	RAB	28	6966403	747463	500	-90	0				NSI
3320/2900	RAB	40	6966402	747503	500	-90	0				NSI
3320/2908	AC	29	6966409	747579	500	-90	0				NSI
3320/2916	AC	22	6966408	747659	500	-90	0				NSI

ABN: 31 008 402 391
 Level 8, 210 George Street Sydney NSW 2000
 GPO Box 225 Sydney NSW 2001
 Tel: 61 2 9191 4543
 Fax: 61 2 8247 7999
 Website: www.gatewaymining.com.au
 Email: info@gatewaymining.com.au



3320/2924	AC	99	6966407	747739	500	-90	0				NSI
3320/2932	AC	56	6966406	747819	500	-90	0				NSI
3320/2940	AC	52	6966405	747899	500	-90	0				NSI
3320/2948	AC	29	6966404	747979	500	-90	0				NSI
VRC039	RC	78	6966111	747423	500	-60	44				NSI
VRC040	RC	78	6966082	747395	500	-60	45				NSI
VRC041	RC	78	6966054	747367	500	-60	44	20	26	6	1.34
								29	33	4	1.57
								35	37	2	0.83
								40	45	5	0.67
								56	58	2	0.60
								71	73	2	1.12
VRC042	RC	78	6966026	747339	500	-60	44				NSI
VRC043	RC	78	6966012	747466	500	-60	44				NSI
VRC044	RC	78	6965984	747438	500	-60	44				NSI
VRC045	RC	84	6965955	747410	500	-60	44				NSI
VRC046	RC	78	6965927	747382	500	-60	44				NSI
VRC057	RC	87	6965984	747410	500	-60	225				NSI
VRC058	RC	81	6965998	747424	500	-60	225	58	60	2	1.39
VRC059	RC	87	6966012	747438	500	-60	225				NSI
VRC060	RC	81	6966026	747452	500	-60	225				NSI
VRC061	RC	75	6966054	747395	500	-60	225	29	35	6	0.97
								39	41	2	0.97
VRC062	RC	81	6966068	747409	500	-60	225	44	51	7	2.88
								54	56	2	0.61
								62	65	3	0.79
VRC063	RC	87	6966083	747423	500	-60	225	65	76	11	0.89
VRC064	RC	45	6966040	747381	500	-60	225				NSI
VRC079	RC	57	6966083	747366	500	-60	225	15	18	3	0.69
VRC080	RC	75	6966097	747380	500	-60	225	30	31	1	0.97
VRC081	RC	75	6966110	747392	500	-60	225	38	40	2	0.87

ABN: 31 008 402 391
 Level 8, 210 George Street Sydney NSW 2000
 GPO Box 225 Sydney NSW 2001
 Tel: 61 2 9191 4543
 Fax: 61 2 8247 7999
 Website: www.gatewaymining.com.au
 Email: info@gatewaymining.com.au



								61	68	7	0.56
VRC082	RC	93	6966124	747406	500	-60	225	36	38	2	0.66
								90	92	2	0.53
VRC083	RC	75	6965998	747366	500	-60	225				NSI
VRC084	RC	75	6966012	747381	500	-60	225	13	15	2	6.50
								30	32	2	0.56
VRC085	RC	81	6966026	747395	500	-60	225				NSI
VRC086	RC	81	6966040	747409	500	-60	225	38	42	4	1.21
								45	47	2	0.89
								53	55	2	2.02
VRC087	RC	111	6966053	747423	500	-60	225	56	62	6	0.80
VRC088	RC	81	6966068	747438	500	-60	225				NSI
VRC089	RC	81	6965871	747466	500	-60	225				NSI
VRC090	RC	81	6965885	747481	500	-60	225				NSI
VRC091	RC	87	6965899	747495	500	-60	225				NSI
VRC092	RC	81	6965913	747509	500	-60	225				NSI
VRC093	RC	87	6965927	747523	500	-60	225	44	46	2	1.30
								61	63	2	0.96
VRC094	RC	87	6965687	747566	500	-60	225				NSI
VRC095	RC	81	6965701	747581	500	-60	225				NSI
VRC096	RC	75	6965715	747595	500	-60	225				NSI
VRC097	RC	93	6965729	747609	500	-60	225				NSI

Full details of holes at Blind Bat/Hypotenuse, Au, Ag intersections (Multi-elements analysed):

Hole	Type	Total Depth	North	East	RL	Dip	Azim	From	To	Width	Au g/t	Ag g/t
GAC014	AC	117	6970800	749400	500	-60	90				NSI	NSI
GAC015	AC	125	6970800	749300	500	-60	90				NSI	NSI
GAC016	AC	76	6970800	749200	500	-60	90				NSI	NSI
GAC017	AC	94	6970800	749100	500	-60	90				NSI	NSI

ABN: 31 008 402 391
 Level 8, 210 George Street Sydney NSW 2000
 GPO Box 225 Sydney NSW 2001
 Tel: 61 2 9191 4543
 Fax: 61 2 8247 7999
 Website: www.gatewaymining.com.au
 Email: info@gatewaymining.com.au



GAC018	AC	98	6970800	749600	500	-60	90				NSI	NSI
GAC019	AC	80	6970450	748900	500	-60	90				NSI	NSI
GAC020	AC	80	6970450	748850	500	-60	90				NSI	NSI
GAC021	AC	74	6970450	748800	500	-60	90				NSI	NSI
GAC022	AC	71	6970450	748750	500	-60	90				NSI	NSI
GAC023	AC	53	6970450	748700	500	-60	90				NSI	NSI
GAC068	AC	114	6971000	749050	500	-60	90				NSI	NSI
GAC069	AC	114	6971000	749000	500	-60	90				NSI	NSI
GAC070	AC	112	6971000	748950	500	-60	90				NSI	NSI
GAC071	AC	88	6971000	748900	500	-60	90				NSI	NSI
GAC072	AC	95	6971000	748850	500	-60	90				NSI	NSI
GAC074	AC	78	6970600	748700	500	-60	90				NSI	NSI
GAC075	AC	84	6970600	748650	500	-60	90				NSI	NSI
GAC076	AC	84	6970600	748600	500	-60	90				NSI	NSI
GAC163	AC	104	6970000	749297	500	-60	180				NSI	NSI
GAC164	AC	94	6970097	749294	500	-60	190				NSI	NSI
GAC165	AC	122	6970198	749317	500	-60	180				NSI	NSI
GAC166	AC	131	6970293	749296	500	-60	170				NSI	NSI
GAC167	AC	128	6970396	749290	500	-60	185				NSI	NSI
GDD004	DD	165.5	6970800	749204	500	-60	135				NSI	NSI
GDD005	DD	393.7	6970804	749200	500	-65	135	287	289.3	2.3	1.02	1.57
GRC187	RC	150	6970300	749090	500	-60	90				NSI	NSI
GRC215	RC	156	6970000	748890	500	-60	90				NSI	NSI
GRC228	RC	166	6970800	749050	500	-60	90				NSI	NSI

Full details of holes at Blind Bat/Hypotenuse, Au intersections (Multi-elements not analysed):

Hole	Type	Total Depth	North	East	RL	Dip	Azim	From	To	Width	Au g/t
BGAC0020	RAB	86	6970600	748750	500	-60	90				
BGAC0021	RAB	86	6970600	748850	500	-60	90				

ABN: 31 008 402 391
Level 8, 210 George Street Sydney NSW 2000
GPO Box 225 Sydney NSW 2001
Tel: 61 2 9191 4543
Fax: 61 2 8247 7999
Website: www.gatewaymining.com.au
Email: info@gatewaymining.com.au



BGAC0022	RAB	68	6970100	748850	500	-60	90				
BGAC0023	RAB	69	6970100	748950	500	-60	90				
BGAC0024	RAB	106	6970100	749050	500	-60	90				
BGAC0025	RAB	110	6970800	749500	500	-60	90	72	76	4	0.63
BGAC0026	RAB	101	6970800	749700	500	-60	90				
BGAC0027	RAB	86	6970800	749900	500	-60	90				
BGAC0028	RAB	77	6970800	750100	500	-60	90				
BGAC0029	RAB	89	6970800	750300	500	-60	90				
BGRCD0001	DD_RC	646.08	6971244	750100	500	-60	0				
GRB1502	RAB	62	6971400	749300	500	-60	360				
GRB1503	RAB	63	6971300	749300	500	-60	360				
GRB1504	RAB	27	6971200	749300	500	-60	360				
GRB1505	RAB	29	6971100	749300	500	-60	360				
GRB1506	RAB	29	6971000	749300	500	-60	360				
GRB1507	RAB	34	6970900	749300	500	-60	360				
GRB1508	RAB	29	6970800	749300	500	-60	60				
GRB1509	RAB	32	6970700	749300	500	-60	360				
GRB1510	RAB	50	6970600	749300	500	-60	360				
GRB1511	RAB	61	6970500	749300	500	-60	360				
GRB1512	RAB	33	6970400	749300	500	-60	360				
GRB1623	RAB	53	6970425	749300	500	-60	360				
GRB1624	RAB	33	6970375	749300	500	-60	360				
GRB1640	RAB	58	6969800	750000	500	-60	180				
GRB1641	RAB	63	6969950	750000	500	-60	180				
GRB1642	RAB	48	6970000	750000	500	-60	180				
GRB1643	RAB	44	6970050	750000	500	-60	180				
GRB1644	RAB	63	6970100	750000	500	-60	180				
GRB1685	RAB	56	6969900	750000	500	-60	180				
GRB1686	RAB	56	6969850	750000	500	-60	180				
GRB1687	RAB	57	6970350	750000	500	-60	180				
GRB1688	RAB	53	6970400	750000	500	-60	180				

ABN: 31 008 402 391
 Level 8, 210 George Street Sydney NSW 2000
 GPO Box 225 Sydney NSW 2001
 Tel: 61 2 9191 4543
 Fax: 61 2 8247 7999
 Website: www.gatewaymining.com.au
 Email: info@gatewaymining.com.au



GRB1689	RAB	50	6970450	750000	500	-60	180				
GRB1690	RAB	46	6970500	750020	500	-60	180				
GRB1691	RAB	62	6970250	749400	500	-60	180				
GRB1692	RAB	41	6970300	749400	500	-60	180				
GRB1693	RAB	51	6970350	749400	500	-60	180				
GRB1694	RAB	35	6970400	749400	500	-60	180				
GRB1695	RAB	48	6970450	749400	500	-60	180				
GRB1696	RAB	58	6970350	749200	500	-60	180				
GRB1697	RAB	59	6970400	749200	500	-60	180				
GRB1698	RAB	45	6970450	749200	500	-60	180				
GRB1699	RAB	41	6970500	749200	500	-60	180				
GRB1700	RAB	42	6970550	749200	500	-60	180				
GRB1735	RAB	52	6971000	748500	500	-60	270				
GRB1736	RAB	53	6971000	748700	500	-60	270				
GRB1737	RAB	44	6971000	748900	500	-60	270				
GRB1738	RAB	51	6971000	749100	500	-60	270				
GRB1739	RAB	33	6971000	749200	500	-60	270				
GRB1740	RAB	34	6971000	749400	500	-60	270				
GRB1741	RAB	34	6971000	749500	500	-60	270				
GRB1742	RAB	36	6971000	749600	500	-60	270				
GRB1743	RAB	46	6971000	749700	500	-60	270				
GRB1744	RAB	53	6971000	749800	500	-60	270				
GRB1748	RAB	38	6971200	750200	500	-60	180				
GRB1749	RAB	54	6971300	750200	500	-60	180				
GRB1750	RAB	53	6971400	750200	500	-60	180				
GRB1826	RAB	56	6971000	748300	500	-60	270				
GRB1827	RAB	64	6971000	748400	500	-60	270				
GRB1828	RAB	40	6969700	749000	500	-60	270				
GRB1829	RAB	63	6969700	749200	500	-60	270	47	52	5	0.74
GRB1830	RAB	44	6969700	749400	500	-60	270				
GRB1831	RAB	36	6969700	749500	500	-60	270				

ABN: 31 008 402 391
 Level 8, 210 George Street Sydney NSW 2000
 GPO Box 225 Sydney NSW 2001
 Tel: 61 2 9191 4543
 Fax: 61 2 8247 7999
 Website: www.gatewaymining.com.au
 Email: info@gatewaymining.com.au



GRB1832	RAB	50	6969700	749600	500	-60	270				
GRB1833	RAB	50	6969700	749700	500	-60	270				
GRB1834	RAB	50	6969700	749800	500	-60	270				
GRB1835	RAB	60	6969700	749900	500	-60	270				
GRB1836	RAB	65	6969700	750000	500	-60	270				
GRB1837	RAB	36	6969700	750100	500	-60	270				
GRB1922	RAB	41	6970000	749500	500	-60	90				
GRB1923	RAB	45	6970000	749400	500	-60	90				
GRB1924	RAB	48	6970000	749300	500	-60	90				
GRB1925	RAB	41	6970000	749200	500	-60	90				
GRB1926	RAB	55	6970000	749100	500	-60	90				
GRB1927	RAB	38	6970000	749000	500	-60	90				
GRB1928	RAB	38	6970000	748900	500	-60	90				
GRB1929	RAB	50	6970000	748800	500	-60	90				
GRB1930	RAB	65	6969700	749300	500	-60	270				
GRB1931	RAB	61	6969700	749100	500	-60	270				
GRB1932	RAB	59	6969700	748900	500	-60	270				
GRB2213	RAB	51	6970750	750500	500	-60	180				
GRB2214	RAB	43	6970850	750500	500	-60	180				
GRB2215	RAB	60	6970950	750500	500	-60	180				
GRB2216	RAB	31	6970300	749200	500	-60	90				
GRB2217	RAB	33	6970300	749100	500	-60	90				
GRB2218	RAB	45	6970300	749000	500	-60	90				
GRB2219	RAB	51	6970300	748900	500	-60	90				
GRB2220	RAB	42	6970300	748800	500	-60	90				
GRB2249	RAB	30	6969700	748950	500	-60	90				
GRB2250	RAB	27	6969700	748925	500	-60	90				
GRB2251	RAB	54	6969700	748900	500	-60	90				
GRB2252	RAB	27	6970300	748850	500	-60	90				
GRB2253	RAB	41	6970300	748750	500	-60	90				
GRB2254	RAB	50	6970500	749100	500	-60	90				

ABN: 31 008 402 391
 Level 8, 210 George Street Sydney NSW 2000
 GPO Box 225 Sydney NSW 2001
 Tel: 61 2 9191 4543
 Fax: 61 2 8247 7999
 Website: www.gatewaymining.com.au
 Email: info@gatewaymining.com.au



GRB2255	RAB	57	6970500	749000	500	-60	90				
GRB2256	RAB	40	6970500	748900	500	-60	90				
GRB2257	RAB	50	6970500	748800	500	-60	90				
GRB2258	RAB	44	6970500	748700	500	-60	90				
GRB2259	RAB	50	6971400	750100	500	-60	90				
GRB2260	RAB	56	6971400	750000	500	-60	90				
GRB2261	RAB	30	6971400	749900	500	-60	90				
GRB2262	RAB	25	6971400	749700	500	-60	90				
GRB2263	RAB	39	6971400	749500	500	-60	90				
GRB2264	RAB	31	6970150	749050	500	-60	90				
GRB2265	RAB	48	6970150	749000	500	-60	90				
GRB2266	RAB	51	6970150	748975	500	-60	90				
GRB2267	RAB	54	6970150	748950	500	-60	90				
GRB2268	RAB	59	6970150	748925	500	-60	90				
GRB2352	RAB	56	6970600	749700	500	-60	90				
GRB2353	RAB	42	6970600	749650	500	-60	90				
GRB2354	RAB	45	6970600	749600	500	-60	90				
GRB2355	RAB	57	6970600	749550	500	-60	90				
GRB2356	RAB	52	6970600	749500	500	-60	90				
GRB3026	RAB	37	6969725	749150	500	-60	270				
GRB3027	RAB	71	6969725	749200	500	-60	270	50	55	5	0.61
GRB3028	RAB	59	6969725	749250	500	-60	270				
GRB3032	RAB	24	6969700	748950	500	-60	270				
GRB3033	RAB	66	6969700	749050	500	-60	270				
GRB3034	RAB	32	6969700	749150	500	-60	270				
GRB3035	RAB	70	6969700	749175	500	-60	270				
GRB3036	RAB	45	6969700	749350	500	-60	270				
GRB353	RAB	58	6970800	749300	500	-60	90				
GRB354	RAB	61	6970800	749200	500	-60	90				
GRB355	RAB	75	6970800	749100	500	-60	90				
GRB356	RAB	77	6970800	749000	500	-60	90				

ABN: 31 008 402 391
 Level 8, 210 George Street Sydney NSW 2000
 GPO Box 225 Sydney NSW 2001
 Tel: 61 2 9191 4543
 Fax: 61 2 8247 7999
 Website: www.gatewaymining.com.au
 Email: info@gatewaymining.com.au



GRB357	RAB	63	6970800	749400	500	-60	90				
GRB847	RAB	58	6971200	750000	500	-60	360				
GRB848	RAB	53	6971100	750000	500	-60	360				
GRB849	RAB	67	6971000	750000	500	-60	360				
GRB850	RAB	72	6970900	750000	500	-60	360				
GRC079	RC	90	6970471	749302	500	-60	180				
GRC080	RC	110	6970352	749301	500	-60	360				
GRC159	RC	130	6969710	749235	500	-60	270				
GRC173	RC	80	6970300	749185	500	-60	90	36	38	2	1.69
PLRB10	RAB	22	6969851	748935	500	-90	0				
PLRB11	RAB	14	6969852	748975	500	-90	0				
PLRB12	RAB	30	6969853	749015	500	-90	0				
PLRB13	RAB	29	6969853	749055	500	-90	0				
PLRB14	RAB	41	6969854	749095	500	-90	0				
PLRB6	RAB	24	6969849	748795	500	-90	0				
PLRB7	RAB	30	6969849	748815	500	-90	0				
PLRB8	RAB	33	6969850	748855	500	-90	0				
PLRB9	RAB	29	6969851	748895	500	-90	0				

The information in this report that relates to Exploration Results, Mineral Resources or Ore Reserves is based on information compiled by Mr Scott Jarvis, a full time employee & Head Geologist at Gateway Mining, a member of the Australian Institute of Geoscientists. Mr Scott Jarvis has a minimum of 5 years' experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the "Australian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves". Mr Scott Jarvis consents to the inclusion in the report of the matters based on his information in the form and context in which it appears.