

FAST FACTS

Capital Structure
Shares on issue 300 million
Market Cap A\$480 million
Cash in bank A\$50.4 million
(June 11 quarterly)

CORPORATE DIRECTORY

Mel Ashton
Non-Executive Chairman
Stephen Parsons
Managing Director
Didier Murcia
Non-Executive Director
Steven Zaninovich
Non-Executive Director
David Netherway
Non-Executive Director

Matthew Bowles
Chief Development Officer
Tim Holt
Chief Financial Officer
Brett Dunnachie
Company Secretary
Michael Fox
Exploration Manager Burkina Faso

COMPANY HIGHLIGHTS

- New +Million oz gold discovery
- Emerging new gold district
- Aggressive exploration
- Big hitting shareholders
- Proven Management team

Banfora Gold Project, West Africa

- 29Mt @ 2.1g/t for 2,000,000oz gold
- Less than 100m depth & open
- Over 120km of highly prospective regional shear zones,
- 20 high priority targets for testing

Mauritanian Projects West Africa

Tijirit Gold Projects (1,400km²)
Adjacent to Kinross' Tasiast gold mine

Strategic Holdings

Renaissance Minerals (ASX:RNS)
(16%) Australian gold explorer

Tawana Resources NL (ASX: TAW)
(12%) African focused explorer

CONTACT DETAILS

Principal & Registered Office

Freemasons Hall
181 Roberts Road
SUBIACO WA 6008

Website
www.gryphonminerals.com.au

Email
admin@gryphonminerals.com.au

Phone
+61 8 9287 4333

Facsimile
+61 8 9287 4334

ASX CODE: GRY



ASX Announcement and Media Release
Friday, 28 October 2011



Outstanding results continue at Nogbele, includes 68m @ 3.86g/t gold from 12m, Banfora Gold Project, Burkina Faso

Highlights


- **New parallel north-west trending zone of significant high grade gold mineralisation discovered within the Nogbele granordiorite includes; 68m @ 3.86 g/t gold from 12m and 32m @ 1.14 g/t gold from 24m**
- **Ongoing infill and step out drilling at the Nogbele gold deposit continues to intersect significant gold mineralisation, including:**
 - 28m @ 3.51 g/t gold from surface
 - 14m @ 3.01 g/t gold from 130m
 - 10m @ 3.28 g/t gold from 102m
- **Mineralisation is shallow and remains open along strike and down dip**
- **Step out and infill drilling ongoing at the Nogbele and Samavago gold deposits**
- **Banfora Regional drilling continues at the Stinger discovery, Ouahiri prospect and other high priority regional targets**
- **A total of six rigs currently drilling at the Banfora Gold Project with further infill, step out and regional results expected shortly**
- **Definitive Feasibility Study for a 3.5mtpa operation at Banfora well advanced**
- **Mauritanian projects: 30,000 metre RC drilling programme commencing targeting gold at the Tijirit Gold Project, adjacent to Kinross Mining's +21Moz gold mine**

Gryphon Minerals Limited (ASX:GRY) is pleased to announce more outstanding drilling results from ongoing reverse circulation and diamond drilling at the Nogbele Deposit, at the Company's flagship Banfora Gold Project in Burkina Faso, West Africa. The Banfora gold project is located in a major gold producing district, host to such world class gold deposits as Randgold's Tongon (4.2Moz), Resolute's Syama (5Moz mined & 6.5Moz in resources) and Anglo/Randgold's Morila (6.5Moz). Gryphon has already identified a JORC-compliant inferred resource estimate at Banfora of 29Mt @2.1g/t for 2 million ounces of gold.

Gryphon Minerals Managing Director, Steve Parsons said "Once again these are solid drill results from our aggressive exploration program at Banfora and we are really excited by what we are seeing. Nogbele is consistently delivering, shallow, high grade mineralisation that continues to be open along strike and down dip. Banfora is shaping up to be a major gold discovery in a new gold district."




Nogbele Gold Deposit, drill hole locations and selection of drill hole annotations





Banfora Regional Targeting



Over 120km of highly prospective shear zones

So far less than 5% have been drill tested

Currently only 3 prospects, (Nogbele Fourkoura & Samavogo) have inferred resource estimates totalling 2 Million oz gold

A further 20 high priority walk up regional targets for testing

- Resource growth
- Aiming for next resource growth
- High priority walk up drill targets
- Plant location site






Table 1: Drill Hole Summary - greater than 10 gram metre intersects

| Nogbele Deposit- Banfora Gold Project Drill Hole Summary (>10 gram metres) | | | | | | | | |
|---|----------|----------|-------------|-----|------------------|-----|--------------|----------|
| Hole ID | Location | | Orientation | | Intersection (m) | | Interval (m) | Gold g/t |
| | Easting | Northing | Azi | Dip | From | To | | |
| BNRC2005 | 237005 | 1148457 | 145 | -60 | 113 | 116 | 3 | 7.30 |
| BNRC2006 | 237278 | 1148692 | 180 | -60 | 152 | 159 | 7 | 2.08 |
| BNRC2008 | 237225 | 1148636 | 180 | -60 | 95 | 101 | 6 | 3.58 |
| BNRC2011 | 237150 | 1148700 | 180 | -60 | 149 | 162 | 13 | 1.63 |
| BNRC2013 | 237553 | 1148450 | 180 | -60 | 70 | 79 | 9 | 1.14 |
| BNRC2020 | 237250 | 1148585 | 180 | -60 | 11 | 20 | 9 | 1.49 |
| BNRC2034 | 237110 | 1147848 | 145 | -60 | 28 | 36 | 8 | 1.35 |
| | | | | | 93 | 102 | 9 | 1.29 |
| | | | | | 112 | 117 | 5 | 1.69 |
| BNRC2036 | 236522 | 1146965 | 145 | -63 | 31 | 38 | 7 | 1.39 |
| BNRC2038 | 236546 | 1147018 | 145 | -62 | 58 | 67 | 9 | 1.30 |
| BNRC2151 | 236980 | 1148407 | 145 | -60 | 102 | 112 | 10 | 3.28 |
| BNRC2152 | 236910 | 1148323 | 145 | -60 | 111 | 114 | 3 | 12.46 |
| BNRC2154 | 237005 | 1148102 | 145 | -60 | 121 | 123 | 2 | 13.94 |
| BNRC2162 | 237092 | 1148107 | 145 | -60 | 130 | 144 | 14 | 3.01 |
| BNRC2164 | 236609 | 1147095 | 145 | -64 | 82 | 88 | 6 | 2.89 |
| BNRC2351 | 236944 | 1146975 | 225 | -60 | 12 | 76 | 68 | 3.86 |
| BNRC2352 | 236966 | 1146991 | 225 | -60 | 24 | 56 | 32 | 1.14 |
| BNRC2361 | 237602 | 1147385 | 180 | -60 | 12 | 20 | 8 | 1.50 |
| | | | | | 92 | 96 | 4 | 3.32 |
| BNRC2362 | 237653 | 1147350 | 180 | -60 | 40 | 48 | 8 | 3.67 |
| BNRC2364 | 237403 | 1147370 | 180 | -59 | 100 | 108 | 8 | 1.82 |
| BNRC2365 | 237451 | 1147431 | 180 | -60 | 184 | 198 | 14 | 2.23* |
| BNRC2374 | 238129 | 1147197 | 225 | -59 | 20 | 24 | 4 | 5.06 |
| BNRC2375 | 238184 | 1147253 | 225 | -60 | 96 | 100 | 4 | 3.50 |
| BNRC2376 | 238145 | 1147212 | 225 | -60 | 32 | 36 | 4 | 3.16 |
| BNRC2377 | 238083 | 1147225 | 225 | -59 | 12 | 28 | 16 | 1.90 |
| BNRC2380 | 237839 | 1147472 | 225 | -59 | 48 | 56 | 8 | 1.52 |
| BNRC2381 | 237785 | 1147488 | 225 | -60 | 0 | 28 | 28 | 3.51 |
| BNRC2383 | 237749 | 1147595 | 225 | -59 | 80 | 92 | 12 | 2.03 |
| BNRC2384 | 237894 | 1147457 | 225 | -60 | 56 | 64 | 8 | 2.11 |
| BNRC2388 | 237605 | 1147689 | 225 | -59 | 24 | 28 | 4 | 2.92 |
| BNRC2389 | 237613 | 1147737 | 225 | -60 | 76 | 84 | 8 | 3.73 |
| BNRC2392 | 237526 | 1147729 | 225 | -60 | 8 | 12 | 4 | 7.07 |
| BNRCD2244 | 237156 | 1146656 | 180 | -60 | 12 | 20 | 8 | 1.21 |
| | | | | | 28 | 32 | 4 | 2.98 |

Notes:

1. All +10 gram metre results from Reverse Circulation (RC) and Diamond (DD)
2. Samples are 4 and 1 metres.
3. Drill holes not drilled in numerical sequence thus holes numbers appear "missing" or out of order
4. Assaying conducted by BIGS Laboratories, Ouagadougou, Burkina Faso using industry standard 50g lead collection fire assay with AAS finish.
5. Reference standards, field duplicates and blank samples are routinely inserted; quality control samples are routinely monitored.
6. * Hole ends in mineralisation
7. NSR - No Significant Results (<1g/t)



Nogbele Deposit

These latest drilling results are from Reverse Circulation (RC) and Diamond (DD) step out and infill drilling continuing to target shallow mineralisation as well as higher grade down dip extensions. The drill result 68m @ 3.86g/t gold from 12m down hole is from a new parallel north-west trending zone discovered within the Nogbele granodiorite. This new north-west zone is open, shallow oxide and demands immediate follow up drilling. Mineralisation at the Nogbele gold deposit outcrops from surface and continues to be open along strike and down dip with drilling ongoing.

Drill highlights of **+30 gram metre intercepts** in this announcement include:

- 68m @ 3.86g/t gold from 12m
- 28m @ 3.51g/t gold from surface
- 14m @ 3.01g/t gold from 130m
- 3m @ 12.46g/t gold from 111m
- 10m @ 3.28g/t gold from 102m
- 14m @ 2.23g/t gold from 184m BOH
- 32m @ 1.14 g/t gold from 24m
- 16m @ 1.90g/t gold from 12m

Refer to Table 1 for full list of all +10 gram metre intercepts and Appendix 1 for full drill results.

Mineralisation at Nogbele consists of multiple parallel and sub-parallel zones of broad hematite and / or magnetite, silica and pyritic alteration, sericitic schist's and lode quartz veins that dip between "flat" and 60 degrees to the north, "wrapping" around the "nose" of the Nogbele granodiorite into the surrounding sediments and mafic units. Mineralisation is associated with major extensional zones around the northern margin of the Nogbele granitoid intrusive in a similar geological setting to Randgold's 4.2 Million oz Tongon Gold Deposit located approximately 30km to the south of Banfora Gold Project.

"We had two rigs continuing resource drilling through the wet season, which this has now increased to six rigs on site for both resource definition and regional exploration. We expect further significant growth at the Banfora Gold Project as our aggressive drilling programmes continue at the Nogbele deposit, the Fourkoura and Samavogo satellite deposits, plus our multiple other priority regional targets, including the Stinger and Ouahiri prospects." Mr Parsons said.

A further 20 high priority regional targets will be tested with reconnaissance style RAB and auger drilling over the coming months. Further drill results will be made available at the earliest convenience.



Banfora Gold Project, Burkina Faso

The Banfora Gold Project is located in the south-west of Burkina Faso, West Africa in a major gold producing district, host to such world class gold deposits as Tongon (4.2Moz) Syama (5 Moz Au mined & 6.5 Moz Au in resources) and Morila (6.5Moz).

The project is owned 100% by Gryphon Minerals and contains continuous exploration licenses covering approximately 1200km² of a major gold district. The project is easily accessible by road and in close proximity to the town of Banfora and the major city of Bobo Diolasso. Grid power is located approximately 30km from the eastern boundary of the project.

The Company recently announced an inferred resource at the Banfora Project of 29Mt @ 2.1g/t for 2,000,000oz of gold of which the majority is shallow and above 100 metres depth. This latest resource update is an interim estimation with significant potential to define further ounces as the company establishes a multi-million ounce gold district in West Africa through an aggressive on-going drilling programme. (Refer to ASX release 31/03/2011 for details).

Regionally within the 1,200km² project area there remain numerous untested high priority targets which the Company will be targeting during 2011/12.

About Burkina Faso

Burkina Faso is a stable and progressive West African nation with an advanced mining code – demonstrating the nations desire for development. Over the past five years it has grown from being a minor gold to producer to amongst the largest in Africa.

For detailed information on Gryphon Minerals projects please visit our website, www.gryphonminerals.com.au

Yours faithfully

Steve Parsons

Managing Director

The information in this report that relates to Exploration Results, Mineral Resources or Ore Reserves is based on information compiled by Mr Stephen Parsons, who is a Member of The Australasian Institute of Mining and Metallurgy. Mr Stephen Parsons is a full-time employee of the company. Mr Stephen Parsons has sufficient experience which is relevant to the style of mineralisation and type of deposits under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2004 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr Stephen Parsons consents to their inclusion in the report of the matters based on his information in the form and context in which it appears.

Information in this report from data collection to wireframe interpretation, at Nogbele, Fourkoura and Samavogo Prospects and geostatistical modelling calculations is based on work by Mr Sam Brooks which was reviewed by Mr Michael Fox. Mr Brooks is a full time employee of Gryphon Minerals, and a member of the AIG. Mr Fox is a full time employee of Gryphon Minerals and a member of the AIG with sufficient experience relevant to the style of mineralisation and type of deposit to qualify as competent person defined by the 2004 Edition of the 'Australian Code for Reporting of Mineral Resources and Ore Reserves'. Mr Fox consents to the inclusion in this report of the matters based on information in the form and context in which it appears.

Information in this report relating to mining engineering has been compiled by Mr. Stuart Cruickshanks, who is a Member of The Australasian Institute of Mining and Metallurgy. Mr Stuart Cruickshanks is a full-time employee of the company. Mr Stuart Cruickshanks has sufficient experience which is relevant to the style of mineralisation and type of deposits under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2004 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr Stuart Cruickshanks consents to the inclusion in the report of the matters based on his information in the form and context in which it appears.



Appendix 1: Drill hole summary Nogbele drilling

| Banfora Gold Project Drill Hole Summary (Sheet 1) | | | | | | | | |
|--|----------|----------|-------------|-----|------------------|-----|--------------|----------|
| Hole ID | Location | | Orientation | | Intersection (m) | | Interval (m) | Gold g/t |
| | Easting | Northing | Azi | Dip | From | To | | |
| BNRC1992 | 236678 | 1148058 | 90 | -60 | 2 | 4 | 2 | 1.12 |
| | | | | | 6 | 7 | 1 | 1.83 |
| | | | | | 23 | 24 | 1 | 1.89 |
| | | | | | 29 | 30 | 1 | 1.07 |
| | | | | | 98 | 101 | 3 | 1.11 |
| | | | | | 128 | 129 | 1 | 2.85 |
| BNRC2001 | 237107 | 1148664 | 180 | -60 | 71 | 73 | 2 | 1.96 |
| | | | | | 87 | 89 | 2 | 1.31 |
| | | | | | 142 | 145 | 3 | 1.81 |
| BNRC2002 | 237101 | 1148779 | 180 | -60 | 120 | 123 | 3 | 1.56 |
| BNRC2003 | 237064 | 1148553 | 145 | -60 | 36 | 40 | 4 | 1.06 |
| | | | | | 48 | 49 | 1 | 1.00 |
| | | | | | 72 | 73 | 1 | 1.47 |
| | | | | | 119 | 121 | 2 | 4.56 |
| BNRC2004 | 237229 | 1148589 | 180 | -60 | 65 | 66 | 1 | 5.52 |
| | | | | | 71 | 73 | 2 | 1.13 |
| | | | | | 84 | 89 | 5 | 1.48 |
| BNRC2005 | 237005 | 1148457 | 145 | -60 | 21 | 24 | 3 | 2.50 |
| | | | | | 113 | 116 | 3 | 7.30 |
| BNRC2006 | 237278 | 1148692 | 180 | -60 | 60 | 65 | 5 | 1.01 |
| | | | | | 105 | 106 | 1 | 1.11 |
| | | | | | 108 | 111 | 3 | 1.03 |
| | | | | | 137 | 138 | 1 | 1.19 |
| | | | | | 152 | 159 | 7 | 2.08 |
| BNRC2007 | 237276 | 1148642 | 180 | -60 | 114 | 117 | 3 | 2.11 |
| | | | | | 134 | 135 | 1 | 1.65 |
| | | | | | 160 | 162 | 2 | 1.46 |
| BNRC2008 | 237225 | 1148636 | 180 | -60 | 36 | 39 | 3 | 1.62 |
| | | | | | 48 | 51 | 3 | 1.42 |
| | | | | | 95 | 101 | 6 | 3.58 |
| BNRC2009 | 237024 | 1148523 | 145 | -60 | 38 | 40 | 2 | 1.10 |
| | | | | | 117 | 118 | 1 | 1.54 |
| | | | | | 141 | 143 | 2 | 1.30 |
| BNRC2010 | 237002 | 1148650 | 180 | -60 | 108 | 111 | 3 | 1.22 |
| | | | | | 132 | 134 | 2 | 1.02 |
| BNRC2011 | 237150 | 1148700 | 180 | -60 | 149 | 162 | 13 | 1.63 |
| BNRC2012 | 237149 | 1148751 | 180 | -60 | 161 | 163 | 2 | 2.56 |
| | | | | | 169 | 178 | 9 | 1.00 |
| BNRC2013 | 237553 | 1148450 | 180 | -60 | 26 | 28 | 2 | 1.08 |
| | | | | | 70 | 79 | 9 | 1.14 |
| | | | | | 86 | 89 | 3 | 1.34 |
| | | | | | 124 | 126 | 2 | 1.03 |
| BNRC2016 | 237101 | 1148774 | 180 | -60 | 116 | 117 | 1 | 6.34 |
| | | | | | 122 | 123 | 1 | 1.13 |
| | | | | | 201 | 203 | 2 | 2.15 |
| BNRC2017 | 237264 | 1148758 | 180 | -60 | 63 | 66 | 3 | 1.03 |
| | | | | | 77 | 78 | 1 | 1.63 |
| | | | | | 187 | 188 | 1 | 3.08 |
| | | | | | 205 | 210 | 5 | 1.25 |
| BNRC2019 | 237360 | 1148715 | 180 | -60 | 24 | 25 | 1 | 2.09 |
| | | | | | 74 | 75 | 1 | 1.87 |
| | | | | | 109 | 110 | 1 | 1.63 |
| | | | | | 112 | 113 | 1 | 1.14 |
| | | | | | 181 | 182 | 1 | 1.12 |
| | | | | | 187 | 189 | 2 | 3.34 |
| BNRC2020 | 237250 | 1148585 | 180 | -60 | 11 | 20 | 9 | 1.49 |
| | | | | | 39 | 42 | 3 | 2.17 |
| | | | | | 76 | 77 | 1 | 1.64 |
| | | | | | 79 | 80 | 1 | 1.45 |
| | | | | | 110 | 111 | 1 | 2.08 |
| | | | | | 114 | 115 | 1 | 1.02 |
| BNRC2034 | 237110 | 1147848 | 145 | -60 | 23 | 24 | 1 | 1.00 |
| | | | | | 28 | 36 | 8 | 1.35 |
| | | | | | 68 | 69 | 1 | 1.25 |
| | | | | | 93 | 102 | 9 | 1.29 |
| | | | | | 112 | 117 | 5 | 1.69 |



| | | | | | | | | |
|-----------|--------|---------|-----|-----|-----|-----|----|-------|
| BNRC2035 | 236523 | 1147007 | 145 | -60 | 15 | 16 | 1 | 1.22 |
| BNRC2036 | 236522 | 1146965 | 145 | -63 | 31 | 38 | 7 | 1.39 |
| BNRC2037 | 236544 | 1146974 | 145 | -62 | 45 | 47 | 2 | 1.18 |
| BNRC2038 | 236546 | 1147018 | 145 | -62 | 58 | 67 | 9 | 1.30 |
| BNRC2039 | 236572 | 1146985 | 145 | -61 | 11 | 12 | 1 | 2.01 |
| | | | | | 21 | 23 | 2 | 1.13 |
| BNRC2040 | 236562 | 1147038 | 145 | -61 | 64 | 66 | 2 | 1.98 |
| | | | | | 73 | 77 | 4 | 1.77 |
| BNRC2150 | 237004 | 1148368 | 145 | -60 | 76 | 77 | 1 | 1.29 |
| | | | | | 80 | 82 | 2 | 1.98 |
| | | | | | 88 | 89 | 1 | 1.31 |
| BNRC2151 | 236980 | 1148407 | 145 | -60 | 16 | 17 | 1 | 3.58 |
| | | | | | 86 | 88 | 2 | 1.49 |
| | | | | | 90 | 91 | 1 | 1.32 |
| | | | | | 102 | 112 | 10 | 3.28 |
| BNRC2152 | 236910 | 1148323 | 145 | -60 | 20 | 21 | 1 | 3.80 |
| | | | | | 111 | 114 | 3 | 12.46 |
| BNRC2153 | 236881 | 1148368 | 145 | -60 | 33 | 34 | 1 | 1.36 |
| | | | | | 42 | 44 | 2 | 1.71 |
| BNRC2154 | 237005 | 1148102 | 145 | -60 | 60 | 61 | 1 | 1.68 |
| | | | | | 121 | 123 | 2 | 13.94 |
| | | | | | 150 | 152 | 2 | 2.27 |
| BNRC2155 | 236988 | 1148128 | 145 | -60 | 67 | 69 | 2 | 1.17 |
| BNRC2158 | 236918 | 1148228 | 145 | -60 | 76 | 78 | 2 | 1.93 |
| | | | | | 94 | 96 | 2 | 1.31 |
| BNRC2160 | 236822 | 1148372 | 145 | -60 | 13 | 14 | 1 | 1.08 |
| BNRC2161 | 236848 | 1148328 | 145 | -60 | 86 | 88 | 2 | 1.32 |
| | | | | | 135 | 136 | 1 | 1.87 |
| | | | | | 144 | 145 | 1 | 4.39 |
| BNRC2162 | 237092 | 1148107 | 145 | -60 | 21 | 24 | 3 | 1.14 |
| | | | | | 130 | 144 | 14 | 3.01 |
| BNRC2164 | 236609 | 1147095 | 145 | -64 | 49 | 50 | 1 | 3.76 |
| | | | | | 82 | 88 | 6 | 2.89 |
| BNRC2165 | 236617 | 1147008 | 145 | -61 | 2 | 7 | 5 | 1.74 |
| BNRC2295 | 235106 | 1143981 | 90 | -60 | 52 | 56 | 4 | 1.66 |
| BNRC2298 | 237552 | 1147417 | 180 | -59 | 144 | 148 | 4 | 1.15 |
| BNRC2299 | 237449 | 1147397 | 180 | -59 | 112 | 120 | 8 | 1.00 |
| | | | | | 128 | 136 | 8 | 1.04 |
| BNRC2351 | 236944 | 1146975 | 225 | -60 | 12 | 76 | 68 | 3.86 |
| BNRC2352 | 236966 | 1146991 | 225 | -60 | 24 | 56 | 32 | 1.14 |
| BNRC2356 | 236914 | 1147011 | 225 | -60 | 32 | 36 | 4 | 1.40 |
| BNRC2361 | 237602 | 1147385 | 180 | -60 | 12 | 20 | 8 | 1.50 |
| | | | | | 92 | 96 | 4 | 3.32 |
| BNRC2362 | 237653 | 1147350 | 180 | -60 | 40 | 48 | 8 | 3.67 |
| BNRC2363 | 237400 | 1147291 | 180 | -60 | 8 | 12 | 4 | 2.17 |
| BNRC2364 | 237403 | 1147370 | 180 | -59 | 100 | 108 | 8 | 1.82 |
| | | | | | 156 | 158 | 2 | 2.53 |
| BNRC2365 | 237451 | 1147431 | 180 | -60 | 164 | 168 | 4 | 1.19 |
| | | | | | 184 | 198 | 14 | 2.23* |
| BNRC2366 | 238241 | 1147170 | 225 | -59 | 42 | 44 | 2 | 2.28 |
| | | | | | 48 | 52 | 4 | 1.10 |
| BNRC2374 | 238129 | 1147197 | 225 | -59 | 20 | 24 | 4 | 5.06 |
| BNRC2375 | 238184 | 1147253 | 225 | -60 | 84 | 88 | 4 | 1.19 |
| | | | | | 96 | 100 | 4 | 3.50 |
| BNRC2376 | 238145 | 1147212 | 225 | -60 | 32 | 36 | 4 | 3.16 |
| BNRC2377 | 238083 | 1147225 | 225 | -59 | 12 | 28 | 16 | 1.90 |
| BNRC2380 | 237839 | 1147472 | 225 | -59 | 36 | 40 | 4 | 1.20 |
| | | | | | 48 | 56 | 8 | 1.52 |
| BNRC2381 | 237785 | 1147488 | 225 | -60 | 0 | 28 | 28 | 3.51 |
| BNRC2383 | 237749 | 1147595 | 225 | -59 | 80 | 92 | 12 | 2.03 |
| BNRC2384 | 237894 | 1147457 | 225 | -60 | 56 | 64 | 8 | 2.11 |
| BNRC2388 | 237605 | 1147689 | 225 | -59 | 24 | 28 | 4 | 2.92 |
| BNRC2389 | 237613 | 1147737 | 225 | -60 | 76 | 84 | 8 | 3.73 |
| BNRC2390 | 237568 | 1147688 | 225 | -60 | 8 | 16 | 8 | 1.02 |
| BNRC2392 | 237526 | 1147729 | 225 | -60 | 8 | 12 | 4 | 7.07 |
| BNRCD2021 | 237510 | 1148425 | 180 | -60 | 21 | 22 | 1 | 1.03 |
| | | | | | 44 | 47 | 3 | 2.04 |
| | | | | | 58 | 62 | 4 | 1.71 |
| BNRCD2244 | 237156 | 1146656 | 180 | -60 | 12 | 20 | 8 | 1.21 |
| | | | | | 28 | 32 | 4 | 2.98 |
| BNRCD2246 | 236800 | 1148171 | 225 | -51 | 36 | 44 | 8 | 1.01 |
| BNRCD2248 | 236798 | 1148045 | 225 | -50 | 0 | 8 | 8 | 1.15 |
| | | | | | 12 | 20 | 8 | 1.07 |
| BNRCD2249 | 237398 | 1148742 | 180 | -60 | 0 | 4 | 4 | 2.14 |



Notes:

1. All results from Reverse Circulation (RC) and Diamond (DD)
2. Samples are 4 and 1 metres.
3. Drill holes not drilled in numerical sequence thus holes numbers appear "missing" or out of order
4. Assaying conducted by BIGS Laboratories, Ouagadougou, Burkina Faso using industry standard 50g lead collection fire assay with AAS finish.
5. Reference standards, field duplicates and blank samples are routinely inserted; quality control samples are routinely monitored.
6. * Hole ends in mineralisation
7. NSR - No Significant Results (<1g/t)