



8 June 2012

Australian-based Kentor Gold Limited (ASX: KGL) is entering the ranks of operating gold mining companies in 2012. The Company is progressing a pipeline of advanced projects in Australia and the Kyrgyz Republic.

The **Murchison Gold Project** in Western Australia -scheduled to commence high grade gold mining at the Burnakura plant in mid-2012, with the potential to add gold-copper production from the neighbouring Gabanintha deposit.

The high grade, very low cost **Andash Gold-Copper Project** in the Kyrgyz Republic – development-ready, awaiting site access and targeting 2013 to commence production at 70,000 oz gold and 7,400 tonnes copper pa for an initial six years, with high potential for expansion.

The **Jervois Copper-Silver-Gold Project** in the Northern Territory – targeting 2014 start-up following current studies into developing the high grade copper-silver resource with potential for gold, magnetite and other base metals.

Issued capital:

106.2 million ordinary shares

5.8 million unlisted options

Market Capitalisation

7 June 2012: \$83 million

Exceptional near surface high grade drill results at Kentor Gold's Jervois Copper-Silver-Gold Project

- **Assays up to 19.4% copper, 37.6% lead, 14.2% zinc and 702 g/t silver**

High grade, near surface drill results from holes designed to provide samples for the metallurgical test work program have recorded some of the best grades of this year's drilling program at the Jervois Copper-Silver-Gold Project in the Northern Territory, including assays of up to 19.4% copper, 37.6% lead, 14.2% zinc and 702g/t silver.

The results, announced by Kentor Gold Limited ("Kentor Gold" or "the Company") today, include:

- **60m @ 1.73% copper, 3.81% lead, 1.15% zinc, 113.3g/t silver, 0.21g/t gold from 7.1 m (Hole JMET11)**
 - **Including 12.06% copper, 2.42% lead, 2.4% zinc, 217.3 g/t silver and 0.62% gold in the first 3.35 metres**
- **16.3m @ 1.87% copper, 55.3g/t silver and 0.59g/t gold from 15.2 m (Hole JMET3)**
- **10.3m @ 2.1% copper and 13.3g/t silver from 17.4 m (Hole JMET4)**

The drilling is part of a feasibility study being undertaken following a recently completed scoping study which found that Jervois would be a robust project producing strong financial returns.

Commenting on the results, Kentor Gold Managing Director Simon Milroy said:

"These significant, near-surface results continue to confirm the open pit mining potential of the Jervois Project.

"The high grade multi-metal results include good gold grades, strengthening the expectation that we will be able to include gold for the first time in an increased Mineral Resource."



Metallurgical drilling at the Jervois Project in the Northern Territory continues to indicate significant mineralisation in targeted areas.

Hole JMET11 started and ended within the mineralised horizon and was designed to provide a large volume of mineralisation above and below the base of oxidation traversing 10m of true width.

The base of oxidation is reasonably shallow and as observed in these holes ranges from 19-22m vertical depth.

Of the planned 5,459m of diamond drilling Kentor has now completed 4,179m. The remaining 6 diamond tails totalling 1,280m are anticipated to be completed by mid-July.

The 10,000m RC drilling program is also nearing completion with the remaining 11 holes to be drilled this month.

All thirteen metallurgical diamond holes have now arrived at Ammtec's laboratory in Perth where comminution test work and analysis has commenced. This will build on results received from the three holes analysed in Kentor's earlier test work programs.






Figure 1 Hole JMET11 PQ core from 7.10m to 9.60m – copper mineralisation



Figure 2 Hole JMET11 PQ core from 53.80m to 56.18m - massive sulphide mineralisation

Table 1. Drill Hole Mineralisation Intercepts

Hole ID	From (m)	To (m)	Interval (m)	EHTW* (m)	Cu %	Pb %	Zn %	Ag g/t	Au g/t
JMET11	7.1	67.1	60.0	10.0	1.73	3.81	1.15	113.3	0.21
(PQ Diamond)	including								
630 377mE	7.1	10.45	3.35	0.6	12.06	2.42	2.4	217.3	0.62
7 495 055mN	41.3	45.05	3.75	0.6	0.67	9.79	0.84	224.3	0.16
Dip -70°	51.1	61.76	9.66	1.6	2.20	17.29	3.3	422.8	0.73
Az 330°	60.76	65.8	5.04	0.8	3.97	0.26	0.74	7.5	0.14
	66.4	67.1	0.7	0.1	1.80	0.17	0.58	6.0	0.03
JMET3									
(PQ Diamond)									
630 377mE									
7 495 055mN	13.5	15.2	1.7	1.1	0.34	0.1	0.26	6.0	0.02
Dip -50°	15.2	31.5	16.3	10.4	1.87	0.25	0.27	55.3	0.59
Az 270°	46	48.4	2.4	1.5	0.37	0.10	0.40	8.0	0.07
JMET4									
(PQ Diamond)									
630 382mE									
7 495 055mN									
Dip -60°	13.5	17.4	3.9	2	0.6	0.1	0.33	7.4	n/a
Az 270°	17.4	27.7	10.3	5.2	2.1	0.09	0.23	13.3	n/a

*Estimated horizontal true width



Table 2. Assays from Metallurgical Drilling

Hole ID	From (m)	To (m)	Interval (m)	Silver g/t	Gold g/t	Copper %	Lead %	Zinc %
JMET11	0	3.2	3.2	<2	<0.02	0.05	0.05	0.20
JMET11	3.2	4.1	0.9	<2	<0.02	0.07	0.05	0.30
JMET11	4.1	5.08	0.98	<2	<0.02	0.04	0.03	0.22
JMET11	5.08	5.7	0.62	<2	<0.02	0.04	0.03	0.28
JMET11	5.7	6.5	0.8	<2	<0.02	0.04	0.16	0.31
JMET11	6.5	7.1	0.6	<2	<0.02	0.05	0.21	0.27
JMET11	7.1	7.9	0.8	196	0.66	19.40	0.49	0.59
JMET11	7.9	8.8	0.9	106	0.54	10.50	3.38	1.70
JMET11	8.8	9.6	0.8	36	0.42	7.05	2.36	1.58
JMET11	9.6	10.45	0.85	526	0.85	11.50	3.26	5.60
JMET11	10.45	11.3	0.85	74	0.12	1.64	0.94	2.58
JMET11	11.3	12.25	0.95	16	0.14	0.74	0.40	0.86
JMET11	12.25	13.1	0.85	26	0.06	0.98	0.37	0.75
JMET11	13.1	14	0.9	50	0.14	2.23	0.19	0.30
JMET11	14	14.8	0.8	42	0.09	1.25	1.03	1.06
JMET11	14.8	15.65	0.85	38	0.07	0.62	0.35	0.73
JMET11	15.65	16.5	0.85	70	0.05	0.31	0.58	1.72
JMET11	16.5	17.47	0.97	92	0.15	0.48	0.87	2.21
JMET11	17.47	18.25	0.78	74	0.23	0.46	0.89	1.54
JMET11	18.25	19.1	0.85	110	0.14	0.85	0.74	0.48
JMET11	19.1	20.04	0.94	30	0.04	0.55	0.50	0.28
JMET11	20.04	20.9	0.86	40	0.04	0.22	0.49	0.34
JMET11	20.9	21.6	0.7	168	0.12	0.72	1.97	0.81
JMET11	21.6	22.27	0.67	136	0.27	1.61	1.27	0.42
JMET11	22.27	23.1	0.83	26	0.06	0.83	0.54	0.44
JMET11	23.1	23.9	0.8	42	0.04	0.50	0.47	0.50
JMET11	23.9	24.8	0.9	42	0.04	0.24	0.67	0.45
JMET11	24.8	25.6	0.8	8	0.05	0.26	0.21	0.17
JMET11	25.6	26.4	0.8	6	<0.02	0.03	0.12	0.18
JMET11	26.4	27.27	0.87	6	0.07	0.36	0.17	0.41
JMET11	27.27	28.1	0.83	12	0.04	0.45	0.24	0.46
JMET11	28.1	29	0.9	32	0.17	0.23	0.35	0.33
JMET11	29	29.88	0.88	2	0.06	0.71	0.18	0.66
JMET11	29.88	30.85	0.97	6	0.03	0.11	0.14	0.29
JMET11	30.85	31.7	0.85	12	0.03	0.24	0.27	0.36
JMET11	31.7	32.57	0.87	12	<0.02	0.04	0.13	0.24
JMET11	32.57	33.1	0.53	12	0.04	0.33	0.22	0.31
JMET11	33.1	33.7	0.6	6	0.09	0.58	0.10	0.40
JMET11	33.7	34.46	0.76	6	<0.02	0.25	0.08	0.38
JMET11	34.46	35.35	0.89	12	<0.02	0.88	0.14	0.12
JMET11	35.35	36.2	0.85	6	0.03	0.48	0.18	0.30
JMET11	36.2	37.16	0.96	8	<0.02	0.76	0.11	0.30
JMET11	37.16	37.9	0.74	4	0.07	0.94	0.08	0.75
JMET11	37.9	38.8	0.9	4	<0.02	0.02	0.09	0.32
JMET11	38.8	39.64	0.84	20	0.03	0.02	0.36	0.32
JMET11	39.64	40.5	0.86	2	<0.02	0.12	0.14	0.18
JMET11	40.5	41.3	0.8	4	<0.02	0.06	0.15	0.40
JMET11	41.3	42.17	0.87	58	0.03	0.24	1.60	0.65
JMET11	42.17	42.95	0.78	394	0.24	1.20	10.40	0.62
JMET11	42.95	43.7	0.75	484	0.37	1.56	32.30	1.77
JMET11	43.7	44.5	0.8	116	0.1	0.20	2.85	0.56



Hole ID	From (m)	To (m)	Interval (m)	Silver g/t	Gold g/t	Copper %	Lead %	Zinc %
JMET11	44.5	45.05	0.55	50	0.06	0.05	1.27	0.59
JMET11	45.05	46	0.95	8	<0.02	0.27	0.39	0.62
JMET11	46	46.94	0.94	18	<0.02	0.06	0.42	0.72
JMET11	46.94	47.85	0.91	16	<0.02	0.10	0.40	0.70
JMET11	47.85	48.75	0.9	10	0.04	0.43	0.23	0.47
JMET11	48.75	49.48	0.73	6	0.04	0.00	0.16	0.23
JMET11	49.48	50.2	0.72	6	0.02	0.04	0.18	0.23
JMET11	50.2	51.1	0.9	24	0.03	0.08	0.60	0.40
JMET11	51.1	51.6	0.5	310	0.17	0.37	6.13	0.68
JMET11	51.6	52.3	0.7	336	0.29	0.23	8.06	1.16
JMET11	52.3	53	0.7	280	0.21	0.24	6.09	0.80
JMET11	53	53.8	0.8	332	0.38	0.36	7.22	3.13
JMET11	53.8	54.5	0.7	364	0.44	0.48	8.50	2.28
JMET11	54.5	55.4	0.9	660	0.69	1.34	34.60	2.33
JMET11	55.4	56.18	0.78	514	1.18	2.88	37.60	3.90
JMET11	56.18	56.95	0.77	702	1.19	3.35	24.10	14.20
JMET11	56.95	57.85	0.9	480	1.35	0.92	23.60	2.62
JMET11	57.85	58.55	0.7	536	1.36	2.90	29.90	4.10
JMET11	58.55	59.2	0.65	504	1.12	4.80	22.90	4.72
JMET11	59.2	60	0.8	240	0.39	2.60	4.85	1.46
JMET11	60	60.76	0.76	152	0.51	7.89	3.10	0.64
JMET11	60.76	61.45	0.69	12	0.08	2.40	0.19	0.22
JMET11	61.45	62.35	0.9	4	0.05	2.74	0.06	0.21
JMET11	62.35	63.2	0.85	4	0.02	0.49	0.12	0.19
JMET11	63.2	64.1	0.9	8	0.18	8.10	0.11	1.82
JMET11	64.1	64.95	0.85	6	0.18	5.00	0.24	1.10
JMET11	64.95	65.8	0.85	12	0.33	4.64	0.87	0.75
JMET11	65.8	66.4	0.6	<2	<0.02	0.24	0.16	0.10
JMET11	66.4	67.1	0.7	6	0.03	1.80	0.17	0.58
JMET11	67.1	67.61	0.51	<2	<0.02	0.33	0.06	0.10
JMET11	67.61	68.5	0.89	<2	<0.02	0.01	0.02	0.07
JMET11	68.5	68.8	0.3	<2	<0.02	0.01	0.02	0.03
JMET3	13.5	14.4	0.9	6	<0.02	0.35	0.07	0.27
JMET3	14.4	15.2	0.8	6	0.05	0.32	0.15	0.24
JMET3	15.2	16.1	0.9	22	0.2	1.05	0.82	0.55
JMET3	16.1	16.77	0.67	18	0.23	2.04	0.20	0.33
JMET3	16.77	17.6	0.83	260	1.3	6.61	0.75	1.17
JMET3	17.6	18.5	0.9	8	0.2	0.72	0.63	0.44
JMET3	18.5	19.36	0.86	74	1.7	2.93	1.14	0.51
JMET3	19.36	20.2	0.84	516	1.71	6.83	0.55	0.53
JMET3	20.2	20.95	0.75	46	1.18	1.61	0.15	0.24
JMET3	20.95	21.78	0.83	12	0.57	1.01	0.05	0.16
JMET3	21.78	22.7	0.92	44	0.45	1.14	0.07	0.13
JMET3	22.7	23.6	0.9	16	0.47	1.83	0.09	0.13
JMET3	23.6	24	0.4	6	0.3	1.43	0.06	0.03
JMET3	24	25.35	1.35	4	0.17	1.01	0.03	0.06
JMET3	25.35	26.1	0.75	2	0.6	0.25	0.01	0.06
JMET3	26.1	27.05	0.95	2	0.35	0.31	0.02	0.09
JMET3	27.05	28	0.95	6	0.13	1.35	0.01	0.21
JMET3	28	28.95	0.95	12	0.47	1.44	0.03	0.16
JMET3	28.95	29.78	0.83	4	0.33	1.02	0.03	0.13
JMET3	29.78	30.6	0.82	8	0.62	1.40	0.04	0.12



JMET3	30.6	31.5	0.9	14	0.44	2.18	0.05	0.19
Hole ID	From (m)	To (m)	Interval (m)	Silver g/t	Gold g/t	Copper %	Lead %	Zinc %
JMET3	31.5	32.41	0.91	4	0.15	0.37	0.02	0.06
JMET3	32.41	33.25	0.84	4	0.05	0.16	0.01	0.03
JMET3	33.25	34.15	0.9	10	0.23	0.28	0.02	0.05
JMET3	34.15	35.06	0.91	10	0.13	0.22	0.03	0.08
JMET3	35.06	35.9	0.84	4	<0.02	0.04	0.01	0.04
JMET3	35.9	36.75	0.85	2	0.03	0.10	0.02	0.05
JMET3	36.75	37.51	0.76	2	<0.02	0.07	0.04	0.09
JMET3	37.51	38.15	0.64	4	0.05	0.12	0.06	0.13
JMET3	38.15	39.1	0.95	4	0.11	0.17	0.06	0.23
JMET3	39.1	40.08	0.98	2	<0.02	0.06	0.05	0.12
JMET3	40.08	41	0.92	6	0.07	0.10	0.06	0.09
JMET3	41	41.82	0.82	2	<0.02	0.02	0.01	0.05
JMET3	41.82	42.66	0.84	4	<0.02	0.07	0.05	0.17
JMET3	42.66	43.3	0.64	<2	<0.02	0.00	0.01	0.02
JMET3	43.3	44.1	0.8	<2	<0.02	0.02	0.01	0.07
JMET3	44.1	45.14	1.04	<2	<0.02	0.01	0.01	0.03
JMET3	45.14	46	0.86	2	<0.02	0.08	0.01	0.04
JMET3	46	46.8	0.8	8	0.08	0.53	0.08	0.57
JMET3	46.8	47.59	0.79	10	0.08	0.38	0.13	0.36
JMET3	47.59	48.4	0.81	6	0.04	0.22	0.08	0.28
JMET3	48.4	49.1	0.7	2	<0.02	0.02	0.02	0.11
JMET3	49.1	49.96	0.86	6	<0.02	0.02	0.03	0.08
JMET3	49.96	50.9	0.94	2	<0.02	0.01	0.01	0.03
JMET4	13.5	14.2	0.7	8	n/a	0.58	0.07	0.30
JMET4	14.2	14.9	0.7	4	n/a	0.28	0.05	0.19
JMET4	14.9	15.7	0.8	8	n/a	0.81	0.11	0.35
JMET4	15.7	16.7	1	10	n/a	0.65	0.14	0.34
JMET4	16.7	17.4	0.7	6	n/a	0.62	0.09	0.47
JMET4	17.4	18.15	0.75	38	n/a	3.54	0.25	0.96
JMET4	18.15	18.85	0.7	18	n/a	1.27	0.15	0.20
JMET4	18.85	19.79	0.94	26	n/a	2.04	0.31	0.55
JMET4	19.79	20.6	0.81	10	n/a	1.44	0.14	0.20
JMET4	20.6	21.5	0.9	6	n/a	1.35	0.03	0.16
JMET4	21.5	22.3	0.8	4	n/a	0.38	0.03	0.21
JMET4	22.3	23.27	0.97	12	n/a	0.97	0.02	0.18
JMET4	23.27	24.1	0.83	8	n/a	0.80	0.06	0.13
JMET4	24.1	25	0.9	10	n/a	1.28	0.04	0.04
JMET4	25	25.9	0.9	6	n/a	2.53	0.02	0.06
JMET4	25.9	26.83	0.93	16	n/a	5.14	0.05	0.08
JMET4	26.83	27.7	0.87	8	n/a	4.20	0.03	0.09
JMET4	27.7	28.6	0.9	2	n/a	0.19	0.03	0.07
JMET4	28.6	29.5	0.9	4	n/a	0.17	0.01	0.08
JMET4	29.5	30.3	0.8	2	n/a	0.14	0.08	0.34
JMET4	30.3	31.15	0.85	4	n/a	0.19	0.19	1.10
JMET4	31.15	32	0.85	<2	n/a	0.05	0.01	0.06
JMET4	32	32.9	0.9	<2	n/a	0.02	0.01	0.06
JMET4	32.9	33.67	0.77	<2	n/a	0.08	0.04	0.24
JMET4	33.67	34.6	0.93	22	n/a	0.38	0.25	0.46
JMET4	34.6	35.2	0.6	6	n/a	0.11	0.23	0.57
JMET4	35.2	36.1	0.9	<2	n/a	0.02	0.02	0.07
JMET4	36.1	36.88	0.78	<2	n/a	0.02	0.06	0.13



JMET4	36.88	37.6	0.72	<2	n/a	0.03	0.01	0.10
JMET4	37.6	38.5	0.9	<2	n/a	0.01	0.01	0.05
Hole ID	From (m)	To (m)	Interval (m)	Silver g/t	Gold g/t	Copper %	Lead %	Zinc %
JMET4	38.5	39.45	0.95	<2	n/a	0.04	0.01	0.05
JMET4	39.45	40.38	0.93	<2	n/a	0.01	0.01	0.08
JMET4	40.38	41.1	0.72	<2	n/a	0.01	0.03	0.08
JMET4	41.1	41.95	0.85	<2	n/a	0.01	0.02	0.08
JMET4	41.95	42.9	0.95	8	n/a	0.28	0.24	0.09
JMET4	42.9	43.9	1	<2	n/a	0.01	0.13	0.06
JMET4	43.9	44.8	0.9	<2	n/a	0.00	0.10	0.07
JMET4	44.8	45.75	0.95	<2	n/a	0.01	0.05	0.06
JMET4	45.75	46.7	0.95	<2	n/a	0.00	0.19	0.09
JMET4	46.7	47.5	0.8	2	n/a	0.02	0.18	0.20
JMET4	47.5	48.3	0.8	2	n/a	0.04	0.29	0.56
JMET4	48.3	49.15	0.85	10	n/a	0.18	0.34	0.07
JMET4	49.15	50	0.85	<2	n/a	0.04	0.10	0.08
JMET4	50	50.92	0.92	4	n/a	0.03	0.35	0.17
JMET4	50.92	51.7	0.78	4	n/a	0.07	0.63	0.27
JMET4	51.7	52.5	0.8	6	n/a	0.08	0.59	0.18
JMET4	52.5	53.45	0.95	6	n/a	0.03	0.54	0.12
JMET4	53.45	54.41	0.96	4	n/a	0.04	0.17	0.09
JMET4	54.41	55.2	0.79	<2	n/a	0.02	0.12	0.05
JMET4	55.2	56	0.8	<2	n/a	0.08	0.06	0.07
JMET4	56	56.85	0.85	<2	n/a	0.01	0.05	0.12
JMET4	56.85	57.67	0.82	<2	n/a	0.01	0.00	0.11
JMET4	57.67	58.5	0.83	8	n/a	0.07	0.29	0.24
JMET4	58.5	59.3	0.8	8	n/a	0.08	0.20	0.24
JMET4	59.3	60.05	0.75	2	n/a	0.05	0.20	0.40
JMET4	60.05	60.9	0.85	<2	n/a	0.03	0.04	0.15
JMET4	60.9	61.85	0.95	<2	n/a	0.02	0.01	0.06
JMET4	61.85	62.7	0.85	<2	n/a	0.05	0.02	0.05
JMET4	62.7	63.55	0.85	<2	n/a	0.01	0.05	0.13
JMET4	63.55	64.47	0.92	<2	n/a	0.00	0.02	0.03
JMET4	64.47	65.35	0.88	<2	n/a	0.01	0.01	0.01
JMET4	65.35	66.2	0.85	<2	n/a	0.01	0.01	0.02
JMET4	66.2	67.05	0.85	<2	n/a	0.01	0.02	0.08
JMET4	67.05	68	0.95	<2	n/a	0.01	0.34	0.24
JMET4	68	68.8	0.8	<2	n/a	0.00	0.08	0.21
JMET4	68.8	69.7	0.9	<2	n/a	0.00	0.06	0.18
JMET4	69.7	70.6	0.9	<2	n/a	0.00	0.01	0.08
JMET4	70.6	71.9	1.3	<2	n/a	0.01	0.01	0.09
JMET4	71.9	72.2	0.3	<2	n/a	0.01	0.05	0.11
JMET4	72.2	73.15	0.95	<2	n/a	0.00	0.01	0.06
JMET4	73.15	74	0.85	<2	n/a	0.01	0.01	0.06
JMET4	74	74.86	0.86	<2	n/a	0.00	0.03	0.06
JMET4	74.86	75.7	0.84	<2	n/a	0.00	0.03	0.11
JMET4	75.7	76.6	0.9	<2	n/a	0.01	0.02	0.09
JMET4	76.6	77.4	0.8	<2	n/a	0.00	0.01	0.03
JMET4	77.4	78.3	0.9	<2	n/a	0.01	0.00	0.03
JMET4	78.3	79.1	0.8	<2	n/a	0.00	0.00	0.04
JMET4	79.1	80	0.9	<2	n/a	0.01	0.01	0.12
JMET4	80	80.85	0.85	<2	n/a	0.01	0.03	0.16
JMET4	80.85	81.7	0.85	<2	n/a	0.00	0.01	0.04



For further information contact:

Mr Simon Milroy
Managing Director
Phone: (07) 3071 9003
Email: info@kentorgold.com.au

Mr. David Waterhouse
Investor Relations
Phone (03) 9670 5008
Email: dwaterhouse@waterhouseir.com.au

Competent Person Statement

The data in this report is based on information compiled by Rudy Lennartz, who is a member of the Australasian Institute of Mining and Metallurgy and a full time employee of Kentor Minerals (NT) Pty Ltd. Mr. Lennartz has sufficient experience which is relevant to the style of the mineralisation and the type of deposit under consideration and to the activity to which he is undertaking, to qualify as a Competent Person as defined in the 2004 Edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves. Mr. Lennartz has consented to the inclusion of this information in the form and context in which it appears in this report.