

REPORT ON ACTIVITIES & APPENDIX 5B FOR THE QUARTER ENDED 31 MAY 2024

28 June 2024

Melbourne, Australia — Southern Cross Gold Ltd (“SXG” or the “Company”) (ASX: SXG) is pleased to report on its activities for the quarter ended 31 May 2024.

HIGHLIGHTS

- Rising Sun continued to deliver outstandingly high-grade results throughout the quarter.
- The Company reported nine drill holes during the quarter. SDDSC107 and SDDSC118 bookend this report with intersections returning >1,000g/t Au
- Rising Sun
 - SDDSC107 (455.3 m @ 7.2 g/t Au from 413.6 m (uncut) was the best hole drilled to date at the project 20 m along strike (and down dip) from SDDSC077B (404.4 m @ 5.6 g/t AuEq (uncut)).
 - SDDSC113 intercepted nine mineralised structures over 473 m @ 1.7 g/t AuEq (1.6 g/t Au, 0.1% Sb) uncut and contained eight assayed intervals > 50 g/t Au (up to 684 g/t Au) and six intervals > 5% Sb (up to 18.4% Sb).
 - SDDSC115A intercepted 11 mineralised structures including 1.3 m @ 90.2 g/t AuEq from 643.4 m and 0.3 m @ 116.1 g/t AuEq from 646.3 m, which was located 68 m down-plunge of the above reported SDDSC107 (4.7 m @ 76.6 g/t AuEq), suggesting the possibility of a new high-grade mineralised domain.
 - SDDSC117 was designed to test the strike continuity of two high-grade targets in the footwall of the mineralised host and highlighted the potential for high grade internal shoots and linking features within known planes of mineralisation.
 - SDDSC118 is the deepest hole on the project to date which extended mineralisation 80 m down dip with 3.6 m @ 124.8 g/t Au from 1,120.4 m.

Corporate

- Subsequent to the end of the quarter SXG announced the signing of a Non-Binding Term Sheet with regards to the proposed merger with Mawson Gold Ltd, leading to 100% consolidation of the Sunday Creek asset in a dual listed company in Canada and Australia. The issued capital of the consolidated company at the completion of the proposed merger will be the same capital structure of SXG today.
- The Company closed its fully underwritten A\$10.23m Rights Issue.
- The Company is funded with \$13.36m in cash at the end of the quarter.

SOUTHERN CROSS GOLD LTD

Level 21, 459 Collins Street, Melbourne Vic 3000 Australia
 Justin Mouchacca - Company Secretary
 p: +61 3 8630 3321 e: jm@southerncrossgold.com.au
 Nicholas Mead - Investor Relations
 p: +61 415 153 122 e: info@southerncrossgold.com.au

ABN: 70 652 166 795
 ASX Code: SXG
 Issued Capital: 195.6M fully paid shares

Company overview

Southern Cross Gold Ltd is an exploration stage company with a focus on gold exploration in Australia. The Company's focus is primarily on the exploration and development of its portfolio of exploration projects through its wholly owned subsidiaries, Clonbinane Goldfield Pty Ltd ("Clonbinane"), Mawson Victoria Pty Ltd ("Mawson Victoria") and Mawson Queensland Pty Ltd ("Mawson Queensland") which hold rights in the following Projects:

1. Sunday Creek Project – Victoria - 100% ownership via Clonbinane;
2. Redcastle Project – Victoria - 70% ownership via Mawson Victoria; and
3. Mt Isa Project – 100% ownership via Mawson Queensland.

The Victorian projects cover 291.5 km² over two historic high grade epizonal goldfields of the Melbourne Zone in Central Victoria. The Mt Isa Project covers 861 km² of tenure in the Cloncurry/Mount Isa block in Queensland, over a combined 60 km of strike.

The Company also holds a strategic 6.7% ownership of Nagambie Resources Ltd (ASX: NAG) ('Nagambie') which entitles the Company to a Right of First Refusal over tenements controlled by Nagambie in Central Victoria.

Sunday Creek Project

The 100%-owned Sunday Creek epizonal-style gold project is located 60 km north of Melbourne within 19,365 ha of granted exploration tenements.

Diamond drilling at Sunday Creek continued during the period with the objective of defining gold mineralisation at depth at the main drill area over a 1.2 km trend between an area 250 m to the west of the Golden Dyke to the Apollo zone and up to 7,500 m along strike to the north-east at the Tonal, Consols and Leviathan prospects which was the first ever drilling along a 10,000 m mineralised trend at Sunday Creek that extends beyond the main drill area and is defined by historic workings and soil sampling.

The Company considers Sunday Creek to be the best new exploration discovery in Australia in recent times with 47 individual intersections in the 50 to 100 AuEq g/t x m ("AuEq g/t x width in m") range and 38 individual intersections exceeding 100 AuEq g/t x m using a 2 m @ 1.0 g/t AuEq lower cut at quarter's end. Mineralisation remains open at depth and along strike with 47 modelled vein sets defined to date.

The Company reported nine drill holes during the quarter. Continuity within wide zones and high-grades is now evident down to over 1,000 m vertical depth. Subsequent to the end of the period, the Company announced results from drillhole SDDSC118 and had ten holes (SDDSC114W1, 119, 119W1, 120, 121, 121W1, 122, 123, 124, 125) currently being processed and analysed, with four holes (SDDSC122W1, 050W1, 126, 127) in progress. Cumulatively, 120 drill holes for 52,435 m have been reported from Sunday Creek to the end of the quarter.

Rising Sun Prospect

SDDSC107 was released early in the quarter and was the best hole drilled to date at Sunday Creek. It returned a spectacularly long and high-grade intersection of gold-antimony mineralisation traversing 12 high-grade vein sets and included **1.0 m @ 2,318 g/t Au drilled within 455.3 m @ 7.2 g/t Au from 413.6 m (uncut)**. Cumulatively the hole returned **3,424 AuEq g/t x m**.


The hole was drilled to test the strike extent and continuity of 12 high-grade vein set structures 20 m along strike and down-dip from SDDSC077B (404.4 m @ 5.6 g/t AuEq (uncut)) over a 470 m downhole depth.

The highest-grade interval, **1.0 m @ 2,318 g/t Au**, is located 17 m down-dip from SDDSC092 (3.3 m @ 267.8 g/t Au including 0.4 m @ 1,610 g/t Au) within vein set RS80 and provides one of the first demonstrations of

continuity between extremely high-grade (> 1,000 g/t Au) intersections at Sunday Creek.

SDDSC107 contains **10 assayed intervals > 50 g/t Au (up to 7,330 g/t Au) and 13 intervals > 5 % Sb (up to 25.9% Sb)**. It also contains the following **four >100 AuEq g/t x m** intersections:

- **15.0 m @ 15.2 g/t AuEq** (9.3 g/t Au, 3.7% Sb) from 546.8 m
- **9.1 m @ 40.0 g/t AuEq** (39.1 g/t Au, 0.6% Sb) from 566.9 m
- **1.0 m @ 2,318.8 g/t AuEq** (2,318.4 g/t Au, 0.3% Sb) from 684.3 m
- **7.6 m @ 13.5 g/t AuEq** (13.3 g/t Au, 0.2% Sb) from 782.7 m



Picture 1: Quartz carbonate vein with banded sulphides and coarse visible gold disseminated along fractures in SDDSC107. Interval assayed 0.3 m @ 7,331g/t Au from 684.7 m

Vein Set RS80

SDDSC107 intercepted the **highest grades and best intersection** drilled at Sunday Creek (**1.0 m @ 2,318 g/t Au including 0.3 m @ 7,330 g/t Au**). This intersection was located 17 m down-dip of SDDSC092 (3.3 m @ 267.8 g/t Au including 0.4 m @ 1,610 g/t Au) in vein set RS80. This is the best demonstration to date of continuity between extremely high-grade intersections at Sunday Creek that have been defined by closer spaced drilling. The highest grades on vein set RS80 currently appear to form on the dyke footwall contact with altered sediments.

This contact remains open 40 m up dip and 33 m down dip towards drill hole SDDSC050 which intersected 2.5 m @ 16.4 g/t AuEq (ETW 1.7 m). The vein set is open to depth, and poorly constrained with limited drilling along strike. Drilling these very high-grade structures at close spacing (15 m to 25 m spacing) is increasing our confidence in the continuity of extremely high-grades at Sunday Creek. Vein morphology and grade tenor suggests that the same vein set has been intersected in a 170 m up/down dip and up to 60 m strike area. Several holes that are in progress or awaiting assay (SDDSC113, 114, 115A, 117) will continue to build the emerging opportunity in vein set RS80.

Vein Set RS50

SDDSC107 also intersected vein set RS50 in the dyke footwall and altered sediment contact intersecting **15.0 m @ 15.2 g/t AuEq (ETW 6.6 m) from 546.8 m** (Figure 4). Vein set RS50 has been traced for 560 m up and down-dip and remains open at depth. The opportunity to focus on the very highest-grade parts of the Sunday Creek system are also apparent in vein set RS50.

Expanded highlights from SDDSC107 include:

- **3.0 m @ 6.2 g/t AuEq** (5.7 g/t Au, 0.3% Sb) from 348.7 m, including:
 - **1.0 m @ 13.7 g/t AuEq** (13.6 g/t Au, 0.1% Sb) from 349.6 m
- **1.0 m @ 6.6 g/t AuEq** (6.6 g/t Au, 0.0% Sb) from 380.0 m
- **0.2 m @ 11.0 g/t AuEq** (0.8 g/t Au, 6.4% Sb) from 416.9 m
- **1.0 m @ 31.3 g/t AuEq** (14.7 g/t Au, 10.5% Sb) from 425.0 m
- **0.3 m @ 9.0 g/t AuEq** (8.6 g/t Au, 0.2% Sb) from 446.8 m
- **2.9 m @ 22.4 g/t AuEq** (17.5 g/t Au, 3.1% Sb) from 491.6 m, including:
 - **2.3 m @ 27.3 g/t AuEq** (21.8 g/t Au, 3.5% Sb) from 492.2 m
- **3.1 m @ 21.6 g/t AuEq** (19.7 g/t Au, 1.2% Sb) from 497.0 m, including:
 - **0.3 m @ 213.1 g/t AuEq** (198.0 g/t Au, 9.6% Sb) from 497.0 m
- **0.5 m @ 6.9 g/t AuEq** (4.5 g/t Au, 1.5% Sb) from 526.2 m
- **15.0 m @ 15.2 g/t AuEq** (9.3 g/t Au, 3.7% Sb) from 546.8 m, including:
 - **4.4 m @ 33.4 g/t AuEq** (19.0 g/t Au, 9.1% Sb) from 549.3 m
 - **1.7 m @ 35.7 g/t AuEq** (25.1 g/t Au, 6.7% Sb) from 557.5 m
- **9.1 m @ 40.0 g/t AuEq** (39.1 g/t Au, 0.6% Sb) from 566.9 m, including:
 - **0.3 m @ 1,402.1 g/t AuEq** (1,400.0 g/t Au, 1.3% Sb) from 572.9 m
- **0.3 m @ 32.4 g/t AuEq** (31.5 g/t Au, 0.6% Sb) from 585.1 m
- **1.8 m @ 19.5 g/t AuEq** (16.4 g/t Au, 1.9% Sb) from 588.3 m, including:
 - **1.4 m @ 25.1 g/t AuEq** (21.2 g/t Au, 2.4% Sb) from 588.3 m
- **1.0 m @ 2,318.8 g/t AuEq** (2,318.4 g/t Au, 0.3% Sb) from 684.3 m, including:
 - **0.7 m @ 3,511.7 g/t AuEq** (3,511.0 g/t Au, 0.4% Sb) from 684.3 m (including **0.3 m @ 7,330 g/t Au**)
- **0.5 m @ 7.0 g/t AuEq** (5.6 g/t Au, 0.9% Sb) from 695.0 m
- **0.9 m @ 5.7 g/t AuEq** (5.6 g/t Au, 0.0% Sb) from 702.2 m
- **2.7 m @ 14.7 g/t AuEq** (10.9 g/t Au, 2.4% Sb) from 723.0 m, including:
 - **0.3 m @ 57.6 g/t AuEq** (26.9 g/t Au, 19.4% Sb) from 723.0 m
 - **0.4 m @ 48.6 g/t AuEq** (46.3 g/t Au, 1.5% Sb) from 724.7 m
- **0.5 m @ 7.1 g/t AuEq** (7.0 g/t Au, 0.1% Sb) from 731.0 m
- **7.6 m @ 13.5 g/t AuEq** (13.3 g/t Au, 0.2% Sb) from 782.7 m, including:
 - **0.3 m @ 18.2 g/t AuEq** (18.2 g/t Au, 0.0% Sb) from 782.7 m
 - **2.4 m @ 39.0 g/t AuEq** (38.4 g/t Au, 0.3% Sb) from 784.4 m

SDDSC113 was drilled to test the strike extent and continuity of four high-grade vein sets. All high-grade targets were intersected as expected, with drill highlights:

- **0.9 m @ 156.8 g/t AuEq** (156.0 g/t Au, 0.4% Sb) from 468.1 m

- **15.5 m @ 5.0 g/t AuEq** (3.4 g/t Au, 0.9% Sb) from 558.0 m
- **5.3 m @ 13.7 g/t AuEq** (10.5 g/t Au, 1.7% Sb) from 575.6 m
- **0.9 m @ 332.9 g/t AuEq** (327.7 g/t Au, 2.8% Sb) from 702.4 m
- **1.2 m @ 17.4 g/t AuEq** (16.9 g/t Au, 0.3% Sb) from 736.0 m
- **4.1 m @ 23.4 g/t AuEq** (22.6 g/t Au, 0.4% Sb) from 751.0 m

It was drilled from the west to east at a high angle to mineralised vein sets. The hole was designed to test the strike extent and continuity of four separate >50 g/t Au vein sets (RS10, RS80 and RS100). All high-grade targets were intersected as planned. The drill hole intercepted **nine mineralised structures over 473 m @ 1.7 g/t AuEq (1.6 g/t Au, 0.1% Sb)** uncut and contains **eight assayed intervals > 50 g/t Au (up to 684 g/t Au)** and **six intervals > 5% Sb (up to 18.4% Sb)**. Cumulatively the hole returned **794 AuEq g/t x m**.

SDDSC114 was designed to test a specific target on the RS100 vein set. It also tested a new vein set (RS55_L) now defined from two adjacent holes and provided peripheral infill data for three other vein sets. Highlights include:

- **2.7 m @ 18.1 g/t AuEq** (14.5 g/t Au, 1.9% Sb) from 628.5 m
- **0.3 m @ 7.2 g/t AuEq** (6.6 g/t Au, 0.3% Sb) from 724.5 m
- **2.7 m @ 19.7 g/t AuEq** (19.2 g/t Au, 0.3% Sb) from 766.5 m, including:
 - **1.0 m @ 48.7 g/t AuEq** (48.0 g/t Au, 0.4% Sb) from 767.5 m
- **0.2 m @ 69.9 g/t AuEq** (69.9 g/t Au, 0.0% Sb) from 825.4 m
- **0.6 m @ 10.5 g/t AuEq** (10.5 g/t Au, 0.0% Sb) from 844.7 m

SDDSC115A was designed to test the footwall position of two high-grade vein sets and intercepted 11 mineralised structures, five of which are high-grade. The hole contains **six assayed intervals of > 50 g/t Au (up to 202 g/t Au)**, and **five assayed intervals > 5% Sb (up to 26.3% Sb)**. It traversed through the centre of the dyke/breccia host and provided continuity information in the plane of the 11 vein sets.

High-grade continuity is well demonstrated in vein set RS55_L where SDDSC115A drilled **3.2 m (ETW 2.5 m) @ 48.2 g/t AuEq (45.3 g/t Au, 1.5% Sb)** from 643.4 m (2 m @ 0.5 g/t Au lower cut) including **1.3 m @ 90.2 g/t AuEq** from 643.4 m and **0.3 m @ 116.1 g/t AuEq** from 646.3 m, which was located 68 m down-plunge of the above reported **SDDSC107 (4.7 m @ 76.6 g/t AuEq)**, suggesting the possibility of a new high-grade mineralised domain.

Highlights from SDDSC115A include:

- **0.2 m @ 13.5 g/t AuEq** (12.8 g/t Au, 0.4% Sb) from 455.9 m
- **5.5 m @ 1.7 g/t AuEq** (0.8 g/t Au, 0.5% Sb) from 512.4 m, including:
 - **0.3 m @ 6.1 g/t AuEq** (2.4 g/t Au, 2.0% Sb) from 517.6 m
- **1.5 m @ 12.4 g/t AuEq** (10.6 g/t Au, 1.0% Sb) from 532.6 m including:
 - **1.2 m @ 15.3 g/t AuEq** (13.2 g/t Au, 1.1% Sb) from 533.0 m
- **3.3 m @ 6.4 g/t AuEq** (2.6 g/t Au, 2.0% Sb) from 563.6 m including:
 - **0.8 m @ 6.7 g/t AuEq** (5.1 g/t Au, 0.9% Sb) from 563.6 m
 - **1.2 m @ 11.3 g/t AuEq** (3.1 g/t Au, 4.4% Sb) from 565.7 m

- **0.2 m @ 25.9 g/t AuEq** (15.4 g/t Au, 5.6% Sb) from 573.7 m
- **10.4 m @ 3.0 g/t AuEq** (1.2 g/t Au, 1.0% Sb) from 580.0 m, including:
 - **0.3 m @ 53.8 g/t AuEq** (13.9 g/t Au, 21.2% Sb) from 580.2 m
 - **0.2 m @ 7.2 g/t AuEq** (3.1 g/t Au, 2.2% Sb) from 587.7 m
- **3.2 m @ 48.2 g/t AuEq** (45.3 g/t Au, 1.5% Sb) from 643.4m (ETW 2.5 m), including:
 - **1.3 m @ 90.2 g/t AuEq** (84.9 g/t Au, 2.8% Sb) from 643.4 m
 - **0.3 m @ 116.1 g/t AuEq** (109.0 g/t Au, 3.8% Sb) from 646.3 m
- **0.3 m @ 87.2 g/t AuEq** (86.4 g/t Au, 0.4% Sb) from 707.7 m
- **0.1 m @ 95.3 g/t AuEq** (87.1 g/t Au, 4.3% Sb) from 719.5 m
- **3.4 m @ 2.8 g/t AuEq** (2.7 g/t Au, 0.1% Sb) from 746.0 m, including:
 - **0.3 m @ 15.4 g/t AuEq** (15.3 g/t Au, 0.1% Sb) from 747.3 m
- **3.8 m @ 4.0 g/t AuEq** (3.2 g/t Au, 0.5% Sb) from 874.3 m, including:
 - **0.4 m @ 12.9 g/t AuEq** (12.9 g/t Au, 0.0% Sb) from 875.6 m

SDDSC117 was designed to test the strike continuity of two high-grade targets in the footwall of the mineralised host and intercepted seven mineralised structures. This hole contains **three assayed intervals of > 20 g/t Au (up to 473.0 g/t Au)**. SDDSC117 drilled along the footwall contact at a high intersection angle to mineralised vein sets. The high-grade intercept in the RS110 location (**0.5 m @ 473.1 g/t AuEq**) highlights the potential for high grade internal shoots and linking features within known planes of mineralisation. Highlights from SDDSC117 include:

- **13.3 m @ 1.2 g/t AuEq** (0.6 g/t Au, 0.3% Sb) from 606.6 m, including:
 - **0.2 m @ 7.9 g/t AuEq** (0.9 g/t Au, 3.7% Sb) from 606.6 m
- **3.5 m @ 1.4 g/t AuEq** (0.6 g/t Au, 0.4% Sb) from 644.4 m
- **0.5 m @ 6.0 g/t AuEq** (3.6 g/t Au, 1.3% Sb) from 652.1 m
- **2.0 m @ 5.6 g/t AuEq** (5.6 g/t Au, 0.0% Sb) from 715.4 m
- **8.7 m @ 4.1 g/t AuEq** (3.5 g/t Au, 0.3% Sb) from 741.9 m, including:
 - **1.1 m @ 21.5 g/t AuEq** (20.9 g/t Au, 0.3% Sb) from 745.8 m
- **0.5 m @ 473.1 g/t AuEq** (473.0 g/t Au, 0.0% Sb) from 913.6 m
- **2.5 m @ 2.4 g/t AuEq** (2.4 g/t Au, 0.0% Sb) from 934.7 m, including:
 - **0.2 m @ 11.3 g/t AuEq** (11.3 g/t Au, 0.0% Sb) from 934.7 m
 - **0.4 m @ 9.1 g/t AuEq** (9.1 g/t Au, 0.0% Sb) from 936.8 m

Subsequent to the end of the quarter, the Company released the results from **SDDSC118** as the **deepest hole on the project** to date which extended mineralisation 80 m down dip with **3.6 m @ 124.8 g/t Au** from 1,120.4 m (1,050 m vertically below surface).

The hole intersected 11 high-grade vein sets including three new vein sets and recorded **three additional > 100 g/t AuEq x m intersections** and **two top 10 results for Sunday Creek (0.7 m @ 604.0 g/t Au and 3.6 m @ 124.8 g/t Au)**. It included **seven assayed intervals of > 50 g/t Au (with three individual assays**

>900 g/t Au), and four assayed intervals > 2% Sb (up to 19.4% Sb). Drill highlights include:

- **3.1 m @ 39.9 g/t AuEq** (38.2 g/t Au, 0.9% Sb) from 452.5 m, including:
 - **1.4 m @ 87.9 g/t AuEq** (84.6 g/t Au, 1.7% Sb) from 454.2 m
- **0.4 m @ 71.2 g/t AuEq** (70.3 g/t Au, 0.5% Sb) from 475.4 m, including:
 - **0.1 m @ 235.2 g/t AuEq** (235.0 g/t Au, 0.1% Sb) from 475.4 m
- **0.7 m @ 604.0 g/t AuEq** (604.0 g/t Au, 0.0% Sb) from 555.7 m, including:
 - **0.5 m @ 979 g/t AuEq** (979 g/t Au, 0.0% Sb) from 555.7 m
- **1.3 m @ 43.3 g/t AuEq** (42.5 g/t Au, 0.4% Sb) from 675.1 m, including:
 - **0.3 m @ 201.9 g/t AuEq** (200.0 g/t Au, 1.0% Sb) from 675.1 m
- **3.6 m @ 124.8 g/t AuEq** (124.8 g/t Au, 0.0% Sb) from 1,120.4 m, including:
 - **0.2 m @ 1,200 g/t AuEq** (1,200 g/t Au, 0.1% Sb) from 1,120.4 m
 - **0.2 m @ 1,030 g/t AuEq** (1,030 g/t Au, 0.0% Sb) from 1,121.0 m
- **0.2 m @ 36.0 g/t AuEq** (36.0 g/t Au, 0.0% Sb) from 1,180.8 m

The hole was designed to test the hanging wall position of one high-grade vein set and drill to depth further east than tested previously.

The hole traversed from the hanging wall to footwall of the dyke/breccia host and provided continuity information in the plane of the eight known vein sets with three new discoveries at depth including **3.6 m @ 124.8 g/t AuEq (including 0.8 m @ 558.2 g/t AuEq) from 1,120.4 m** and **0.2 m @ 36.0 g/t AuEq from 1,180.8 m**.

High-grade continuity is best demonstrated in vein set RS15 (**Error! Reference source not found.4**) where SDDSC118 drilled **0.7 m @ 604.0 g/t AuEq (604.0 g/t Au, 0.0% Sb)** from 555.7 m (estimated true width "ETW" 0.4 m) including **0.5 m @ 979.0 g/t AuEq** from 555.7 m. This intersection was located 54 m down-plunge of the previously reported **SDDSC100 (4.7 m @ 76.6 g/t AuEq)** and 42 m up-plunge from the previously reported **SDDSC082 (4.3 m @ 72.3 g/t AuEq)**, increasing confidence in the definition of the high-grade core of RS15.

Apollo and Apollo Deep Prospects

SDDSC111 was designed to test the hanging wall position of two high-grade vein sets and intercepted seven mineralised structures, three of which are considered high-grade. Highlights from SDDSC111 include:

- **2.1 m @ 5.7 g/t AuEq** (3.4 g/t Au, 1.2% Sb) from 187.1 m, including:
 - **0.6 m @ 16.9 g/t AuEq** (9.8 g/t Au, 3.8% Sb) from 187.1 m
- **8.0 m @ 3.5 g/t AuEq** (2.7 g/t Au, 0.4% Sb) from 322.0 m, including:
 - **0.4 m @ 30.4 g/t AuEq** (21.8 g/t Au, 4.6% Sb) from 323.0 m
 - **0.4 m @ 18.9 g/t AuEq** (13.6 g/t Au, 2.8% Sb) from 329.6 m
- **6.8 m @ 4.3 g/t AuEq** (3.6 g/t Au, 0.4% Sb) from 393.9 m (ETW 4.8 m), including:
 - **2.0 m @ 9.2 g/t AuEq** (8.5 g/t Au, 0.4% Sb) from 397.6 m

Drillholes **SDDSC112/SDDSC112W1** intercepted eight combined high-grade structures at Apollo. SDDSC112W1 was the first successfully executed wedge hole on the project and contains **five assayed intervals > 10 g/t Au (up to 79.7 g/t Au), and five assayed intervals > 5% Sb (up to 15.6 %)**, drill highlights include:

SDDSC112:

- **0.9 m @ 37.3 g/t AuEq** (16.7 g/t Au, 10.9% Sb) from 273.2 m (ETW 0.4 m), including:
 - **0.4 m @ 74.0 g/t AuEq** (33.2 g/t Au, 21.7% Sb) from 273.2 m

SDDSC112W1:

- **1.5 m @ 21.1 g/t AuEq** (18.1 g/t Au, 1.6% Sb) from 399.2 m (ETW 0.9 m), including:
 - **0.3 m @ 90.5 g/t AuEq** (79.7 g/t Au, 5.7% Sb) from 399.5 m
- **2.4 m @ 15.8 g/t AuEq** (9.8 g/t Au, 3.2% Sb) from 645.2 m (ETW 1.8 m), including:
 - **0.6 m @ 52.9 g/t AuEq** (31.7 g/t Au, 11.3% Sb) from 646.1 m

SDDSC112 (from 0 m to 490 m) and **SDDSC112W1** (from 190 m to 766.4 m) were the primary (or parent) and secondary (or daughter) wedge holes drilled from the same location. SDDSC112 was wedged off at 190 m as SDDSC112W1.

SDDSC112 was drilled in the footwall of the mineralised host and was terminated early due to SXG geologists observing that the hole was deviating out of the host position to the south into unaltered sediment. The hole was redrilled as wedge hole SDDSC112W1 from 190 m that progressed successfully through the host structure with high-grade gold intercepted from 399.1 m to 688.7 m.

SDDSC112 hole intercepted mineralisation on the eastern margins of the Apollo prospect. SDDSC112W1 contained **five assayed intervals > 10 g/t Au (up to 79.7 g/t Au), and five assayed intervals > 5% Sb (up to 15.6 %)** with three zones of visible gold mineralisation. Combined both holes intercepted eight high-grade structures.

SDDSC116 was drilled parallel to and 45 m along strike from SDDSC112/112W1 and was designed to intersect the mineralised hanging wall while SDDSC112/112W1 targeted the footwall. The drill hole contained **four assayed intervals of > 10 g/t Au (up to 120 g/t Au) and three intervals of > 5% Sb (up to 9.9% Sb)** and had four observed zones of visible gold mineralisation. Highlights include:

- **2.3 m @ 6.5 g/t AuEq** (5.8 g/t Au, 0.4% Sb) from 473.2 m, including:
 - **0.3 m @ 39.0 g/t AuEq** (34.6 g/t Au, 2.3% Sb) from 475.2 m
- **0.5 m @ 10.6 g/t AuEq** (10.5 g/t Au, 0.0% Sb) from 481.6 m
- **4.6 m @ 4.0 g/t AuEq** (2.6 g/t Au, 0.8% Sb) from 486.3 m, including:
 - **0.2 m @ 64.7 g/t AuEq** (46.1 g/t Au, 9.9% Sb) from 490.2 m
- **15.0 m @ 9.8 g/t AuEq** (8.8 g/t Au, 0.5% Sb) from 511.2 m (ETW 8.6m), including:
 - **0.3 m @ 21.6 g/t AuEq** (3.7 g/t Au, 9.5% Sb) from 511.2 m
 - **3.6 m @ 36.4 g/t AuEq** (34.1 g/t Au, 1.2% Sb) from 514.0 m
- **0.8 m @ 12.5 g/t AuEq** (3.6 g/t Au, 4.8% Sb) from 529.5 m

Increasing Drilling Program

During the quarter the SXG Board approved plans to drill 60 km over subsequent 12 months, with a fifth drill rig due to commence in the month of June and a sixth rig to arrive during September 2024.

The Company commenced a NAVI drilling program during the quarter. NAVI drilling is a specialised drilling application utilising down hole motors to make alterations to the direction of a diamond core drill hole. Detailed drilling (at approximately 20 m spacing) will be undertaken around super high-grade areas with the aim to build further confidence of grade continuity between high-grade intersections by drilling branch holes off an already drilled 'parent hole'.

Regional Programs

Planning commenced during the quarter for a large regional induced polarisation survey over the 10km district-scale strike to test the regional trend beyond the core drill area at Sunday Creek. The survey is planned to start in September 2024.

Other Reported Drill Holes During the Quarter

Hole SDDSC110 was also reported during the quarter with lower tenor results. Full information can be found in our announcements during the quarter at <https://www.southerncrossgold.com.au/investor/asx-announcements>.

About Sunday Creek – Scale and Opportunity

The Sunday Creek epizonal-style gold project is located 60 km north of Melbourne within 19,365 hectares of granted exploration tenements. SXG is also the freehold landholder of 133.29 hectares that form the key portion in and around the main drilled area at the Sunday Creek Project.

Gold and antimony form in a relay of vein sets that cut across a steeply dipping zone of intensely altered rocks (the "host"). When observed from above, the host resembles the side rails of a ladder, where the sub-vertical mineralised vein sets are the rungs that extend from surface to depth. At Apollo and Rising Sun these individual 'rungs' have been defined over 350 m depth extent from surface to 550 m below surface, are 10 m to 20 m wide, and 20 m to 100 m in strike.

Cumulatively to the time of writing, 120 drill holes for 52,435 m have been reported by SXG (and Mawson Gold Ltd) from Sunday Creek since late 2020. A total of 64 historic drill holes for 5,599 m were completed from the late 1960s to 2008. The project contains at the end of the quarter a total of forty-two (42) >100 g/t AuEq x m and forty-eight (48) >50 to 100 g/t AuEq x m drill holes by applying a 2 m @ 1 g/t lower cut.

Our systematic drill program is strategically targeting these significant vein formations, initially these have been defined over 1,350 m strike of the host from Christina to Apollo prospects, of which approximately 620 m has been more intensively drill tested (Rising Sun to Apollo). At least 49 'rungs' have been discovered to the date of writing, defined by high-grade intercepts (20 g/t to >7,330 g/t Au) along with lower grade edges. Ongoing step-out drilling is aiming to uncover the potential extent of this mineralised system.

Geologically, the project is located within the Melbourne Structural Zone in the Lachlan Fold Belt. The regional host to the Sunday Creek mineralisation is an interbedded turbidite sequence of siltstones and minor sandstones metamorphosed to sub-greenschist facies and folded into a set of open north-west trending folds.

Mineralisation, Scale and Comparison to Other Epizonal Deposits

Mineralisation at Sunday Creek is structurally controlled, with increased mineralisation associated with brittle-ductile shear veins that show quartz-stibnite extension veining, stibnite-gold-matrix breccias and disseminated mineralisation in the form of arsenian pyrite, pyrite and arsenopyrite. The host for

mineralisation is an east to north-east trending zone of intensely altered 'bleached' sericite-carbonate +/- silica altered siltstones and dyke rocks that ranges from 50 m to 200 m wide. A larger arsenic anomaly is associated with gold mineralisation, mostly represented by arsenian-pyrite but arsenopyrite-bearing zones predominate below 700 m vertical depth with a clear spatial relationship to high-grade gold. A sulphidic (pyritic) halo, predominately in bleached pyrite-sericitic veins rounds out the larger visible alteration footprint.

Mineralised vein sets cross the host structure at on a predominate north-west orientation and are typically 10 m to 40 m wide (cut off dependent), 20 m to 60 m along strike, and 300 m to 830 m down dip. As compared to other deposits, Sunday Creek benefits from the presence of multiple high-grade veins. Mineralised shoots at Sunday Creek can also be formed at the intersection of the sub-vertical to shallower dipping 330 degree (NW) striking mineralised veins sets and the east-west striking, steeply north dipping structure hosting dioritic dykes and related intrusive breccias. Higher grades of mineralisation are often observed to concentrate on the dyke/alterd sediment interface within individual vein sets.

At Sunday Creek, and as is typical for epizonal deposits (for example Fosterville and Costerfield, Reefton (NZ)), visible gold becomes increasingly significant at depth below approximately 800 m. This represents the different temperatures and changes in structural regimes of formation of epizonal Au-Sb and Au dominant mineralisation. Gold at Sunday Creek is hosted in quartz and carbonate vein sets, associated with stibnite bearing veins and breccias.

Critical Metal Epizonal Gold-Antimony Deposits

Sunday Creek is an epizonal gold-antimony deposit formed in the late Devonian period (similar to Fosterville, Costerfield, Redcastle and Whroo), 60 million years later than mesozonal gold systems formed in Victoria (ie: Ballarat and Bendigo). Epizonal deposits are a form of orogenic gold deposit classified according to their depth of formation: epizonal (<6 km), mesozonal (6-12 km) and hypozonal (>12 km).

Epizonal deposits in Victoria often have associated high levels of the metal, antimony, and Sunday Creek is no exception. Geoscience Australia reported that as at 2019, antimony is a critical metal where China and Russia combined produce approximately 82% of the antimony raw material supply. Antimony features highly on the critical minerals lists of many countries including Australia, the United States of America, Canada, Japan and the European Union. Australia ranks seventh for antimony production despite all production coming from a single mine at Costerfield in Victoria, located nearby to all SXG projects. Antimony alloys with lead and tin which results in improved properties for solders, military applications, bearings and batteries. Antimony is a prominent additive for halogen-containing flame retardants. Adequate supplies of antimony are critical to the world's energy transition, and to the high-tech industry, especially the semi-conductor and defence sectors. For example, antimony is a critical element in the manufacture of lithium-ion batteries and to the next generation of liquid metal batteries that lead to scalable energy storage for wind and solar power.

Our 100% owned Sunday Creek project is one of the best new gold discoveries globally and is shaping up to be Australia's largest deposit of antimony that sits on the critical minerals lists of nearly all western countries such as Australia, Japan, India, the US, the EU, Canada and the UK.

Gold Equivalent Calculation

SXG considers that both gold and antimony that are included in the gold equivalent calculation ("AuEq") have reasonable potential to be recovered at Sunday Creek, given current geochemical understanding, historic production statistics and geologically analogous mining operations. Historically, ore from Sunday Creek was treated onsite or shipped to the Costerfield mine, located 54 km to the northwest of the project, for processing during WW1. The Costerfield mine corridor, now owned by Mandalay Resources Ltd contains two million ounces of equivalent gold (Mandalay Q3 2021 Results), and in 2020 was the sixth highest-grade global underground mine and a top 5 global producer of antimony.

SXG considers that it is appropriate to adopt the same gold equivalent variables as Mandalay Resources Ltd in its Mandalay Technical Report, 2024 dated 28 March 2024. The gold equivalence formula used by Mandalay Resources was calculated using Costerfield's 2023 production costs, using a gold price of US\$1,900 per ounce, an antimony price of US\$12,000 per tonne and 2023 total year metal recoveries of 94% for gold and 89% for antimony, and is as follows:

$$AuEq = Au (g/t) + 1.88 \times Sb (\%).$$

Based on the latest Costerfield calculation and given the similar geological styles and historic toll treatment of Sunday Creek mineralisation at Costerfield, SXG considers that a $AuEq = Au (g/t) + 1.88 \times Sb (\%)$ is appropriate to use for the initial exploration targeting of gold-antimony mineralisation at Sunday Creek.

Queensland Projects

During the quarter there was no significant exploration activities carried out at the Company's Queensland exploration permits. Subsequent to the quarter the Company commenced a process to relinquish one of its six remaining exploration permits in Queensland (EPM27022).

The Department of Environment, Science and Innovation (DESI) approved the surrender application of EPM26940 on 13 June 2024.

Corporate

Relinquishment of Whroo property

The Company announced during the quarter that it informed Nagambie Resources Limited (NAG:ASX) ("Nagambie") that it will not proceed with its earn in on the Whroo Option and Joint Venture due to its focus on the 100% owned Sunday Creek Project. SXG still maintains a right of first refusal to take up or match proposals being considered over the Waranga Basin tenement package held by Nagambie. This package includes the Nagambie Gold Mine and the Whroo area.

Results of Rights Issue

The Company announced the results of its one (1) fully paid ordinary share ("New Shares") for every thirty-three (33) fully paid ordinary shares Non-Renounceable Rights Issue at an issue price of \$1.82 per New Share during the quarter.

The amount of \$9,322,078.22 was raised by shareholders taking up entitlements (approximately 91% of the Rights Issue). The level of applications and interest for additional shares substantially exceeded the balance of New Shares available after fulfilling acceptances of entitlements. To facilitate minimising the potential for unequal treatment of shareholders, applications for additional shares in excess of entitlements were not accepted. The Company has fully refunded any additional amounts received and relied on its underwriting arrangements in respect of the balance.

Proposed Merger with Mawson Gold and Dual Listing

After the close of the quarter, the Company announced it has signed a Non-Binding Term Sheet ("NBTS") with Mawson Gold Ltd (TSXV:MAW) ("MAW") of Canada dated 11 June 2024 to merge the companies through an Australian scheme of arrangement transaction. The resulting entity, to be named Southern Cross Gold Ltd, will be listed on both Australian Securities Exchange (ASX) and the TSX Venture Exchange (TSXV).

Consolidated ownership of the Sunday Creek asset will result in a simpler, dual-listed structure that will provide:

- **Simplification of Structure:** SXG anticipates immediate benefits for its shareholders through a more transparent and institutional-investible structure. The Company believes this will lead to a potential

revaluation of the asset, reducing the cost of capital to advance the Sunday Creek asset to become one of the highest cash margin gold assets globally.

- **Enhanced Access to Capital Markets:** The continued listing of Mawson's shares on the TSX Venture Exchange (TSXV) offers expanded access to the significant North American capital markets, which have greatly benefited from the wealth generated from the rebirth of the Victorian goldfields in Australia. With approximately 70% of SXG's shareholder base situated offshore, the dual listing will enable both Australian and North American investors to participate in the exciting SXG growth and high-grade gold story, as the Company continues to grow towards its goal of becoming one of the world's highest cashflow margin gold assets.
- **Institutional Support:** The merger aims to transition SXG's shareholder base to a more institutionally dominated and supportive register, with an immediate shift from the 16% ownership in SXG (excluding Mawson) to >50% of high net worth and institutional shareholders in the combined group. Mawson brings both a high-quality register with a significant overlap of current SXG shareholders and access to further high quality global and supportive North American and European institutional shareholders. Notably, major shareholders of both SXG and Mawson, such as Pierre Lassonde, Darren Morcombe, and Konwave AG, are supportive of the merger.
- **Resolution of Major Shareholder Overhang:** The merger will address the perceived major shareholder overhang, improving market sentiment.
- **Cost Reduction and Share Fungibility:** Consolidating two separate companies with two listings will lead to cost savings, while allowing for the fungibility of shares between the North American and Australian stock exchanges, benefiting all shareholders.
- **Management and Board Continuity:** The combined group will be led by the current successful Australian management team and Board of Southern Cross, ensuring continuity and leveraging their expertise. The combined company will be led by Mr. Tom Eadie as Non-Executive Chairman and Mr. Michael Hudson as President & CEO.

The issued capital of the consolidated company at the completion of the proposed merger will be approximately 194.9 million shares, mirroring the same capital structure of SXG today. Further details of the NBTs and updates on the process can be found at <https://www.southerncrossgold.com.au/investor/asx-announcements>.

New Corporate Address

The Company's new corporate address is Level 6, 350 Collins St, Melbourne, Vic 3000, Australia. The registered office and mailing address remain at Level 21, 459 Collins St., Melbourne, Vic 3000 Australia

ESG

Environment

- SLR Consulting has completed a Baseline Hydrogeological Report for the Sunday Creek Project. The findings from this report will guide us in the development of a groundwater monitoring network and program as we move towards developing a Groundwater Impact Assessment (GIA) for the project.
- The results from the geochemistry of the mine materials analysis were delayed this quarter due to difficulties with transporting samples to the required laboratories. Information derived from this analysis program will be used to determine the geochemical properties of the potential mine materials and this will be reported in a format that is suitable for inclusion in relevant approvals documentation.

- Our main contractor Starwest Drilling has installed new sound absorbing walls on one diamond drill rig and we are monitoring the effectiveness of these new walls at numerous stations around Clonbinane. Initial sound monitoring shows the new walls are effective in absorbing the drill rig rotation and engine sounds and in coming months this new material will be added to some of our existing sound walls to further manage the noise at the project.
- This quarter several residents within a 2km radius of the project took part in our baseline community water tank sampling program. The first round of sampling (Autumn) has now been carried out and residents have been provided with their results and the Australian Drink Water Guidelines. The results showed there was no contamination of residents' water tanks from our current activities.

Safety

- One lost time injury occurred during the quarter when a field assistant injured their shoulder lifting core photography equipment. First Aid was immediately provided, and the field assistant was able to return to work the next day. The injury was investigated and as a result we have redesigned our processes in the core shed to ensure this form of injury does not re-occur.
- To ensure that we continue to be an inclusive and safe workplace this quarter all staff completed unconscious bias training and a course on Mental Health dealing with stress and anxiety.
- SXG is committed to building our safety culture and this quarter we asked staff to complete a safety survey where they could reflect on our high safety performance and offer suggestions on how we can continue to improve. As a result of this survey, we have revised and are rolling out a new company staff and contractor induction. To add to this, the layout at the Kilmore Core Shed has been changed to further reduce manual handling and more ergonomic office furniture was purchased from local suppliers.
- All new staff complete a 4WD safety course.

Community

- SXG has increased our community engagement efforts this quarter by engaging the wider community with our stand at the Seymour Alternative Farming Field days. The field days has over 20,000 people from regional Victoria through the gates and we spoke to a large cross-section of the community with our staff answering many questions about the Sunday Creek Project, gold exploration, and potential future job prospects, regional growth and business opportunities that the project may bring to the region.
- The Southern Cross Gold Community Reference Group (CRG) has now been formed with our independent chair communicating with the successful nominees and arranging the first CRG meeting for early in the third quarter. The CRG is an important program that seeks to ensure community interests are raised, acknowledged and considered by SXG, while ensuring that the project balances the needs of the local community, environment and other stakeholders.
- We continue to de-risk the project by completing a European history archeological assessment of the Rising Sun and Apollo historic workings. We are currently awaiting the final report but preliminary discussions with the archeologist is that the company will be able to fence and re-collar the old workings to make them safe.
- This quarter SXG hosted a large group from the Mitchell Shire Council. The council employees and councillors toured the Sunday Creek project, visiting drill rigs and the old workings. They also went to the SXG Kilmore core shed where they observed how the core was processed as well viewing the

mineralisation and geology in 3 dimensions.

- SXG is part of our local Safer Together Project. This quarter the Clonbinane/Waterford Park Community Emergency Management Plan was finalised and SXG staff letterbox dropped this important document to all properties at Clonbinane and Waterford Park.
- SXG is committed to working with the Taungurung People who are the traditional custodians of the land on which we work. This quarter all new staff had an informative and enjoyable day completing Taungurung Cultural Awareness Course. Senior management also had an inspiring and educational experience when they attended the WaWa Biik Tour of the Eurora Abatorium where Taungurung Elders talked about the importance of country and shared their knowledge about local traditional bush food and medicine. Staff also attended a regional Victoria mining industry Cross Cultural Awareness workshop provided by Loddon Campaspe Multicultural Services in Bendigo.
- Two SXG staff completed the Mitchell Shire Councils Nature Stewards Program and a site tour was conducted with the Sunday Creek Dry Creek Landcare Group to discuss the rehabilitation of the Sunday Creek where it flows adjacent to the SXG landholding. As members of our local Landcare group SXG work with Landcare specialists to improve biodiversity and water quality along sections of the Sunday Creek.
- SXG sponsored world leading expert in Large Animal Rescue, Anton Phillips to give a talk at the Clonbinane Hall for interested locals. Funds were also raised to support the neighbouring Arthur's Creek CFA Animal Rescue Team.
- SXG believes that diversity in the workforce enhances our business and we are a proud sponsor of the Victorian Women in Resources Awards. Several staff attended the awards night where we celebrated the winners of this year's awards we would like to congratulate-*Exceptional Woman in Victorian Resources*- Fiona Czuczman, *Exceptional Young Woman in Victorian Resources*- Shannon Brown, *Outstanding Trade Operator or Technician in Victorian Resources*- Alina Tyler, *Gender Diversity Champion in Victorian Resources*- Felicity Davy.

Governance

- In preparation for drilling at the historic Christina Mine and in accordance with our Community Engagement Plan SXG are actively engaging with property owners neighbouring the new drill site via personal meetings, emails and letters to keep residents informed about the drilling program. SXG will conduct routine safety and environmental monitoring surveys of this site until the drilling is completed.
- This quarter SXG and the Victorian branch of the Minerals Council of Australia actively engaged with the Victorian Environmental Assessment Councils (VEAC) Eminent Panel on Community Engagement for the Central Highlands Forests. The panel is assessing the future uses of the state forests in the Central Highlands Regional Forest Agreement (RFA) area. The RFA includes the Mt Disappointment State Forest where the Sunday Creek mineralisation is known to extend. Several meetings were held with the panel where SXG showed the gold and critical mineral potential of the Mt Disappointment state forest.

Interests in Mining Tenements

Below is a summary of the mining tenements held by the Company at the end of the quarter:

Mining Tenement	Location	Beneficial Percentage held	Interest acquired/farm-in or disposed/farm-out during the quarter
EL 6163 – Sunday Creek	Victoria, Australia	100%	-
EL 7232 – Sunday Creek	Victoria, Australia	100%	-
RL 6040 – Sunday Creek	Victoria, Australia	100%	
EL 5546 - Redcastle	Victoria, Australia	*70%	
EL 7498 – Redcastle	Victoria, Australia	*70%	
EL 7499 – Redcastle	Victoria, Australia	*70%	
EPM 26940 – Mt Isa	Queensland, Australia	100%	Relinquished
EPM 27022 – Mt Isa	Queensland, Australia	100%	Relinquished
EPM 27025 – Mt Isa	Queensland, Australia	100%	Relinquished
EPM 26481 – Mt Isa	Queensland, Australia	100%	
EPM 27625 – Mt Isa	Queensland, Australia	100%	
EPM 27626 – Mt Isa	Queensland, Australia	100%	

* **Redcastle Joint Venture** - A subsidiary of the Company, Mawson Victoria Pty Ltd, is party to an Option and Joint Venture Agreement with Nagambie Resources Limited for the Redcastle Joint Venture tenements.

In meeting \$1,000,000 of exploration commitments over a 5-year period set under the Farm-in Agreements by 25 March 2025, the consolidated entity will have a 70% economic interest in those tenements. Once the consolidated entity earns a 70% economic interest, a joint venture between the parties will be formed. Nagambie Resources Limited may then contribute its 30% share of further exploration expenditures or, if it chooses to not contribute, dilute its interest.

Should Nagambie Resource Limited's interest be reduced to less than 5%, it will be deemed to have forfeited its interest in the joint venture to the Company in exchange for a 1.5% net smelter return royalty ("NSR") on gold revenue. Should Nagambie Resources Limited be granted the NSR, the Company will have the right to acquire the NSR for \$4,000,000 per property. As of this date, the Company has earned 70% and the companies are proceeding to form a joint venture.

Appendix 5B related party payments

Amounts included in section 6.1 of the accompanying Appendix 5B relate to following:

- Directors' fees and superannuation payments for the May 2024 quarter (\$78,775); and
- Amounts paid to Non-Executive Director, Ms Georgina Carnegie, for consulting services provided relating to progressing the Company's Critical Metals strategy. (\$30,000).

– Ends –

This announcement has been authorised for release by the Board of SXG.

Competent Person Statement

Information in this report that relates to new exploration results contained in this report is based on information compiled by Michael Hudson, a Fellow of the Australasian Institute of Mining and Metallurgy. He is MD for Southern Cross Gold Ltd. He has sufficient experience which is relevant to the style of mineralisation and types of deposits

under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves (the JORC Code). Michael Hudson has consented to the inclusion in this report of the matters based on this information in the form and context in which it appears.

Certain information in this announcement that relates to prior exploration results is extracted from the Independent Geologist's Report dated 16 March 2022 which was issued with the consent of the Competent Person, Mr Terry C. Lees. The report is included in the Company's prospectus dated 17 March 2022 which was released as an announcement to ASX on [12 May 2022](#) and is available at www2.asx.com.au under code "SXG".

Certain information in this announcement also relates to prior drill hole exploration results which are extracted from the following announcements and are available to view on www.southerncrossgold.com.au:

- 4 October 2022 [SDDSC046](#), 21 November 2022 [SDDSC050](#), 14 December 2022 [SDDSC050](#), 28 February 2023 [SDDSC055](#), 5 September 2023 [SDDSC077B](#), 12 October 2023 [SDDL003 & 4](#), 23 October 2023 [SDDSC080 & 82](#), 9 November, 2023 [SDDSC091](#), 14 December, 2023 [SDDSC092](#), 8 February, 2024 [SDDSC100](#)

The Company confirms that it is not aware of any new information or data that materially affects the information included in the original document/announcement and the Company confirms that the form and context in which the Competent Person's findings are presented have not materially modified from the original market announcement.

Figure 1: Location of SXG Victorian projects




Figure 2: Sunday Creek schematic plan from Christina to Apollo showing wide alteration halo and mineralisation.




Figure 3: Sunday Creek plan view showing a selection of drillholes for results reported in this quarter, as well as drillholes reported prior to this quarter and pending holes.




Figure 4: Sunday Creek longitudinal section across A-B the plane of the dyke breccia/alterated sediment host (see Figure 2) looking towards the north (striking 236 degrees) showing mineralised veins sets. Showing SDDSC118 reported in this quarterly and prior reported drill holes.




Figure 5: Sunday Creek longitudinal section across C-D in the plane of the modelled vein set RS15, looking towards the north-east. Showing SDDSC118 (blue highlighted box) reported in this quarterly and prior reported drill holes.




Figure 6: Sunday Creek regional plan view showing LiDAR, soil sampling, structural framework, regional historic epizonal gold mining areas and broad regional areas to be tested in a 2,500 m diamond drill program. The regional drill areas are at Tonstal, Consols and Leviathan located 4,000 m – 7,500 m along strike from the main drill area at Golden Dyke- Apollo.




Table 1: Drill collar summary table for drillholes with assays released in this quarterly report.

Hole_ID	Depth (m)	Prospect	East GDA94_Z55	North GDA94_Z55	Elevation	Azimuth	Plunge
SDDSC092	803.8	Rising Sun	330537	5867882	295.5	79.0	-60.0
SDDSC093	610.9	Rising Sun	331291	5867823	316.8	271.0	-47.5
SDDSC094	23.3	Rising Sun	330639	5867846	306.2	68.5	-56.0
SDDSC094A	359.6	Rising Sun	330639	5867846	306.1	68.5	-56.0
SDDSC095	368.3	Apollo	331291	5867823	316.8	271.0	-53.0
SDDSC096	347.9	Rising Sun	330639	5867846	306.1	68.0	-63.5
SDDSC097	62.3	Apollo	331291	5867823	316.8	276.0	-50.5
SDDSC097A	575.0	Apollo	331291	5867823	316.8	277.0	-50.0
SDDSC098	278.5	Rising Sun	330639	5867846	306.1	72.0	-48.5
SDDSC099	284.7	Rising Sun	330639	5867846	306.1	71.5	-58.5
SDDSC100	1042.0	Rising Sun	330482	5867891	289.5	74.5	-64.0
SDDSC101	181.5	Rising Sun	330639	5867846	306.1	63.0	-37.0
SDDSC102	596.8	Rising Sun	330537	5867883	295.5	75.0	-59.0
SDDSC103	260.6	Rising Sun	330639	5867847	306.1	53.0	-53.0
SDDSC104	595.2	Rising Sun	330639	5867847	306.1	64.5	-65.7
SDDSC105	353.6	Apollo	331291	5867823	316.8	275.3	-55.2
SDDSC106	653.5	Apolo	331291	5867823	316.8	279.5	-53.0
SDDSC107	815.9	Rising Sun	330537	5867883	295.5	77.5	-62.0
SDDSC108A	855.9	Apollo	331464	5867865	333.0	272.5	-50.0
SDDSC109	520.9	Apollo	331291	5867823	316.8	273.5	-44.5
SDDSC110	856.7	Rising Sun	330482	5867892	289.5	78.0	-66.0
SDDSC111	496.7	Apollo	331291	5867823	316.8	270.0	-38.0
SDDSC112	490.9	Apollo	331464	5867865	333.0	267.0	-42.0
SDDSC112W1	766.4	Apollo	331329	5867859	200.0	267.0	-42.0
SDDSC113	905.5	Rising Sun	330511	5867853	296.6	67.5	-63.5
SDDSC114	878.6	Rising Sun	330464	5867914	286.6	82.0	-58.0
SDDSC115	17.6	Rising Sun	330464	5867912	286.6	83.0	-58.5
SDDSC115A	923.6	Rising Sun	330464	5867912	286.7	83.0	-59.0
SDDSC116	682.6	Rising Sun	331465	5867865	333.3	272.5	-41.5
SDDSC117	1101.0	Rising Sun	330510	5867852	296.5	70.5	-64.5
SDDSC118	1246.0	Rising Sun	330464	5867912	286.6	80.0	-64.5
SDDSC119	854.1	Apollo	331498	5867858	336.7	272.5	-45.2
SDDSC120	1022.5	Rising Sun	331110	5867976	319.5	266.5	-55.0
SDDSC121	588.7	Rising Sun	330510	5867852	296.6	72.0	-63.0
SDDSC122	In progress plan 1200 m	Rising Sun	330338	5867860	267.7	74.0	-62.0
SDDSC114W1	625.1	Rising Sun	330464	5867914	286.6	82.0	-58.0
SDDSC119W1	643.00	Apollo	331498	5867858	336.7	272.5	-45.2
SDDSC123	124.3	Apollo	331499	5867859	337.0	276.0	-52.0

SDDSC124	In progress plan 940 m	Apollo	331499	5867859	337.0	274.0	-52.2
SDDSC121W1	In progress plan 1000 m	Rising Sun	330510	5867852	296.6	72.0	-63.8
SDDSC125	551.7	Golden Dyke	330462	5867920	285.6	212.0	-68.0

Table 2: Table of mineralised drill hole intersections reported this quarter using two cut-off criteria. Lower grades cut at 0.3 g/t lower cutoff over a maximum of 3 m with higher grades cut at 5.0 g/t AuEq cutoff over a maximum of 1 m.

Hole-ID	From (m)	To (m)	Length (m)	Au g/t	Sb%	AuEq g/t
SDDSC107	335.6	338.0	2.4	0.6	0.4	1.2
SDDSC107	341.0	341.4	0.4	0.8	1.1	2.4
SDDSC107	343.8	344.7	0.8	2.6	0.8	3.8
including	343.8	344.3	0.5	3.3	1.1	5.1
SDDSC107	348.7	351.7	3.0	5.7	0.3	6.2
including	349.6	350.7	1.0	13.6	0.1	13.7
SDDSC107	353.9	354.4	0.5	0.7	0.5	1.5
SDDSC107	362.0	362.3	0.3	3.3	0.3	3.6
SDDSC107	365.5	366.3	0.8	1.1	0.0	1.2
SDDSC107	373.0	377.0	4.0	0.7	0.0	0.7
SDDSC107	380.0	381.0	1.0	6.6	0.0	6.6
SDDSC107	395.3	396.2	0.9	2.3	0.2	2.6
SDDSC107	398.6	400.0	1.4	0.9	0.2	1.2
SDDSC107	405.5	409.6	4.1	0.4	0.2	0.7
SDDSC107	413.9	414.2	0.3	2.0	0.0	2.1
SDDSC107	416.9	417.1	0.2	0.8	6.4	11.0
SDDSC107	425.0	425.9	1.0	14.7	10.5	31.3
SDDSC107	433.8	434.3	0.4	1.3	0.0	1.3
SDDSC107	438.6	439.1	0.4	1.6	0.1	1.7
SDDSC107	444.9	447.5	2.6	1.6	0.1	1.7
including	446.8	447.1	0.3	8.6	0.2	9.0
SDDSC107	491.6	494.5	2.9	17.5	3.1	22.4
including	492.2	494.5	2.3	21.8	3.5	27.3
SDDSC107	497.0	500.0	3.1	19.7	1.2	21.6
including	497.0	497.3	0.3	198.0	9.6	213.1
SDDSC107	526.2	526.7	0.5	4.5	1.5	6.9
SDDSC107	543.5	544.0	0.5	0.7	0.3	1.2
SDDSC107	546.8	561.8	15.0	9.3	3.7	15.2
including	549.3	553.8	4.4	19.0	9.1	33.4
including	557.5	559.2	1.7	25.1	6.7	35.7
including	560.3	560.8	0.4	5.2	1.0	6.8
SDDSC107	566.9	576.0	9.1	39.1	0.6	40.0
including	572.9	573.2	0.3	1400.0	1.3	1402.1
SDDSC107	580.5	583.0	2.5	1.0	0.2	1.3
SDDSC107	585.1	585.4	0.3	31.5	0.6	32.4
SDDSC107	588.3	590.1	1.8	16.4	1.9	19.5
including	588.3	589.7	1.4	21.2	2.4	25.1
SDDSC107	684.3	685.4	1.0	2318.4	0.3	2318.8

including	684.3	685.0	0.7	3511.0	0.4	3511.7
SDDSC107	695.0	695.5	0.5	5.6	0.9	7.0
SDDSC107	700.4	703.7	3.3	2.0	0.4	2.6
including	702.2	703.0	0.9	5.6	0.0	5.7
SDDSC107	708.4	708.7	0.3	2.3	0.0	2.4
SDDSC107	723.0	725.8	2.7	10.9	2.4	14.7
including	723.0	723.3	0.3	26.9	19.4	57.6
including	724.7	725.1	0.4	46.3	1.5	48.6
SDDSC107	728.8	731.6	2.8	1.6	0.2	1.9
including	731.0	731.6	0.5	7.0	0.1	7.1
SDDSC107	746.1	747.0	0.9	2.8	0.0	2.8
SDDSC107	752.8	753.1	0.3	0.3	0.5	1.1
SDDSC107	756.0	757.9	1.9	1.4	0.0	1.4
SDDSC107	769.9	772.2	2.3	2.4	0.1	2.6
including	772.0	772.2	0.2	5.8	0.0	5.9
SDDSC107	775.5	776.4	0.8	0.7	0.4	1.4
SDDSC107	782.7	790.3	7.6	13.3	0.2	13.5
including	782.7	783.0	0.3	18.2	0.0	18.2
including	784.4	786.8	2.4	38.4	0.3	39.0
SDDSC107	809.0	811.6	2.6	1.2	0.0	1.2
SDDSC110	401.2	401.9	0.7	9.4	1.0	11.2
SDDSC110	534.9	536.2	1.3	0.8	0.5	1.8
SDDSC110	556.2	557.3	1.1	1.8	0.6	2.8
SDDSC110	694.9	695.3	0.4	0.4	0.6	1.5
SDDSC110	731.3	731.8	0.5	0.6	0.8	2.0
SDDSC110	759.7	762.8	3.1	0.6	0.1	0.8
SDDSC110	789.0	790.0	1.0	1.6	0.0	1.6
SDDSC110	822.0	823.0	1.0	1.1	0.0	1.1
SDDSC110	825.5	826.3	0.8	1.7	0.0	1.8
SDDSC110	829.9	830.6	0.7	1.1	0.0	1.1
SDDSC111	123.5	123.7	0.2	0.1	0.6	1.2
SDDSC111	138.8	139.2	0.4	0.1	1.8	3.5
SDDSC111	187.1	189.2	2.1	3.4	1.2	5.7
including	187.1	187.7	0.6	9.8	3.8	16.9
SDDSC111	229.8	230.8	1.0	1.4	0.9	3.2
SDDSC111	263.0	263.9	0.9	1.0	1.0	2.9
SDDSC111	297.7	298.3	0.6	1.5	0.0	1.5
SDDSC111	302.6	302.8	0.3	1.2	0.3	1.7
SDDSC111	309.9	310.9	1.0	4.1	0.0	4.1
SDDSC111	315.9	316.1	0.2	6.9	0.5	7.8
SDDSC111	322.0	330.0	8.0	2.7	0.4	3.5

including	323.0	323.4	0.4	21.8	4.6	30.4
including	327.6	327.8	0.2	2.1	1.8	5.6
including	329.6	330.0	0.4	13.6	2.8	18.9
SDDSC111	341.8	343.3	1.5	0.8	0.4	1.5
SDDSC111	350.9	351.5	0.6	2.6	0.5	3.4
SDDSC111	355.5	357.6	2.1	0.2	0.5	1.1
SDDSC111	378.0	380.1	2.1	0.3	0.6	1.4
SDDSC111	393.9	400.7	6.8	3.6	0.4	4.3
including	394.9	395.6	0.7	7.5	1.0	9.3
including	397.6	399.6	2.0	8.5	0.4	9.2
SDDSC111	453.9	455.1	1.2	3.5	0.0	3.6
SDDSC112	273.2	274.1	0.9	16.7	10.9	37.3
including	273.2	273.7	0.4	33.2	21.7	74.0
SDDSC112	307.9	308.1	0.2	1.6	0.0	1.6
SDDSC112	335.9	336.7	0.8	9.2	2.4	13.7
SDDSC112	353.2	354.7	1.6	2.0	0.5	2.9
including	353.8	354.1	0.3	3.0	1.7	6.2
SDDSC112	368.0	369.4	1.4	0.0	4.1	7.8
SDDSC112W1	275.7	277.5	1.8	2.5	0.2	2.8
including	275.7	276.0	0.3	4.5	0.6	5.7
SDDSC112W1	313.2	313.9	0.7	1.0	0.0	1.0
SDDSC112W1	343.8	344.8	0.9	3.3	0.0	3.3
SDDSC112W1	391.3	391.9	0.6	3.0	1.3	5.4
including	391.6	391.9	0.3	1.6	2.5	6.3
SDDSC112W1	394.0	397.0	2.9	0.8	0.1	0.9
SDDSC112W1	399.2	400.7	1.5	18.1	1.6	21.1
including	399.5	399.8	0.3	79.7	5.7	90.5
SDDSC112W1	543.5	543.7	0.2	1.9	5.6	12.4
SDDSC112W1	564.3	564.5	0.2	1.2	0.2	1.5
SDDSC112W1	606.9	608.9	1.9	2.1	0.6	3.2
including	607.2	607.6	0.3	3.6	1.7	6.7
SDDSC112W1	623.3	627.3	4.0	1.9	0.2	2.2
including	626.0	626.4	0.4	15.0	0.0	15.1
SDDSC112W1	629.6	635.3	5.6	0.7	0.2	1.1
SDDSC112W1	637.7	638.8	1.1	4.7	0.9	6.3
SDDSC112W1	641.1	641.4	0.3	2.2	0.1	2.3
SDDSC112W1	645.2	647.7	2.4	9.8	3.2	15.8
including	646.1	646.8	0.6	31.7	11.3	52.9
SDDSC112W1	653.1	653.7	0.7	0.9	0.1	1.0
SDDSC112W1	669.9	670.3	0.4	13.9	15.6	43.2
SDDSC112W1	681.7	688.7	7.0	1.3	0.7	2.6

including	686.0	686.9	0.9	4.6	2.9	10.1
SDDSC112W1	694.6	697.7	3.1	0.8	0.4	1.6
SDDSC112W1	700.5	704.1	3.6	1.1	0.2	1.5
SDDSC112W1	707.6	708.3	0.7	1.5	0.2	2.0
SDDSC113	322.6	322.8	0.1	0.5	0.4	1.3
SDDSC113	337.0	339.0	2.0	3.1	0.4	3.8
SDDSC113	345.4	345.7	0.3	4.2	0.7	5.6
SDDSC113	358.1	361.1	3.0	0.7	0.2	1.1
SDDSC113	406.3	412.2	5.9	2.3	0.7	3.7
SDDSC113	419.0	422.0	3.0	0.6	0.1	0.7
SDDSC113	425.0	425.5	0.5	2.0	0.5	2.9
SDDSC113	431.7	431.9	0.2	1.3	0.1	1.4
SDDSC113	458.3	458.8	0.5	1.5	0.6	2.5
SDDSC113	461.1	461.5	0.4	4.3	0.0	4.4
SDDSC113	464.7	465.7	1.1	2.1	0.6	3.3
SDDSC113	468.1	469.0	0.9	156.0	0.4	156.8
SDDSC113	477.0	477.4	0.4	1.8	0.0	1.8
SDDSC113	482.0	482.2	0.2	1.9	0.0	1.9
SDDSC113	493.9	494.4	0.5	1.3	0.0	1.3
SDDSC113	518.5	518.9	0.4	14.8	0.8	16.3
SDDSC113	522.7	523.0	0.3	6.1	0.1	6.3
SDDSC113	536.8	543.0	6.3	1.4	0.3	2.0
SDDSC113	545.4	547.1	1.7	1.2	0.0	1.2
SDDSC113	552.0	555.0	3.0	1.5	0.4	2.3
SDDSC113	558.0	573.5	15.5	3.4	0.9	5.0
SDDSC113	575.6	580.9	5.3	10.5	1.7	13.7
SDDSC113	590.8	591.0	0.2	0.7	0.3	1.2
SDDSC113	595.0	595.7	0.7	0.6	0.4	1.4
SDDSC113	624.8	625.1	0.3	1.7	0.0	1.7
SDDSC113	644.4	644.5	0.1	0.7	0.2	1.1
SDDSC113	702.4	703.3	0.9	327.7	2.8	332.9
SDDSC113	717.6	717.9	0.3	1.0	0.2	1.5
SDDSC113	721.4	723.6	2.1	1.0	0.2	1.4
SDDSC113	730.3	731.2	0.9	9.7	0.4	10.4
SDDSC113	736.0	737.2	1.2	16.9	0.3	17.4
SDDSC113	751.0	755.1	4.1	22.6	0.4	23.4
SDDSC113	770.0	771.0	1.0	1.6	0.1	1.7
SDDSC113	788.7	788.9	0.2	6.7	0.0	6.7
SDDSC113	791.4	791.7	0.3	10.9	0.0	10.9
SDDSC113	796.1	796.6	0.5	1.2	0.0	1.2
SDDSC113	807.7	809.1	1.4	3.6	0.0	3.6

SDDSC113	816.6	819.4	2.8	0.9	0.0	0.9
SDDSC114	485.1	486.0	0.9	1.2	0.8	2.7
SDDSC114	510.5	512.6	2.0	2.1	0.3	2.6
SDDSC114	520.6	521.0	0.4	1.3	0.0	1.3
SDDSC114	526.1	526.3	0.3	2.8	0.3	3.4
SDDSC114	564.6	564.7	0.2	2.1	4.5	10.5
SDDSC114	628.5	631.2	2.7	14.5	1.9	18.1
SDDSC114	724.5	724.8	0.3	6.6	0.3	7.2
SDDSC114	766.5	769.1	2.7	19.2	0.3	19.7
SDDSC114	776.2	776.6	0.4	3.6	0.0	3.6
SDDSC114	787.4	788.1	0.7	1.2	0.0	1.2
SDDSC114	794.5	795.0	0.5	1.6	0.0	1.6
SDDSC114	813.5	814.0	0.4	2.2	0.0	2.2
SDDSC114	825.4	825.6	0.2	69.9	0.0	69.9
SDDSC114	844.7	845.3	0.6	10.5	0.0	10.5
SDDSC115A	452.9	453.1	0.2	0.2	1.1	2.2
SDDSC115A	455.3	456.1	0.7	3.7	0.4	4.4
Including	455.9	456.1	0.2	12.8	0.4	13.5
SDDSC115A	491.1	491.6	0.5	0.7	0.3	1.2
SDDSC115A	500.4	500.8	0.4	1.1	0.0	1.1
SDDSC115A	512.4	517.9	5.5	0.8	0.5	1.7
Including	517.6	517.9	0.3	2.4	2.0	6.1
SDDSC115A	528.9	529.5	0.6	0.5	0.3	1.1
SDDSC115A	532.6	534.2	1.5	10.6	1.0	12.4
Including	533.0	534.2	1.2	13.2	1.1	15.3
SDDSC115A	550.1	550.4	0.3	1.2	0.5	2.2
SDDSC115A	552.5	552.6	0.1	1.1	1.6	4.0
SDDSC115A	563.6	566.9	3.3	2.6	2.0	6.4
Including	563.6	564.4	0.8	5.1	0.9	6.7
Including	565.7	566.9	1.2	3.1	4.4	11.3
SDDSC115A	573.7	573.9	0.2	15.4	5.6	25.9
SDDSC115A	580.0	590.4	10.4	1.2	1.0	3.0
Including	580.2	580.5	0.3	13.9	21.2	53.8
Including	587.7	587.8	0.2	3.1	2.2	7.2
SDDSC115A	593.0	596.0	3.0	0.7	0.3	1.4
SDDSC115A	619.3	619.4	0.1	1.4	0.6	2.4
SDDSC115A	643.4	644.7	1.3	84.9	2.8	90.2
SDDSC115A	646.3	646.6	0.3	109.0	3.8	116.1
SDDSC115A	707.7	708.0	0.3	86.4	0.4	87.2
SDDSC115A	719.5	719.7	0.1	87.1	4.3	95.3
SDDSC115A	729.5	729.8	0.3	2.0	0.0	2.1

SDDSC115A	742.4	742.9	0.5	1.1	0.1	1.2
SDDSC115A	746.0	749.4	3.4	2.7	0.1	2.8
Including	747.3	747.6	0.3	15.3	0.1	15.4
SDDSC115A	753.5	754.5	1.0	3.1	0.0	3.1
SDDSC115A	768.9	769.8	0.9	1.2	0.0	1.2
SDDSC115A	785.6	786.2	0.6	1.4	0.0	1.4
SDDSC115A	791.5	794.1	2.6	1.6	0.0	1.6
SDDSC115A	846.9	847.6	0.7	1.3	0.0	1.3
SDDSC115A	853.9	854.4	0.5	1.6	0.0	1.7
SDDSC115A	865.6	865.9	0.3	1.0	0.0	1.0
SDDSC115A	869.2	869.5	0.3	2.2	0.0	2.2
SDDSC115A	874.3	878.1	3.8	3.2	0.5	4.0
Including	875.6	876.0	0.4	12.9	0.0	12.9
SDDSC115A	881.6	882.8	1.2	0.9	0.1	1.0
SDDSC115A	885.4	885.7	0.2	3.6	0.2	3.9
SDDSC116	406.8	407.2	0.4	1.3	0.0	1.3
SDDSC116	413.7	413.9	0.2	1.9	0.0	1.9
SDDSC116	462.2	462.8	0.6	3.2	1.4	5.9
SDDSC116	467.9	468.1	0.2	3.3	0.2	3.6
SDDSC116	473.2	475.5	2.3	5.8	0.4	6.5
including	475.2	475.5	0.3	34.6	2.3	39.0
SDDSC116	480.8	482.1	1.3	6.0	0.0	6.1
including	481.6	482.1	0.5	10.5	0.0	10.6
SDDSC116	486.3	490.9	4.6	2.6	0.8	4.0
including	488.7	488.9	0.2	1.2	3.2	7.3
including	490.2	490.4	0.2	46.1	9.9	64.7
SDDSC116	494.6	498.0	3.3	0.2	0.3	0.8
SDDSC116	501.1	501.3	0.2	2.4	0.0	2.4
SDDSC116	511.2	526.3	15.0	8.8	0.5	9.8
including	511.2	511.5	0.3	3.7	9.5	21.6
including	514.0	517.6	3.6	34.1	1.2	36.4
SDDSC116	529.5	530.2	0.8	3.6	4.8	12.5
SDDSC116	554.0	559.0	5.0	0.9	0.4	1.7
SDDSC116	564.0	565.0	1.0	5.6	0.1	5.7
SDDSC116	593.6	594.3	0.7	1.3	0.2	1.8
SDDSC116	608.9	609.6	0.6	1.4	0.0	1.4
SDDSC116	615.3	618.7	3.4	1.2	0.7	2.5
including	618.2	618.7	0.5	1.8	3.1	7.6
SDDSC117	313.7	314.0	0.2	1.4	0.0	1.4
SDDSC117	362.0	362.9	0.9	1.8	0.0	1.8
SDDSC117	381.2	383.4	2.2	0.4	0.0	0.4

SDDSC117	511.1	511.5	0.4	0.9	0.3	1.5
SDDSC117	542.1	542.5	0.4	1.3	0.0	1.3
SDDSC117	557.7	558.3	0.6	0.9	1.5	3.7
SDDSC117	592.2	592.6	0.4	0.6	0.3	1.1
SDDSC117	606.6	619.9	13.3	0.6	0.3	1.2
Including	606.6	606.8	0.2	0.9	3.7	7.9
SDDSC117	636.0	636.4	0.4	0.6	0.7	2.0
SDDSC117	637.6	638.1	0.5	0.5	0.3	1.1
SDDSC117	644.4	647.9	3.5	0.6	0.4	1.4
SDDSC117	652.1	655.7	3.6	0.8	0.3	1.3
Including	652.1	652.5	0.5	3.6	1.3	6.0
SDDSC117	658.1	658.2	0.1	3.5	0.0	3.6
SDDSC117	684.3	688.3	4.0	0.4	0.3	1.0
SDDSC117	707.5	708.9	1.3	0.3	0.5	1.4
SDDSC117	715.4	717.4	2.0	5.6	0.0	5.6
SDDSC117	721.5	722.8	1.3	0.2	0.4	1.1
SDDSC117	739.1	739.5	0.3	0.9	0.6	2.0
SDDSC117	741.9	750.5	8.7	3.5	0.3	4.1
Including	745.8	746.9	1.1	20.9	0.3	21.5
SDDSC117	752.8	753.8	1.0	1.4	0.3	2.0
SDDSC117	759.7	760.4	0.6	1.0	0.0	1.0
SDDSC117	769.5	769.7	0.2	0.6	0.2	1.0
SDDSC117	789.9	793.0	3.1	0.5	0.5	1.4
SDDSC117	813.6	813.8	0.2	1.5	0.0	1.5
SDDSC117	845.0	849.8	4.8	0.7	0.0	0.7
SDDSC117	853.5	853.7	0.2	0.8	0.5	1.8
SDDSC117	856.1	860.1	3.9	0.7	0.1	0.8
SDDSC117	873.6	874.4	0.7	1.2	0.0	1.2
SDDSC117	888.3	888.8	0.6	3.1	0.0	3.1
SDDSC117	913.6	914.1	0.5	473.0	0.0	473.1
SDDSC117	934.7	937.3	2.5	2.4	0.0	2.4
Including	934.7	934.9	0.2	11.3	0.0	11.3
Including	936.8	937.3	0.4	9.1	0.0	9.1
SDDSC117	950.4	950.6	0.1	1.4	0.0	1.4
SDDSC117	966.6	967.5	0.9	2.4	0.0	2.4
SDDSC117	1000.5	1000.9	0.4	1.4	0.0	1.4
SDDSC117	1008.0	1008.4	0.4	2.0	0.0	2.0

Table 3: All individual assays reported this quarter >0.1g/t AuEq.

Hole-ID	From (m)	To (m)	Length (m)	Au g/t	Sb%	AuEq g/t
SDDSC107	318.81	319.75	0.9	0.1	0.0	0.1
SDDSC107	319.75	320.40	0.7	0.1	0.0	0.1
SDDSC107	321.08	322.00	0.9	0.1	0.0	0.1
SDDSC107	322.93	324.02	1.1	0.1	0.0	0.1
SDDSC107	324.02	325.00	1.0	0.1	0.0	0.1
SDDSC107	326.00	326.63	0.6	0.1	0.3	0.6
SDDSC107	326.63	327.50	0.9	0.0	0.0	0.1
SDDSC107	327.50	328.50	1.0	0.1	0.0	0.1
SDDSC107	328.50	328.87	0.4	0.2	0.4	0.8
SDDSC107	328.87	329.82	1.0	0.1	0.1	0.2
SDDSC107	329.82	330.76	0.9	0.2	0.0	0.3
SDDSC107	334.00	335.00	1.0	0.0	0.0	0.1
SDDSC107	335.00	335.60	0.6	0.1	0.3	0.6
SDDSC107	335.60	335.83	0.2	0.5	2.2	4.0
SDDSC107	335.83	336.40	0.6	0.6	0.0	0.6
SDDSC107	336.40	336.82	0.4	1.2	0.6	2.1
SDDSC107	336.82	337.65	0.8	0.3	0.0	0.3
SDDSC107	337.65	338.03	0.4	0.7	0.4	1.3
SDDSC107	338.03	338.72	0.7	0.9	0.0	1.0
SDDSC107	338.72	339.40	0.7	0.7	0.0	0.7
SDDSC107	340.40	341.01	0.6	0.5	0.0	0.5
SDDSC107	341.01	341.38	0.4	0.8	1.1	2.4
SDDSC107	341.38	341.90	0.5	0.5	0.3	1.0
SDDSC107	342.78	343.49	0.7	0.2	0.0	0.3
SDDSC107	343.49	343.80	0.3	0.1	0.2	0.4
SDDSC107	343.80	344.33	0.5	3.3	1.1	5.1
SDDSC107	344.33	344.65	0.3	1.5	0.2	1.8
SDDSC107	344.65	345.80	1.2	0.2	0.1	0.3
SDDSC107	345.80	346.80	1.0	0.0	0.0	0.1
SDDSC107	346.80	347.24	0.4	0.2	0.1	0.3
SDDSC107	348.00	348.65	0.7	0.2	0.0	0.3
SDDSC107	348.65	349.04	0.4	1.6	0.9	3.0
SDDSC107	349.04	349.60	0.6	1.1	0.2	1.3
SDDSC107	349.60	350.20	0.6	18.1	0.1	18.3
SDDSC107	350.20	350.65	0.5	7.5	0.0	7.5
SDDSC107	350.65	351.00	0.4	4.3	0.0	4.3
SDDSC107	351.00	351.30	0.3	0.3	0.0	0.3
SDDSC107	351.30	351.65	0.4	0.6	0.7	1.8
SDDSC107	351.65	352.00	0.4	0.0	0.0	0.1

SDDSC107	352.00	353.00	1.0	0.2	0.0	0.2
SDDSC107	353.00	353.85	0.9	0.1	0.0	0.1
SDDSC107	353.85	354.37	0.5	0.7	0.5	1.5
SDDSC107	354.37	355.05	0.7	0.1	0.0	0.2
SDDSC107	355.05	355.90	0.9	0.2	0.0	0.2
SDDSC107	355.90	357.00	1.1	0.1	0.0	0.1
SDDSC107	357.00	358.00	1.0	0.0	0.0	0.1
SDDSC107	358.00	359.00	1.0	0.1	0.0	0.2
SDDSC107	359.00	360.00	1.0	0.1	0.1	0.2
SDDSC107	361.00	362.00	1.0	0.1	0.0	0.1
SDDSC107	362.00	362.34	0.3	3.3	0.3	3.6
SDDSC107	362.34	363.00	0.7	0.1	0.0	0.1
SDDSC107	363.00	364.00	1.0	0.2	0.0	0.3
SDDSC107	364.00	364.65	0.7	0.7	0.0	0.7
SDDSC107	364.65	365.46	0.8	0.3	0.1	0.5
SDDSC107	365.46	365.97	0.5	1.2	0.0	1.3
SDDSC107	365.97	366.30	0.3	1.0	0.0	1.1
SDDSC107	366.30	366.96	0.7	0.4	0.0	0.5
SDDSC107	366.96	368.00	1.0	0.9	0.0	0.9
SDDSC107	368.00	369.00	1.0	0.5	0.0	0.6
SDDSC107	369.00	370.00	1.0	0.3	0.0	0.3
SDDSC107	370.00	371.00	1.0	0.2	0.0	0.2
SDDSC107	371.00	372.00	1.0	0.2	0.0	0.2
SDDSC107	372.00	373.00	1.0	0.7	0.0	0.7
SDDSC107	373.00	374.00	1.0	1.0	0.0	1.0
SDDSC107	374.00	375.00	1.0	0.3	0.0	0.3
SDDSC107	375.00	376.00	1.0	0.3	0.0	0.3
SDDSC107	376.00	377.00	1.0	1.0	0.0	1.0
SDDSC107	377.00	378.00	1.0	0.5	0.0	0.5
SDDSC107	378.00	379.00	1.0	0.2	0.0	0.2
SDDSC107	379.00	380.00	1.0	0.3	0.0	0.3
SDDSC107	380.00	381.00	1.0	6.6	0.0	6.6
SDDSC107	382.00	383.00	1.0	0.1	0.0	0.1
SDDSC107	383.00	384.00	1.0	0.4	0.0	0.4
SDDSC107	385.00	386.00	1.0	0.1	0.0	0.1
SDDSC107	387.00	388.00	1.0	0.1	0.0	0.1
SDDSC107	394.60	395.26	0.7	0.2	0.0	0.2
SDDSC107	395.26	395.45	0.2	2.9	0.1	3.0
SDDSC107	395.45	395.83	0.4	1.6	0.4	2.2
SDDSC107	395.83	396.16	0.3	2.7	0.1	2.8
SDDSC107	396.80	397.07	0.3	0.5	0.0	0.5

SDDSC107	397.07	398.07	1.0	0.1	0.0	0.1
SDDSC107	398.07	398.27	0.2	0.3	0.0	0.3
SDDSC107	398.57	398.89	0.3	1.8	0.1	1.9
SDDSC107	399.52	399.95	0.4	1.7	0.4	2.4
SDDSC107	404.42	405.47	1.1	0.0	0.0	0.1
SDDSC107	405.47	405.98	0.5	0.9	0.2	1.2
SDDSC107	405.98	406.62	0.6	0.2	0.0	0.2
SDDSC107	406.62	407.10	0.5	0.5	0.2	0.9
SDDSC107	407.10	408.00	0.9	0.3	0.5	1.1
SDDSC107	408.59	409.15	0.6	0.0	0.0	0.1
SDDSC107	409.15	409.55	0.4	1.2	0.4	1.8
SDDSC107	409.55	409.81	0.3	0.1	0.0	0.1
SDDSC107	412.07	412.85	0.8	0.1	0.0	0.1
SDDSC107	412.85	413.12	0.3	0.1	0.0	0.1
SDDSC107	413.12	413.88	0.8	0.4	0.0	0.4
SDDSC107	413.88	414.18	0.3	2.0	0.0	2.1
SDDSC107	414.18	415.00	0.8	0.6	0.0	0.6
SDDSC107	416.90	417.11	0.2	0.8	6.4	11.0
SDDSC107	417.11	418.17	1.1	0.0	0.0	0.1
SDDSC107	418.17	419.28	1.1	0.2	0.0	0.2
SDDSC107	419.28	419.95	0.7	0.2	0.0	0.2
SDDSC107	419.95	420.20	0.3	0.8	0.0	0.8
SDDSC107	420.20	420.75	0.6	0.0	0.0	0.1
SDDSC107	420.75	421.70	1.0	0.1	0.0	0.1
SDDSC107	422.35	423.20	0.9	0.7	0.0	0.7
SDDSC107	423.20	423.97	0.8	0.1	0.3	0.5
SDDSC107	423.97	424.97	1.0	0.3	0.0	0.3
SDDSC107	424.97	425.35	0.4	28.0	25.9	68.9
SDDSC107	425.35	425.93	0.6	6.0	0.4	6.7
SDDSC107	425.93	426.78	0.9	0.2	0.0	0.3
SDDSC107	426.78	427.10	0.3	0.6	0.0	0.6
SDDSC107	427.10	428.27	1.2	0.1	0.0	0.1
SDDSC107	431.06	431.52	0.5	0.2	0.0	0.2
SDDSC107	432.18	432.92	0.7	0.1	0.0	0.1
SDDSC107	432.92	433.34	0.4	0.4	0.0	0.5
SDDSC107	433.82	434.27	0.5	1.3	0.0	1.3
SDDSC107	434.27	435.31	1.0	0.7	0.0	0.7
SDDSC107	436.10	437.00	0.9	0.2	0.0	0.2
SDDSC107	437.00	437.39	0.4	0.3	0.0	0.3
SDDSC107	437.39	437.84	0.5	0.1	0.0	0.1
SDDSC107	438.62	439.07	0.5	1.6	0.1	1.7

SDDSC107	439.75	440.64	0.9	0.4	0.0	0.4
SDDSC107	442.37	443.12	0.8	0.3	0.3	0.8
SDDSC107	443.12	443.57	0.5	0.6	0.1	0.7
SDDSC107	443.57	443.81	0.2	0.9	0.0	1.0
SDDSC107	443.81	444.32	0.5	0.1	0.0	0.1
SDDSC107	444.32	444.89	0.6	0.1	0.0	0.1
SDDSC107	444.89	445.23	0.3	2.7	0.3	3.2
SDDSC107	446.82	447.09	0.3	8.6	0.2	9.0
SDDSC107	447.09	447.45	0.4	2.0	0.0	2.1
SDDSC107	447.45	447.69	0.2	0.6	0.0	0.6
SDDSC107	447.69	448.16	0.5	0.6	0.1	0.7
SDDSC107	448.16	448.60	0.4	0.1	0.0	0.1
SDDSC107	450.00	450.16	0.2	0.9	0.0	0.9
SDDSC107	450.80	451.19	0.4	0.2	0.0	0.2
SDDSC107	451.19	451.37	0.2	0.6	0.0	0.6
SDDSC107	451.37	451.86	0.5	0.4	0.0	0.4
SDDSC107	452.55	453.38	0.8	0.0	0.0	0.1
SDDSC107	456.96	457.55	0.6	0.2	0.3	0.6
SDDSC107	457.55	457.76	0.2	0.4	0.1	0.6
SDDSC107	460.41	460.70	0.3	0.1	0.0	0.1
SDDSC107	462.07	463.04	1.0	0.1	0.0	0.1
SDDSC107	465.80	466.40	0.6	0.8	0.0	0.8
SDDSC107	466.40	467.00	0.6	0.1	0.0	0.1
SDDSC107	467.00	468.00	1.0	0.2	0.0	0.2
SDDSC107	471.00	472.00	1.0	0.0	0.0	0.1
SDDSC107	473.00	474.00	1.0	0.0	0.0	0.1
SDDSC107	474.00	475.00	1.0	0.1	0.0	0.1
SDDSC107	476.00	477.00	1.0	0.3	0.0	0.3
SDDSC107	478.00	479.25	1.3	0.5	0.0	0.6
SDDSC107	480.17	480.81	0.6	0.1	0.0	0.1
SDDSC107	480.81	482.00	1.2	0.1	0.0	0.1
SDDSC107	482.00	482.92	0.9	0.1	0.0	0.2
SDDSC107	482.92	484.00	1.1	0.4	0.0	0.4
SDDSC107	484.97	486.00	1.0	0.2	0.0	0.2
SDDSC107	487.00	488.00	1.0	0.2	0.0	0.3
SDDSC107	488.00	489.00	1.0	0.7	0.0	0.8
SDDSC107	489.00	490.00	1.0	0.1	0.2	0.5
SDDSC107	490.00	491.00	1.0	0.2	0.0	0.2
SDDSC107	491.00	491.61	0.6	0.3	0.0	0.3
SDDSC107	491.61	492.23	0.6	2.1	1.3	4.2
SDDSC107	492.23	492.60	0.4	96.0	15.1	119.9

SDDSC107	492.60	493.02	0.4	16.5	4.1	23.0
SDDSC107	493.02	493.84	0.8	5.2	0.3	5.7
SDDSC107	493.84	494.50	0.7	4.0	0.8	5.2
SDDSC107	494.50	495.75	1.3	0.0	0.0	0.1
SDDSC107	495.75	496.95	1.2	0.1	0.0	0.1
SDDSC107	496.95	497.25	0.3	198.0	9.6	213.1
SDDSC107	498.00	499.00	1.0	0.1	0.0	0.1
SDDSC107	499.00	500.00	1.0	0.5	0.8	1.9
SDDSC107	500.00	501.16	1.2	0.2	0.4	0.8
SDDSC107	501.16	502.00	0.8	0.0	0.1	0.1
SDDSC107	508.50	509.00	0.5	0.0	0.0	0.1
SDDSC107	526.17	526.68	0.5	4.5	1.5	6.9
SDDSC107	531.75	532.47	0.7	0.0	0.2	0.4
SDDSC107	533.71	534.33	0.6	0.4	0.1	0.5
SDDSC107	534.33	535.40	1.1	0.2	0.1	0.3
SDDSC107	535.40	536.60	1.2	0.1	0.0	0.1
SDDSC107	541.63	542.68	1.1	0.1	0.0	0.1
SDDSC107	542.68	543.54	0.9	0.2	0.1	0.3
SDDSC107	543.54	544.00	0.5	0.7	0.3	1.2
SDDSC107	544.00	544.30	0.3	0.1	0.0	0.2
SDDSC107	545.75	546.10	0.4	0.1	0.0	0.2
SDDSC107	546.10	546.75	0.7	0.0	0.0	0.1
SDDSC107	546.75	547.05	0.3	0.6	0.5	1.4
SDDSC107	547.05	548.06	1.0	2.8	0.6	3.8
SDDSC107	548.06	548.45	0.4	0.2	0.3	0.7
SDDSC107	548.45	548.75	0.3	0.2	0.0	0.3
SDDSC107	548.75	549.34	0.6	0.1	0.1	0.2
SDDSC107	549.34	549.87	0.5	14.8	15.7	39.6
SDDSC107	549.87	550.25	0.4	2.0	4.6	9.2
SDDSC107	550.25	550.76	0.5	68.3	21.7	102.6
SDDSC107	550.76	551.06	0.3	3.4	5.6	12.2
SDDSC107	551.06	551.43	0.4	3.5	4.6	10.8
SDDSC107	551.43	551.73	0.3	2.9	14.3	25.5
SDDSC107	551.73	552.03	0.3	8.3	3.1	13.1
SDDSC107	552.03	552.73	0.7	39.6	11.3	57.5
SDDSC107	552.73	553.76	1.0	7.0	2.7	11.2
SDDSC107	553.76	554.62	0.9	1.2	0.5	1.9
SDDSC107	554.62	555.30	0.7	1.2	0.0	1.3
SDDSC107	555.30	555.79	0.5	0.9	0.0	1.0
SDDSC107	555.79	556.00	0.2	1.8	0.5	2.6
SDDSC107	556.00	556.95	1.0	1.0	0.3	1.4

SDDSC107	556.95	557.50	0.6	0.7	0.4	1.4
SDDSC107	557.50	557.90	0.4	3.9	4.0	10.2
SDDSC107	557.90	558.29	0.4	7.2	3.6	12.8
SDDSC107	558.29	558.64	0.4	20.4	5.3	28.8
SDDSC107	558.64	559.22	0.6	54.7	11.6	73.0
SDDSC107	559.22	559.86	0.6	3.2	0.4	3.9
SDDSC107	559.86	560.32	0.5	1.1	0.6	2.0
SDDSC107	560.32	560.75	0.4	5.2	1.0	6.8
SDDSC107	560.75	561.75	1.0	0.9	0.6	1.8
SDDSC107	561.75	562.90	1.2	0.1	0.0	0.2
SDDSC107	565.40	566.55	1.2	0.0	0.0	0.1
SDDSC107	566.55	566.85	0.3	0.6	0.1	0.7
SDDSC107	566.85	567.44	0.6	0.8	0.4	1.5
SDDSC107	568.94	569.30	0.4	0.6	0.3	1.0
SDDSC107	569.30	569.92	0.6	2.9	0.7	4.0
SDDSC107	569.92	570.22	0.3	1.3	0.4	1.9
SDDSC107	570.22	570.75	0.5	1.5	0.4	2.2
SDDSC107	570.75	571.38	0.6	0.3	0.2	0.6
SDDSC107	571.38	572.00	0.6	1.4	1.4	3.6
SDDSC107	572.00	572.90	0.9	0.6	0.6	1.4
SDDSC107	572.90	573.15	0.3	1400.0	1.3	1402.1
SDDSC107	573.15	573.73	0.6	0.9	0.8	2.1
SDDSC107	573.73	574.25	0.5	1.7	1.7	4.3
SDDSC107	574.25	574.65	0.4	0.7	0.6	1.7
SDDSC107	574.65	575.55	0.9	1.0	0.7	2.1
SDDSC107	575.55	576.00	0.5	0.4	0.4	1.1
SDDSC107	576.00	577.00	1.0	0.2	0.1	0.4
SDDSC107	577.00	577.30	0.3	0.1	0.0	0.2
SDDSC107	578.80	579.11	0.3	0.2	0.3	0.6
SDDSC107	580.48	580.90	0.4	1.3	0.3	1.8
SDDSC107	580.90	581.85	1.0	0.0	0.0	0.1
SDDSC107	581.85	582.15	0.3	1.3	0.9	2.6
SDDSC107	582.15	583.00	0.9	1.9	0.1	2.0
SDDSC107	583.60	584.25	0.7	0.0	0.2	0.3
SDDSC107	585.10	585.35	0.3	31.5	0.6	32.4
SDDSC107	585.85	586.45	0.6	0.2	0.1	0.3
SDDSC107	586.45	586.90	0.5	0.0	0.0	0.1
SDDSC107	586.90	587.67	0.8	0.2	0.2	0.5
SDDSC107	587.67	588.28	0.6	0.0	0.0	0.1
SDDSC107	588.28	588.70	0.4	39.1	5.3	47.5
SDDSC107	588.70	589.48	0.8	0.8	0.4	1.5

SDDSC107	589.48	589.65	0.2	71.0	4.4	77.9
SDDSC107	589.65	590.09	0.4	1.4	0.4	2.0
SDDSC107	590.09	590.56	0.5	0.1	0.1	0.2
SDDSC107	602.61	602.95	0.3	0.1	0.0	0.1
SDDSC107	608.00	608.94	0.9	0.1	0.0	0.1
SDDSC107	625.54	625.93	0.4	0.1	0.0	0.1
SDDSC107	625.93	626.59	0.7	0.7	0.1	0.8
SDDSC107	648.30	649.49	1.2	0.1	0.0	0.1
SDDSC107	683.00	684.32	1.3	0.1	0.0	0.1
SDDSC107	684.32	684.70	0.4	496.0	0.5	496.7
SDDSC107	684.70	685.00	0.3	7330.0	0.4	7330.6
SDDSC107	685.00	685.35	0.4	1.3	0.0	1.3
SDDSC107	685.35	686.00	0.7	0.1	0.0	0.2
SDDSC107	686.00	687.00	1.0	0.3	0.3	0.8
SDDSC107	690.00	691.00	1.0	0.4	0.1	0.6
SDDSC107	691.00	692.00	1.0	0.5	0.0	0.6
SDDSC107	692.00	692.70	0.7	0.8	0.0	0.8
SDDSC107	692.70	693.70	1.0	0.2	0.0	0.2
SDDSC107	695.00	695.52	0.5	5.6	0.9	7.0
SDDSC107	695.52	696.00	0.5	0.3	0.0	0.3
SDDSC107	696.00	696.65	0.7	0.2	0.1	0.3
SDDSC107	700.40	701.00	0.6	1.4	0.2	1.7
SDDSC107	701.00	702.15	1.2	0.1	0.0	0.1
SDDSC107	702.15	703.00	0.9	5.6	0.0	5.7
SDDSC107	703.00	703.70	0.7	1.2	1.6	3.7
SDDSC107	703.70	705.00	1.3	0.1	0.1	0.2
SDDSC107	705.00	706.02	1.0	0.1	0.0	0.1
SDDSC107	706.60	707.27	0.7	0.1	0.0	0.2
SDDSC107	707.27	708.40	1.1	0.7	0.0	0.7
SDDSC107	708.40	708.70	0.3	2.3	0.0	2.4
SDDSC107	722.73	723.03	0.3	0.0	0.1	0.1
SDDSC107	723.03	723.30	0.3	26.9	19.4	57.6
SDDSC107	723.30	724.11	0.8	1.2	0.6	2.2
SDDSC107	724.65	725.08	0.4	46.3	1.5	48.6
SDDSC107	725.08	725.75	0.7	2.3	0.1	2.4
SDDSC107	725.75	726.32	0.6	0.4	0.1	0.6
SDDSC107	727.10	727.77	0.7	0.4	0.0	0.5
SDDSC107	727.77	728.78	1.0	0.1	0.1	0.3
SDDSC107	728.78	729.33	0.6	0.3	0.5	1.1
SDDSC107	729.33	729.75	0.4	0.4	0.3	0.9
SDDSC107	729.75	730.40	0.7	0.2	0.1	0.2

SDDSC107	730.40	731.00	0.6	0.1	0.1	0.3
SDDSC107	731.00	731.55	0.6	7.0	0.1	7.1
SDDSC107	731.55	731.94	0.4	0.4	0.0	0.4
SDDSC107	731.94	732.33	0.4	0.1	0.0	0.1
SDDSC107	733.33	734.31	1.0	0.1	0.0	0.1
SDDSC107	734.31	735.19	0.9	0.0	0.0	0.1
SDDSC107	735.19	736.00	0.8	0.1	0.0	0.1
SDDSC107	736.00	736.95	1.0	0.1	0.0	0.1
SDDSC107	736.95	737.85	0.9	0.1	0.0	0.1
SDDSC107	737.85	738.87	1.0	0.1	0.0	0.1
SDDSC107	738.87	739.60	0.7	0.6	0.0	0.6
SDDSC107	739.60	740.05	0.5	0.5	0.0	0.5
SDDSC107	740.66	741.00	0.3	0.4	0.0	0.4
SDDSC107	741.00	741.54	0.5	0.6	0.0	0.6
SDDSC107	741.54	742.27	0.7	0.7	0.0	0.7
SDDSC107	744.00	744.77	0.8	0.2	0.0	0.2
SDDSC107	744.77	745.13	0.4	0.2	0.0	0.2
SDDSC107	745.13	746.07	0.9	0.0	0.0	0.1
SDDSC107	746.07	746.70	0.6	3.2	0.0	3.2
SDDSC107	746.70	747.02	0.3	2.1	0.0	2.2
SDDSC107	751.72	752.45	0.7	0.1	0.0	0.1
SDDSC107	752.81	753.12	0.3	0.3	0.5	1.1
SDDSC107	755.10	755.33	0.2	0.2	0.0	0.2
SDDSC107	755.33	756.00	0.7	0.1	0.0	0.1
SDDSC107	756.00	757.00	1.0	1.0	0.0	1.0
SDDSC107	757.00	757.42	0.4	2.0	0.0	2.0
SDDSC107	757.42	757.73	0.3	1.8	0.0	1.8
SDDSC107	757.73	757.92	0.2	1.2	0.0	1.2
SDDSC107	757.92	758.24	0.3	0.3	0.0	0.4
SDDSC107	758.24	759.20	1.0	0.1	0.0	0.1
SDDSC107	759.20	760.00	0.8	0.3	0.0	0.3
SDDSC107	760.00	760.63	0.6	0.1	0.0	0.1
SDDSC107	760.63	760.90	0.3	0.4	0.0	0.4
SDDSC107	760.90	761.30	0.4	0.2	0.0	0.2
SDDSC107	762.70	763.15	0.5	0.2	0.0	0.2
SDDSC107	763.15	763.81	0.7	0.1	0.0	0.2
SDDSC107	764.23	764.94	0.7	0.0	0.0	0.1
SDDSC107	764.94	765.31	0.4	0.0	0.0	0.1
SDDSC107	765.31	766.08	0.8	0.5	0.0	0.5
SDDSC107	766.08	766.55	0.5	0.1	0.0	0.1
SDDSC107	766.55	767.38	0.8	0.1	0.0	0.1

SDDSC107	768.04	768.24	0.2	0.2	0.1	0.4
SDDSC107	768.24	769.08	0.8	0.1	0.0	0.2
SDDSC107	769.08	769.92	0.8	0.2	0.1	0.3
SDDSC107	769.92	770.79	0.9	3.8	0.2	4.1
SDDSC107	770.79	771.56	0.8	0.7	0.1	0.9
SDDSC107	771.56	771.96	0.4	0.6	0.1	0.8
SDDSC107	771.96	772.20	0.2	5.8	0.0	5.9
SDDSC107	772.20	772.62	0.4	0.4	0.2	0.7
SDDSC107	772.62	773.40	0.8	0.8	0.0	0.8
SDDSC107	773.40	774.26	0.9	0.1	0.0	0.1
SDDSC107	774.26	774.98	0.7	0.1	0.0	0.1
SDDSC107	774.98	775.54	0.6	0.6	0.2	0.8
SDDSC107	775.54	775.83	0.3	0.7	0.6	1.7
SDDSC107	775.83	776.35	0.5	0.8	0.3	1.2
SDDSC107	777.00	778.00	1.0	0.2	0.0	0.2
SDDSC107	780.00	780.67	0.7	0.1	0.0	0.1
SDDSC107	780.67	781.60	0.9	0.5	0.0	0.5
SDDSC107	781.60	782.14	0.5	0.1	0.0	0.2
SDDSC107	782.14	782.70	0.6	0.9	0.0	0.9
SDDSC107	782.70	783.00	0.3	18.2	0.0	18.2
SDDSC107	783.00	783.89	0.9	0.2	0.0	0.3
SDDSC107	783.89	784.42	0.5	0.8	0.0	0.8
SDDSC107	784.42	784.70	0.3	19.4	0.0	19.5
SDDSC107	784.70	784.96	0.3	0.5	0.2	0.8
SDDSC107	784.96	785.41	0.5	0.6	0.2	1.0
SDDSC107	785.41	785.67	0.3	0.7	0.3	1.1
SDDSC107	785.67	786.12	0.5	65.4	0.6	66.3
SDDSC107	786.12	786.44	0.3	2.9	0.6	3.9
SDDSC107	786.44	786.80	0.4	153.0	0.3	153.5
SDDSC107	786.80	787.19	0.4	1.9	0.0	2.0
SDDSC107	787.19	787.60	0.4	0.2	0.0	0.2
SDDSC107	787.60	787.94	0.3	0.2	0.0	0.3
SDDSC107	787.94	788.14	0.2	0.8	0.6	1.8
SDDSC107	788.14	788.70	0.6	1.2	0.3	1.6
SDDSC107	788.70	789.48	0.8	0.9	0.1	1.0
SDDSC107	789.48	790.30	0.8	1.2	0.1	1.3
SDDSC107	790.30	791.12	0.8	0.3	0.0	0.3
SDDSC107	791.12	791.55	0.4	0.4	0.0	0.4
SDDSC107	799.67	799.95	0.3	0.1	0.0	0.1
SDDSC107	799.95	800.36	0.4	0.1	0.0	0.1
SDDSC107	800.36	800.62	0.3	0.0	0.0	0.1

SDDSC107	807.00	808.00	1.0	0.1	0.0	0.1
SDDSC107	809.00	810.00	1.0	1.8	0.0	1.8
SDDSC107	810.00	811.00	1.0	0.7	0.0	0.7
SDDSC107	811.00	811.63	0.6	1.0	0.0	1.0
SDDSC107	811.63	812.18	0.6	0.4	0.0	0.4
SDDSC107	812.18	813.00	0.8	0.1	0.0	0.1
SDDSC110	362.26	362.64	0.4	0.1	0.0	0.1
SDDSC110	369.00	370.00	1.0	0.2	0.0	0.2
SDDSC110	370.00	370.95	1.0	0.8	0.0	0.8
SDDSC110	375.29	375.60	0.3	0.2	0.1	0.3
SDDSC110	394.64	395.00	0.4	0.1	0.0	0.1
SDDSC110	395.00	396.10	1.1	0.3	0.0	0.3
SDDSC110	397.40	397.90	0.5	0.9	0.0	0.9
SDDSC110	397.90	398.45	0.6	0.3	0.0	0.3
SDDSC110	398.45	399.40	1.0	0.4	0.0	0.4
SDDSC110	400.55	401.20	0.7	0.1	0.0	0.1
SDDSC110	401.20	401.90	0.7	9.4	1.0	11.2
SDDSC110	402.50	403.25	0.8	0.7	0.1	0.8
SDDSC110	403.25	404.00	0.8	0.2	0.0	0.2
SDDSC110	404.00	404.70	0.7	0.1	0.0	0.2
SDDSC110	409.50	410.58	1.1	0.2	0.0	0.2
SDDSC110	410.58	411.68	1.1	0.1	0.0	0.1
SDDSC110	414.00	415.00	1.0	0.1	0.0	0.1
SDDSC110	448.06	448.53	0.5	0.1	0.0	0.1
SDDSC110	469.80	470.82	1.0	0.1	0.0	0.1
SDDSC110	471.70	472.80	1.1	0.1	0.0	0.1
SDDSC110	474.00	475.18	1.2	0.1	0.0	0.1
SDDSC110	475.18	476.05	0.9	0.1	0.0	0.1
SDDSC110	478.00	479.15	1.2	0.2	0.0	0.2
SDDSC110	481.50	482.60	1.1	0.1	0.0	0.1
SDDSC110	482.60	483.80	1.2	0.1	0.0	0.1
SDDSC110	483.80	485.00	1.2	0.0	0.0	0.1
SDDSC110	494.00	495.09	1.1	0.1	0.0	0.2
SDDSC110	517.20	518.06	0.9	0.1	0.0	0.1
SDDSC110	519.00	520.00	1.0	0.1	0.0	0.1
SDDSC110	534.91	535.23	0.3	1.4	0.3	2.0
SDDSC110	535.23	536.21	1.0	0.6	0.6	1.7
SDDSC110	551.00	551.98	1.0	0.3	0.1	0.4
SDDSC110	551.98	553.15	1.2	0.4	0.1	0.5
SDDSC110	553.15	554.00	0.9	0.3	0.0	0.4
SDDSC110	554.00	555.22	1.2	0.1	0.0	0.2

SDDSC110	555.22	556.20	1.0	0.4	0.1	0.5
SDDSC110	556.20	557.30	1.1	1.8	0.6	2.8
SDDSC110	557.30	557.98	0.7	0.0	0.0	0.1
SDDSC110	567.00	568.03	1.0	0.4	0.2	0.8
SDDSC110	578.80	580.00	1.2	0.1	0.0	0.1
SDDSC110	583.55	584.80	1.3	0.1	0.0	0.1
SDDSC110	589.00	590.00	1.0	0.1	0.0	0.1
SDDSC110	593.00	594.00	1.0	0.1	0.1	0.2
SDDSC110	603.00	604.00	1.0	0.1	0.0	0.1
SDDSC110	608.00	609.00	1.0	0.1	0.0	0.2
SDDSC110	609.00	610.00	1.0	0.2	0.0	0.2
SDDSC110	628.56	629.02	0.5	0.0	0.1	0.1
SDDSC110	630.18	631.25	1.1	0.1	0.0	0.1
SDDSC110	631.25	631.85	0.6	0.2	0.2	0.5
SDDSC110	631.85	632.94	1.1	0.0	0.0	0.1
SDDSC110	632.94	634.00	1.1	0.1	0.0	0.1
SDDSC110	692.09	692.43	0.3	0.3	0.0	0.3
SDDSC110	692.43	693.66	1.2	0.0	0.0	0.1
SDDSC110	693.66	694.85	1.2	0.1	0.0	0.1
SDDSC110	694.85	695.26	0.4	0.4	0.6	1.5
SDDSC110	695.26	695.96	0.7	0.0	0.0	0.1
SDDSC110	695.96	696.34	0.4	0.3	0.3	0.9
SDDSC110	697.15	698.00	0.9	0.1	0.1	0.3
SDDSC110	698.00	699.00	1.0	0.0	0.0	0.1
SDDSC110	699.00	700.00	1.0	0.1	0.0	0.2
SDDSC110	700.00	701.04	1.0	0.2	0.3	0.7
SDDSC110	701.04	702.24	1.2	0.0	0.0	0.1
SDDSC110	702.24	703.50	1.3	0.0	0.0	0.1
SDDSC110	705.51	706.60	1.1	0.2	0.0	0.2
SDDSC110	706.60	707.79	1.2	0.2	0.1	0.3
SDDSC110	707.79	709.03	1.2	0.1	0.0	0.2
SDDSC110	711.00	712.00	1.0	0.0	0.0	0.1
SDDSC110	712.00	713.05	1.1	0.2	0.0	0.2
SDDSC110	713.05	714.05	1.0	0.0	0.0	0.1
SDDSC110	715.00	716.00	1.0	0.0	0.0	0.1
SDDSC110	716.00	716.71	0.7	0.1	0.0	0.2
SDDSC110	716.71	717.90	1.2	0.1	0.0	0.1
SDDSC110	717.90	719.00	1.1	0.3	0.0	0.3
SDDSC110	725.00	726.00	1.0	0.0	0.0	0.1
SDDSC110	727.00	728.00	1.0	0.0	0.0	0.1
SDDSC110	728.00	729.00	1.0	0.1	0.0	0.1

SDDSC110	729.00	730.00	1.0	0.0	0.1	0.2
SDDSC110	730.00	731.30	1.3	0.1	0.0	0.1
SDDSC110	731.30	731.75	0.5	0.6	0.8	2.0
SDDSC110	731.75	732.94	1.2	0.1	0.2	0.5
SDDSC110	738.00	739.11	1.1	0.1	0.0	0.1
SDDSC110	742.00	743.15	1.2	0.1	0.0	0.1
SDDSC110	743.15	744.28	1.1	0.0	0.0	0.1
SDDSC110	744.28	745.35	1.1	0.2	0.1	0.3
SDDSC110	745.35	746.39	1.0	0.6	0.0	0.6
SDDSC110	746.39	747.50	1.1	0.1	0.0	0.2
SDDSC110	747.50	748.62	1.1	0.2	0.0	0.2
SDDSC110	749.71	750.77	1.1	0.1	0.0	0.1
SDDSC110	750.77	751.82	1.1	0.4	0.0	0.5
SDDSC110	751.82	752.37	0.6	0.3	0.0	0.3
SDDSC110	757.52	758.70	1.2	0.3	0.0	0.3
SDDSC110	758.70	759.68	1.0	0.9	0.0	0.9
SDDSC110	759.68	760.50	0.8	1.3	0.0	1.3
SDDSC110	760.50	761.50	1.0	0.3	0.0	0.3
SDDSC110	761.50	762.15	0.7	0.0	0.0	0.1
SDDSC110	762.15	762.75	0.6	0.9	0.4	1.6
SDDSC110	765.35	766.32	1.0	0.2	0.0	0.2
SDDSC110	766.32	767.40	1.1	0.2	0.0	0.2
SDDSC110	767.40	768.41	1.0	0.3	0.2	0.6
SDDSC110	768.41	769.65	1.2	0.1	0.1	0.2
SDDSC110	769.65	770.30	0.7	0.2	0.0	0.3
SDDSC110	770.30	771.00	0.7	0.4	0.1	0.7
SDDSC110	771.00	772.18	1.2	0.2	0.0	0.2
SDDSC110	772.18	773.30	1.1	0.4	0.0	0.5
SDDSC110	773.30	773.50	0.2	0.2	0.0	0.2
SDDSC110	773.50	774.55	1.1	0.6	0.0	0.6
SDDSC110	774.55	775.70	1.2	0.1	0.0	0.1
SDDSC110	776.90	777.82	0.9	0.2	0.0	0.2
SDDSC110	778.30	779.20	0.9	0.6	0.0	0.6
SDDSC110	779.20	779.53	0.3	0.6	0.1	0.7
SDDSC110	779.53	780.50	1.0	0.1	0.0	0.1
SDDSC110	780.50	781.50	1.0	0.1	0.0	0.1
SDDSC110	781.50	782.68	1.2	0.1	0.0	0.1
SDDSC110	783.56	784.15	0.6	0.1	0.0	0.2
SDDSC110	784.15	785.05	0.9	0.1	0.0	0.1
SDDSC110	785.05	786.26	1.2	0.1	0.0	0.1
SDDSC110	786.26	787.26	1.0	0.1	0.0	0.1

SDDSC110	787.99	789.00	1.0	0.2	0.0	0.2
SDDSC110	789.00	790.00	1.0	1.6	0.0	1.6
SDDSC110	791.00	792.14	1.1	0.1	0.0	0.1
SDDSC110	793.38	794.54	1.2	0.1	0.0	0.1
SDDSC110	794.54	795.70	1.2	0.4	0.0	0.4
SDDSC110	795.70	796.87	1.2	0.3	0.1	0.4
SDDSC110	796.87	798.00	1.1	0.1	0.0	0.1
SDDSC110	798.00	799.18	1.2	0.2	0.0	0.2
SDDSC110	799.18	800.00	0.8	0.1	0.0	0.1
SDDSC110	800.00	801.00	1.0	0.2	0.0	0.2
SDDSC110	802.00	803.00	1.0	0.1	0.0	0.1
SDDSC110	803.00	804.00	1.0	0.1	0.0	0.1
SDDSC110	804.00	804.78	0.8	0.1	0.0	0.1
SDDSC110	804.78	805.21	0.4	0.5	0.0	0.5
SDDSC110	805.21	805.75	0.5	0.2	0.0	0.2
SDDSC110	805.75	807.00	1.3	0.1	0.0	0.1
SDDSC110	807.00	808.00	1.0	0.1	0.0	0.1
SDDSC110	808.00	809.00	1.0	0.6	0.0	0.7
SDDSC110	809.00	810.00	1.0	0.1	0.0	0.1
SDDSC110	810.00	811.00	1.0	0.2	0.0	0.2
SDDSC110	811.00	811.99	1.0	0.1	0.0	0.1
SDDSC110	813.05	813.77	0.7	0.1	0.0	0.1
SDDSC110	813.77	814.14	0.4	0.1	0.0	0.1
SDDSC110	816.60	816.93	0.3	0.2	0.0	0.2
SDDSC110	817.37	818.35	1.0	0.3	0.0	0.4
SDDSC110	818.93	819.40	0.5	0.3	0.0	0.3
SDDSC110	821.00	822.00	1.0	0.3	0.0	0.3
SDDSC110	822.00	823.00	1.0	1.1	0.0	1.1
SDDSC110	823.00	824.07	1.1	0.3	0.0	0.3
SDDSC110	824.07	824.63	0.6	0.2	0.0	0.2
SDDSC110	824.63	825.45	0.8	0.6	0.0	0.7
SDDSC110	825.45	826.28	0.8	1.7	0.0	1.8
SDDSC110	826.28	827.32	1.0	0.3	0.0	0.3
SDDSC110	827.32	827.86	0.5	0.5	0.0	0.5
SDDSC110	827.86	828.37	0.5	0.2	0.0	0.2
SDDSC110	828.37	829.06	0.7	0.6	0.0	0.6
SDDSC110	829.06	829.91	0.9	0.3	0.0	0.3
SDDSC110	829.91	830.60	0.7	1.1	0.0	1.1
SDDSC111	117.00	118.00	1.0	1.0	0.0	1.0
SDDSC111	118.00	119.00	1.0	0.1	0.0	0.1
SDDSC111	123.00	123.50	0.5	0.2	0.0	0.2

SDDSC111	123.50	123.68	0.2	0.1	0.6	1.2
SDDSC111	123.68	124.25	0.6	0.1	0.0	0.1
SDDSC111	128.00	128.92	0.9	0.2	0.0	0.2
SDDSC111	128.92	129.20	0.3	0.1	0.0	0.1
SDDSC111	129.79	130.08	0.3	0.4	0.0	0.4
SDDSC111	130.08	131.00	0.9	0.0	0.0	0.1
SDDSC111	137.00	138.00	1.0	0.0	0.0	0.1
SDDSC111	138.00	138.75	0.8	0.1	0.0	0.1
SDDSC111	138.75	139.20	0.5	0.1	1.8	3.5
SDDSC111	139.20	140.00	0.8	0.1	0.0	0.1
SDDSC111	140.00	141.00	1.0	0.1	0.0	0.1
SDDSC111	142.00	143.00	1.0	0.0	0.4	0.8
SDDSC111	183.00	184.00	1.0	0.1	0.0	0.1
SDDSC111	184.00	185.00	1.0	0.1	0.0	0.1
SDDSC111	185.00	186.21	1.2	0.2	0.0	0.2
SDDSC111	186.21	187.10	0.9	0.5	0.1	0.6
SDDSC111	187.10	187.45	0.4	15.1	4.2	23.1
SDDSC111	187.45	187.65	0.2	0.6	3.0	6.2
SDDSC111	187.65	188.00	0.4	0.9	1.2	3.2
SDDSC111	188.00	188.38	0.4	1.0	0.0	1.1
SDDSC111	188.38	189.20	0.8	1.2	0.1	1.4
SDDSC111	189.20	189.71	0.5	0.9	0.0	0.9
SDDSC111	197.38	197.68	0.3	0.2	0.0	0.2
SDDSC111	197.68	198.00	0.3	0.1	0.0	0.1
SDDSC111	198.00	198.40	0.4	0.3	0.0	0.3
SDDSC111	199.36	200.08	0.7	0.1	0.0	0.1
SDDSC111	214.70	215.42	0.7	0.1	0.0	0.1
SDDSC111	215.42	215.88	0.5	0.1	0.0	0.1
SDDSC111	229.77	230.09	0.3	0.4	0.8	2.0
SDDSC111	230.09	230.77	0.7	1.9	1.0	3.8
SDDSC111	253.85	254.20	0.4	0.1	0.0	0.1
SDDSC111	261.95	262.95	1.0	0.3	0.0	0.3
SDDSC111	262.95	263.40	0.5	1.2	0.1	1.3
SDDSC111	263.40	263.85	0.5	0.8	1.9	4.4
SDDSC111	263.85	264.54	0.7	0.6	0.1	0.7
SDDSC111	264.54	265.50	1.0	0.1	0.0	0.1
SDDSC111	265.50	266.20	0.7	0.1	0.0	0.2
SDDSC111	270.74	271.67	0.9	0.2	0.0	0.2
SDDSC111	271.67	272.75	1.1	0.1	0.0	0.1
SDDSC111	272.75	273.44	0.7	0.7	0.0	0.7
SDDSC111	273.44	274.50	1.1	0.3	0.0	0.3

SDDSC111	290.00	291.00	1.0	0.2	0.0	0.2
SDDSC111	295.60	296.00	0.4	0.1	0.0	0.1
SDDSC111	296.00	296.80	0.8	0.1	0.0	0.1
SDDSC111	296.80	297.70	0.9	0.3	0.0	0.3
SDDSC111	297.70	298.32	0.6	1.5	0.0	1.5
SDDSC111	298.32	299.19	0.9	0.4	0.0	0.4
SDDSC111	301.30	302.55	1.3	0.5	0.0	0.5
SDDSC111	302.55	302.83	0.3	1.2	0.3	1.7
SDDSC111	302.83	304.00	1.2	0.7	0.0	0.7
SDDSC111	304.00	305.00	1.0	0.3	0.0	0.3
SDDSC111	305.00	306.00	1.0	0.3	0.0	0.3
SDDSC111	306.00	307.00	1.0	0.1	0.0	0.1
SDDSC111	307.00	308.06	1.1	0.3	0.0	0.3
SDDSC111	308.06	309.00	0.9	0.2	0.0	0.2
SDDSC111	309.42	309.90	0.5	0.2	0.0	0.2
SDDSC111	309.90	310.90	1.0	4.1	0.0	4.1
SDDSC111	310.90	312.00	1.1	0.4	0.0	0.4
SDDSC111	312.00	313.00	1.0	0.3	0.0	0.3
SDDSC111	313.00	314.00	1.0	0.1	0.0	0.1
SDDSC111	314.00	314.69	0.7	0.4	0.0	0.4
SDDSC111	314.69	315.30	0.6	0.3	0.0	0.3
SDDSC111	315.30	315.90	0.6	0.3	0.0	0.3
SDDSC111	315.90	316.10	0.2	6.9	0.5	7.8
SDDSC111	316.10	316.77	0.7	0.3	0.0	0.3
SDDSC111	316.77	318.00	1.2	0.5	0.0	0.5
SDDSC111	319.00	320.00	1.0	0.7	0.0	0.7
SDDSC111	320.00	321.00	1.0	0.4	0.0	0.4
SDDSC111	321.00	322.00	1.0	0.0	0.1	0.1
SDDSC111	322.00	322.97	1.0	1.1	0.0	1.1
SDDSC111	322.97	323.16	0.2	41.6	8.2	57.0
SDDSC111	323.16	323.36	0.2	3.0	1.1	5.1
SDDSC111	324.60	325.15	0.6	3.7	0.1	3.8
SDDSC111	325.15	325.45	0.3	0.7	0.0	0.8
SDDSC111	325.45	325.80	0.4	0.3	0.0	0.3
SDDSC111	325.80	326.08	0.3	1.8	0.0	1.8
SDDSC111	326.08	326.45	0.4	0.5	0.0	0.5
SDDSC111	326.45	326.83	0.4	1.1	0.1	1.2
SDDSC111	326.83	327.30	0.5	4.0	0.0	4.1
SDDSC111	327.60	327.80	0.2	2.1	1.8	5.6
SDDSC111	327.80	329.00	1.2	0.2	0.0	0.3
SDDSC111	329.00	329.60	0.6	0.7	0.0	0.7

SDDSC111	329.60	330.00	0.4	13.6	2.8	18.9
SDDSC111	331.00	332.00	1.0	0.1	0.0	0.1
SDDSC111	333.00	333.62	0.6	0.1	0.0	0.1
SDDSC111	334.16	335.00	0.8	0.2	0.0	0.2
SDDSC111	339.50	340.00	0.5	0.9	0.0	0.9
SDDSC111	340.00	340.87	0.9	0.1	0.0	0.1
SDDSC111	340.87	341.46	0.6	0.0	0.0	0.1
SDDSC111	341.80	342.43	0.6	1.4	0.6	2.5
SDDSC111	342.43	342.77	0.3	0.1	0.0	0.1
SDDSC111	342.77	343.30	0.5	0.5	0.4	1.2
SDDSC111	343.30	344.32	1.0	0.0	0.0	0.1
SDDSC111	344.32	345.00	0.7	0.1	0.0	0.1
SDDSC111	345.00	345.77	0.8	0.1	0.2	0.4
SDDSC111	345.77	346.82	1.1	0.1	0.0	0.1
SDDSC111	346.82	347.81	1.0	0.0	0.4	0.7
SDDSC111	347.81	348.50	0.7	0.0	0.0	0.1
SDDSC111	348.50	349.34	0.8	0.1	0.1	0.2
SDDSC111	349.34	350.38	1.0	0.1	0.1	0.3
SDDSC111	350.38	350.88	0.5	0.2	0.3	0.7
SDDSC111	350.88	351.45	0.6	2.6	0.5	3.4
SDDSC111	351.45	352.12	0.7	0.0	0.0	0.1
SDDSC111	352.12	352.70	0.6	0.1	0.0	0.1
SDDSC111	352.70	353.81	1.1	0.1	0.1	0.2
SDDSC111	353.81	354.10	0.3	0.1	0.0	0.2
SDDSC111	354.10	355.20	1.1	0.0	0.1	0.2
SDDSC111	355.20	355.50	0.3	0.1	0.4	0.9
SDDSC111	355.50	355.74	0.2	0.3	0.6	1.4
SDDSC111	355.74	356.60	0.9	0.3	0.0	0.3
SDDSC111	356.60	357.60	1.0	0.0	0.9	1.7
SDDSC111	357.60	358.10	0.5	0.3	0.1	0.4
SDDSC111	358.10	358.86	0.8	0.1	0.0	0.1
SDDSC111	358.86	359.64	0.8	0.1	0.3	0.6
SDDSC111	359.64	360.42	0.8	0.1	0.0	0.1
SDDSC111	360.42	361.00	0.6	0.3	0.3	0.9
SDDSC111	361.00	362.00	1.0	0.2	0.3	0.8
SDDSC111	362.00	362.67	0.7	0.0	0.1	0.2
SDDSC111	362.67	363.16	0.5	0.2	0.0	0.2
SDDSC111	363.16	364.07	0.9	0.2	0.2	0.6
SDDSC111	364.07	365.00	0.9	0.4	0.0	0.4
SDDSC111	365.00	365.40	0.4	0.1	0.0	0.1
SDDSC111	365.40	365.70	0.3	0.2	0.0	0.2

SDDSC111	365.70	366.38	0.7	0.0	0.0	0.1
SDDSC111	369.12	370.00	0.9	0.1	0.0	0.1
SDDSC111	371.00	372.00	1.0	0.1	0.0	0.1
SDDSC111	372.00	373.17	1.2	0.2	0.1	0.3
SDDSC111	373.17	374.00	0.8	0.3	0.1	0.4
SDDSC111	374.00	375.00	1.0	0.1	0.0	0.2
SDDSC111	375.00	376.00	1.0	0.2	0.0	0.2
SDDSC111	376.00	376.73	0.7	0.1	0.1	0.3
SDDSC111	376.73	377.95	1.2	0.2	0.0	0.3
SDDSC111	377.95	378.35	0.4	1.2	0.7	2.6
SDDSC111	379.37	380.05	0.7	0.1	1.4	2.8
SDDSC111	380.85	381.90	1.1	0.1	0.1	0.2
SDDSC111	381.90	383.16	1.3	0.4	0.2	0.8
SDDSC111	383.16	384.34	1.2	0.1	0.0	0.1
SDDSC111	384.34	385.30	1.0	0.0	0.0	0.1
SDDSC111	385.30	386.57	1.3	0.2	0.0	0.3
SDDSC111	386.57	387.80	1.2	0.3	0.3	0.9
SDDSC111	387.80	389.00	1.2	0.6	0.0	0.7
SDDSC111	389.00	390.00	1.0	0.0	0.0	0.1
SDDSC111	390.00	391.00	1.0	0.1	0.0	0.1
SDDSC111	391.00	392.00	1.0	0.1	0.0	0.1
SDDSC111	392.00	392.55	0.6	0.4	0.0	0.4
SDDSC111	393.00	393.40	0.4	0.8	0.0	0.9
SDDSC111	393.85	394.90	1.1	1.3	0.1	1.3
SDDSC111	394.90	395.61	0.7	7.5	1.0	9.3
SDDSC111	395.61	396.40	0.8	0.2	0.6	1.3
SDDSC111	397.64	398.64	1.0	5.6	0.4	6.4
SDDSC111	398.64	398.91	0.3	6.5	0.3	7.0
SDDSC111	398.91	399.26	0.4	3.8	0.1	3.9
SDDSC111	399.26	399.60	0.3	23.4	0.7	24.7
SDDSC111	399.60	400.67	1.1	1.3	0.5	2.1
SDDSC111	419.30	420.30	1.0	0.1	0.0	0.1
SDDSC111	420.30	421.30	1.0	0.1	0.0	0.1
SDDSC111	421.30	422.60	1.3	0.8	0.0	0.8
SDDSC111	422.60	423.90	1.3	0.1	0.0	0.2
SDDSC111	423.90	425.00	1.1	0.2	0.0	0.2
SDDSC111	425.00	426.00	1.0	0.1	0.0	0.1
SDDSC111	426.00	427.05	1.1	0.1	0.0	0.2
SDDSC111	427.05	428.00	1.0	0.9	0.0	0.9
SDDSC111	428.00	429.03	1.0	0.3	0.0	0.4
SDDSC111	432.82	433.30	0.5	0.3	0.0	0.3

SDDSC111	433.30	434.05	0.8	0.1	0.0	0.1
SDDSC111	441.80	443.08	1.3	0.1	0.0	0.1
SDDSC111	451.85	452.57	0.7	0.3	0.0	0.3
SDDSC111	452.57	453.90	1.3	0.1	0.0	0.1
SDDSC111	453.90	455.13	1.2	3.5	0.0	3.6
SDDSC111	455.13	456.40	1.3	0.0	0.0	0.1
SDDSC111	456.40	457.37	1.0	0.1	0.0	0.1
SDDSC111	457.37	458.10	0.7	0.2	0.0	0.2
SDDSC112	265.00	266.00	1.0	0.1	0.0	0.1
SDDSC112	272.12	273.23	1.1	0.3	0.0	0.3
SDDSC112	273.23	273.65	0.4	33.2	21.7	74.0
SDDSC112	273.65	274.10	0.5	1.3	0.9	3.0
SDDSC112	274.10	275.10	1.0	0.2	0.0	0.3
SDDSC112	281.95	282.15	0.2	0.1	0.0	0.1
SDDSC112	289.00	290.00	1.0	0.1	0.0	0.1
SDDSC112	292.00	292.67	0.7	0.1	0.0	0.1
SDDSC112	292.67	293.50	0.8	0.1	0.0	0.1
SDDSC112	294.29	295.15	0.9	0.1	0.0	0.1
SDDSC112	295.15	296.00	0.9	0.7	0.0	0.7
SDDSC112	296.00	297.00	1.0	0.1	0.0	0.1
SDDSC112	297.00	298.00	1.0	0.2	0.0	0.2
SDDSC112	298.00	299.00	1.0	0.1	0.0	0.1
SDDSC112	300.00	301.00	1.0	0.3	0.0	0.3
SDDSC112	303.00	304.00	1.0	0.2	0.0	0.2
SDDSC112	304.00	305.00	1.0	0.3	0.0	0.3
SDDSC112	307.00	307.67	0.7	0.1	0.0	0.1
SDDSC112	307.67	307.87	0.2	0.3	0.0	0.3
SDDSC112	307.87	308.05	0.2	1.6	0.0	1.6
SDDSC112	308.05	309.00	1.0	0.1	0.0	0.1
SDDSC112	309.00	309.97	1.0	0.0	0.0	0.1
SDDSC112	309.97	310.26	0.3	0.1	0.3	0.6
SDDSC112	313.00	314.00	1.0	0.1	0.0	0.1
SDDSC112	315.00	315.52	0.5	0.1	0.0	0.1
SDDSC112	318.00	319.00	1.0	0.1	0.0	0.1
SDDSC112	334.00	334.65	0.7	0.1	0.0	0.1
SDDSC112	335.85	336.15	0.3	17.7	6.1	29.2
SDDSC112	336.15	336.70	0.6	4.5	0.4	5.2
SDDSC112	336.70	337.70	1.0	0.2	0.0	0.2
SDDSC112	337.70	338.22	0.5	0.2	0.0	0.2
SDDSC112	349.50	350.50	1.0	0.4	0.0	0.4
SDDSC112	350.50	351.10	0.6	0.3	0.0	0.3

SDDSC112	351.10	351.95	0.9	0.1	0.0	0.1
SDDSC112	351.95	352.43	0.5	0.4	0.2	0.8
SDDSC112	352.43	353.15	0.7	0.4	0.0	0.4
SDDSC112	353.15	353.80	0.7	1.4	0.4	2.2
SDDSC112	353.80	354.10	0.3	3.0	1.7	6.2
SDDSC112	354.10	354.70	0.6	2.1	0.0	2.1
SDDSC112	354.70	355.00	0.3	0.5	0.0	0.5
SDDSC112	355.00	356.03	1.0	0.2	0.0	0.2
SDDSC112	359.15	359.40	0.3	0.4	0.1	0.5
SDDSC112	359.40	360.00	0.6	0.4	0.0	0.4
SDDSC112	360.00	361.00	1.0	0.1	0.0	0.1
SDDSC112	361.00	361.60	0.6	0.2	0.0	0.2
SDDSC112	362.42	363.06	0.6	0.2	0.0	0.2
SDDSC112	368.00	368.32	0.3	0.1	5.0	9.4
SDDSC112	368.32	369.39	1.1	0.0	3.9	7.3
SDDSC112	374.00	375.00	1.0	0.1	0.0	0.1
SDDSC112	376.00	377.00	1.0	0.2	0.0	0.2
SDDSC112	377.00	378.00	1.0	0.1	0.0	0.1
SDDSC112	381.00	382.00	1.0	0.1	0.0	0.1
SDDSC112	386.00	386.90	0.9	0.1	0.0	0.1
SDDSC112	386.90	387.43	0.5	0.6	0.0	0.6
SDDSC112	387.43	388.22	0.8	0.3	0.0	0.3
SDDSC112	388.22	388.99	0.8	0.1	0.0	0.1
SDDSC112	390.00	391.00	1.0	0.1	0.0	0.1
SDDSC112	393.15	393.50	0.4	0.5	0.0	0.5
SDDSC112	394.55	395.40	0.9	0.3	0.0	0.3
SDDSC112	397.90	398.29	0.4	0.1	0.0	0.1
SDDSC112	398.29	399.00	0.7	0.1	0.0	0.1
SDDSC112	404.67	405.44	0.8	0.1	0.0	0.1
SDDSC112	405.44	406.27	0.8	0.1	0.0	0.1
SDDSC112	406.27	406.88	0.6	0.1	0.0	0.1
SDDSC112	406.88	407.99	1.1	0.2	0.0	0.2
SDDSC112	407.99	408.25	0.3	0.1	0.0	0.1
SDDSC112	408.25	408.81	0.6	0.4	0.1	0.5
SDDSC112W1	215.78	216.25	0.5	0.1	0.0	0.1
SDDSC112W1	274.38	275.07	0.7	0.7	0.0	0.7
SDDSC112W1	275.07	275.67	0.6	0.8	0.1	1.0
SDDSC112W1	275.67	276.00	0.3	4.5	0.6	5.7
SDDSC112W1	276.00	276.40	0.4	1.7	0.0	1.7
SDDSC112W1	276.40	276.86	0.5	2.6	0.2	3.0
SDDSC112W1	276.86	277.50	0.6	1.9	0.0	2.0

SDDSC112W1	307.00	307.94	0.9	0.1	0.0	0.1
SDDSC112W1	307.94	308.57	0.6	0.2	0.0	0.2
SDDSC112W1	310.00	311.00	1.0	0.1	0.0	0.1
SDDSC112W1	312.00	312.80	0.8	0.2	0.0	0.2
SDDSC112W1	312.80	313.20	0.4	0.4	0.0	0.4
SDDSC112W1	313.20	313.87	0.7	1.0	0.0	1.0
SDDSC112W1	314.71	315.00	0.3	0.2	0.0	0.2
SDDSC112W1	315.00	315.50	0.5	0.2	0.0	0.2
SDDSC112W1	316.43	317.00	0.6	0.1	0.0	0.1
SDDSC112W1	317.00	318.00	1.0	0.1	0.0	0.1
SDDSC112W1	318.00	319.00	1.0	0.1	0.0	0.1
SDDSC112W1	321.03	321.62	0.6	0.3	0.0	0.3
SDDSC112W1	336.00	337.00	1.0	0.1	0.0	0.1
SDDSC112W1	337.00	338.00	1.0	0.2	0.0	0.2
SDDSC112W1	339.00	340.00	1.0	0.3	0.0	0.3
SDDSC112W1	341.00	342.00	1.0	0.1	0.0	0.1
SDDSC112W1	343.81	344.76	1.0	3.3	0.0	3.3
SDDSC112W1	344.76	345.40	0.6	0.1	0.0	0.1
SDDSC112W1	346.18	347.18	1.0	0.2	0.0	0.3
SDDSC112W1	347.18	347.62	0.4	0.2	0.0	0.2
SDDSC112W1	347.62	348.24	0.6	0.1	0.0	0.1
SDDSC112W1	348.55	349.07	0.5	0.4	0.0	0.4
SDDSC112W1	349.07	349.70	0.6	0.4	0.1	0.5
SDDSC112W1	349.70	350.15	0.5	0.1	0.0	0.1
SDDSC112W1	350.15	350.57	0.4	0.8	0.0	0.9
SDDSC112W1	350.57	351.20	0.6	0.1	0.0	0.1
SDDSC112W1	352.20	352.67	0.5	0.2	0.0	0.2
SDDSC112W1	353.97	354.77	0.8	0.1	0.0	0.1
SDDSC112W1	357.03	358.30	1.3	0.2	0.0	0.2
SDDSC112W1	360.00	360.53	0.5	0.2	0.2	0.5
SDDSC112W1	363.30	364.60	1.3	0.1	0.0	0.1
SDDSC112W1	365.90	367.15	1.3	0.1	0.0	0.1
SDDSC112W1	371.70	372.35	0.7	0.1	0.0	0.1
SDDSC112W1	372.35	373.00	0.7	0.1	0.0	0.1
SDDSC112W1	373.00	373.75	0.8	0.3	0.0	0.3
SDDSC112W1	373.75	374.30	0.6	0.1	0.0	0.1
SDDSC112W1	374.30	375.30	1.0	0.0	0.0	0.1
SDDSC112W1	375.30	376.27	1.0	0.0	0.0	0.1
SDDSC112W1	376.27	377.40	1.1	0.1	0.0	0.1
SDDSC112W1	377.40	378.35	1.0	0.2	0.0	0.2
SDDSC112W1	378.35	379.40	1.1	0.1	0.0	0.1

SDDSC112W1	379.40	379.85	0.5	0.1	0.0	0.1
SDDSC112W1	379.85	380.25	0.4	0.4	0.0	0.4
SDDSC112W1	380.25	380.55	0.3	0.3	0.0	0.3
SDDSC112W1	380.55	381.00	0.5	0.6	0.0	0.6
SDDSC112W1	381.00	381.50	0.5	0.8	0.0	0.8
SDDSC112W1	381.50	381.80	0.3	0.3	0.0	0.3
SDDSC112W1	381.80	382.20	0.4	0.5	0.0	0.5
SDDSC112W1	382.20	382.55	0.4	0.5	0.0	0.5
SDDSC112W1	383.00	383.95	1.0	0.2	0.0	0.2
SDDSC112W1	383.95	384.77	0.8	0.4	0.0	0.4
SDDSC112W1	384.77	385.83	1.1	0.5	0.0	0.5
SDDSC112W1	385.83	386.25	0.4	0.2	0.0	0.2
SDDSC112W1	389.38	390.16	0.8	0.2	0.0	0.2
SDDSC112W1	390.16	390.86	0.7	0.2	0.0	0.2
SDDSC112W1	390.86	391.25	0.4	0.3	0.0	0.4
SDDSC112W1	391.25	391.55	0.3	4.4	0.1	4.5
SDDSC112W1	391.55	391.86	0.3	1.6	2.5	6.3
SDDSC112W1	391.86	392.16	0.3	0.8	0.0	0.8
SDDSC112W1	392.16	393.25	1.1	0.1	0.0	0.2
SDDSC112W1	393.25	393.65	0.4	0.5	0.0	0.5
SDDSC112W1	393.65	394.00	0.4	0.3	0.0	0.3
SDDSC112W1	394.00	394.35	0.4	1.2	0.3	1.6
SDDSC112W1	394.35	395.00	0.7	0.4	0.0	0.5
SDDSC112W1	395.00	396.00	1.0	0.1	0.0	0.1
SDDSC112W1	396.00	396.30	0.3	0.5	0.0	0.5
SDDSC112W1	396.30	396.95	0.7	2.1	0.1	2.3
SDDSC112W1	396.95	397.58	0.6	0.1	0.0	0.1
SDDSC112W1	397.58	397.85	0.3	0.6	0.0	0.6
SDDSC112W1	397.85	398.32	0.5	0.3	0.0	0.3
SDDSC112W1	398.62	399.15	0.5	0.3	0.1	0.4
SDDSC112W1	399.15	399.50	0.4	3.0	0.3	3.6
SDDSC112W1	399.50	399.80	0.3	79.7	5.7	90.5
SDDSC112W1	399.80	400.10	0.3	1.5	0.4	2.2
SDDSC112W1	400.10	400.65	0.6	3.1	0.9	4.8
SDDSC112W1	400.65	401.00	0.4	0.7	0.0	0.7
SDDSC112W1	401.00	401.60	0.6	0.4	0.0	0.4
SDDSC112W1	402.00	402.55	0.6	0.1	0.0	0.1
SDDSC112W1	402.55	403.00	0.5	0.8	0.0	0.8
SDDSC112W1	403.00	403.50	0.5	0.3	0.0	0.3
SDDSC112W1	405.10	405.55	0.5	0.1	0.0	0.1
SDDSC112W1	411.60	412.42	0.8	0.1	0.0	0.1

SDDSC112W1	474.19	475.26	1.1	0.1	0.0	0.1
SDDSC112W1	501.74	502.44	0.7	0.1	0.0	0.1
SDDSC112W1	502.44	503.00	0.6	0.9	0.0	0.9
SDDSC112W1	503.00	504.10	1.1	0.2	0.0	0.2
SDDSC112W1	504.54	505.55	1.0	0.1	0.0	0.1
SDDSC112W1	505.55	506.61	1.1	0.4	0.0	0.4
SDDSC112W1	506.61	507.39	0.8	0.1	0.0	0.1
SDDSC112W1	508.00	509.00	1.0	0.1	0.0	0.1
SDDSC112W1	512.97	513.37	0.4	0.6	0.0	0.6
SDDSC112W1	513.37	514.07	0.7	0.0	0.0	0.1
SDDSC112W1	543.50	543.70	0.2	1.9	5.6	12.4
SDDSC112W1	543.70	544.10	0.4	0.8	0.0	0.8
SDDSC112W1	544.10	544.42	0.3	0.3	0.0	0.3
SDDSC112W1	563.72	564.31	0.6	0.1	0.0	0.1
SDDSC112W1	564.31	564.52	0.2	1.2	0.2	1.5
SDDSC112W1	564.52	565.20	0.7	0.3	0.0	0.3
SDDSC112W1	565.20	565.63	0.4	0.7	0.0	0.7
SDDSC112W1	565.63	566.30	0.7	0.1	0.0	0.1
SDDSC112W1	566.82	567.46	0.6	0.4	0.0	0.4
SDDSC112W1	567.46	568.05	0.6	0.5	0.0	0.5
SDDSC112W1	572.08	572.46	0.4	0.1	0.0	0.1
SDDSC112W1	572.46	573.00	0.5	0.3	0.0	0.3
SDDSC112W1	581.59	582.20	0.6	0.2	0.0	0.2
SDDSC112W1	583.67	583.95	0.3	0.2	0.0	0.2
SDDSC112W1	592.70	593.59	0.9	0.1	0.0	0.1
SDDSC112W1	593.59	594.13	0.5	0.6	0.0	0.6
SDDSC112W1	594.13	594.65	0.5	0.1	0.0	0.1
SDDSC112W1	606.94	607.22	0.3	0.9	0.2	1.3
SDDSC112W1	607.22	607.56	0.3	3.6	1.7	6.7
SDDSC112W1	607.56	607.93	0.4	3.5	0.7	4.8
SDDSC112W1	607.93	608.85	0.9	1.4	0.3	1.9
SDDSC112W1	611.94	612.35	0.4	0.2	0.0	0.2
SDDSC112W1	616.12	616.56	0.4	0.0	0.0	0.1
SDDSC112W1	616.56	616.95	0.4	0.1	0.0	0.1
SDDSC112W1	616.95	617.30	0.4	0.5	0.1	0.6
SDDSC112W1	617.30	617.89	0.6	0.1	0.2	0.5
SDDSC112W1	617.89	618.22	0.3	0.2	0.0	0.2
SDDSC112W1	618.22	618.91	0.7	0.2	0.0	0.2
SDDSC112W1	618.91	619.47	0.6	0.1	0.0	0.2
SDDSC112W1	619.47	620.08	0.6	0.1	0.0	0.1
SDDSC112W1	620.08	620.85	0.8	0.1	0.0	0.1

SDDSC112W1	620.85	621.22	0.4	0.1	0.0	0.1
SDDSC112W1	621.22	622.22	1.0	0.1	0.0	0.1
SDDSC112W1	622.22	622.46	0.2	0.2	0.3	0.8
SDDSC112W1	622.46	623.25	0.8	0.1	0.0	0.1
SDDSC112W1	623.25	623.47	0.2	3.2	0.2	3.5
SDDSC112W1	624.17	624.50	0.3	2.5	0.7	3.8
SDDSC112W1	624.50	625.60	1.1	0.1	0.0	0.2
SDDSC112W1	626.00	626.37	0.4	15.0	0.0	15.1
SDDSC112W1	626.37	626.82	0.5	0.1	0.0	0.2
SDDSC112W1	626.82	627.25	0.4	0.6	0.7	1.9
SDDSC112W1	627.69	628.60	0.9	0.2	0.0	0.3
SDDSC112W1	628.60	629.61	1.0	0.2	0.0	0.2
SDDSC112W1	629.61	630.26	0.7	0.6	0.3	1.1
SDDSC112W1	630.26	631.02	0.8	0.3	0.2	0.6
SDDSC112W1	631.02	631.44	0.4	2.1	0.4	2.9
SDDSC112W1	631.44	631.80	0.4	2.2	0.5	3.2
SDDSC112W1	631.80	632.39	0.6	1.1	0.0	1.1
SDDSC112W1	632.39	633.07	0.7	0.4	0.1	0.5
SDDSC112W1	633.07	633.39	0.3	0.8	0.4	1.5
SDDSC112W1	633.39	633.92	0.5	0.1	0.0	0.2
SDDSC112W1	633.92	634.44	0.5	0.1	0.1	0.3
SDDSC112W1	634.44	634.91	0.5	0.4	0.2	0.7
SDDSC112W1	634.91	635.25	0.3	0.9	0.1	1.0
SDDSC112W1	635.25	635.90	0.7	0.2	0.0	0.2
SDDSC112W1	637.17	637.65	0.5	0.0	0.0	0.1
SDDSC112W1	637.65	637.79	0.1	3.2	3.0	8.8
SDDSC112W1	637.79	638.80	1.0	4.9	0.6	6.0
SDDSC112W1	639.81	640.00	0.2	0.1	0.0	0.1
SDDSC112W1	641.05	641.39	0.3	2.2	0.1	2.3
SDDSC112W1	642.34	643.32	1.0	0.1	0.0	0.1
SDDSC112W1	643.32	643.50	0.2	0.1	0.0	0.1
SDDSC112W1	643.50	644.31	0.8	0.0	0.0	0.1
SDDSC112W1	644.58	645.21	0.6	0.2	0.0	0.2
SDDSC112W1	645.21	646.10	0.9	2.1	0.2	2.5
SDDSC112W1	646.10	646.30	0.2	11.7	5.1	21.3
SDDSC112W1	646.30	646.75	0.5	40.6	14.0	66.9
SDDSC112W1	646.75	647.03	0.3	3.9	0.4	4.6
SDDSC112W1	647.03	647.66	0.6	0.9	0.3	1.5
SDDSC112W1	647.66	648.32	0.7	0.0	0.0	0.1
SDDSC112W1	650.85	651.39	0.5	0.7	0.1	0.8
SDDSC112W1	651.39	651.94	0.6	0.0	0.0	0.1

SDDSC112W1	651.94	652.68	0.7	0.3	0.0	0.3
SDDSC112W1	652.68	653.06	0.4	0.6	0.0	0.7
SDDSC112W1	653.06	653.74	0.7	0.9	0.1	1.0
SDDSC112W1	660.12	660.40	0.3	0.1	0.0	0.2
SDDSC112W1	661.21	661.85	0.6	0.1	0.0	0.1
SDDSC112W1	661.85	662.32	0.5	0.2	0.0	0.2
SDDSC112W1	662.32	662.84	0.5	0.1	0.0	0.1
SDDSC112W1	662.84	663.29	0.5	0.3	0.2	0.7
SDDSC112W1	666.60	667.07	0.5	0.0	0.0	0.1
SDDSC112W1	667.07	667.97	0.9	0.1	0.0	0.1
SDDSC112W1	669.55	669.90	0.4	0.1	0.0	0.2
SDDSC112W1	669.90	670.25	0.4	13.9	15.6	43.2
SDDSC112W1	670.25	671.25	1.0	0.0	0.0	0.1
SDDSC112W1	671.25	672.25	1.0	0.1	0.0	0.1
SDDSC112W1	672.25	673.20	1.0	0.6	0.0	0.7
SDDSC112W1	673.70	674.05	0.4	0.1	0.0	0.1
SDDSC112W1	674.05	674.50	0.5	0.1	0.0	0.1
SDDSC112W1	676.35	676.85	0.5	0.9	0.0	0.9
SDDSC112W1	676.85	677.60	0.8	0.1	0.0	0.1
SDDSC112W1	678.20	679.00	0.8	0.1	0.0	0.1
SDDSC112W1	681.65	681.98	0.3	0.8	0.1	1.1
SDDSC112W1	682.30	682.75	0.5	0.2	0.1	0.5
SDDSC112W1	682.75	683.35	0.6	0.7	0.2	1.0
SDDSC112W1	683.35	683.95	0.6	0.6	0.4	1.3
SDDSC112W1	683.95	684.45	0.5	1.6	1.6	4.7
SDDSC112W1	684.45	685.15	0.7	1.3	0.2	1.7
SDDSC112W1	685.15	685.55	0.4	0.7	0.1	0.8
SDDSC112W1	685.55	686.00	0.5	1.0	0.8	2.4
SDDSC112W1	686.00	686.30	0.3	1.0	2.6	5.9
SDDSC112W1	686.30	686.60	0.3	8.3	5.0	17.6
SDDSC112W1	686.60	686.90	0.3	4.7	1.1	6.8
SDDSC112W1	686.90	687.45	0.6	0.6	0.3	1.1
SDDSC112W1	687.45	687.75	0.3	1.1	0.4	1.8
SDDSC112W1	687.75	688.25	0.5	0.5	0.5	1.4
SDDSC112W1	688.25	688.65	0.4	0.5	0.3	1.0
SDDSC112W1	688.65	689.45	0.8	0.3	0.0	0.4
SDDSC112W1	690.00	691.00	1.0	0.1	0.0	0.2
SDDSC112W1	693.30	694.60	1.3	0.2	0.0	0.2
SDDSC112W1	694.60	694.99	0.4	1.0	0.1	1.1
SDDSC112W1	694.99	695.30	0.3	0.6	0.7	2.0
SDDSC112W1	695.30	695.60	0.3	1.6	1.4	4.2

SDDSC112W1	695.60	695.90	0.3	0.8	1.1	2.9
SDDSC112W1	695.90	696.20	0.3	0.6	0.1	0.9
SDDSC112W1	696.20	696.70	0.5	0.1	0.1	0.2
SDDSC112W1	696.70	697.00	0.3	0.6	0.3	1.2
SDDSC112W1	697.00	697.40	0.4	0.6	0.0	0.6
SDDSC112W1	697.40	697.70	0.3	2.0	0.0	2.1
SDDSC112W1	699.20	699.54	0.3	0.2	0.0	0.2
SDDSC112W1	699.54	700.45	0.9	0.5	0.1	0.7
SDDSC112W1	700.45	701.00	0.6	1.3	0.1	1.5
SDDSC112W1	701.00	701.70	0.7	0.4	0.1	0.6
SDDSC112W1	701.70	702.00	0.3	2.2	1.0	4.1
SDDSC112W1	702.00	702.30	0.3	0.6	0.1	0.9
SDDSC112W1	702.30	702.70	0.4	0.4	0.2	0.7
SDDSC112W1	702.70	703.00	0.3	2.9	0.1	3.1
SDDSC112W1	703.00	703.40	0.4	1.8	0.1	2.0
SDDSC112W1	703.40	703.75	0.4	0.7	0.0	0.7
SDDSC112W1	703.75	704.10	0.4	0.6	0.3	1.2
SDDSC112W1	706.60	707.15	0.6	0.3	0.1	0.4
SDDSC112W1	707.15	707.60	0.5	0.3	0.2	0.7
SDDSC112W1	707.60	707.90	0.3	1.0	0.1	1.2
SDDSC112W1	707.90	708.30	0.4	2.0	0.3	2.6
SDDSC112W1	714.20	714.90	0.7	0.1	0.0	0.1
SDDSC112W1	734.70	735.37	0.7	0.1	0.0	0.1
SDDSC112W1	752.40	753.45	1.1	0.3	0.0	0.3
SDDSC112W1	753.55	754.35	0.8	0.2	0.0	0.2
SDDSC112W1	754.35	755.55	1.2	0.2	0.0	0.2
SDDSC112W1	755.55	755.60	0.1	0.1	0.0	0.1
SDDSC112W1	758.00	759.00	1.0	0.0	0.0	0.1
SDDSC112W1	762.10	763.30	1.2	0.1	0.0	0.1
SDDSC112W1	765.10	766.40	1.3	0.1	0.0	0.1
SDDSC113	310.36	310.90	0.5	0.2	0.0	0.2
SDDSC113	310.90	311.35	0.5	0.1	0.0	0.1
SDDSC113	311.35	312.20	0.9	0.3	0.0	0.3
SDDSC113	315.00	316.00	1.0	0.1	0.0	0.1
SDDSC113	316.00	316.93	0.9	0.1	0.0	0.1
SDDSC113	318.24	319.06	0.8	0.1	0.0	0.1
SDDSC113	319.06	319.75	0.7	0.3	0.0	0.3
SDDSC113	319.75	320.75	1.0	0.2	0.0	0.2
SDDSC113	320.75	321.90	1.2	0.2	0.0	0.2
SDDSC113	321.90	322.63	0.7	0.3	0.0	0.3
SDDSC113	322.63	322.78	0.2	0.5	0.4	1.3

SDDSC113	322.78	323.54	0.8	0.3	0.0	0.3
SDDSC113	323.54	324.00	0.5	0.2	0.0	0.2
SDDSC113	328.00	329.00	1.0	0.1	0.0	0.1
SDDSC113	330.20	330.40	0.2	0.3	0.0	0.3
SDDSC113	330.40	331.00	0.6	0.1	0.0	0.1
SDDSC113	331.00	332.00	1.0	0.1	0.0	0.1
SDDSC113	332.00	333.00	1.0	0.1	0.0	0.1
SDDSC113	333.00	334.00	1.0	0.1	0.0	0.1
SDDSC113	335.00	336.00	1.0	0.3	0.0	0.3
SDDSC113	337.00	337.20	0.2	0.8	3.6	7.6
SDDSC113	337.20	338.06	0.9	0.3	0.0	0.3
SDDSC113	338.06	338.26	0.2	2.5	0.0	2.6
SDDSC113	338.26	339.00	0.7	7.0	0.0	7.0
SDDSC113	339.00	339.81	0.8	0.4	0.0	0.4
SDDSC113	339.81	340.49	0.7	0.0	0.0	0.1
SDDSC113	340.49	340.70	0.2	0.3	0.1	0.4
SDDSC113	340.70	341.39	0.7	0.2	0.0	0.2
SDDSC113	341.39	341.94	0.6	0.1	0.0	0.1
SDDSC113	341.94	342.45	0.5	0.1	0.0	0.1
SDDSC113	342.45	342.91	0.5	0.2	0.0	0.2
SDDSC113	342.91	343.53	0.6	0.4	0.0	0.4
SDDSC113	343.53	344.18	0.7	0.7	0.0	0.7
SDDSC113	344.18	345.37	1.2	0.7	0.0	0.7
SDDSC113	345.37	345.68	0.3	4.2	0.7	5.6
SDDSC113	345.68	346.07	0.4	0.3	0.0	0.3
SDDSC113	346.07	346.67	0.6	0.3	0.0	0.3
SDDSC113	346.67	347.79	1.1	1.0	0.0	1.0
SDDSC113	347.79	348.48	0.7	0.3	0.0	0.3
SDDSC113	352.90	353.50	0.6	0.1	0.0	0.1
SDDSC113	355.78	356.71	0.9	0.1	0.0	0.1
SDDSC113	357.48	358.06	0.6	0.1	0.0	0.1
SDDSC113	358.06	359.00	0.9	1.4	0.0	1.4
SDDSC113	359.00	360.00	1.0	0.4	0.0	0.4
SDDSC113	360.82	361.05	0.2	1.5	2.5	6.3
SDDSC113	362.65	363.55	0.9	0.4	0.0	0.4
SDDSC113	363.55	364.85	1.3	0.1	0.0	0.1
SDDSC113	365.55	366.20	0.7	0.2	0.0	0.2
SDDSC113	379.70	380.80	1.1	0.1	0.0	0.1
SDDSC113	384.60	385.30	0.7	0.1	0.0	0.1
SDDSC113	405.65	405.98	0.3	0.2	0.0	0.2
SDDSC113	405.98	406.30	0.3	0.6	0.0	0.6

SDDSC113	406.30	406.60	0.3	1.9	0.0	1.9
SDDSC113	406.60	407.30	0.7	2.1	0.0	2.2
SDDSC113	407.30	407.65	0.4	3.7	0.0	3.7
SDDSC113	407.65	408.10	0.5	4.8	0.0	4.8
SDDSC113	408.10	408.65	0.6	4.3	0.1	4.4
SDDSC113	408.65	409.00	0.4	5.0	0.1	5.1
SDDSC113	409.00	409.60	0.6	1.8	0.3	2.3
SDDSC113	409.60	410.10	0.5	0.9	3.5	7.6
SDDSC113	410.10	410.35	0.3	0.6	0.3	1.2
SDDSC113	410.35	410.70	0.4	4.5	4.8	13.5
SDDSC113	410.70	411.05	0.4	1.5	0.1	1.6
SDDSC113	411.05	411.55	0.5	0.0	0.0	0.1
SDDSC113	411.55	411.85	0.3	0.2	0.0	0.2
SDDSC113	411.85	412.20	0.4	1.1	0.9	2.8
SDDSC113	412.20	412.50	0.3	0.6	0.1	0.8
SDDSC113	412.50	412.95	0.5	0.0	0.3	0.6
SDDSC113	412.95	413.73	0.8	0.0	0.0	0.1
SDDSC113	414.90	415.50	0.6	0.0	0.0	0.1
SDDSC113	415.85	416.85	1.0	0.2	0.1	0.3
SDDSC113	416.85	417.20	0.4	0.5	0.0	0.6
SDDSC113	417.20	418.00	0.8	0.1	0.0	0.1
SDDSC113	418.00	419.00	1.0	0.6	0.1	0.8
SDDSC113	419.00	419.50	0.5	0.7	0.2	1.1
SDDSC113	419.50	420.03	0.5	0.4	0.0	0.5
SDDSC113	420.03	420.45	0.4	0.0	0.0	0.1
SDDSC113	420.45	420.67	0.2	1.3	0.0	1.4
SDDSC113	420.67	421.82	1.2	0.5	0.0	0.6
SDDSC113	421.82	422.00	0.2	1.8	0.2	2.2
SDDSC113	422.00	422.46	0.5	0.2	0.0	0.2
SDDSC113	423.00	424.00	1.0	0.0	0.0	0.1
SDDSC113	424.00	425.00	1.0	0.1	0.0	0.1
SDDSC113	425.00	425.52	0.5	2.0	0.5	2.9
SDDSC113	425.52	426.22	0.7	0.2	0.0	0.2
SDDSC113	426.22	427.00	0.8	0.6	0.0	0.7
SDDSC113	427.00	427.40	0.4	0.4	0.0	0.5
SDDSC113	431.65	431.88	0.2	1.3	0.1	1.4
SDDSC113	435.00	436.00	1.0	0.2	0.0	0.2
SDDSC113	438.97	439.28	0.3	0.2	0.0	0.2
SDDSC113	447.58	448.50	0.9	0.1	0.0	0.1
SDDSC113	450.00	451.00	1.0	0.1	0.0	0.1
SDDSC113	453.00	453.75	0.8	0.0	0.0	0.1

SDDSC113	458.29	458.54	0.3	1.3	0.5	2.1
SDDSC113	458.54	458.80	0.3	1.7	0.7	2.9
SDDSC113	458.80	459.06	0.3	0.1	0.0	0.1
SDDSC113	459.06	459.65	0.6	0.2	0.2	0.6
SDDSC113	459.65	460.27	0.6	0.2	0.1	0.3
SDDSC113	460.27	461.12	0.9	0.0	0.0	0.1
SDDSC113	461.12	461.54	0.4	4.3	0.0	4.4
SDDSC113	461.54	461.82	0.3	0.4	0.1	0.5
SDDSC113	463.72	464.67	1.0	0.1	0.1	0.2
SDDSC113	464.67	464.98	0.3	0.2	0.9	2.0
SDDSC113	464.98	465.46	0.5	0.0	0.2	0.4
SDDSC113	465.46	465.72	0.3	8.0	1.1	10.0
SDDSC113	465.72	466.70	1.0	0.0	0.1	0.2
SDDSC113	466.70	467.25	0.6	0.2	0.2	0.6
SDDSC113	467.25	468.10	0.9	0.2	0.1	0.3
SDDSC113	468.10	468.34	0.2	366.0	0.2	366.4
SDDSC113	468.34	468.74	0.4	0.0	0.0	0.1
SDDSC113	468.74	468.98	0.2	206.0	1.3	208.4
SDDSC113	471.96	472.70	0.7	0.0	0.0	0.1
SDDSC113	472.70	473.28	0.6	0.2	0.0	0.2
SDDSC113	473.28	474.00	0.7	0.2	0.0	0.2
SDDSC113	474.88	475.11	0.2	0.3	0.0	0.3
SDDSC113	476.00	477.00	1.0	0.4	0.0	0.4
SDDSC113	477.00	477.38	0.4	1.8	0.0	1.8
SDDSC113	477.38	477.58	0.2	0.7	0.0	0.7
SDDSC113	480.10	481.06	1.0	0.1	0.3	0.6
SDDSC113	481.06	481.37	0.3	0.1	0.0	0.1
SDDSC113	482.00	482.24	0.2	1.9	0.0	1.9
SDDSC113	487.00	488.00	1.0	0.1	0.0	0.1
SDDSC113	490.88	491.10	0.2	0.1	0.0	0.1
SDDSC113	492.00	492.30	0.3	0.0	0.0	0.1
SDDSC113	493.30	493.86	0.6	0.2	0.0	0.2
SDDSC113	493.86	494.38	0.5	1.3	0.0	1.3
SDDSC113	494.38	495.00	0.6	0.4	0.0	0.4
SDDSC113	498.76	499.06	0.3	0.1	0.0	0.1
SDDSC113	502.00	502.80	0.8	0.2	0.0	0.2
SDDSC113	502.80	503.46	0.7	0.1	0.0	0.1
SDDSC113	505.00	506.00	1.0	0.1	0.0	0.1
SDDSC113	506.00	506.61	0.6	0.2	0.0	0.2
SDDSC113	508.78	509.31	0.5	0.5	0.0	0.5
SDDSC113	509.88	510.23	0.4	0.2	0.0	0.2

SDDSC113	511.00	512.00	1.0	0.4	0.0	0.4
SDDSC113	512.00	513.00	1.0	0.0	0.0	0.1
SDDSC113	513.00	513.90	0.9	0.1	0.0	0.1
SDDSC113	513.90	514.60	0.7	0.2	0.0	0.2
SDDSC113	514.60	515.00	0.4	0.3	0.1	0.4
SDDSC113	515.00	515.70	0.7	0.2	0.0	0.2
SDDSC113	515.70	516.27	0.6	0.1	0.0	0.1
SDDSC113	517.89	518.20	0.3	0.1	0.2	0.5
SDDSC113	518.20	518.51	0.3	0.5	0.3	0.9
SDDSC113	518.51	518.90	0.4	14.8	0.8	16.3
SDDSC113	519.30	520.15	0.9	0.2	0.0	0.2
SDDSC113	520.15	521.10	1.0	0.0	0.0	0.1
SDDSC113	521.10	522.00	0.9	0.1	0.0	0.2
SDDSC113	522.73	522.98	0.3	6.1	0.1	6.3
SDDSC113	524.00	524.32	0.3	0.1	0.0	0.1
SDDSC113	524.32	524.92	0.6	0.0	0.0	0.1
SDDSC113	524.92	525.80	0.9	0.1	0.0	0.2
SDDSC113	526.52	527.08	0.6	0.1	0.0	0.1
SDDSC113	529.19	529.76	0.6	0.0	0.0	0.1
SDDSC113	531.50	531.70	0.2	0.2	0.1	0.4
SDDSC113	531.70	532.17	0.5	0.2	0.0	0.3
SDDSC113	535.95	536.20	0.3	0.1	0.0	0.1
SDDSC113	536.20	536.75	0.6	0.0	0.0	0.1
SDDSC113	536.75	537.14	0.4	1.4	0.0	1.4
SDDSC113	537.14	537.45	0.3	0.7	0.0	0.7
SDDSC113	537.45	537.75	0.3	1.3	0.0	1.3
SDDSC113	537.75	538.69	0.9	0.0	0.1	0.1
SDDSC113	538.69	538.87	0.2	26.7	7.6	41.0
SDDSC113	538.87	539.71	0.8	0.0	0.1	0.2
SDDSC113	539.71	540.09	0.4	1.7	0.2	2.1
SDDSC113	540.09	541.09	1.0	0.6	0.1	0.7
SDDSC113	541.09	541.52	0.4	0.1	0.1	0.3
SDDSC113	541.92	542.17	0.3	2.3	0.5	3.1
SDDSC113	542.17	542.71	0.5	1.0	0.1	1.2
SDDSC113	542.71	543.00	0.3	1.4	0.0	1.4
SDDSC113	543.70	544.53	0.8	0.2	0.0	0.3
SDDSC113	544.53	545.36	0.8	0.2	0.0	0.3
SDDSC113	545.36	545.63	0.3	1.7	0.1	1.8
SDDSC113	546.85	547.08	0.2	6.9	0.1	7.1
SDDSC113	549.00	550.00	1.0	0.2	0.0	0.2
SDDSC113	550.00	551.00	1.0	0.1	0.0	0.1

SDDSC113	552.00	553.00	1.0	2.0	1.0	4.0
SDDSC113	553.00	554.00	1.0	0.0	0.2	0.3
SDDSC113	554.00	555.00	1.0	2.4	0.1	2.6
SDDSC113	555.00	556.00	1.0	0.0	0.0	0.1
SDDSC113	558.00	558.87	0.9	0.9	0.2	1.2
SDDSC113	558.87	559.47	0.6	1.0	1.8	4.3
SDDSC113	559.47	559.62	0.2	7.5	0.7	8.8
SDDSC113	559.62	559.80	0.2	14.9	3.0	20.4
SDDSC113	559.80	560.33	0.5	0.7	0.2	1.0
SDDSC113	560.33	560.70	0.4	4.7	1.4	7.3
SDDSC113	560.70	560.99	0.3	0.9	2.1	4.7
SDDSC113	560.99	561.30	0.3	0.9	1.4	3.5
SDDSC113	561.30	561.83	0.5	0.1	0.1	0.2
SDDSC113	561.83	562.07	0.2	1.5	0.5	2.5
SDDSC113	562.07	562.64	0.6	0.2	0.4	1.0
SDDSC113	562.64	562.87	0.2	0.1	0.2	0.5
SDDSC113	562.87	563.44	0.6	19.9	1.0	21.8
SDDSC113	563.44	563.72	0.3	0.3	1.5	3.1
SDDSC113	563.72	564.37	0.7	0.2	0.3	0.7
SDDSC113	564.37	564.53	0.2	15.9	4.5	24.4
SDDSC113	564.53	565.05	0.5	0.0	0.2	0.4
SDDSC113	565.05	565.27	0.2	0.3	1.9	3.9
SDDSC113	565.27	565.52	0.3	0.5	0.4	1.1
SDDSC113	565.52	565.79	0.3	0.2	0.0	0.2
SDDSC113	565.79	566.39	0.6	0.1	0.0	0.1
SDDSC113	566.39	566.90	0.5	0.1	0.0	0.2
SDDSC113	566.90	567.09	0.2	61.1	10.6	81.0
SDDSC113	567.09	567.35	0.3	0.1	0.0	0.2
SDDSC113	567.35	568.00	0.7	1.5	1.2	3.6
SDDSC113	568.00	569.00	1.0	0.1	0.0	0.1
SDDSC113	569.00	570.00	1.0	0.4	0.0	0.4
SDDSC113	570.00	571.00	1.0	0.3	1.3	2.7
SDDSC113	572.00	572.26	0.3	0.1	0.0	0.1
SDDSC113	572.26	572.54	0.3	6.3	7.8	20.9
SDDSC113	572.54	572.83	0.3	48.4	2.2	52.5
SDDSC113	572.83	573.31	0.5	0.1	0.0	0.1
SDDSC113	573.31	573.50	0.2	0.1	0.9	1.8
SDDSC113	573.50	574.24	0.7	0.0	0.1	0.1
SDDSC113	574.76	575.55	0.8	0.1	0.0	0.2
SDDSC113	575.55	575.68	0.1	0.4	0.5	1.4
SDDSC113	575.68	576.11	0.4	0.1	0.0	0.1

SDDSC113	576.11	576.49	0.4	1.4	0.4	2.1
SDDSC113	578.34	578.71	0.4	1.4	0.8	3.0
SDDSC113	578.71	579.25	0.5	0.1	0.0	0.1
SDDSC113	579.25	579.81	0.6	0.2	0.0	0.2
SDDSC113	579.81	580.02	0.2	5.2	7.2	18.8
SDDSC113	580.02	580.23	0.2	0.7	0.4	1.5
SDDSC113	580.23	580.57	0.3	136.0	18.4	170.6
SDDSC113	580.57	580.87	0.3	23.6	2.4	28.1
SDDSC113	580.87	581.15	0.3	0.5	0.1	0.7
SDDSC113	581.15	582.00	0.9	0.1	0.0	0.1
SDDSC113	582.00	583.00	1.0	0.2	0.0	0.2
SDDSC113	583.00	584.00	1.0	0.1	0.0	0.2
SDDSC113	584.93	585.42	0.5	0.4	0.3	0.9
SDDSC113	585.42	585.63	0.2	0.3	0.1	0.4
SDDSC113	585.63	586.00	0.4	0.1	0.0	0.1
SDDSC113	586.00	587.00	1.0	0.2	0.0	0.3
SDDSC113	587.00	588.00	1.0	0.3	0.1	0.5
SDDSC113	588.00	589.00	1.0	0.2	0.1	0.4
SDDSC113	589.00	590.00	1.0	0.4	0.1	0.7
SDDSC113	590.00	590.80	0.8	0.3	0.3	0.9
SDDSC113	590.80	591.00	0.2	0.7	0.3	1.2
SDDSC113	592.00	593.00	1.0	0.1	0.0	0.1
SDDSC113	593.00	594.00	1.0	0.1	0.0	0.1
SDDSC113	594.00	594.51	0.5	0.1	0.0	0.1
SDDSC113	594.51	595.00	0.5	0.1	0.1	0.2
SDDSC113	595.00	595.12	0.1	0.4	0.5	1.2
SDDSC113	595.12	595.68	0.6	0.6	0.4	1.4
SDDSC113	595.68	596.59	0.9	0.1	0.0	0.1
SDDSC113	596.59	597.19	0.6	0.1	0.1	0.2
SDDSC113	597.19	597.68	0.5	0.1	0.0	0.1
SDDSC113	601.65	602.73	1.1	0.1	0.1	0.2
SDDSC113	604.55	605.05	0.5	0.0	0.1	0.3
SDDSC113	610.00	611.00	1.0	0.1	0.0	0.1
SDDSC113	611.00	612.00	1.0	0.1	0.0	0.1
SDDSC113	612.00	613.00	1.0	0.1	0.0	0.1
SDDSC113	624.77	625.10	0.3	1.7	0.0	1.7
SDDSC113	625.10	626.00	0.9	0.0	0.0	0.1
SDDSC113	639.10	639.28	0.2	0.8	0.0	0.8
SDDSC113	644.36	644.48	0.1	0.7	0.2	1.1
SDDSC113	647.51	648.37	0.9	0.1	0.0	0.1
SDDSC113	648.37	649.00	0.6	0.2	0.0	0.3

SDDSC113	649.00	650.06	1.1	0.2	0.1	0.3
SDDSC113	653.78	653.89	0.1	0.6	0.1	0.7
SDDSC113	674.72	674.85	0.1	0.1	0.0	0.1
SDDSC113	675.18	675.50	0.3	0.1	0.0	0.1
SDDSC113	690.00	691.00	1.0	0.0	0.0	0.1
SDDSC113	701.76	702.40	0.6	0.2	0.0	0.3
SDDSC113	702.40	702.67	0.3	520.0	0.7	521.2
SDDSC113	702.67	702.87	0.2	684.0	10.5	703.7
SDDSC113	702.87	703.25	0.4	3.5	0.2	3.9
SDDSC113	703.25	703.60	0.4	0.6	0.1	0.7
SDDSC113	703.60	704.06	0.5	0.3	0.0	0.3
SDDSC113	704.06	704.87	0.8	0.3	0.0	0.4
SDDSC113	705.76	705.98	0.2	0.3	0.2	0.6
SDDSC113	708.00	709.30	1.3	0.0	0.0	0.1
SDDSC113	709.30	709.85	0.6	0.8	0.0	0.8
SDDSC113	709.85	710.75	0.9	0.1	0.0	0.1
SDDSC113	710.75	711.60	0.9	0.1	0.0	0.1
SDDSC113	715.00	715.85	0.9	0.1	0.0	0.1
SDDSC113	717.60	717.85	0.3	1.0	0.2	1.5
SDDSC113	717.85	719.00	1.2	0.1	0.0	0.1
SDDSC113	719.00	719.50	0.5	0.1	0.0	0.1
SDDSC113	719.50	720.40	0.9	0.2	0.0	0.2
SDDSC113	720.40	721.40	1.0	0.2	0.0	0.2
SDDSC113	721.40	722.00	0.6	1.3	0.3	1.8
SDDSC113	722.00	722.90	0.9	0.6	0.0	0.6
SDDSC113	722.90	723.25	0.4	2.1	0.2	2.5
SDDSC113	723.25	723.55	0.3	0.7	0.4	1.5
SDDSC113	723.55	723.85	0.3	0.9	0.1	1.0
SDDSC113	723.85	724.80	1.0	0.1	0.0	0.1
SDDSC113	724.80	725.75	1.0	0.1	0.0	0.1
SDDSC113	725.75	727.00	1.3	0.1	0.0	0.1
SDDSC113	728.40	729.47	1.1	0.1	0.0	0.1
SDDSC113	729.47	730.30	0.8	0.0	0.0	0.1
SDDSC113	730.30	731.23	0.9	9.7	0.4	10.4
SDDSC113	733.00	734.00	1.0	0.1	0.1	0.3
SDDSC113	734.00	735.00	1.0	0.1	0.1	0.2
SDDSC113	735.00	736.00	1.0	0.3	0.2	0.7
SDDSC113	736.00	737.05	1.1	1.5	0.0	1.6
SDDSC113	737.05	737.20	0.2	125.0	1.8	128.4
SDDSC113	737.20	738.00	0.8	0.1	0.0	0.1
SDDSC113	738.00	739.00	1.0	0.1	0.0	0.1

SDDSC113	744.00	745.00	1.0	0.2	0.0	0.2
SDDSC113	745.00	746.00	1.0	0.0	0.0	0.1
SDDSC113	749.00	750.00	1.0	0.3	0.0	0.4
SDDSC113	750.00	750.96	1.0	0.2	0.1	0.3
SDDSC113	750.96	751.17	0.2	38.8	0.0	38.9
SDDSC113	751.17	751.51	0.3	6.0	0.0	6.1
SDDSC113	751.51	752.32	0.8	99.8	0.1	99.9
SDDSC113	752.32	752.90	0.6	0.3	0.1	0.5
SDDSC113	752.90	753.50	0.6	0.0	0.0	0.1
SDDSC113	753.50	754.00	0.5	4.5	2.9	9.9
SDDSC113	754.90	755.10	0.2	0.3	1.4	2.9
SDDSC113	755.10	756.00	0.9	0.0	0.0	0.1
SDDSC113	757.00	758.00	1.0	0.3	0.0	0.3
SDDSC113	758.00	759.00	1.0	0.3	0.0	0.3
SDDSC113	759.00	760.00	1.0	0.2	0.0	0.2
SDDSC113	762.00	763.00	1.0	0.2	0.0	0.2
SDDSC113	766.00	767.00	1.0	0.1	0.0	0.1
SDDSC113	767.00	768.00	1.0	0.1	0.0	0.1
SDDSC113	770.00	771.00	1.0	1.6	0.1	1.7
SDDSC113	771.00	772.00	1.0	0.1	0.1	0.2
SDDSC113	773.00	774.00	1.0	0.1	0.0	0.1
SDDSC113	777.00	778.00	1.0	0.9	0.1	1.0
SDDSC113	778.67	779.03	0.4	0.4	0.0	0.5
SDDSC113	787.60	788.66	1.1	0.5	0.0	0.5
SDDSC113	788.66	788.87	0.2	6.7	0.0	6.7
SDDSC113	791.41	791.68	0.3	10.9	0.0	10.9
SDDSC113	796.10	796.60	0.5	1.2	0.0	1.2
SDDSC113	797.94	798.56	0.6	0.2	0.0	0.2
SDDSC113	806.76	807.25	0.5	0.3	0.0	0.3
SDDSC113	807.25	807.74	0.5	0.5	0.0	0.6
SDDSC113	807.74	808.86	1.1	4.1	0.0	4.1
SDDSC113	808.86	809.11	0.3	1.7	0.0	1.7
SDDSC113	809.11	810.18	1.1	0.2	0.0	0.2
SDDSC113	812.11	812.56	0.5	0.1	0.0	0.1
SDDSC113	814.58	815.64	1.1	0.1	0.0	0.1
SDDSC113	816.59	816.91	0.3	1.3	0.0	1.3
SDDSC113	816.91	817.37	0.5	1.5	0.0	1.5
SDDSC113	819.00	819.43	0.4	3.1	0.0	3.1
SDDSC113	820.43	821.00	0.6	0.2	0.0	0.2
SDDSC113	821.00	822.00	1.0	0.2	0.0	0.2
SDDSC113	829.26	830.30	1.0	0.1	0.0	0.1

SDDSC113	831.35	832.13	0.8	0.2	0.0	0.2
SDDSC113	834.05	835.19	1.1	0.3	0.0	0.3
SDDSC113	838.00	838.44	0.4	0.1	0.0	0.1
SDDSC113	839.85	840.08	0.2	0.1	0.0	0.1
SDDSC113	840.98	841.42	0.4	0.1	0.0	0.1
SDDSC114	485.12	485.97	0.9	1.2	0.8	2.7
SDDSC114	485.97	486.40	0.4	0.4	0.0	0.5
SDDSC114	506.70	506.93	0.2	0.3	0.0	0.3
SDDSC114	506.93	507.23	0.3	0.1	0.0	0.1
SDDSC114	510.00	510.52	0.5	0.2	0.0	0.3
SDDSC114	510.52	510.70	0.2	1.2	0.3	1.7
SDDSC114	510.70	510.83	0.1	1.3	0.4	2.1
SDDSC114	510.83	511.17	0.3	3.2	0.3	3.8
SDDSC114	511.17	511.51	0.3	0.6	0.9	2.2
SDDSC114	511.51	512.01	0.5	3.2	0.0	3.3
SDDSC114	512.01	512.55	0.5	1.8	0.0	1.8
SDDSC114	512.55	513.00	0.5	0.4	0.0	0.4
SDDSC114	518.00	519.00	1.0	0.1	0.0	0.1
SDDSC114	519.00	520.00	1.0	0.1	0.0	0.1
SDDSC114	520.00	520.59	0.6	0.1	0.0	0.1
SDDSC114	520.59	521.00	0.4	1.3	0.0	1.3
SDDSC114	525.00	526.05	1.1	0.5	0.0	0.6
SDDSC114	526.05	526.20	0.2	0.9	0.4	1.6
SDDSC114	526.20	526.34	0.1	4.9	0.3	5.3
SDDSC114	526.34	526.80	0.5	0.4	0.2	0.8
SDDSC114	526.80	528.00	1.2	0.3	0.0	0.4
SDDSC114	531.00	532.00	1.0	0.1	0.0	0.1
SDDSC114	532.00	533.00	1.0	0.2	0.0	0.2
SDDSC114	564.58	564.74	0.2	2.1	4.5	10.5
SDDSC114	564.74	565.00	0.3	0.0	0.0	0.1
SDDSC114	569.46	570.40	0.9	0.2	0.0	0.3
SDDSC114	573.40	573.66	0.3	0.3	0.0	0.3
SDDSC114	580.14	580.35	0.2	0.1	0.0	0.1
SDDSC114	585.00	586.00	1.0	0.2	0.0	0.2
SDDSC114	589.11	589.29	0.2	0.9	0.0	0.9
SDDSC114	622.06	622.48	0.4	0.3	0.0	0.3
SDDSC114	622.48	623.00	0.5	0.5	0.0	0.6
SDDSC114	623.62	623.85	0.2	0.3	0.0	0.3
SDDSC114	623.85	624.62	0.8	0.1	0.0	0.1
SDDSC114	625.42	626.45	1.0	0.1	0.0	0.2
SDDSC114	626.45	627.13	0.7	0.1	0.0	0.1

SDDSC114	627.13	627.30	0.2	0.4	0.0	0.4
SDDSC114	628.17	628.50	0.3	0.1	0.0	0.1
SDDSC114	628.50	628.74	0.2	122.0	3.8	129.1
SDDSC114	628.74	629.00	0.3	0.5	0.1	0.6
SDDSC114	629.00	629.17	0.2	16.3	4.1	24.1
SDDSC114	629.17	629.57	0.4	0.0	0.0	0.1
SDDSC114	629.57	630.43	0.9	2.1	1.6	5.1
SDDSC114	630.43	630.96	0.5	0.1	0.0	0.2
SDDSC114	630.96	631.20	0.2	21.3	8.8	37.8
SDDSC114	637.27	637.73	0.5	0.1	0.0	0.1
SDDSC114	639.00	639.21	0.2	0.1	0.0	0.1
SDDSC114	699.77	700.25	0.5	0.1	0.0	0.1
SDDSC114	718.00	719.00	1.0	0.1	0.0	0.1
SDDSC114	723.29	723.72	0.4	0.3	0.0	0.3
SDDSC114	723.72	724.45	0.7	0.8	0.1	1.0
SDDSC114	724.45	724.78	0.3	6.6	0.3	7.2
SDDSC114	744.60	745.45	0.9	0.1	0.0	0.1
SDDSC114	759.02	759.45	0.4	0.3	0.0	0.3
SDDSC114	766.45	766.90	0.5	2.1	0.2	2.5
SDDSC114	766.90	767.45	0.6	0.5	0.3	0.9
SDDSC114	767.45	768.05	0.6	56.0	0.6	57.1
SDDSC114	768.05	768.45	0.4	36.1	0.1	36.3
SDDSC114	768.45	768.82	0.4	4.6	0.2	4.9
SDDSC114	768.82	769.12	0.3	1.5	0.1	1.7
SDDSC114	769.12	769.65	0.5	0.2	0.1	0.4
SDDSC114	769.65	770.25	0.6	0.0	0.0	0.1
SDDSC114	771.05	772.05	1.0	0.1	0.0	0.1
SDDSC114	773.00	773.30	0.3	0.1	0.0	0.1
SDDSC114	773.30	773.65	0.4	0.0	0.1	0.2
SDDSC114	773.65	774.50	0.9	0.2	0.0	0.2
SDDSC114	774.50	775.05	0.6	0.1	0.0	0.1
SDDSC114	775.05	775.50	0.5	0.3	0.0	0.3
SDDSC114	775.50	775.90	0.4	0.2	0.0	0.2
SDDSC114	775.90	776.20	0.3	0.4	0.0	0.4
SDDSC114	776.20	776.60	0.4	3.6	0.0	3.6
SDDSC114	776.60	776.90	0.3	0.7	0.0	0.7
SDDSC114	777.65	778.15	0.5	0.1	0.0	0.1
SDDSC114	785.49	786.42	0.9	0.1	0.0	0.1
SDDSC114	786.90	787.20	0.3	0.1	0.0	0.1
SDDSC114	787.20	787.39	0.2	0.6	0.0	0.6
SDDSC114	787.39	788.11	0.7	1.2	0.0	1.2

SDDSC114	788.11	788.52	0.4	0.6	0.1	0.7
SDDSC114	788.52	789.75	1.2	0.3	0.0	0.4
SDDSC114	789.75	790.70	1.0	0.1	0.0	0.1
SDDSC114	794.53	795.02	0.5	1.6	0.0	1.6
SDDSC114	795.02	795.68	0.7	0.5	0.0	0.5
SDDSC114	795.68	796.66	1.0	0.2	0.0	0.3
SDDSC114	800.71	801.00	0.3	0.2	0.0	0.2
SDDSC114	801.00	802.19	1.2	0.2	0.0	0.2
SDDSC114	802.19	803.34	1.2	0.3	0.0	0.3
SDDSC114	803.34	804.46	1.1	0.1	0.0	0.1
SDDSC114	813.54	813.98	0.4	2.2	0.0	2.2
SDDSC114	813.98	814.27	0.3	0.6	0.0	0.6
SDDSC114	814.27	815.50	1.2	0.1	0.0	0.1
SDDSC114	823.55	824.60	1.1	0.2	0.1	0.3
SDDSC114	824.60	825.12	0.5	0.1	0.0	0.1
SDDSC114	825.12	825.35	0.2	0.3	0.0	0.3
SDDSC114	825.35	825.58	0.2	69.9	0.0	69.9
SDDSC114	825.83	826.82	1.0	0.1	0.0	0.1
SDDSC114	830.67	831.63	1.0	0.1	0.0	0.1
SDDSC114	834.14	835.06	0.9	0.1	0.0	0.1
SDDSC114	835.06	835.46	0.4	0.7	0.0	0.7
SDDSC114	835.46	836.00	0.5	0.8	0.0	0.8
SDDSC114	836.00	837.00	1.0	0.3	0.0	0.3
SDDSC114	837.00	838.12	1.1	0.2	0.0	0.2
SDDSC114	838.12	839.00	0.9	0.7	0.0	0.7
SDDSC114	839.00	839.28	0.3	0.3	0.0	0.3
SDDSC114	839.28	840.03	0.8	0.1	0.0	0.1
SDDSC114	840.61	841.53	0.9	0.1	0.0	0.1
SDDSC114	841.53	842.17	0.6	0.1	0.0	0.1
SDDSC114	842.17	842.33	0.2	0.2	0.0	0.2
SDDSC114	842.69	843.28	0.6	0.3	0.0	0.3
SDDSC114	843.28	843.77	0.5	0.8	0.0	0.8
SDDSC114	843.77	844.25	0.5	0.2	0.0	0.2
SDDSC114	844.25	844.71	0.5	0.3	0.0	0.3
SDDSC114	844.71	845.33	0.6	10.5	0.0	10.5
SDDSC114	848.08	849.20	1.1	0.1	0.0	0.1
SDDSC114	849.20	849.46	0.3	0.3	0.0	0.3
SDDSC114	851.83	853.00	1.2	0.1	0.0	0.1
SDDSC115A	324.00	325.00	1.0	0.0	0.1	0.1
SDDSC115A	407.90	408.90	1.0	0.1	0.0	0.1
SDDSC115A	452.90	453.10	0.2	0.2	1.1	2.2

SDDSC115A	454.60	455.10	0.5	0.2	0.1	0.3
SDDSC115A	455.10	455.30	0.3	0.3	0.3	0.9
SDDSC115A	455.30	455.70	0.3	0.6	0.6	1.8
SDDSC115A	455.90	456.10	0.2	12.8	0.4	13.5
SDDSC115A	457.00	457.30	0.3	0.1	0.0	0.1
SDDSC115A	457.30	457.50	0.3	0.1	0.1	0.3
SDDSC115A	490.30	490.60	0.3	0.1	0.0	0.1
SDDSC115A	491.10	491.30	0.2	0.7	0.2	1.2
SDDSC115A	491.30	491.60	0.3	0.7	0.3	1.3
SDDSC115A	491.60	491.80	0.2	0.6	0.1	0.7
SDDSC115A	491.80	492.30	0.5	0.3	0.1	0.5
SDDSC115A	492.30	492.60	0.3	0.5	0.1	0.7
SDDSC115A	494.00	495.00	1.0	0.2	0.0	0.2
SDDSC115A	495.50	496.20	0.7	0.2	0.0	0.2
SDDSC115A	496.20	496.90	0.7	0.2	0.2	0.5
SDDSC115A	496.90	497.10	0.2	0.6	0.0	0.6
SDDSC115A	500.40	500.80	0.4	1.1	0.0	1.1
SDDSC115A	501.90	502.80	1.0	0.1	0.0	0.1
SDDSC115A	502.80	503.00	0.2	0.3	0.0	0.3
SDDSC115A	508.00	509.00	1.0	0.3	0.0	0.3
SDDSC115A	511.20	511.60	0.4	0.4	0.0	0.5
SDDSC115A	511.90	512.40	0.5	0.7	0.2	1.0
SDDSC115A	512.40	513.20	0.8	0.9	0.2	1.4
SDDSC115A	513.20	514.20	1.0	1.3	0.3	1.9
SDDSC115A	514.20	515.00	0.8	0.4	0.0	0.5
SDDSC115A	515.00	516.00	1.0	0.8	1.2	3.0
SDDSC115A	516.00	516.60	0.6	0.5	0.4	1.1
SDDSC115A	516.60	517.10	0.5	0.3	0.0	0.4
SDDSC115A	517.10	517.60	0.5	0.1	0.0	0.1
SDDSC115A	517.60	517.90	0.3	2.4	2.0	6.1
SDDSC115A	517.90	519.00	1.1	0.1	0.0	0.2
SDDSC115A	519.00	519.90	0.9	0.3	0.2	0.7
SDDSC115A	522.40	523.50	1.0	0.3	0.1	0.4
SDDSC115A	523.50	523.60	0.1	0.1	0.0	0.1
SDDSC115A	525.10	525.80	0.7	0.0	0.0	0.1
SDDSC115A	528.90	529.50	0.6	0.5	0.3	1.1
SDDSC115A	529.50	530.60	1.1	0.2	0.0	0.2
SDDSC115A	532.30	532.60	0.3	0.1	0.0	0.1
SDDSC115A	532.60	532.80	0.2	2.2	0.5	3.1
SDDSC115A	532.80	533.00	0.2	0.5	0.2	0.9
SDDSC115A	533.00	533.20	0.2	58.6	5.6	69.1

SDDSC115A	533.20	533.40	0.2	0.1	0.0	0.1
SDDSC115A	533.40	533.90	0.6	0.2	0.0	0.2
SDDSC115A	533.90	534.20	0.3	6.8	0.0	6.8
SDDSC115A	534.80	535.20	0.4	0.1	0.0	0.1
SDDSC115A	535.20	536.00	0.8	0.1	0.0	0.1
SDDSC115A	538.50	539.00	0.5	0.2	0.0	0.2
SDDSC115A	542.10	542.30	0.2	0.1	0.0	0.1
SDDSC115A	545.70	546.80	1.1	0.1	0.0	0.1
SDDSC115A	550.10	550.40	0.4	1.2	0.5	2.2
SDDSC115A	550.40	551.00	0.6	0.1	0.0	0.1
SDDSC115A	552.50	552.60	0.1	1.1	1.6	4.0
SDDSC115A	555.40	556.40	1.0	0.1	0.0	0.1
SDDSC115A	558.40	559.40	1.0	0.4	0.3	0.9
SDDSC115A	559.40	559.60	0.2	0.3	0.2	0.7
SDDSC115A	560.70	561.80	1.2	0.1	0.1	0.3
SDDSC115A	562.80	563.60	0.9	0.1	0.1	0.2
SDDSC115A	563.60	564.40	0.8	5.1	0.9	6.7
SDDSC115A	564.40	564.80	0.4	0.3	0.4	1.1
SDDSC115A	564.80	565.20	0.5	1.3	0.6	2.4
SDDSC115A	565.20	565.70	0.4	0.4	0.3	0.9
SDDSC115A	565.70	565.80	0.2	0.3	26.3	49.7
SDDSC115A	565.80	566.00	0.2	0.1	0.0	0.1
SDDSC115A	566.00	566.50	0.5	1.4	1.1	3.5
SDDSC115A	566.50	566.70	0.3	0.4	0.7	1.7
SDDSC115A	566.70	566.90	0.2	17.6	2.9	23.1
SDDSC115A	566.90	567.10	0.3	0.3	0.1	0.5
SDDSC115A	567.10	568.00	0.9	0.2	0.1	0.4
SDDSC115A	568.00	568.60	0.6	0.1	0.0	0.2
SDDSC115A	573.70	573.90	0.2	15.4	5.6	25.9
SDDSC115A	576.70	576.90	0.2	0.2	0.0	0.3
SDDSC115A	579.80	580.00	0.2	0.1	0.3	0.7
SDDSC115A	580.00	580.20	0.2	1.1	1.4	3.7
SDDSC115A	580.20	580.50	0.3	13.9	21.2	53.8
SDDSC115A	580.50	580.70	0.2	0.3	0.4	0.9
SDDSC115A	580.70	581.60	0.9	0.2	0.3	0.7
SDDSC115A	581.60	582.20	0.6	0.6	0.8	2.1
SDDSC115A	582.20	582.70	0.5	0.1	0.1	0.3
SDDSC115A	582.70	583.70	1.0	2.2	0.3	2.7
SDDSC115A	584.20	584.50	0.3	0.5	0.2	0.8
SDDSC115A	584.50	584.70	0.2	0.3	0.1	0.5
SDDSC115A	584.70	585.30	0.7	0.8	0.4	1.5

SDDSC115A	586.10	587.10	1.1	1.1	0.6	2.3
SDDSC115A	587.10	587.70	0.5	1.6	0.8	3.1
SDDSC115A	587.70	587.80	0.2	3.1	2.2	7.2
SDDSC115A	587.80	588.00	0.2	2.5	0.1	2.7
SDDSC115A	588.00	588.40	0.3	0.1	0.0	0.2
SDDSC115A	589.90	590.40	0.5	1.7	0.3	2.1
SDDSC115A	593.00	593.80	0.8	1.3	0.2	1.6
SDDSC115A	594.50	595.20	0.7	0.7	0.5	1.7
SDDSC115A	595.20	595.40	0.2	1.6	0.4	2.4
SDDSC115A	595.40	596.00	0.6	0.6	0.8	2.1
SDDSC115A	596.00	596.30	0.3	0.4	0.1	0.6
SDDSC115A	596.80	597.10	0.3	0.1	0.0	0.1
SDDSC115A	616.90	617.50	0.6	0.2	0.0	0.2
SDDSC115A	617.70	617.90	0.2	0.1	0.0	0.1
SDDSC115A	619.30	619.40	0.1	1.4	0.6	2.4
SDDSC115A	643.40	643.80	0.4	0.3	0.7	1.6
SDDSC115A	643.80	643.90	0.1	0.6	0.1	0.7
SDDSC115A	643.90	644.50	0.6	104.0	3.7	110.9
SDDSC115A	644.50	644.70	0.3	202.0	5.2	211.8
SDDSC115A	644.70	645.00	0.3	0.2	0.0	0.3
SDDSC115A	645.00	645.20	0.1	0.2	0.2	0.6
SDDSC115A	646.00	646.30	0.3	0.0	0.1	0.2
SDDSC115A	646.30	646.60	0.3	109.0	3.8	116.1
SDDSC115A	646.60	646.90	0.3	0.1	0.0	0.1
SDDSC115A	669.20	670.30	1.1	0.1	0.0	0.1
SDDSC115A	670.30	671.10	0.8	0.2	0.0	0.2
SDDSC115A	678.30	679.00	0.7	0.1	0.0	0.2
SDDSC115A	679.00	679.50	0.5	0.2	0.0	0.2
SDDSC115A	697.80	698.00	0.2	0.1	0.2	0.4
SDDSC115A	707.70	708.00	0.3	86.4	0.4	87.2
SDDSC115A	708.00	709.00	1.0	0.2	0.0	0.2
SDDSC115A	719.50	719.70	0.2	87.1	4.3	95.3
SDDSC115A	729.50	729.80	0.4	2.0	0.0	2.1
SDDSC115A	742.10	742.40	0.3	0.1	0.0	0.2
SDDSC115A	742.40	742.90	0.5	1.1	0.1	1.2
SDDSC115A	742.90	743.40	0.6	0.2	0.0	0.2
SDDSC115A	743.40	743.80	0.4	0.2	0.0	0.2
SDDSC115A	743.80	744.30	0.5	0.2	0.0	0.3
SDDSC115A	744.90	745.00	0.1	0.4	0.0	0.5
SDDSC115A	745.00	746.00	1.0	0.1	0.0	0.1
SDDSC115A	746.00	746.30	0.4	2.0	0.1	2.1

SDDSC115A	746.30	746.70	0.4	1.1	0.2	1.4
SDDSC115A	746.70	747.00	0.3	4.0	0.4	4.7
SDDSC115A	747.00	747.30	0.3	3.5	0.2	3.9
SDDSC115A	747.30	747.60	0.3	15.3	0.1	15.4
SDDSC115A	747.60	748.60	1.0	0.8	0.0	0.8
SDDSC115A	748.60	749.00	0.5	0.2	0.0	0.2
SDDSC115A	749.00	749.40	0.4	1.0	0.1	1.2
SDDSC115A	749.40	749.90	0.6	0.6	0.0	0.6
SDDSC115A	753.50	754.50	1.0	3.1	0.0	3.1
SDDSC115A	755.40	755.80	0.5	0.3	0.0	0.4
SDDSC115A	768.90	769.80	0.9	1.2	0.0	1.2
SDDSC115A	781.30	782.00	0.7	1.0	0.0	1.0
SDDSC115A	785.60	786.20	0.6	1.4	0.0	1.4
SDDSC115A	789.00	789.70	0.7	0.3	0.0	0.3
SDDSC115A	791.50	791.90	0.4	1.3	0.1	1.4
SDDSC115A	791.90	792.50	0.7	0.1	0.0	0.1
SDDSC115A	792.50	792.80	0.3	0.1	0.0	0.1
SDDSC115A	792.80	793.30	0.5	1.2	0.0	1.2
SDDSC115A	793.30	793.70	0.4	3.1	0.0	3.1
SDDSC115A	793.70	794.10	0.5	3.8	0.0	3.9
SDDSC115A	794.10	795.00	0.9	0.2	0.0	0.2
SDDSC115A	795.00	796.00	1.0	0.1	0.0	0.1
SDDSC115A	796.00	797.00	1.0	0.1	0.0	0.1
SDDSC115A	820.20	820.70	0.5	0.1	0.0	0.1
SDDSC115A	820.70	821.00	0.3	0.1	0.0	0.1
SDDSC115A	821.00	822.00	1.0	0.1	0.0	0.1
SDDSC115A	822.00	823.00	1.0	0.1	0.0	0.1
SDDSC115A	831.90	832.70	0.7	0.3	0.0	0.3
SDDSC115A	840.10	840.40	0.2	0.3	0.0	0.3
SDDSC115A	840.40	840.60	0.2	0.2	0.0	0.2
SDDSC115A	845.00	846.00	1.0	0.1	0.0	0.1
SDDSC115A	846.00	846.50	0.5	0.6	0.0	0.6
SDDSC115A	846.50	846.90	0.4	0.4	0.0	0.4
SDDSC115A	846.90	847.60	0.7	1.3	0.0	1.3
SDDSC115A	847.60	848.00	0.5	0.8	0.0	0.8
SDDSC115A	848.00	848.80	0.8	0.5	0.0	0.5
SDDSC115A	848.80	849.40	0.6	0.6	0.0	0.6
SDDSC115A	849.40	850.00	0.6	0.7	0.0	0.7
SDDSC115A	850.00	851.00	1.0	0.5	0.0	0.5
SDDSC115A	851.00	851.20	0.2	0.6	0.0	0.7
SDDSC115A	851.20	852.00	0.8	0.9	0.0	0.9

SDDSC115A	852.00	852.50	0.5	0.5	0.0	0.5
SDDSC115A	852.50	853.60	1.2	0.6	0.0	0.7
SDDSC115A	853.60	853.90	0.3	0.5	0.0	0.6
SDDSC115A	853.90	854.40	0.5	1.6	0.0	1.7
SDDSC115A	854.40	854.60	0.2	0.4	0.0	0.4
SDDSC115A	855.60	856.60	1.0	0.1	0.1	0.2
SDDSC115A	858.70	859.10	0.4	0.2	0.0	0.2
SDDSC115A	859.10	859.40	0.2	0.3	0.0	0.3
SDDSC115A	859.40	859.80	0.4	0.1	0.0	0.1
SDDSC115A	859.80	860.80	1.1	0.1	0.0	0.2
SDDSC115A	861.40	862.40	1.1	0.5	0.2	0.8
SDDSC115A	862.40	863.50	1.1	0.1	0.0	0.2
SDDSC115A	863.50	864.30	0.8	0.1	0.0	0.2
SDDSC115A	864.30	864.90	0.6	0.2	0.0	0.2
SDDSC115A	864.90	865.60	0.7	0.1	0.0	0.1
SDDSC115A	865.60	865.90	0.3	1.0	0.0	1.0
SDDSC115A	867.90	868.50	0.6	0.1	0.0	0.1
SDDSC115A	868.50	869.20	0.7	0.2	0.0	0.2
SDDSC115A	869.20	869.50	0.3	2.2	0.0	2.2
SDDSC115A	870.30	871.00	0.7	0.7	0.0	0.8
SDDSC115A	871.00	872.00	1.0	0.4	0.0	0.4
SDDSC115A	874.00	874.30	0.3	0.7	0.1	0.9
SDDSC115A	874.30	874.90	0.6	1.1	0.1	1.2
SDDSC115A	874.90	875.60	0.7	1.8	0.0	1.8
SDDSC115A	875.60	876.00	0.4	12.9	0.0	12.9
SDDSC115A	876.00	876.60	0.7	1.7	0.7	2.9
SDDSC115A	876.60	877.10	0.5	2.4	1.2	4.6
SDDSC115A	877.10	878.10	1.0	2.6	0.7	3.9
SDDSC115A	878.10	879.10	1.1	0.4	0.1	0.5
SDDSC115A	879.10	880.20	1.1	0.2	0.0	0.2
SDDSC115A	880.50	881.10	0.7	0.2	0.0	0.2
SDDSC115A	881.10	881.60	0.5	0.2	0.0	0.3
SDDSC115A	881.60	882.80	1.2	0.9	0.1	1.0
SDDSC115A	882.80	883.70	0.9	0.7	0.0	0.7
SDDSC115A	883.70	884.30	0.6	0.1	0.0	0.1
SDDSC115A	884.30	885.40	1.1	0.5	0.0	0.5
SDDSC115A	885.40	885.70	0.2	3.6	0.2	3.9
SDDSC115A	885.70	886.60	0.9	0.6	0.1	0.7
SDDSC115A	886.60	887.00	0.4	0.1	0.0	0.1
SDDSC115A	893.00	894.00	1.0	0.2	0.0	0.2
SDDSC115A	898.50	898.70	0.2	0.1	0.0	0.1

SDDSC116	406.81	407.24	0.4	1.3	0.0	1.3
SDDSC116	411.15	411.31	0.2	0.3	0.0	0.3
SDDSC116	413.70	413.88	0.2	1.9	0.0	1.9
SDDSC116	413.88	414.33	0.5	0.1	0.0	0.1
SDDSC116	414.76	415.50	0.7	0.1	0.0	0.1
SDDSC116	415.50	416.14	0.6	0.0	0.0	0.1
SDDSC116	416.26	416.69	0.4	0.1	0.0	0.1
SDDSC116	416.69	417.28	0.6	0.1	0.0	0.1
SDDSC116	422.13	422.93	0.8	0.2	0.0	0.2
SDDSC116	422.93	423.93	1.0	0.5	0.0	0.5
SDDSC116	446.95	447.64	0.7	0.1	0.0	0.1
SDDSC116	455.05	455.91	0.9	0.1	0.0	0.1
SDDSC116	457.50	458.28	0.8	0.1	0.0	0.1
SDDSC116	458.28	458.74	0.5	0.1	0.0	0.1
SDDSC116	460.21	461.15	0.9	0.1	0.0	0.1
SDDSC116	461.67	462.22	0.6	0.0	0.1	0.2
SDDSC116	462.22	462.78	0.6	3.2	1.4	5.9
SDDSC116	462.78	463.21	0.4	0.0	0.0	0.1
SDDSC116	463.21	463.72	0.5	0.1	0.0	0.1
SDDSC116	463.72	464.28	0.6	0.4	0.1	0.5
SDDSC116	467.35	467.90	0.6	0.4	0.0	0.4
SDDSC116	467.90	468.07	0.2	3.3	0.2	3.6
SDDSC116	468.07	468.73	0.7	0.5	0.1	0.6
SDDSC116	469.76	470.39	0.6	0.1	0.0	0.1
SDDSC116	470.39	470.80	0.4	0.1	0.0	0.2
SDDSC116	470.80	471.56	0.8	0.1	0.0	0.1
SDDSC116	471.56	471.72	0.2	0.6	0.0	0.6
SDDSC116	472.40	473.24	0.8	0.1	0.0	0.1
SDDSC116	473.24	473.85	0.6	1.6	0.2	1.9
SDDSC116	473.85	474.54	0.7	1.1	0.0	1.1
SDDSC116	474.54	475.20	0.7	0.6	0.0	0.6
SDDSC116	475.20	475.52	0.3	34.6	2.3	39.0
SDDSC116	475.52	475.75	0.2	0.2	0.0	0.2
SDDSC116	477.50	478.80	1.3	0.2	0.0	0.2
SDDSC116	478.80	479.50	0.7	0.3	0.0	0.3
SDDSC116	479.50	480.60	1.1	0.4	0.0	0.4
SDDSC116	480.80	481.55	0.8	2.8	0.0	2.8
SDDSC116	481.55	482.09	0.5	10.5	0.0	10.6
SDDSC116	483.56	484.23	0.7	0.0	0.2	0.3
SDDSC116	484.23	484.78	0.6	0.4	0.0	0.4
SDDSC116	484.78	485.66	0.9	0.2	0.0	0.2

SDDSC116	485.66	486.34	0.7	0.5	0.0	0.5
SDDSC116	486.34	486.89	0.6	0.7	0.2	1.1
SDDSC116	486.89	487.25	0.4	0.4	0.1	0.5
SDDSC116	487.25	488.00	0.8	0.1	0.0	0.2
SDDSC116	488.70	488.93	0.2	1.2	3.2	7.3
SDDSC116	488.93	489.58	0.7	0.0	0.0	0.1
SDDSC116	489.58	490.16	0.6	0.3	0.0	0.3
SDDSC116	490.16	490.39	0.2	46.1	9.9	64.7
SDDSC116	490.39	490.92	0.5	0.2	0.6	1.3
SDDSC116	490.92	491.70	0.8	0.2	0.0	0.3
SDDSC116	494.00	494.61	0.6	0.0	0.1	0.2
SDDSC116	494.61	494.89	0.3	0.6	0.9	2.2
SDDSC116	495.72	495.94	0.2	0.4	0.4	1.1
SDDSC116	495.94	496.32	0.4	0.6	1.0	2.5
SDDSC116	496.32	496.54	0.2	0.3	0.9	2.0
SDDSC116	496.54	497.00	0.5	0.0	0.0	0.1
SDDSC116	497.00	497.29	0.3	0.1	0.3	0.7
SDDSC116	497.79	497.96	0.2	0.2	0.4	1.0
SDDSC116	499.78	500.00	0.2	0.7	0.1	0.8
SDDSC116	500.00	500.51	0.5	0.1	0.0	0.1
SDDSC116	501.10	501.28	0.2	2.4	0.0	2.4
SDDSC116	506.34	507.08	0.7	0.2	0.0	0.2
SDDSC116	507.08	508.00	0.9	0.2	0.0	0.2
SDDSC116	508.55	509.21	0.7	0.3	0.0	0.3
SDDSC116	510.89	511.24	0.4	0.2	0.2	0.5
SDDSC116	511.24	511.49	0.3	3.7	9.5	21.6
SDDSC116	511.49	511.73	0.2	0.3	0.0	0.4
SDDSC116	511.73	512.45	0.7	2.1	0.3	2.6
SDDSC116	512.45	513.00	0.6	0.6	0.0	0.6
SDDSC116	513.00	514.00	1.0	0.2	0.0	0.2
SDDSC116	514.00	514.89	0.9	120.0	0.0	120.0
SDDSC116	514.89	515.63	0.7	1.3	0.1	1.4
SDDSC116	515.63	515.81	0.2	3.5	0.6	4.7
SDDSC116	515.81	516.41	0.6	9.8	2.9	15.1
SDDSC116	516.41	516.95	0.5	7.4	1.6	10.4
SDDSC116	516.95	517.60	0.7	7.3	2.5	12.0
SDDSC116	517.60	518.36	0.8	0.3	0.0	0.3
SDDSC116	519.20	519.38	0.2	0.9	0.6	2.0
SDDSC116	519.38	519.59	0.2	0.1	0.0	0.1
SDDSC116	519.59	519.74	0.2	1.5	0.0	1.5
SDDSC116	519.74	520.04	0.3	1.0	0.3	1.6

SDDSC116	520.04	520.74	0.7	2.0	0.8	3.4
SDDSC116	520.74	521.30	0.6	0.7	0.0	0.8
SDDSC116	521.30	522.31	1.0	0.1	0.0	0.1
SDDSC116	522.31	522.49	0.2	1.7	0.0	1.8
SDDSC116	522.49	522.92	0.4	0.6	0.0	0.7
SDDSC116	522.92	523.32	0.4	0.3	0.0	0.3
SDDSC116	523.32	524.20	0.9	0.1	0.0	0.2
SDDSC116	524.20	524.65	0.5	1.0	0.3	1.5
SDDSC116	524.65	525.49	0.8	0.2	0.0	0.3
SDDSC116	525.49	525.84	0.4	0.3	0.0	0.3
SDDSC116	525.84	526.26	0.4	4.7	0.0	4.7
SDDSC116	526.26	527.18	0.9	0.2	0.0	0.2
SDDSC116	529.00	529.45	0.5	0.5	0.0	0.5
SDDSC116	529.45	530.20	0.8	3.6	4.8	12.5
SDDSC116	534.00	535.00	1.0	0.6	0.0	0.6
SDDSC116	535.00	536.00	1.0	0.3	0.0	0.3
SDDSC116	538.00	539.00	1.0	0.6	0.1	0.7
SDDSC116	546.00	547.00	1.0	0.3	0.0	0.3
SDDSC116	549.00	550.00	1.0	0.3	0.0	0.3
SDDSC116	550.00	551.00	1.0	0.5	0.0	0.5
SDDSC116	554.00	555.00	1.0	0.7	0.4	1.4
SDDSC116	555.00	556.00	1.0	1.3	1.1	3.4
SDDSC116	556.00	557.00	1.0	1.4	0.1	1.5
SDDSC116	557.00	558.00	1.0	0.5	0.1	0.6
SDDSC116	558.00	559.00	1.0	0.8	0.4	1.4
SDDSC116	559.00	560.00	1.0	0.0	0.0	0.1
SDDSC116	561.00	562.00	1.0	0.5	0.2	0.8
SDDSC116	562.00	563.00	1.0	0.4	0.0	0.4
SDDSC116	563.00	564.00	1.0	0.1	0.0	0.1
SDDSC116	564.00	565.00	1.0	5.6	0.1	5.7
SDDSC116	566.00	567.00	1.0	0.2	0.0	0.2
SDDSC116	570.00	570.92	0.9	0.1	0.0	0.1
SDDSC116	574.15	574.57	0.4	0.1	0.0	0.1
SDDSC116	586.25	587.47	1.2	0.1	0.0	0.1
SDDSC116	588.09	589.26	1.2	0.2	0.0	0.2
SDDSC116	589.26	590.00	0.7	0.6	0.0	0.7
SDDSC116	590.00	591.00	1.0	0.4	0.0	0.4
SDDSC116	592.66	593.56	0.9	0.4	0.0	0.4
SDDSC116	593.56	593.81	0.3	0.9	0.6	2.0
SDDSC116	593.81	594.28	0.5	1.6	0.1	1.7
SDDSC116	594.28	595.10	0.8	0.1	0.0	0.2

SDDSC116	595.60	596.60	1.0	0.9	0.0	0.9
SDDSC116	600.32	600.65	0.3	0.1	0.0	0.2
SDDSC116	600.65	600.87	0.2	0.2	0.0	0.2
SDDSC116	600.87	601.33	0.5	0.1	0.0	0.1
SDDSC116	604.00	605.00	1.0	0.1	0.0	0.1
SDDSC116	605.00	606.00	1.0	0.1	0.0	0.1
SDDSC116	608.92	609.56	0.6	1.4	0.0	1.4
SDDSC116	612.00	613.00	1.0	0.1	0.0	0.1
SDDSC116	614.71	615.27	0.6	0.5	0.0	0.5
SDDSC116	615.27	616.04	0.8	2.6	1.0	4.3
SDDSC116	616.04	617.00	1.0	0.4	0.0	0.4
SDDSC116	617.00	617.24	0.2	2.0	0.6	3.2
SDDSC116	617.24	618.20	1.0	0.4	0.0	0.5
SDDSC116	618.20	618.70	0.5	1.8	3.1	7.6
SDDSC116	618.70	619.83	1.1	0.2	0.0	0.2
SDDSC116	622.00	623.00	1.0	0.3	0.0	0.3
SDDSC116	635.43	636.63	1.2	0.1	0.0	0.1
SDDSC116	636.63	637.67	1.0	0.3	0.0	0.3
SDDSC117	273.20	273.70	0.4	0.2	0.0	0.2
SDDSC117	274.10	274.90	0.8	0.1	0.0	0.1
SDDSC117	283.40	284.20	0.8	0.3	0.0	0.3
SDDSC117	297.00	298.00	1.0	0.1	0.0	0.1
SDDSC117	307.70	308.50	0.8	0.1	0.0	0.1
SDDSC117	313.70	314.00	0.2	1.4	0.0	1.4
SDDSC117	319.20	319.90	0.8	0.2	0.0	0.2
SDDSC117	321.00	322.00	1.0	0.2	0.0	0.2
SDDSC117	325.30	326.30	1.0	0.2	0.0	0.2
SDDSC117	331.30	332.30	1.0	0.2	0.0	0.3
SDDSC117	332.30	333.00	0.7	0.6	0.0	0.6
SDDSC117	333.00	334.00	1.0	0.5	0.0	0.5
SDDSC117	362.00	362.60	0.6	2.0	0.0	2.0
SDDSC117	362.60	362.90	0.3	1.6	0.0	1.6
SDDSC117	362.90	364.00	1.1	0.2	0.0	0.2
SDDSC117	381.20	381.50	0.3	1.3	0.0	1.3
SDDSC117	381.50	382.20	0.7	0.1	0.0	0.1
SDDSC117	382.20	383.10	1.0	0.1	0.0	0.1
SDDSC117	383.10	383.40	0.3	1.3	0.0	1.3
SDDSC117	424.00	424.80	0.8	0.2	0.0	0.2
SDDSC117	426.20	427.00	0.9	0.3	0.0	0.3
SDDSC117	427.00	427.40	0.4	0.2	0.0	0.2
SDDSC117	493.30	493.50	0.2	0.5	0.1	0.6

SDDSC117	498.40	498.90	0.5	0.1	0.0	0.1
SDDSC117	511.10	511.50	0.4	0.9	0.3	1.5
SDDSC117	511.50	511.70	0.2	0.2	0.0	0.2
SDDSC117	515.40	515.80	0.4	0.1	0.0	0.1
SDDSC117	523.20	524.20	1.0	0.1	0.0	0.1
SDDSC117	524.70	525.00	0.3	0.2	0.3	0.8
SDDSC117	526.10	526.40	0.3	0.2	0.0	0.3
SDDSC117	537.20	538.30	1.1	0.2	0.0	0.2
SDDSC117	542.10	542.50	0.5	1.3	0.0	1.3
SDDSC117	545.40	545.70	0.3	0.4	0.0	0.4
SDDSC117	557.70	557.80	0.1	1.7	0.8	3.2
SDDSC117	557.80	558.30	0.5	0.7	1.7	3.9
SDDSC117	568.00	569.00	1.0	0.1	0.0	0.1
SDDSC117	575.90	576.20	0.3	0.4	0.0	0.4
SDDSC117	580.40	580.90	0.4	0.2	0.0	0.2
SDDSC117	584.00	584.20	0.2	0.3	0.0	0.3
SDDSC117	585.00	586.00	1.0	0.2	0.0	0.2
SDDSC117	590.60	590.80	0.2	0.4	0.0	0.4
SDDSC117	592.00	592.20	0.2	0.2	0.0	0.2
SDDSC117	592.20	592.60	0.4	0.6	0.3	1.1
SDDSC117	606.30	606.60	0.3	0.2	0.0	0.3
SDDSC117	606.60	606.80	0.2	0.9	3.7	7.9
SDDSC117	606.80	607.00	0.2	1.7	0.3	2.2
SDDSC117	607.00	607.20	0.2	0.2	0.1	0.3
SDDSC117	607.20	607.80	0.6	0.2	0.4	0.9
SDDSC117	607.80	608.10	0.4	0.4	0.4	1.2
SDDSC117	608.10	608.50	0.4	0.4	0.9	2.1
SDDSC117	608.50	608.80	0.3	0.5	0.7	1.7
SDDSC117	608.80	609.50	0.7	0.3	0.0	0.4
SDDSC117	609.50	610.10	0.6	0.2	0.0	0.2
SDDSC117	610.10	610.40	0.3	0.7	0.0	0.8
SDDSC117	610.40	610.70	0.3	1.7	0.1	1.8
SDDSC117	610.70	611.20	0.5	0.9	0.2	1.2
SDDSC117	611.20	611.50	0.3	0.6	0.5	1.5
SDDSC117	611.50	611.70	0.2	1.0	0.6	2.1
SDDSC117	611.70	612.00	0.3	0.3	0.3	0.9
SDDSC117	612.00	612.30	0.3	1.8	0.5	2.7
SDDSC117	612.30	612.80	0.5	0.1	0.0	0.2
SDDSC117	612.80	613.20	0.4	1.7	0.8	3.2
SDDSC117	613.20	613.50	0.3	0.7	0.8	2.3
SDDSC117	613.50	614.10	0.6	1.2	0.1	1.3

SDDSC117	614.10	614.50	0.4	0.5	0.0	0.5
SDDSC117	614.50	615.30	0.8	0.3	0.0	0.3
SDDSC117	615.30	615.60	0.4	0.5	0.0	0.6
SDDSC117	615.60	616.20	0.6	1.7	0.3	2.3
SDDSC117	616.20	616.50	0.3	0.2	0.0	0.2
SDDSC117	616.50	616.90	0.4	0.5	0.4	1.2
SDDSC117	616.90	617.20	0.3	0.2	0.5	1.1
SDDSC117	617.20	617.50	0.4	0.2	0.0	0.3
SDDSC117	617.50	617.80	0.3	0.7	1.0	2.6
SDDSC117	617.80	618.40	0.6	0.5	0.6	1.6
SDDSC117	618.40	619.30	0.9	0.3	0.2	0.6
SDDSC117	619.30	619.90	0.6	1.1	0.2	1.5
SDDSC117	629.60	629.90	0.3	0.5	0.2	0.8
SDDSC117	633.70	634.70	1.0	0.3	0.0	0.4
SDDSC117	634.70	635.50	0.9	0.2	0.0	0.2
SDDSC117	635.50	636.00	0.5	0.2	0.1	0.4
SDDSC117	636.00	636.40	0.4	0.6	0.7	2.0
SDDSC117	636.40	636.70	0.3	0.6	0.2	1.0
SDDSC117	636.70	637.00	0.3	0.1	0.0	0.2
SDDSC117	637.00	637.30	0.3	0.3	0.0	0.3
SDDSC117	637.60	638.10	0.5	0.5	0.3	1.1
SDDSC117	638.10	638.50	0.4	0.2	0.0	0.2
SDDSC117	638.50	638.80	0.4	0.4	0.3	1.0
SDDSC117	640.10	640.90	0.8	0.1	0.0	0.1
SDDSC117	643.70	644.10	0.5	0.2	0.1	0.3
SDDSC117	644.40	644.70	0.3	0.9	0.3	1.5
SDDSC117	644.70	645.00	0.3	0.1	0.0	0.1
SDDSC117	645.30	645.70	0.3	1.1	0.0	1.2
SDDSC117	645.70	646.30	0.6	0.5	0.6	1.7
SDDSC117	646.30	646.50	0.2	1.4	1.4	4.1
SDDSC117	646.50	647.00	0.5	0.6	1.0	2.5
SDDSC117	647.00	647.40	0.4	0.2	0.0	0.3
SDDSC117	647.40	647.90	0.6	0.9	0.4	1.7
SDDSC117	647.90	648.20	0.3	0.4	0.0	0.5
SDDSC117	648.20	648.50	0.3	0.1	0.0	0.2
SDDSC117	648.50	649.10	0.6	0.1	0.0	0.1
SDDSC117	649.90	650.60	0.7	0.1	0.0	0.1
SDDSC117	652.10	652.50	0.5	3.6	1.3	6.0
SDDSC117	652.50	652.90	0.4	0.4	0.1	0.5
SDDSC117	652.90	653.20	0.3	0.8	0.2	1.3
SDDSC117	653.20	653.90	0.7	0.4	0.0	0.4

SDDSC117	653.90	654.30	0.4	0.4	0.1	0.5
SDDSC117	654.90	655.70	0.8	0.6	0.3	1.1
SDDSC117	657.00	658.10	1.1	0.4	0.1	0.5
SDDSC117	658.10	658.20	0.1	3.5	0.0	3.6
SDDSC117	668.60	669.10	0.5	0.3	0.0	0.4
SDDSC117	671.90	672.20	0.3	0.1	0.0	0.2
SDDSC117	672.20	672.70	0.5	0.2	0.4	1.0
SDDSC117	684.10	684.30	0.3	0.2	0.0	0.2
SDDSC117	684.30	684.80	0.5	0.9	0.8	2.4
SDDSC117	684.80	685.40	0.6	0.1	0.2	0.4
SDDSC117	685.40	685.70	0.3	0.2	0.4	1.0
SDDSC117	685.70	686.10	0.4	0.7	0.2	1.1
SDDSC117	686.10	686.90	0.8	0.4	0.3	1.0
SDDSC117	686.90	687.80	0.9	0.3	0.2	0.6
SDDSC117	687.80	688.30	0.5	0.4	0.4	1.1
SDDSC117	688.30	689.00	0.7	0.2	0.2	0.5
SDDSC117	689.00	689.30	0.4	0.3	0.2	0.6
SDDSC117	690.10	690.70	0.6	0.3	0.0	0.3
SDDSC117	690.70	691.90	1.2	0.1	0.1	0.3
SDDSC117	691.90	692.20	0.3	0.2	0.0	0.2
SDDSC117	692.20	692.90	0.7	0.7	0.0	0.7
SDDSC117	695.00	696.00	1.0	0.2	0.0	0.2
SDDSC117	703.00	704.00	1.0	0.2	0.0	0.2
SDDSC117	704.00	705.00	1.0	0.2	0.0	0.2
SDDSC117	705.00	706.00	1.0	0.2	0.0	0.2
SDDSC117	706.00	707.00	1.0	0.8	0.1	0.9
SDDSC117	707.50	708.00	0.5	0.5	0.8	2.1
SDDSC117	708.00	708.40	0.4	0.1	0.2	0.4
SDDSC117	708.40	708.90	0.5	0.4	0.5	1.3
SDDSC117	708.90	709.90	1.1	0.1	0.1	0.2
SDDSC117	711.00	711.40	0.4	0.1	0.0	0.1
SDDSC117	711.40	711.70	0.4	0.2	0.1	0.4
SDDSC117	711.70	712.60	0.8	0.1	0.1	0.2
SDDSC117	714.20	714.50	0.3	0.2	0.1	0.4
SDDSC117	715.40	716.00	0.6	8.5	0.0	8.5
SDDSC117	717.00	717.40	0.4	15.9	0.2	16.2
SDDSC117	721.10	721.50	0.4	0.2	0.3	0.8
SDDSC117	721.50	721.70	0.3	0.9	1.5	3.7
SDDSC117	722.50	722.60	0.2	0.1	0.0	0.2
SDDSC117	722.60	722.80	0.2	0.4	1.3	2.8
SDDSC117	722.80	723.00	0.2	0.2	0.4	1.0

SDDSC117	724.00	724.30	0.3	0.1	0.0	0.2
SDDSC117	728.40	728.60	0.2	0.1	0.1	0.2
SDDSC117	730.30	730.50	0.2	0.4	0.3	1.0
SDDSC117	734.00	735.00	1.0	0.4	0.0	0.5
SDDSC117	736.80	737.20	0.4	0.1	0.0	0.1
SDDSC117	738.40	738.50	0.1	0.1	0.1	0.3
SDDSC117	738.50	739.10	0.6	0.1	0.1	0.2
SDDSC117	739.10	739.50	0.3	0.9	0.6	2.0
SDDSC117	739.50	739.90	0.4	0.1	0.0	0.2
SDDSC117	741.70	741.90	0.2	0.2	0.3	0.6
SDDSC117	741.90	742.20	0.3	0.4	0.4	1.0
SDDSC117	742.20	742.70	0.5	0.2	0.0	0.2
SDDSC117	742.70	742.90	0.2	0.5	0.2	0.9
SDDSC117	742.90	743.30	0.5	0.6	0.5	1.6
SDDSC117	743.30	743.50	0.2	0.2	0.5	1.1
SDDSC117	743.50	743.90	0.4	0.3	0.0	0.3
SDDSC117	743.90	744.10	0.2	0.7	0.0	0.7
SDDSC117	744.10	744.50	0.4	0.6	0.2	1.0
SDDSC117	744.50	744.80	0.3	1.2	0.4	2.0
SDDSC117	744.80	745.20	0.4	1.6	0.2	1.9
SDDSC117	745.20	745.60	0.4	1.1	0.0	1.1
SDDSC117	745.60	745.80	0.2	2.3	0.0	2.3
SDDSC117	745.80	746.30	0.5	23.6	0.0	23.6
SDDSC117	746.30	746.60	0.4	29.9	0.1	30.0
SDDSC117	746.60	746.80	0.2	3.8	0.6	5.0
SDDSC117	746.80	746.90	0.1	5.7	1.8	9.0
SDDSC117	746.90	747.50	0.5	0.1	0.0	0.2
SDDSC117	747.50	747.60	0.1	0.7	0.0	0.7
SDDSC117	747.60	748.10	0.5	0.5	0.3	1.0
SDDSC117	748.10	748.20	0.1	4.0	0.1	4.2
SDDSC117	748.20	748.60	0.5	0.2	0.0	0.2
SDDSC117	748.60	749.00	0.3	1.2	2.0	5.0
SDDSC117	749.00	749.70	0.7	1.5	0.7	2.8
SDDSC117	749.70	749.80	0.2	1.4	0.5	2.3
SDDSC117	749.80	750.30	0.5	0.5	0.3	1.1
SDDSC117	750.30	750.50	0.2	2.2	0.2	2.5
SDDSC117	750.50	751.40	0.9	0.3	0.1	0.4
SDDSC117	751.40	751.90	0.5	0.3	0.2	0.6
SDDSC117	751.90	752.20	0.3	0.3	0.1	0.4
SDDSC117	752.20	752.80	0.6	0.1	0.0	0.2
SDDSC117	752.80	753.00	0.2	1.7	0.3	2.2

SDDSC117	753.00	753.30	0.3	0.5	0.3	1.1
SDDSC117	753.30	753.80	0.5	1.8	0.3	2.4
SDDSC117	754.60	755.20	0.6	0.3	0.0	0.3
SDDSC117	755.90	756.70	0.8	0.1	0.0	0.2
SDDSC117	756.70	756.90	0.2	0.2	0.0	0.3
SDDSC117	756.90	757.50	0.6	0.1	0.1	0.2
SDDSC117	757.50	757.70	0.2	0.1	0.4	0.8
SDDSC117	757.70	758.10	0.4	0.1	0.0	0.1
SDDSC117	758.90	759.70	0.9	0.4	0.0	0.4
SDDSC117	759.70	760.40	0.6	1.0	0.0	1.0
SDDSC117	760.40	760.50	0.2	0.1	0.0	0.2
SDDSC117	761.80	762.30	0.5	0.4	0.1	0.5
SDDSC117	762.30	763.30	1.0	0.1	0.0	0.1
SDDSC117	763.50	763.60	0.1	0.1	0.0	0.1
SDDSC117	766.70	767.20	0.5	0.1	0.0	0.1
SDDSC117	767.20	767.40	0.2	0.2	0.0	0.2
SDDSC117	767.90	768.90	1.0	0.2	0.0	0.2
SDDSC117	768.90	769.50	0.6	0.2	0.0	0.3
SDDSC117	769.50	769.70	0.2	0.6	0.2	1.0
SDDSC117	772.00	772.20	0.2	0.1	0.0	0.1
SDDSC117	773.50	773.70	0.2	0.1	0.0	0.1
SDDSC117	776.10	776.40	0.3	0.2	0.0	0.2
SDDSC117	776.80	777.00	0.2	0.1	0.0	0.1
SDDSC117	778.20	778.50	0.3	0.1	0.0	0.1
SDDSC117	780.00	780.10	0.1	0.2	0.0	0.2
SDDSC117	782.20	782.80	0.7	0.3	0.0	0.3
SDDSC117	782.80	783.50	0.7	0.1	0.1	0.1
SDDSC117	789.00	789.10	0.1	0.1	0.0	0.1
SDDSC117	789.10	789.60	0.5	0.4	0.0	0.4
SDDSC117	789.60	789.90	0.3	0.7	0.0	0.7
SDDSC117	789.90	790.00	0.2	1.1	0.1	1.3
SDDSC117	790.00	790.40	0.3	0.5	0.7	1.8
SDDSC117	790.40	790.70	0.3	0.7	0.3	1.3
SDDSC117	790.70	791.00	0.3	0.7	0.5	1.6
SDDSC117	791.00	791.60	0.6	0.2	0.1	0.2
SDDSC117	791.60	792.00	0.4	1.3	1.1	3.4
SDDSC117	792.60	793.00	0.4	0.2	1.4	2.7
SDDSC117	793.00	794.00	1.0	0.4	0.0	0.4
SDDSC117	794.00	794.60	0.6	0.2	0.1	0.3
SDDSC117	794.60	794.80	0.2	0.2	0.0	0.2
SDDSC117	795.20	795.60	0.4	0.5	0.2	0.8

SDDSC117	796.60	797.30	0.7	0.1	0.0	0.1
SDDSC117	798.00	798.50	0.5	0.1	0.0	0.1
SDDSC117	798.50	799.10	0.6	0.2	0.0	0.2
SDDSC117	799.10	800.10	1.0	0.4	0.0	0.4
SDDSC117	800.10	800.50	0.4	0.1	0.0	0.1
SDDSC117	800.70	800.90	0.2	0.3	0.0	0.3
SDDSC117	800.90	801.50	0.6	0.3	0.0	0.3
SDDSC117	803.10	803.80	0.7	0.3	0.0	0.4
SDDSC117	803.80	804.30	0.5	0.2	0.0	0.2
SDDSC117	804.30	804.90	0.7	0.2	0.0	0.2
SDDSC117	808.20	808.60	0.4	0.1	0.0	0.1
SDDSC117	809.20	809.90	0.7	0.2	0.0	0.2
SDDSC117	809.90	810.40	0.5	0.5	0.0	0.6
SDDSC117	810.40	810.80	0.5	0.3	0.0	0.3
SDDSC117	811.40	811.90	0.5	0.1	0.0	0.1
SDDSC117	813.40	813.60	0.2	0.1	0.0	0.1
SDDSC117	813.60	813.80	0.2	1.5	0.0	1.5
SDDSC117	813.80	814.20	0.4	0.2	0.0	0.2
SDDSC117	814.20	815.20	1.0	0.2	0.0	0.2
SDDSC117	815.90	816.30	0.4	0.2	0.0	0.2
SDDSC117	819.20	819.40	0.2	0.5	0.0	0.5
SDDSC117	825.80	826.00	0.2	0.6	0.0	0.6
SDDSC117	826.00	826.30	0.3	0.5	0.0	0.5
SDDSC117	826.90	827.40	0.5	0.1	0.0	0.1
SDDSC117	827.90	828.60	0.7	0.2	0.0	0.2
SDDSC117	829.10	829.30	0.2	0.2	0.1	0.3
SDDSC117	829.30	829.60	0.3	0.1	0.0	0.1
SDDSC117	829.60	829.80	0.2	0.2	0.0	0.2
SDDSC117	829.80	830.00	0.2	0.2	0.0	0.2
SDDSC117	830.40	830.60	0.3	0.2	0.0	0.2
SDDSC117	832.70	833.30	0.6	0.2	0.0	0.2
SDDSC117	833.70	834.20	0.5	0.3	0.0	0.3
SDDSC117	834.20	834.40	0.2	0.2	0.0	0.2
SDDSC117	837.20	837.30	0.1	0.2	0.0	0.2
SDDSC117	838.80	839.10	0.3	0.7	0.0	0.7
SDDSC117	839.10	839.40	0.3	0.2	0.0	0.2
SDDSC117	840.60	841.30	0.7	0.4	0.3	1.0
SDDSC117	841.30	842.30	1.1	0.2	0.0	0.2
SDDSC117	842.30	843.10	0.8	0.3	0.0	0.3
SDDSC117	843.10	843.50	0.4	0.2	0.0	0.2
SDDSC117	843.50	843.70	0.2	0.3	0.2	0.6

SDDSC117	844.30	845.00	0.7	0.1	0.0	0.1
SDDSC117	845.00	845.60	0.6	1.0	0.0	1.1
SDDSC117	845.60	846.50	0.9	0.1	0.0	0.1
SDDSC117	846.50	847.10	0.7	0.3	0.0	0.3
SDDSC117	847.10	848.00	0.9	1.5	0.0	1.5
SDDSC117	848.00	848.70	0.7	0.3	0.0	0.3
SDDSC117	848.70	849.10	0.4	0.2	0.0	0.2
SDDSC117	849.10	849.80	0.7	1.1	0.0	1.1
SDDSC117	850.00	850.90	0.8	0.1	0.0	0.1
SDDSC117	850.90	851.60	0.7	0.2	0.0	0.3
SDDSC117	851.60	851.80	0.2	0.2	0.0	0.2
SDDSC117	851.80	852.90	1.1	0.4	0.0	0.4
SDDSC117	852.90	853.50	0.6	0.2	0.0	0.2
SDDSC117	853.50	853.70	0.2	0.8	0.5	1.8
SDDSC117	854.30	855.30	1.0	0.5	0.0	0.6
SDDSC117	855.30	856.10	0.9	0.2	0.0	0.2
SDDSC117	856.10	856.60	0.5	1.4	0.0	1.4
SDDSC117	856.60	857.20	0.6	0.1	0.0	0.1
SDDSC117	857.20	857.80	0.6	1.3	0.0	1.3
SDDSC117	857.80	858.70	0.9	1.0	0.4	1.6
SDDSC117	859.80	860.10	0.2	0.9	0.1	1.0
SDDSC117	860.10	861.10	1.0	0.1	0.0	0.1
SDDSC117	861.10	861.80	0.7	0.4	0.0	0.4
SDDSC117	866.00	866.20	0.3	0.1	0.0	0.1
SDDSC117	868.80	869.60	0.8	0.1	0.0	0.1
SDDSC117	869.60	869.80	0.2	0.9	0.0	0.9
SDDSC117	872.90	873.60	0.7	0.1	0.0	0.1
SDDSC117	873.60	874.40	0.7	1.2	0.0	1.2
SDDSC117	875.10	875.80	0.7	0.4	0.0	0.4
SDDSC117	876.50	877.30	0.8	0.2	0.0	0.2
SDDSC117	877.30	878.30	1.1	0.1	0.0	0.1
SDDSC117	880.90	881.50	0.6	0.2	0.0	0.2
SDDSC117	887.00	888.00	1.0	0.1	0.0	0.1
SDDSC117	888.00	888.30	0.3	0.6	0.0	0.6
SDDSC117	888.30	888.80	0.6	3.1	0.0	3.1
SDDSC117	889.50	890.00	0.5	0.2	0.0	0.2
SDDSC117	891.30	892.00	0.6	0.1	0.0	0.1
SDDSC117	892.00	892.80	0.9	0.2	0.0	0.2
SDDSC117	892.80	893.10	0.3	0.7	0.0	0.7
SDDSC117	910.20	911.30	1.0	0.1	0.0	0.1
SDDSC117	913.30	913.60	0.2	0.3	0.0	0.3

SDDSC117	913.60	914.10	0.5	473.0	0.0	473.1
SDDSC117	914.10	914.40	0.3	0.4	0.0	0.4
SDDSC117	915.00	916.00	1.0	0.2	0.0	0.2
SDDSC117	930.90	931.10	0.2	0.1	0.0	0.1
SDDSC117	934.70	934.90	0.2	11.3	0.0	11.3
SDDSC117	936.80	937.30	0.4	9.1	0.0	9.1
SDDSC117	937.30	938.00	0.8	0.2	0.0	0.2
SDDSC117	949.30	950.00	0.7	0.9	0.0	0.9
SDDSC117	950.00	950.40	0.4	0.6	0.0	0.6
SDDSC117	950.40	950.60	0.1	1.4	0.0	1.4
SDDSC117	950.60	951.50	1.0	0.3	0.0	0.3
SDDSC117	951.50	952.00	0.5	0.1	0.0	0.1
SDDSC117	958.90	959.40	0.5	0.1	0.0	0.1
SDDSC117	964.00	964.60	0.6	0.1	0.0	0.1
SDDSC117	964.60	965.50	0.9	0.1	0.0	0.1
SDDSC117	965.50	966.00	0.6	0.4	0.0	0.4
SDDSC117	966.00	966.30	0.3	0.6	0.0	0.6
SDDSC117	966.30	966.60	0.3	0.9	0.0	0.9
SDDSC117	966.60	967.50	0.9	2.4	0.0	2.4
SDDSC117	967.50	967.80	0.3	0.3	0.0	0.3
SDDSC117	967.80	968.80	1.0	0.1	0.0	0.1
SDDSC117	968.80	969.40	0.7	0.2	0.0	0.2
SDDSC117	969.40	969.50	0.1	0.2	0.0	0.2
SDDSC117	971.60	972.00	0.5	0.3	0.0	0.3
SDDSC117	972.00	972.50	0.5	0.2	0.0	0.2
SDDSC117	972.50	972.90	0.4	0.2	0.0	0.2
SDDSC117	972.90	973.60	0.7	0.3	0.0	0.3
SDDSC117	973.60	974.50	0.9	0.4	0.0	0.4
SDDSC117	974.50	975.20	0.7	0.6	0.0	0.6
SDDSC117	984.00	984.50	0.5	0.1	0.0	0.1
SDDSC117	984.50	984.90	0.4	0.2	0.0	0.2
SDDSC117	984.90	985.10	0.3	0.2	0.0	0.2
SDDSC117	985.10	985.40	0.2	0.4	0.0	0.4
SDDSC117	985.40	986.10	0.7	0.2	0.0	0.2
SDDSC117	986.80	987.50	0.8	0.1	0.0	0.1
SDDSC117	989.60	990.30	0.7	0.3	0.0	0.3
SDDSC117	990.30	990.80	0.5	0.4	0.0	0.4
SDDSC117	993.00	993.90	0.9	0.1	0.0	0.1
SDDSC117	993.90	994.40	0.4	0.2	0.0	0.2
SDDSC117	994.40	995.10	0.7	0.1	0.0	0.1
SDDSC117	996.40	996.90	0.5	0.2	0.0	0.2

SDDSC117	1000.10	1000.50	0.5	0.8	0.0	0.8
SDDSC117	1000.50	1000.90	0.4	1.4	0.0	1.4
SDDSC117	1000.90	1001.60	0.6	0.1	0.0	0.1
SDDSC117	1005.00	1005.60	0.6	0.5	0.0	0.5
SDDSC117	1008.00	1008.20	0.2	2.5	0.0	2.6
SDDSC117	1008.20	1008.40	0.2	1.6	0.0	1.6

Regional Drill holes:

Drill Hole	From (m)	To (m)	Width (m)	Au g/t
SDDL001	25.00	26.00	1.0	0.1
SDDL001	26.00	26.60	0.6	0.1
SDDL001	26.60	27.14	0.5	0.5
SDDL001	27.14	27.55	0.4	0.2
SDDL001	32.70	33.48	0.8	0.1
SDDL001	34.18	34.62	0.4	0.5
SDDL001	36.00	37.00	1.0	0.1
SDDL001	38.20	39.20	1.0	0.2
SDDL001	43.00	43.80	0.8	0.4
SDDL001	43.80	44.70	0.9	0.6
SDDL001	44.70	45.50	0.8	0.5
SDDL001	45.50	46.50	1.0	0.4
SDDL001	46.50	47.50	1.0	0.4
SDDL001	47.50	48.00	0.5	0.3
SDDL001	48.00	49.00	1.0	0.2
SDDL001	49.00	50.00	1.0	0.3
SDDL001	50.00	51.00	1.0	0.3
SDDL001	51.00	52.00	1.0	0.2
SDDL001	53.00	54.00	1.0	0.1
SDDL001	54.00	55.00	1.0	0.2
SDDL001	55.00	56.00	1.0	0.2
SDDL001	56.00	57.00	1.0	0.2
SDDL001	57.00	58.00	1.0	0.1
SDDL001	58.00	59.00	1.0	0.1
SDDL001	59.00	60.00	1.0	0.2
SDDL001	60.00	61.00	1.0	0.1
SDDL001	61.00	62.00	1.0	0.1
SDDL001	62.00	63.00	1.0	0.2
SDDL001	123.80	124.00	0.2	0.1
SDDL002	30.70	31.70	1.0	0.1
SDDL002	41.30	42.50	1.2	0.1
SDDL002	47.70	48.60	0.9	0.9
SDDL002	53.70	54.40	0.7	0.1
SDDL002	56.40	57.00	0.6	0.1
SDDL002	61.00	61.35	0.4	0.6
SDDL002	61.35	62.00	0.6	0.1
SDDL002	66.00	66.50	0.5	0.4
SDDL002	66.50	67.00	0.5	0.7
SDDL002	67.00	68.00	1.0	0.1
SDDL002	68.00	68.40	0.4	0.4
SDDL002	69.60	70.40	0.8	0.7

SDDL002	70.40	70.75	0.3	0.9
SDDL002	85.80	86.32	0.5	0.2
SDDL002	86.32	86.70	0.4	0.3
SDDL002	86.70	86.76	0.1	0.5
SDDL002	102.00	102.40	0.4	0.1
SDDL002	102.40	102.68	0.3	0.1
SDDL002	102.68	103.20	0.5	0.2
SDDL002	103.20	103.50	0.3	0.1
SDDL003	62.70	63.40	0.7	0.1
SDDL003	63.40	63.88	0.5	0.1
SDDL003	63.88	64.68	0.8	0.1
SDDL003	64.68	65.00	0.3	0.1
SDDL003	65.00	65.36	0.4	0.1
SDDL003	65.36	65.70	0.3	0.2
SDDL003	66.45	67.30	0.8	0.1
SDDL003	70.50	71.40	0.9	0.1
SDDL003	71.40	72.20	0.8	1.9
SDDL003	72.20	72.80	0.6	0.6
SDDL003	72.80	73.50	0.7	0.1
SDDL003	73.50	74.00	0.5	0.1
SDDL003	79.65	80.40	0.8	0.3
SDDL003	80.40	81.00	0.6	0.1
SDDL003	83.00	84.00	1.0	0.1
SDDL003	85.00	86.00	1.0	0.3
SDDL003	86.00	87.00	1.0	0.8
SDDL003	87.00	87.50	0.5	15.7
SDDL003	87.50	88.10	0.6	3.2
SDDL003	88.10	89.00	0.9	0.2
SDDL003	91.00	92.00	1.0	0.1
SDDL003	93.00	94.00	1.0	0.1
SDDL003	94.00	95.00	1.0	0.1
SDDL003	96.00	97.00	1.0	0.1
SDDL003	102.80	103.20	0.4	0.5
SDDL003	104.00	105.00	1.0	0.1
SDDL003	105.00	106.00	1.0	0.2
SDDL003	107.00	108.00	1.0	0.1
SDDL003	112.00	113.00	1.0	0.1
SDDL003	114.00	115.00	1.0	0.1
SDDL003	122.70	124.00	1.3	0.1
SDDL003	124.00	125.10	1.1	0.1
SDDL004	67.50	68.10	0.6	0.2
SDDL004	68.10	68.90	0.8	0.2
SDDL004	68.90	69.10	0.2	0.7

SDDL004	72.00	73.00	1.0	0.2
SDDL004	73.40	73.65	0.3	5.6
SDDL004	73.65	74.30	0.6	0.2
SDDL004	75.00	75.70	0.7	0.1
SDDL004	77.70	78.04	0.3	0.1
SDDL004	78.04	79.00	1.0	0.3
SDDL004	81.60	82.00	0.4	0.1
SDDL004	85.30	85.60	0.3	0.4
SDDL004	87.40	88.00	0.6	0.3
SDDL004	95.00	95.40	0.4	0.1
SDDL004	100.00	100.70	0.7	0.1
SDDL004	100.70	100.95	0.3	19.4
SDDL004	105.00	105.50	0.5	0.2
SDDL004	110.40	110.70	0.3	0.2
SDDL004	110.70	111.30	0.6	0.4
SDDL004	113.00	113.50	0.5	0.2
SDDL004	114.00	115.00	1.0	0.1
SDDL004	115.00	116.00	1.0	0.1
SDDL004	120.65	121.10	0.4	0.2
SDDL004	121.10	121.35	0.3	0.2
SDDL004	121.35	121.95	0.6	0.1
SDDTS001	99.00	99.35	0.3	0.1
SDDTS001	99.35	100.12	0.8	1.2
SDDTS001	100.12	100.55	0.4	0.6
SDDTS001	100.55	100.95	0.4	0.9
SDDTS001	100.95	101.30	0.3	0.4
SDDTS001	101.30	102.15	0.9	0.1
SDDTS002	111.90	112.55	0.6	0.1
SDDTS002	116.40	117.00	0.6	0.1
SDDTS002	117.00	118.00	1.0	0.1
SDDTS003	99.90	100.90	1.0	0.2
SDDTS003	100.90	101.65	0.8	0.2
SDDTS003	101.65	102.14	0.5	0.3
SDDTS003	102.14	102.72	0.6	0.4
SDDTS003	102.72	103.45	0.7	0.2
SDDTS003	103.45	104.20	0.8	0.2
SDDTS003	104.20	104.65	0.5	0.2
SDDTS003	118.00	119.00	1.0	0.3
SDDTS004A	119.60	120.60	1.0	0.1
SDDTS004A	123.40	124.20	0.8	0.2
SDDTS004A	133.60	134.60	1.0	0.2
SDDTS004A	134.60	135.00	0.4	0.2
SDDTS004A	137.60	138.65	1.1	0.7

SDDTS005A	159.43	159.64	0.2	0.1
SDDTS005A	165.00	165.45	0.4	0.1
SDDTS005A	170.00	170.45	0.4	1.0
SDDTS005A	178.00	178.25	0.3	0.1
SDDTS005A	194.22	194.78	0.6	0.1
SDDTS005A	195.62	196.30	0.7	0.1
SDDTS005A	196.30	197.00	0.7	0.1
SDDTS005A	197.00	198.00	1.0	0.1
SDDTS005A	198.00	198.79	0.8	0.1
SDDTS006	226.80	227.18	0.4	0.1
SDDTS006	227.18	227.67	0.5	0.1
SDDTS006	227.67	228.43	0.8	0.2
SDDTS006	228.43	229.30	0.9	0.1
SDDTS006	255.28	256.30	1.0	0.6
SDDTS006	257.30	258.00	0.7	0.1
SDDTS006	258.00	259.00	1.0	0.1
SDDTS006	259.00	260.00	1.0	0.1
SDDTS006	260.00	261.00	1.0	0.1
SDDTS006	261.00	261.49	0.5	0.1
SDDTS006	261.49	262.17	0.7	0.3
SDDTS006	262.17	262.80	0.6	0.2
SDDTS006	275.60	276.05	0.4	0.1
SDDTS006	276.90	277.54	0.6	0.1
SDDTS006	277.54	277.88	0.3	0.4
SDDTS006	277.88	278.60	0.7	1.2
SDDTS006	278.60	279.00	0.4	0.1
SDDTS006	279.00	279.76	0.8	0.6
SDDTS006	279.76	280.72	1.0	0.1
SDDTS006	280.72	281.23	0.5	0.1
SDDTS006	281.23	282.03	0.8	0.1
SDDTS006	282.03	282.76	0.7	0.2
SDDTS006	282.76	283.35	0.6	0.2
SDDTS006	283.35	284.00	0.6	0.2
SDDTS006	284.00	285.00	1.0	0.2
SDDTS006	285.00	286.00	1.0	0.3
SDDTS006	286.00	287.00	1.0	0.1
SDDTS006	287.00	287.75	0.8	0.1
SDDTS006	287.75	288.65	0.9	0.1
SDDTS006	288.65	289.20	0.6	0.1
SDDTS006	289.20	290.00	0.8	0.2
SDDTS006	290.00	291.00	1.0	0.1
SDDTS006	293.60	294.56	1.0	0.1
SDDTS006	294.56	295.17	0.6	0.1

SDDTS006	313.87	314.27	0.4	0.1
SDDTS006	339.25	340.09	0.8	0.1
SDDTS006	340.09	341.10	1.0	0.2
SDDTS006	341.10	342.00	0.9	0.3
SDDTS007	108.50	109.00	0.5	0.3
SDDTS007	112.00	112.50	0.5	0.1
SDDTS007	112.50	113.00	0.5	0.1
SDDTS007	122.80	123.20	0.4	0.1
SDDTS007	124.00	124.35	0.3	0.1

Appendix 5B

Mining exploration entity or oil and gas exploration entity quarterly cash flow report

Name of entity

Southern Cross Gold Ltd

ABN

70 652 166 795

Quarter ended ("current quarter")

31 May 2024

Consolidated statement of cash flows		Current quarter \$A'000	Year to date (12 months) \$A'000
1.	Cash flows from operating activities		
1.1	Receipts from customers	-	-
1.2	Payments for		
	(a) exploration & evaluation	-	-
	(b) development	-	-
	(c) production	-	-
	(d) staff costs ¹	214	(950)
	(e) administration and corporate costs	(673)	(1,426)
1.3	Dividends received (see note 3)	-	-
1.4	Interest received	-	-
1.5	Interest and other costs of finance paid	(3)	(13)
1.6	Income taxes paid	-	-
1.7	Government grants and tax incentives	-	-
1.8	Other (provide details if material)	-	-
1.9	Net cash from / (used in) operating activities	(462)	(2,389)

¹ During the quarter ended 31 May 2024 the Company identified an error in relation to previous Appendix 5B's prepared by the Company for the quarters ended 31 August 2023, 30 November 2023 and 29 February 2024.

The Company identified that approximately \$584k of salary and wage payments incurred during the period 1 June 2023 to 29 February 2024 were incorrectly classified as payments to employees (operating activities) when they should have been classified in each respective Appendix 5B, on a pro-rata basis, as payments for exploration and evaluation activities (investing activities). The Company has corrected the classification of such payments in the preparation of the 31 May 2024 Appendix 5B. The adjustment has resulted in the Company reporting negative payments for staff costs of \$214k for the quarter ended 31 May 2024.

The classification error has had no impact on the Company's calculation of estimated quarters of funding available in previous Appendix 5B's. This is because operating and investing activities are combined for the purpose of this calculation.

Consolidated statement of cash flows		Current quarter \$A'000	Year to date (12 months) \$A'000
2.	Cash flows from investing activities		
2.1	Payments to acquire or for:		
	(a) entities	-	-
	(b) tenements	-	-
	(c) property, plant and equipment	-	(1,352)
	(d) exploration & evaluation	(2,933)	(10,934)
	(e) investments	-	-
	(f) other non-current assets	-	(7)
2.2	Proceeds from the disposal of:		
	(a) entities	-	-
	(b) tenements	-	-
	(c) property, plant and equipment	-	-
	(d) investments	-	-
	(e) other non-current assets	1	3
2.3	Cash flows from loans to other entities	-	-
2.4	Dividends received (see note 3)	-	-
2.5	Other (provide details if material)	-	-
2.6	Net cash from / (used in) investing activities	(2,932)	(12,290)

3.	Cash flows from financing activities		
3.1	Proceeds from issues of equity securities (excluding convertible debt securities)	10,235	10,345
3.2	Proceeds from issue of convertible debt securities	-	-
3.3	Proceeds from exercise of options	2,671	2,671
3.4	Transaction costs related to issues of equity securities or convertible debt securities	(110)	(110)
3.5	Proceeds from borrowings	-	-
3.6	Repayment of borrowings	-	-
3.7	Transaction costs related to loans and borrowings	-	-
3.8	Dividends paid	-	-
3.9	Other (provide details if material)	17	(52)
3.10	Net cash from / (used in) financing activities	12,813	12,854

Consolidated statement of cash flows		Current quarter \$A'000	Year to date (12 months) \$A'000
4.	Net increase / (decrease) in cash and cash equivalents for the period	9,419	(1,825)
4.1	Cash and cash equivalents at beginning of period	3,943	15,187
4.2	Net cash from / (used in) operating activities (item 1.9 above)	(462)	(2,389)
4.3	Net cash from / (used in) investing activities (item 2.6 above)	(2,932)	(12,290)
4.4	Net cash from / (used in) financing activities (item 3.10 above)	12,813	12,854
4.5	Effect of movement in exchange rates on cash held	-	-
4.6	Cash and cash equivalents at end of period	13,362	13,362

5.	Reconciliation of cash and cash equivalents at the end of the quarter (as shown in the consolidated statement of cash flows) to the related items in the accounts	Current quarter \$A'000	Previous quarter \$A'000
5.1	Bank balances	13,362	3,943
5.2	Call deposits	-	-
5.3	Bank overdrafts	-	-
5.4	Other (provide details)	-	-
5.5	Cash and cash equivalents at end of quarter (should equal item 4.6 above)	13,362	3,943

6.	Payments to related parties of the entity and their associates	Current quarter \$A'000
6.1	Aggregate amount of payments to related parties and their associates included in item 1	79
6.2	Aggregate amount of payments to related parties and their associates included in item 2	30
<i>Note: if any amounts are shown in items 6.1 or 6.2, your quarterly activity report must include a description of, and an explanation for, such payments.</i>		

Mining exploration entity or oil and gas exploration entity quarterly cash flow report

7.	Financing facilities <i>Note: the term "facility" includes all forms of financing arrangements available to the entity.</i> <i>Add notes as necessary for an understanding of the sources of finance available to the entity.</i>	Total facility amount at quarter end \$A'000	Amount drawn at quarter end \$A'000
7.1	Loan facilities	-	-
7.2	Credit standby arrangements	-	-
7.3	Other (please specify)	-	-
7.4	Total financing facilities	-	-
7.5	Unused financing facilities available at quarter end		-
7.6	Include in the box below a description of each facility above, including the lender, interest rate, maturity date and whether it is secured or unsecured. If any additional financing facilities have been entered into or are proposed to be entered into after quarter end, include a note providing details of those facilities as well.		
	N/A		

8.	Estimated cash available for future operating activities	\$A'000
8.1	Net cash from / (used in) operating activities (item 1.9)	(462)
8.2	(Payments for exploration & evaluation classified as investing activities) (item 2.1(d))	(2,932)
8.3	Total relevant outgoings (item 8.1 + item 8.2)	(3,394)
8.4	Cash and cash equivalents at quarter end (item 4.6)	13,362
8.5	Unused finance facilities available at quarter end (item 7.5)	-
8.6	Total available funding (item 8.4 + item 8.5)	13,362
8.7	Estimated quarters of funding available (item 8.6 divided by item 8.3)	3.94
	<i>Note: if the entity has reported positive relevant outgoings (ie a net cash inflow) in item 8.3, answer item 8.7 as "N/A". Otherwise, a figure for the estimated quarters of funding available must be included in item 8.7.</i>	
8.8	If item 8.7 is less than 2 quarters, please provide answers to the following questions:	
8.8.1	Does the entity expect that it will continue to have the current level of net operating cash flows for the time being and, if not, why not?	
	Answer: N/A	
8.8.2	Has the entity taken any steps, or does it propose to take any steps, to raise further cash to fund its operations and, if so, what are those steps and how likely does it believe that they will be successful?	
	Answer: N/A	

Mining exploration entity or oil and gas exploration entity quarterly cash flow report

8.8.3 Does the entity expect to be able to continue its operations and to meet its business objectives and, if so, on what basis?

Answer:

N/A

Note: where item 8.7 is less than 2 quarters, all of questions 8.8.1, 8.8.2 and 8.8.3 above must be answered.

Compliance statement

- 1 This statement has been prepared in accordance with accounting standards and policies which comply with Listing Rule 19.11A.
- 2 This statement gives a true and fair view of the matters disclosed.

28 June 2024

Date:

The Board of Directors

Authorised by:
(Name of body or officer authorising release – see note 4)

Notes

1. This quarterly cash flow report and the accompanying activity report provide a basis for informing the market about the entity's activities for the past quarter, how they have been financed and the effect this has had on its cash position. An entity that wishes to disclose additional information over and above the minimum required under the Listing Rules is encouraged to do so.
2. If this quarterly cash flow report has been prepared in accordance with Australian Accounting Standards, the definitions in, and provisions of, *AASB 6: Exploration for and Evaluation of Mineral Resources* and *AASB 107: Statement of Cash Flows* apply to this report. If this quarterly cash flow report has been prepared in accordance with other accounting standards agreed by ASX pursuant to Listing Rule 19.11A, the corresponding equivalent standards apply to this report.
3. Dividends received may be classified either as cash flows from operating activities or cash flows from investing activities, depending on the accounting policy of the entity.
4. If this report has been authorised for release to the market by your board of directors, you can insert here: "By the board". If it has been authorised for release to the market by a committee of your board of directors, you can insert here: "By the [name of board committee – eg Audit and Risk Committee]". If it has been authorised for release to the market by a disclosure committee, you can insert here: "By the Disclosure Committee".
5. If this report has been authorised for release to the market by your board of directors and you wish to hold yourself out as complying with recommendation 4.2 of the ASX Corporate Governance Council's *Corporate Governance Principles and Recommendations*, the board should have received a declaration from its CEO and CFO that, in their opinion, the financial records of the entity have been properly maintained, that this report complies with the appropriate accounting standards and gives a true and fair view of the cash flows of the entity, and that their opinion has been formed on the basis of a sound system of risk management and internal control which is operating effectively.