

28th AUGUST 2018

NEW SEKO RESULTS CONTINUE TO IMPRESS

SUMMARY

- ▶ Results demonstrate potential for further discoveries at SK3 with a significant new intersection from the most northern line of drilling, offset 100m to the east of the main SK3 trend. RC hole RCSK18-072 returned:
 - ▶ **20m at 3.03g/t gold** from 209m; including
 - **3m at 10.24g/t gold** from 226m with **the hole ending in mineralisation at 229m**
- ▶ Significant intersections from other drill holes, testing for extensions to the broad zone of oxide gold mineralisation at **SK3** include:
 - ▶ **28m at 2.20g/t gold** from 155m; including
 - **6m at 4.62g/t gold** from 142m
 - ▶ **27m at 1.35g/t gold** from 63m
 - ▶ **18m at 1.64g/t gold** from 37m
 - ▶ **11m at 2.07g/t gold** from 10m; including
 - **5m at 3.46g/t gold** from 16m
 - ▶ **115m at 0.49g/t gold** from 182m with **the hole ending in mineralisation at 297m**
- ▶ Results from 17 RC and 9 DD are reported in this announcement with assay results still pending from a further 169 AC, 2 DD, 5 RC and 690 auger holes of the completed Phase 2 drilling program.
- ▶ Compilation of these new results along with planning for recommencement of drilling after the wet season is underway with programs to be finalised upon receipt of all pending assays.

“These new results from our recently completed Phase 2 drill program confirm the Company’s belief that the Dandoko Gold Project has the potential to host a significant gold resource. The program delivered 31,706m of new drilling at Dandoko, producing excellent results. We look forward to receiving the final results and in addition the first assays from our Kouroufing Project located some 20km south west of Dandoko.

With approximately 500km² of highly prospective landholdings now acquired around Dandoko, Oklo is a dominant player in a world-class gold exploration region. With plenty of drilling to follow over what is a largely unexplored area, the company is excited to release its results to market as they become available.” - said Oklo Managing Director, Simon Taylor

Oklo Resources Limited (“Oklo” or “the Company”; ASX:OKU) is pleased to announce the following progress report on its 2018 Phase 2 drilling program at the Seko prospect within the Dandoko Project (Figure 1a and 1b).

Oklo’s Dandoko Project and adjoining Moussala, Kouroufing and Kandiole Projects are located within the Kenieba Inlier of western Mali and lie 30km to the east of B2Gold’s 5.15Moz Fekola mine and 50km to the south-southeast of Randgold’s 12.5Moz Loulo mine.




Figure 1: a) Location of Oklo’s Dandoko, Moussala, Kouroufing and Kandiole gold projects in west Mali b) Location of Seko trends within 12 km long Dandoko gold corridor

PHASE 2 DRILLING PROGRAM

The Phase 2 drill program was completed with the onset of the wet season in mid-July comprising a total of 169 AC holes (for 15,484m), 49 RC holes (for 9,075m) and 31 DD holes (for 7,147m¹) at Dandoko. There were also 690 holes (for 10,210m) of auger drilling at Kouroufing totalling 41,916m.

This announcement comprises results from 17 RC, and 9 DD holes at SK3. Results from a further 169 AC, 2 DD, 5 RC and 690 auger holes are pending.

The drilling programs tested strike and depth extensions to the previously encountered oxide gold mineralisation with AC drilling to a vertical depth of approximately 80m and deeper RC and DD drilling to vertical depths of between 180-250m at SK2, SK3, as well as testing other regional targets along the Dandoko gold corridor and within the Kouroufing Project.

¹ Inclusive RC pre-collars

SEKO DRILLING RESULTS – SK3

The Seko auger gold anomalies comprise five coherent gold trends with a combined strike length of 7km. The SK3 anomaly extends over 1.2km, with widespread bedrock gold mineralisation intersected from previous shallow AC and limited RC and DD drilling.

Deeper RC and DD drilling has focused on the northern portion of SK3, testing for depth extensions to the previously reported shallow oxide gold mineralisation and gathering structural data to assist in future drill planning. The holes were spaced on 40m sections over a strike length of 500m within the broader zone of gold mineralisation that extends over 600m as defined by the previous shallow AC drilling.

Significantly RC hole RCK18-072, drilled on the most northern section, returned **20m at 3.03g/t gold** from 209m that included a higher-grade zone of **3m at 10.24 g/t gold** from 226m with the hole ending in mineralisation at 229m down hole depth (Figure 2). This new intersection is located approximately 100m to the east of the main SK3 mineralisation intersected in earlier drilling. The result is seen as highly encouraging and highlights the potential for further discoveries along trend and elsewhere at Seko. The new zone of mineralisation is open to the north and at depth.




Figure 2: A-A' - SK3 cross section 1397130mN

Numerous +20m wide intersections were also returned within the main SK3 trend including **28m at 2.20g/t gold** from 155m and **27m at 1.75g/t gold** from 63m and highly encouraging very wide zones of lower grade mineralisation were intersected. This was highlighted by **115m at 0.49g/t gold** from 182m with the hole ending in mineralisation at a depth of 297m (245m vertical), which supports the potential for the discovery of a large mineralised system at Seko.

Wider spaced RC and DD drilling also focused on the southern portion (8 holes) of SK3 and returned encouraging results including **18m at 1.64g/t gold** from 37m, **6m at 1.30g/t gold** from 36m and **3m at 4.77g/t gold** from 83m.

The latest RC and DD results confirm that the gold mineralisation at SK3 dips moderately to the west. The mineralisation remains open along strike and now extends from surface to a vertical depth of 245m and is associated with a broad albite-carbonate-pyrite alteration zone and the presence of a turbiditic unit within a carbonate and greywacke sequence.

Significant drill hole intersections are summarised in Table 1 with a detailed summary of all assay results $\geq 0.1\text{g/t}$ gold presented in Table 3. All drill hole locations are summarised in Table 2 and are shown in Figures 2 to 5. A graphical representation of all significant AC, RC & DD intersections received to date from SK1, SK2 and SK3 is presented in Figure 5.

DRILLING RESULTS PENDING

The Phase 2 drilling program is now complete with assay results still pending from:

- ▶ 2 DD and 20 AC holes from Seko Anomlay SK2
- ▶ 4 RC holes testing the Sory prospect 1.5km south of Seko
- ▶ 149 reconnaissance AC holes testing Dabia and Sory
- ▶ 690 shallow auger holes testing the Kouroufing Project located 20km southeast of Dandoko.

– ENDS –

For further information, please contact:

Simon Taylor
Managing Director

T: +61 2 8319 9233

E: staylor@okloresources.com

Table 1: Significant RC & DD intersections

ANOMALY	HOLE ID	FROM (m)	TO (m)	WIDTH (m)	GOLD g/t	
Diamond Drillholes						
SK 3	RDSK18-030 <i>includes</i>	127	155	28	2.20	
		142	148	6	4.62	
		178	184	6	1.12	
		208	209	1	1.29	
		213	214	1	1.42	
	RDSK18-031	25	31	6	1.02	
		63	90	27	1.35	
		157	159	2	1.41	
		209	214	5	1.38	
	RDSK18-032	75	76	1	1.96	
	RDSK18-036	192	193	1	2.02	
	RDSK18-037	178	179	1	2.80	
	RDSK18-039	33	35	2	1.38	
		37	55	18	1.64	
		165	169	4	1.29	
	RDSK18-040	20	22	2	1.34	
		30	31	1	2.98	
		36	42	6	1.30	
		54	56	2	3.17	
		59	60	1	2.01	
RC Drill Holes						
SK 3	RCSK18-068 <i>includes</i> <i>includes</i>	10	21	11	2.07	
		16	21	5	3.46	
		20	21	1	13.20	
	RCSK18-069	101	104	3	1.35	
		107	119	12	1.55	
		129	136	7	1.06	
		182	297	115	0.49*	
	RCSK18-071	64	65	1	2.91	
		114	116	2	1.98	
	RCSK18-072	39	41	2	1.39	
		70	72	2	1.06	
		105	112	7	1.31	
		155	157	2	1.34	
		192	197	5	1.33	
		209	229	20	3.03*	
		<i>includes</i>	213	218	5	3.51
		<i>includes</i>	226	229	3	10.24*
	RCSK18-075	215	216	1	1.60	
RCSK18-078	244	245	1	1.58		
RCSK18-079	83	86	3	4.77		
RCSK18-081	144	146	2	2.85		

* denotes hole ended in mineralisation. Intervals are reported using a threshold where the interval has a 0.5g/t Au average or greater over the sample interval and selects all material greater than 0.10g/t Au allowing for up to 2 samples of included dilution every 10m.

28th AUGUST 2018





Figure 3: a) Location of completed AC, RC and DD drillholes over SK3 as grams/metres plot and b) Drill hole location plan showing completed AC, RC and DD drillholes over SK3




Figure 4: SK3 Long Section showing gold values on AC, RC & DD holes




Figure 5: Location of latest results with completed AC infill drill traverses, RC and DD drillholes over Seko Anomalies SK1-SK5 and Gold Trends

Table 2: DD and RC drill hole locations

HOLE ID	EAST	NORTH	RL	LENGTH	AZI.	INC.	AREA
RDSK18-030	266818	1396762	199	301	250	-55	SEKO3
RDSK18-031	266897	1396873	196	274	250	-55	SEKO3
RDSK18-032	266680	1396642	197	338	90	-55	SEKO3
RDSK18-033	266599	1396641	196	175	90	-55	SEKO3
RDSK18-034	266599	1396636	196	201	90	-55	SEKO3
RDSK18-036	266600	1396646	196	309	90	-55	SEKO3
RDSK18-037	266530	1396721	195	251	90	-55	SEKO3
RDSK18-039	266636	1396120	191	220	90	-55	SEKO3
RDSK18-040	266713	1396545	204	202	310	-55	SEKO3
RCSK18-059	266719	1396999	201	132	90	-55	SEKO3
RCSK18-060	266773	1397038	202	135	90	-55	SEKO3
RCSK18-061	266780	1397131	203	220	90	-55	SEKO3
RCSK18-062	266606	1396064	189	130	90	-55	SEKO3
RCSK18-068	266722	1396682	199	211	90	-55	SEKO3
RCSK18-069	266600	1396682	197	297	90	-55	SEKO3
RCSK18-071	266940	1396943	200	186	270	-55	SEKO3
RCSK18-072	266860	1397129	202	229	90	-55	SEKO3
RCSK18-073	266940	1397002	201	160	275	-55	SEKO3
RCSK18-074	266929	1397080	200	150	270	-55	SEKO3
RCSK18-075	266570	1396761	196	262	90	-55	SEKO3
RCSK18-076	266610	1396301	193	168	90	-55	SEKO3
RCSK18-077	266780	1396302	191	160	270	-55	SEKO3
RCSK18-078	266538	1396361	192	252	90	-55	SEKO3
RCSK18-079	266760	1396059	186	216	270	-55	SEKO3
RCSK18-080	266795	1396180	186	230	270	-55	SEKO3
RCSK18-081	266841	1396360	191	218	270	-55	SEKO3

ABOUT OKLO RESOURCES

Oklo Resources is an ASX listed exploration company with gold, uranium and phosphate projects located in Mali, Africa.

The Company's focus is its large landholding of eight gold projects covering over 1,500km² in some of Mali's most prospective gold belts. The Company has a corporate office located in Sydney, Australia and an expert technical team based in Bamako, Mali, led by Dr Madani Diallo who has previously been involved in discoveries totalling in excess of 30Moz gold.

In late 2016, Oklo initiated a reconnaissance auger geochemistry program over the Dandoko and Moussala Projects to explore for new targets concealed under the extensive tracts of lateritic cover. The program delivered early success with the delineation of the **12km long Dandoko gold corridor**, including the Seko and more recent Sory and Dabia discoveries.




Figure 6: Location of Oklo Projects in West and South Mali

Competent Person's Declaration

The information in this announcement that relates to Exploration Results is based on information compiled by geologists employed by Africa Mining (a wholly owned subsidiary of Oklo Resources) and reviewed by Mr Simon Taylor, who is a member of the Australian Institute of Geoscientists. Mr Taylor is the Managing Director of Oklo Resources Limited. Mr Taylor is considered to have sufficient experience deemed relevant to the style of mineralisation and type of deposit under consideration, and to the activity that he is undertaking to qualify as a Competent person as defined in the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves" (the 2012 JORC Code). Mr Taylor consents to the inclusion in this report of the matters based on this information in the form and context in which it appears. This announcement contains information extracted from previous ASX market announcements reported in accordance with the JORC Code (2012) and available for viewing at www.okloresources.com. The Company confirms that it is not aware of any new information or data that materially affects the information included in any original ASX market announcement.

Table 3: All DD assay results $\geq 0.10\text{g/t Au}$

HOLE ID	FROM	TO	GRADE
RDSK18-030	0	1	0.12
RDSK18-030	1	2	0.12
RDSK18-030	2	3	0.20
RDSK18-030	3	4	0.11
RDSK18-030	101	102	0.36
RDSK18-030	102	103	1.46
RDSK18-030	103	104	0.11
RDSK18-030	104	105	0.29
RDSK18-030	105	106	0.18
RDSK18-030	109	110	0.18
RDSK18-030	110	111	0.31
RDSK18-030	120	121	0.34
RDSK18-030	121	122	0.44
RDSK18-030	122	123	0.32
RDSK18-030	127	128	3.62
RDSK18-030	128	129	2.57
RDSK18-030	129	130	0.59
RDSK18-030	130	131	2.51
RDSK18-030	131	132	0.43
RDSK18-030	132	133	0.22
RDSK18-030	133	134	1.22
RDSK18-030	134	135	0.61
RDSK18-030	135	136	1.19
RDSK18-030	136	137	2.26
RDSK18-030	137	138	3.87
RDSK18-030	138	139	0.64
RDSK18-030	139	140	0.23
RDSK18-030	140	141	1.61
RDSK18-030	141	142	1.77
RDSK18-030	142	143	6.02
RDSK18-030	143	144	3.96
RDSK18-030	144	145	3.26
RDSK18-030	145	146	2.40
RDSK18-030	146	147	6.49
RDSK18-030	147	148	5.57
RDSK18-030	148	149	1.70
RDSK18-030	149	150	2.31
RDSK18-030	150	151	1.66
RDSK18-030	151	152	0.45
RDSK18-030	152	153	0.96
RDSK18-030	153	154	2.31
RDSK18-030	154	155	1.13
RDSK18-030	155	156	0.25

HOLE ID	FROM	TO	GRADE
RDSK18-030	156	157	0.64
RDSK18-030	157	158	0.19
RDSK18-030	159	160	0.23
RDSK18-030	163	164	0.14
RDSK18-030	164	165	0.41
RDSK18-030	165	166	0.28
RDSK18-030	166	167	0.20
RDSK18-030	167	168	0.41
RDSK18-030	170	171	0.30
RDSK18-030	171	172	0.13
RDSK18-030	172	173	0.58
RDSK18-030	173	174	0.38
RDSK18-030	177	178	0.55
RDSK18-030	178	179	1.53
RDSK18-030	179	180	1.05
RDSK18-030	180	181	0.62
RDSK18-030	181	182	0.90
RDSK18-030	182	183	0.76
RDSK18-030	183	184	1.85
RDSK18-030	184	185	0.55
RDSK18-030	185	186	0.11
RDSK18-030	187	188	0.15
RDSK18-030	188	189	0.26
RDSK18-030	203	204	0.22
RDSK18-030	204	205	0.81
RDSK18-030	207	208	0.28
RDSK18-030	208	209	1.29
RDSK18-030	209	210	0.34
RDSK18-030	213	214	1.42
RDSK18-030	214	215	0.21
RDSK18-030	221	222	0.11
RDSK18-031	21	22	0.21
RDSK18-031	25	26	1.20
RDSK18-031	26	27	0.29
RDSK18-031	27	28	1.30
RDSK18-031	28	29	0.60
RDSK18-031	29	30	0.82
RDSK18-031	30	31	1.88
RDSK18-031	31	32	0.81
RDSK18-031	32	33	0.23
RDSK18-031	34	35	0.14
RDSK18-031	35	36	0.36
RDSK18-031	36	37	0.60

HOLE ID	FROM	TO	GRADE
RDSK18-031	37	38	1.42
RDSK18-031	38	39	0.45
RDSK18-031	40	41	0.25
RDSK18-031	41	42	0.42
RDSK18-031	42	43	0.31
RDSK18-031	43	44	0.12
RDSK18-031	44	45	0.33
RDSK18-031	45	46	0.15
RDSK18-031	46	47	0.15
RDSK18-031	47	48	0.31
RDSK18-031	48	49	0.31
RDSK18-031	49	50	0.12
RDSK18-031	50	51	0.17
RDSK18-031	51	52	1.27
RDSK18-031	52	53	0.37
RDSK18-031	53	54	0.22
RDSK18-031	54	55	1.16
RDSK18-031	55	56	0.81
RDSK18-031	56	57	0.44
RDSK18-031	57	58	0.70
RDSK18-031	58	59	0.42
RDSK18-031	59	60	0.35
RDSK18-031	60	61	0.35
RDSK18-031	61	62	0.34
RDSK18-031	62	63	0.42
RDSK18-031	63	64	0.60
RDSK18-031	64	65	0.79
RDSK18-031	65	66	1.38
RDSK18-031	66	67	2.12
RDSK18-031	67	68	2.94
RDSK18-031	68	69	5.80
RDSK18-031	69	70	2.03
RDSK18-031	70	71	1.98
RDSK18-031	71	72	1.91
RDSK18-031	72	73	0.86
RDSK18-031	73	74	0.70
RDSK18-031	74	75	0.57
RDSK18-031	75	76	0.96
RDSK18-031	76	77	0.76
RDSK18-031	77	78	0.58
RDSK18-031	78	79	0.88
RDSK18-031	79	80	1.14
RDSK18-031	80	81	1.11
RDSK18-031	81	82	1.33

HOLE ID	FROM	TO	GRADE
RDSK18-031	82	83	2.33
RDSK18-031	83	84	1.13
RDSK18-031	84	85	0.74
RDSK18-031	85	86	0.76
RDSK18-031	86	87	0.74
RDSK18-031	87	88	0.74
RDSK18-031	88	89	0.75
RDSK18-031	89	90	0.84
RDSK18-031	90	91	0.30
RDSK18-031	91	92	0.62
RDSK18-031	92	93	0.26
RDSK18-031	93	94	0.17
RDSK18-031	95	96	0.13
RDSK18-031	96	97	0.22
RDSK18-031	97	98	0.15
RDSK18-031	98	99	0.14
RDSK18-031	99	100	0.16
RDSK18-031	100	101	0.20
RDSK18-031	106	107	0.32
RDSK18-031	107	108	0.15
RDSK18-031	108	109	0.19
RDSK18-031	110	111	0.13
RDSK18-031	111	112	0.13
RDSK18-031	113	114	0.16
RDSK18-031	115	116	0.36
RDSK18-031	116	117	0.77
RDSK18-031	117	118	0.90
RDSK18-031	118	119	0.24
RDSK18-031	119	120	0.94
RDSK18-031	120	121	0.27
RDSK18-031	121	122	0.48
RDSK18-031	122	123	0.28
RDSK18-031	124	125	0.24
RDSK18-031	134	135	0.15
RDSK18-031	136	137	0.11
RDSK18-031	137	138	0.12
RDSK18-031	138	139	0.13
RDSK18-031	139	140	0.20
RDSK18-031	140	141	0.13
RDSK18-031	141	142	0.20
RDSK18-031	142	143	0.16
RDSK18-031	143	144	0.45
RDSK18-031	144	145	0.21
RDSK18-031	145	146	0.28

HOLE ID	FROM	TO	GRADE
RDSK18-031	146	147	0.39
RDSK18-031	147	148	0.57
RDSK18-031	148	149	0.11
RDSK18-031	149	150	0.13
RDSK18-031	150	151	0.21
RDSK18-031	151	152	0.14
RDSK18-031	152	153	0.29
RDSK18-031	153	154	0.60
RDSK18-031	154	155	0.44
RDSK18-031	155	156	0.46
RDSK18-031	156	157	0.34
RDSK18-031	157	158	1.38
RDSK18-031	158	159	1.43
RDSK18-031	159	160	0.70
RDSK18-031	160	161	0.77
RDSK18-031	161	162	0.74
RDSK18-031	197	198	0.23
RDSK18-031	198	199	0.44
RDSK18-031	199	200	0.28
RDSK18-031	200	201	0.19
RDSK18-031	207	208	0.59
RDSK18-031	208	209	0.72
RDSK18-031	209	210	1.33
RDSK18-031	210	211	1.92
RDSK18-031	211	212	0.48
RDSK18-031	212	213	0.96
RDSK18-031	213	214	2.21
RDSK18-031	215	216	0.11
RDSK18-031	216	217	0.12
RDSK18-031	225	226	0.11
RDSK18-032	0	1	0.12
RDSK18-032	34	35	0.51
RDSK18-032	39	40	0.22
RDSK18-032	40	41	0.23
RDSK18-032	42	43	0.14
RDSK18-032	43	44	0.18
RDSK18-032	47	48	0.25
RDSK18-032	52	53	0.22
RDSK18-032	53	54	1.24
RDSK18-032	72	73	0.14
RDSK18-032	75	76	1.96
RDSK18-032	78	79	0.36
RDSK18-032	80	81	0.28
RDSK18-032	81	82	0.11

HOLE ID	FROM	TO	GRADE
RDSK18-032	82	83	0.37
RDSK18-032	105	106	0.17
RDSK18-032	199	200	0.21
RDSK18-032	200	201	0.11
RDSK18-032	206	207	0.12
RDSK18-032	209	210	0.16
RDSK18-032	212	213	0.11
RDSK18-032	213	214	0.35
RDSK18-032	214	215	0.21
RDSK18-032	216	217	0.11
RDSK18-032	217	218	0.16
RDSK18-032	225	226	0.17
RDSK18-032	227	228	0.15
RDSK18-032	228	229	0.14
RDSK18-032	242	243	0.26
RDSK18-032	246	247	0.42
RDSK18-032	252	253	0.20
RDSK18-032	259	260	0.34
RDSK18-032	260	261	0.66
RDSK18-032	261	262	0.23
RDSK18-032	262	263	0.22
RDSK18-032	263	264	0.12
RDSK18-032	264	265	0.37
RDSK18-032	300	301	0.29
RDSK18-032	301	302	0.23
RDSK18-032	302	303	0.12
RDSK18-032	304	305	0.17
RDSK18-032	305	306	0.37
RDSK18-032	306	307	0.37
RDSK18-032	313	314	0.12
RDSK18-032	317	318	0.72
RDSK18-032	329	330	0.12
RDSK18-033	123	124	0.84
RDSK18-033	124	125	0.54
RDSK18-033	125	126	0.15
RDSK18-033	127	128	0.40
RDSK18-033	128	129	0.45
RDSK18-033	129	130	0.21
RDSK18-033	130	131	0.26
RDSK18-033	131	132	0.19
RDSK18-033	138	139	0.14
RDSK18-033	142	143	0.11
RDSK18-033	143	144	0.19
RDSK18-033	144	145	0.14

HOLE ID	FROM	TO	GRADE
RDSK18-033	145	146	0.15
RDSK18-033	149	150	0.11
RDSK18-034	126	127	0.56
RDSK18-034	130	131	0.15
RDSK18-034	131	132	0.14
RDSK18-034	133	134	0.16
RDSK18-034	134	135	0.19
RDSK18-034	148	149	0.11
RDSK18-034	189	190	0.13
RDSK18-034	190	191	0.15
RDSK18-036	120	121	0.12
RDSK18-036	123	124	0.29
RDSK18-036	124	125	0.20
RDSK18-036	125	126	0.51
RDSK18-036	127	128	0.52
RDSK18-036	128	129	0.60
RDSK18-036	129	130	0.43
RDSK18-036	130	131	0.62
RDSK18-036	136	137	0.31
RDSK18-036	137	138	0.17
RDSK18-036	146	147	0.48
RDSK18-036	147	148	0.24
RDSK18-036	168	169	0.27
RDSK18-036	169	170	0.24
RDSK18-036	170	171	0.44
RDSK18-036	171	172	0.13
RDSK18-036	172	173	0.17
RDSK18-036	174	175	0.36
RDSK18-036	187	188	0.16
RDSK18-036	191	192	0.70
RDSK18-036	192	193	2.02
RDSK18-036	193	194	0.66
RDSK18-036	194	195	0.22
RDSK18-036	195	196	0.50
RDSK18-036	196	197	0.24
RDSK18-036	200	201	0.26
RDSK18-036	202	203	0.25
RDSK18-036	208	209	0.77
RDSK18-036	209	210	0.12
RDSK18-036	213	214	0.28
RDSK18-036	214	215	0.15
RDSK18-036	216	217	0.26
RDSK18-036	217	218	0.26
RDSK18-036	218	219	0.27

HOLE ID	FROM	TO	GRADE
RDSK18-037	162	163	0.21
RDSK18-037	164	165	0.42
RDSK18-037	165	166	0.40
RDSK18-037	178	179	2.80
RDSK18-037	179	180	0.52
RDSK18-037	180	181	0.13
RDSK18-037	181	182	0.34
RDSK18-037	182	183	0.21
RDSK18-037	184	185	0.33
RDSK18-037	188	189	0.71
RDSK18-037	193	194	0.25
RDSK18-037	194	195	0.25
RDSK18-037	195	196	0.12
RDSK18-037	196	197	0.45
RDSK18-037	197	198	0.52
RDSK18-037	198	199	0.25
RDSK18-037	199	200	0.21
RDSK18-037	212	213	0.49
RDSK18-037	213	214	0.13
RDSK18-037	214	215	0.14
RDSK18-039	6	7	0.14
RDSK18-039	7	8	0.22
RDSK18-039	8	9	0.25
RDSK18-039	9	10	0.18
RDSK18-039	10	11	0.17
RDSK18-039	11	12	0.12
RDSK18-039	12	13	0.18
RDSK18-039	13	14	0.20
RDSK18-039	14	15	0.35
RDSK18-039	15	16	0.30
RDSK18-039	16	17	0.23
RDSK18-039	17	18	0.46
RDSK18-039	18	19	0.77
RDSK18-039	19	20	0.53
RDSK18-039	20	21	0.52
RDSK18-039	25	26	0.35
RDSK18-039	26	27	0.61
RDSK18-039	27	28	0.29
RDSK18-039	28	29	0.12
RDSK18-039	29	30	0.32
RDSK18-039	31	32	0.14
RDSK18-039	33	34	1.08
RDSK18-039	34	35	1.67
RDSK18-039	35	36	0.25

HOLE ID	FROM	TO	GRADE
RDSK18-039	36	37	0.29
RDSK18-039	37	38	1.12
RDSK18-039	38	39	1.52
RDSK18-039	39	40	1.44
RDSK18-039	40	41	1.82
RDSK18-039	41	42	1.07
RDSK18-039	42	43	0.80
RDSK18-039	43	44	0.78
RDSK18-039	44	45	0.75
RDSK18-039	45	46	0.98
RDSK18-039	46	47	2.78
RDSK18-039	47	48	0.72
RDSK18-039	48	49	1.02
RDSK18-039	49	50	2.58
RDSK18-039	50	51	3.03
RDSK18-039	51	52	3.46
RDSK18-039	52	53	3.61
RDSK18-039	53	54	0.99
RDSK18-039	54	55	1.02
RDSK18-039	55	56	0.75
RDSK18-039	56	57	0.53
RDSK18-039	57	58	0.56
RDSK18-039	58	59	0.23
RDSK18-039	59	60	0.42
RDSK18-039	60	61	0.76
RDSK18-039	69	70	0.27
RDSK18-039	70	71	1.00
RDSK18-039	71	72	0.46
RDSK18-039	72	73	0.40
RDSK18-039	73	74	0.22
RDSK18-039	74	75	0.47
RDSK18-039	75	76	0.46
RDSK18-039	76	77	0.53
RDSK18-039	77	78	0.53
RDSK18-039	78	79	0.36
RDSK18-039	83	84	0.13
RDSK18-039	84	85	0.14
RDSK18-039	87	88	0.22
RDSK18-039	88	89	0.65
RDSK18-039	89	90	1.55
RDSK18-039	90	91	0.54
RDSK18-039	115	116	0.48
RDSK18-039	116	117	0.18
RDSK18-039	119	120	0.15

HOLE ID	FROM	TO	GRADE
RDSK18-039	162	163	0.40
RDSK18-039	163	164	0.11
RDSK18-039	165	166	1.45
RDSK18-039	166	167	0.59
RDSK18-039	167	168	1.09
RDSK18-039	168	169	2.04
RDSK18-039	169	170	0.57
RDSK18-039	170	171	0.25
RDSK18-039	171	172	0.18
RDSK18-039	172	173	0.52
RDSK18-039	173	174	0.56
RDSK18-039	174	175	0.38
RDSK18-039	175	176	0.66
RDSK18-039	176	177	0.65
RDSK18-039	177	178	0.50
RDSK18-039	178	179	0.29
RDSK18-039	203	204	0.11
RDSK18-039	204	205	0.21
RDSK18-039	209	210	0.41
RDSK18-039	210	211	0.37
RDSK18-039	211	212	0.38
RDSK18-039	212	213	0.40
RDSK18-039	213	214	0.14
RDSK18-039	214	215	0.33
RDSK18-039	215	216	0.65
RDSK18-039	216	217	1.17
RDSK18-039	217	218	0.84
RDSK18-039	218	219	0.53
RDSK18-039	219	220	0.27
RDSK18-040	0	1	0.15
RDSK18-040	6	7	0.13
RDSK18-040	7	8	0.20
RDSK18-040	8	9	0.66
RDSK18-040	9	10	0.80
RDSK18-040	10	11	1.02
RDSK18-040	11	12	0.45
RDSK18-040	12	13	0.14
RDSK18-040	13	14	0.38
RDSK18-040	16	17	0.95
RDSK18-040	17	18	1.19
RDSK18-040	18	19	0.36
RDSK18-040	19	20	0.17
RDSK18-040	20	21	1.51
RDSK18-040	21	22	1.17

HOLE ID	FROM	TO	GRADE
RDSK18-040	22	23	0.30
RDSK18-040	23	24	0.20
RDSK18-040	30	31	2.98
RDSK18-040	31	32	0.60
RDSK18-040	32	33	0.14
RDSK18-040	36	37	1.03
RDSK18-040	37	38	0.58
RDSK18-040	38	39	1.52
RDSK18-040	39	40	1.13
RDSK18-040	40	41	1.01
RDSK18-040	41	42	2.55
RDSK18-040	42	43	0.38
RDSK18-040	43	44	0.19
RDSK18-040	46	47	0.26
RDSK18-040	48	49	0.24
RDSK18-040	49	50	0.37
RDSK18-040	52	53	0.28
RDSK18-040	53	54	0.39
RDSK18-040	54	55	3.41
RDSK18-040	55	56	2.92
RDSK18-040	56	57	0.11
RDSK18-040	59	60	2.01
RDSK18-040	60	61	0.76
RDSK18-040	61	62	0.85
RDSK18-040	62	63	0.20
RDSK18-040	63	64	0.15
RDSK18-040	64	65	0.20
RDSK18-040	67	68	0.12
RDSK18-040	121	122	0.15
RCSK18-068	0	1	0.12
RCSK18-068	1	2	0.12
RCSK18-068	4	5	0.10
RCSK18-068	5	6	0.16
RCSK18-068	7	8	0.10
RCSK18-068	8	9	0.10
RCSK18-068	9	10	0.13
RCSK18-068	10	11	1.36
RCSK18-068	11	12	2.15
RCSK18-068	12	13	1.30
RCSK18-068	13	14	0.47
RCSK18-068	14	15	0.11
RCSK18-068	16	17	1.42
RCSK18-068	17	18	0.75
RCSK18-068	18	19	1.18

HOLE ID	FROM	TO	GRADE
RCSK18-068	19	20	0.74
RCSK18-068	20	21	13.20
RCSK18-068	21	22	0.41
RCSK18-068	22	23	0.18
RCSK18-068	23	24	0.12
RCSK18-068	52	53	0.41
RCSK18-068	53	54	0.61
RCSK18-068	54	55	0.46
RCSK18-068	55	56	0.18
RCSK18-068	60	61	0.17
RCSK18-068	61	62	0.11
RCSK18-068	62	63	0.27
RCSK18-068	65	66	0.10
RCSK18-068	66	67	0.10
RCSK18-068	69	70	1.44
RCSK18-068	70	71	0.13
RCSK18-068	72	73	0.11
RCSK18-068	73	74	0.16
RCSK18-068	74	75	0.16
RCSK18-068	75	76	0.18
RCSK18-068	76	77	0.11
RCSK18-068	78	79	0.12
RCSK18-068	79	80	0.11
RCSK18-068	101	102	0.45
RCSK18-068	102	103	0.56
RCSK18-068	103	104	0.10
RCSK18-068	104	105	0.15
RCSK18-068	106	107	0.11
RCSK18-068	108	109	0.12
RCSK18-068	109	110	0.31
RCSK18-068	180	181	0.17
RCSK18-068	181	182	0.34
RCSK18-069	100	101	0.67
RCSK18-069	101	102	1.14
RCSK18-069	102	103	1.22
RCSK18-069	103	104	1.69
RCSK18-069	104	105	0.35
RCSK18-069	105	106	0.12
RCSK18-069	106	107	0.10
RCSK18-069	107	108	2.68
RCSK18-069	108	109	0.74
RCSK18-069	109	110	0.60
RCSK18-069	110	111	6.08
RCSK18-069	111	112	1.27

HOLE ID	FROM	TO	GRADE
RCSK18-069	112	113	1.93
RCSK18-069	113	114	1.43
RCSK18-069	114	115	0.47
RCSK18-069	115	116	0.22
RCSK18-069	116	117	0.58
RCSK18-069	117	118	1.52
RCSK18-069	118	119	1.07
RCSK18-069	119	120	0.13
RCSK18-069	120	121	0.57
RCSK18-069	122	123	0.16
RCSK18-069	123	124	0.53
RCSK18-069	124	125	0.21
RCSK18-069	125	126	0.10
RCSK18-069	126	127	0.85
RCSK18-069	127	128	0.39
RCSK18-069	128	129	0.19
RCSK18-069	129	130	1.12
RCSK18-069	130	131	1.28
RCSK18-069	131	132	1.70
RCSK18-069	132	133	1.02
RCSK18-069	133	134	0.98
RCSK18-069	134	135	0.82
RCSK18-069	135	136	0.51
RCSK18-069	136	137	0.41
RCSK18-069	138	139	0.46
RCSK18-069	139	140	1.07
RCSK18-069	140	141	0.14
RCSK18-069	141	142	0.41
RCSK18-069	142	143	0.20
RCSK18-069	143	144	0.18
RCSK18-069	144	145	0.19
RCSK18-069	145	146	0.33
RCSK18-069	147	148	0.15
RCSK18-069	148	149	0.13
RCSK18-069	149	150	0.30
RCSK18-069	150	151	0.10
RCSK18-069	151	152	0.41
RCSK18-069	152	153	0.26
RCSK18-069	153	154	0.28
RCSK18-069	154	155	0.30
RCSK18-069	155	156	0.32
RCSK18-069	157	158	0.91
RCSK18-069	158	159	0.20
RCSK18-069	159	160	0.21

HOLE ID	FROM	TO	GRADE
RCSK18-069	160	161	0.27
RCSK18-069	161	162	0.24
RCSK18-069	162	163	0.23
RCSK18-069	163	164	0.85
RCSK18-069	164	165	0.24
RCSK18-069	166	167	0.51
RCSK18-069	167	168	0.11
RCSK18-069	168	169	0.29
RCSK18-069	169	170	0.22
RCSK18-069	170	171	0.10
RCSK18-069	171	172	0.17
RCSK18-069	172	173	0.30
RCSK18-069	173	174	0.41
RCSK18-069	174	175	0.18
RCSK18-069	175	176	0.20
RCSK18-069	181	182	0.27
RCSK18-069	182	183	0.39
RCSK18-069	183	184	1.01
RCSK18-069	184	185	0.57
RCSK18-069	185	186	0.67
RCSK18-069	186	187	0.11
RCSK18-069	187	188	0.10
RCSK18-069	189	190	0.17
RCSK18-069	190	191	0.35
RCSK18-069	191	192	0.33
RCSK18-069	192	193	0.51
RCSK18-069	193	194	0.17
RCSK18-069	194	195	0.25
RCSK18-069	195	196	0.22
RCSK18-069	196	197	0.53
RCSK18-069	197	198	0.30
RCSK18-069	198	199	0.29
RCSK18-069	199	200	0.47
RCSK18-069	200	201	0.21
RCSK18-069	201	202	0.41
RCSK18-069	202	203	0.28
RCSK18-069	203	204	0.67
RCSK18-069	204	205	0.61
RCSK18-069	205	206	0.72
RCSK18-069	206	207	0.32
RCSK18-069	207	208	0.27
RCSK18-069	208	209	0.37
RCSK18-069	209	210	0.69
RCSK18-069	210	211	0.40

HOLE ID	FROM	TO	GRADE
RCSK18-069	211	212	1.13
RCSK18-069	212	213	0.14
RCSK18-069	213	214	0.18
RCSK18-069	214	215	0.72
RCSK18-069	215	216	0.44
RCSK18-069	216	217	0.33
RCSK18-069	217	218	0.55
RCSK18-069	218	219	0.61
RCSK18-069	219	220	0.27
RCSK18-069	220	221	0.26
RCSK18-069	221	222	0.65
RCSK18-069	222	223	0.55
RCSK18-069	223	224	0.56
RCSK18-069	224	225	0.35
RCSK18-069	225	226	0.75
RCSK18-069	226	227	0.12
RCSK18-069	227	228	0.14
RCSK18-069	228	229	0.54
RCSK18-069	229	230	0.62
RCSK18-069	230	231	0.45
RCSK18-069	231	232	0.45
RCSK18-069	232	233	0.28
RCSK18-069	233	234	0.32
RCSK18-069	234	235	0.30
RCSK18-069	235	236	0.10
RCSK18-069	236	237	0.38
RCSK18-069	237	238	0.77
RCSK18-069	238	239	0.23
RCSK18-069	239	240	0.32
RCSK18-069	240	241	0.25
RCSK18-069	241	242	0.85
RCSK18-069	242	243	0.67
RCSK18-069	243	244	0.66
RCSK18-069	244	245	0.35
RCSK18-069	245	246	0.47
RCSK18-069	246	247	0.22
RCSK18-069	247	248	0.66
RCSK18-069	248	249	0.71
RCSK18-069	249	250	0.44
RCSK18-069	250	251	0.45
RCSK18-069	251	252	0.42
RCSK18-069	252	253	0.66
RCSK18-069	253	254	0.71
RCSK18-069	254	255	0.44

HOLE ID	FROM	TO	GRADE
RCSK18-069	255	256	0.58
RCSK18-069	256	257	0.65
RCSK18-069	257	258	0.82
RCSK18-069	258	259	0.77
RCSK18-069	259	260	0.35
RCSK18-069	260	261	0.63
RCSK18-069	261	262	0.59
RCSK18-069	262	263	1.25
RCSK18-069	263	264	0.34
RCSK18-069	264	265	0.40
RCSK18-069	265	266	0.40
RCSK18-069	266	267	0.43
RCSK18-069	267	268	0.95
RCSK18-069	268	269	0.78
RCSK18-069	269	270	0.68
RCSK18-069	270	271	1.01
RCSK18-069	271	272	0.61
RCSK18-069	272	273	0.38
RCSK18-069	273	274	0.35
RCSK18-069	274	275	0.33
RCSK18-069	275	276	0.26
RCSK18-069	276	277	0.45
RCSK18-069	277	278	0.59
RCSK18-069	278	279	0.94
RCSK18-069	279	280	0.55
RCSK18-069	280	281	0.47
RCSK18-069	281	282	0.41
RCSK18-069	282	283	0.28
RCSK18-069	283	284	0.35
RCSK18-069	284	285	0.56
RCSK18-069	285	286	0.45
RCSK18-069	286	287	0.35
RCSK18-069	287	288	0.74
RCSK18-069	288	289	0.60
RCSK18-069	289	290	0.38
RCSK18-069	290	291	0.98
RCSK18-069	291	292	0.49
RCSK18-069	292	293	0.46
RCSK18-069	293	294	1.17
RCSK18-069	294	295	0.65
RCSK18-069	295	296	0.38
RCSK18-069	296	297	0.63
RCSK18-070	108	109	0.14
RCSK18-070	109	110	0.11

HOLE ID	FROM	TO	GRADE
RCSK18-070	111	112	0.13
RCSK18-070	112	113	0.26
RCSK18-070	119	120	0.23
RCSK18-071	6	7	0.11
RCSK18-071	9	10	0.13
RCSK18-071	10	11	0.14
RCSK18-071	11	12	0.12
RCSK18-071	16	17	0.39
RCSK18-071	19	20	0.36
RCSK18-071	20	21	0.12
RCSK18-071	22	23	0.10
RCSK18-071	23	24	0.24
RCSK18-071	25	26	0.10
RCSK18-071	63	64	0.71
RCSK18-071	64	65	2.91
RCSK18-071	65	66	0.24
RCSK18-071	66	67	0.21
RCSK18-071	72	73	0.20
RCSK18-071	78	79	0.11
RCSK18-071	94	95	0.24
RCSK18-071	95	96	1.11
RCSK18-071	96	97	0.31
RCSK18-071	97	98	0.14
RCSK18-071	98	99	0.22
RCSK18-071	104	105	0.10
RCSK18-071	113	114	0.84
RCSK18-071	114	115	1.61
RCSK18-071	115	116	2.36
RCSK18-071	116	117	0.20
RCSK18-071	132	133	0.22
RCSK18-071	134	135	0.11
RCSK18-071	138	139	0.10
RCSK18-071	139	140	0.12
RCSK18-071	144	145	0.15
RCSK18-071	148	149	0.13
RCSK18-071	159	160	0.13
RCSK18-072	0	1	0.14
RCSK18-072	4	5	0.17
RCSK18-072	5	6	0.63
RCSK18-072	6	7	0.15
RCSK18-072	7	8	0.12
RCSK18-072	30	31	0.20
RCSK18-072	31	32	0.44
RCSK18-072	32	33	0.12

HOLE ID	FROM	TO	GRADE
RCSK18-072	34	35	0.11
RCSK18-072	35	36	0.12
RCSK18-072	36	37	0.11
RCSK18-072	37	38	0.13
RCSK18-072	38	39	0.23
RCSK18-072	39	40	1.02
RCSK18-072	40	41	1.75
RCSK18-072	41	42	0.78
RCSK18-072	42	43	0.16
RCSK18-072	43	44	0.30
RCSK18-072	44	45	0.17
RCSK18-072	45	46	0.19
RCSK18-072	49	50	0.17
RCSK18-072	53	54	0.14
RCSK18-072	54	55	0.11
RCSK18-072	58	59	0.11
RCSK18-072	59	60	0.12
RCSK18-072	68	69	0.10
RCSK18-072	69	70	0.21
RCSK18-072	70	71	1.03
RCSK18-072	71	72	1.09
RCSK18-072	72	73	0.63
RCSK18-072	73	74	0.25
RCSK18-072	74	75	0.15
RCSK18-072	76	77	0.44
RCSK18-072	77	78	0.67
RCSK18-072	78	79	0.12
RCSK18-072	79	80	0.47
RCSK18-072	80	81	0.33
RCSK18-072	81	82	0.31
RCSK18-072	82	83	0.23
RCSK18-072	83	84	0.21
RCSK18-072	84	85	0.14
RCSK18-072	94	95	0.36
RCSK18-072	95	96	0.33
RCSK18-072	96	97	0.58
RCSK18-072	97	98	0.16
RCSK18-072	99	100	0.47
RCSK18-072	100	101	0.15
RCSK18-072	102	103	0.25
RCSK18-072	103	104	0.18
RCSK18-072	104	105	0.11
RCSK18-072	105	106	0.57
RCSK18-072	106	107	0.50

HOLE ID	FROM	TO	GRADE
RCSK18-072	107	108	1.04
RCSK18-072	108	109	0.72
RCSK18-072	109	110	3.01
RCSK18-072	110	111	2.22
RCSK18-072	111	112	1.13
RCSK18-072	112	113	0.66
RCSK18-072	113	114	0.23
RCSK18-072	114	115	0.15
RCSK18-072	115	116	0.38
RCSK18-072	116	117	0.25
RCSK18-072	121	122	0.17
RCSK18-072	127	128	0.11
RCSK18-072	141	142	0.14
RCSK18-072	147	148	0.46
RCSK18-072	149	150	0.10
RCSK18-072	150	151	0.10
RCSK18-072	153	154	0.24
RCSK18-072	154	155	0.31
RCSK18-072	155	156	1.06
RCSK18-072	156	157	1.61
RCSK18-072	157	158	0.25
RCSK18-072	158	159	0.11
RCSK18-072	161	162	0.20
RCSK18-072	162	163	0.70
RCSK18-072	163	164	0.16
RCSK18-072	165	166	0.21
RCSK18-072	166	167	0.16
RCSK18-072	167	168	0.61
RCSK18-072	168	169	0.13
RCSK18-072	172	173	0.52
RCSK18-072	173	174	0.46
RCSK18-072	174	175	0.61
RCSK18-072	175	176	0.73
RCSK18-072	176	177	0.99
RCSK18-072	177	178	0.12
RCSK18-072	178	179	0.91
RCSK18-072	179	180	2.00
RCSK18-072	180	181	0.26
RCSK18-072	181	182	0.19
RCSK18-072	182	183	0.16
RCSK18-072	183	184	0.11
RCSK18-072	184	185	0.15
RCSK18-072	186	187	0.27
RCSK18-072	187	188	0.14

HOLE ID	FROM	TO	GRADE
RCSK18-072	188	189	0.21
RCSK18-072	189	190	0.54
RCSK18-072	190	191	0.25
RCSK18-072	191	192	0.78
RCSK18-072	192	193	1.40
RCSK18-072	193	194	1.39
RCSK18-072	194	195	0.88
RCSK18-072	195	196	1.77
RCSK18-072	196	197	1.19
RCSK18-072	197	198	0.75
RCSK18-072	198	199	0.46
RCSK18-072	199	200	0.11
RCSK18-072	200	201	0.23
RCSK18-072	201	202	0.54
RCSK18-072	202	203	0.57
RCSK18-072	203	204	0.27
RCSK18-072	204	205	0.30
RCSK18-072	205	206	0.24
RCSK18-072	206	207	0.18
RCSK18-072	207	208	0.48
RCSK18-072	208	209	0.35
RCSK18-072	209	210	3.71
RCSK18-072	210	211	0.47
RCSK18-072	211	212	0.16
RCSK18-072	212	213	1.03
RCSK18-072	213	214	2.62
RCSK18-072	214	215	3.62
RCSK18-072	215	216	4.29
RCSK18-072	216	217	4.26
RCSK18-072	217	218	2.76
RCSK18-072	218	219	1.26
RCSK18-072	219	220	0.40
RCSK18-072	220	221	0.65
RCSK18-072	221	222	0.99
RCSK18-072	222	223	0.75
RCSK18-072	223	224	0.60
RCSK18-072	224	225	1.56
RCSK18-072	225	226	0.74
RCSK18-072	226	227	7.66
RCSK18-072	227	228	16.30
RCSK18-072	228	229	6.76
RCSK18-073	8	9	0.10
RCSK18-073	9	10	0.15
RCSK18-073	10	11	0.12

HOLE ID	FROM	TO	GRADE
RCSK18-073	17	18	0.10
RCSK18-073	22	23	0.14
RCSK18-073	23	24	0.12
RCSK18-073	24	25	0.27
RCSK18-073	25	26	0.27
RCSK18-073	26	27	0.57
RCSK18-073	27	28	0.45
RCSK18-073	28	29	0.61
RCSK18-073	29	30	0.26
RCSK18-073	30	31	0.38
RCSK18-073	31	32	0.20
RCSK18-073	32	33	0.11
RCSK18-073	33	34	0.18
RCSK18-073	34	35	0.20
RCSK18-073	35	36	0.16
RCSK18-073	36	37	0.11
RCSK18-073	38	39	0.21
RCSK18-073	39	40	0.29
RCSK18-073	42	43	0.11
RCSK18-073	43	44	0.14
RCSK18-073	44	45	0.15
RCSK18-073	45	46	0.12
RCSK18-073	46	47	0.14
RCSK18-073	50	51	0.32
RCSK18-073	68	69	0.49
RCSK18-073	103	104	0.11
RCSK18-073	105	106	0.15
RCSK18-073	106	107	0.16
RCSK18-073	107	108	0.15
RCSK18-073	108	109	0.34
RCSK18-073	109	110	0.35
RCSK18-073	110	111	0.11
RCSK18-073	111	112	0.11
RCSK18-073	112	113	0.27
RCSK18-073	113	114	0.11
RCSK18-073	117	118	0.16
RCSK18-073	118	119	1.47
RCSK18-073	119	120	0.60
RCSK18-073	137	138	0.11
RCSK18-074	120	121	0.10
RCSK18-074	122	123	0.20
RCSK18-074	123	124	0.13
RCSK18-074	124	125	0.24
RCSK18-074	125	126	0.34

HOLE ID	FROM	TO	GRADE
RCSK18-074	126	127	0.25
RCSK18-074	127	128	1.15
RCSK18-074	128	129	0.49
RCSK18-074	129	130	0.19
RCSK18-074	130	131	0.21
RCSK18-074	131	132	0.45
RCSK18-074	132	133	0.12
RCSK18-074	133	134	0.40
RCSK18-074	134	135	0.37
RCSK18-074	135	136	0.19
RCSK18-074	136	137	0.22
RCSK18-074	137	138	0.31
RCSK18-074	138	139	0.10
RCSK18-074	140	141	0.17
RCSK18-074	141	142	0.24
RCSK18-075	173	174	0.19
RCSK18-075	174	175	0.18
RCSK18-075	175	176	0.11
RCSK18-075	183	184	0.11
RCSK18-075	209	210	0.18
RCSK18-075	210	211	0.15
RCSK18-075	211	212	0.45
RCSK18-075	212	213	0.68
RCSK18-075	213	214	0.62
RCSK18-075	214	215	0.22
RCSK18-075	215	216	1.60
RCSK18-075	216	217	0.13
RCSK18-075	217	218	0.31
RCSK18-075	218	219	0.13
RCSK18-075	219	220	0.37
RCSK18-075	220	221	0.37
RCSK18-075	221	222	0.15
RCSK18-075	222	223	0.20
RCSK18-075	223	224	0.14
RCSK18-075	224	225	0.13
RCSK18-075	237	238	0.10
RCSK18-075	238	239	0.10
RCSK18-075	239	240	0.11
RCSK18-075	243	244	0.11
RCSK18-075	252	253	0.17
RCSK18-075	260	261	0.26
RCSK18-076	65	66	0.19
RCSK18-076	74	75	0.26
RCSK18-076	77	78	0.13

HOLE ID	FROM	TO	GRADE
RCSK18-076	114	115	0.12
RCSK18-076	128	129	0.16
RCSK18-076	130	131	0.13
RCSK18-076	131	132	0.13
RCSK18-076	133	134	0.78
RCSK18-076	136	137	0.64
RCSK18-076	147	148	0.14
RCSK18-076	148	149	0.30
RCSK18-076	149	150	0.72
RCSK18-076	152	153	0.11
RCSK18-076	153	154	0.45
RCSK18-076	154	155	0.37
RCSK18-076	159	160	0.13
RCSK18-076	160	161	0.46
RCSK18-076	161	162	0.23
RCSK18-076	166	167	0.19
RCSK18-076	167	168	0.12
RCSK18-077	28	29	0.10
RCSK18-077	39	40	0.45
RCSK18-077	43	44	0.10
RCSK18-077	45	46	0.13
RCSK18-077	52	53	0.22
RCSK18-077	58	59	0.10
RCSK18-077	76	77	0.25
RCSK18-077	79	80	0.11
RCSK18-077	83	84	0.10
RCSK18-077	92	93	0.10
RCSK18-077	99	100	0.18
RCSK18-077	102	103	0.16
RCSK18-077	108	109	0.81
RCSK18-077	109	110	0.43
RCSK18-077	111	112	0.12
RCSK18-077	112	113	0.12
RCSK18-077	117	118	0.11
RCSK18-077	118	119	0.13
RCSK18-077	156	157	0.11
RCSK18-078	72	73	0.77
RCSK18-078	73	74	0.44
RCSK18-078	74	75	0.21
RCSK18-078	75	76	0.43
RCSK18-078	76	77	0.58
RCSK18-078	77	78	0.91
RCSK18-078	78	79	0.53
RCSK18-078	93	94	0.30

HOLE ID	FROM	TO	GRADE
RCSK18-078	97	98	0.12
RCSK18-078	100	101	0.13
RCSK18-078	101	102	0.20
RCSK18-078	102	103	0.36
RCSK18-078	104	105	0.31
RCSK18-078	105	106	0.58
RCSK18-078	138	139	0.14
RCSK18-078	158	159	0.20
RCSK18-078	159	160	0.11
RCSK18-078	160	161	0.64
RCSK18-078	161	162	0.44
RCSK18-078	162	163	0.21
RCSK18-078	163	164	0.17
RCSK18-078	164	165	0.16
RCSK18-078	165	166	0.12
RCSK18-078	166	167	0.10
RCSK18-078	167	168	0.13
RCSK18-078	169	170	0.38
RCSK18-078	182	183	0.11
RCSK18-078	183	184	0.10
RCSK18-078	185	186	0.10
RCSK18-078	186	187	0.12
RCSK18-078	187	188	0.28
RCSK18-078	188	189	0.11
RCSK18-078	189	190	0.11
RCSK18-078	200	201	0.16
RCSK18-078	231	232	0.43
RCSK18-078	234	235	0.27
RCSK18-078	241	242	0.10
RCSK18-078	243	244	0.32
RCSK18-078	244	245	1.58
RCSK18-078	245	246	0.16
RCSK18-078	246	247	0.11
RCSK18-078	247	248	0.18
RCSK18-078	248	249	0.20
RCSK18-079	6	7	0.23
RCSK18-079	10	11	0.17
RCSK18-079	83	84	6.72
RCSK18-079	84	85	5.40
RCSK18-079	85	86	2.19
RCSK18-079	86	87	0.65
RCSK18-079	87	88	0.41
RCSK18-079	88	89	0.12
RCSK18-079	89	90	0.57

HOLE ID	FROM	TO	GRADE
RCSK18-079	90	91	0.67
RCSK18-079	91	92	0.26
RCSK18-079	95	96	0.13
RCSK18-079	97	98	0.10
RCSK18-079	98	99	0.15
RCSK18-079	99	100	0.11
RCSK18-079	100	101	0.10
RCSK18-079	145	146	0.13
RCSK18-079	147	148	0.83
RCSK18-079	148	149	1.43
RCSK18-079	149	150	0.62
RCSK18-079	151	152	0.42
RCSK18-079	152	153	0.35
RCSK18-079	153	154	0.11
RCSK18-079	156	157	0.50
RCSK18-079	157	158	0.27
RCSK18-079	158	159	0.43
RCSK18-079	159	160	0.56
RCSK18-079	161	162	0.12
RCSK18-079	164	165	0.21
RCSK18-079	173	174	0.10
RCSK18-079	175	176	0.65
RCSK18-079	176	177	0.73
RCSK18-079	177	178	0.15
RCSK18-079	178	179	0.12
RCSK18-079	179	180	0.19
RCSK18-079	180	181	0.11
RCSK18-079	181	182	0.20
RCSK18-079	182	183	0.10
RCSK18-079	187	188	0.18
RCSK18-079	188	189	0.20
RCSK18-079	190	191	0.38
RCSK18-079	191	192	1.92
RCSK18-079	192	193	0.29
RCSK18-079	193	194	1.16
RCSK18-079	194	195	0.27
RCSK18-079	195	196	0.13
RCSK18-079	196	197	0.26
RCSK18-079	200	201	0.31
RCSK18-079	201	202	0.13
RCSK18-080	7	8	0.10
RCSK18-080	8	9	0.14
RCSK18-080	9	10	0.11
RCSK18-080	10	11	0.11

HOLE ID	FROM	TO	GRADE
RCSK18-080	30	31	0.13
RCSK18-080	31	32	0.13
RCSK18-080	32	33	0.19
RCSK18-080	33	34	0.19
RCSK18-080	34	35	0.13
RCSK18-080	36	37	0.10
RCSK18-080	38	39	0.11
RCSK18-080	53	54	0.22
RCSK18-080	83	84	0.10
RCSK18-080	110	111	0.18
RCSK18-080	111	112	0.10
RCSK18-080	212	213	0.33
RCSK18-080	221	222	0.19
RCSK18-081	104	105	0.20
RCSK18-081	105	106	0.12
RCSK18-081	142	143	0.43
RCSK18-081	143	144	0.14
RCSK18-081	144	145	2.38
RCSK18-081	145	146	3.32
RCSK18-081	146	147	0.45
RCSK18-081	147	148	0.11
RCSK18-081	148	149	0.37
RCSK18-081	152	153	0.23
RCSK18-081	153	154	0.40
RCSK18-081	154	155	0.13
RCSK18-081	162	163	0.10
RCSK18-081	175	176	0.15
RCSK18-081	181	182	0.10
RCSK18-081	184	185	0.54
RCSK18-081	185	186	0.10
RCSK18-081	187	188	0.12
RCSK18-081	190	191	0.12
RCSK18-059	0	1	0.14
RCSK18-060	54	55	0.11
RCSK18-060	55	56	0.21
RCSK18-060	56	57	0.11
RCSK18-060	71	72	0.33
RCSK18-060	72	73	0.10
RCSK18-060	73	74	0.10
RCSK18-060	74	75	0.13
RCSK18-060	76	77	0.22
RCSK18-060	77	78	0.41
RCSK18-060	78	79	0.76
RCSK18-060	79	80	1.55

HOLE ID	FROM	TO	GRADE
RCSK18-060	80	81	0.39
RCSK18-060	82	83	0.28
RCSK18-060	83	94	3.53
RCSK18-060	84	85	2.03
RCSK18-060	85	86	0.24
RCSK18-060	86	87	1.02
RCSK18-060	87	88	2.08
RCSK18-060	88	89	4.50
RCSK18-060	89	90	2.01
RCSK18-060	90	91	1.50
RCSK18-060	91	92	1.19
RCSK18-060	92	93	0.94
RCSK18-060	93	94	1.08
RCSK18-060	94	95	0.30
RCSK18-060	95	96	0.28
RCSK18-060	96	97	0.16
RCSK18-060	97	98	0.11
RCSK18-060	98	99	0.52
RCSK18-060	99	100	0.17
RCSK18-060	100	101	0.15
RCSK18-060	101	102	0.15
RCSK18-060	104	105	0.15
RCSK18-060	105	106	0.11
RCSK18-060	131	132	0.26
RCSK18-061	101	102	0.11
RCSK18-061	106	107	0.17
RCSK18-061	107	108	0.60
RCSK18-061	108	109	0.20
RCSK18-061	109	110	0.24
RCSK18-061	121	122	0.11
RCSK18-061	122	123	0.10
RCSK18-061	124	125	0.12
RCSK18-061	125	126	0.12
RCSK18-061	126	127	1.56
RCSK18-061	127	128	0.11
RCSK18-061	128	129	0.33
RCSK18-061	129	130	0.11
RCSK18-061	141	142	0.34
RCSK18-061	142	143	1.39
RCSK18-061	146	147	0.13
RCSK18-061	148	149	0.22
RCSK18-061	149	150	0.34
RCSK18-061	152	153	0.31
RCSK18-061	153	154	0.62

HOLE ID	FROM	TO	GRADE
RCSK18-061	161	162	0.17
RCSK18-061	163	164	0.19
RCSK18-061	164	165	0.15
RCSK18-061	165	166	0.12
RCSK18-061	166	167	0.11
RCSK18-061	167	168	0.13
RCSK18-061	168	169	0.26
RCSK18-061	169	170	0.14
RCSK18-061	171	172	0.31
RCSK18-061	177	178	0.12
RCSK18-061	179	180	0.10
RCSK18-061	180	181	0.16
RCSK18-061	182	183	0.17
RCSK18-061	183	184	0.61
RCSK18-061	188	189	0.13
RCSK18-061	190	191	0.15
RCSK18-061	192	193	0.13
RCSK18-061	193	194	0.27
RCSK18-061	194	195	0.11
RCSK18-061	204	205	0.28
RCSK18-061	205	206	0.13
RCSK18-062	12	13	0.65
RCSK18-062	34	35	0.17
RCSK18-062	85	86	0.15
RCSK18-062	102	103	0.12
RCSK18-062	111	112	0.34
RCSK18-062	113	114	0.10
RCSK18-063	82	83	0.13
RCSK18-063	94	95	0.40
RCSK18-063	95	96	0.56
RCSK18-063	96	97	0.67
RCSK18-063	97	98	0.34
RCSK18-063	99	100	0.23
RCSK18-063	100	101	0.13
RCSK18-063	101	102	0.11
RCSK18-063	102	103	0.13
RCSK18-063	141	142	0.11
RCSK18-063	142	143	0.11
RCSK18-063	143	144	0.10
RCSK18-063	155	156	0.99
RCSK18-063	162	163	0.14
RCSK18-063	176	177	0.14
RCSK18-063	177	178	0.16
RCSK18-063	179	180	0.26

HOLE ID	FROM	TO	GRADE
RCSK18-063	181	182	0.12
RCSK18-063	182	183	0.16
RCSK18-063	183	184	0.10
RCSK18-063	184	185	0.16
RCSK18-063	185	186	0.15
RCSK18-063	186	187	0.10
RCSK18-063	187	188	0.15
RCSK18-063	188	189	0.12
RCSK18-063	203	204	0.13
RCSK18-064	11	12	0.13
RCSK18-064	17	18	0.29
RCSK18-064	24	25	0.13
RCSK18-064	74	75	0.41
RCSK18-064	82	83	0.11
RCSK18-064	133	134	0.23
RCSK18-064	134	135	0.15
RCSK18-064	142	143	0.17
RCSK18-064	143	144	0.11
RCSK18-064	144	145	0.20

HOLE ID	FROM	TO	GRADE
RCSK18-064	156	157	0.33
RCSK18-064	157	158	0.45
RCSK18-064	158	159	1.00
RCSK18-064	159	160	0.30
RCSK18-064	160	161	0.21
RCSK18-064	161	162	0.13
RCSK18-064	162	163	0.23
RCSK18-064	163	164	0.18

Notes:

- All results of $\geq 0.10\text{ppm}$ are shown within the table. Intervals missing are below this threshold.
- Significant Intervals are reported using a threshold where the interval has a 0.5g/t Au average or greater over the sample interval and selects all material greater than 0.10g/t Au allowing for up to 2 samples of included dilution every 10m.

JORC CODE, 2012 EDITION – TABLE 1

Section 1 Sampling Techniques and Data

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
Sampling techniques	<ul style="list-style-type: none"> ▶ Nature and quality of sampling, measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. ▶ Aspects of the determination of mineralisation that are Material to the Public Report. ▶ In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information. 	<ul style="list-style-type: none"> ▶ All holes have been routinely sampled on a 1m interval for gold ▶ 1 metre samples are preserved for future assay as required. ▶ RC Samples were collected in situ at the drill site and are split collecting 2 to 3 kg per sample. Certified reference material and sample duplicates were inserted at regular intervals. ▶ DD samples are cut to half core on 1m intervals. ▶ All samples were submitted to internationally accredited SGS or Bureau Veritas Laboratories in Bamako Mali for 50g Fire Assay gold analysis with a 10ppb Au detection level.
Drilling techniques	<ul style="list-style-type: none"> ▶ Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc). 	<ul style="list-style-type: none"> ▶ Drilling was carried out by AMCO Drilling using a UDR650 multipurpose rig or by Geodrill Ltd using a UDR900
Drill sample recovery	<ul style="list-style-type: none"> ▶ Method of recording and assessing core and chip sample recoveries and results assessed. ▶ Measures taken to maximise sample recovery and ensure representative nature of the samples. ▶ Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. 	<ul style="list-style-type: none"> ▶ An initial visual estimate of sample recovery was undertaken at the drill rig for each sample metre or run collected. ▶ Collected samples were weighed to ensure consistency of sample size and monitor sample recoveries. ▶ For DD core recovery and RQD observations are made ▶ No sampling issue, recovery issue or bias was picked up and it is therefore considered that both sample recovery and quality is adequate for the drilling technique employed.
Logging	<ul style="list-style-type: none"> ▶ Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. ▶ Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. ▶ The total length and percentage of the relevant intersections logged. 	<ul style="list-style-type: none"> ▶ All drill samples were geologically logged by Oklo Resources subsidiary Africa Mining geologists. ▶ Geological logging used a standardised logging system recording mineral and rock types and their abundance, as well as alteration, silicification and level of weathering. ▶ A small representative sample was retained in a plastic chip tray for future reference and logging checks. ▶ A minimum of ¼ DD core is preserved for future logging and reference
Sub-sampling techniques and sample preparation	<ul style="list-style-type: none"> ▶ If core, whether cut or sawn and whether quarter, half or all core taken. ▶ If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. ▶ For all sample types, the nature, quality and appropriateness of the sample preparation technique. ▶ Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. ▶ Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling. ▶ Whether sample sizes are appropriate to the grain size of the material being sampled. 	<ul style="list-style-type: none"> ▶ All RC samples were split using a 3 tier riffle splitter with no sample compositing being undertaken. ▶ All DD core was ½ cut and ¼ cut when a duplicate sample was taken. ▶ Duplicates were taken to evaluate representativeness ▶ At the laboratory, samples were weighed, dried and fine crushed to 70% <2mm (jaw crusher), pulverized and split to 85 % < 75 um. Gold is assayed by fire assay (50g charge) with an AAS Finish. ▶ Sample pulps were returned from the laboratory under secure "chain of custody" procedure by Africa Mining staff and are being stored in a secure location for possible future analysis. ▶ Sample sizes and laboratory preparation techniques are considered to be appropriate for this early stage exploration and the commodity being targeted.

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
Quality of assay data and laboratory tests	<ul style="list-style-type: none"> ▶ The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. ▶ For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. ▶ Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established. 	<ul style="list-style-type: none"> ▶ Analysis for gold is undertaken at SGS and Bureau Veritas Bamako by 50g Fire Assay with an AAS finish to a lower detection limit of 0.01ppm Au. ▶ Fire assay is considered a "total" assay technique. ▶ No field non assay analysis instruments were used in the analyses reported. ▶ A review of certified reference material and sample blanks inserted by the Company indicated no significant analytical bias or preparation errors in the reported analyses. ▶ Results of analyses for field sample duplicates are consistent with the style of mineralisation evaluated and considered to be representative of the geological zones which were sampled. ▶ Internal laboratory QAQC checks are reported by the laboratory and a review of the QAQC reports suggests the laboratory is performing within acceptable limits. ▶ Samples returning > 1ppm were selected for reanalysis using a 24hr cyanide bottle roll leach on a 500g sample.
Verification of sampling and assaying	<ul style="list-style-type: none"> ▶ The verification of significant intersections by either independent or alternative company personnel. ▶ The use of twinned holes. ▶ Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. ▶ Discuss any adjustment to assay data. 	<ul style="list-style-type: none"> ▶ All drill hole data is paper logged at the drill site and then digitally entered by Company geologists at the site office. ▶ All digital data is verified and validated by the Company's database consultant in Paris before loading into the drill hole database. ▶ No twinning of holes was undertaken in this program which is early stage exploration in nature. ▶ Reported drill results were compiled by the company's geologists, verified by the Company's database administrator and exploration manager. ▶ No adjustments to assay data were made.
Location of data points	<ul style="list-style-type: none"> ▶ Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. ▶ Specification of the grid system used. ▶ Quality and adequacy of topographic control. 	<ul style="list-style-type: none"> ▶ Drill hole collars were positioned using non-differential GPS. ▶ Accuracy of the GPS < +/- 3m and is considered appropriate for this level of early exploration. ▶ Locations are subsequently collected with DGPS. ▶ The grid system is UTM Zone 29N
Data spacing and distribution	<ul style="list-style-type: none"> ▶ Data spacing for reporting of Exploration Results. ▶ Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. ▶ Whether sample compositing has been applied. 	<ul style="list-style-type: none"> ▶ AC, RC and DD drilling is now being undertaken on a ~40x80m spacing with infill being undertaken in areas of identified higher grade zones. ▶ Drilling reported in this program is of an early exploration nature has not been used to estimate any mineral resources or reserves. Work is ongoing to enable sufficient distribution of drilling.
Orientation of data in relation to geological structure	<ul style="list-style-type: none"> ▶ Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. ▶ If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material. 	<ul style="list-style-type: none"> ▶ Exploration is at an early stage and, as such, knowledge on exact location of mineralisation and its relation to lithological and structural boundaries is not accurately known. However, the current hole orientation is considered appropriate for the program to reasonably assess the prospectivity of known structures interpreted from other data sources.
Sample security	<ul style="list-style-type: none"> ▶ The measures taken to ensure sample security. 	<ul style="list-style-type: none"> ▶ RC and DD samples were taken to the SGS laboratory in Bamako under secure "chain of custody" procedure by Africa Mining staff. ▶ Sample pulps were returned from the laboratory under secure "chain of custody" procedure by Africa Mining staff and have been stored in a secure location.

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
Audits or reviews	<ul style="list-style-type: none"> ▶ The results of any audits or reviews of sampling techniques and data. 	<ul style="list-style-type: none"> ▶ There have been no external audit or review of the Company's sampling techniques or data at this early exploration stage.

Section 2 Reporting of Exploration Results

CRITERIA	JORC CODE EXPLANATION	CRITERIA
Mineral tenement and land tenure status	<ul style="list-style-type: none"> ▶ Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. ▶ The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area. 	<ul style="list-style-type: none"> ▶ The results reported in this report are all contained within the Dandoko Exploration Permit, Gombaly Exploration Permit which are held 100% by Africa Mining SARL, a wholly owned subsidiary of Oklo Resources Limited. ▶ The Dandoko project consists of: ▶ The Dandoko permit (100km²) which was renewed on the 10/8/17, for a period of 3 years and renewable twice, each for a period of 2 years and: ▶ The Gombaly permit (34km²) which was granted on the 10/8/17, for a period of 3 years and renewable twice, each for a period of 2 years
Exploration done by other parties	<ul style="list-style-type: none"> ▶ Acknowledgment and appraisal of exploration by other parties. 	<ul style="list-style-type: none"> ▶ The area that is presently covered by the Dandoko permit was explored intermittently by Compass Gold Corporation between 2010 and 2013. ▶ Exploration consisted of aeromagnetic surveys, gridding, soil sampling and minor reconnaissance (RC) drilling. ▶ The area that is presently covered by the Mousalla permit was explored intermittently by Compass Gold Corporation between 2010 and 2013. ▶ Exploration consisted of aeromagnetic surveys, gridding, soil sampling. ▶ Ashanti Mali undertook reconnaissance soil sampling surveys over part of the license area.
Geology	<ul style="list-style-type: none"> ▶ Deposit type, geological setting and style of mineralisation. 	<ul style="list-style-type: none"> ▶ The deposit style targeted for exploration is orogenic lode gold. ▶ This style of mineralisation can occur as veins or disseminations in altered (often silicified) host rock or as pervasive alteration over a broad zone. ▶ Deposit are often found in close proximity to linear geological structures (faults & shears) often associated with deep-seated structures. ▶ Lateritic weathering is common within the project area. The depth to fresh rock is variable and may extend up to 50-70m below surface and in this drill program weathering of >80m was encountered
Drill hole Information	<ul style="list-style-type: none"> ▶ A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: <ul style="list-style-type: none"> ○ easting and northing of the drill hole collar ○ elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar ○ dip and azimuth of the hole ○ down hole length and interception depth ○ hole length. ▶ If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case. 	<ul style="list-style-type: none"> ▶ Results for all holes with 1m sample a gold in hole result greater than 0.1ppm are tabulated within the listed announcements during the quarter and further summarised into significant intervals as described below.. ▶ Locations are tabulated within the report and are how on plans and sections within the main body of this announcement. ▶ Dip of lithologies and/or mineralisation are not currently known. Drilling was oriented based on dips of lithologies observed ~5km to the north of the prospect and may not reflect the actual dip.

CRITERIA	JORC CODE EXPLANATION	CRITERIA
Data aggregation methods	<ul style="list-style-type: none"> ▶ In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated. ▶ Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. ▶ The assumptions used for any reporting of metal equivalent values should be clearly stated. 	<ul style="list-style-type: none"> ▶ Intervals are reported using a threshold where the interval has a 1.00 g/t Au average or greater over the sample interval and selects all material greater than 0.10 g/t Au allowing for up to 2 samples of included dilution every 10m. ▶ No grade top cut off has been applied to full results presented in Significant Intersection Table. ▶ No metal equivalent reporting is used or applied
Relationship between mineralisation widths and intercept lengths	<ul style="list-style-type: none"> ▶ These relationships are particularly important in the reporting of Exploration Results. ▶ If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. ▶ If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known'). 	<ul style="list-style-type: none"> ▶ The results reported in this announcement are considered to be of an early stage in the exploration of the project. ▶ Mineralisation geometry is not accurately known as the exact orientation and extent of known mineralised structures are not yet determined. ▶ Mineralisation results are reported as "downhole" widths as true widths are not yet known
Diagrams	<ul style="list-style-type: none"> ▶ Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views. 	<ul style="list-style-type: none"> ▶ Drill hole location plans are provided earlier releases
Balanced reporting	<ul style="list-style-type: none"> ▶ Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results. 	<ul style="list-style-type: none"> ▶ Drill hole locations are provided in earlier reports. ▶ All assays received of ≥ 0.1 ppm have been reported. ▶ No high cuts to reported data have been made.
Other substantive exploration data	<ul style="list-style-type: none"> ▶ Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances. 	<ul style="list-style-type: none"> ▶ No other exploration data that is considered meaningful and material has been omitted from this report
Further work	<ul style="list-style-type: none"> ▶ The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling). ▶ Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive. 	<ul style="list-style-type: none"> ▶ AC and RC drilling following up these results has commenced. ▶ Further aircore RC and diamond drilling is planned to follow up the results reported in this announcement.