


11 October 2019

Results of Drilling Program on Kraaipan Gold Project, Botswana

Metalsearch Limited (“MSE” or the “Company”) provides the following results of a focussed drilling program completed on the Kraaipan Gold Project, comprising prospecting licence 232/2016, located in Southern Botswana (Figure 1).


Seven Reverse Circulation (“RC”) drill holes for a total of 522m, were drilled to investigate potential extensions to known gold mineralisation which had been intersected by historical drilling at shallow depths of less than 40m. The drill holes were completed in two blocks in the southern section of the Kraaipan Project area (Figure 2).

Figure 1 – Location of Kraaipan Gold Project



248 samples from the RC drilling program were submitted for multi-element analysis at the ALS Global Laboratory in Johannesburg. The results of the drilling are summarised below.

Figure 2 – RC Drill Holes in Blocks 1 & 2 Completed in 2019



Drill Hole KPRC037

Drill hole KPRC037 (Table 1, Figure 3) was drilled to a total down hole depth of 102m, testing a historical soil geochemical anomaly. The historical soil anomaly returned gold values of 5, 15 and 22 parts per billion (“ppb”). No significant gold intersections were returned from drill hole KPRC037 and the historical surface geochemical anomaly remains unexplained.

Drill Hole KPRC038

Drill hole KPRC038 (Table 1, Figure 3) was drilled to a total down hole depth of 68m, down dip of historical hole KRP037, which previously returned an intersection of 13m @ 1.71g/t Au from 11m (down hole depth). No significant results were returned from drill hole KPRC038, indicating that the gold mineralisation previously intersected in historical hole KRP037 is limited in depth extent and confined to the near surface.

Drill Hole KPRC039

Drill hole KPRC039 (Table 1, Figure 3) was drilled to a total down hole depth of 75m, underneath historical hole KRP052, which previously returned an intersection of 5m @ 2.29g/t Au from 27m (down hole depth). Drill hole KPRC039, returned 2m @ 0.55g/t Au from 62m (down hole depth). The result in drill hole KPRC039 suggests that the gold mineralisation intersected in historical hole KRP052 has been enhanced by surficial weathering processes and decreases in thickness and grade at depth.

Drill Hole KPRC040

Drill hole KPRC040 (Table 1, Figure 4) was drilled to a total down hole depth of 76m, down dip of historical hole KRP077, which previously returned an intersection of 9m @ 1.10g/t Au from approximately 17m (down hole depth). Drill hole KPRC040, returned the following results:

- 1m @ 2.25g/t Au from 48m (downhole depth)
- 2m @ 0.84g/t Au from 63m (downhole depth)
- 1m @ 0.55g/t Au from 71m (downhole depth)


The result in drill hole KPRC040, is similar to the result in drill hole KPRC039, and suggests that the gold mineralisation intersected in historical hole KRP077 has been enhanced by surficial weathering processes and decreases in thickness and grade at depth.

Drill Hole KPRC041

Drill hole KPRC041 (Table 1, Figure 4) was drilled to a total down hole depth of 75m, down dip of historical hole KRP074, which previously returned an intersection of 21m @ 0.99g/t Au from approximately 6m (down hole depth). No significant results were

returned from drill hole KPRC041, indicating that the gold mineralisation previously intersected in historical hole KRP074 is limited in depth extent and confined to the near surface.

Figure 3 – Block 1 Drill Hole Locations



Drill Holes KPRC042, 43

Drill holes KPRC042 and KPRC043 (Table 1, Figure 4) were drilled to test a historical soil geochemical anomaly. Drill hole KPRC042 failed at a down hole depth of 6m and was redrilled as drill hole KPRC043 to a total down hole depth of 120m. No significant gold intersections were returned from drill hole KPRC043.

Figure 4 – Block 2 Drill Hole Locations




Table 1 – 2019 Drill Hole Locations

Hole ID	Hole Type	Prospect	UTM WGS 84 35S	UTM WGS 84 35S	Inclination (degrees)	Azimuth (degrees)	EOH (metres)
			Easting	Northing			
KPRC037	RC	Kraaipan	307750	7160271	-54	270	102
KPRC038	RC	Kraaipan	307700	7159614	-60	270	68
KPRC039	RC	Kraaipan	307819	7160610	-59	270	75
KPRC040	RC	Kraaipan	306619	7166016	-59	90	76
KPRC041	RC	Kraaipan	307370	7165800	-58	125	75
KPRC042	RC	Abandoned					6
KPRC043	RC	Kraaipan	307503	7163997	-59	270	120

Conclusions

The results from the seven RC drill holes completed on the Kraaipan Gold Project in 2019 by Metalsearch, suggest that the gold mineralisation intersected in historical drill holes KRP037, KRP052, KRP074 and KRP077, has been enhanced by surficial weathering processes and when the gold mineralisation does extend to depth its thickness and grade decreases.

Metalsearch is looking to bring a partner into the Kraaipan Gold project to continue testing a number of gold and nickel-copper targets which have been generated by Metalsearch from historical data sets.

The geochemical data from the drilling program is included in Appendix One.

Metalsearch continues to ramp up its preparations for its first drilling program on the Abercorn HPA project in central Queensland, Australia, which is now the prime focus of the Company's activities.

Competent Person Statement

Statements contained in this announcement relating to historical exploration results, and current exploration results are based on, and fairly represents, information and supporting documentation prepared by Mr. Jeremy Read, who is a member of the Australian Institute of Mining & Metallurgy (AusIMM), Member No 224610. Mr Read is a Non-Executive Director and part-time consultant to the Company and has sufficient relevant experience in relation to the mineralisation styles being reported on to qualify as a Competent Person as defined in the *Australian Code for Reporting of Identified Mineral Resources and Ore Reserves (JORC) Code 2012*. Mr Read consents to the use of this information in this announcement in the form and context in which it appears.



Metalsearch

JORC (2012) TABLE 1 – Section 1: Sampling Techniques and Data

Criteria	JORC Code explanation	Commentary
Sampling techniques	<ul style="list-style-type: none"> Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as downhole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation that are Material to the Public Report. In cases where ‘industry standard’ work has been done this would be relatively simple (e.g. ‘reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30g charge for fire assay’). In other cases, more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g. submarine nodules) may warrant disclosure of detailed information. 	Reverse-circulation drilling: RC chips were taken from the cyclone and then put through a two-tiered riffle splitter to reduce sample size at a 1:8 ratio. RC samples were sent to the ALS global laboratory in Johannesburg. At the laboratory the samples were dried, crushed to 70% -2mm, split off 250g and pulverise the split to 85% passing 75 microns. A sub-sample of the pulverised material was then taken for analysis. A 0.5g charge taken from the 250g sub-sample was then subject to an Aqua Regia analysis package ME-MS41(Aqua Regia digestion and ICP-M+ ICP-AES to read the concentrations of elements).
Drilling techniques	<ul style="list-style-type: none"> Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc). 	Reverse-circulation drilling with a face sampling hammer.
Drill sample recovery	<ul style="list-style-type: none"> Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure representative nature of the samples. Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. 	Reverse-circulation drilling: Bulk Sample weights were all recorded in order to assess sample recovery. Sample weights appeared relatively uniform and therefore, sample recovery was deemed adequate. No relationship between sample recovery and grade has been observed.



Metalsearch

<p>Logging</p>	<ul style="list-style-type: none"> • Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. • Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. • The total length and percentage of the relevant intersections logged. 	<p>All RC drill holes were quantitatively and qualitatively geologically logged. Holes have not been extensively geotechnically logged as they are exploration reverse circulation drill holes and are not being used to support Mineral Estimation, mining studies and/or metallurgical studies.</p>
<p>Sub-sampling techniques and sample preparation</p>	<ul style="list-style-type: none"> • If core, whether cut or sawn and whether quarter, half or all core taken. • If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. • For all sample types, the nature, quality and appropriateness of the sample preparation technique. • Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. • Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling. • Whether sample sizes are appropriate to the grain size of the material being sampled • 	<p>Reverse-circulation drilling: RC chip samples were taken every metre. RC chips were taken from the cyclone and then put through a two-tiered riffle splitter to reduce sample size at a 1:8 ratio.</p> <p>All RC Chips were dry.</p> <p>Field duplicates were also taken by riffle splitting a second sample from the RC chips taken directly from the cyclone.</p> <p>Sampling procedures are industry standard and deemed appropriate for the grain size of the samples.</p>
<p>Quality of assay data and laboratory tests</p>	<ul style="list-style-type: none"> • The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. • For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. • Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established. 	<p>Samples for analysis were selected from areas of geological interest. Standards and blanks were inserted into the routine sampling sequence by Metalsearch field staff at an average rate of 1 Quality Control sample (standard, blank, or field duplicate) every 11 routine samples. The laboratory also analysed standards, blanks and duplicates at a rate of at least 1 each, every 50 samples.</p> <p>Analysis of the assay results of QA/QC samples used by MSE indicate that the laboratory assay results are within the performance gates as stipulated by the laboratory for the chosen method of analysis. As such they are considered to be acceptable levels of accuracy and precision for their intended purpose.</p>
	<ul style="list-style-type: none"> • The verification of significant intersections by either independent or alternative company personnel. 	<p>Geological logging was completed by Metalsearch's Country Manager who is a geologist with enough experience in the style of mineralisation to be regarded as JORC Competent Person.</p>



Metalsearch

Verification of sampling and assaying	<ul style="list-style-type: none"> <i>The use of twinned holes.</i> 	Not Applicable.
	<ul style="list-style-type: none"> <i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i> 	Internal data verification, data entry procedures and storage protocols were adhered to during the collection of these drilling samples and properly documented. All sample data is stored within an Access database and routinely backed up.
	<ul style="list-style-type: none"> <i>Discuss any adjustment to assay data.</i> 	No adjustment has been made to any assay data.
Location of data points	<ul style="list-style-type: none"> <i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i> 	The data points were located using a Garmin handheld GPS. A handheld GPS has an accuracy of 3-5 metres in northings and eastings and approximately 10 metres in elevation, which is considered sufficient for this early stage, regional exploration.
	<ul style="list-style-type: none"> <i>Specification of the grid system used.</i> 	The drill collars reported here were completed in Geodetic Datum: WGS84 UTM zone 35S.
	<ul style="list-style-type: none"> <i>Quality and adequacy of topographic control.</i> 	Topographic control is of sufficient quality and adequate for the purpose of interpreting the regional exploration drilling results.
Data spacing and distribution	<ul style="list-style-type: none"> <i>Data spacing for reporting of Exploration Results.</i> 	Drill holes were not planned with any particular spacing in mind. They were planned to test geochemical/geophysical targets.
	<ul style="list-style-type: none"> <i>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i> 	Not Applicable. The drill holes were not drilled with the objective of being used for the estimation of a Mineral Resource or Ore Reserve.
	<ul style="list-style-type: none"> <i>Whether sample compositing has been applied.</i> 	No sample compositing was applied.
Orientation of data in relation to geological structure	<ul style="list-style-type: none"> <i>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</i> 	The orientation of drilling compared to the orientation of mineralised structures intersected appears to be at a fairly high angle, suggesting that an unbiased sample has been achieved.


	<ul style="list-style-type: none"> If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material. 	Not Applicable.
Sample security	<ul style="list-style-type: none"> The measures taken to ensure sample security. 	Drilling samples are secured in single sample bag then zip locked into large calico bags. Samples are then stored at a secure facility in the field and also at MSE's Gaborone office till they are dispatched via courier to the laboratory. The chain of custody throughout this process was maintained.
Audits or reviews	<ul style="list-style-type: none"> The results of any audits or reviews of sampling techniques and data. 	No audits or reviews of the sampling techniques and data have been completed yet.


JORC (2012) TABLE 1 – Section 2: Exploration Results

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	<ul style="list-style-type: none"> Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. 	<p>The Kraaipan Project consists of the area held under tenure by Prospecting Licence No. PL232/2016.</p> <p>South East Metals (Pty) Ltd, which is incorporated in Botswana and holds the Kraaipan Project tenure is a wholly owned subsidiary of Metalsearch Limited (ASX: MSE), which is incorporated in Australia.</p>
	<ul style="list-style-type: none"> The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area. 	<p>Tenure was granted on the 1st of October 2016 for a period of three years. Application for renewal of the licence was submitted on the 28th June 2019. There are no known impediments to obtaining a licence to operate</p>


Criteria	JORC Code explanation	Commentary
		in this area.
Exploration done by other parties	<ul style="list-style-type: none"> <i>Acknowledgment and appraisal of exploration by other parties.</i> 	For information on other exploration data/results please refer to MSE (previously ASX:LCR) announcement dated 4/4/2017, which refers to historic soil and rock chip geochemical survey results and subsequent drilling results. For information on the historic geophysical survey data/results please refer to MSE (previously ASX:LCR) announcement dated 25/07/2017.
Geology	<ul style="list-style-type: none"> <i>Deposit type, geological setting and style of mineralisation.</i> 	<p>The Kraaipan Project covers an approximately 50 kilometre long stretch of the Kraaipan Greenstone Belt (KGB) in Southern Botswana. The KGB is a part of the larger Amalia-Kraaipan Greenstone Terrane of the Kaapvaal Craton (AKGB), consisting of north trending, linear belts of older Archaean (~3500 Ma) meta-volcanic and meta-sedimentary rocks, separated by granitoid units. The KGB in Botswana is interpreted to be highly prospective for both orogenic gold and magmatic nickel-copper-PGM sulphide mineralisation as these rocks are directly along strike and within the same geological units as the well-known Kalgold (over 4.0 million ounces of gold) and Kalplats (over 6.5 million ounces of PGMs) deposits across the border in South Africa.</p> <p>The gold mineralisation identified by previous exploration within the KGB is distinctly similar to that found at Kalgold. It occurs in shallow dipping (approximately 65°E) quartz-carbonate veins, found in clusters or swarms, within a steeply dipping, sub-greenschist facies, magnetite-chert, banded iron formation (BIF) rock units. In both areas, the gold mineralized veins are associated with disseminated sulphide mineralisation, dominated by pyrite, which is distributed around and between the shallowly dipping quartz vein swarms.</p>


Criteria	JORC Code explanation	Commentary
Drill hole Information	<ul style="list-style-type: none"> A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: <ol style="list-style-type: none"> easting and northing of the drill hole collar elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar dip and azimuth of the hole down hole length and interception depth hole length. 	See Table 1 and Appendix 1 in this announcement.
	<ul style="list-style-type: none"> If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case. 	Not Applicable.
Data aggregation methods	<ul style="list-style-type: none"> In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated. 	Cut-off grades have been stated.
	<ul style="list-style-type: none"> Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. 	Not Applicable.
	<ul style="list-style-type: none"> The assumptions used for any reporting of metal equivalent values should be clearly stated. 	Not Applicable.
Relationship between mineralisation widths and intercept lengths	<ul style="list-style-type: none"> If the geometry of the mineralisation with respect to the drill-hole angle is known, its nature should be reported. 	Surface mapping suggests that the predominant geometry of the mineralisation in structures with respect to drill hole angle was between 70-80 degrees.
	<ul style="list-style-type: none"> If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known'). 	Down hole length, true width not known.

Criteria	JORC Code explanation	Commentary
<p>Diagrams</p>	<ul style="list-style-type: none"> Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views. 	 <p>LEGEND</p> <ul style="list-style-type: none"> Phase 2 Drilling - Metalsearch Limited Phase 1 Drilling - Metalsearch Limited Historical Drill Hole (Reunion) Grab Sample - g/t Geological Structure / Lineament <p>Projection WGS84 - UTM Zone 35S</p> <p>KRAAIPAN PROJECT BLOCK 1 PHASE 2 DRILLING COMPILATION</p>

Criteria	JORC Code explanation	Commentary
		
<p>Balanced reporting</p>	<ul style="list-style-type: none"> Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results. 	<p>Both low and high grade and/or widths have been reported.</p>

Criteria	JORC Code explanation	Commentary
Other substantive exploration data	<ul style="list-style-type: none"> <i>Other exploration data, if meaningful and material, should be reported) including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</i> 	For information on other exploration data/results please refer to MSE (previously ASX:LCR) announcement dated 4/4/2017, which refers to historic soil and rock chip geochemical survey results and subsequent drilling results. For information on geophysical survey data/results please refer to LCR announcement dated 25/07/2017. For information on the northwest sector soil geochemical data/results please refer to MSE (previously ASX:LCR) announcement dated 11/09/2017. For information on the northeast sector soil geochemical data/results please refer to MSE (previously ASX:LCR) announcement dated 26/09/2017. For information on the central sector soil geochemical data/results please refer to MSE (previously ASX:LCR) announcement dated 16/10/2017. For information on the KB01 and KB05 EM targets please refer to MSE (previously ASX:LCR) announcement dated 23/10/2017.
Further work	<ul style="list-style-type: none"> <i>The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large-scale step-out drilling).</i> 	Metalsearch has completed its program to test targets where most of the historical work was concentrated. Further work is currently being considered and will be reported once decided. It will focus on testing other areas that have not been tested on the approximately 50km long stretch of the Kraaipan Greenstone Belt

Criteria	JORC Code explanation	Commentary
	<ul style="list-style-type: none"> Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive. 	 <p>LEGEND</p> <ul style="list-style-type: none"> Phase 2 Drilling - Metalsearch Limited Phase 1 Drilling - Metalsearch Limited Historical Drill Hole (Reunion) Grab Sample - g/t Geological Structure / Lineament <p>Projection WGS84 - UTM Zone 35S</p> <p>KRAAIPAN PROJECT BLOCK 1 PHASE 2 DRILLING COMPILATION</p>

Criteria	JORC Code explanation	Commentary
		 <p>LEGEND</p> <ul style="list-style-type: none"> Phase 2 Drilling - Metalsearch Limited Phase 1 Drilling - Metalsearch Limited Historical Drill Hole (Reunion) Geological Structure / Lineament <p>Projection WGS84 - UTM Zone 35S</p> <p>KRAAIPAN PROJECT BLOCK 2 PHASE 2 DRILLING COMPILATION</p>

Appendix One

Geochemical Data Kraaipan Project Drilling Program 2019

HotID	SampleID	From (m)	To (m)	Width (m)	SampleType	Sample Weight_kg	Moisture	DateSampled	Al_pct	Ag_ppm	As_ppm	Au_ppm	B_ppm	Ba_ppm	Be_ppm	Bi_ppm	Ca_pct	Ce_ppm	Cd_ppm	Co_ppm	Cr_ppm	Cs_ppm	Cu_ppm	Fe_pct	Ga_ppm	Ge_ppm	Hf_ppm	Hg_ppm	In_ppm	La_ppm	Li_ppm	K_pct	Mg_pct	Mn_ppm	Mo_ppm	Nb_pct	Ni_ppm	
KPRC037	13586	3.00	4.00	1.00	RC CHIPS	25	dry	26-Jun-19	0.29	0.03	28.9	-0.02	-10	610	1.9	0.06	0.03	99.4	0.07	30.4	61	0.19	32.9	30.4	1.84	0.22	0.08	0.01	0.026	41.5	1.8	0.02	0.19	7400	1.87	-0.01	-0.05	56.5
KPRC037	13587	4.00	5.00	1.00	RC CHIPS	25	dry	26-Jun-19	0.25	0.05	32.5	-0.02	-10	320	2.23	0.04	0.02	47.9	0.08	16.5	58	0.14	29.1	30.2	1.83	0.25	0.07	0.02	0.028	40.7	1.1	0.01	0.17	5000	1.98	-0.01	-0.05	53.1
KPRC037	13588	5.00	6.00	1.00	RC CHIPS	25.5	dry	26-Jun-19	0.33	0.04	35.5	-0.02	-10	180	2.11	0.03	0.03	33.2	0.07	9.8	55	0.4	30.9	28.9	1.79	0.3	0.07	0.02	0.031	26.6	1.3	0.03	0.18	3350	2.3	-0.01	-0.05	60.9
KPRC037	13589	6.00	7.00	1.00	RC CHIPS	25.5	dry	26-Jun-19	0.46	0.05	55	-0.02	-10	280	2.22	0.05	0.06	33.6	0.07	13	68	0.53	44.9	27.3	3.06	0.17	0.08	0.02	0.036	23.1	1.9	0.05	0.18	2960	2.38	-0.01	-0.05	58.6
KPRC037	13590	7.00	8.00	1.00	RC CHIPS	10	dry	27-Jun-19	0.4	0.03	30.5	-0.02	-10	200	1.69	0.03	0.08	16.6	0.06	8.1	63	0.09	27.8	30.8	2.31	1.16	0.07	0.02	0.029	17.7	2.1	0.01	0.2	2280	1.83	-0.01	-0.05	51.2
KPRC037	13591	8.00	9.00	1.00	RC CHIPS	35	dry	27-Jun-19	0.54	0.03	23.4	-0.02	-10	220	1.97	0.03	0.11	15.6	0.07	8.8	62	0.17	27.8	26.3	2.46	0.61	0.05	0.02	0.028	15.1	2.1	0.02	0.24	2310	1.49	-0.01	-0.05	59.6
KPRC037	13592	9.00	10.00	1.00	RC CHIPS	25	dry	27-Jun-19	1.45	0.06	18.7	-0.02	-10	250	1.5	0.09	0.3	16.1	0.06	15.3	169	0.28	61.8	20.3	4.8	0.32	0.08	0.03	0.034	16.1	5.4	0.04	0.86	2540	1.27	-0.01	-0.05	102
KPRC037	13594	10.00	11.00	1.00	RC CHIPS	20.5	dry	27-Jun-19	3.53	0.06	11.1	-0.02	-10	220	1.64	0.05	0.61	43	0.04	25.9	95	2.67	48.9	9.23	14.65	0.18	0.19	0.03	0.065	25.8	9.2	0.26	1.58	438	0.56	0.01	-0.05	138
KPRC037	13595	11.00	12.00	1.00	RC CHIPS	25	dry	27-Jun-19	3.8	0.03	9.7	-0.02	-10	330	1.59	0.06	0.69	63.2	0.04	37.6	55	2.35	44.3	9.55	15.55	0.26	0.2	0.03	0.067	57.6	9.2	0.33	1.77	717	0.64	0.01	-0.05	160.5
KPRC037	13596	12.00	13.00	1.00	RC CHIPS	20	dry	27-Jun-19	2.2	0.09	21.7	-0.02	-10	440	1.8	0.09	0.4	33.2	0.11	29.4	123	3.21	75.9	16.55	8.34	0.24	0.09	0.03	0.06	15.3	10.9	0.18	0.94	2400	1.76	-0.01	-0.05	123.5
KPRC037	13597	13.00	14.00	1.00	RC CHIPS	35	dry	27-Jun-19	1.84	0.07	23.6	-0.02	-10	420	1.88	0.1	0.34	27.5	0.11	27.8	105	2.55	75.4	18.55	6.78	0.28	0.09	0.03	0.059	15	7.7	0.15	0.76	2640	1.75	-0.01	-0.05	113
KPRC037	13598	14.00	15.00	1.00	RC CHIPS	35	dry	27-Jun-19	0.31	0.03	10	-0.02	-10	170	0.63	0.03	0.06	5.63	0.09	5.6	32	1.23	30.3	8.72	1.35	0.13	0.04	0.02	0.016	6	1.3	0.03	0.12	1540	1.52	-0.01	-0.05	27
KPRC037	13599	15.00	16.00	1.00	RC CHIPS	40	dry	27-Jun-19	0.33	0.06	22	-0.02	-10	270	1.05	0.06	0.11	11.35	0.13	9.2	27	1.06	41.4	31.4	2.31	0.91	0.07	0.04	0.035	8.1	0.8	0.02	0.18	3370	2.33	-0.01	-0.05	39.3
KPRC037	13600	16.00	17.00	1.00	RC CHIPS	40	dry	27-Jun-19	0.26	0.03	21.5	-0.02	-10	210	0.75	0.03	0.1	9.98	0.16	8.5	25	0.19	48.1	29.2	2.15	1.16	0.04	0.02	0.036	5.1	0.9	0.01	0.21	3380	2.06	-0.01	-0.05	33.4
KPRC037	13601	17.00	18.00	1.00	RC CHIPS	25	dry	27-Jun-19	3.51	0.02	16.7	-0.02	-10	300	1.03	0.01	0.82	51.7	0.03	45.4	511	0.37	110.5	91.3	10.55	0.12	0.04	0.02	0.044	2.9	18.8	0.02	3.19	1440	0.53	0.01	-0.05	253
KPRC037	13602	18.00	19.00	1.00	RC CHIPS	30.5	dry	27-Jun-19	1.81	0.02	14.5	-0.02	-10	260	1.15	0.05	0.5	8.88	0.07	27.6	247	0.12	62.7	20.9	6.04	0.37	0.03	0.02	0.038	4.6	10.2	0.01	1.61	2540	1.27	-0.01	-0.05	123.5
KPRC037	13604	19.00	20.00	1.00	RC CHIPS	35.5	dry	27-Jun-19	1.56	0.02	31.1	-0.02	-10	280	1.52	0.02	0.41	8.91	0.09	31.9	631	0.16	43	22	5.16	0.55	0.04	0.03	0.032	4.9	12.2	0.02	1.58	2480	1.52	-0.01	-0.05	227
KPRC037	13605	20.00	21.00	1.00	RC CHIPS	25	dry	27-Jun-19	3.79	0.02	21.4	-0.02	-10	270	0.64	0.01	0.71	3.21	0.03	54.1	988	0.08	69.1	8.04	9.78	0.13	0.03	0.01	0.037	1.8	27.6	0.01	4.51	1740	0.71	0.01	-0.05	370
KPRC037	13606	21.00	22.00	1.00	RC CHIPS	40	dry	27-Jun-19	2.87	0.02	19.6	-0.02	-10	230	1.3	0.02	0.56	9.35	0.06	30.9	289	0.26	115.5	19.4	8.84	0.36	0.04	0.01	0.048	4.5	17.2	0.02	2.73	1960	1.01	-0.01	-0.05	138.5
KPRC037	13607	22.00	23.00	1.00	RC CHIPS	30.5	dry	27-Jun-19	4.41	0.02	12.3	-0.02	-10	180	1.03	0.01	0.69	5.23	0.04	50.4	601	0.11	130.5	8.39	13.2	0.15	0.04	0.02	0.05	2.7	32.8	0.01	4.83	1310	0.57	0.01	-0.05	261
KPRC037	13608	23.00	24.00	1.00	RC CHIPS	30.7	dry	27-Jun-19	4.25	0.03	8	-0.02	-10	240	0.85	0.01	0.73	6.64	0.03	48.3	532	0.24	120.5	7.88	12.75	0.14	0.03	0.02	0.045	2.9	32	0.01	4.38	1540	0.59	-0.01	-0.05	238
KPRC037	13609	24.00	25.00	1.00	RC CHIPS	20.9	dry	27-Jun-19	3.61	0.05	9.6	-0.02	-10	290	1.33	0.01	0.65	6.12	0.06	45	458	0.4	103.5	11.05	11.55	0.2	0.04	0.02	0.047	3.3	25.5	0.02	3.7	2190	0.87	-0.01	-0.05	208
KPRC037	13610	25.00	26.00	1.00	RC CHIPS	10	dry	28-Jun-19	4.2	0.01	4.9	-0.02	-10	210	0.9	0.01	0.67	7.19	0.05	46.7	507	0.17	106.5	9.82	13.4	0.18	0.03	0.02	0.05	3.6	27.4	0.01	4.41	1300	0.54	-0.01	-0.05	239
KPRC037	13611	26.00	27.00	1.00	RC CHIPS	35	dry	28-Jun-19	3.58	0.04	8.7	-0.02	-10	260	0.91	0.01	0.69	7.38	0.06	42	447	0.17	110	12.5	10.85	0.26	0.04	0.01	0.046	3.6	23.8	0.01	3.47	1860	0.75	-0.01	-0.05	205
KPRC037	13612	27.00	28.00	1.00	RC CHIPS	40	dry	28-Jun-19	2.31	0.01	10.1	-0.02	-10	230	1.33	0.03	0.5	6.62	0.05	33.1	364	0.1	56	17.95	6.83	0.41	0.03	0.02	0.032	3.8	15.8	0.01	2.4	1720	1.22	-0.01	-0.05	138
KPRC037	13614	28.00	29.00	1.00	RC CHIPS	40	dry	28-Jun-19	0.93	0.03	18.1	-0.02	-10	210	2.17	0.09	0.36	9.49	0.1	23.2	364	0.25	57.8	23.8	3.4	0.63	0.03	0.02	0.031	4.9	5.8	0.01	0.95	1830	2.42	-0.01	-0.05	136
KPRC037	13615	29.00	30.00	1.00	RC CHIPS	30.5	dry	28-Jun-19	3.58	0.02	11.7	-0.02	-10	190	1.36	0.1	0.66	6.27	0.05	41.1	465	0.14	118	12.9	10.7	0.22	0.04	0.01	0.044	3	25.4	0.04	3.4	1320	0.79	-0.01	-0.05	201
KPRC037	13616	30.00	31.00	1.00	RC CHIPS	35	dry	28-Jun-19	1.75	0.03	19.8	-0.02	-10	250	0.93	0.06	0.43	7.28	0.09	26.8	241	0.27	91.3	20.3	5.74	0.31	0.04	0.01	0.039	3.8	11.9	0.03	1.53	2330	1.23	-0.01	-0.05	118.5
KPRC037	13617	31.00	32.00	1.00	RC CHIPS	35.5	dry	28-Jun-19	0.99	0.05	23.8	-0.02	-10	280	1.95	0.07	0.24	12.4	0.14	16.7	76	0.64	60.6	26	2.87	0.52	0.05	0.01	0.045	5.9	4.6	0.02	0.37	3120	1.62	-0.01	-0.05	66.6
KPRC037	13618	32.00	33.00	1.00	RC CHIPS	15	dry	28-Jun-19	0.98	0.06	12.1	-0.02	-10	280	1.75	0.01	0.49	9.85	0.08	12.1	121	0.42	121	33.7	20.5	0.04	0.04	0.01	0.046	4.1	7.5	0.01	0.39	2060	0.85	-0.01	-0.05	12.9
KPRC037	13619	33.00	34.00	1.00	RC CHIPS	10	dry	28-Jun-19	0.43	0.03	18.5	-0.02	-10	420	1.74	0.01	0.17	9.18	0.07	11.9	51	0.37	106.5	9.82	13.4	0.18	0.03	0.02	0.041									

HoleID	SampleID	From (m)	To (m)	Width (m)	SampleType	Sample Weight_kg	Moisture	DateSampled	Al_pct	Ag_ppm	As_ppm	Au_ppm	B_ppm	Ba_ppm	Be_ppm	Bi_ppm	Ca_pct	Ce_ppm	Cd_ppm	Co_ppm	Cr_ppm	Cs_ppm	Cu_ppm	Fe_pct	Ga_ppm	Ge_ppm	Hf_ppm	Hg_ppm	In_ppm	La_ppm	Li_ppm	K_pct	Mg_pct	Mn_ppm	Mo_ppm	Na_pct	Nb_ppm	Ni_ppm
KPRC039	13793	20.00	21.00	1.00	RC CHIPS	25	dry	6-Jul-19	3.73	0.01	3.7	-0.02	-10	360	0.46	-0.01	7.9	4.59	0.01	43.9	444	0.09	103.5	6.17	11	0.13	0.04	0.01	0.041	3.1	26	0.01	4.11	1120	0.2	0.01	0.05	180
KPRC039	13794	21.00	22.00	1.00	RC CHIPS	27	dry	6-Jul-19	3.94	0.01	1.7	-0.02	-10	350	0.44	0.01	0.79	4.33	0.02	40.5	332	0.15	131.5	6.64	11.35	0.13	0.03	0.01	0.046	3.6	22.5	0.01	4.08	1020	0.21	0.01	0.05	183
KPRC039	13795	22.00	23.00	1.00	RC CHIPS	25	dry	6-Jul-19	3.65	0.01	2.1	-0.02	-10	420	0.49	0.01	0.8	4.86	0.02	46.9	135	0.3	134.5	6.36	11.25	0.11	0.03	0.01	0.043	3.9	20.7	0.01	3.66	1240	0.23	0.01	0.05	198
KPRC039	13806	32.00	33.00	1.00	RC CHIPS	28	dry	6-Jul-19	3.92	0.02	1.8	-0.02	-10	360	0.43	0.01	0.73	5.3	0.02	40.5	35	0.81	119	6.91	12.5	0.14	0.03	0.01	0.048	2.8	16.5	0.01	3.38	928	0.2	0.01	0.05	88.8
KPRC039	13807	33.00	34.00	1.00	RC CHIPS	30	dry	6-Jul-19	3.67	0.02	2.9	-0.02	-10	390	0.55	0.01	0.83	7.46	0.01	38.6	53	1.24	129.5	6.8	10.9	0.14	0.03	0.04	0.04	3	17.6	0.02	3.08	951	0.22	0.01	0.05	128
KPRC039	13808	34.00	35.00	1.00	RC CHIPS	25	dry	6-Jul-19	3.08	0.04	12.8	-0.02	-10	310	0.65	0.01	0.58	10.45	0.01	39.3	750	2.04	76.3	6.64	8.44	0.13	0.04	0.15	0.034	2.6	17.3	0.02	3.23	1110	0.26	0.01	0.05	242
KPRC039	13809	35.00	36.00	1.00	RC CHIPS	30	dry	6-Jul-19	4.02	0.03	18	-0.02	-10	380	0.76	0.01	0.66	4.34	0.02	50.6	513	0.28	93.1	7.98	11.25	0.17	0.04	0.04	0.047	3.1	26.1	0.01	4.79	1480	0.33	0.01	0.05	243
KPRC039	13810	36.00	37.00	1.00	RC CHIPS	46	dry	6-Jul-19	0.84	0.03	23.1	-0.02	-10	150	1.73	0.12	0.32	7.52	0.03	14.6	85	0.49	41.4	24	3	0.59	0.03	0.03	0.035	3.6	4.5	0.01	0.76	734	1.37	0.01	0.05	46.1
KPRC039	13812	37.00	38.00	1.00	RC CHIPS	25	dry	6-Jul-19	2.63	0.04	60.6	-0.02	-10	250	1.15	0.24	0.56	9.69	0.1	26	205	2.1	123	15.3	7.91	0.23	0.05	0.07	0.053	4.4	10.6	0.06	1.96	1020	0.78	0.01	0.05	116
KPRC039	13813	38.00	39.00	1.00	RC CHIPS	30	dry	6-Jul-19	4.89	0.01	19.5	-0.02	-10	280	0.61	0.01	0.52	5.52	0.04	52.6	489	0.33	135	9.09	13.95	0.2	0.05	0.01	0.059	3.3	28.5	0.01	5.48	1850	0.47	0.01	0.05	223
KPRC039	13814	39.00	40.00	1.00	RC CHIPS	35	dry	6-Jul-19	3.31	0.01	14.7	-0.02	-10	270	1.16	0.02	0.46	8.33	0.05	39.1	370	0.57	110	15.7	9.85	0.34	0.07	0.01	0.05	4.7	15.9	0.01	3.35	1500	0.74	0.01	0.05	172
KPRC039	13828	52.00	53.00	1.00	RC CHIPS	40	dry	6-Jul-19	5.07	0.04	24.9	-0.02	-10	170	0.96	0.03	0.52	4.97	0.05	39.7	417	1.63	117.5	12.25	13.55	0.29	0.06	0.02	0.053	1.9	19.6	0.02	5.03	957	0.28	0.01	0.05	193.5
KPRC039	13829	53.00	54.00	1.00	RC CHIPS	36	dry	6-Jul-19	3.38	0.05	58.2	0.04	-10	230	1.23	0.11	0.59	6.04	0.07	38.9	441	2.65	118.5	12.95	9.57	0.24	0.04	0.02	0.073	2.4	14.1	0.04	3.26	1550	0.87	0.01	0.05	228
KPRC039	13830	54.00	55.00	1.00	RC CHIPS	45	dry	6-Jul-19	0.62	0.05	56.2	-0.02	-10	180	1.4	0.18	0.53	8.83	0.08	21.2	41	1.48	137	24.1	2.34	0.33	0.08	0.03	0.204	3.7	1.3	0.03	0.5	1440	1.86	0.01	0.05	104.5
KPRC039	13832	55.00	56.00	1.00	RC CHIPS	25	dry	6-Jul-19	0.56	0.04	67.8	-0.02	-10	400	1.66	0.19	0.37	14.05	0.09	30.6	47	1.74	166	19.05	2.52	0.27	0.06	0.05	0.167	5.2	2.2	0.03	0.5	2080	2.39	0.01	0.05	100.5
KPRC039	13833	56.00	57.00	1.00	RC CHIPS	40	dry	6-Jul-19	2.61	0.05	64.6	0.03	-10	210	1.78	0.19	0.51	8.85	0.09	33.7	237	3.13	204	18.45	7.82	0.3	0.07	0.03	0.114	3.3	11.7	0.01	2.62	1100	1.17	0.01	0.05	153.5
KPRC039	13834	57.00	58.00	1.00	RC CHIPS	30	dry	6-Jul-19	4.2	0.02	53.8	-0.02	-10	430	1.25	0.04	0.57	5.45	0.09	63.3	1240	1.06	109.5	9.73	12.1	0.22	0.05	0.02	0.054	2.3	18.4	0.02	4.73	1820	0.51	0.01	0.05	473
KPRC039	13835	58.00	59.00	1.00	RC CHIPS	35	dry	6-Jul-19	3.96	0.02	58.8	-0.02	-10	490	1.11	0.02	0.58	5.92	0.07	66.1	1420	0.61	100.5	9.25	11.55	0.22	0.05	0.02	0.051	2.3	18.9	0.02	4.57	2660	0.54	0.01	0.05	544
KPRC039	13836	59.00	60.00	1.00	RC CHIPS	25	dry	6-Jul-19	3.67	0.02	32.4	0.04	-10	520	1.12	0.02	0.54	7.77	0.08	46	680	1.25	45.8	10.7	11.2	0.1	0.11	0.01	0.053	3.4	13.8	0.03	3.37	2040	0.55	0.01	0.05	345
KPRC039	13837	60.00	61.00	1.00	RC CHIPS	40	dry	6-Jul-19	2.82	0.04	25.5	0.16	-10	360	1.13	0.09	0.48	8.09	0.08	40.8	324	2.65	81.2	13.55	9.07	0.17	0.1	0.02	0.052	3	11.8	0.03	2.48	1800	0.61	0.01	0.05	191.5
KPRC039	13838	61.00	62.00	1.00	RC CHIPS	30	dry	6-Jul-19	5.07	0.03	26.6	0.1	-10	230	1.49	0.01	0.73	11.65	0.1	40.6	307	1.8	156	14.95	13.9	0.13	0.1	0.02	0.059	4	19.7	0.04	4.39	828	0.26	0.01	0.05	198.5
KPRC039	13839	62.00	63.00	1.00	RC CHIPS	34	dry	6-Jul-19	3.53	0.03	49.7	0.13	-10	490	1.17	0.07	0.55	10.65	0.09	39.3	131	23.97	149	14.94	8.94	0.18	0.09	0.03	0.06	3.8	17.3	0.05	1.9	2120	0.11	0.01	0.05	251.4
KPRC039	13840	63.00	64.00	1.00	RC CHIPS	35	dry	6-Jul-19	2.67	0.06	29.4	0.52	-10	440	1.19	0.03	0.6	9.1	0.08	42.9	425	1.09	98.3	24.9	8.98	0.21	0.07	0.03	0.053	2.7	7.2	0.03	2.09	1500	1.09	0.01	0.05	213
KPRC040	13857	3.00	4.00	1.00	RC CHIPS	25	dry	7-Jul-19	1.45	0.01	21.1	-0.02	-10	590	1.98	0.07	1.05	59.9	0.02	31.1	329	0.59	64.1	10.5	5.72	0.26	0.19	0.01	0.035	12.8	3.8	0.04	0.59	1360	1.39	0.01	0.05	126.5
KPRC040	13858	4.00	5.00	1.00	RC CHIPS	20	dry	7-Jul-19	1.74	0.01	18.9	-0.02	-10	720	2.48	0.07	0.49	236	0.03	37.6	226	0.75	79.8	10.25	5.92	0.26	0.23	0.01	0.027	15.1	4	0.08	0.66	2310	1.46	0.02	0.05	144
KPRC040	13859	5.00	6.00	1.00	RC CHIPS	35	dry	7-Jul-19	0.93	0.02	9.9	-0.02	-10	290	1.09	0.06	0.19	105	0.02	13.9	150	0.47	34.2	20.7	3.6	0.22	0.14	0.01	0.015	16.4	3	0.04	0.32	1050	1.67	0.01	0.05	69.3
KPRC040	13860	6.00	7.00	1.00	RC CHIPS	15	dry	7-Jul-19	1.14	0.03	6.5	-0.02	-10	380	0.86	0.05	0.13	69.4	0.02	12.7	60	0.72	31.4	23.9	4.08	0.15	0.16	0.01	0.019	17.3	3.9	0.06	0.18	1290	1.97	0.01	0.05	46.6
KPRC040	13861	7.00	8.00	1.00	RC CHIPS	25	dry	7-Jul-19	0.95	0.02	3.9	-0.02	-10	110	0.73	0.05	0.11	12.75	0.02	7.5	49	0.55	22.4	26.7	3.33	0.22	0.15	0.01	0.011	7.8	3.6	0.05	0.14	440	1.3	0.01	0.05	41.6
KPRC040	13862	8.00	9.00	1.00	RC CHIPS	30	dry	7-Jul-19	0.78	0.02	4.5	-0.02	-10	110	0.61	0.05	0.11	7.27	0.01	5.4	38	0.54	19.9	28.3	2.76	0.25	0.11	0.01	0.008	8.4	2.6	0.04	0.15	473	1.11	0.01	0.05	34.4
KPRC040	13863	9.00	10.00	1.00	RC CHIPS	30	dry	7-Jul-19	0.52	0.01	4.2	-0.02	-10	40	0.56	0.03	0.08	3.1	0.01	3.5	19	0.33	15.5	2.3	1.59	0.23	0.08	0.01	0.006	4.2	0.9	0.03	0.12	233	0.36	0.01	0.05	26.6
KPRC040	13864	10.00	11.00	1.00	RC CHIPS	30	dry	7-Jul-19	0.51	0.01	7.2	-0.02	-10	450	1.18	0.02	0.47	8.24	0.02	45.9	29	0.55	15.8	15.8	5.54	0.08	0.07	0.01	0.012	6.3	7.7	0.29	1.04	553	1.45	0.02	0.05	110.5
KPRC040	13865	11.00	12.00	1.00	RC CHIPS	27	dry	7-Jul-19	0.24	0.01	7.2	-0.02	-10	450	1.05	0.01	0.47	6.61	0.02	39.3	126	0.52	36.9	17.55	8.63	0.11	0.05	0.01	0.012	9.9	3.8	0.02	0.27	880	0.44	0.01	0.05	110.5
KPRC040	13867	12.00	13.00	1.00	RC CHIPS	33	dry	7-Jul-19	0.37	0.01	7.2	-0.02	-10	680	0.79	0.01	0.61	5.82	0.02	36.4	134	0.46	39.2	18.76	9.88	0.03	0.06	0.01	0.01	8.5	14.1	0.25	3.27	986	0.44	0.01	0.05	141.3
KPRC040	13868	13.00	14.00	1.00	RC CHIPS	25	dry	7-Jul-19	2.84	0.01	5.3	-0.02	-10	540	0.49	0.01	0.48	4.29	0.02	27.6	111	0.34	63.1	8.13	7.17	0.05	0.05	0.01	0.015	4.9	11.5	0.23	1.74	883	0.48	0.03	0.05	96.3
KPRC040	13869	14.00	15.00	1.00	RC CHIPS	25	dry	7-Jul-19	3.76	0.01	7.1	-0.02	-10	710	0.5	0.01	0.62	4.																				

HoldID	SampleID	From (m)	To (m)	Width (m)	SampleType	Sample Weight_kg	Moisture	DateSampled	Al_pct	Ag_ppm	As_ppm	Au_ppm	B_ppm	Ba_ppm	Be_ppm	Bi_ppm	Ca_pct	Ce_ppm	Cd_ppm	Co_ppm	Cr_ppm	Cs_ppm	Cu_ppm	Fe_pct	Ga_ppm	Ge_ppm	Hf_ppm	Hg_ppm	In_ppm	La_ppm	Li_ppm	K_pct	Mg_pct	Mn_ppm	Mo_ppm	Na_pct	Nb_ppm	Ni_ppm	
KPRC041	J3473	18.00	19.00	1.00	RC CHIPS	46	dry	9-Jul-19	0.12	0.02	8.4	0.07	-10	160	1.88	0.06	0.01	8.96	0.04	12.1	18	0.06	13.5	33.6	1.86	1.21	0.02	0.01	0.02	7.5	0.6	0.01	0.06	3950	1.68	-0.01	0.05	26.6	
KPRC041	J3475	19.00	20.00	1.00	RC CHIPS	46	dry	9-Jul-19	0.11	0.03	4.5	-0.02	-10	50	1.44	0.02	0.02	10.3	0.03	5.2	16	-0.05	10.2	32.5	1.48	1.2	0.02	0.01	0.015	5.7	0.4	-0.01	0.03	1290	1.34	-0.01	0.05	17.6	
KPRC041	J3476	20.00	21.00	1.00	RC CHIPS	44	dry	9-Jul-19	0.31	0.09	6.5	0.05	-10	30	2.26	0.05	0.02	9.61	0.05	6.6	60	0.36	20.8	28.1	2.37	0.54	0.08	0.02	0.042	6.2	1.1	0.01	0.07	1200	1.27	-0.01	0.05	35.2	
KPRC041	J3477	21.00	22.00	1.00	RC CHIPS	43	dry	9-Jul-19	0.08	0.02	3.1	-0.02	-10	110	1.12	0.03	0.03	8.03	0.02	8.2	15	0.08	14	29.9	1.29	0.89	0.02	0.02	0.013	6.6	0.4	0.01	0.03	2470	1.65	-0.01	0.05	16.8	
KPRC041	J3478	22.00	23.00	1.00	RC CHIPS	42.5	dry	9-Jul-19	0.11	0.02	3	0.02	-10	130	0.86	0.02	0.03	8.11	0.01	7.6	14	0.09	12.1	34.1	1.29	1.48	0.05	0.01	0.016	5.3	0.3	0.01	0.02	2430	1.5	-0.01	0.05	17.2	
KPRC041	J3479	23.00	24.00	1.00	RC CHIPS	45	dry	9-Jul-19	0.09	0.02	3.4	-0.02	-10	140	1.03	0.03	0.02	11.45	0.03	7.9	13	0.06	17.8	33.3	1.39	1.21	0.05	0.01	0.022	5.2	0.3	0.01	0.03	2620	1.25	-0.01	0.05	16.9	
KPRC041	J3480	24.00	25.00	1.00	RC CHIPS	45	dry	9-Jul-19	0.1	0.02	3	0.02	-10	40	0.91	0.02	0.01	10.85	0.02	4	13	0.07	22.7	32.6	1.27	1.19	0.04	0.01	0.054	4.5	0.3	-0.01	0.02	1166	1.49	-0.01	0.05	16.2	
KPRC041	J3481	25.00	26.00	1.00	RC CHIPS	40	dry	9-Jul-19	0.09	0.01	3.1	-0.02	-10	150	1.04	0.01	0.02	8.75	0.03	7.4	11	0.07	14.4	34.1	1.49	1.36	0.05	0.01	0.04	5.1	0.3	0.01	0.03	3280	1.08	-0.01	0.05	15.1	
KPRC041	J3482	26.00	27.00	1.00	RC CHIPS	42	dry	9-Jul-19	0.12	0.08	5.7	0.6	-10	160	0.74	0.03	0.02	6.54	0.03	7	15	0.08	18.9	31.9	1.58	0.98	0.05	0.02	0.028	3.6	0.4	0.01	0.02	3000	1.89	-0.01	0.05	17.7	
KPRC041	J3483	27.00	28.00	1.00	RC CHIPS	41	dry	9-Jul-19	0.11	0.06	7.2	0.74	-10	190	1.23	0.05	0.02	6.76	0.04	6.6	19	0.07	26	33.4	1.28	1.07	0.05	0.02	0.016	3.9	0.4	0.01	0.05	3400	1.67	-0.01	0.05	23.4	
KPRC041	J3495	37.00	38.00	1.00	RC CHIPS	38	dry	9-Jul-19	0.1	0.02	2.8	-0.02	-10	80	0.7	0.03	0.04	6.86	0.02	4.2	12	0.15	10	32.2	1.02	1.09	0.05	0.02	0.023	4.1	0.2	0.01	0.03	1730	0.94	-0.01	0.05	17.1	
KPRC041	J3496	38.00	39.00	1.00	RC CHIPS	43	dry	9-Jul-19	0.06	0.02	2	0.02	-10	80	0.56	0.05	0.07	5.69	0.03	3.2	11	0.06	8.9	28.4	0.96	0.85	0.04	0.01	0.021	3.4	0.2	0.01	0.02	2280	1.13	-0.01	0.05	16.4	
KPRC041	J3497	39.00	40.00	1.00	RC CHIPS	47	dry	9-Jul-19	0.06	0.01	2.1	-0.02	-10	80	0.35	0.01	0.06	4.65	0.02	4	10	0.05	10.5	29.5	0.92	0.84	0.04	0.01	0.014	2.9	0.2	0.01	0.02	2000	0.96	-0.01	0.05	13	
KPRC041	J3498	40.00	41.00	1.00	RC CHIPS	46	dry	9-Jul-19	0.07	0.01	2.9	-0.02	-10	90	0.5	0.01	0.06	5.04	0.02	4.1	10	-0.05	16.3	31.3	0.93	1.1	0.04	0.01	0.012	3.1	0.2	0.01	0.01	2180	0.87	-0.01	0.05	13.5	
KPRC041	J3499	41.00	42.00	1.00	RC CHIPS	40	dry	9-Jul-19	0.06	0.01	2.8	-0.02	-10	70	0.39	0.01	0.05	5.82	0.01	3.1	9	-0.05	8.4	32.3	0.74	0.93	0.04	0.02	0.011	3.6	0.2	0.01	0.01	2200	0.93	-0.01	0.05	13.6	
KPRC041	J3500	42.00	43.00	1.00	RC CHIPS	48	dry	9-Jul-19	0.06	0.02	3	-0.02	-10	40	0.41	0.01	0.06	5.98	0.02	2.8	9	0.07	8.2	34	0.87	0.93	0.04	0.01	0.008	3.6	0.2	0.01	0.02	1650	1.16	-0.01	0.05	15.1	
KPRC041	J3501	43.00	44.00	1.00	RC CHIPS	41	dry	9-Jul-19	0.06	0.01	2.7	-0.02	-10	40	0.36	0.01	0.05	5.95	0.02	3.3	9	-0.05	10.8	33.6	0.68	0.9	0.04	0.01	0.005	3.5	0.2	0.01	0.02	1740	1.68	-0.01	0.05	13	
KPRC041	J3502	44.00	45.00	1.00	RC CHIPS	42	dry	9-Jul-19	0.06	0.03	3.2	-0.02	-10	50	0.46	0.02	0.04	6.53	0.01	3.7	10	-0.05	12.5	24.6	0.81	0.95	0.04	0.007	3.9	0.4	0.01	0.02	1320	1.46	-0.01	0.05	14.2		
KPRC041	J3503	45.00	46.00	1.00	RC CHIPS	37	dry	9-Jul-19	0.09	0.03	3.8	0.02	-10	60	0.42	0.02	0.06	5.58	0.01	4.5	9	0.05	14.3	29.5	0.78	0.94	0.05	0.02	0.012	3.9	0.2	0.01	0.03	1850	0.97	-0.01	0.05	16.1	
KPRC041	J3505	46.00	47.00	1.00	RC CHIPS	37	dry	9-Jul-19	0.05	0.01	3	0.02	-10	60	0.34	0.01	0.06	5.8	0.01	4.4	8	0.05	8.2	29.8	0.88	0.81	0.05	0.02	0.005	3.2	0.2	0.01	0.03	1850	0.97	-0.01	0.05	15.1	
KPRC041	J3506	47.00	48.00	1.00	RC CHIPS	45	dry	9-Jul-19	0.05	0.01	3	-0.02	-10	50	0.34	0.01	0.04	4.15	0.01	4.8	8	0.05	8.9	31.2	0.68	0.74	0.05	0.02	0.005	2.6	0.1	0.01	0.03	2250	1.52	-0.01	0.05	18.4	
KPRC041	J3507	48.00	49.00	1.00	RC CHIPS	30	dry	9-Jul-19	0.06	0.02	4.3	0.04	-10	90	0.38	0.01	0.03	4.33	0.02	6.7	8	0.05	9.8	32.5	0.87	0.92	0.04	0.01	0.009	2.5	0.3	0.01	0.05	2400	1.4	-0.01	0.05	21.7	
KPRC041	J3521	61.00	62.00	1.00	RC CHIPS	45	dry	9-Jul-19	0.06	0.01	3.5	-0.02	-10	70	0.79	0.04	0.15	8.19	0.05	5.3	10	0.07	46.8	33.7	1.2	1.11	0.02	0.01	0.023	4.8	0.3	0.01	0.03	762	0.98	-0.01	0.05	11.8	
KPRC041	J3522	62.00	63.00	1.00	RC CHIPS	42	dry	9-Jul-19	0.06	0.02	7.1	-0.02	-10	50	0.34	0.02	0.12	7.99	0.01	11.8	42	0.01	20.5	32.7	2.8	1.04	0.06	0.02	0.04	0.029	4.8	0.5	0.01	0.03	405	1.01	-0.01	0.05	23.2
KPRC041	J3523	63.00	64.00	1.00	RC CHIPS	47	dry	9-Jul-19	1.37	0.02	6	-0.02	-10	370	1.09	0.07	0.16	10.55	0.08	41.5	94	0.59	123.5	17.26	5.38	0.17	0.03	0.04	0.029	3.7	8.6	0.21	0.84	1900	1.48	-0.01	0.05	152.5	
KPRC043	J3548	6.00	7.00	1.00	RC CHIPS	40	dry	11-Jul-19	0.15	0.05	7	0.02	-10	290	1.6	0.06	0.04	20.7	0.03	15.8	38	0.11	23.4	32.1	2.08	2.23	0.05	0.01	0.015	15.9	1	0.01	0.05	3610	2.09	0.01	0.07	35.7	
KPRC043	J3549	7.00	7.50	1.00	RC CHIPS	31	dry	11-Jul-19	0.11	0.15	10.9	-0.02	-10	160	1.66	0.02	0.08	10.4	0.05	9.3	27	0.05	16.2	30	1.14	1.75	0.05	0.01	0.027	8	0.4	0.01	0.05	1530	3.98	-0.01	0.05	36.4	
KPRC043	J3550	7.00	7.50	1.00	RC CHIPS	15	dry	11-Jul-19	0.58	0.07	17.8	-0.02	-10	200	1.13	0.02	0.13	25.5	0.05	16.2	87	0.45	46.7	27	3.34	1.91	0.06	0.01	0.042	11.4	2.4	0.06	0.25	1720	1.52	-0.01	0.05	69.7	
KPRC043	J3551	8.00	9.00	1.00	RC CHIPS	40	dry	11-Jul-19	0.16	0.15	9.7	-0.02	-10	150	2.16	0.03	0.03	12.15	0.03	8.1	33	0.08	26.8	33.3	1.78	2.13	0.04	0.02	0.025	10.1	1	0.01	0.04	1110	1.5	-0.01	0.07	35.3	
KPRC043	J3552	9.00	10.00	1.00	RC CHIPS	356	dry	11-Jul-19	1.82	0.07	4.5	-0.02	-10	190	3.05	0.02	0.37	14.15	0.02	24.7	162	0.18	69.1	23.5	6.06	0.56	0.03	-0.01	0.039	18.9	6.2	0.02	1.25	994	0.61	0.01	0.05	128.5	
KPRC043	J3554	10.00	11.00	1.00	RC CHIPS	24	dry	11-Jul-19	3.2	0.03	7.8	-0.02	-10	340	1.16	0.02	0.76	8.34	0.03	72.5	1200	0.12	83	7.84	10.7	0.16	0.09	0.02	0.048	6.3	18.9	0.02	3.18	1860	0.28	0.01	0.05	526	
KPRC043	J3555	11.00	12.00	1.00	RC CHIPS	2																																	

HoleID	SampleID	From (m)	To (m)	Width (m)	SampleType	Sample Weight_kg	Moisture	DateSampled	Pb_ppm	P_ppm	Rb_ppm	Re_ppm	S_Pct	Sb_ppm	Sc_ppm	Se_ppm	Sn_ppm	Sr_ppm	Ta_ppm	Te_ppm	Th_ppm	Tl_ppm	U_ppm	V_ppm	Y_ppm	W_ppm	Zn_ppm	Zr_ppm
KPRC037	I3586	3.00	4.00	1.00	RC CHIPS	25	dry	26-Jun-19	12.8	360	2.3	-0.001	0.01	0.26	2.1	-0.2	0.2	17.8	-0.01	0.03	0.9	1.6	1.82	554	17.55	0.47	44	2.9
KPRC037	I3587	4.00	5.00	1.00	RC CHIPS	30	dry	26-Jun-19	7	350	1.6	-0.001	0.01	0.24	1.9	-0.2	0.2	17.6	-0.01	0.03	0.6	0.75	1.84	562	19.5	0.49	49	2.4
KPRC037	I3588	5.00	6.00	1.00	RC CHIPS	25.5	dry	26-Jun-19	4.2	350	6.9	-0.001	0.01	0.26	1.9	0.6	0.2	20.1	-0.01	0.03	0.5	0.3	1.83	454	17.05	0.64	54	2.7
KPRC037	I3589	6.00	7.00	1.00	RC CHIPS	25.5	dry	26-Jun-19	4.9	300	13.2	-0.001	0.01	0.68	2.6	0.6	0.4	13.9	-0.01	0.04	0.6	0.34	2.33	272	15	0.39	28	2.9
KPRC037	I3590	7.00	8.00	1.00	RC CHIPS	10	dry	27-Jun-19	3.1	320	1.3	-0.001	0.01	0.59	2.1	-0.2	0.3	15.1	-0.01	0.03	0.5	0.18	1.88	255	11.95	0.57	23	2.4
KPRC037	I3591	8.00	9.00	1.00	RC CHIPS	35	dry	27-Jun-19	2.9	300	2.5	-0.001	0.01	0.7	3	0.2	0.3	15.9	-0.01	0.01	0.5	0.12	1.76	230	14.45	0.32	28	1.7
KPRC037	I3592	9.00	10.00	1.00	RC CHIPS	25	dry	27-Jun-19	3.3	300	4.5	-0.001	0.01	0.48	7.6	0.7	0.3	24.5	-0.01	0.07	0.7	0.16	1.48	293	16.4	0.27	43	2.4
KPRC037	I3594	10.00	11.00	1.00	RC CHIPS	20.5	dry	27-Jun-19	5.1	130	87.8	0.001	0.01	0.26	18.9	-0.2	1.5	33	-0.01	0.01	1.7	0.17	0.95	220	26.9	-0.05	89	6.2
KPRC037	I3595	11.00	12.00	1.00	RC CHIPS	25	dry	27-Jun-19	7.2	390	108	0.001	0.01	0.22	20.4	-0.2	1.7	36.2	-0.01	-0.01	1.6	0.33	1.08	224	83.1	-0.05	101	5.7
KPRC037	I3596	12.00	13.00	1.00	RC CHIPS	20	dry	27-Jun-19	4.9	240	53.5	-0.001	0.01	0.45	9.4	0.7	0.6	39.1	-0.01	0.1	1	0.18	1.05	264	17.15	0.16	91	3.9
KPRC037	I3597	13.00	14.00	1.00	RC CHIPS	35	dry	27-Jun-19	3.9	290	42.1	0.001	0.01	0.46	7.8	0.6	0.5	35.9	-0.01	0.12	0.9	0.18	1.2	292	15.95	0.17	85	4
KPRC037	I3598	14.00	15.00	1.00	RC CHIPS	35	dry	27-Jun-19	2.7	90	6	-0.001	0.01	0.23	1.4	0.3	0.2	15	-0.01	0.06	0.2	0.08	0.7	103	4.62	0.93	61	1.4
KPRC037	I3599	15.00	16.00	1.00	RC CHIPS	40	dry	27-Jun-19	4	310	4.7	-0.001	0.01	0.46	1.7	0.4	0.3	22.6	-0.01	0.11	0.3	0.12	1.45	273	11.65	0.57	36	2.9
KPRC037	I3600	16.00	17.00	1.00	RC CHIPS	40	dry	27-Jun-19	1.6	370	1.3	-0.001	0.01	0.19	1.4	0.3	0.4	20.2	-0.01	0.06	-0.2	0.07	2.64	268	8.12	0.34	31	1.5
KPRC037	I3601	17.00	18.00	1.00	RC CHIPS	25	dry	27-Jun-19	1.3	250	4.1	-0.001	0.01	0.07	21.8	0.2	-0.2	36	-0.01	0.02	-0.2	0.02	0.38	193	5.36	0.12	88	1.5
KPRC037	I3602	18.00	19.00	1.00	RC CHIPS	30.5	dry	27-Jun-19	1.8	700	1.4	-0.001	0.01	0.47	11.5	-0.2	0.2	29.4	-0.01	0.05	-0.2	0.05	1.33	230	6.98	0.19	54	1.3
KPRC037	I3604	19.00	20.00	1.00	RC CHIPS	35.5	dry	27-Jun-19	2.2	650	1.5	-0.001	0.01	0.41	11.1	-0.2	0.3	32.4	-0.01	0.01	0.2	0.06	1.59	251	9.13	0.32	58	1.4
KPRC037	I3605	20.00	21.00	1.00	RC CHIPS	25	dry	27-Jun-19	1.8	200	0.9	-0.001	0.01	0.05	23.1	-0.2	-0.2	33.6	-0.01	0.02	-0.2	0.03	0.36	191	3.89	0.07	72	1
KPRC037	I3606	21.00	22.00	1.00	RC CHIPS	40	dry	27-Jun-19	1.7	690	2	-0.001	0.01	0.23	15.5	-0.2	0.2	34.8	-0.01	0.02	-0.2	0.04	0.47	218	6.12	0.16	62	2.5
KPRC037	I3607	22.00	23.00	1.00	RC CHIPS	30.5	dry	27-Jun-19	1.3	420	0.9	-0.001	0.01	0.07	26.3	-0.2	-0.2	29.9	-0.01	0.01	0.2	0.02	0.2	218	5.22	0.07	86	1.6
KPRC037	I3608	23.00	24.00	1.00	RC CHIPS	30.7	dry	27-Jun-19	1.7	360	1.7	-0.001	0.01	0.07	24.7	0.3	-0.2	35	-0.01	0.01	-0.2	0.03	0.25	207	5.62	0.12	83	1.1
KPRC037	I3609	24.00	25.00	1.00	RC CHIPS	20.9	dry	27-Jun-19	1.4	460	4.1	-0.001	0.01	0.2	22.8	0.3	-0.2	45.3	-0.01	0.01	-0.2	0.06	0.55	194	6.75	0.16	80	1.4
KPRC037	I3610	25.00	26.00	1.00	RC CHIPS	10	dry	28-Jun-19	2.2	510	1.5	-0.001	0.01	0.08	25	-0.2	-0.2	25.6	-0.01	0.01	-0.2	0.03	0.32	226	6.44	0.11	83	1
KPRC037	I3611	26.00	27.00	1.00	RC CHIPS	35	dry	28-Jun-19	1.8	350	1.4	-0.001	0.01	0.12	20.9	-0.2	-0.2	30.9	-0.01	0.01	-0.2	0.05	0.58	219	5.52	0.15	74	1.4
KPRC037	I3612	27.00	28.00	1.00	RC CHIPS	40	dry	28-Jun-19	1.5	560	0.8	-0.001	0.01	0.36	16.4	0.2	0.2	25.7	-0.01	0.02	-0.2	0.06	0.61	160	5.96	0.22	52	1.1
KPRC037	I3614	28.00	29.00	1.00	RC CHIPS	40	dry	28-Jun-19	4.1	960	0.9	-0.001	0.01	0.86	6.4	0.9	0.4	23.7	-0.01	0.07	-0.2	0.06	1.14	163	5.77	0.57	43	2.3
KPRC037	I3615	29.00	30.00	1.00	RC CHIPS	30.5	dry	28-Jun-19	1.9	610	2.6	-0.001	0.01	0.26	20.9	0.3	0.2	25.9	-0.01	0.08	-0.2	0.04	0.55	181	4.95	0.12	90	2
KPRC037	I3616	30.00	31.00	1.00	RC CHIPS	35	dry	28-Jun-19	2.1	740	2	-0.001	0.01	0.23	10	0.4	0.2	23.3	-0.01	0.07	-0.2	0.07	1.2	238	5.78	0.43	57	1.6
KPRC037	I3617	31.00	32.00	1.00	RC CHIPS	35.5	dry	28-Jun-19	3	780	3.1	-0.001	0.01	0.49	2.9	0.3	0.8	21.2	-0.01	0.07	0.2	0.1	1.04	217	6.88	0.57	59	2.1
KPRC037	I3618	32.00	33.00	1.00	RC CHIPS	15	dry	28-Jun-19	1.3	1000	0.1	-0.001	0.01	0.22	8	0.3	0.5	23.7	-0.01	0.02	0.2	0.06	0.51	126	5.56	0.33	59	2.1
KPRC037	I3619	33.00	34.00	1.00	RC CHIPS	25	dry	28-Jun-19	1.3	1000	0.1	-0.001	0.01	0.22	8	0.3	0.5	23.7	-0.01	0.02	0.2	0.06	0.51	126	5.56	0.33	59	2.1
KPRC037	I3620	34.00	35.00	1.00	RC CHIPS	20	dry	28-Jun-19	1.3	510	2.4	-0.001	0.01	0.42	2.1	0.2	0.7	15.7	-0.01	0.02	0.1	0.04	0.56	71	3.71	0.45	33	2
KPRC037	I3620	34.00	35.00	1.00	RC CHIPS	40	dry	28-Jun-19	2.3	450	7.3	-0.001	0.01	0.45	2.1	0.2	0.7	15.7	-0.01	0.02	0.1	0.04	0.56	71	3.71	0.45	33	2
KPRC037	I3621	35.00	36.00	1.00	RC CHIPS	35	dry	28-Jun-19	1.3	580	5.6	-0.001	0.01	0.45	2.6	0.9	0.4	27.3	-0.01	0.08	0.2	0.21	0.32	109	3.89	0.5	21	2.3
KPRC037	I3622	36.00	37.00	1.00	RC CHIPS	30	dry	28-Jun-19	1.8	410	0.4	-0.001	0.01	0.05	28	0.3	-0.2	28.3	-0.01	0.02	0.2	0.02	0.16	202	3.77	0.05	83	2.1
KPRC037	I3624	37.00	38.00	1.00	RC CHIPS	30	dry	28-Jun-19	1.7	460	0.3	-0.001	0.01	0.06	29	0.2	-0.2	31.9	-0.01	0.02	0.2	0.02	0.17	183	3.39	0.05	82	1.1
KPRC037	I3625	38.00	39.00	1.00	RC CHIPS	25	dry	28-Jun-19	2.9	550	0.9	-0.001	0.01	0.28	16.3	1	0.5	35.3	-0.01	0.08	0.2	0.04	0.4	103	3.32	0.14	66	1.6
KPRC037	I3626	39.00	40.00	1.00	RC CHIPS	25	dry	28-Jun-19	1.9	680	2.3	-0.001	0.01	0.3	33	0.4	1.1	21.1	-0.01	0.06	0.5	0.04	0.35	73	4.27	0.31	127	1.6
KPRC037	I3627	40.00	41.00	1.00	RC CHIPS	20	dry	28-Jun-19	7.3	720	1.7	-0.001	0.02	0.25	2.4	1.3	0.6	24.5	-0.01	0.18	0.3	0.06	0.41	79	5.46	0.43	229	3
KPRC037	I3628	41.00	42.00	1.00	RC CHIPS	40	dry	28-Jun-19	4.8	940	2.4	-0.001	0.01	0.27	35	1.1	0.6	23.3	-0.01	0.15	0.4	0.05	0.35	80	5.65	0.36	177	3.1
KPRC037	I3628	41.00	42.00	1.00	RC CHIPS	40	dry	28-Jun-19	4.8	940	2.4	-0.001	0.01	0.27	35	1.1	0.6	23.3	-0.01	0.15	0.4	0.05	0.35	80	5.65	0.36	177	3.1
KPRC037	I3629	42.00	43.00	1.00	RC CHIPS	35	dry	28-Jun-19	1.8	640	2.1	-0.001	0.01	0.06	22	-0.2	0.2	35.1	-0.01	0.02	-0.2	0.02	0.09	218	4.26	0.08	106	2
KPRC038	I3700	4.00	5.00	1.00	RC CHIPS	35	dry	30-Jun-19	5.2																			

HoleID	SampleID	From (m)	To (m)	Width (m)	SampleType	Sample Weight_kg	Moisture	DateSampled	Pb_ppm	P_ppm	Rb_ppm	Re_ppm	S_Pct	Sb_ppm	Sc_ppm	Se_ppm	Sn_ppm	Sr_ppm	Ta_ppm	Te_ppm	Th_ppm	Tl_ppm	U_ppm	V_ppm	Y_ppm	W_ppm	Zn_ppm	Zr_ppm
KPRC039	13793	20.00	21.00	1.00	RC CHIPS	27	dry	6-Jul-19	0.5	310	0.6	-0.001	-0.01	0.08	26.2	-0.2	-0.2	36.8	-0.01	0.01	-0.2	0.02	0.15	193	5.32	0.05	50	1.1
KPRC039	13794	21.00	22.00	1.00	RC CHIPS	25	dry	6-Jul-19	1	380	0.8	-0.001	-0.01	0.06	25.8	-0.2	-0.2	32.9	-0.01	0.01	-0.2	0.02	0.12	213	9.51	-0.05	49	1.3
KPRC039	13795	22.00	23.00	1.00	RC CHIPS	25	dry	6-Jul-19	0.7	390	1.4	-0.001	-0.01	0.06	23.7	0.3	-0.2	33.4	-0.01	0.02	-0.2	0.03	0.13	216	6.33	0.06	49	1.1
KPRC039	13806	32.00	33.00	1.00	RC CHIPS	28	dry	6-Jul-19	0.5	420	2.3	-0.001	-0.01	0.08	23.1	0.2	-0.2	30.7	-0.01	0.01	-0.2	-0.02	0.09	180	5.41	-0.05	57	1.2
KPRC039	13807	33.00	34.00	1.00	RC CHIPS	30	dry	6-Jul-19	0.7	280	3.4	-0.001	-0.01	0.08	19.8	0.3	-0.2	31.7	-0.01	0.02	-0.2	0.02	0.13	189	4.54	-0.05	58	1.1
KPRC039	13808	34.00	35.00	1.00	RC CHIPS	25	dry	6-Jul-19	1.7	110	1.9	-0.001	-0.01	0.21	19.1	-0.2	-0.2	26.8	-0.01	0.02	0.4	0.03	0.18	166	4.69	0.09	65	1.6
KPRC039	13809	35.00	36.00	1.00	RC CHIPS	30	dry	6-Jul-19	0.9	260	0.9	-0.001	-0.01	0.11	24.9	0.2	-0.2	28.9	-0.01	0.02	-0.2	0.03	0.16	215	5.11	0.06	79	1.7
KPRC039	13810	36.00	37.00	1.00	RC CHIPS	46	dry	6-Jul-19	1.5	810	2	-0.001	-0.01	0.89	4.6	0.7	0.6	13.1	-0.01	0.03	0.2	0.05	0.19	115	4.49	0.42	21	1.1
KPRC039	13812	37.00	38.00	1.00	RC CHIPS	25	dry	6-Jul-19	3.1	280	10.6	-0.001	-0.01	0.66	12.4	1	0.9	28.5	-0.01	0.05	0.3	0.06	0.3	219	8.43	0.2	72	2.8
KPRC039	13813	38.00	39.00	1.00	RC CHIPS	30	dry	6-Jul-19	0.7	470	0.9	-0.001	-0.01	0.07	29.3	0.3	-0.2	26.1	-0.01	0.01	-0.2	0.03	0.14	234	4.95	0.06	93	2.2
KPRC039	13814	39.00	40.00	1.00	RC CHIPS	35	dry	6-Jul-19	1.2	700	1.7	-0.001	-0.01	0.28	20	0.4	0.2	21	-0.01	0.01	-0.2	0.06	0.17	178	5.65	0.1	62	1.6
KPRC039	13828	52.00	53.00	1.00	RC CHIPS	40	dry	6-Jul-19	0.6	470	3.4	-0.001	-0.01	0.19	26.7	-0.2	0.5	23.4	-0.01	0.01	-0.2	0.05	0.17	246	4.67	0.14	126	2.2
KPRC039	13829	53.00	54.00	1.00	RC CHIPS	36	dry	6-Jul-19	1.4	470	6.5	-0.001	-0.01	0.33	20.5	0.3	0.6	34.7	-0.01	0.05	-0.2	0.13	0.23	182	5.13	0.22	109	2.8
KPRC039	13830	54.00	55.00	1.00	RC CHIPS	45	dry	6-Jul-19	3.9	1220	4.5	-0.001	-0.01	1.31	2.8	0.4	0.6	34.4	-0.01	0.13	0.3	0.06	0.35	69	6.63	0.23	54	3.9
KPRC039	13832	55.00	56.00	1.00	RC CHIPS	25	dry	6-Jul-19	4.3	620	4.4	-0.001	-0.01	1.91	2.6	0.8	0.5	35.2	-0.01	0.12	0.3	0.15	0.37	104	5.84	0.29	57	2.7
KPRC039	13833	56.00	57.00	1.00	RC CHIPS	40	dry	6-Jul-19	3.5	430	6	0.001	-0.01	0.63	13.4	0.8	0.5	27.7	-0.01	0.06	0.2	0.09	0.35	217	6.22	0.24	105	3.1
KPRC039	13834	57.00	58.00	1.00	RC CHIPS	30	dry	6-Jul-19	0.7	370	2.5	-0.001	-0.01	0.2	30.4	0.2	0.3	28.8	-0.01	0.01	-0.2	0.06	0.18	224	5.22	0.13	134	1.8
KPRC039	13835	58.00	59.00	1.00	RC CHIPS	35	dry	6-Jul-19	0.9	290	1.5	-0.001	-0.01	0.21	27.8	0.3	0.3	41.9	-0.01	0.02	-0.2	0.09	0.2	250	4.27	0.21	128	2.4
KPRC039	13836	59.00	60.00	1.00	RC CHIPS	25	dry	6-Jul-19	2.4	140	3.1	-0.001	-0.01	0.18	21.6	-0.2	0.7	31.8	-0.01	-0.01	-0.2	0.04	0.17	170	5.96	0.18	119	3
KPRC039	13837	60.00	61.00	1.00	RC CHIPS	40	dry	6-Jul-19	4.9	280	4.9	-0.001	-0.01	0.34	13.1	0.4	0.4	38.3	-0.01	0.03	0.2	0.16	0.2	152	4.79	0.13	96	2.5
KPRC039	13838	61.00	62.00	1.00	RC CHIPS	30	dry	6-Jul-19	1.3	520	4.1	-0.001	-0.01	0.21	22	0.5	0.8	28.4	-0.01	0.01	-0.2	0.02	0.23	212	7.41	0.11	155	2.6
KPRC039	13839	62.00	63.00	1.00	RC CHIPS	30	dry	6-Jul-19	3	430	5.1	-0.001	-0.01	0.49	12.1	0.1	0.1	36.8	-0.01	0.04	-0.2	0.06	0.14	180	5.98	0.37	89	2.8
KPRC039	13840	63.00	64.00	1.00	RC CHIPS	35	dry	6-Jul-19	1.5	920	2.9	-0.001	-0.01	0.59	16.1	0.2	0.6	29.4	-0.01	0.01	-0.2	0.03	0.33	162	5.51	0.37	79	1.6
KPRC040	13857	3.00	4.00	1.00	RC CHIPS	25	dry	7-Jul-19	18.4	70	5.2	-0.001	-0.01	0.45	6.1	0.6	0.7	29.7	-0.01	0.07	3.8	0.14	0.81	265	9.5	0.27	13	6.4
KPRC040	13858	4.00	5.00	1.00	RC CHIPS	20	dry	7-Jul-19	36.6	70	7.7	-0.001	-0.01	0.36	6.1	0.2	0.6	22.1	-0.01	0.05	3.7	0.22	1.16	282	14	0.21	16	6.8
KPRC040	13859	5.00	6.00	1.00	RC CHIPS	35	dry	7-Jul-19	11.5	240	4.6	-0.001	-0.01	0.4	4	0.4	0.5	25.8	-0.01	0.02	1.8	0.09	0.75	116	11.2	0.42	21	4.4
KPRC040	13860	6.00	7.00	1.00	RC CHIPS	15	dry	7-Jul-19	8.4	170	8.4	-0.001	-0.01	0.41	5	0.3	0.5	8.4	-0.01	0.01	1.8	0.12	0.61	96	10.2	0.36	14	4.2
KPRC040	13861	7.00	8.00	1.00	RC CHIPS	25	dry	7-Jul-19	3.8	150	7.1	-0.001	-0.01	0.41	3.6	0.4	0.6	6.1	-0.01	0.01	1.4	0.07	0.49	74	5.67	0.36	16	3.8
KPRC040	13862	8.00	9.00	1.00	RC CHIPS	30	dry	7-Jul-19	3.2	140	6.6	-0.001	-0.01	0.32	2.9	-0.2	0.4	6.2	-0.01	-0.01	1.1	0.06	0.43	62	6.38	0.41	15	2.6
KPRC040	13863	9.00	10.00	1.00	RC CHIPS	30	dry	7-Jul-19	9	100	4.6	-0.001	-0.01	0.32	2.1	0.2	0.2	11.3	-0.01	0.03	0.3	0.3	0.33	54	4.54	0.21	15	2.6
KPRC040	13865	10.00	11.00	1.00	RC CHIPS	25	dry	7-Jul-19	2.5	130	14.8	-0.001	-0.01	0.25	8	0.1	0.2	19.8	-0.01	0.01	0.5	0.08	0.46	120	5.5	0.5	5	1.1
KPRC040	13866	11.00	12.00	1.00	RC CHIPS	35	dry	7-Jul-19	0.9	100	33.8	-0.001	-0.01	0.1	8	0.1	0.2	28.7	-0.01	0.01	0.2	0.02	0.46	111	5.1	0.21	56	1.1
KPRC040	13867	12.00	13.00	1.00	RC CHIPS	32	dry	7-Jul-19	0.8	80	26.2	-0.001	-0.01	0.07	12.3	0.3	0.2	36.9	-0.01	0.01	-0.2	0.08	0.37	188	10.4	0.17	96	0.9
KPRC040	13868	13.00	14.00	1.00	RC CHIPS	25	dry	7-Jul-19	0.8	60	17.9	-0.001	-0.01	0.11	8.9	0.3	0.2	26.2	-0.01	-0.01	0.2	0.05	0.28	112	7.61	0.33	68	0.8
KPRC040	13869	14.00	15.00	1.00	RC CHIPS	25	dry	7-Jul-19	0.9	70	17.5	-0.001	-0.01	0.12	15.3	0.4	-0.2	32.9	-0.01	0.01	-0.2	0.07	0.34	148	8.62	0.18	70	0.7
KPRC040	13870	15.00	16.00	1.00	RC CHIPS	23	dry	7-Jul-19	0.8	110	4.8	-0.001	-0.01	0.07	25.2	0.3	-0.2	44.7	-0.01	0.03	-0.2	0.03	0.35	197	8.55	0.21	90	0.9
KPRC040	13871	16.00	17.00	1.00	RC CHIPS	21	dry	7-Jul-19	1.9	350	7.7	-0.001	-0.01	0.82	6.4	-0.2	0.3	14.1	-0.01	0.01	0.2	0.02	0.19	67	5.88	0.59	12	0.9
KPRC040	13872	17.00	18.00	1.00	RC CHIPS	19	dry	7-Jul-19	1.5	450	8.4	-0.001	-0.01	0.76	5.8	0.3	0.3	15.3	-0.01	0.01	0.5	0.04	0.11	62	6.76	0.26	51	0.5
KPRC040	13873	18.00	19.00	1.00	RC CHIPS	40	dry	7-Jul-19	1.7	510	1.1	-0.001	-0.01	0.7	6.2	0.2	0.3	10.8	-0.01	0.01	-0.2	-0.02	0.13	64	4.79	0.41	30	0.7
KPRC040	13874	19.00	20.00	1.00	RC CHIPS	40	dry	7-Jul-19	1.3	250	1.8	-0.001	-0.01	0.23	15.6	0.3	-0.2	22.7	-0.01	0.02	0.2	0.02	0.25	144	5.38	0.27	64	0.8
KPRC040	13880	24.00	25.00	1.00	RC CHIPS	42	dry	7-Jul-19	1.7	390	1.3	-0.001	-0.01	0.55	4.9	0.2	0.2	10	-0.01	0.01	-0.2	-0.02	0.16	64	3.84	0.46	28	0.7
KPRC040	13881	25.00	26.00	1.00	RC CHIPS	35	dry	7-Jul-19	1.9	510	1.1	-0.001	-0.01	0.81	3.5	0.2	0.4	8.7	-0.01	0.02	-0.2	0.02	0.13	60	4.55	0.69	25	0.6
KPRC040	13882	26.00	27.00	1.00	RC CHIPS	48	dry	7-Jul-19	1.8																			

HoId	SampleID	From (m)	To (m)	Width (m)	SampleType	Sample Weight_kg	Moisture	DateSampled	Pb_ppm	P_ppm	Rb_ppm	Re_ppm	S_Pct	Sb_ppm	Sc_ppm	Se_ppm	Sn_ppm	Sr_ppm	Ta_ppm	Te_ppm	Th_ppm	Tl_ppm	U_ppm	V_ppm	Y_ppm	W_ppm	Zn_ppm	Zr_ppm
KPRC041	J3473	18.00	19.00	1.00	RC CHIPS	46	dry	9-Jul-19	1.1	430	0.7	-0.001	0.01	0.93	0.8	0.2	0.3	12.7	-0.01	0.03	-0.2	0.03	0.45	12	9.16	3.35	19	0.6
KPRC041	J3475	19.00	20.00	1.00	RC CHIPS	46	dry	9-Jul-19	1.1	380	0.4	-0.001	0.01	0.99	1.1	0.4	0.3	5.3	-0.01	-0.01	0.2	0.02	0.44	32	7.82	2.54	13	0.7
KPRC041	J3476	20.00	21.00	1.00	RC CHIPS	44	dry	9-Jul-19	1.5	730	3.2	-0.001	0.01	0.5	3.1	0.9	0.3	5.5	-0.01	0.05	0.8	0.02	1.1	60	8.6	0.82	33	2.8
KPRC041	J3477	21.00	22.00	1.00	RC CHIPS	43	dry	9-Jul-19	1.1	340	1	-0.001	0.01	0.73	0.7	0.3	0.3	7.7	-0.01	0.01	-0.2	0.05	0.43	36	9.58	1.93	14	0.6
KPRC041	J3478	22.00	23.00	1.00	RC CHIPS	42.5	dry	9-Jul-19	2.6	370	0.9	-0.001	0.01	0.79	1	-0.2	0.3	6.8	-0.01	-0.01	-0.2	0.06	0.33	33	7.52	1.67	19	0.7
KPRC041	J3479	23.00	24.00	1.00	RC CHIPS	45	dry	9-Jul-19	2.1	330	0.5	-0.001	0.01	0.78	0.8	-0.2	0.3	6.8	-0.01	0.01	-0.2	0.06	0.28	21	6.37	2.73	24	0.5
KPRC041	J3480	24.00	25.00	1.00	RC CHIPS	45	dry	9-Jul-19	2.1	320	0.6	-0.001	0.01	0.7	0.8	0.4	0.4	3.6	-0.01	-0.01	-0.2	0.02	0.35	32	4.45	2.13	28	0.5
KPRC041	J3481	25.00	26.00	1.00	RC CHIPS	40	dry	9-Jul-19	1.9	320	0.9	-0.001	0.01	0.73	0.6	-0.2	0.3	8.8	-0.01	0.01	-0.2	0.05	0.25	28	4.94	2.09	23	0.5
KPRC041	J3482	26.00	27.00	1.00	RC CHIPS	42	dry	9-Jul-19	1.8	580	0.9	-0.001	0.04	0.63	0.7	-0.2	0.4	13.1	-0.01	0.05	0.2	0.04	0.39	20	3.74	1.38	23	0.8
KPRC041	J3483	27.00	28.00	1.00	RC CHIPS	41	dry	9-Jul-19	1.8	480	0.7	-0.001	0.03	0.68	0.7	-0.2	0.3	11.9	-0.01	0.07	-0.2	0.03	0.54	30	4.92	1.42	22	0.6
KPRC041	J3495	37.00	38.00	1.00	RC CHIPS	38	dry	9-Jul-19	1.3	340	1.2	-0.001	0.01	0.61	0.7	-0.2	0.3	5.2	-0.01	0.01	-0.2	0.03	0.34	33	3.58	2.3	23	0.6
KPRC041	J3496	38.00	39.00	1.00	RC CHIPS	43	dry	9-Jul-19	1.1	480	0.7	-0.001	-0.01	0.5	0.4	0.2	0.3	10.7	-0.01	0.01	-0.2	-0.02	0.23	14	3.09	1.79	20	-0.5
KPRC041	J3497	39.00	40.00	1.00	RC CHIPS	47	dry	9-Jul-19	1.2	380	0.5	-0.001	-0.01	0.61	0.4	-0.2	0.3	11.2	-0.01	-0.01	-0.2	0.02	0.15	14	2.3	2.6	17	-0.5
KPRC041	J3498	40.00	41.00	1.00	RC CHIPS	46	dry	9-Jul-19	1	400	0.4	-0.001	-0.01	0.62	0.6	0.7	0.3	10.9	-0.01	-0.01	-0.2	0.02	0.22	30	3.02	2.96	16	-0.5
KPRC041	J3499	41.00	42.00	1.00	RC CHIPS	40	dry	9-Jul-19	1.2	350	0.3	-0.001	-0.01	0.66	0.4	-0.2	0.3	11.5	-0.01	-0.01	-0.2	0.02	0.23	11	3.04	2.8	17	-0.5
KPRC041	J3500	42.00	43.00	1.00	RC CHIPS	48	dry	9-Jul-19	1.1	430	1.1	-0.001	-0.01	0.66	0.3	-0.2	0.3	6.7	-0.01	-0.01	-0.2	-0.02	0.41	13	3.08	3.52	19	-0.5
KPRC041	J3501	43.00	44.00	1.00	RC CHIPS	41	dry	9-Jul-19	0.9	370	0.6	-0.001	-0.01	0.64	0.4	0.2	0.3	7.4	-0.01	-0.01	-0.2	-0.02	0.24	21	2.93	2.66	18	-0.5
KPRC041	J3502	44.00	45.00	1.00	RC CHIPS	44	dry	9-Jul-19	1	350	0.7	-0.001	-0.01	0.72	0.4	0.2	0.3	9.1	-0.01	0.04	-0.2	-0.02	0.34	16	2.77	2.63	19	-0.5
KPRC041	J3503	45.00	46.00	1.00	RC CHIPS	48	dry	9-Jul-19	0.9	450	0.9	-0.001	0.01	0.82	0.3	-0.2	0.3	8.9	-0.01	0.03	-0.2	-0.02	0.41	20	2.87	2.49	16	-0.5
KPRC041	J3504	46.00	47.00	1.00	RC CHIPS	48	dry	9-Jul-19	0.9	450	0.9	-0.001	0.01	0.82	0.3	-0.2	0.3	8.8	-0.01	0.03	-0.2	-0.02	0.35	16	2.87	2.29	16	-0.5
KPRC041	J3505	47.00	48.00	1.00	RC CHIPS	32	dry	9-Jul-19	0.9	420	0.7	-0.001	0.01	0.72	0.3	-0.2	0.3	8.8	-0.01	0.01	-0.2	-0.02	0.35	16	2.87	2.29	16	-0.5
KPRC041	J3506	47.00	48.00	1.00	RC CHIPS	49	dry	9-Jul-19	0.9	340	0.6	-0.001	0.01	0.73	0.3	0.2	0.3	7.5	-0.01	0.01	-0.2	-0.02	0.63	15	3.05	3.02	18	-0.5
KPRC041	J3507	48.00	49.00	1.00	RC CHIPS	50	dry	9-Jul-19	0.9	400	0.6	-0.001	0.01	0.73	0.4	-0.2	0.3	6.3	-0.01	0.02	-0.2	-0.02	0.93	27	3.46	2.77	25	-0.5
KPRC041	J3521	61.00	62.00	1.00	RC CHIPS	45	dry	9-Jul-19	2.2	900	0.5	-0.001	-0.01	0.07	0.3	0.3	0.4	5.2	-0.01	0.01	-0.2	0.02	0.32	18	3.44	2.79	22	-0.5
KPRC041	J3522	62.00	63.00	1.00	RC CHIPS	43	dry	9-Jul-19	1.5	440	2.1	-0.001	-0.01	0.16	0.4	0.2	0.3	8.2	-0.01	0.01	-0.2	0.04	0.44	18	4.23	1.03	26	0.6
KPRC041	J3523	63.00	64.00	1.00	RC CHIPS	47	dry	9-Jul-19	8.2	310	15.8	-0.001	0.01	0.72	10	0.3	0.4	14.3	-0.01	-0.01	-0.2	0.04	0.96	95	5.02	0.34	58	1.7
KPRC043	J3548	5.00	6.00	1.00	RC CHIPS	40	dry	11-Jul-19	3.2	320	0.8	-0.001	0.01	0.35	1.2	0.2	0.4	10.7	0.01	0.04	0.3	0.26	1.07	111	10.5	0.44	13	1.6
KPRC043	J3549	6.00	7.00	1.00	RC CHIPS	40	dry	11-Jul-19	1.5	690	0.8	-0.001	0.01	0.55	0.7	-0.2	0.5	7.3	-0.01	0.07	0.1	0.09	1.88	131	6.76	0.57	25	1.9
KPRC043	J3550	7.00	8.00	1.00	RC CHIPS	40	dry	11-Jul-19	1.5	340	0.8	-0.001	0.01	0.48	0.7	0.1	0.4	7.2	-0.01	0.04	0.1	0.17	1.75	178	9.36	0.32	26	1.9
KPRC043	J3550	7.00	8.00	1.00	RC CHIPS	15	dry	11-Jul-19	4.7	180	14.2	-0.001	0.01	0.48	4.2	0.5	0.4	8.7	-0.01	0.06	0.5	0.37	1.26	178	9.36	0.32	26	1.9
KPRC043	J3551	8.00	9.00	1.00	RC CHIPS	40	dry	11-Jul-19	1.6	230	1	-0.001	0.01	0.57	1.2	0.2	0.4	4.5	-0.01	0.01	0.2	0.16	1.23	205	9.3	0.42	34	1.3
KPRC043	J3552	9.00	10.00	1.00	RC CHIPS	356	dry	11-Jul-19	2.5	180	2.8	-0.001	0.01	0.82	12.2	-0.2	0.3	19	-0.01	-0.01	0.2	0.12	0.49	131	16.85	0.21	39	0.8
KPRC043	J3554	10.00	11.00	1.00	RC CHIPS	24	dry	11-Jul-19	2.1	40	1.8	-0.001	0.01	0.2	30	0.7	-0.2	46.1	-0.01	0.01	0.2	0.07	0.46	165	16	0.08	71	1.4
KPRC043	J3555	11.00	12.00	1.00	RC CHIPS	27	dry	11-Jul-19	2.7	260	2.4	-0.001	0.01	0.34	11.9	3	0.2	26	-0.01	0.31	0.2	0.12	0.46	217	11.45	0.18	45	1.1
KPRC043	J3556	12.00	13.00	1.00	RC CHIPS	39	dry	11-Jul-19	10.5	220	12.5	-0.001	0.01	0.47	4.7	0.5	0.4	10	-0.01	0.06	0.2	0.06	0.38	161	8.29	0.77	26	1.8
KPRC043	J3557	13.00	14.00	1.00	RC CHIPS	25	dry	11-Jul-19	11.7	280	14.9	-0.001	0.01	0.35	12.9	0.3	0.4	22.4	-0.01	0.09	0.4	0.13	0.69	202	20.3	0.19	51	3.5
KPRC043	J3579	33.00	34.00	1.00	RC CHIPS	39	dry	11-Jul-19	1.9	780	3.9	-0.001	0.01	0.57	1.2	0.3	0.5	86.5	-0.01	0.1	-0.2	0.13	1.5	105	12.1	0.88	93	2
KPRC043	J3580	34.00	35.00	1.00	RC CHIPS	40	dry	11-Jul-19	4.5	690	1.7	-0.001	0.01	0.16	0.9	0.5	0.5	49.3	-0.01	0.35	-0.2	0.09	1.52	97	11.25	0.68	90	1.7
KPRC043	J3581	35.00	36.00	1.00	RC CHIPS	42	dry	11-Jul-19	2.6	340	4.1	-0.001	0.01	0.91	1.9	0.2	0.7	65.4	-0.01	0.1	0.3	0.36	0.78	119	21.4	0.89	169	2.5
KPRC043	J3582	36.00	37.00	1.00	RC CHIPS	35	dry	11-Jul-19	3.5	490	2.2	-0.001	0.02	1.04	3.6	0.2	0.9	29.7	-0.01	0.14	0.4	0.06	0.61	91	12.65	0.53	209	3.5
KPRC043	J3584	37.00	38.00	1.00	RC CHIPS	39	dry	11-Jul-19	2.9	710	0.2	-0.001	0.03	1.25	1.5	0.6	0.6	55.6	-0.01	0.26	0.2	-0.02	0.71	60	4.5	0.85	34	1.4
KPRC043	J3585	38.00	39.00	1.00	RC CHIPS	35	dry	11-Jul-19	1.9	590	1.3	-0.001	0.01	0.39	2.7	0.2	0.4	20.4	-0.01	0.02	-0.2	0.1	0.3	55	8.57	0.49	31	0.9
KPRC043	J3597	44.00	45.00	1.00	RC CHIPS	35	dry	11-Jul-19	2.5	510	28.7	-0.001	0.01	0.43	7.5	0.2	0.2	27.3	-0.01	0.92	-0.2	0.08	0.07	82	6.35	0.37	83	1.8
KPRC043	J3592	45.00	46.00	1.00	RC CHIPS	35	dry	11-Jul-19	3.6	510	23.7	-0.001	-0.01	0.55	10.1	0.4	0.2	26.1	-0.01	0.49	-0.2	0.07	0.06	88	6.34	0.4	67	1.9
KPRC043	J3594	46.00	47.00	1.00	RC CHIPS	33	dry	11-Jul-19	3	260	10	-0.001	0.01	0.45	15.9	0.2	0.2	26.4	-0.01	0.38	-0.2	0.05	0.08	105	9.77	0.81	82	1.9
KPRC043	J3595	47.00	48.00	1.00	RC CHIPS	30	dry	11-Jul-19	1.5	380	4.8	-0.001	0.01	0.2	23.1	0.4	-0.2	37.5	-0.01	0.15	0.2	0.03	0.05	170	10.2	0.56	87	1.3
KPRC043	J3596	48.00	49.00	1.00	RC CHIPS	35	dry	11-Jul-19	1.8	430	3.8	-0.001	0.01	0.17	28.5	-0.2	-0.2	31.7	-0.01	0.04	0.2	0.02	-0.05	171	7.58	0.24	93	0.8
KPRC043	J3621	71.00	72.00	1.00	RC CHIPS	33	dry	11-Jul-19	11.3	540	5.6	0.005	0.21	0.24	27.3	-1.3	0.5	77.7	-0.01	0.25	0.2	0.07						