



ASX Announcement | 28 March 2024

Convertible Note Funding

- PAM receives commitments of \$894,619 before costs for its Convertible Note.
- Positions PAM to satisfy its working capital requirements as it continues discussions with strategic investors.
- Participation during voluntary suspension confirms strong support for PAM's lithium exploration and development assets and business strategy.
- Positive developments regarding lithium exploration and project development in Thailand and Chile position PAM well for future growth.

Pan Asia Metals' Managing Director, Paul Lock, said: *"It's a tough decision to elect voluntary suspension while we progress discussions with strategic partners and investors, and we understand that there may be some frustration, but we have received a lot of positive support for this decision and for PAM's business strategy, and we feel that it is in Shareholder's best interests to approach the process this way. In Thailand and Chile there has been positive endorsement for lithium exploration as both countries want to secure their supply chain and position in the global lithium market respectively. We believe this will flow through to positive outcomes for PAM."*

Battery and critical metals explorer and developer Pan Asia Metals Limited (ASX: PAM) ('PAM' or 'the Company') advises that it remains in discussions with strategic investors regarding their participation in a Placement. In the meantime, PAM has raised \$852,219 via the issue of Convertible Notes as interim funding. PAM has also received an application for a further Note with a face value of THB 1,000,000 (~A\$42,400) from Director Chanyapoon, which will be issued subject to Shareholder approval at the Company's Annual General Meeting.

The Convertible Notes have a conversion price of \$0.15 per share, representing a 6% discount from the last close price for PAM shares of \$0.16. Shares issued on conversion of the Convertible Notes will be issued utilising the Company's ASX Listing Rule 7.1 placement capacity. Funds raised will be used for working capital prior to the completion of a larger capital raise. The terms of the Convertible Notes are set out in Annexure A.

Ends

Authorised by:
Chairman and Managing Director

PAN ASIA METALS LIMITED

Level 3, 77 Robinson Road, Robinson 77, Singapore, 068896
Level 23, 52 Thaniya Plaza, Silom Road, Bangrak, Bangkok, 10500
www.panasiametals.com



ANNEXURE A: Convertible Note Terms

Issuer	Pan Asia Metals Ltd
Noteholders/Investors	Sophisticated, wholesale, professional investors or other investors exempt from offer document disclosure by way of section 708 of the Corporations Act
Aggregate Face Value	A\$894,619 (including the related party Note subject to Shareholder approval)
Maturity Date	12 months from issue
Conversion	Notes and any associated interest may be converted into fully paid ordinary shares in the capital of the Company at any time at the Noteholder's election
Interest	16% per annum
Repurchase	The Company may repurchase the Notes from the Noteholders by paying the principal amount outstanding together with any interest (with a minimum of 6 months interest being payable if repurchased less than six months from issue)
Repayment	12 months from the date funds are received
Security	The Notes are unsecured and rank equally with all other unsecured creditors
Brokerage/Costs	Company led with minor broker participation, total brokerage ~0.5%.



ABOUT PAN ASIA METALS LIMITED (ASX:PAM)

Pan Asia Metals Limited is the only publicly traded battery materials company with lithium projects in South-East Asia and South America, and with agreements with key battery and chemical producers in the Asian region to produce advanced battery chemicals.

PAM's RK Lithium Project is strategically located in Thailand – the largest vehicle producer in the region. With Asia accounting for more than half of the global annual vehicle production, PAM is uniquely positioned to capitalise on the soaring demand for battery minerals in the region. PAM's Tama Atacama Lithium Project is strategically located in the Atacama region of Chile. At about 1200km² and located on key infrastructure, 40km from the coast and 75km from Iquique - with a population of 200,000 and large port infrastructure - it is one of the largest and most strategically placed lithium brine assets in the global peer group.

PAM's dedication to producing innovative, high-value products with a minimal carbon footprint makes us an ideal partner for meeting our needs in both battery chemicals and sustainable energy. PAM is also a respected local company, with a strategy focused on developing an integrated supply chain to cost-effectively deliver relevant and in-demand products to the Li-ion battery market.

PAM is rapidly advancing its lithium projects through to feasibility and plans to expand its global lithium resource sustainably through its extensive holdings in Asia and South America.

To learn more, please visit: www.panasiametals.com

Stay up to date with the latest news by connecting with PAM on [LinkedIn](#) and [Twitter](#).

For Investor Enquiries, reach out to:

Patrick Chang

Pan Asia Metals Limited
Investor Relations &
Business Development
patrick.chang@panasiametals.com

For Media Enquiries, reach out to:

Tish Koh

Pan Asia Metals Limited
Communications &
Marketing Manager
tish.koh@panasiametals.com



Competent Persons Statement

The information in this report that relates to Mineral Resources is based on information compiled by Ms Millicent Canisius and Mr Anthony Wesson, both full-time employees of CSA Global. Mr Anthony Wesson is a Fellow and Chartered Professional of the Australasian Institute of Mining and Metallurgy and Ms Millicent Canisius is a Member of the Australasian Institute of Mining and Metallurgy. Mr Anthony Wesson and Ms Millicent Canisius have sufficient experience, relevant to the style of mineralisation and type of deposit under consideration and to the activity which they are undertaking, to qualify as Competent Persons as defined in the 2012 Edition of the Australasian Code for the Reporting of Exploration Results, Mineral Resources and Ore Reserves (JORC Code). Mr Anthony Wesson and Ms Millicent Canisius consent to the disclosure of the information in this report in the form and context in which it appears.

The information in this report that relates to Exploration Targets and Exploration Results, is based on information compiled by Mr. David Hobby, is a Member of the Australasian Institute of Mining and Metallurgy. Mr. Hobby is a full time employee, Director and Shareholder of Pan Asia Metals Limited. Mr. Hobby has sufficient experience, relevant to the style of mineralisation and type of deposit under consideration and to the activity that he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves (JORC Code). Mr. Hobby consents to the inclusion in the report of the matters based on his information in the form and context in which it appears.

Forward Looking Statements


Various statements in this document constitute statements relating to intentions, future acts and events which are generally classified as “forward looking statements”. These forward looking statements are not guarantees or predictions of future performance and involve known and unknown risks, uncertainties and other important factors (many of which are beyond the Company’s control) that could cause those future acts, events and circumstances to differ materially from what is presented or implicitly portrayed in this document. For example, future reserves or resources or exploration targets described in this document may be based, in part, on market prices that may vary significantly from current levels. These variations may materially affect the timing or feasibility of particular developments. Words such as “anticipates”, “expects”, “intends”, “plans”, “believes”, “seeks”, “estimates”, “potential” and similar expressions are intended to identify forward-looking statements. Pan Asia Metals cautions security holders and prospective security holders to not place undue reliance on these forward-looking statements, which reflect the view of Pan Asia Metals only as of the date of this document. The forward-looking statements made in this document relate only to events as of the date on which the statements are made. Except as required by applicable regulations or by law, Pan Asia Metals does not undertake any obligation to publicly update or review any forward-looking statements, whether as a result of new information or future events. Past performance cannot be relied on as a guide to future performance.

Important

To the extent permitted by law, PAM and its officers, employees, related bodies corporate and agents (Agents) disclaim all liability, direct, indirect or consequential (and whether or not arising out of the negligence, default or lack of care of PAM and/or any of its Agents) for any loss or damage suffered by a Recipient or other persons arising out of, or in connection with, any use or reliance on this document or information.

RK Lithium Project

The RK Lithium Project ('RKLP'), inclusive of the RK Lithium Prospect (RK) and the BT Lithium Prospect (BT), is one of PAM's key assets. RKLP is a hard rock lithium project with lithium hosted in lepidolite/muscovite rich pegmatites chiefly composed of quartz, feldspar, lepidolite and muscovite both lithium bearing micas, with minor cassiterite and tantalite as well as other accessory minerals. Previous open pit mining extracting tin from the weathered pegmatites was conducted into the early 1970's.



Regional map: Location of Phang Nga and the Reung Kiet Lithium Project

RK Lithium Prospect

The RK Lithium Prospect (RK) is located about 8km south of the BT Lithium Prospect (BT) in southern Thailand. At RK PAM has estimated a Mineral Resource Estimate of 14.8 million tonnes at a grade 0.45% Li₂O, containing 164,500 tonnes LCE. See Table 1 and PAM ASX announcement “*Reung Kiet Lithium Project Mineral Resource Update*” dated 2 November, 2023.

Table 1. RK Lithium Prospect – Mineral Resource at a 0.25% Li₂O cut-off (2nd November 2023)

Resource Category	Resource (Mt)	Li ₂ O %	Sn ppm	Ta ₂ O ₅ ppm	Rb %	Cs ppm	Cont. LCE
Measured	7.80	0.44	410	74	0.20	230	85,289
Indicated	3.26	0.49	349	85	0.20	261	39,375
Inferred	3.74	0.41	390	78	0.19	229	38,252
Total	14.80	0.45	391	77	0.20	237	164,500

Note: Contained LCE for individual Resource categories is subject to tonnes and grade rounding.

The RK Prospect hosts a relatively large open cut tin mine that operated into the 1970’s. The old pit is about 500m long and up to 125m wide. Mining of weathered pegmatites was undertaken by open cut hydraulic methods to about 30m below surface and ceased when hard rock was intersected.

Pan Asia has identified a prospective zone over 1km long. Mineralisation remains open along strike to the north and south, with strong mineralisation particularly evident at surface and at depth in the south. PAM retains a 100% interest in RK.

BT Lithium Prospect

The BT Lithium Prospect (BT) is located about 8km north of the RK in southern Thailand. At BT PAM has estimated a drill supported Exploration Target of 16 to 25 million tonnes at a grade ranging between 0.4% to 0.7% Li₂O. See Table 2 and PAM ASX announcement “*Reung Kiet Lithium Project Exploration Target Substantially Increased*” dated 10 July, 2023.

Table 2 – BT Lithium Prospect - Exploration Target, 10th July, 2023

	Million Tonnes	Li ₂ O %	Sn %	Ta ₂ O ₅ (ppm)	Rb %	Cs (ppm)	K (%)
Lower	16.0	0.70	0.16	120	0.30	250	2.80
Upper	25.0	0.40	0.11	95	0.25	200	2.40

The potential quantity and grade of the Exploration Target are conceptual in nature. There has been insufficient exploration to estimate a Mineral Resource and it is uncertain if further exploration will result in the estimation of a Mineral Resource.

The BT hosts a significant historic tin mine that extends for almost 2km along strike. Mining of weathered pegmatites was undertaken by open cut hydraulic methods to about 40m below surface and ceased when hard rock was intersected. PAM retains a 100% interest in BT.

Tama Atacama Lithium Brine Project

The Tama Atacama Lithium Project distinguishes itself as one of South America's largest and most strategically positioned lithium brine projects with ~120,000ha (~1,200km²) of granted exploration licenses or exploration license applications over which PAM has entered into binding Option Agreements to Purchase 100% of the project area. See Figure 4 and PAM ASX announcements titled “Tama Atacama Lithium Option Agreements Signed” and “Tama Atacama Lithium Presentation” dated 2nd January and 12th February, 2024 respectively.




Figure 4. Tama Atacama Lithium Project: Granted Licenses under Option Agreements and MOU

The project sits within the 12,500km² Pampa del Tamarugal Basin, which is located in the Atacama Desert in northern Chile. Reconnaissance work suggests similar geochemical signatures to Salar de Atacama. Analysis of historical geophysics (seismic) show a very large basin up to 600m deep.

Extensive lithium surface anomalies with lithium results up to 2,200ppm Li, and averaging 700ppm Li (56/177 assays, 270ppm cutoff) extend over ~160km, see Figure 2. The project is north of Chile's lithium chemical refining hub in Antofagasta, see Figure 5.




Figure 5. Tama Atacama Lithium Project: Proximal Lithium Chemical Refining Plants

The Project is situated at an altitude of 800-1100m, it is one of the lowest-lying lithium brine projects globally, and the project is set in a hyper-arid environment with very high evaporation rates, is well-supported with all necessary transport and energy infrastructure, and is situated 40-60km from the coast and only 75km from Iquique, a well-equipped coastal city with a population of 200,000, a deep water bulk and container port, and regular flights to Santiago. Tama Atacama is only 75km from Port of Patillos, Chile's largest salt export terminal, providing PAM a potential solution for waste salt, and several pipelines pump sea water through PAM's project areas, providing a potential solution to achieving water balance.