

***Not for release to US wire services or distribution in the United States***

3 May 2023

## **FURTHER HIGH GRADE REE CLAY MINERALISATION CONTINUES AT SALAZAR**

### **Highlights**

- Excellent high-grade near surface REE assay results received from a further 37 holes of a 283-hole aircore drill program
- Assay results for 197 holes have now been received.
- Significant additional results from the Newmont deposit area include:
  - 29m of 1,476ppm TREO from 4m in SZA178
  - 11m of 3,272ppm TREO from 16m in SZA180
  - 16m of 1,573ppm TREO from 4m in SZA181
  - 15m of 1,105ppm TREO from 13m in SZA186
- AMC engaged to upgrade the (current 43.5Mt at 1192ppm TREO) Inferred Mineral Resource at the Newmont deposit during Q2 2023.
- Sample results from 86 holes still in assay process at laboratory. Remaining assays results now expected during May 2023 due to continuing laboratory delays.

West Cobar Metals Limited (ASX:WC1) ("West Cobar") is pleased to report further assay results from its recent drill program at the Salazar Clay Rare Earth Element (REE) Project, 150km NE of the town of Esperance in Western Australia (Figure 3).

The phase 1 air core program of 283 holes for a total of 9342m was designed to extend and infill the existing Inferred Mineral Resource of 43.5Mt at 1192ppm total rare earths oxide (TREO) at the Newmont deposit<sup>1</sup>.

---

<sup>1</sup> West Cobar ASX announcement dated 8 September 2022.

Excellent high grade near surface REE results received from the latest 37 holes of a 283-hole aircore drill program at the Newmont are encouraging. Assay results from 197 holes have now been received from the phase 1 air core program at the Salazar REE Project.

**West Cobar Metals Non-Executive Chairman, Rob Klug, commented:** *"the recent assay results from our first phase drilling continue to deliver high grade near surface rare earth mineralisation at the Newmont Deposit.*

*We are extremely pleased with the results received to date, which continue to validate the robust nature of the REE mineralisation of the existing Inferred Newmont Mineral Resource.*

*Once all assay results are received this month, our focus will be to integrate the recent drilling data with the historical data to produce an updated Inferred Mineral Resource Estimate for the Newmont deposit during Q2 2023."*

## **NEWMONT DEPOSIT AREA**

The additional REE results received from the 37 holes at the Newmont deposit area continue to be encouraging (Table 1). The results confirm the presence of high TREO grades at Newmont, and relatively high magnet rare earth oxide content and locally high scandium oxide content (Table 1).

Significant intersections received include:

- 29m of 1,476ppm TREO from 4m in SZA178
- 11m of 3,272ppm TREO from 16m in SZA180
- 16m of 1,573ppm TREO from 4m in SZA181
- 15m of 1,105ppm TREO from 13m in SZA186

Most of the recent drill results from the Newmont deposit lie adjoining and within the area of the existing Inferred Resource (Figure 1) and are likely to support and give additional confidence to the Mineral Resource Estimate upgrade.

The drill samples are being analysed by Bureau Veritas. Final results were scheduled to be received in April 2023. However, the balance of assay results are now expected in May. Continuing delays are due to laboratory equipment failures at Bureau Veritas.




Figure 1: Phase 1 air core drill collars within Newmont tenement E63/1496 showing holes where assays received and holes with significant intersections




Figure 2: Newmont Deposit, north-south section, 478600E, through part of the deposit. Infill of Inferred Mineral Resource area, phase 1 drill intersections received are shown.

## ONGOING WORK

Results of 86 holes from the Newmont deposit area are still to be received. Once all analyses are received and processed the final assay results will be integrated with the historical data to produce an updated Inferred Resource for the Newmont deposit during Q2 2023. The exploration target covering both the Newmont and O'Connor areas will also be revised.

In addition, comprehensive leach testwork to build on the existing positive data has begun at Australian Nuclear Science and Technology Organisation (ANSTO),<sup>2</sup> front-end beneficiation trials are continuing at Nagrom and ARC Centre of Excellence for Enabling Eco-Efficient Beneficiation of Minerals.

**Table 1: Selected summary of results received<sup>3</sup> subsequent to ASX announcement of 30 March 2023, Newmont Deposit, intersections >500ppm TREO<sup>1</sup> cut-off and >2000 metres x TREO accumulation. Minimum intersection width 2m, maximum 2m of internal waste**

<b>Hole ID</b>	<b>From Depth (m)</b>	<b>To Depth (m)</b>	<b>Interval m</b>	<b>TREO ppm</b>	<b>Pr<sub>6</sub>O<sub>11</sub> ppm</b>	<b>Nd<sub>2</sub>O<sub>3</sub> ppm</b>	<b>Dy<sub>2</sub>O<sub>3</sub> ppm</b>	<b>Tb<sub>4</sub>O<sub>7</sub> ppm</b>	<b>Sc<sub>2</sub>O<sub>3</sub> ppm</b>
SZA164	45	51	6	1727	82	302	53	9	28
SZA165	35	42	7	736	36	124	14	3	23
SZA166	44	54	10	1765	91	320	34	7	25
SZA167	28	30	2	1268	75	213	17	3	43
SZA167	43	49	6	1101	44	161	27	5	24
SZA168	21	38	17	841	35	127	22	4	30
SZA172	14	20	6	1265	41	168	37	6	20
SZA175	15	21	6	1321	47	183	34	6	20
SZA176	12	17	5	962	51	140	6	1	25
SZA177	13	26	15	894	44	134	16	2	23
SZA178	4	33	29	1476	67	264	60	8	83
SZA179	13	16	3	734	36	107	14	2	16
SZA180	16	27	11	3272	116	388	58	9	131
SZA181	8	24	16	1573	64	262	70	9	104
SZA184	12	40	28	674	29	92	6	1	13

<sup>2</sup> West Cobar ASX announcement dated 12 April 2023

<sup>3</sup> Complete results received for all holes at 300ppm TREO cut-off are presented in Appendix 2.

Hole ID	From Depth (m)	To Depth (m)	Interval m	TREO ppm	Pr <sub>6</sub> O <sub>11</sub> ppm	Nd <sub>2</sub> O <sub>3</sub> ppm	Dy <sub>2</sub> O <sub>3</sub> ppm	Tb <sub>4</sub> O <sub>7</sub> ppm	Sc <sub>2</sub> O <sub>3</sub> ppm
SZA185	8	46	38	556	25	116	14	3	44
SZA186	6	21	15	1105	43	204	37	7	100
SZA187	3	10	7	2240	93	438	80	14	73
SZA188	30	32	2	1273	48	224	32	6	25
SZA188	35	39	4	628	22	97	14	2	15
SZA189	46	49	3	1751	67	264	38	7	19
SZA190	36	41	5	1150	48	174	23	4	20
SZA191	27	42	15	874	34	151	22	4	40
SZA192	41	51	10	734	35	131	18	3	19
SZA193	16	23	7	766	37	143	17	3	19



Figure 3: Location of the Salazar REE project tenements

-ENDS-

This ASX announcement has been approved by the Board of West Cobar Metals Limited.

**Further information:**

David Pascoe  
Chief Executive Officer  
[david.pascoe@westcobarmetals.com.au](mailto:david.pascoe@westcobarmetals.com.au)  
+61 8 9481 0389

Luke Forrestal  
GRA Partners  
[luke.forrestal@grapartners.com.au](mailto:luke.forrestal@grapartners.com.au)  
+61 411 479 144

Kevin Das  
Executive Director  
[kevin.das@westcobarmetals.com.au](mailto:kevin.das@westcobarmetals.com.au)  
+61 421 077 523

This announcement has been prepared for publication in Australia and may not be released or distributed in the United States. This announcement does not constitute an offer to sell, or a solicitation of an offer to buy, securities in the United States or any other jurisdiction. Any securities described in this announcement have not been, and will not be, registered under the US Securities Act of 1933 and may not be offered or sold in the United States except in transactions exempt from, or not subject to, the registration of the US Securities Act and applicable US state securities laws.

**Forward looking statement**

Certain information in this document refers to the intentions of West Cobar, but these are not intended to be forecasts, forward looking statements or statements about the future matters for the purposes of the Corporations Act or any other applicable law. The occurrence of the events in the future are subject to risk, uncertainties and other actions that may cause West Cobar's actual results, performance or achievements to differ from those referred to in this document. Accordingly, West Cobar and its affiliates and their directors, officers, employees and agents do not give any assurance or guarantee that the occurrence of these events referred to in the document will actually occur as contemplated.

Statements contained in this document, including but not limited to those regarding the possible or assumed future costs, performance, dividends, returns, revenue, exchange rates, potential growth of West Cobar, industry growth or other projections and any estimated company earnings are or may be forward looking statements. Forward-looking statements can generally be identified by the use of words such as 'project', 'foresee', 'plan', 'expect', 'aim', 'intend', 'anticipate', 'believe', 'estimate', 'may', 'should', 'will' or similar expressions. These statements relate to future events and expectations and as such involve known and unknown risks and significant uncertainties, many of which are outside the control of West Cobar. Actual results, performance, actions and developments of West Cobar may differ materially from those expressed or implied by the forward-looking statements in this document.

Such forward-looking statements speak only as of the date of this document. There can be no assurance that actual outcomes will not differ materially from these statements. To the maximum extent permitted by law, West Cobar and any of its affiliates and their directors, officers, employees, agents, associates and advisers:

- disclaim any obligations or undertaking to release any updates or revisions to the information to reflect any change in expectations or assumptions;
- do not make any representation or warranty, express or implied, as to the accuracy, reliability or completeness of the information in this document, or likelihood of fulfilment of any forward-looking

- statement or any event or results expressed or implied in any forward-looking statement; and
- disclaim all responsibility and liability for these forward-looking statements (including, without limitation, liability for negligence).

**Competent Person Statement and JORC Information**

The Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves (the 'JORC Code') sets out minimum standards, recommendations and guidelines for Public Reporting in Australasia of Exploration Results, Mineral Resources and Ore Reserves.

The information contained in this announcement that relates to the exploration information at the Salazar Project, WA fairly reflects information compiled by Mr David Pascoe, who is CEO of West Cobar Metals Limited and a Member of the Australian Institute of Geoscientists. Mr Pascoe has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr Pascoe consents to the inclusion in this announcement of the matters based on his information in the form and context in which it appears.

The Company confirms that with respect to the Salazar Project, that it is not aware of any new information or data that materially affects the information included in the Ore Resources provided by the Competent Person in the announcement to the ASX of 8 September 2022 and that all material assumptions and technical parameters underpinning the Ore Resources, continue to apply and have not materially changed.

## Appendix 1 - Aircore collar data (MGA94 Zone 51). All holes vertical.

Holes listed as previously reported, see ASX Announcements of 6 February 2023, 1 March 2023 and 30 March 2023.

Hole_ID	Project	Easting	Northing	Collar RL	Total Depth	Assays
SZA001	Newmont	478703	6346919	228	57	Previously reported
SZA002	Newmont	478598	6347025	232	59	Previously reported
SZA003	Newmont	478607	6347199	224	45	Previously reported
SZA004	Newmont	478617	6347299	224	44	Previously reported
SZA005	Newmont	478618	6347404	221	40	Previously reported
SZA006	Newmont	478620	6347504	222	28	Previously reported
SZA007	Newmont	478626	6347604	224	33	Previously reported
SZA008	Newmont	478626	6347701	223	30	Previously reported
SZA009	Newmont	478629	6347800	234	30	Previously reported
SZA010	Newmont	478618	6347926	229	37	Previously reported
SZA011	Newmont	478617	6348013	218	42	Previously reported
SZA012	Newmont	478611	6348107	218	46	Previously reported
SZA013	Newmont	478606	6348202	214	39	Previously reported
SZA014	Newmont	478607	6348300	225	47	Previously reported
SZA015	Newmont	478602	6348400	218	48	Previously reported
SZA016	Newmont	478600	6348499	219	38	Previously reported
SZA017	Newmont	478501	6348500	223	39	Previously reported
SZA018	Newmont	478401	6348510	230	35	Previously reported
SZA019	Newmont	478302	6348504	231	36	Previously reported
SZA020	Newmont	478202	6348511	235	39	Previously reported
SZA021	Newmont	478105	6348505	230	62	Previously reported
SZA022	Newmont	478002	6348502	236	60	Previously reported
SZA023	Newmont	477900	6348499	224	59	Previously reported
SZA024	Newmont	477801	6348504	217	52	Previously reported
SZA025	Newmont	477698	6348507	216	29	Previously reported
SZA026	Newmont	477600	6348504	223	32	Previously reported
SZA027	Newmont	477499	6348502	226	37	Previously reported
SZA028	Newmont	477402	6348504	230	39	Previously reported
SZA029	Newmont	477302	6348503	226	51	Previously reported
SZA030	Newmont	477101	6348498	225	32	Previously reported
SZA031	Newmont	477001	6348499	222	39	Previously reported
SZA032	Newmont	477452	6348245	220	30	Previously reported
SZA033	Newmont	477804	6347868	220	34	Previously reported



Hole_ID	Project	Easting	Northing	Collar RL	Total Depth	Assays
SZA034	Newmont	477901	6347767	219	37	Previously reported
SZA035	Newmont	477991	6347671	226	59	Previously reported
SZA036	Newmont	478097	6347556	227	44	Previously reported
SZA037	Newmont	478298	6347339	228	50	Previously reported
SZA038	Newmont	478396	6347238	202	53	Previously reported
SZA039	Newmont	478497	6347131	201	52	Previously reported
SZA040	Newmont	478603	6353015	216	26	Previously reported
SZA041	Newmont	478702	6353016	216	21	Previously reported
SZA042	Newmont	478799	6353012	220	24	Previously reported
SZA043	Newmont	478901	6353011	222	16	Previously reported
SZA044	Newmont	478999	6353010	226	13	Previously reported
SZA045	Newmont	479096	6353009	222	17	Previously reported
SZA046	Newmont	479198	6353006	226	17	Previously reported
SZA047	Newmont	479300	6353005	222	23	Previously reported
SZA048	Newmont	479397	6353011	224	13	Previously reported
SZA049	Newmont	479499	6353001	226	17	Previously reported
SZA050	Newmont	479595	6352998	227	36	Previously reported
SZA051	Newmont	479595	6353003	233	32	Previously reported
SZA052	Newmont	479798	6352999	231	24	Previously reported
SZA053	Newmont	479904	6352998	227	34	Previously reported
SZA054	Newmont	480000	6352995	227	23	Previously reported
SZA055	Newmont	480097	6353006	233	36	Previously reported
SZA056	Newmont	480184	6353000	232	32	Previously reported
SZA057	Newmont	478401	6352503	231	7	Previously reported
SZA058	Newmont	478497	6352498	225	7	Previously reported
SZA059	Newmont	478698	6352481	224	22	Previously reported
SZA060	Newmont	478798	6352475	224	23	Previously reported
SZA061	Newmont	478903	6352483	223	17	Previously reported
SZA062	Newmont	478998	6352478	226	19	Previously reported
SZA063	Newmont	479095	6352486	227	19	Previously reported
SZA064	Newmont	479301	6352496	225	21	Previously reported
SZA065	Newmont	479396	6352498	225	27	Previously reported
SZA066	Newmont	479503	6352489	225	28	Previously reported
SZA067	Newmont	479599	6352490	226	21	Previously reported
SZA068	Newmont	479699	6352490	227	29	Previously reported
SZA069	Newmont	479799	6352485	227	34	Previously reported
SZA070	Newmont	478600	6351997	226	41	Previously reported

Hole_ID	Project	Easting	Northing	Collar RL	Total Depth	Assays
SZA071	Newmont	478503	6351995	226	38	Previously reported
SZA072	Newmont	478402	6351998	227	35	Previously reported
SZA073	Newmont	478302	6351996	229	45	Previously reported
SZA074	Newmont	478202	6351996	231	48	Previously reported
SZA075	Newmont	478104	6351997	237	33	Previously reported
SZA076	Newmont	478009	6352003	237	47	Previously reported
SZA077	O'Connor	488703	6336082	222	29	Previously reported
SZA078	O'Connor	488900	6335862	222	26	Previously reported
SZA079	O'Connor	489100	6335638	222	29	Previously reported
SZA080	O'Connor	489302	6335212	222	22	Previously reported
SZA081	O'Connor	488800	6333976	222	30	Previously reported
SZA082	O'Connor	489398	6334383	222	11	Previously reported
SZA083	O'Connor	489208	6334245	222	12	Previously reported
SZA084	O'Connor	488601	6333839	222	16	Previously reported
SZA085	O'Connor	488400	6333703	222	10	Previously reported
SZA086	O'Connor	488194	6333565	222	8	Previously reported
SZA087	O'Connor	488014	6333440	222	18	Previously reported
SZA088	O'Connor	487803	6333295	222	39	Previously reported
SZA089	O'Connor	487594	6333154	222	34	Previously reported
SZA090	O'Connor	487398	6333022	222	24	Previously reported
SZA091	O'Connor	487198	6332886	222	40	Previously reported
SZA092	O'Connor	486801	6332619	222	33	Previously reported
SZA093	O'Connor	486598	6332480	222	39	Previously reported
SZA094	O'Connor	486492	6332348	222	49	Previously reported
SZA095	O'Connor	486203	6332213	222	24	Previously reported
SZA096	O'Connor	485997	6332077	222	24	Previously reported
SZA097	O'Connor	485802	6331942	222	26	Previously reported
SZA098	O'Connor	485600	6331805	222	38	Previously reported
SZA099	O'Connor	485400	6331670	222	39	Previously reported
SZA100	O'Connor	485199	6331534	222	31	Previously reported
SZA101	O'Connor	484998	6331399	222	33	Previously reported
SZA102	O'Connor	484802	6331267	222	27	Previously reported
SZA103	O'Connor	484600	6331124	222	24	Previously reported
SZA104	O'Connor	490901	6332293	222	28	Previously reported
SZA105	O'Connor	490920	6332598	222	48	Previously reported
SZA106	O'Connor	491199	6332754	222	12	Previously reported
SZA107	O'Connor	491600	6332777	222	27	Previously reported



Hole_ID	Project	Easting	Northing	Collar RL	Total Depth	Assays
SZA108	O'Connor	492000	6332733	222	6	Previously reported
SZA109	Newmont	478899	6351985	221	10	Previously reported
SZA110	Newmont	479001	6351988	222	39	Previously reported
SZA111	Newmont	479098	6351991	222	30	Previously reported
SZA112	Newmont	479196	6351991	221	22	Previously reported
SZA113	Newmont	479299	6351991	216	19	Previously reported
SZA114	Newmont	479399	6351989	224	22	Previously reported
SZA115	Newmont	479502	6351993	219	24	Previously reported
SZA116	Newmont	479599	6351995	219	37	Previously reported
SZA117	Newmont	479699	6351990	224	45	Previously reported
SZA118	Newmont	479803	6351990	225	30	Previously reported
SZA119	Newmont	479899	6351991	225	60	Previously reported
SZA120	Newmont	480003	6351989	225	40	Previously reported
SZA121	Newmont	478413	6351642	226	30	Previously reported
SZA122	Newmont	478601	6351626	217	29	Previously reported
SZA123	Newmont	478706	6351628	221	13	Previously reported
SZA124	Newmont	478799	6351622	221	15	Previously reported
SZA125	Newmont	478901	6351627	223	23	Previously reported
SZA126	Newmont	478998	6351621	218	15	Previously reported
SZA127	Newmont	479100	6351609	219	15	Previously reported
SZA128	Newmont	479202	6351609	217	37	Previously reported
SZA129	Newmont	479296	6351612	216	32	Previously reported
SZA130	Newmont	479402	6351592	223	15	Previously reported
SZA131	Newmont	479497	6351580	219	17	Previously reported
SZA132	Newmont	479698	6351566	219	28	Previously reported
SZA133	Newmont	479804	6351536	216	39	Previously reported
SZA134	Newmont	479901	6351513	217	29	Previously reported
SZA135	Newmont	479999	6351497	224	45	Previously reported
SZA136	Newmont	480100	6351490	222	36	Previously reported
SZA137	Newmont	480203	6351493	222	58	Previously reported
SZA138	Newmont	480300	6351498	224	64	Previously reported
SZA139	Newmont	480400	6351501	224	43	Previously reported
SZA140	Newmont	480500	6351500	226	33	Previously reported
SZA141	Newmont	480602	6351485	217	35	Previously reported
SZA142	Newmont	480697	6351480	220	18	Previously reported
SZA143	Newmont	480800	6351440	216	19	Previously reported
SZA144	Newmont	480899	6351339	212	24	Previously reported

Hole_ID	Project	Easting	Northing	Collar RL	Total Depth	Assays
SZA145	Newmont	480996	6351348	215	23	Previously reported
SZA146	Newmont	481093	6351348	222	26	Previously reported
SZA147	Newmont	481202	6351322	221	28	Previously reported
SZA148	Newmont	479500	6351509	223	15	Previously reported
SZA149	Newmont	479398	6351498	218	15	Previously reported
SZA150	Newmont	479298	6351497	223	48	Previously reported
SZA151	Newmont	479199	6351507	219	40	Previously reported
SZA152	Newmont	479000	6351505	221	13	Previously reported
SZA153	Newmont	478900	6351507	222	21	Previously reported
SZA154	Newmont	478673	6350989	221	34	Previously reported
SZA155	Newmont	478826	6350999	217	35	Previously reported
SZA156	Newmont	478896	6351003	214	30	Previously reported
SZA157	Newmont	478998	6351003	216	24	Previously reported
SZA158	Newmont	479100	6350999	217	38	Previously reported
SZA159	Newmont	479200	6351001	213	26	Previously reported
SZA160	Newmont	478594	6348595	218	36	Previously reported
SZA161	Newmont	478586	6348699	217	32	Previously reported
SZA162	Newmont	478582	6348800	221	38	Previously reported
SZA163	Newmont	478573	6348896	219	48	Previously reported
SZA164	Newmont	478545	6349095	221	53	No Intersect >300ppm TREO over 2m
SZA165	Newmont	478537	6349201	216	49	Reported, see Appendix 2
SZA166	Newmont	478530	6349299	215	55	Reported, see Appendix 2
SZA167	Newmont	478535	6349394	219	49	Reported, see Appendix 2
SZA168	Newmont	478542	6349495	216	39	Reported, see Appendix 2
SZA169	Newmont	478539	6349597	218	27	Reported, see Appendix 2
SZA170	Newmont	478517	6349699	214	25	Reported, see Appendix 2
SZA171	Newmont	478539	6349800	214	28	Reported, see Appendix 2
SZA172	Newmont	478576	6349894	216	20	Reported, see Appendix 2
SZA173	Newmont	478598	6350201	215	10	No Intersect >300ppm TREO over 2m
SZA174	Newmont	478601	6350295	217	6	No Intersect >300ppm TREO over 2m
SZA175	Newmont	478601	6350398	216	21	Reported, see Appendix 2
SZA176	Newmont	478617	6350695	224	17	Reported, see Appendix 2
SZA177	Newmont	478604	6350897	220	26	Reported, see Appendix 2
SZA178	Newmont	478593	6351097	216	38	Reported, see Appendix 2
SZA179	Newmont	478589	6351293	222	16	Reported, see Appendix 2
SZA180	Newmont	478591	6351395	221	27	Reported, see Appendix 2



Hole_ID	Project	Easting	Northing	Collar RL	Total Depth	Assays
SZA181	Newmont	478503	6351641	223	24	Reported, see Appendix 2
SZA182	Newmont	478007	6351686	226	13	No Intersect >300ppm TREO over 2m
SZA183	Newmont	478023	6351601	223	14	Reported, see Appendix 2
SZA184	Newmont	478062	6351398	223	42	Reported, see Appendix 2
SZA185	Newmont	478081	6351299	224	46	Reported, see Appendix 2
SZA186	Newmont	478099	6351201	210	25	Reported, see Appendix 2
SZA187	Newmont	478115	6351102	214	10	Reported, see Appendix 2
SZA188	Newmont	478384	6349299	221	39	Reported, see Appendix 2
SZA189	Newmont	478396	6349102	223	50	Reported, see Appendix 2
SZA190	Newmont	478427	6348999	224	41	Reported, see Appendix 2
SZA191	Newmont	478431	6348901	229	45	Reported, see Appendix 2
SZA192	Newmont	478436	6348799	220	54	Reported, see Appendix 2
SZA193	Newmont	478467	6348701	221	47	Reported, see Appendix 2
SZA194	Newmont	478494	6348599	220	31	Reported, see Appendix 2
SZA195	Newmont	478503	6347947	221	38	No Intersect >300ppm TREO over 2m
SZA196	Newmont	478402	6347916	218	30	No Intersect >300ppm TREO over 2m
SZA197	Newmont	478298	6347896	217	31	No Intersect >300ppm TREO over 2m
SZA198	Newmont	478201	6347887	219	40	Pending
SZA199	Newmont	478100	6347879	219	47	Pending
SZA200	Newmont	478017	6347867	216	45	Pending
SZA201	Newmont	478003	6347803	217	36	Pending
SZA202	Newmont	477999	6347400	216	73	Pending
SZA203	Newmont	478014	6347197	220	66	Pending
SZA204	Newmont	478023	6347000	216	72	Pending
SZA205	Newmont	478047	6346598	217	47	Pending
SZA206	Newmont	478012	6346203	215	52	Pending
SZA207	Newmont	478022	6345801	218	43	Pending
SZA208	Newmont	478033	6345396	216	41	Pending
SZA209	Newmont	478071	6344999	216	40	Pending
SZA210	Newmont	478115	6344599	218	32	Pending
SZA211	Newmont	478101	6344199	218	30	Pending
SZA212	Newmont	478082	6343802	224	49	Pending
SZA213	Newmont	478078	6343400	217	25	Pending
SZA214	Newmont	478054	6343001	223	25	Pending
SZA215	Newmont	478071	6342595	221	41	Pending
SZA216	Newmont	478063	6342205	220	22	Pending
SZA217	Newmont	478038	6341801	216	24	Pending



Hole_ID	Project	Easting	Northing	Collar RL	Total Depth	Assays
SZA218	Newmont	478060	6341397	222	37	Pending
SZA219	Newmont	478072	6340998	221	28	Pending
SZA220	Newmont	478064	6340602	220	27	Pending
SZA221	Newmont	478037	6340200	219	34	Pending
SZA222	Newmont	478201	6347450	222	68	Pending
SZA223	Newmont	478301	6349000	229	43	Pending
SZA224	Newmont	478500	6349005	225	32	Pending
SZA225	Newmont	478595	6349007	223	49	Pending
SZA226	Newmont	478700	6349002	225	43	Pending
SZA227	Newmont	478796	6349002	222	39	Pending
SZA228	Newmont	478899	6348994	229	27	Pending
SZA229	Newmont	479000	6348989	222	26	Pending
SZA230	Newmont	479098	6348990	227	53	Pending
SZA231	Newmont	479199	6348996	221	53	Pending
SZA232	Newmont	479292	6349003	222	36	Pending
SZA233	Newmont	478500	6349508	219	41	Pending
SZA234	Newmont	478599	6349501	217	32	Pending
SZA235	Newmont	478698	6349500	213	33	Pending
SZA236	Newmont	478800	6349495	214	47	Pending
SZA237	Newmont	478895	6349489	216	44	Pending
SZA238	Newmont	479000	6349493	220	33	Pending
SZA239	Newmont	479100	6349495	222	43	Pending
SZA240	Newmont	479199	6349497	226	49	Pending
SZA241	Newmont	479287	6349498	227	29	Pending
SZA242	Newmont	478697	6350002	221	35	Pending
SZA243	Newmont	478797	6349999	218	61	Pending
SZA244	Newmont	478873	6350000	222	72	Pending
SZA245	Newmont	478704	6350506	220	21	Pending
SZA246	Newmont	478801	6350499	218	26	Pending
SZA247	Newmont	478901	6350494	222	45	Pending
SZA248	Newmont	478999	6350501	222	72	Pending
SZA249	Newmont	479082	6350504	221	68	Pending
SZA250	Newmont	479301	6351017	217	29	Pending
SZA251	Newmont	479399	6351003	220	41	Pending
SZA252	Newmont	479505	6350996	225	42	Pending
SZA253	Newmont	478601	6351703	215	43	Pending
SZA254	Newmont	478599	6352102	222	30	Pending

Hole_ID	Project	Easting	Northing	Collar RL	Total Depth	Assays
SZA255	Newmont	478597	6352199	220	17	Pending
SZA256	Newmont	478603	6352298	225	33	Pending
SZA257	Newmont	478596	6352403	224	34	Pending
SZA258	Newmont	478604	6352598	218	15	Pending
SZA259	Newmont	478600	6352706	220	11	Pending
SZA260	Newmont	478600	6352802	223	14	Pending
SZA261	Newmont	478597	6352902	224	30	Pending
SZA262	Newmont	477723	6351497	227	26	Pending
SZA263	Newmont	477813	6351502	222	34	Pending
SZA264	Newmont	477921	6351504	222	31	Pending
SZA265	Newmont	477900	6350997	220	15	Pending
SZA266	Newmont	477800	6350996	217	25	Pending
SZA267	Newmont	477698	6350998	219	37	Pending
SZA268	Newmont	477603	6351005	221	32	Pending
SZA269	Newmont	477514	6351003	222	31	Pending
SZA270	Newmont	477600	6350502	226	17	Pending
SZA271	Newmont	477699	6350510	224	32	Pending
SZA272	Newmont	477799	6350508	223	46	Pending
SZA273	Newmont	477602	6350001	220	4	Pending
SZA274	Newmont	477489	6349994	218	2	Pending
SZA275	Newmont	477373	6350004	222	28	Pending
SZA276	Newmont	477350	6350004	214	27	Pending
SZA277	Newmont	477419	6349997	220	26	Pending
SZA278	Newmont	477811	6349503	217	21	Pending
SZA279	Newmont	477700	6349490	229	36	Pending
SZA280	Newmont	477601	6349486	222	18	Pending
SZA281	Newmont	477552	6349489	225	19	Pending
SZA282	Newmont	477627	6348996	231	33	Pending
SZA283	Newmont	477559	6349005	227	30	Pending

## Appendix 2 - Aircore assay results, Newmont and O'Connor.

Drillhole intersections with assays received subsequent to previous ASX announcement of 30 March 2023, > 300ppm TREO cut-off, over minimum intersection width of 2m, and maximum 2m internal waste.

Hole ID	Prospect area	From (m)	To (m)	Interval m	TREO ppm	Pr <sub>6</sub> O <sub>11</sub>	Nd <sub>2</sub> O <sub>3</sub>	Dy <sub>2</sub> O <sub>3</sub>	Tb <sub>4</sub> O <sub>7</sub>	Sc <sub>2</sub> O <sub>3</sub>
SZA164	Newmont	45	53	8	1375	65	238	42	7	27
SZA165	Newmont	34	49	15	653	29	102	16	3	23
SZA166	Newmont	41	55	14	1366	71	246	26	5	25
SZA167	Newmont	28	30	2	1268	75	213	17	3	43
SZA167	Newmont	42	49	7	1003	41	148	24	4	25
SZA168	Newmont	20	39	19	794	34	120	21	3	29
SZA169	Newmont	23	26	3	637	27	98	14	2	26
SZA170	Newmont	16	25	9	473	19	73	11	2	27
SZA171	Newmont	11	19	8	412	19	68	4	1	31
SZA171	Newmont	23	28	5	493	21	92	11	2	17
SZA172	Newmont	14	20	6	1265	41	168	37	6	20
SZA175	Newmont	9	21	12	848	31	118	21	4	38
SZA176	Newmont	10	17	7	813	42	117	5	1	24
SZA177	Newmont	11	26	15	833	41	125	15	2	24
SZA178	Newmont	4	36	32	1368	61	244	56	7	82
SZA179	Newmont	13	16	3	734	36	107	14	2	16
SZA180	Newmont	16	27	11	3272	116	388	58	9	131
SZA181	Newmont	8	24	16	1573	64	262	70	9	104
SZA183	Newmont	11	13	2	395	12	28	4	1	20
SZA184	Newmont	12	42	30	657	29	90	6	1	13



**WEST  
COBAR  
METALS**

**ASX WC1**  
**ASX Announcement**

Hole ID	Prospect area	From (m)	To (m)	Interval m	TREO ppm	Pr <sub>6</sub> O <sub>11</sub>	Nd <sub>2</sub> O <sub>3</sub>	Dy <sub>2</sub> O <sub>3</sub>	Tb <sub>4</sub> O <sub>7</sub>	Sc <sub>2</sub> O <sub>3</sub>
SZA185	Newmont	8	46	38	556	25	116	14	3	44
SZA186	Newmont	6	21	15	1105	43	204	37	7	100
SZA187	Newmont	3	10	7	2240	93	438	80	14	73
SZA188	Newmont	28	39	11	592	22	95	13	2	20
SZA189	Newmont	43	50	7	1003	39	152	21	4	20
SZA190	Newmont	33	41	8	878	38	136	16	3	19
SZA191	Newmont	27	44	17	810	32	139	21	3	39
SZA192	Newmont	40	54	14	632	30	112	15	2	20
SZA193	Newmont	13	26	13	580	27	102	13	2	19
SZA194	Newmont	19	24	5	458	21	70	10	2	32

## JORC Code, 2012 Edition – Table 1 report template

### Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code explanation	Commentary
<i>Sampling techniques</i>	<ul style="list-style-type: none"> <li><i>Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</i></li> <li><i>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</i></li> <li><i>Aspects of the determination of mineralisation that are Material to the Public Report.</i></li> <li><i>In cases where ‘industry standard’ work has been done this would be relatively simple (eg ‘reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay’). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.</i></li> </ul>	<ul style="list-style-type: none"> <li>For the December 2022 to January 2023 Phase 1 drill program, samples were taken every drilled meter from an air core (AC) drill rig with sample cyclone. The cyclone sample in total was collected in a plastic RC bag. Samples for assay are around 1kg taken from every 1m AC drill interval collected by mixing and scooping from the RC bag into a calico bag. Entire 1kg sample was pulverized in the laboratory to produce a small charge for lithium borate fusion/ICP assay.</li> <li>Sampling was supervised by experienced geologist. A blank sample and duplicate sample was inserted for every hole. The laboratory also inserted QAQC samples, including Certified Reference Material (CRM) (see Quality of assay data and laboratory tests).</li> </ul>
<i>Drilling techniques</i>	<ul style="list-style-type: none"> <li><i>Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</i></li> </ul>	<ul style="list-style-type: none"> <li>Drill type was air core, drilled by Drillpower. using blade and hammer industry standard drilling techniques.</li> <li>Drilling used blade bits of 87mm with 3m length drill rods to blade refusal, or bedrock chips obtained.</li> </ul>

Criteria	JORC Code explanation	Commentary
<i>Drill sample recovery</i>	<ul style="list-style-type: none"> <li>• <i>Method of recording and assessing core and chip sample recoveries and results assessed.</i></li> <li>• <i>Measures taken to maximise sample recovery and ensure representative nature of the samples.</i></li> <li>• <i>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</i></li> </ul>	<ul style="list-style-type: none"> <li>• Sample quality and recovery were recorded in comments on log and sample sheets. The sample data was entered into an Excel sample log sheet.</li> <li>• Sample recovery was of a high standard and little additional measures were required.</li> <li>• Holes were drilled 100m apart close to the area of and within the Newmont Inferred Resource.</li> <li>• Holes were drilled 200m to 400m apart to explore E63/1496 and E63/1469</li> <li>• The assays, once complete data is received for the program, will be compared against historical data for indications of sampling or analytical bias.</li> </ul>
<i>Logging</i>	<ul style="list-style-type: none"> <li>• <i>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</i></li> <li>• <i>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</i></li> <li>• <i>The total length and percentage of the relevant intersections logged.</i></li> </ul>	<ul style="list-style-type: none"> <li>• Every 1m interval of the material drilled was geologically examined and logged (colour, grain size, quartz content, clay content and type) and intervals of similar geology grouped and zones of transported and in-situ regolith identified (soil, calcrete, transported clay, transported sand, upper and lower saprolite types, saprock).</li> <li>• All intervals, including end of hole 'fresh' basement chips saved in chip trays and photographed.</li> <li>• Basement chips geologically logged (geology, structure, alteration, veining and mineralisation).</li> </ul>
<i>Sub-sampling techniques and sample preparation</i>	<ul style="list-style-type: none"> <li>• <i>If core, whether cut or sawn and whether quarter, half or all core taken.</i></li> <li>• <i>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</i></li> <li>• <i>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</i></li> <li>• <i>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</i></li> <li>• <i>Measures taken to ensure that the sampling is representative of the in situ</i></li> </ul>	<ul style="list-style-type: none"> <li>• No drill core.</li> <li>• AC drill samples mostly dry clayey powders with varying quartz grain content and rare chips, collected from AC sample cyclone complete, every meter, into plastic RC bags weighing 8-12kg. Sub-samples for assay (1-2kg) collected by hand every 1m by mixing RC bag contents and scooping into a calico bag.</li> <li>• Samples mostly dry, with damp or wet intervals recorded.</li> <li>• The sample type and method were of an appropriate standard for AC drilling.</li> </ul>

Criteria	JORC Code explanation	Commentary
	<p><i>material collected, including for instance results for field duplicate/second-half sampling.</i></p> <ul style="list-style-type: none"> <li>• <i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i></li> </ul>	<ul style="list-style-type: none"> <li>• A blank and duplicate were inserted in the sample stream.</li> </ul>
Quality of assay data and laboratory tests	<ul style="list-style-type: none"> <li>• <i>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</i></li> <li>• <i>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</i></li> <li>• <i>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.</i></li> </ul>	<ul style="list-style-type: none"> <li>• AC samples assayed by Bureau Veritas Minerals laboratory for rare earth elements and a selection of multi-elements using lithium borate fusion followed by rare earth and multi-element analysis with ICP-AES (Inductively coupled plasma atomic emission spectroscopy) or ICP-MS (Inductively coupled plasma mass spectrometry) analysis - dependent on element being assayed for and grade ranges. The fusion techniques are considered total assays of non-refractory and refractory minerals, with lithium borate fusion assay most suitable for rare earth elements.</li> <li>• Bureau Veritas maintains an ISO9001.2000 quality system.</li> </ul>
Verification of sampling and assaying	<ul style="list-style-type: none"> <li>• <i>The verification of significant intersections by either independent or alternative company personnel.</i></li> <li>• <i>The use of twinned holes.</i></li> <li>• <i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i></li> <li>• <i>Discuss any adjustment to assay data.</i></li> </ul>	<ul style="list-style-type: none"> <li>• Sample intersections were checked by the geologist-in-charge.</li> <li>• No twinned holes</li> <li>• Data entry onto log sheets then transferred into computer Excel files carried out by field personnel thus minimising transcription or other errors. Careful field documentation procedures and rigorous database validation ensure that field and assay data are merged accurately. Assays reported as Excel xls files and secure pdf files.</li> <li>• No adjustments made to assay data.</li> <li>• Multielement results (REE) are converted to stoichiometric oxide (REO) using element-to- stoichiometric ratio factors:</li> </ul>

Criteria	JORC Code explanation	Commentary																																																
		<table border="1"> <thead> <tr> <th>Element</th><th>Oxide</th><th>Ratio</th></tr> </thead> <tbody> <tr><td>Lanthanum</td><td>La<sub>2</sub>O<sub>3</sub></td><td>1.173</td></tr> <tr><td>Cerium</td><td>Ce<sub>2</sub>O<sub>3</sub></td><td>1.171</td></tr> <tr><td>Praseodymium</td><td>Pr<sub>6</sub>O<sub>11</sub></td><td>1.208</td></tr> <tr><td>Neodymium</td><td>Nd<sub>2</sub>O<sub>3</sub></td><td>1.166</td></tr> <tr><td>Samarium</td><td>Sm<sub>2</sub>O<sub>3</sub></td><td>1.16</td></tr> <tr><td>Europium</td><td>Eu<sub>2</sub>O<sub>3</sub></td><td>1.158</td></tr> <tr><td>Gadolinium</td><td>Gd<sub>2</sub>O<sub>3</sub></td><td>1.153</td></tr> <tr><td>Terbium</td><td>Tb<sub>4</sub>O<sub>7</sub></td><td>1.176</td></tr> <tr><td>Dysprosium</td><td>Dy<sub>2</sub>O<sub>3</sub></td><td>1.148</td></tr> <tr><td>Holmium</td><td>Ho<sub>2</sub>O<sub>3</sub></td><td>1.146</td></tr> <tr><td>Erbium</td><td>Er<sub>2</sub>O<sub>3</sub></td><td>1.143</td></tr> <tr><td>Thulium</td><td>Tm<sub>2</sub>O<sub>3</sub></td><td>1.142</td></tr> <tr><td>Ytterbium</td><td>Yb<sub>2</sub>O<sub>3</sub></td><td>1.139</td></tr> <tr><td>Lutetium</td><td>Lu<sub>2</sub>O<sub>3</sub></td><td>1.137</td></tr> <tr><td>Yttrium</td><td>Y<sub>2</sub>O<sub>3</sub></td><td>1.269</td></tr> </tbody> </table> <ul style="list-style-type: none"> <li>Rare earth oxide is the industry accepted form for reporting rare earths.</li> </ul>	Element	Oxide	Ratio	Lanthanum	La <sub>2</sub> O <sub>3</sub>	1.173	Cerium	Ce <sub>2</sub> O <sub>3</sub>	1.171	Praseodymium	Pr <sub>6</sub> O <sub>11</sub>	1.208	Neodymium	Nd <sub>2</sub> O <sub>3</sub>	1.166	Samarium	Sm <sub>2</sub> O <sub>3</sub>	1.16	Europium	Eu <sub>2</sub> O <sub>3</sub>	1.158	Gadolinium	Gd <sub>2</sub> O <sub>3</sub>	1.153	Terbium	Tb <sub>4</sub> O <sub>7</sub>	1.176	Dysprosium	Dy <sub>2</sub> O <sub>3</sub>	1.148	Holmium	Ho <sub>2</sub> O <sub>3</sub>	1.146	Erbium	Er <sub>2</sub> O <sub>3</sub>	1.143	Thulium	Tm <sub>2</sub> O <sub>3</sub>	1.142	Ytterbium	Yb <sub>2</sub> O <sub>3</sub>	1.139	Lutetium	Lu <sub>2</sub> O <sub>3</sub>	1.137	Yttrium	Y <sub>2</sub> O <sub>3</sub>	1.269
Element	Oxide	Ratio																																																
Lanthanum	La <sub>2</sub> O <sub>3</sub>	1.173																																																
Cerium	Ce <sub>2</sub> O <sub>3</sub>	1.171																																																
Praseodymium	Pr <sub>6</sub> O <sub>11</sub>	1.208																																																
Neodymium	Nd <sub>2</sub> O <sub>3</sub>	1.166																																																
Samarium	Sm <sub>2</sub> O <sub>3</sub>	1.16																																																
Europium	Eu <sub>2</sub> O <sub>3</sub>	1.158																																																
Gadolinium	Gd <sub>2</sub> O <sub>3</sub>	1.153																																																
Terbium	Tb <sub>4</sub> O <sub>7</sub>	1.176																																																
Dysprosium	Dy <sub>2</sub> O <sub>3</sub>	1.148																																																
Holmium	Ho <sub>2</sub> O <sub>3</sub>	1.146																																																
Erbium	Er <sub>2</sub> O <sub>3</sub>	1.143																																																
Thulium	Tm <sub>2</sub> O <sub>3</sub>	1.142																																																
Ytterbium	Yb <sub>2</sub> O <sub>3</sub>	1.139																																																
Lutetium	Lu <sub>2</sub> O <sub>3</sub>	1.137																																																
Yttrium	Y <sub>2</sub> O <sub>3</sub>	1.269																																																
<i>Location of data points</i>	<ul style="list-style-type: none"> <li><i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i></li> <li><i>Specification of the grid system used.</i></li> <li><i>Quality and adequacy of topographic control.</i></li> </ul>	<ul style="list-style-type: none"> <li>Holes pegged and picked up with handheld GPS (+/- 3m) sufficient for drill spacing and the regolith targeted. No downhole surveys conducted as all holes vertical.</li> <li>The grid system is MGA_GDA94, zone 51.</li> <li>Topographic locations interpreted from DEMs. Adequate (+/-0.5m) for the relatively flat terrain drilled.</li> </ul>																																																
<i>Data spacing and distribution</i>	<ul style="list-style-type: none"> <li><i>Data spacing for reporting of Exploration Results.</i></li> <li><i>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i></li> <li><i>Whether sample compositing has been applied.</i></li> </ul>	<ul style="list-style-type: none"> <li>Drill and sample spacing was based on expected depth of weathering, regolith target thickness, transported overburden, saprolite and saprock thickness, basement geological unit and REE distribution.</li> <li>Sample spacing at Newmont (500m x 100m) potentially suitable for future Inferred Resource reporting.</li> <li>Sample spacing in southern part of E63/1496 and northern part of E63/1469 (O'Connor) was 200m to 400m, for exploration only, and not sufficient for resource reporting.</li> <li>No sample compositing was applied and</li> </ul>																																																

Criteria	JORC Code explanation	Commentary
		every meter drilled below transported overburden was assayed.
<i>Orientation of data in relation to geological structure</i>	<ul style="list-style-type: none"> <li><i>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</i></li> <li><i>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i></li> </ul>	<ul style="list-style-type: none"> <li>Drillholes were vertical. Given the shallow depth of the drill holes, sub-horizontal layering in the regolith and drill spacing of 50-100m, any deviation is unlikely to have a material effect on the work completed.</li> </ul>
<i>Sample security</i>	<ul style="list-style-type: none"> <li><i>The measures taken to ensure sample security.</i></li> </ul>	<ul style="list-style-type: none"> <li>Chain of custody was managed by operators West Cobar Metals. All calico bags were transported to the camp site after the hole was rehabilitated. At the camp the calico samples were sorted by hole number into bulka bags and loaded onto pallets for dispatch to Esperance Freight Lines depot for dispatch directly to Bureau Veritas. The large plastic bags of the residual sample collected by the drill were stored temporarily on the ground on-site. Once assays are received selected bags of residual samples will be transported to the Wandi shed (near Perth), or other suitable site in bulka bags for storage (for resampling, further analysis and metallurgical testwork) and the remainder left on site for burial. Close communication was maintained between site, the destination, and Esperance Freight Lines to ensure the safe arrival and timely delivery to Bureau Veritas laboratory in Kalgoorlie. Contact was made with Bureau Veritas by email on the sample delivery, sample sorting and sample submission sheets. After assay pulps are stored at Bureau Veritas until final results have been fully interpreted then disposed of or transported to the Wandi shed.</li> </ul>

Criteria	JORC Code explanation	Commentary
<i>Audits or reviews</i>	<ul style="list-style-type: none"> <li><i>The results of any audits or reviews of sampling techniques and data.</i></li> </ul>	<ul style="list-style-type: none"> <li>None carried out to date, data is still being received (assay results for 164 out of 283 holes only, received to date).</li> </ul>

## Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
<i>Mineral tenement and land tenure status</i>	<ul style="list-style-type: none"> <li><i>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</i></li> <li><i>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</i></li> </ul>	<ul style="list-style-type: none"> <li>E63/1496 containing the Newmont prospect is 100% owned by Salazar Gold Pty Ltd, a wholly owned subsidiary of West Cobar Metals Ltd. It is located 120km NE of Esperance on Vacant Crown Land. The Ngadju Native Title Claim covers the tenement and Salazar Gold has entered into a Regional Standard Heritage Agreement.</li> <li>The O'Connor prospect is entirely within E63/1469, 100% owned by Salazar Gold Pty Ltd. The prospect is located 120km NE of Esperance on Vacant Crown Land. The Ngadju Native Title Claim covers the areas drilled in this program and Salazar Gold has entered into a Regional Standard Heritage Agreement.</li> <li>Both tenements are in good standing and no known impediments exist outside of the usual course of exploration licences.</li> </ul>
<i>Exploration done by other parties</i>	<ul style="list-style-type: none"> <li><i>Acknowledgment and appraisal of exploration by other parties.</i></li> </ul>	<ul style="list-style-type: none"> <li>Prior work (apart from Salazar Gold Pty Ltd) carried out by Azure Minerals Limited in the Newmont area included aerial photography, calcrete, soil and rock chip sampling, airborne magnetic-radiometric-DTM survey, gravity survey, an IP survey, and AC, RC drilling.</li> </ul>
<i>Geology</i>	<ul style="list-style-type: none"> <li><i>Deposit type, geological setting and style of mineralisation.</i></li> </ul>	<ul style="list-style-type: none"> <li>Exploration is targeting regolith hosted REE enriched saprolitic clay deposits within the Nornalup Zone of the Albany Fraser Orogen where the saprolite-saprock target regolith horizon interacts with REE enriched ortho-amphibolite, tonalite and Esperance Granite Supersuite granites and structural</li> </ul>

Criteria	JORC Code explanation	Commentary
		complexities.
<i>Drill hole Information</i>	<ul style="list-style-type: none"> <li>• <i>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:</i> <ul style="list-style-type: none"> <li>○ <i>easting and northing of the drill hole collar</i></li> <li>○ <i>elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar</i></li> <li>○ <i>dip and azimuth of the hole</i></li> <li>○ <i>down hole length and interception depth</i></li> <li>○ <i>hole length.</i></li> </ul> </li> <li>• <i>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</i></li> </ul>	<ul style="list-style-type: none"> <li>• All drill results are reported to the ASX in accordance with the provisions of the JORC Code</li> <li>• A summary of material drill hole information is detailed in the drill hole data tables included as Appendices 1 and 2</li> <li>• No material results have been excluded.</li> <li>• Internal waste results (up to 2m) have been included in the mineralised intersections.</li> <li>• Complete assay results from Phase 1 are yet to be received and are thus not included</li> </ul>
<i>Data aggregation methods</i>	<ul style="list-style-type: none"> <li>• <i>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated.</i></li> <li>• <i>Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</i></li> <li>• <i>The assumptions used for any reporting of metal equivalent values should be clearly stated.</i></li> </ul>	<ul style="list-style-type: none"> <li>• All reported assays for each meter have been averaged over the interval applying 300ppm TREO and 500ppm TREO cut-offs, considered to be appropriate for exploration of a clay hosted REE project.</li> <li>• No metal equivalent values are used for reporting exploration results.</li> <li>• Multielement results (REE) are converted to stoichiometric oxide (REO) using element-to-stoichiometric conversion ratios.</li> <li>• These stoichiometric conversion ratios are stated in the 'verification of sampling and assaying' table above and can be referenced in appropriate publicly available technical data</li> </ul>
<i>Relationship between mineralisation</i>	<ul style="list-style-type: none"> <li>• <i>These relationships are particularly important in the reporting of Exploration Results.</i></li> </ul>	<ul style="list-style-type: none"> <li>• Due to the sub-horizontal distribution and orientation of the regolith hosted mineralised trend the vertical orientation of</li> </ul>

Criteria	JORC Code explanation	Commentary
<i>widths and intercept lengths</i>	<ul style="list-style-type: none"> <li><i>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</i></li> <li><i>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known').</i></li> </ul>	<ul style="list-style-type: none"> <li>drill holes is not believed to bias sampling. Supergene effects have yet to be completely understood.</li> <li>Drilled width is approximately true width</li> </ul>
<i>Diagrams</i>	<ul style="list-style-type: none"> <li><i>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</i></li> </ul>	<ul style="list-style-type: none"> <li>See main body of report</li> </ul>
<i>Balanced reporting</i>	<ul style="list-style-type: none"> <li><i>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</i></li> </ul>	<ul style="list-style-type: none"> <li>All drillhole results have been reported including those drill holes where no significant intersection was recorded</li> </ul>
<i>Other substantive exploration data</i>	<ul style="list-style-type: none"> <li><i>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</i></li> </ul>	<ul style="list-style-type: none"> <li>Previous AC drilling programs at Newmont and O'Connor have been reported (ASX announcement 8 September 2022)</li> <li>First results from the Newmont and O'Connor prospects are reported in the ASX announcement of 6 February 2023.</li> <li>Second results from the Newmont and O'Connor prospects are reported in the ASX announcement of 1 March 2023.</li> <li>Third results from the Newmont prospect are reported in the ASX announcement of 30 March 2023.</li> <li>The Inferred Resource at Newmont has been reported in the ASX announcement of 8 September 2022.</li> </ul>
<i>Further work</i>	<ul style="list-style-type: none"> <li><i>The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out</i></li> </ul>	<ul style="list-style-type: none"> <li>Further AC drilling is planned to infill the current drill pattern at Newmont and O'Connor</li> </ul>

Criteria	JORC Code explanation	Commentary
	<p><i>drilling).</i></p> <ul style="list-style-type: none"> <li>• <i>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i></li> </ul>	<ul style="list-style-type: none"> <li>• AC drilling at an optimum density is planned at Newmont to convert Inferred Resources to Indicated Resources</li> <li>• AC drilling at an optimum density is planned at O'Connor to delineate Inferred Resources</li> <li>• Further metallurgical testwork is being undertaken to optimize the leaching recoveries and possible beneficiation of REE.</li> </ul>