



## **Option to acquire strategic, highly prospective Eastern Goldfields tenements**

### **AMENDED ANNOUNCEMENT**

**Option to acquire strategic, highly prospective Eastern Goldfields tenements, released on the ASX on the 16<sup>th</sup> May 2023 has been amended to include:**

- The exact day of the ASX announcements that this announcement refers to, from the following companies: ASX:BCN, ASX, EVN, ASX:FBM, ASX:WC8, ASX:FML
- Historic drilling data (approximately 290 pages of information) for the BVRB holes on E15/1534 and E15/1632. This is open-source data available from WAMEX A62263 and A58256 (as detailed in the original announcement).
- The details of the historic geophysical survey referred to in this announcement on E29/1037. This is open-source data available from WAMEX A91577 (as detailed in the original announcement).
- The results of historic rock chips referred to in this announcement on E29/1037. This is open-source data available from WAMEX A55119 (as detailed in the original announcement).
- A table with pegmatite and other lithological mapping points that FRS geologists mapped, these relate to E29/1136, E29/1137 and E29/1158.

End

---

This announcement is authorised for release by the Board.

**For further information, please contact:**

Michael Anderson  
Managing Director  
T: +61 (0) 412 496 797  
E” [michael@forrestanioresources.com.au](mailto:michael@forrestanioresources.com.au)

Cecilia Tyndall  
Company Secretary  
T: +61 (0) 400 596 734  
E: [cecilia@forrestanioresources.com.au](mailto:cecilia@forrestanioresources.com.au)



## **Option to acquire strategic, highly prospective Eastern Goldfields tenements**

### **Highlights:**

- Option agreement signed to acquire two strategic and highly prospective project areas at 1) Alexandra Bore / Breakaway Dam, and 2) Bonnie Vale, in WA.
- The Alexandra Bore / Breakaway Dam tenements are contiguous and complementary to Forrestania's existing land position in the Eastern Goldfields area.
- The tenements are highly prospective for lithium, gold and copper.
- Both projects have known and/or outcropping pegmatites; however, no effective lithium exploration has previously been undertaken.
- Historic drilling results include:
  - BVRB059 - 8m of muscovite pegmatite from 8m, logged to EOH, not assayed for Li (Bonnie Vale project)
  - AA06 - 15m @ 5.28g/t Au from 21m (Bonnie Vale project)
  - BDRC10 – 6m @ 1.19% Cu, 11.07g/t Ag (including 1m @ 3.86% Cu) from 185m (Alexandra Bore/Breakaway Dam project)

Forrestania Resources (ASX:FRS, Forrestania or the Company), is pleased to announce it has entered into an exclusive 2-year option agreement with Outback Minerals Pty Limited (Outback) to acquire a strategic tenement package of 4 tenements in two areas, within the Eastern Goldfields of Western Australia.

The Company's Eastern Goldfields Project is located north of Kalgoorlie around the gold mining districts of Leonora and Menzies (see Figure 1) and comprises fourteen tenements that are strategically located over areas that the Company believes are highly prospective for large scale, multi commodity discoveries. The Alexandra Bore / Breakaway Dam tenements are entirely contiguous with the Company's existing land position in the Eastern Goldfields area, and the Bonnie Vale tenements provide exposure to an additional highly prospective area.


Under the terms of the 2-year option agreement Forrestania will pay an initial option fee of A\$50,000 followed by a further A\$50,000 on the anniversary of the agreement. To exercise the option Forrestania must issue Outback with shares to the value of A\$950,000 and pay A\$150,000 in cash.

*Forrestania Resources' Managing Director Michael Anderson commented:*

***"This option agreement is another example of Forrestania's strategy to maximise opportunity and discovery potential. We are confident that these tenements add***



*significant value to our portfolio, and we look forward to getting on the ground to follow up on the historical results and known pegmatite occurrences.*



**Figure 1: The Eastern Goldfields project area**

## Discussion:

The Outback Minerals portfolio consists of 4 exploration tenements that are strategically positioned and geologically aligned with the Company's strategy for the Eastern Goldfields project area.

The tenements are located in the Menzies and Coolgardie districts of Western Australia; they are prospective for lithium, gold and copper. The projects include:

- E29/1036 and E29/1037 – **The Alexandra Bore/Breakaway Dam project (Menzies)**
- E15/1534 and E15/1632 – **The Bonnie Vale project (Coolgardie)**

Both project areas lie over highly prospective, under-explored greenstone terranes.

## Project geology:

### **Alexandra Bore/Breakaway Dam project geology**

The Alexandra Bore/Breakaway Dam project area is located approximately 17km east of Menzies, within the Eastern Goldfields Super Terrane of Western Australia's Yilgarn Craton. The tenements are situated directly adjacent to the Company's Goongarrie (E29/1103) and Goongarrie North (E29/1158) project areas (see figure 2) The under-explored Alexandra Bore greenstone belt, made up of predominantly mafic volcanics, strikes through both of the Outback tenements and into the Company's Goongarrie North (E29/1158) project area. This greenstone belt is bounded on either side by Archean granitoids.

FRS geologists have geologically mapped pegmatites across E29/1037, E29/1036 as well as at E29/1158 (the project area at E29/1158 has subsequently been named the Balarky prospect by FRS); the approximate locations of some these outcrops can be found in figure 2, below. Additionally, table 8 contains the exact locations of the pegmatite outcrops.

These outcrops are located throughout the Alexandra Bore greenstone belt on both E29/1036 and E29/1037 and extend north into E29/1158.

The Perseverance Fault runs through both tenements, roughly north south, intersecting the greenstone belt in the northern half of E29/1037; whilst an un-named fault strikes roughly north-west/south-east intersecting the Perseverance Fault ~2km north of the historic Cu intercepts.






Figure 2: The Alexandra Bore/Breakaway Dam project area. Geological map courtesy of GSWA, showing approximate location of outcropping pegmatites.

## Project geology:

### Bonnie Vale project geology

The Bonnie Vale project area is located approximately 12km north of Coolgardie, within the Eastern Goldfields Super Terrane of Western Australia's Yilgarn Craton. The project area is made up predominantly of the felsic volcanics of the Black Flag Group, ultramafics of the Hampton Hill Formation, which forms part of the Kalgoorlie Group and the Powder Sill Gabbro which is host to Evolution Mining's (ASX:EVN) Mungari operation. The Cutters Ridge open pit (part of the Mungari operation) lies approximately 1km to the north of the Bonnie Vale project

area. On the western edge of the Hampton Hill Formation lies the contact with the Bali Monzogranite.

Additionally, the Kunanalling Shear runs approximately north-west through E15/1534. This regional scale, structural feature, along with the Zuleika Shear zone (which sits approximately 5km to the east) are major conduits for mineralisation in the area, with a number of historic and operational gold mines, in close proximity.




Figure 3: The Bonnie Vale project area (Mt Marion figures from - Charging Forward 2023 Macquarie Australia conference 3/5/23 (ASX:MIN). Geological map courtesy of GSWA.

## Exploration potential:

### Alexandra Bore/Breakaway Dam project (E29/1036 and E29/1037)

The Alexandra Bore/Breakaway Dam project has strong exploration potential for **lithium, gold and also copper**.

Both tenements (E29/1036 and E29/1037) are host to **a large number of significant pegmatite outcrops** (WAMEX reports - A2523 and A6055) which have never been previously tested or explored for their lithium potential. Some of these pegmatite outcrops have been mapped for up to ~1,500m in length (see figure 2, taken from WAMEX A6055).

After the discovery of malachite stained, gossanous iron stone with results up to **23% Cu and 0.68g/t Au**, Delta Gold NL (between 1997 and 1998) completed several auger and soil programmes which reported anomalous Au and Cu results at several locations across the Alexandra Bore/Breakaway Dam project area (WAMEX report A55119, please see table 7).

In 2007, Amex Resources completed 7 shallow RC holes to further test a number of old prospecting pits. The first hole in the programme, BDRC01 returned 2m @ 1.05% Cu from 20m (WAMEX report A78230).

An additional 3 holes were completed (see figure 4) to test deeper targets (WAMEX report A91577), results included:

- **BDRC10 – 6m @ 1.19% Cu (including 1m @ 3.86% Cu), 11.07g/t Ag (including 1m @ 35.7g/t Ag)** from 185m, **with zones of semi to massive sulphides** noted from 186m. This hole is ~670m north-west of BDRC01.
- **BDRC08 – 4m @ 0.29% Cu and 1m @ 0.67% Cu, including 1m @ 3.2g/t Ag, from 36m.**
- **BDRC09 - 8m @ 0.18% Cu, from 28m.**
- BDRC08 and BDRC09 are ~1100m south-east of BDRC10.

Down hole geophysics completed by AMEX Resources in 2008 (WAMEX A91577) identified 8 DHEM (down hole electro-magnetic) bedrock conductors. Three of these conductors, were interpreted at the time by Southern Geoscience Consultants, to have large copper sulphides as the conductive source – these targets have never been drilled.

The initial interpretation by AMEX Resources of the massive to semi-massive sulphides were that they were “feeder zones” of mineralisation, potentially indicative of a larger copper sulphide system.






Figure 4: The Alexandra Bore/Breakaway Dam project area, showing the location of the strong Cu drilling – the strike extent of the mineralisation is approximately 1100m. Geological map courtesy of GSWA.

### **Bonnie Vale project (E15/1534 and E15/1632)**

The Bonnie Vale project has strong potential for **gold** mineralisation as well as the potential for **lithium**.

Future Battery Minerals (ASX:FBM) recently announced a spodumene bearing intercept of **29m @ 1.36% Li<sub>2</sub>O** (from 38m) at their Kangaroo Hill project (ASX:FBM LCT-pegmatite discovery confirmed at Kangaroo Hill, 20<sup>th</sup> March 2023). According to the GSWA geological interpretation, the Kangaroo Hills project lies within the Hampton Hill Formation, this same geological unit also covers the majority of E15/1632.

The Hampton Hill Formation is also host to several historic **tin/tantalum/pegmatite mines**. These lie ~15km to the south-west of the project area and include Ubini, Red Panda and Sundry Claims. The Ubini and Red Panda targets are part of an option between Wildcat Resources (ASX:WC8) and Fairplay Gold Pty Lt; Red Panda has returned pegmatites containing spodumene (ASX:WC8 Option to acquire lithium project Western Australia, 28<sup>th</sup> September 2021).

Despite a promising pegmatite intersection (hole BVRB059) from a historic RAB drilling programme, the available data from historic WAMEX reports suggest that the Bonnie Vale project has never previously been explored for lithium:

- BVRB058 - 5m of muscovite garnet quartz, from 14m, logged to EOH
- **BVRB059 - 8m of muscovite pegmatite, from 8m, logged to EOH**

The Cutters Ridge pit, part of Evolution Mining's Mungari Au operation (ASX:ENV) is approximately 1km north of the project area. The Mungari operation has a total mineral resource of 97.5m tonnes @ 1.7g/t Au for 5.34 million oz (ASX:ENV Annual Mineral Resources and Ore Reserves Statement, 16<sup>th</sup> February 2023). Focus Minerals' (ASX:FML) Quarry Reef prospect (with an indicated and inferred underground resource of 1.16m tonnes for 218,101oz gold @ 5.84g/t is located ~4km south of tenement E15/1632 (figures from Focus Resources' Bonnie Vale Mineral Resources Update, 2<sup>nd</sup> September 2020). Additionally, the Jaurdi Gold Project (ASX:BCN) with a total resource of ~2.7m tonnes for ~105,000oz gold (BCN Investor Presentation, 16<sup>th</sup> February 2023) is situated ~15km north-west of the project area.

The Company is in the process of compiling historic data. Several phases of historic drilling and geochemical programmes have been noted, across both of the tenements.

E15/1632 also includes the historic Ada Ann gold workings. The Aurelia Resources' IPO Prospectus in 2012 noted several historic and significant Au intersections at Ada Ann (initially drilled by a local prospector – Alan Stockwell, Mr. Stockwell is understood to have mined 150t of near surface ore which was reportedly treated at a nearby mill). Results from Mr Stockwell's RC drilling programme include:

- **AA06 - 15m @ 5.28g/t Au, from 21m**
- **AA28 – 4m @ 12.80g/t Au, from 25m**
- **AA05 – 6m @ 6.45g/t Au, from 16m**
- **AA27 – 4m @ 7.34g/t Au, from 41m**

Further significant intersections at Ada Ann were noted from WAMEX report A25113, Coolgardie Mining Associates N L (in association with BHP Utah, at the time) completed 19 RAB holes, with results including:

- **BR19 - 16m @ 2.60g/t Au, from 24m**
- **BR04 – 10m @ 1.34g/t Au, from 14m**

Coolgardie Mining Associates NL followed up these results with 10 additional RAB holes (WAMEX report A28449), with results including:

- **BR22 – 5m @ 3.56g/t Au, from 27m**
- **BR28 – 3m @ 3.10g/t Au, from 33m**


Further RC drilling by Amex Resources (WAMEX report A109745) confirmed the strong Au mineralisation at Ada Ann, with results including:

- **AXRC10 – 4m @ 7.28g/t Au, from 40m**
- **AXRC09 – 4m @ 5.90g/t Au, from 40m**

**Regionally**, the Bonnie Vale project area also has strong Au prospectivity; WAMEX reports A58256 and A62263 confirm a large RAB programme at the end of the 90s. This RAB

programme successfully delineated a number of significant regional targets (with holes ending in mineralisation) which have never been followed up by recent drilling, these include:

- **BVRB220 – 12m @ 0.23g/t Au, from 48m to EOH**
- **BVRB221 – 4m @ 0.46g/t, from 36m**
- **BVRB206 – 11m @ 0.33g/t Au, from 24m to EOH**
- **BVRB336 – 13m @ 0.26g/t Au, from 36m**



**Figure 5: The Bonnie Vale project area showing regional RAB drilling and the historic Ada Ann workings and selected grades. Geological map courtesy of GSWA.**



## Option Agreement:

A summary of the key terms and conditions on the acquisition of E29/1036, E29/1037, E15/1534 and E15/1632 are outlined below.

- \$50,000 cash option fee; and
- \$50,000 cash payable on the anniversary of the execution of the agreement for an exclusive 24-month option to acquire the tenements.
- On exercise of the Option, consideration payable of \$150,000 cash and \$950,000 in FRS shares at a 5-day VWAP price

## Next Steps:

The Company intends to complete further reconnaissance trips to geologically map and undertake additional geochemical sampling at both project areas. The Company intends to focus its exploration on the significant gold and lithium potential of both project areas.

Additionally, the Company is in the process of updating its database with the historic drilling and geochemical information.

## References:

The Company is not reporting any data that has been drilled or sampled by Forrestania Resources or any FRS representatives and is not reporting any geochemical work that has been carried out by Forrestania Resources or any FRS representatives; all of the data provided in this announcement has come from WAMEX reports, the Aurelia Resources Limited IPO prospectus 2012 and AMEX Resources quarterly activities report for the period ended June 2008.

END

---

This announcement is authorised for release by the Board.

### For further information, please contact:

Michael Anderson  
MD & CEO

T: +61 (0) 412 496 797

E: [michael@forrestanioresources.com.au](mailto:michael@forrestanioresources.com.au)

Cecilia Tyndall

Company Secretary

T: +61 (0) 400 596 734

E: [Cecilia@forrestanioresources.com.au](mailto:Cecilia@forrestanioresources.com.au)

## About Forrestania Resources Limited

Forrestania Resources Limited is an exploration Company searching for lithium, gold and nickel in the Forrestania, Southern Cross and the Menzies/Leonora regions of Western Australia.

The Forrestania Project is prospective for lithium, gold and nickel and is currently the only project, within the tenement portfolio that holds a gold Mineral Resource. The Southern Cross Project is prospective for gold and lithium and the Leonora Project is prospective for gold.

The Forrestania Project is situated in the well-endowed southern Forrestania Greenstone Belt, with a tenement footprint spanning approximately 100km, north to south of variously metamorphosed mafic, ultramafic / volcano-sedimentary rocks, host to the historic 1Moz Bounty gold deposit, the emerging Kat Gap gold



deposit, the operating Flying Fox, and Spotted Quoll nickel mines, and the more recently discovered Mt Holland lithium mine (189mT @ 1.5%Li<sub>2</sub>O).

The Southern Cross Project tenements are scattered, within proximity to the town of Southern Cross and located in and around the Southern Cross Greenstone Belt, which extends along strike for approximately 300km from Mt Jackson to Hatters Hill in the south. It is the Company's opinion that the potential for economic gold mineralisation at the Southern Cross Project has not been fully evaluated. In addition to greenstone shear-hosted gold deposits, Forrestania is targeting granite-hosted deposits. New geological models for late Archean granite-controlled shear zone/fault hosted mineralisation theorise that gold forming fluids, formed at deep crustal levels do not discriminate between lithologies when emplaced in the upper crust. Applying this theory, Forrestania has defined seven new targets.

The Leonora Project (Eastern Goldfields) tenements are located within the Norseman-Wiluna Greenstone Belt of the Yilgarn Craton. The Project includes eight Exploration Licences and ten Exploration Licence Applications, covering a total of ~1300km<sup>2</sup>. The tenements are predominately non-contiguous and scattered over 200km length of the greenstone belt. The southernmost tenement is approximately 15 km southeast of the town of Menzies, and the northernmost tenement is located approximately 70 km northeast of Leonora. Prior exploration over the project area has focused on gold, diamonds, and uranium. Tenements in the Project have been variably subjected to soil sampling, stream sampling, drilling, mapping, rock chip sampling and geophysical surveys.

The Company has an experienced Board and management team which is focused on discovery to increase value for Shareholders.

## Competent Person's Statement

The information in this report that relates to exploration results is based on and fairly represents information compiled by Mr Ashley Bennett. Mr Bennett is the Exploration Manager of Forrestania Resources Limited and is a member of the Australian Institute of Geoscientists. Mr Bennett has sufficient experience of relevance to the styles of mineralisation and types of deposits under consideration and to the activities undertaken to qualify as a Competent Person as defined in the 2012 Edition of the Joint Ore Reserves Committee (JORC) Australasian Code for Reporting of Exploration Results, Mineral

Resources and Ore Reserves. Mr Bennett consents to the inclusion in this report of the matters based on information in the form and context in which they appear.

### **Disclosure**

The information in this announcement is based on the following publicly available ASX announcements and Forrestania Resources IPO, which is available from <https://www2.asx.com.au/>

The Company confirms that it is not aware of any new information or data that materially affects the information included in the original ASX announcements and that all material assumptions and technical parameters underpinning the relevant ASX announcements continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are represented have not been materially modified from the original ASX announcements.

### **Cautionary Statement Regarding Values & Forward-Looking Information**

The figures, valuations, forecasts, estimates, opinions and projections contained herein involve elements of subjective judgment and analysis and assumption. Forrestania Resources does not accept any liability in relation to any such matters, or to inform the Recipient of any matter arising or coming to the company's notice after the date of this document which may affect any matter referred to herein. Any opinions expressed in this material are subject to change without notice, including as a result of using different assumptions and criteria. This document may contain forward-looking statements. Forward-looking statements are often, but not always, identified by the use of words such as "seek", "anticipate", "believe", "plan", "expect", and "intend" and statements that an event or result "may", "will", "should", "could", or "might" occur or be achieved and other similar expressions. Forward-looking information is subject to business, legal and economic risks and uncertainties and other factors that could cause actual results to differ materially from those contained in forward-looking statements. Such factors include, among other things, risks relating to property interests, the global economic climate, commodity prices, sovereign and legal risks, and environmental risks. Forward-looking statements are based upon estimates and opinions at the date the statements are made. Forrestania Resources undertakes no obligation to update these forward-looking statements for events or circumstances that occur subsequent to such dates or to update or keep current any of the information contained herein. The Recipient should not place undue reliance upon forward-looking statements. Any estimates or projections as to events that may occur in the future (including projections of revenue, expense, net income and performance) are based upon the best judgment of Forrestania Resources from information available as of the date of this document. There is no guarantee that any of these estimates or projections will be achieved. Actual results will vary from the projections and such variations may be material. Nothing contained herein is, or shall be relied upon as, a promise or representation as to the past or future. Forrestania Resources, its affiliates, directors, employees and/or agents expressly disclaim any and all liability relating or resulting from the use of all or any part of this document or any of the information contained herein.



Hole ID	Type	Easting	Northing	Depth (m)	From (m)	To (m)	Interval	Cu %	Ag g/t
BDRC01	RC	330687	6712779	40	20	22	2	1.05	n/a
BDRC02	RC	330673	6712764	52	44	48	4	0.45	n/a
BDRC02	includes				47	48	1	0.35	2.38
BDRC03	RC	330726	6712741	56	28	36	8	0.13	n/a
BDRC03	and				49	50	1	0.25	0.95
BDRC04	RC	330785	6712708	46	16	24	8	0.17	n/a
BDRC06	RC	330580	6712829	34	0	4	4	0.18	n/a
BDRC06	and				16	28	12	0.14	n/a
BDRC06	includes				20	24	4	n/a	1.17
BDRC06	and				32	34	2	0.19	n/a
BDRC07	RC	330563	6712815	58	42	43	1	0.33	2.52
BDRC07	and				47	48	1	0.19	1.28
BDRC07	and				47	51	4	n/a	0.68
BDRC07	and				51	52	1	0.95	0.35
BDRC08	RC	330900	6712600	70	0	4	4	0.13	n/a
BDRC08	and				36	40	4	0.29	n/a
BDRC08	and				61	62	1	0.67	3.2
BDRC08	and				66	68	2	0.11	n/a
BDRC09	RC	330880	6712580	76	28	36	8	0.18	n/a
BDRC10	RC	330075	6713050	250.5	93	97	4	n/a	2.23
BDRC10	and				95	96	1	0.11	5.4
BDRC10	and				102	106	4	n/a	4.03
BDRC10	and				103	105	2	0.20	n/a
BDRC10	and				113	116	3	n/a	1.37
BDRC10	and				181	182	1	0.15	1.2
BDRC10	and				185	191	6	1.19	11.07
BDRC10	includes				186	187	1	3.86	35.7
BDRC10	and				208	212	4	0.16	2.7
BDRC10	and				220	221	1	0.13	1.4
BDRC10	and				233	234	1	0.59	2.8

**Table 1: Assay details for the BDRC holes, completed by AMEX Resources in 2008 (data from WAMEX report A91577). Table shows Cu intervals >0.1% Cu with corresponding Ag values (minimum intercept 0.1% Cu over 1m, with maximum internal waste of 2m) and Ag values >1g/t (minimum intercept 1g/t Ag over 1m, with maximum internal waste of 2m). (RL - ~440m, Grid MGA94\_51). These values represent down hole width and not true width.**

Hole ID	Type	Depth (m)	Easting	Northing	From (m)	To (m)	Interval	Au g/t
AA02	AC	30	321869	6591429	26	29	3	2.81
AA03	AC	unknown	321881	6591427	no assay data available			
<b>AA05</b>	<b>AC</b>	<b>30</b>	<b>321868</b>	<b>6591419</b>	<b>16</b>	<b>22</b>	<b>6</b>	<b>6.45</b>
<b>AA06</b>	<b>AC</b>	<b>40</b>	<b>321876</b>	<b>6591416</b>	<b>21</b>	<b>36</b>	<b>15</b>	<b>5.28</b>
AA07	AC	unknown	321850	6591402	no assay data available			
AA08	AC	unknown	321859	6591401	no assay data available			
AA09	AC	45	321871	6591402	no assay data available			
<b>AA10</b>	<b>AC</b>	<b>50</b>	<b>321884</b>	<b>6591401</b>	<b>40</b>	<b>46</b>	<b>6</b>	<b>3.15</b>
AA12	AC	unknown	321924	6591366	no assay data available			
AA13	AC	unknown	321907	6591347	no assay data available			
AA15	AC	10	321885	6591421	no assay data available			
AA16	AC	45	321856	6591411	35	37	2	2.24
<b>AA17</b>	<b>AC</b>	<b>52</b>	<b>321867</b>	<b>6591409</b>	<b>30</b>	<b>33</b>	<b>3</b>	<b>4.22</b>
AA18	AC	50	321890	6591429	43	45	2	4.24
AA19	AC	67	321892	6591411	45	47	2	2.28
<b>AA24</b>	<b>AC</b>	<b>45</b>	<b>321858</b>	<b>6591411</b>	<b>30</b>	<b>34</b>	<b>4</b>	<b>6.70</b>
<b>AA25</b>	<b>AC</b>	<b>45</b>	<b>321863</b>	<b>6591411</b>	<b>18</b>	<b>21</b>	<b>3</b>	<b>6.58</b>
<b>AA25</b>	<b>and</b>				<b>35</b>	<b>38</b>	<b>3</b>	<b>5.37</b>
<b>AA27</b>	<b>AC</b>	<b>50</b>	<b>321889</b>	<b>6591362</b>	<b>41</b>	<b>45</b>	<b>4</b>	<b>7.34</b>
<b>AA28</b>	<b>AC</b>	<b>35</b>	<b>321869</b>	<b>6591411</b>	<b>25</b>	<b>29</b>	<b>4</b>	<b>12.80</b>
AA31	AC	60	321863	6591388	no assay data available			
AA32	AC	60	321873	6591388	no assay data available			
AA33	AC	60	321884	6591386	no assay data available			
AA43	AC	35	321832	6591403	28	29	1	8.42
AA44	AC	unknown	321838	6591401	no assay data available			
AA55	AC	65	321899	6591411	52	53	1	2.76

**Table 2: Assay details for holes at Ada Ann. (RL - ~350m, Grid MGA94\_51). Data reported in this table: Au - lower cut off 0.5 ppm, minimum interval 1m, maximum internal waste 2m. These values represent down hole width and not true width.**

Hole ID	Type	Depth (m)	Easting	Northing	From (m)	To (m)	Interval	Au g/t
BR01	RAB	20	321842	6591473	No assay data available			
BR02	RAB	25	321853	6591470	8	10	2	0.51
BR02	and				18	20	2	1.32
BR03	RAB	30	321863	6591466	No assay data available			
BR04	RAB	36	321851	6591433	14	16	2	2.07
BR04	and				18	24	6	1.28
<b>BR05</b>	<b>RAB</b>	<b>20</b>	<b>321859</b>	<b>6591428</b>	<b>4</b>	<b>6</b>	<b>2</b>	<b>6.1</b>
BR05	and				18	20	2	0.97
BR06	RAB	22	321816	6591401	No assay data available			
BR07	RAB	32	321827	6591400	24	26	2	0.6
BR08	RAB	36	321837	6591395	30	32	2	0.52
BR09	RAB	29	321787	6591371	No assay data available			
BR10	RAB	17	321804	6591364	No assay data available			
BR11	RAB	24	321820	6591358	No assay data available			
BR12	RAB	35	321831	6591347	No assay data available			
BR13	RAB	34	321766	6591293	No assay data available			
BR14	RAB	35	321787	6591281	No assay data available			
BR15	RAB	26	321849	6591521	24	26	2	4.15
BR16	RAB	34	321874	6591552	No assay data available			
BR17	RAB	38	321883	6591547	No assay data available			
BR18	RAB	40	321894	6591544	No assay data available			
<b>BR19</b>	<b>RAB</b>	<b>45</b>	<b>321883</b>	<b>6591438</b>	<b>24</b>	<b>40</b>	<b>16</b>	<b>2.64</b>
BR20	RAB	35	321871	6591537	No assay data available			
BR21	RAB	35	321869	6591514	No assay data available			
<b>BR22</b>	<b>RAB</b>	<b>35</b>	<b>321866</b>	<b>6591492</b>	<b>27</b>	<b>32</b>	<b>5</b>	<b>2.71</b>
BR23	RAB	46	321858	6591448	29	30	1	1.47
BR23	and				32	34	2	1.51
BR24	RAB	30	321885	6591434	22	25	3	0.88
BR24	and				27	28	1	1.04
BR25	RAB	35	321846	6591499	16	18	2	1.56
BR26	RAB	35	321863	6591514	28	29	1	0.98
BR27	RAB	45	321843	6591452	18	19	1	0.74
BR28	RAB	72	321862	6591435	No assay data available			
BR29	RAB	48	321834	6591418	15	16	1	3.8
BR29	and				24	26	2	0.88
AXRC05	Details unavailable				27	29	2	4.83
AXRC07	Details unavailable				21	22	1	9.42
AXRC09	Details unavailable				40	44	4	5.90
<b>AXRC10</b>	<b>RC</b>	<b>50</b>	<b>321859</b>	<b>6591411</b>	<b>29</b>	<b>33</b>	<b>4</b>	<b>3.12</b>
<b>AXRC10</b>	and				<b>42</b>	<b>46</b>	<b>4</b>	<b>7.28</b>
AXRC16	Details unavailable				27	31	4	1.42
AXRC16	Details unavailable				34	35	1	2.05

**Table 3: Additional assay details for holes at Ada Ann (RL - ~350m, Grid MGA94\_51). Data reported in this table: Au - lower cut off 0.5 ppm, minimum interval 1m, maximum internal waste 2m. (BR hole data from WAMEX A54843, AXRC hole data from WAMEX A109745). These values represent down hole width and not true widths.**



Hole_ID	Hole_Type	Max_Depth	NAT_Grid_ID	NAT_East	NAT_North	NAT_RL	WAMEX_ANumber
BVRB001	RAB	30	MGA94_51	327613.4	6589910	350	A058256
BVRB002	RAB	22	MGA94_51	327648.6	6589875	350	A058256
BVRB003	RAB	29	MGA94_51	327683.8	6589839	350	A058256
BVRB004	RAB	22	MGA94_51	327718.9	6589804	350	A058256
BVRB005	RAB	23	MGA94_51	327754.1	6589768	350	A058256
BVRB006	RAB	16	MGA94_51	327789.3	6589733	350	A058256
BVRB007	RAB	18	MGA94_51	327824.4	6589697	350	A058256
BVRB008	RAB	20	MGA94_51	327859.6	6589662	350	A058256
BVRB009	RAB	20	MGA94_51	327894.8	6589626	350	A058256
BVRB010	RAB	12	MGA94_51	327929.9	6589590	350	A058256
BVRB011	RAB	28	MGA94_51	327547.3	6590281	350	A058256
BVRB012	RAB	16	MGA94_51	327582.5	6590245	350	A058256
BVRB013	RAB	16	MGA94_51	327617.7	6590209	350	A058256
BVRB014	RAB	23	MGA94_51	327652.8	6590174	350	A058256
BVRB015	RAB	17	MGA94_51	327688	6590138	350	A058256
BVRB016	RAB	14	MGA94_51	327723.2	6590103	350	A058256
BVRB017	RAB	24	MGA94_51	327758.3	6590067	350	A058256
BVRB018	RAB	25	MGA94_51	327793.5	6590032	350	A058256
BVRB019	RAB	27	MGA94_51	327728.7	6589996	350	A058256
BVRB020	RAB	39	MGA94_51	327863.8	6589961	350	A058256
BVRB021	RAB	43	MGA94_51	327899	6589925	350	A058256
BVRB022	RAB	31	MGA94_51	327934.2	6589890	350	A058256
BVRB023	RAB	18	MGA94_51	327633	6590484	350	A058256
BVRB024	RAB	12	MGA94_51	327668.2	6590449	350	A058256
BVRB025	RAB	19	MGA94_51	327703.4	6590413	350	A058256
BVRB026	RAB	17	MGA94_51	327738.5	6590377	350	A058256
BVRB027	RAB	14	MGA94_51	327773.7	6590342	350	A058256
BVRB028	RAB	22	MGA94_51	327808.9	6590306	350	A058256
BVRB029	RAB	24	MGA94_51	327844	6590271	350	A058256
BVRB030	RAB	10	MGA94_51	327879.2	6590235	350	A058256
BVRB031	RAB	28	MGA94_51	327914.4	6590200	350	A058256
BVRB032	RAB	30	MGA94_51	327936.7	6590157	350	A058256
BVRB033	RAB	23	MGA94_51	327247.6	6591169	350	A058256
BVRB034	RAB	20	MGA94_51	327282.7	6591133	350	A058256
BVRB035	RAB	26	MGA94_51	327317.9	6591097	350	A058256
BVRB036	RAB	14	MGA94_51	327353.1	6591062	350	A058256
BVRB037	RAB	31	MGA94_51	327388.2	6591026	350	A058256
BVRB038	RAB	24	MGA94_51	327423.4	6590991	350	A058256
BVRB039	RAB	28	MGA94_51	327458.6	6590955	350	A058256
BVRB040	RAB	32	MGA94_51	327493.7	6590920	350	A058256
BVRB041	RAB	28	MGA94_51	327528.9	6590884	350	A058256
BVRB042	RAB	35	MGA94_51	327564.1	6590849	350	A058256
BVRB043	RAB	41	MGA94_51	327599.3	6590813	350	A058256
BVRB044	RAB	28	MGA94_51	327634.4	6590778	350	A058256
BVRB045	RAB	10	MGA94_51	327669.6	6590742	350	A058256
BVRB046	RAB	14	MGA94_51	327704.8	6590707	350	A058256
BVRB047	RAB	20	MGA94_51	327739.9	6590671	350	A058256
BVRB048	RAB	13	MGA94_51	327775.1	6590635	350	A058256
BVRB049	RAB	15	MGA94_51	327810.3	6590600	350	A058256
BVRB050	RAB	18	MGA94_51	327845.4	6590564	350	A058256
BVRB051	RAB	22	MGA94_51	327880.6	6590529	350	A058256
BVRB052	RAB	18	MGA94_51	327915.8	6590493	350	A058256
BVRB053	RAB	15	MGA94_51	327212.3	6591480	350	A058256

Hole_ID	Hole_Type	Max_Depth	NAT_Grid_ID	NAT_East	NAT_North	NAT_RL	WAMEX_ANumber
BVRB054	RAB	23	MGA94_51	327247.5	6591445	350	A058256
BVRB055	RAB	25	MGA94_51	327282.6	6591409	350	A058256
BVRB056	RAB	18	MGA94_51	327317.8	6591374	350	A058256
BVRB057	RAB	21	MGA94_51	327353	6591338	350	A058256
BVRB058	RAB	19	MGA94_51	327388.1	6591302	350	A058256
BVRB059	RAB	16	MGA94_51	327423.3	6591267	350	A058256
BVRB060	RAB	11	MGA94_51	327458.5	6591231	350	A058256
BVRB061	RAB	10	MGA94_51	327493.6	6591196	350	A058256
BVRB062	RAB	7	MGA94_51	327528.8	6591160	350	A058256
BVRB063	RAB	12	MGA94_51	327564	6591125	350	A058256
BVRB064	RAB	22	MGA94_51	327599.1	6591089	350	A058256
BVRB065	RAB	14	MGA94_51	327634.3	6591054	350	A058256
BVRB066	RAB	12	MGA94_51	327669.5	6591018	350	A058256
BVRB067	RAB	28	MGA94_51	327704.7	6590983	350	A058256
BVRB068	RAB	29	MGA94_51	327739.8	6590947	350	A058256
BVRB069	RAB	34	MGA94_51	327775	6590911	350	A058256
BVRB070	RAB	37	MGA94_51	327810.7	6590875	350	A058256
BVRB071	RAB	34	MGA94_51	327846.4	6590839	350	A058256
BVRB072	RAB	20	MGA94_51	327479.6	6591497	350	A058256
BVRB073	RAB	25	MGA94_51	327514.8	6591462	350	A058256
BVRB074	RAB	27	MGA94_51	327549.9	6591426	350	A058256
BVRB075	RAB	28	MGA94_51	327585.1	6591391	350	A058256
BVRB076	RAB	10	MGA94_51	327106.8	6591587	350	A058256
BVRB077	RAB	7	MGA94_51	327142	6591551	350	A058256
BVRB078	RAB	13	MGA94_51	327177.1	6591516	350	A058256
BVRB079	RAB	7	MGA94_51	327022.4	6591959	350	A058256
BVRB080	RAB	7	MGA94_51	327057.6	6591924	350	A058256
BVRB081	RAB	7	MGA94_51	327092.7	6591888	350	A058256
BVRB082	RAB	6	MGA94_51	327127.9	6591853	350	A058256
BVRB083	RAB	5	MGA94_51	327163.1	6591817	350	A058256
BVRB084	RAB	6	MGA94_51	327198.2	6591782	350	A058256
BVRB085	RAB	5	MGA94_51	327233.4	6591746	350	A058256
BVRB086	RAB	5	MGA94_51	327268.6	6591711	350	A058256
BVRB087	RAB	7	MGA94_51	327303.7	6591675	350	A058256
BVRB088	RAB	7	MGA94_51	327338.9	6591640	350	A058256
BVRB089	RAB	5	MGA94_51	327374.1	6591604	350	A058256
BVRB090	RAB	6	MGA94_51	327409.2	6591568	350	A058256
BVRB091	RAB	5	MGA94_51	327444.4	6591533	350	A058256
BVRB092	RAB	2	MGA94_51	327203.6	6592063	350	A058256
BVRB093	RAB	3	MGA94_51	327238.7	6592028	350	A058256
BVRB094	RAB	5	MGA94_51	327273.9	6591992	350	A058256
BVRB095	RAB	15	MGA94_51	327309.1	6591956	350	A058256
BVRB096	RAB	16	MGA94_51	327344.2	6591921	350	A058256
BVRB097	RAB	19	MGA94_51	327379.4	6591885	350	A058256
BVRB098	RAB	28	MGA94_51	327414.6	6591850	350	A058256
BVRB099	RAB	29	MGA94_51	327449.7	6591814	350	A058256
BVRB100	RAB	24	MGA94_51	327485.4	6591778	350	A058256
BVRB101	RAB	8	MGA94_51	327521.1	6591742	350	A058256
BVRB102	RAB	7	MGA94_51	327556.8	6591706	350	A058256
BVRB103	RAB	8	MGA94_51	327592.5	6591670	350	A058256
BVRB104	RAB	17	MGA94_51	326726	6592824	350	A058256
BVRB105	RAB	13	MGA94_51	326761.1	6592789	350	A058256
BVRB106	RAB	12	MGA94_51	326796.3	6592754	350	A058256
BVRB107	RAB	11	MGA94_51	326831.4	6592719	350	A058256
BVRB108	RAB	4	MGA94_51	326866.6	6592684	350	A058256
BVRB109	RAB	4	MGA94_51	326901.8	6592649	350	A058256

Hole_ID	Hole_Type	Max_Depth	NAT_Grid_ID	NAT_East	NAT_North	NAT_RL	WAMEX_ANumber
BVRB110	RAB	7	MGA94_51	326936.9	6592614	350	A058256
BVRB111	RAB	11	MGA94_51	326972.1	6592579	350	A058256
BVRB112	RAB	3	MGA94_51	327008.6	6592542	350	A058256
BVRB113	RAB	3	MGA94_51	327043.7	6592507	350	A058256
BVRB114	RAB	1	MGA94_51	327078.9	6592472	350	A058256
BVRB115	RAB	3	MGA94_51	327114.1	6592437	350	A058256
BVRB116	RAB	3	MGA94_51	327150.1	6592402	350	A058256
BVRB117	RAB	6	MGA94_51	327185.7	6592366	350	A058256
BVRB118	RAB	6	MGA94_51	327221.4	6592330	350	A058256
BVRB119	RAB	13	MGA94_51	327257.1	6592293	350	A058256
BVRB120	RAB	10	MGA94_51	327292.8	6592257	350	A058256
BVRB121	RAB	7	MGA94_51	327328.5	6592221	350	A058256
BVRB122	RAB	16	MGA94_51	327364.5	6592185	350	A058256
BVRB123	RAB	14	MGA94_51	327399.9	6592149	350	A058256
BVRB124	RAB	15	MGA94_51	327435.6	6592113	350	A058256
BVRB125	RAB	13	MGA94_51	327471.3	6592077	350	A058256
BVRB126	RAB	13	MGA94_51	327506.9	6592041	350	A058256
BVRB127	RAB	11	MGA94_51	327542.6	6592005	350	A058256
BVRB128	RAB	25	MGA94_51	327198.6	6592635	350	A058256
BVRB129	RAB	29	MGA94_51	327234.3	6592599	350	A058256
BVRB130	RAB	13	MGA94_51	326921.7	6593096	350	A058256
BVRB131	RAB	19	MGA94_51	326970.4	6593085	350	A058256
BVRB132	RAB	17	MGA94_51	327019	6593073	350	A058256
BVRB133	RAB	15	MGA94_51	327067.6	6593062	350	A058256
BVRB134	RAB	14	MGA94_51	327116.2	6593051	350	A058256
BVRB135	RAB	19	MGA94_51	327164.8	6593040	350	A058256
BVRB136	RAB	26	MGA94_51	327213.4	6593029	350	A058256
BVRB137	RAB	19	MGA94_51	325836.6	6591557	350	A058256
BVRB138	RAB	45	MGA94_51	325736.6	6591557	350	A058256
BVRB139	RAB	43	MGA94_51	325636.6	6591557	350	A058256
BVRB140	RAB	21	MGA94_51	325436.6	6591557	350	A058256
BVRB141	RAB	39	MGA94_51	325536.6	6591557	350	A058256
BVRB142	RAB	22	MGA94_51	325336.6	6591557	350	A058256
BVRB143	RAB	31	MGA94_51	325236.6	6591557	350	A058256
BVRB144	RAB	30	MGA94_51	325136.6	6591557	350	A058256
BVRB145	RAB	43	MGA94_51	325036.6	6591557	350	A058256
BVRB146	RAB	46	MGA94_51	324936.6	6591557	350	A058256
BVRB147	RAB	21	MGA94_51	324836.6	6591557	350	A058256
BVRB148	RAB	25	MGA94_51	324736.6	6591557	350	A058256
BVRB149	RAB	48	MGA94_51	324636.6	6591557	350	A058256
BVRB150	RAB	39	MGA94_51	324536.6	6591557	350	A058256
BVRB151	RAB	39	MGA94_51	324436.6	6591557	350	A058256
BVRB152	RAB	42	MGA94_51	324336.6	6591557	350	A058256
BVRB153	RAB	41	MGA94_51	324236.6	6591557	350	A058256
BVRB154	RAB	36	MGA94_51	324136.6	6591557	350	A058256
BVRB155	RAB	49	MGA94_51	324036.6	6591557	350	A058256
BVRB156	RAB	49	MGA94_51	323936.6	6591557	350	A058256
BVRB157	RAB	63	MGA94_51	323836.6	6591557	350	A058256
BVRB158	RAB	45	MGA94_51	323736.6	6591557	350	A058256
BVRB159	RAB	26	MGA94_51	323636.6	6591557	350	A058256
BVRB160	RAB	32	MGA94_51	323536.6	6591557	350	A058256
BVRB161	RAB	41	MGA94_51	323436.6	6591557	350	A058256
BVRB162	RAB	41	MGA94_51	323336.6	6591557	350	A058256
BVRB163	RAB	35	MGA94_51	323236.6	6591557	350	A058256
BVRB164	RAB	21	MGA94_51	323136.6	6591557	350	A058256
BVRB165	RAB	18	MGA94_51	323036.6	6591557	350	A058256

Hole_ID	Hole_Type	Max_Depth	NAT_Grid_ID	NAT_East	NAT_North	NAT_RL	WAMEX_ANumber
BVRB166	RAB	29	MGA94_51	322936.6	6591557	350	A058256
BVRB167	RAB	29	MGA94_51	322836.6	6591557	350	A058256
BVRB168	RAB	27	MGA94_51	322736.6	6591557	350	A058256
BVRB169	RAB	50	MGA94_51	322636.6	6591557	350	A058256
BVRB170	RAB	23	MGA94_51	322536.6	6591557	350	A058256
BVRB171	RAB	28	MGA94_51	322436.6	6591557	350	A058256
BVRB172	RAB	38	MGA94_51	322336.6	6591557	350	A058256
BVRB173	RAB	46	MGA94_51	322236.6	6591557	350	A058256
BVRB174	RAB	25	MGA94_51	322136.6	6591557	350	A058256
BVRB175	RAB	63	MGA94_51	322736.6	6591957	350	A058256
BVRB176	RAB	59	MGA94_51	322836.6	6591957	350	A058256
BVRB177	RAB	28	MGA94_51	322936.6	6591957	350	A058256
BVRB178	RAB	23	MGA94_51	323036.6	6591957	350	A058256
BVRB179	RAB	46	MGA94_51	323136.6	6591957	350	A058256
BVRB180	RAB	51	MGA94_51	323236.6	6591957	350	A058256
BVRB181	RAB	28	MGA94_51	323336.6	6591957	350	A058256
BVRB182	RAB	30	MGA94_51	323436.6	6591957	350	A058256
BVRB183	RAB	25	MGA94_51	323536.6	6591957	350	A058256
BVRB184	RAB	21	MGA94_51	323636.6	6591957	350	A058256
BVRB185	RAB	31	MGA94_51	323736.6	6591957	350	A058256
BVRB186	RAB	41	MGA94_51	323036.6	6592357	350	A058256
BVRB187	RAB	65	MGA94_51	323136.6	6592357	350	A058256
BVRB188	RAB	62	MGA94_51	323236.6	6592357	350	A058256
BVRB189	RAB	50	MGA94_51	323336.6	6592357	350	A058256
BVRB190	RAB	51	MGA94_51	323436.6	6592357	350	A058256
BVRB191	RAB	32	MGA94_51	323536.6	6592357	350	A058256
BVRB192	RAB	39	MGA94_51	323636.6	6592357	350	A058256
BVRB193	RAB	25	MGA94_51	323736.6	6592357	350	A058256
BVRB194	RAB	32	MGA94_51	323836.6	6592357	350	A058256
BVRB195	RAB	24	MGA94_51	323936.6	6592357	350	A058256
BVRB196	RAB	23	MGA94_51	324036.6	6592357	350	A058256
BVRB197	RAB	33	MGA94_51	324136.6	6592357	350	A058256
BVRB198	RAB	33	MGA94_51	324236.6	6592357	350	A058256
BVRB199	RAB	52	MGA94_51	324336.6	6592357	350	A058256
BVRB200	RAB	31	MGA94_51	324436.6	6592357	350	A058256
BVRB201	RAB	36	MGA94_51	324536.6	6592357	350	A058256
BVRB202	RAB	26	MGA94_51	324636.6	6592357	350	A058256
BVRB203	RAB	31	MGA94_51	324736.6	6592357	350	A058256
BVRB204	RAB	41	MGA94_51	324836.6	6592357	350	A058256
BVRB205	RAB	46	MGA94_51	324936.6	6592357	350	A058256
BVRB206	RAB	35	MGA94_51	324986.6	6592357	350	A058256
BVRB207	RAB	33	MGA94_51	325036.6	6592357	350	A058256
BVRB208	RAB	38	MGA94_51	325136.6	6592357	350	A058256
BVRB209	RAB	38	MGA94_51	325236.6	6592357	350	A058256
BVRB210	RAB	35	MGA94_51	325336.6	6592357	350	A058256
BVRB211	RAB	24	MGA94_51	325436.6	6592357	350	A058256
BVRB212	RAB	54	MGA94_51	325536.6	6592357	350	A058256
BVRB213	RAB	59	MGA94_51	325636.6	6592357	350	A058256
BVRB214	RAB	45	MGA94_51	325336.6	6592757	350	A058256
BVRB215	RAB	19	MGA94_51	325236.6	6592757	350	A058256
BVRB216	RAB	24	MGA94_51	325136.6	6592757	350	A058256
BVRB217	RAB	42	MGA94_51	325036.6	6592757	350	A058256
BVRB218	RAB	37	MGA94_51	324936.6	6592757	350	A058256
BVRB219	RAB	52	MGA94_51	324836.6	6592757	350	A058256
BVRB220	RAB	61	MGA94_51	324736.6	6592757	350	A058256
BVRB221	RAB	60	MGA94_51	324636.6	6592757	350	A058256



Hole_ID	Hole_Type	Max_Depth	NAT_Grid_ID	NAT_East	NAT_North	NAT_RL	WAMEX_ANumber
BVRB222	RAB	35	MGA94_51	324536.6	6592757	350	A058256
BVRB223	RAB	33	MGA94_51	324436.6	6592757	350	A058256
BVRB224	RAB	57	MGA94_51	324336.6	6592757	350	A058256
BVRB225	RAB	33	MGA94_51	324236.6	6592757	350	A058256
BVRB226	RAB	26	MGA94_51	324136.6	6592757	350	A058256
BVRB227	RAB	32	MGA94_51	324036.6	6592757	350	A058256
BVRB228	RAB	22	MGA94_51	323936.6	6592757	350	A058256
BVRB229	RAB	18	MGA94_51	323836.6	6592757	350	A058256
BVRB230	RAB	35	MGA94_51	323736.6	6592757	350	A058256
BVRB231	RAB	59	MGA94_51	323636.6	6592757	350	A058256
BVRB232	RAB	51	MGA94_51	324941.6	6592357	350	A058256
BVRB233	RAB	26	MGA94_51	322136.6	6591157	350	A058256
BVRB234	RAB	35	MGA94_51	322236.6	6591157	350	A058256
BVRB235	RAB	14	MGA94_51	322336.6	6591157	350	A058256
BVRB236	RAB	20	MGA94_51	322436.6	6591157	350	A058256
BVRB237	RAB	17	MGA94_51	322536.6	6591157	350	A058256
BVRB238	RAB	10	MGA94_51	322636.6	6591157	350	A058256
BVRB239	RAB	23	MGA94_51	322736.6	6591157	350	A058256
BVRB240	RAB	15	MGA94_51	322836.6	6591157	350	A058256
BVRB241	RAB	18	MGA94_51	322936.6	6591157	350	A058256
BVRB242	RAB	18	MGA94_51	323036.6	6591157	350	A058256
BVRB243	RAB	19	MGA94_51	323136.6	6591157	350	A058256
BVRB244	RAB	29	MGA94_51	323236.6	6591157	350	A058256
BVRB245	RAB	10	MGA94_51	322236.6	6590757	350	A058256
BVRB246	RAB	7	MGA94_51	322336.6	6590757	350	A058256
BVRB247	RAB	21	MGA94_51	322436.6	6590757	350	A058256
BVRB248	RAB	9	MGA94_51	322536.6	6590757	350	A058256
BVRB249	RAB	46	MGA94_51	322636.6	6590757	350	A058256
BVRB250	RAB	46	MGA94_51	322736.6	6590757	350	A058256
BVRB251	RAB	19	MGA94_51	322836.6	6590757	350	A058256
BVRB252	RAB	47	MGA94_51	322936.6	6590757	350	A058256
BVRB253	RAB	28	MGA94_51	323036.6	6590757	350	A058256
BVRB254	RAB	31	MGA94_51	323136.6	6590757	350	A058256
BVRB255	RAB	20	MGA94_51	322136.6	6590357	350	A058256
BVRB256	RAB	24	MGA94_51	322236.6	6590357	350	A058256
BVRB257	RAB	28	MGA94_51	322336.6	6590357	350	A058256
BVRB258	RAB	20	MGA94_51	322436.6	6590357	350	A058256
BVRB259	RAB	21	MGA94_51	322536.6	6590357	350	A058256
BVRB260	RAB	22	MGA94_51	322636.6	6590357	350	A058256
BVRB261	RAB	31	MGA94_51	322736.6	6590357	350	A058256
BVRB262	RAB	33	MGA94_51	322836.6	6590357	350	A058256
BVRB263	RAB	20	MGA94_51	322936.6	6590357	350	A058256
BVRB264	RAB	23	MGA94_51	323036.6	6590357	350	A058256
BVRB265	RAB	32	MGA94_51	323136.6	6590357	350	A058256
BVRB266	RAB	26	MGA94_51	322336.6	6589957	350	A058256
BVRB267	RAB	36	MGA94_51	322436.6	6589957	350	A058256
BVRB268	RAB	20	MGA94_51	322536.6	6589957	350	A058256
BVRB269	RAB	48	MGA94_51	322636.6	6589957	350	A058256
BVRB270	RAB	29	MGA94_51	322736.6	6589957	350	A058256
BVRB271	RAB	29	MGA94_51	322836.6	6589957	350	A058256
BVRB272	RAB	46	MGA94_51	322036.6	6590357	350	A058256
BVRB273	RAB	25	MGA94_51	321936.6	6590357	350	A058256
BVRB274	RAB	35	MGA94_51	322236.6	6589957	350	A058256
BVRB275	RAB	30	MGA94_51	321936.6	6589957	350	A058256
BVRB276	RAB	48	MGA94_51	326295.2	6593057	350	A062263
BVRB277	RAB	38	MGA94_51	326345.2	6593057	350	A062263

Hole_ID	Hole_Type	Max_Depth	NAT_Grid_ID	NAT_East	NAT_North	NAT_RL	WAMEX_ANumber
BVRB278	RAB	33	MGA94_51	326395.2	6593057	350	A062263
BVRB279	RAB	24	MGA94_51	326445.2	6593057	350	A062263
BVRB280	RAB	28	MGA94_51	326495.2	6593057	350	A062263
BVRB281	RAB	27	MGA94_51	326545.2	6593057	350	A062263
BVRB282	RAB	24	MGA94_51	326595.2	6593057	350	A062263
BVRB283	RAB	26	MGA94_51	326583.2	6593057	350	A062263
BVRB284	RAB	19	MGA94_51	326645.2	6593057	350	A062263
BVRB285	RAB	22	MGA94_51	326695.2	6593057	350	A062263
BVRB286	RAB	22	MGA94_51	326745.2	6593057	350	A062263
BVRB287	RAB	32	MGA94_51	326795.2	6593057	350	A062263
BVRB288	RAB	16	MGA94_51	326845.2	6593057	350	A062263
BVRB289	RAB	1	MGA94_51	326905.2	6593057	350	A062263
BVRB290	RAB	11	MGA94_51	326908.2	6593036	350	A062263
BVRB291	RAB	41	MGA94_51	325435.2	6592757	350	A062263
BVRB292	RAB	50	MGA94_51	325485.2	6592757	350	A062263
BVRB293	RAB	40	MGA94_51	325535.2	6592757	350	A062263
BVRB294	RAB	32	MGA94_51	325585.2	6592757	350	A062263
BVRB295	RAB	33	MGA94_51	325635.2	6592757	350	A062263
BVRB296	RAB	13	MGA94_51	325685.2	6592757	350	A062263
BVRB297	RAB	28	MGA94_51	325735.2	6592757	350	A062263
BVRB298	RAB	46	MGA94_51	325785.2	6592757	350	A062263
BVRB299	RAB	34	MGA94_51	325835.2	6592757	350	A062263
BVRB300	RAB	30	MGA94_51	325885.2	6592757	350	A062263
BVRB301	RAB	41	MGA94_51	325935.2	6592757	350	A062263
BVRB302	RAB	26	MGA94_51	325985.2	6592757	350	A062263
BVRB303	RAB	32	MGA94_51	326035.2	6592757	350	A062263
BVRB304	RAB	24	MGA94_51	326085.2	6592757	350	A062263
BVRB305	RAB	27	MGA94_51	326135.2	6592757	350	A062263
BVRB306	RAB	33	MGA94_51	326185.2	6592757	350	A062263
BVRB307	RAB	36	MGA94_51	326235.2	6592757	350	A062263
BVRB308	RAB	50	MGA94_51	325155.2	6593057	350	A062263
BVRB309	RAB	40	MGA94_51	325205.2	6593057	350	A062263
BVRB310	RAB	52	MGA94_51	325255.2	6593057	350	A062263
BVRB311	RAB	51	MGA94_51	325305.2	6593057	350	A062263
BVRB312	RAB	44	MGA94_51	325355.2	6593057	350	A062263
BVRB313	RAB	28	MGA94_51	325405.2	6593057	350	A062263
BVRB314	RAB	44	MGA94_51	325455.2	6593057	350	A062263
BVRB315	RAB	29	MGA94_51	325505.2	6593057	350	A062263
BVRB316	RAB	24	MGA94_51	325555.2	6593057	350	A062263
BVRB317	RAB	38	MGA94_51	325605.2	6593057	350	A062263
BVRB318	RAB	35	MGA94_51	325655.2	6593057	350	A062263
BVRB319	RAB	18	MGA94_51	325705.2	6593057	350	A062263
BVRB320	RAB	18	MGA94_51	325755.2	6593057	350	A062263
BVRB321	RAB	54	MGA94_51	325805.2	6593057	350	A062263
BVRB322	RAB	54	MGA94_51	325855.2	6593057	350	A062263
BVRB323	RAB	41	MGA94_51	325905.2	6593057	350	A062263
BVRB324	RAB	50	MGA94_51	325955.2	6593057	350	A062263
BVRB325	RAB	46	MGA94_51	325685.2	6592357	350	A062263
BVRB326	RAB	37	MGA94_51	325735.2	6592357	350	A062263
BVRB327	RAB	27	MGA94_51	325785.2	6592357	350	A062263
BVRB328	RAB	33	MGA94_51	325835.2	6592357	350	A062263
BVRB329	RAB	16	MGA94_51	325885.2	6592357	350	A062263
BVRB330	RAB	35	MGA94_51	325935.2	6592357	350	A062263
BVRB331	RAB	36	MGA94_51	325985.2	6592357	350	A062263
BVRB332	RAB	45	MGA94_51	326085.2	6592357	350	A062263
BVRB333	RAB	48	MGA94_51	326185.2	6592357	350	A062263

Hole_ID	Hole_Type	Max_Depth	NAT_Grid_ID	NAT_East	NAT_North	NAT_RL	WAMEX_ANumber
BVRB334	RAB	41	MGA94_51	326285.2	6592357	350	A062263
BVRB335	RAB	36	MGA94_51	325835.2	6591157	350	A062263
BVRB336	RAB	49	MGA94_51	325885.2	6591166	350	A062263
BVRB337	RAB	35	MGA94_51	325935.2	6591157	350	A062263
BVRB338	RAB	39	MGA94_51	325985.2	6591157	350	A062263
BVRB339	RAB	12	MGA94_51	326035.2	6591157	350	A062263
BVRB340	RAB	16	MGA94_51	326085.2	6591157	350	A062263
BVRB341	RAB	12	MGA94_51	326135.2	6591157	350	A062263
BVRB342	RAB	11	MGA94_51	326185.2	6591157	350	A062263
BVRB343	RAB	71	MGA94_51	326285.2	6591157	350	A062263
BVRB344	RAB	44	MGA94_51	326335.2	6591157	350	A062263
BVRB345	RAB	23	MGA94_51	326385.2	6591157	350	A062263
BVRB346	RAB	28	MGA94_51	326435.2	6591157	350	A062263
BVRB347	RAB	27	MGA94_51	326485.2	6591157	350	A062263
BVRB348	RAB	27	MGA94_51	326535.2	6591157	350	A062263
BVRB349	RAB	27	MGA94_51	326585.2	6591157	350	A062263
BVRB350	RAB	28	MGA94_51	326635.2	6591157	350	A062263
BVRB351	RAB	39	MGA94_51	325985.2	6590757	350	A062263
BVRB352	RAB	33	MGA94_51	326035.2	6590757	350	A062263
BVRB353	RAB	33	MGA94_51	326085.2	6590757	350	A062263
BVRB354	RAB	32	MGA94_51	326135.2	6590757	350	A062263
BVRB355	RAB	32	MGA94_51	326185.2	6590757	350	A062263
BVRB356	RAB	7	MGA94_51	326235.2	6590757	350	A062263
BVRB357	RAB	29	MGA94_51	326285.2	6590757	350	A062263
BVRB358	RAB	23	MGA94_51	326335.2	6590757	350	A062263
BVRB359	RAB	23	MGA94_51	326385.2	6590757	350	A062263
BVRB360	RAB	24	MGA94_51	326435.2	6590757	350	A062263
BVRB361	RAB	19	MGA94_51	326485.2	6590757	350	A062263
BVRB362	RAB	4	MGA94_51	326535.2	6590757	350	A062263
BVRB363	RAB	28	MGA94_51	326585.2	6590757	350	A062263
BVRB364	RAB	16	MGA94_51	326635.2	6590757	350	A062263
BVRB365	RAB	5	MGA94_51	326685.2	6590757	350	A062263
BVRB366	RAB	4	MGA94_51	326735.2	6590757	350	A062263
BVRB367	RAB	8	MGA94_51	326785.2	6590757	350	A062263

**Table 4: Collars from the BVRB holes, taken from WAMEX reports A62263 and A58256**

Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB001	0	4	CHIPS	10-Dec-98	n/a
BVRB001	4	8	CHIPS	10-Dec-98	0.001
BVRB001	8	12	CHIPS	10-Dec-98	0.005
BVRB001	12	16	CHIPS	10-Dec-98	0.001
BVRB001	16	20	CHIPS	10-Dec-98	0.002
BVRB001	20	24	CHIPS	10-Dec-98	n/a
BVRB001	24	28	CHIPS	10-Dec-98	0.002
BVRB001	28	29	CHIPS	10-Dec-98	0.001
BVRB001	29	30	CHIPS	10-Dec-98	n/a
BVRB002	0	4	CHIPS	10-Dec-98	n/a
BVRB002	4	8	CHIPS	10-Dec-98	n/a
BVRB002	8	12	CHIPS	10-Dec-98	n/a
BVRB002	12	16	CHIPS	10-Dec-98	n/a
BVRB002	16	20	CHIPS	10-Dec-98	0.001
BVRB002	20	21	CHIPS	10-Dec-98	0.005
BVRB002	21	22	CHIPS	10-Dec-98	0.004
BVRB003	0	4	CHIPS	10-Dec-98	0.005
BVRB003	4	8	CHIPS	10-Dec-98	n/a
BVRB003	8	12	CHIPS	10-Dec-98	n/a
BVRB003	12	16	CHIPS	10-Dec-98	0.005
BVRB003	16	20	CHIPS	10-Dec-98	0.002
BVRB003	20	24	CHIPS	10-Dec-98	0.001
BVRB003	24	28	CHIPS	10-Dec-98	0.002
BVRB003	28	29	CHIPS	10-Dec-98	n/a
BVRB004	0	4	CHIPS	10-Dec-98	0.001
BVRB004	4	8	CHIPS	10-Dec-98	0.002
BVRB004	8	12	CHIPS	10-Dec-98	0.001
BVRB004	12	16	CHIPS	10-Dec-98	0.01
BVRB004	16	20	CHIPS	10-Dec-98	0.011
BVRB004	20	21	CHIPS	10-Dec-98	0.007
BVRB004	21	22	CHIPS	10-Dec-98	0.002
BVRB005	0	4	CHIPS	10-Dec-98	0.004
BVRB005	4	8	CHIPS	10-Dec-98	0.002
BVRB005	8	12	CHIPS	10-Dec-98	0.002
BVRB005	12	16	CHIPS	10-Dec-98	0.003
BVRB005	16	20	CHIPS	10-Dec-98	0.002
BVRB005	20	21	CHIPS	10-Dec-98	0.006
BVRB005	21	22	CHIPS	10-Dec-98	0.001
BVRB005	22	23	CHIPS	10-Dec-98	0.003
BVRB006	0	4	CHIPS	10-Dec-98	n/a
BVRB006	4	8	CHIPS	10-Dec-98	n/a
BVRB006	8	12	CHIPS	10-Dec-98	0.003
BVRB006	12	13	CHIPS	10-Dec-98	0.001
BVRB006	13	14	CHIPS	10-Dec-98	0.004
BVRB006	14	15	CHIPS	10-Dec-98	0.001
BVRB006	15	16	CHIPS	10-Dec-98	0.019
BVRB007	0	4	CHIPS	10-Dec-98	0.001
BVRB007	4	8	CHIPS	10-Dec-98	n/a
BVRB007	8	12	CHIPS	10-Dec-98	n/a
BVRB007	12	16	CHIPS	10-Dec-98	0.001
BVRB007	16	17	CHIPS	10-Dec-98	n/a
BVRB007	17	18	CHIPS	10-Dec-98	n/a
BVRB008	0	4	CHIPS	10-Dec-98	n/a
BVRB008	4	8	CHIPS	10-Dec-98	n/a
BVRB008	8	12	CHIPS	10-Dec-98	n/a



Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB008	12	16	CHIPS	10-Dec-98	0.002
BVRB008	16	17	CHIPS	10-Dec-98	n/a
BVRB008	17	18	CHIPS	10-Dec-98	0.001
BVRB008	18	19	CHIPS	10-Dec-98	0.002
BVRB008	19	20	CHIPS	10-Dec-98	n/a
BVRB009	0	4	CHIPS	10-Dec-98	0.002
BVRB009	4	8	CHIPS	10-Dec-98	n/a
BVRB009	8	12	CHIPS	10-Dec-98	0.001
BVRB009	12	16	CHIPS	10-Dec-98	0.004
BVRB009	16	17	CHIPS	10-Dec-98	0.005
BVRB009	17	18	CHIPS	10-Dec-98	0.003
BVRB009	18	19	CHIPS	10-Dec-98	0.003
BVRB009	19	20	CHIPS	10-Dec-98	0.003
BVRB010	0	4	CHIPS	10-Dec-98	0.002
BVRB010	4	8	CHIPS	10-Dec-98	n/a
BVRB010	8	9	CHIPS	10-Dec-98	0.003
BVRB010	9	10	CHIPS	10-Dec-98	0.015
BVRB010	10	11	CHIPS	10-Dec-98	0.02
BVRB010	11	12	CHIPS	10-Dec-98	0.017
BVRB011	0	4	CHIPS	10-Dec-98	0.004
BVRB011	4	8	CHIPS	10-Dec-98	n/a
BVRB011	8	12	CHIPS	10-Dec-98	0.001
BVRB011	12	16	CHIPS	10-Dec-98	0.005
BVRB011	16	20	CHIPS	10-Dec-98	n/a
BVRB011	20	24	CHIPS	10-Dec-98	0.003
BVRB011	24	25	CHIPS	10-Dec-98	0.003
BVRB011	25	26	CHIPS	10-Dec-98	0.003
BVRB011	26	27	CHIPS	10-Dec-98	0.003
BVRB011	27	28	CHIPS	10-Dec-98	0.009
BVRB012	0	4	CHIPS	10-Dec-98	n/a
BVRB012	4	8	CHIPS	10-Dec-98	0.004
BVRB012	8	12	CHIPS	10-Dec-98	0.002
BVRB012	12	13	CHIPS	10-Dec-98	0.002
BVRB012	13	14	CHIPS	10-Dec-98	0.002
BVRB012	14	15	CHIPS	10-Dec-98	0.002
BVRB012	15	16	CHIPS	10-Dec-98	0.004
BVRB013	15	16	CHIPS	10-Dec-98	0.005
BVRB013	0	4	CHIPS	10-Dec-98	0.006
BVRB013	4	8	CHIPS	10-Dec-98	0.001
BVRB013	8	12	CHIPS	10-Dec-98	0.002
BVRB013	12	13	CHIPS	10-Dec-98	0.004
BVRB013	13	14	CHIPS	10-Dec-98	0.003
BVRB013	14	15	CHIPS	10-Dec-98	0.01
BVRB014	0	4	CHIPS	10-Dec-98	0.003
BVRB014	4	8	CHIPS	10-Dec-98	n/a
BVRB014	8	12	CHIPS	10-Dec-98	0.001
BVRB014	12	16	CHIPS	10-Dec-98	0.009
BVRB014	16	20	CHIPS	10-Dec-98	0.015
BVRB014	20	21	CHIPS	10-Dec-98	0.009
BVRB014	21	22	CHIPS	10-Dec-98	0.011
BVRB014	22	23	CHIPS	10-Dec-98	0.009
BVRB015	0	4	CHIPS	10-Dec-98	0.002
BVRB015	4	8	CHIPS	10-Dec-98	n/a
BVRB015	8	12	CHIPS	10-Dec-98	0.004
BVRB015	12	16	CHIPS	10-Dec-98	0.007
BVRB015	16	17	CHIPS	10-Dec-98	0.002

Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB016	0	4	CHIPS	10-Dec-98	0.004
BVRB016	4	8	CHIPS	10-Dec-98	0.001
BVRB016	8	12	CHIPS	10-Dec-98	n/a
BVRB016	12	13	CHIPS	10-Dec-98	0.001
BVRB016	13	14	CHIPS	10-Dec-98	0.001
BVRB017	0	4	CHIPS	10-Dec-98	0.003
BVRB017	4	8	CHIPS	10-Dec-98	n/a
BVRB017	8	12	CHIPS	10-Dec-98	n/a
BVRB017	12	16	CHIPS	10-Dec-98	n/a
BVRB017	16	20	CHIPS	10-Dec-98	0.001
BVRB017	20	21	CHIPS	10-Dec-98	n/a
BVRB017	21	22	CHIPS	10-Dec-98	0.103
BVRB017	22	23	CHIPS	10-Dec-98	0.049
BVRB017	23	24	CHIPS	10-Dec-98	0.001
BVRB018	0	4	CHIPS	10-Dec-98	0.002
BVRB018	4	8	CHIPS	10-Dec-98	0.001
BVRB018	8	12	CHIPS	10-Dec-98	n/a
BVRB018	12	16	CHIPS	10-Dec-98	n/a
BVRB018	16	20	CHIPS	10-Dec-98	n/a
BVRB018	20	24	CHIPS	10-Dec-98	n/a
BVRB018	24	25	CHIPS	10-Dec-98	n/a
BVRB019	0	4	CHIPS	10-Dec-98	0.002
BVRB019	4	8	CHIPS	10-Dec-98	n/a
BVRB019	8	12	CHIPS	10-Dec-98	n/a
BVRB019	12	16	CHIPS	10-Dec-98	n/a
BVRB019	16	20	CHIPS	10-Dec-98	n/a
BVRB019	20	24	CHIPS	10-Dec-98	n/a
BVRB019	24	25	CHIPS	10-Dec-98	n/a
BVRB019	25	26	CHIPS	10-Dec-98	n/a
BVRB019	26	27	CHIPS	10-Dec-98	0.001
BVRB020	0	4	CHIPS	10-Dec-98	0.001
BVRB020	4	8	CHIPS	10-Dec-98	0.001
BVRB020	8	12	CHIPS	10-Dec-98	n/a
BVRB020	12	16	CHIPS	10-Dec-98	n/a
BVRB020	16	20	CHIPS	10-Dec-98	n/a
BVRB020	20	24	CHIPS	10-Dec-98	n/a
BVRB020	24	28	CHIPS	10-Dec-98	n/a
BVRB020	28	32	CHIPS	10-Dec-98	n/a
BVRB020	32	36	CHIPS	10-Dec-98	0.001
BVRB020	36	37	CHIPS	10-Dec-98	n/a
BVRB020	37	38	CHIPS	10-Dec-98	0.001
BVRB020	38	39	CHIPS	10-Dec-98	0.46
BVRB021	0	4	CHIPS	10-Dec-98	0.002
BVRB021	4	8	CHIPS	10-Dec-98	n/a
BVRB021	8	12	NS	10-Dec-98	n/a
BVRB021	12	16	CHIPS	10-Dec-98	n/a
BVRB021	16	20	CHIPS	10-Dec-98	n/a
BVRB021	20	24	CHIPS	10-Dec-98	n/a
BVRB021	24	28	CHIPS	10-Dec-98	n/a
BVRB021	28	32	CHIPS	10-Dec-98	n/a
BVRB021	32	36	CHIPS	10-Dec-98	0.002
BVRB021	36	40	CHIPS	10-Dec-98	n/a
BVRB021	40	41	CHIPS	10-Dec-98	n/a
BVRB021	41	42	CHIPS	10-Dec-98	0.001
BVRB021	42	43	CHIPS	10-Dec-98	n/a
BVRB022	0	4	CHIPS	10-Dec-98	0.012

Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB022	4	8	CHIPS	10-Dec-98	n/a
BVRB022	8	12	CHIPS	10-Dec-98	n/a
BVRB022	12	16	CHIPS	10-Dec-98	0.001
BVRB022	16	20	CHIPS	10-Dec-98	0.001
BVRB022	20	24	CHIPS	10-Dec-98	n/a
BVRB022	24	28	CHIPS	10-Dec-98	n/a
BVRB022	28	29	CHIPS	10-Dec-98	n/a
BVRB022	29	30	CHIPS	10-Dec-98	0.003
BVRB022	30	31	CHIPS	10-Dec-98	0.003
BVRB023	0	4	CHIPS	10-Dec-98	0.006
BVRB023	4	8	CHIPS	10-Dec-98	0.001
BVRB023	8	12	CHIPS	10-Dec-98	n/a
BVRB023	12	16	CHIPS	10-Dec-98	0.001
BVRB023	16	17	CHIPS	10-Dec-98	0.002
BVRB023	17	18	CHIPS	10-Dec-98	0.001
BVRB024	0	4	CHIPS	10-Dec-98	0.005
BVRB024	4	8	CHIPS	10-Dec-98	0.001
BVRB024	8	9	CHIPS	10-Dec-98	n/a
BVRB024	9	10	CHIPS	10-Dec-98	n/a
BVRB024	10	11	CHIPS	10-Dec-98	n/a
BVRB024	11	12	CHIPS	10-Dec-98	n/a
BVRB025	0	4	CHIPS	10-Dec-98	0.001
BVRB025	4	8	CHIPS	10-Dec-98	n/a
BVRB025	8	12	CHIPS	10-Dec-98	n/a
BVRB025	12	16	CHIPS	10-Dec-98	0.001
BVRB025	16	17	CHIPS	10-Dec-98	0.001
BVRB025	17	18	CHIPS	10-Dec-98	0.005
BVRB025	18	19	CHIPS	10-Dec-98	0.008
BVRB026	0	4	CHIPS	10-Dec-98	0.001
BVRB026	4	8	CHIPS	10-Dec-98	n/a
BVRB026	8	12	CHIPS	10-Dec-98	0.001
BVRB026	12	16	CHIPS	10-Dec-98	n/a
BVRB026	16	17	CHIPS	10-Dec-98	n/a
BVRB027	0	4	CHIPS	10-Dec-98	0.002
BVRB027	4	8	CHIPS	10-Dec-98	0.002
BVRB027	8	12	CHIPS	10-Dec-98	0.001
BVRB027	12	13	CHIPS	10-Dec-98	n/a
BVRB027	13	14	CHIPS	10-Dec-98	n/a
BVRB028	0	4	CHIPS	10-Dec-98	n/a
BVRB028	4	8	CHIPS	10-Dec-98	0.001
BVRB028	8	12	CHIPS	10-Dec-98	0.002
BVRB028	12	16	CHIPS	10-Dec-98	0.012
BVRB028	16	20	CHIPS	10-Dec-98	0.013
BVRB028	20	21	CHIPS	10-Dec-98	0.007
BVRB028	21	22	CHIPS	10-Dec-98	0.006
BVRB029	0	4	CHIPS	10-Dec-98	0.001
BVRB029	4	8	CHIPS	10-Dec-98	0.002
BVRB029	8	12	CHIPS	10-Dec-98	0.006
BVRB029	12	16	CHIPS	10-Dec-98	0.259
BVRB029	16	20	CHIPS	10-Dec-98	0.011
BVRB029	20	21	CHIPS	10-Dec-98	0.002
BVRB029	21	22	CHIPS	10-Dec-98	0.003
BVRB029	22	23	CHIPS	10-Dec-98	0.001
BVRB029	23	24	CHIPS	10-Dec-98	0.026
BVRB030	0	4	CHIPS	10-Dec-98	0.003
BVRB030	4	8	CHIPS	10-Dec-98	0.003

Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB030	8	9	CHIPS	10-Dec-98	0.007
BVRB030	9	10	CHIPS	10-Dec-98	0.018
BVRB031	0	4	CHIPS	10-Dec-98	0.004
BVRB031	4	8	CHIPS	10-Dec-98	0.001
BVRB031	8	12	CHIPS	10-Dec-98	0.001
BVRB031	12	16	CHIPS	10-Dec-98	0.002
BVRB031	16	20	CHIPS	10-Dec-98	0.005
BVRB031	20	24	CHIPS	10-Dec-98	0.04
BVRB031	24	25	CHIPS	10-Dec-98	0.01
BVRB031	25	26	CHIPS	10-Dec-98	0.119
BVRB031	26	27	CHIPS	10-Dec-98	0.015
BVRB031	27	28	CHIPS	10-Dec-98	0.008
BVRB032	0	4	CHIPS	10-Dec-98	0.001
BVRB032	4	8	CHIPS	10-Dec-98	n/a
BVRB032	8	12	CHIPS	10-Dec-98	0.015
BVRB032	12	16	CHIPS	10-Dec-98	0.006
BVRB032	16	20	CHIPS	10-Dec-98	0.01
BVRB032	20	24	CHIPS	10-Dec-98	0.004
BVRB032	24	28	CHIPS	10-Dec-98	n/a
BVRB032	28	29	CHIPS	10-Dec-98	0.008
BVRB032	29	30	CHIPS	10-Dec-98	0.006
BVRB033	0	4	CHIPS	10-Dec-98	0.03
BVRB033	4	8	CHIPS	10-Dec-98	0.001
BVRB033	8	12	CHIPS	10-Dec-98	n/a
BVRB033	12	16	CHIPS	10-Dec-98	n/a
BVRB033	16	20	CHIPS	10-Dec-98	0.001
BVRB033	20	21	CHIPS	10-Dec-98	0.012
BVRB033	21	22	CHIPS	10-Dec-98	0.004
BVRB033	22	23	CHIPS	10-Dec-98	0.004
BVRB034	0	4	CHIPS	10-Dec-98	0.001
BVRB034	4	8	CHIPS	10-Dec-98	n/a
BVRB034	8	12	CHIPS	10-Dec-98	n/a
BVRB034	12	16	CHIPS	10-Dec-98	n/a
BVRB034	16	17	CHIPS	10-Dec-98	0.002
BVRB034	17	18	CHIPS	10-Dec-98	0.001
BVRB034	18	19	CHIPS	10-Dec-98	0.002
BVRB034	19	20	CHIPS	10-Dec-98	0.001
BVRB035	0	4	CHIPS	10-Dec-98	0.007
BVRB035	4	8	CHIPS	10-Dec-98	0.001
BVRB035	8	12	CHIPS	10-Dec-98	0.001
BVRB035	12	16	CHIPS	10-Dec-98	0.001
BVRB035	16	20	CHIPS	10-Dec-98	0.001
BVRB035	20	24	CHIPS	10-Dec-98	0.005
BVRB035	24	25	CHIPS	10-Dec-98	0.013
BVRB035	25	26	CHIPS	10-Dec-98	0.001
BVRB036	0	4	CHIPS	10-Dec-98	0.001
BVRB036	4	8	CHIPS	10-Dec-98	0.001
BVRB036	8	12	CHIPS	10-Dec-98	n/a
BVRB036	12	13	CHIPS	10-Dec-98	n/a
BVRB036	13	14	CHIPS	10-Dec-98	n/a
BVRB037	0	4	CHIPS	10-Dec-98	0.001
BVRB037	4	8	CHIPS	10-Dec-98	0.001
BVRB037	8	12	CHIPS	10-Dec-98	0.01
BVRB037	12	16	CHIPS	10-Dec-98	n/a
BVRB037	16	20	CHIPS	10-Dec-98	n/a
BVRB037	20	24	CHIPS	10-Dec-98	0.006



Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB037	24	28	CHIPS	10-Dec-98	n/a
BVRB037	28	29	CHIPS	10-Dec-98	n/a
BVRB037	29	30	CHIPS	10-Dec-98	0.004
BVRB037	30	31	CHIPS	10-Dec-98	0.004
BVRB038	0	4	CHIPS	10-Dec-98	0.001
BVRB038	4	8	CHIPS	10-Dec-98	n/a
BVRB038	8	12	CHIPS	10-Dec-98	n/a
BVRB038	12	16	CHIPS	10-Dec-98	n/a
BVRB038	16	20	CHIPS	10-Dec-98	n/a
BVRB038	20	21	CHIPS	10-Dec-98	n/a
BVRB038	21	22	CHIPS	10-Dec-98	n/a
BVRB038	22	23	CHIPS	10-Dec-98	0.002
BVRB038	23	24	CHIPS	10-Dec-98	0.002
BVRB039	0	4	CHIPS	10-Dec-98	0.001
BVRB039	4	8	CHIPS	10-Dec-98	n/a
BVRB039	8	12	CHIPS	10-Dec-98	0.002
BVRB039	12	16	CHIPS	10-Dec-98	0.004
BVRB039	16	20	CHIPS	10-Dec-98	n/a
BVRB039	20	24	CHIPS	10-Dec-98	n/a
BVRB039	24	25	CHIPS	10-Dec-98	n/a
BVRB039	25	26	CHIPS	10-Dec-98	0.001
BVRB039	26	27	CHIPS	10-Dec-98	n/a
BVRB039	27	28	CHIPS	10-Dec-98	n/a
BVRB040	0	4	CHIPS	10-Dec-98	0.002
BVRB040	4	8	CHIPS	10-Dec-98	0.001
BVRB040	8	12	CHIPS	10-Dec-98	0.002
BVRB040	12	16	CHIPS	10-Dec-98	0.002
BVRB040	16	20	CHIPS	10-Dec-98	0.004
BVRB040	20	24	CHIPS	10-Dec-98	n/a
BVRB040	24	28	CHIPS	10-Dec-98	n/a
BVRB040	28	29	CHIPS	10-Dec-98	n/a
BVRB040	29	30	CHIPS	10-Dec-98	0.004
BVRB040	30	31	CHIPS	10-Dec-98	0.001
BVRB040	31	32	CHIPS	10-Dec-98	0.001
BVRB041	0	4	CHIPS	10-Dec-98	0.004
BVRB041	4	8	CHIPS	10-Dec-98	n/a
BVRB041	8	12	CHIPS	10-Dec-98	n/a
BVRB041	12	16	CHIPS	10-Dec-98	n/a
BVRB041	16	20	CHIPS	10-Dec-98	n/a
BVRB041	20	24	CHIPS	10-Dec-98	n/a
BVRB041	24	25	CHIPS	10-Dec-98	0.002
BVRB041	25	26	CHIPS	10-Dec-98	n/a
BVRB041	26	27	CHIPS	10-Dec-98	n/a
BVRB041	27	28	CHIPS	10-Dec-98	n/a
BVRB042	0	4	CHIPS	10-Dec-98	0.007
BVRB042	4	8	CHIPS	10-Dec-98	0.001
BVRB042	8	12	CHIPS	10-Dec-98	n/a
BVRB042	12	16	CHIPS	10-Dec-98	n/a
BVRB042	16	20	CHIPS	10-Dec-98	n/a
BVRB042	20	24	CHIPS	10-Dec-98	n/a
BVRB042	24	28	CHIPS	10-Dec-98	n/a
BVRB042	28	32	CHIPS	10-Dec-98	0.004
BVRB042	32	33	CHIPS	10-Dec-98	0.002
BVRB042	33	34	CHIPS	10-Dec-98	n/a
BVRB042	34	35	CHIPS	10-Dec-98	0.003
BVRB043	0	4	CHIPS	10-Dec-98	0.01

Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB043	4	8	CHIPS	10-Dec-98	0.005
BVRB043	8	12	CHIPS	10-Dec-98	0.001
BVRB043	12	16	CHIPS	10-Dec-98	n/a
BVRB043	16	20	CHIPS	10-Dec-98	n/a
BVRB043	20	24	CHIPS	10-Dec-98	n/a
BVRB043	24	28	CHIPS	10-Dec-98	0.002
BVRB043	28	32	CHIPS	10-Dec-98	0.001
BVRB043	32	36	CHIPS	10-Dec-98	0.001
BVRB043	36	40	CHIPS	10-Dec-98	0.002
BVRB043	40	41	CHIPS	10-Dec-98	0.002
BVRB044	0	4	CHIPS	10-Dec-98	0.003
BVRB044	4	8	CHIPS	10-Dec-98	0.001
BVRB044	8	12	CHIPS	10-Dec-98	n/a
BVRB044	12	16	CHIPS	10-Dec-98	n/a
BVRB044	16	20	CHIPS	10-Dec-98	0.003
BVRB044	20	24	CHIPS	10-Dec-98	0.001
BVRB044	24	25	CHIPS	10-Dec-98	n/a
BVRB044	25	26	CHIPS	10-Dec-98	n/a
BVRB044	26	27	CHIPS	10-Dec-98	0.001
BVRB044	27	28	CHIPS	10-Dec-98	0.001
BVRB045	0	4	CHIPS	10-Dec-98	0.001
BVRB045	4	8	CHIPS	10-Dec-98	0.001
BVRB045	8	9	CHIPS	10-Dec-98	n/a
BVRB045	9	10	CHIPS	10-Dec-98	0.001
BVRB046	0	4	CHIPS	10-Dec-98	0.002
BVRB046	4	8	CHIPS	10-Dec-98	0.001
BVRB046	8	12	CHIPS	10-Dec-98	0.001
BVRB046	12	13	CHIPS	10-Dec-98	0.001
BVRB046	13	14	CHIPS	10-Dec-98	0.004
BVRB047	0	4	CHIPS	10-Dec-98	0.002
BVRB047	4	8	CHIPS	10-Dec-98	0.005
BVRB047	8	12	CHIPS	10-Dec-98	0.017
BVRB047	12	16	CHIPS	10-Dec-98	0.005
BVRB047	16	17	CHIPS	10-Dec-98	0.006
BVRB047	17	18	CHIPS	10-Dec-98	0.005
BVRB047	18	19	CHIPS	10-Dec-98	0.004
BVRB047	19	20	CHIPS	10-Dec-98	0.011
BVRB048	0	4	CHIPS	10-Dec-98	0.002
BVRB048	4	8	CHIPS	10-Dec-98	0.005
BVRB048	8	12	CHIPS	10-Dec-98	0.005
BVRB048	12	13	CHIPS	10-Dec-98	0.006
BVRB049	0	4	CHIPS	10-Dec-98	0.002
BVRB049	4	8	CHIPS	10-Dec-98	0.001
BVRB049	8	12	CHIPS	10-Dec-98	0.003
BVRB049	12	13	CHIPS	10-Dec-98	0.001
BVRB049	13	14	CHIPS	10-Dec-98	0.001
BVRB049	14	15	CHIPS	10-Dec-98	0.02
BVRB050	0	4	CHIPS	10-Dec-98	n/a
BVRB050	4	8	CHIPS	10-Dec-98	n/a
BVRB050	8	12	CHIPS	10-Dec-98	n/a
BVRB050	12	16	CHIPS	10-Dec-98	n/a
BVRB050	16	17	CHIPS	10-Dec-98	n/a
BVRB050	17	18	CHIPS	10-Dec-98	n/a
BVRB051	0	4	CHIPS	10-Dec-98	0.001
BVRB051	4	8	CHIPS	10-Dec-98	n/a
BVRB051	8	12	CHIPS	10-Dec-98	n/a

Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB051	12	16	CHIPS	10-Dec-98	n/a
BVRB051	16	20	CHIPS	10-Dec-98	n/a
BVRB051	20	21	CHIPS	10-Dec-98	n/a
BVRB051	21	22	CHIPS	10-Dec-98	n/a
BVRB052	0	4	CHIPS	10-Dec-98	0.002
BVRB052	4	8	CHIPS	10-Dec-98	0.001
BVRB052	8	12	CHIPS	10-Dec-98	n/a
BVRB052	12	16	CHIPS	10-Dec-98	n/a
BVRB052	16	17	CHIPS	10-Dec-98	n/a
BVRB052	17	18	CHIPS	10-Dec-98	n/a
BVRB053	0	4	CHIPS	10-Dec-98	0.001
BVRB053	4	8	CHIPS	10-Dec-98	n/a
BVRB053	8	12	CHIPS	10-Dec-98	n/a
BVRB053	12	13	CHIPS	10-Dec-98	n/a
BVRB053	13	14	CHIPS	10-Dec-98	n/a
BVRB053	14	15	CHIPS	10-Dec-98	n/a
BVRB054	0	4	CHIPS	10-Dec-98	0.002
BVRB054	4	8	CHIPS	10-Dec-98	0.001
BVRB054	8	12	CHIPS	10-Dec-98	0.001
BVRB054	12	16	CHIPS	10-Dec-98	0.001
BVRB054	16	20	CHIPS	10-Dec-98	0.001
BVRB054	20	21	CHIPS	10-Dec-98	n/a
BVRB054	21	22	CHIPS	10-Dec-98	0.001
BVRB054	22	23	CHIPS	10-Dec-98	0.001
BVRB055	0	4	CHIPS	10-Dec-98	n/a
BVRB055	4	8	CHIPS	10-Dec-98	0.001
BVRB055	8	12	CHIPS	10-Dec-98	0.002
BVRB055	12	16	CHIPS	10-Dec-98	0.001
BVRB055	16	20	CHIPS	10-Dec-98	0.001
BVRB055	20	24	CHIPS	10-Dec-98	n/a
BVRB055	24	25	CHIPS	10-Dec-98	0.001
BVRB056	0	4	CHIPS	10-Dec-98	0.004
BVRB056	4	8	CHIPS	10-Dec-98	n/a
BVRB056	8	12	CHIPS	10-Dec-98	n/a
BVRB056	12	16	CHIPS	10-Dec-98	0.001
BVRB056	16	17	CHIPS	10-Dec-98	0.001
BVRB056	17	18	CHIPS	10-Dec-98	0.001
BVRB057	0	4	CHIPS	10-Dec-98	0.003
BVRB057	4	8	CHIPS	10-Dec-98	0.003
BVRB057	8	12	CHIPS	10-Dec-98	0.001
BVRB057	12	16	CHIPS	10-Dec-98	0.001
BVRB057	16	20	CHIPS	10-Dec-98	0.002
BVRB057	20	21	CHIPS	10-Dec-98	0.002
BVRB058	0	4	CHIPS	10-Dec-98	n/a
BVRB058	4	8	CHIPS	10-Dec-98	0.002
BVRB058	8	12	CHIPS	10-Dec-98	0.001
BVRB058	12	16	CHIPS	10-Dec-98	0.002
BVRB058	16	17	CHIPS	10-Dec-98	0.004
BVRB058	17	18	CHIPS	10-Dec-98	0.002
BVRB058	18	19	CHIPS	10-Dec-98	0.001
BVRB059	0	4	CHIPS	10-Dec-98	n/a
BVRB059	4	8	CHIPS	10-Dec-98	n/a
BVRB059	8	12	CHIPS	10-Dec-98	0.001
BVRB059	12	13	CHIPS	10-Dec-98	n/a
BVRB059	13	14	CHIPS	10-Dec-98	n/a
BVRB059	14	15	CHIPS	10-Dec-98	0.002

Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB059	15	16	CHIPS	10-Dec-98	0.002
BVRB060	0	4	CHIPS	10-Dec-98	n/a
BVRB060	4	8	CHIPS	10-Dec-98	n/a
BVRB060	8	9	CHIPS	10-Dec-98	n/a
BVRB060	9	10	CHIPS	10-Dec-98	n/a
BVRB060	10	11	CHIPS	10-Dec-98	0.001
BVRB061	0	4	CHIPS	10-Dec-98	n/a
BVRB061	4	8	CHIPS	10-Dec-98	n/a
BVRB061	8	9	CHIPS	10-Dec-98	n/a
BVRB061	9	10	CHIPS	10-Dec-98	n/a
BVRB062	0	4	CHIPS	10-Dec-98	n/a
BVRB062	4	5	CHIPS	10-Dec-98	0.001
BVRB062	5	6	CHIPS	10-Dec-98	n/a
BVRB062	6	7	CHIPS	10-Dec-98	0.001
BVRB063	0	4	CHIPS	10-Dec-98	0.003
BVRB063	4	8	CHIPS	10-Dec-98	0.001
BVRB063	8	9	CHIPS	10-Dec-98	n/a
BVRB063	9	10	CHIPS	10-Dec-98	0.002
BVRB063	10	11	CHIPS	10-Dec-98	0.001
BVRB063	11	12	CHIPS	10-Dec-98	0.003
BVRB064	0	4	CHIPS	10-Dec-98	0.003
BVRB064	4	8	CHIPS	10-Dec-98	n/a
BVRB064	8	12	CHIPS	10-Dec-98	n/a
BVRB064	12	16	CHIPS	10-Dec-98	0.002
BVRB064	16	20	CHIPS	10-Dec-98	n/a
BVRB064	20	21	CHIPS	10-Dec-98	n/a
BVRB064	21	22	CHIPS	10-Dec-98	n/a
BVRB065	0	4	CHIPS	10-Dec-98	n/a
BVRB065	4	8	CHIPS	10-Dec-98	n/a
BVRB065	8	12	CHIPS	10-Dec-98	n/a
BVRB065	12	13	CHIPS	10-Dec-98	0.004
BVRB065	13	14	CHIPS	10-Dec-98	0.002
BVRB066	0	4	CHIPS	10-Dec-98	n/a
BVRB066	4	8	CHIPS	10-Dec-98	n/a
BVRB066	8	9	CHIPS	10-Dec-98	n/a
BVRB066	9	10	CHIPS	10-Dec-98	0.004
BVRB066	10	11	CHIPS	10-Dec-98	n/a
BVRB066	11	12	CHIPS	10-Dec-98	0.002
BVRB067	0	4	CHIPS	10-Dec-98	0.002
BVRB067	4	8	CHIPS	10-Dec-98	0.002
BVRB067	8	12	CHIPS	10-Dec-98	0.001
BVRB067	12	16	CHIPS	10-Dec-98	0.001
BVRB067	16	20	CHIPS	10-Dec-98	0.001
BVRB067	20	24	CHIPS	10-Dec-98	0.007
BVRB067	24	25	CHIPS	10-Dec-98	0.045
BVRB067	25	26	CHIPS	10-Dec-98	0.006
BVRB067	26	27	CHIPS	10-Dec-98	0.011
BVRB067	27	28	CHIPS	10-Dec-98	0.012
BVRB068	0	4	CHIPS	10-Dec-98	0.003
BVRB068	4	8	CHIPS	10-Dec-98	0.005
BVRB068	8	12	CHIPS	10-Dec-98	0.002
BVRB068	12	16	CHIPS	10-Dec-98	0.001
BVRB068	16	20	CHIPS	10-Dec-98	n/a
BVRB068	20	24	CHIPS	10-Dec-98	n/a
BVRB068	24	28	CHIPS	10-Dec-98	n/a
BVRB068	28	29	CHIPS	10-Dec-98	n/a



Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB069	0	4	CHIPS	10-Dec-98	0.002
BVRB069	4	8	CHIPS	10-Dec-98	n/a
BVRB069	8	12	CHIPS	10-Dec-98	n/a
BVRB069	12	16	CHIPS	10-Dec-98	n/a
BVRB069	16	20	CHIPS	10-Dec-98	n/a
BVRB069	20	24	CHIPS	10-Dec-98	n/a
BVRB069	24	28	CHIPS	10-Dec-98	0.002
BVRB069	28	32	CHIPS	10-Dec-98	0.002
BVRB069	32	33	CHIPS	10-Dec-98	0.006
BVRB070	0	4	CHIPS	10-Dec-98	0.002
BVRB070	4	8	CHIPS	10-Dec-98	0.004
BVRB070	8	12	CHIPS	10-Dec-98	0.004
BVRB070	12	16	CHIPS	10-Dec-98	0.002
BVRB070	16	20	CHIPS	10-Dec-98	0.004
BVRB070	20	24	CHIPS	10-Dec-98	0.004
BVRB070	24	28	CHIPS	10-Dec-98	n/a
BVRB070	28	32	CHIPS	10-Dec-98	n/a
BVRB070	32	36	CHIPS	10-Dec-98	n/a
BVRB070	36	37	CHIPS	10-Dec-98	n/a
BVRB071	0	4	CHIPS	10-Dec-98	n/a
BVRB071	4	8	CHIPS	10-Dec-98	n/a
BVRB071	8	12	CHIPS	10-Dec-98	n/a
BVRB071	12	16	CHIPS	10-Dec-98	n/a
BVRB071	16	20	CHIPS	10-Dec-98	n/a
BVRB071	20	24	CHIPS	10-Dec-98	n/a
BVRB071	24	28	CHIPS	10-Dec-98	n/a
BVRB071	28	32	CHIPS	10-Dec-98	0.006
BVRB071	32	33	CHIPS	10-Dec-98	0.004
BVRB071	33	34	CHIPS	10-Dec-98	0.004
BVRB072	0	4	CHIPS	10-Dec-98	0.002
BVRB072	4	8	CHIPS	10-Dec-98	0.004
BVRB072	8	12	CHIPS	10-Dec-98	0.001
BVRB072	12	16	CHIPS	10-Dec-98	0.001
BVRB072	16	17	CHIPS	10-Dec-98	0.002
BVRB072	17	18	CHIPS	10-Dec-98	0.004
BVRB072	18	19	CHIPS	10-Dec-98	0.004
BVRB072	19	20	CHIPS	10-Dec-98	0.004
BVRB073	0	4	CHIPS	10-Dec-98	n/a
BVRB073	4	8	CHIPS	10-Dec-98	n/a
BVRB073	8	12	CHIPS	10-Dec-98	n/a
BVRB073	12	16	CHIPS	10-Dec-98	n/a
BVRB073	16	20	CHIPS	10-Dec-98	0.002
BVRB073	20	24	CHIPS	10-Dec-98	n/a
BVRB073	24	25	CHIPS	10-Dec-98	0.002
BVRB074	0	4	CHIPS	10-Dec-98	0.004
BVRB074	4	8	CHIPS	10-Dec-98	n/a
BVRB074	8	12	CHIPS	10-Dec-98	0.007
BVRB074	12	16	CHIPS	10-Dec-98	n/a
BVRB074	16	20	CHIPS	10-Dec-98	n/a
BVRB074	20	24	CHIPS	10-Dec-98	n/a
BVRB074	24	25	CHIPS	10-Dec-98	n/a
BVRB074	25	26	CHIPS	10-Dec-98	n/a
BVRB074	26	27	CHIPS	10-Dec-98	n/a
BVRB075	0	4	CHIPS	10-Dec-98	n/a
BVRB075	4	8	CHIPS	10-Dec-98	n/a
BVRB075	8	12	CHIPS	10-Dec-98	n/a

Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB075	12	16	CHIPS	10-Dec-98	n/a
BVRB075	16	20	CHIPS	10-Dec-98	n/a
BVRB075	20	24	CHIPS	10-Dec-98	0.001
BVRB075	24	25	CHIPS	10-Dec-98	n/a
BVRB075	25	26	CHIPS	10-Dec-98	n/a
BVRB075	26	27	CHIPS	10-Dec-98	0.001
BVRB075	27	28	CHIPS	10-Dec-98	0.001
BVRB076	0	4	CHIPS	10-Dec-98	0.002
BVRB076	4	8	CHIPS	10-Dec-98	0.001
BVRB076	8	9	CHIPS	10-Dec-98	0.001
BVRB076	9	10	CHIPS	10-Dec-98	n/a
BVRB077	0	4	CHIPS	10-Dec-98	0.002
BVRB077	4	5	CHIPS	10-Dec-98	n/a
BVRB077	5	6	CHIPS	10-Dec-98	n/a
BVRB077	6	7	CHIPS	10-Dec-98	0.002
BVRB078	0	4	CHIPS	10-Dec-98	0.002
BVRB078	4	8	CHIPS	10-Dec-98	n/a
BVRB078	8	12	CHIPS	10-Dec-98	n/a
BVRB078	12	13	CHIPS	10-Dec-98	n/a
BVRB079	0	4	CHIPS	10-Dec-98	0.004
BVRB079	4	5	CHIPS	10-Dec-98	0.002
BVRB079	5	6	CHIPS	10-Dec-98	0.002
BVRB079	6	7	CHIPS	10-Dec-98	0.002
BVRB080	0	4	CHIPS	10-Dec-98	n/a
BVRB080	4	5	CHIPS	10-Dec-98	n/a
BVRB080	5	6	CHIPS	10-Dec-98	0.004
BVRB080	6	7	CHIPS	10-Dec-98	0.002
BVRB081	0	4	CHIPS	10-Dec-98	n/a
BVRB081	4	5	CHIPS	10-Dec-98	0.002
BVRB081	5	6	CHIPS	10-Dec-98	0.002
BVRB081	6	7	CHIPS	10-Dec-98	0.003
BVRB082	0	4	CHIPS	10-Dec-98	n/a
BVRB082	4	5	CHIPS	10-Dec-98	0.001
BVRB082	5	6	CHIPS	10-Dec-98	n/a
BVRB083	0	4	CHIPS	10-Dec-98	n/a
BVRB083	4	5	CHIPS	10-Dec-98	n/a
BVRB084	0	4	CHIPS	10-Dec-98	n/a
BVRB084	4	5	CHIPS	10-Dec-98	n/a
BVRB084	5	6	CHIPS	10-Dec-98	n/a
BVRB085	0	4	CHIPS	10-Dec-98	0.002
BVRB085	4	5	CHIPS	10-Dec-98	0.002
BVRB086	0	4	CHIPS	10-Dec-98	0.004
BVRB086	4	5	CHIPS	10-Dec-98	0.002
BVRB087	0	4	CHIPS	10-Dec-98	0.002
BVRB087	4	5	CHIPS	10-Dec-98	0.002
BVRB087	5	6	CHIPS	10-Dec-98	0.002
BVRB087	6	7	CHIPS	10-Dec-98	0.002
BVRB088	0	4	CHIPS	10-Dec-98	0.001
BVRB088	4	5	CHIPS	10-Dec-98	n/a
BVRB088	5	6	CHIPS	10-Dec-98	n/a
BVRB088	6	7	CHIPS	10-Dec-98	0.018
BVRB089	0	4	CHIPS	10-Dec-98	0.002
BVRB089	4	5	CHIPS	10-Dec-98	0.001
BVRB090	0	4	CHIPS	10-Dec-98	0.001
BVRB090	4	5	CHIPS	10-Dec-98	n/a
BVRB090	5	6	CHIPS	10-Dec-98	0.002

Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB091	0	4	CHIPS	10-Dec-98	0.001
BVRB091	4	5	CHIPS	10-Dec-98	0.008
BVRB092	0	1	CHIPS	10-Dec-98	n/a
BVRB092	1	2	CHIPS	10-Dec-98	0.001
BVRB093	0	1	CHIPS	10-Dec-98	0.003
BVRB093	1	2	CHIPS	10-Dec-98	n/a
BVRB093	2	3	CHIPS	10-Dec-98	0.002
BVRB094	0	4	CHIPS	10-Dec-98	0.002
BVRB094	4	5	CHIPS	10-Dec-98	0.006
BVRB095	0	4	CHIPS	10-Dec-98	0.002
BVRB095	4	8	CHIPS	10-Dec-98	0.002
BVRB095	8	12	CHIPS	10-Dec-98	0.002
BVRB095	12	13	CHIPS	10-Dec-98	0.004
BVRB095	13	14	CHIPS	10-Dec-98	0.002
BVRB095	14	15	CHIPS	10-Dec-98	0.002
BVRB096	0	4	CHIPS	10-Dec-98	0.009
BVRB096	4	8	CHIPS	10-Dec-98	0.002
BVRB096	8	12	CHIPS	10-Dec-98	n/a
BVRB096	12	13	CHIPS	10-Dec-98	n/a
BVRB096	13	14	CHIPS	10-Dec-98	n/a
BVRB096	14	15	CHIPS	10-Dec-98	n/a
BVRB096	15	16	CHIPS	10-Dec-98	0.005
BVRB097	0	4	CHIPS	10-Dec-98	n/a
BVRB097	4	8	CHIPS	10-Dec-98	n/a
BVRB097	8	12	CHIPS	10-Dec-98	n/a
BVRB097	12	16	CHIPS	10-Dec-98	n/a
BVRB097	16	17	CHIPS	10-Dec-98	n/a
BVRB097	17	18	CHIPS	10-Dec-98	n/a
BVRB097	18	19	CHIPS	10-Dec-98	0.001
BVRB098	0	4	CHIPS	10-Dec-98	0.001
BVRB098	4	8	CHIPS	10-Dec-98	0.002
BVRB098	8	12	CHIPS	10-Dec-98	0.001
BVRB098	12	16	CHIPS	10-Dec-98	n/a
BVRB098	16	20	CHIPS	10-Dec-98	0.001
BVRB098	20	24	CHIPS	10-Dec-98	n/a
BVRB098	24	25	CHIPS	10-Dec-98	0.001
BVRB098	25	26	CHIPS	10-Dec-98	0.001
BVRB098	26	27	CHIPS	10-Dec-98	n/a
BVRB098	27	28	CHIPS	10-Dec-98	0.001
BVRB099	0	4	CHIPS	10-Dec-98	0.001
BVRB099	4	8	CHIPS	10-Dec-98	n/a
BVRB099	8	12	CHIPS	10-Dec-98	n/a
BVRB099	12	16	CHIPS	10-Dec-98	n/a
BVRB099	16	20	CHIPS	10-Dec-98	n/a
BVRB099	20	24	CHIPS	10-Dec-98	n/a
BVRB099	24	28	CHIPS	10-Dec-98	n/a
BVRB099	28	29	CHIPS	10-Dec-98	n/a
BVRB100	0	4	CHIPS	10-Dec-98	0.001
BVRB100	4	8	CHIPS	10-Dec-98	n/a
BVRB100	8	12	CHIPS	10-Dec-98	n/a
BVRB100	12	16	CHIPS	10-Dec-98	n/a
BVRB100	16	20	CHIPS	10-Dec-98	n/a
BVRB100	20	21	CHIPS	10-Dec-98	n/a
BVRB100	21	22	CHIPS	10-Dec-98	n/a
BVRB100	22	23	CHIPS	10-Dec-98	n/a
BVRB100	23	24	CHIPS	10-Dec-98	n/a

Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB101	0	4	CHIPS	10-Dec-98	n/a
BVRB101	4	5	CHIPS	10-Dec-98	n/a
BVRB101	5	6	CHIPS	10-Dec-98	n/a
BVRB101	6	7	CHIPS	10-Dec-98	n/a
BVRB101	7	8	CHIPS	10-Dec-98	n/a
BVRB102	0	4	CHIPS	10-Dec-98	0.001
BVRB102	4	5	CHIPS	10-Dec-98	0.001
BVRB102	5	6	CHIPS	10-Dec-98	n/a
BVRB102	6	7	CHIPS	10-Dec-98	n/a
BVRB103	0	4	CHIPS	10-Dec-98	0.001
BVRB103	4	5	CHIPS	10-Dec-98	n/a
BVRB103	5	6	CHIPS	10-Dec-98	0.001
BVRB103	6	7	CHIPS	10-Dec-98	n/a
BVRB103	7	8	CHIPS	10-Dec-98	n/a
BVRB104	0	4	CHIPS	10-Dec-98	0.001
BVRB104	4	8	CHIPS	10-Dec-98	n/a
BVRB104	8	12	CHIPS	10-Dec-98	0.001
BVRB104	12	16	CHIPS	10-Dec-98	0.001
BVRB104	16	17	CHIPS	10-Dec-98	0.001
BVRB105	0	4	CHIPS	10-Dec-98	0.002
BVRB105	4	8	CHIPS	10-Dec-98	0.002
BVRB105	8	12	CHIPS	10-Dec-98	n/a
BVRB105	12	13	CHIPS	10-Dec-98	0.002
BVRB106	0	4	CHIPS	10-Dec-98	0.002
BVRB106	4	8	CHIPS	10-Dec-98	n/a
BVRB106	8	9	CHIPS	10-Dec-98	0.006
BVRB106	9	10	CHIPS	10-Dec-98	0.002
BVRB106	10	11	CHIPS	10-Dec-98	n/a
BVRB106	11	12	CHIPS	10-Dec-98	0.004
BVRB107	0	4	CHIPS	10-Dec-98	0.002
BVRB107	4	8	CHIPS	10-Dec-98	0.002
BVRB107	8	9	CHIPS	10-Dec-98	n/a
BVRB107	9	10	CHIPS	10-Dec-98	0.02
BVRB107	10	11	CHIPS	10-Dec-98	0.002
BVRB108	0	1	CHIPS	10-Dec-98	0.002
BVRB108	1	2	CHIPS	10-Dec-98	0.002
BVRB108	2	3	CHIPS	10-Dec-98	n/a
BVRB108	3	4	CHIPS	10-Dec-98	n/a
BVRB109	0	1	CHIPS	10-Dec-98	n/a
BVRB109	1	2	CHIPS	10-Dec-98	0.008
BVRB109	2	3	CHIPS	10-Dec-98	n/a
BVRB109	3	4	CHIPS	10-Dec-98	n/a
BVRB110	0	4	CHIPS	10-Dec-98	n/a
BVRB110	4	5	CHIPS	10-Dec-98	0.004
BVRB110	5	6	CHIPS	10-Dec-98	0.002
BVRB110	6	7	CHIPS	10-Dec-98	0.004
BVRB111	0	4	CHIPS	10-Dec-98	n/a
BVRB111	4	8	CHIPS	10-Dec-98	n/a
BVRB111	8	9	CHIPS	10-Dec-98	n/a
BVRB111	9	10	CHIPS	10-Dec-98	n/a
BVRB111	10	11	CHIPS	10-Dec-98	n/a
BVRB112	0	1	CHIPS	10-Dec-98	n/a
BVRB112	1	2	CHIPS	10-Dec-98	0.001
BVRB112	2	3	CHIPS	10-Dec-98	0.003
BVRB113	0	1	CHIPS	10-Dec-98	0.005
BVRB113	1	2	CHIPS	10-Dec-98	0.006



Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB113	2	3	CHIPS	10-Dec-98	n/a
BVRB114	0	1	CHIPS	10-Dec-98	0.001
BVRB115	0	1	CHIPS	10-Dec-98	0.001
BVRB115	1	2	CHIPS	10-Dec-98	n/a
BVRB115	2	3	CHIPS	10-Dec-98	n/a
BVRB116	0	1	CHIPS	10-Dec-98	0.001
BVRB116	1	2	CHIPS	10-Dec-98	0.001
BVRB116	2	3	CHIPS	10-Dec-98	n/a
BVRB117	0	4	CHIPS	10-Dec-98	n/a
BVRB117	4	5	CHIPS	10-Dec-98	n/a
BVRB117	5	6	CHIPS	10-Dec-98	n/a
BVRB118	0	4	CHIPS	10-Dec-98	n/a
BVRB118	4	5	CHIPS	10-Dec-98	0.001
BVRB118	5	6	CHIPS	10-Dec-98	0.004
BVRB119	0	4	CHIPS	10-Dec-98	0.001
BVRB119	4	8	CHIPS	10-Dec-98	n/a
BVRB119	8	12	CHIPS	10-Dec-98	0.003
BVRB119	12	13	CHIPS	10-Dec-98	0.003
BVRB120	0	4	CHIPS	10-Dec-98	n/a
BVRB120	4	8	CHIPS	10-Dec-98	0.001
BVRB120	8	9	CHIPS	10-Dec-98	n/a
BVRB120	9	10	CHIPS	10-Dec-98	0.002
BVRB121	0	4	CHIPS	10-Dec-98	n/a
BVRB121	4	5	CHIPS	10-Dec-98	n/a
BVRB121	5	6	CHIPS	10-Dec-98	n/a
BVRB121	6	7	CHIPS	10-Dec-98	n/a
BVRB122	0	4	CHIPS	10-Dec-98	n/a
BVRB122	4	8	CHIPS	10-Dec-98	n/a
BVRB122	8	12	CHIPS	10-Dec-98	n/a
BVRB122	12	13	CHIPS	10-Dec-98	n/a
BVRB122	13	14	CHIPS	10-Dec-98	n/a
BVRB122	14	15	CHIPS	10-Dec-98	n/a
BVRB122	15	16	CHIPS	10-Dec-98	n/a
BVRB123	0	4	CHIPS	10-Dec-98	0.001
BVRB123	4	8	CHIPS	10-Dec-98	n/a
BVRB123	8	12	CHIPS	10-Dec-98	n/a
BVRB123	12	13	CHIPS	10-Dec-98	n/a
BVRB123	13	14	CHIPS	10-Dec-98	0.002
BVRB124	0	4	CHIPS	10-Dec-98	0.002
BVRB124	4	8	CHIPS	10-Dec-98	0.002
BVRB124	8	12	CHIPS	10-Dec-98	0.002
BVRB124	12	13	CHIPS	10-Dec-98	0.002
BVRB124	13	14	CHIPS	10-Dec-98	0.002
BVRB124	14	15	CHIPS	10-Dec-98	0.002
BVRB125	0	4	CHIPS	10-Dec-98	0.002
BVRB125	4	8	CHIPS	10-Dec-98	0.002
BVRB125	8	12	CHIPS	10-Dec-98	0.002
BVRB125	12	13	CHIPS	10-Dec-98	n/a
BVRB126	0	4	CHIPS	10-Dec-98	0.001
BVRB126	4	8	CHIPS	10-Dec-98	n/a
BVRB126	8	12	CHIPS	10-Dec-98	0.001
BVRB126	12	13	CHIPS	10-Dec-98	n/a
BVRB127	0	4	CHIPS	10-Dec-98	n/a
BVRB127	4	8	CHIPS	10-Dec-98	n/a
BVRB127	8	9	CHIPS	10-Dec-98	n/a
BVRB127	9	10	CHIPS	10-Dec-98	n/a

Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB127	10	11	CHIPS	10-Dec-98	n/a
BVRB128	0	4	CHIPS	10-Dec-98	n/a
BVRB128	4	8	CHIPS	10-Dec-98	n/a
BVRB128	8	12	CHIPS	10-Dec-98	0.002
BVRB128	12	16	CHIPS	10-Dec-98	n/a
BVRB128	16	20	CHIPS	10-Dec-98	n/a
BVRB128	20	24	CHIPS	10-Dec-98	0.01
BVRB128	24	25	CHIPS	10-Dec-98	0.001
BVRB129	0	4	CHIPS	10-Dec-98	n/a
BVRB129	4	8	CHIPS	10-Dec-98	n/a
BVRB129	8	12	CHIPS	10-Dec-98	n/a
BVRB129	12	16	CHIPS	10-Dec-98	n/a
BVRB129	16	20	CHIPS	10-Dec-98	n/a
BVRB129	20	24	CHIPS	10-Dec-98	n/a
BVRB129	24	28	CHIPS	10-Dec-98	n/a
BVRB129	28	29	CHIPS	10-Dec-98	n/a
BVRB130	0	4	CHIPS	10-Dec-98	0.001
BVRB130	4	8	CHIPS	10-Dec-98	n/a
BVRB130	8	12	CHIPS	10-Dec-98	n/a
BVRB130	12	13	CHIPS	10-Dec-98	n/a
BVRB131	0	4	CHIPS	10-Dec-98	0.002
BVRB131	4	8	CHIPS	10-Dec-98	n/a
BVRB131	8	12	CHIPS	10-Dec-98	n/a
BVRB131	12	16	CHIPS	10-Dec-98	n/a
BVRB131	16	17	CHIPS	10-Dec-98	n/a
BVRB131	17	18	CHIPS	10-Dec-98	0.157
BVRB131	18	19	CHIPS	10-Dec-98	0.312
BVRB132	0	4	CHIPS	10-Dec-98	n/a
BVRB132	4	8	CHIPS	10-Dec-98	n/a
BVRB132	8	12	CHIPS	10-Dec-98	n/a
BVRB132	12	16	CHIPS	10-Dec-98	n/a
BVRB132	16	17	CHIPS	10-Dec-98	0.001
BVRB133	0	4	CHIPS	10-Dec-98	0.001
BVRB133	4	8	CHIPS	10-Dec-98	n/a
BVRB133	8	12	CHIPS	10-Dec-98	n/a
BVRB133	12	13	CHIPS	10-Dec-98	n/a
BVRB133	13	14	CHIPS	10-Dec-98	0.001
BVRB133	14	15	CHIPS	10-Dec-98	0.003
BVRB134	0	4	CHIPS	10-Dec-98	n/a
BVRB134	4	8	CHIPS	10-Dec-98	n/a
BVRB134	8	12	CHIPS	10-Dec-98	n/a
BVRB134	12	13	CHIPS	10-Dec-98	n/a
BVRB134	13	14	CHIPS	10-Dec-98	0.001
BVRB135	0	4	CHIPS	10-Dec-98	0.001
BVRB135	4	8	CHIPS	10-Dec-98	n/a
BVRB135	8	12	CHIPS	10-Dec-98	0.001
BVRB135	12	16	CHIPS	10-Dec-98	n/a
BVRB135	16	17	CHIPS	10-Dec-98	n/a
BVRB135	17	18	CHIPS	10-Dec-98	n/a
BVRB135	18	19	CHIPS	10-Dec-98	0.004
BVRB136	0	4	CHIPS	10-Dec-98	n/a
BVRB136	4	8	CHIPS	10-Dec-98	n/a
BVRB136	8	12	CHIPS	10-Dec-98	n/a
BVRB136	12	16	CHIPS	10-Dec-98	n/a
BVRB136	16	20	CHIPS	10-Dec-98	n/a
BVRB136	20	24	CHIPS	10-Dec-98	n/a

Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB136	24	25	CHIPS	10-Dec-98	n/a
BVRB136	25	26	CHIPS	10-Dec-98	n/a
BVRB137	0	4	CHIPS	10-Dec-98	n/a
BVRB137	4	8	CHIPS	10-Dec-98	n/a
BVRB137	8	12	CHIPS	10-Dec-98	0.001
BVRB137	12	16	CHIPS	10-Dec-98	n/a
BVRB137	16	17	CHIPS	10-Dec-98	n/a
BVRB137	17	18	CHIPS	10-Dec-98	n/a
BVRB137	18	19	CHIPS	10-Dec-98	n/a
BVRB138	0	4	CHIPS	10-Dec-98	0.002
BVRB138	4	8	CHIPS	10-Dec-98	n/a
BVRB138	8	12	CHIPS	10-Dec-98	n/a
BVRB138	12	16	CHIPS	10-Dec-98	n/a
BVRB138	16	20	CHIPS	10-Dec-98	n/a
BVRB138	20	24	CHIPS	10-Dec-98	n/a
BVRB138	24	28	CHIPS	10-Dec-98	n/a
BVRB138	28	32	CHIPS	10-Dec-98	n/a
BVRB138	32	36	CHIPS	10-Dec-98	n/a
BVRB138	36	40	CHIPS	10-Dec-98	0.001
BVRB138	40	44	CHIPS	10-Dec-98	0.002
BVRB138	44	45	CHIPS	10-Dec-98	0.001
BVRB139	0	4	CHIPS	10-Dec-98	n/a
BVRB139	4	8	CHIPS	10-Dec-98	n/a
BVRB139	8	12	CHIPS	10-Dec-98	n/a
BVRB139	12	16	CHIPS	10-Dec-98	n/a
BVRB139	16	20	CHIPS	10-Dec-98	n/a
BVRB139	20	24	CHIPS	10-Dec-98	n/a
BVRB139	24	28	CHIPS	10-Dec-98	n/a
BVRB139	28	32	CHIPS	10-Dec-98	n/a
BVRB139	32	36	CHIPS	10-Dec-98	0.02
BVRB139	36	40	CHIPS	10-Dec-98	0.005
BVRB139	40	41	CHIPS	10-Dec-98	0.006
BVRB139	41	42	CHIPS	10-Dec-98	0.003
BVRB139	42	43	CHIPS	10-Dec-98	0.002
BVRB140	0	4	CHIPS	10-Dec-98	n/a
BVRB140	4	8	CHIPS	10-Dec-98	n/a
BVRB140	8	12	CHIPS	10-Dec-98	n/a
BVRB140	12	16	CHIPS	10-Dec-98	n/a
BVRB140	16	20	CHIPS	10-Dec-98	n/a
BVRB140	20	21	CHIPS	10-Dec-98	n/a
BVRB141	0	4	CHIPS	10-Dec-98	0.001
BVRB141	4	8	CHIPS	10-Dec-98	n/a
BVRB141	8	12	CHIPS	10-Dec-98	n/a
BVRB141	12	16	CHIPS	10-Dec-98	n/a
BVRB141	16	20	CHIPS	10-Dec-98	n/a
BVRB141	20	24	CHIPS	10-Dec-98	n/a
BVRB141	24	28	CHIPS	10-Dec-98	n/a
BVRB141	28	32	CHIPS	10-Dec-98	0.008
BVRB141	32	36	CHIPS	10-Dec-98	0.012
BVRB141	36	37	CHIPS	10-Dec-98	0.015
BVRB141	37	38	CHIPS	10-Dec-98	0.017
BVRB141	38	39	CHIPS	10-Dec-98	0.034
BVRB142	0	4	CHIPS	10-Dec-98	0.001
BVRB142	4	8	CHIPS	10-Dec-98	n/a
BVRB142	8	12	CHIPS	10-Dec-98	n/a
BVRB142	12	16	CHIPS	10-Dec-98	n/a

Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB142	16	20	CHIPS	10-Dec-98	n/a
BVRB142	20	21	CHIPS	10-Dec-98	n/a
BVRB142	21	22	CHIPS	10-Dec-98	n/a
BVRB143	0	4	CHIPS	10-Dec-98	0.001
BVRB143	4	8	CHIPS	10-Dec-98	n/a
BVRB143	8	12	CHIPS	10-Dec-98	n/a
BVRB143	12	16	CHIPS	10-Dec-98	n/a
BVRB143	16	20	CHIPS	10-Dec-98	n/a
BVRB143	20	24	CHIPS	10-Dec-98	n/a
BVRB143	24	28	CHIPS	10-Dec-98	n/a
BVRB143	28	29	CHIPS	10-Dec-98	n/a
BVRB143	29	30	CHIPS	10-Dec-98	n/a
BVRB143	30	31	CHIPS	10-Dec-98	n/a
BVRB144	0	4	CHIPS	10-Dec-98	n/a
BVRB144	4	8	CHIPS	10-Dec-98	n/a
BVRB144	8	12	CHIPS	10-Dec-98	n/a
BVRB144	12	16	CHIPS	10-Dec-98	n/a
BVRB144	16	20	CHIPS	10-Dec-98	n/a
BVRB144	20	24	CHIPS	10-Dec-98	n/a
BVRB144	24	28	CHIPS	10-Dec-98	n/a
BVRB144	28	29	CHIPS	10-Dec-98	n/a
BVRB144	29	30	CHIPS	10-Dec-98	0.001
BVRB145	0	4	CHIPS	10-Dec-98	n/a
BVRB145	4	8	CHIPS	10-Dec-98	n/a
BVRB145	8	12	CHIPS	10-Dec-98	n/a
BVRB145	12	16	CHIPS	10-Dec-98	0.001
BVRB145	16	20	CHIPS	10-Dec-98	n/a
BVRB145	20	24	CHIPS	10-Dec-98	n/a
BVRB145	24	28	CHIPS	10-Dec-98	n/a
BVRB145	28	32	CHIPS	10-Dec-98	n/a
BVRB145	32	36	CHIPS	10-Dec-98	0.001
BVRB145	36	40	CHIPS	10-Dec-98	n/a
BVRB145	40	41	CHIPS	10-Dec-98	n/a
BVRB145	41	42	CHIPS	10-Dec-98	0.006
BVRB145	42	43	CHIPS	10-Dec-98	n/a
BVRB146	0	4	CHIPS	10-Dec-98	n/a
BVRB146	4	8	CHIPS	10-Dec-98	0.001
BVRB146	8	12	CHIPS	10-Dec-98	n/a
BVRB146	12	16	CHIPS	10-Dec-98	n/a
BVRB146	16	20	CHIPS	10-Dec-98	n/a
BVRB146	20	24	CHIPS	10-Dec-98	0.001
BVRB146	24	28	CHIPS	10-Dec-98	0.001
BVRB146	28	32	CHIPS	10-Dec-98	n/a
BVRB146	32	36	CHIPS	10-Dec-98	n/a
BVRB146	36	40	CHIPS	10-Dec-98	n/a
BVRB146	40	44	CHIPS	10-Dec-98	0.001
BVRB146	44	45	CHIPS	10-Dec-98	0.001
BVRB146	45	46	CHIPS	10-Dec-98	n/a
BVRB147	0	4	CHIPS	10-Dec-98	n/a
BVRB147	4	8	CHIPS	10-Dec-98	n/a
BVRB147	8	12	CHIPS	10-Dec-98	n/a
BVRB147	12	16	CHIPS	10-Dec-98	n/a
BVRB147	16	20	CHIPS	10-Dec-98	n/a
BVRB147	20	21	CHIPS	10-Dec-98	n/a
BVRB148	0	4	CHIPS	10-Dec-98	n/a
BVRB148	4	8	CHIPS	10-Dec-98	n/a

Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB148	8	12	CHIPS	10-Dec-98	n/a
BVRB148	12	16	CHIPS	10-Dec-98	n/a
BVRB148	16	20	CHIPS	10-Dec-98	n/a
BVRB148	20	24	CHIPS	10-Dec-98	n/a
BVRB148	24	25	CHIPS	10-Dec-98	n/a
BVRB149	0	4	CHIPS	10-Dec-98	n/a
BVRB149	4	8	CHIPS	10-Dec-98	n/a
BVRB149	8	12	CHIPS	10-Dec-98	n/a
BVRB149	12	16	CHIPS	10-Dec-98	n/a
BVRB149	16	20	CHIPS	10-Dec-98	n/a
BVRB149	20	24	CHIPS	10-Dec-98	n/a
BVRB149	24	28	CHIPS	10-Dec-98	n/a
BVRB149	28	32	CHIPS	10-Dec-98	n/a
BVRB149	32	36	CHIPS	10-Dec-98	n/a
BVRB149	36	40	CHIPS	10-Dec-98	n/a
BVRB149	40	44	CHIPS	10-Dec-98	n/a
BVRB149	44	45	CHIPS	10-Dec-98	n/a
BVRB149	45	46	CHIPS	10-Dec-98	n/a
BVRB149	46	47	CHIPS	10-Dec-98	n/a
BVRB149	47	48	CHIPS	10-Dec-98	n/a
BVRB150	0	4	CHIPS	10-Dec-98	n/a
BVRB150	4	8	CHIPS	10-Dec-98	0.001
BVRB150	8	12	CHIPS	10-Dec-98	n/a
BVRB150	12	16	CHIPS	10-Dec-98	n/a
BVRB150	16	20	CHIPS	10-Dec-98	n/a
BVRB150	20	24	CHIPS	10-Dec-98	n/a
BVRB150	24	28	CHIPS	10-Dec-98	n/a
BVRB150	28	32	CHIPS	10-Dec-98	n/a
BVRB150	32	36	CHIPS	10-Dec-98	n/a
BVRB150	36	37	CHIPS	10-Dec-98	n/a
BVRB150	37	38	CHIPS	10-Dec-98	0.002
BVRB150	38	39	CHIPS	10-Dec-98	0.001
BVRB151	0	4	CHIPS	10-Dec-98	n/a
BVRB151	4	8	CHIPS	10-Dec-98	n/a
BVRB151	8	12	CHIPS	10-Dec-98	n/a
BVRB151	12	16	CHIPS	10-Dec-98	n/a
BVRB151	16	20	CHIPS	10-Dec-98	n/a
BVRB151	20	24	CHIPS	10-Dec-98	n/a
BVRB151	24	28	CHIPS	10-Dec-98	n/a
BVRB151	28	32	CHIPS	10-Dec-98	0.002
BVRB151	32	36	CHIPS	10-Dec-98	0.002
BVRB151	36	37	CHIPS	10-Dec-98	0.003
BVRB151	37	38	CHIPS	10-Dec-98	n/a
BVRB151	38	39	CHIPS	10-Dec-98	n/a
BVRB152	0	4	CHIPS	10-Dec-98	n/a
BVRB152	4	8	CHIPS	10-Dec-98	n/a
BVRB152	8	12	CHIPS	10-Dec-98	n/a
BVRB152	12	16	CHIPS	10-Dec-98	n/a
BVRB152	16	20	CHIPS	10-Dec-98	n/a
BVRB152	20	24	CHIPS	10-Dec-98	0.001
BVRB152	24	28	CHIPS	10-Dec-98	n/a
BVRB152	28	32	CHIPS	10-Dec-98	n/a
BVRB152	32	36	CHIPS	10-Dec-98	0.001
BVRB152	36	40	CHIPS	10-Dec-98	n/a
BVRB152	40	41	CHIPS	10-Dec-98	n/a
BVRB152	41	42	CHIPS	10-Dec-98	0.002



Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB153	0	4	CHIPS	10-Dec-98	0.003
BVRB153	4	8	CHIPS	10-Dec-98	n/a
BVRB153	8	12	CHIPS	10-Dec-98	n/a
BVRB153	12	16	CHIPS	10-Dec-98	0.001
BVRB153	16	20	CHIPS	10-Dec-98	0.001
BVRB153	20	24	CHIPS	10-Dec-98	0.001
BVRB153	24	28	CHIPS	10-Dec-98	n/a
BVRB153	28	32	CHIPS	10-Dec-98	n/a
BVRB153	32	36	CHIPS	10-Dec-98	0.001
BVRB153	36	40	CHIPS	10-Dec-98	n/a
BVRB153	40	41	CHIPS	10-Dec-98	0.001
BVRB154	0	4	CHIPS	10-Dec-98	n/a
BVRB154	4	8	CHIPS	10-Dec-98	n/a
BVRB154	8	12	CHIPS	10-Dec-98	n/a
BVRB154	12	16	CHIPS	10-Dec-98	n/a
BVRB154	16	20	CHIPS	10-Dec-98	n/a
BVRB154	20	24	CHIPS	10-Dec-98	n/a
BVRB154	24	28	CHIPS	10-Dec-98	n/a
BVRB154	28	32	CHIPS	10-Dec-98	n/a
BVRB154	32	33	CHIPS	10-Dec-98	n/a
BVRB154	33	34	CHIPS	10-Dec-98	n/a
BVRB154	34	35	CHIPS	10-Dec-98	n/a
BVRB154	35	36	CHIPS	10-Dec-98	n/a
BVRB155	0	4	CHIPS	10-Dec-98	n/a
BVRB155	4	8	CHIPS	10-Dec-98	0.001
BVRB155	8	12	CHIPS	10-Dec-98	n/a
BVRB155	12	16	CHIPS	10-Dec-98	n/a
BVRB155	16	20	CHIPS	10-Dec-98	n/a
BVRB155	20	24	CHIPS	10-Dec-98	n/a
BVRB155	24	28	CHIPS	10-Dec-98	n/a
BVRB155	28	32	CHIPS	10-Dec-98	0.001
BVRB155	32	36	CHIPS	10-Dec-98	n/a
BVRB155	36	40	CHIPS	10-Dec-98	n/a
BVRB155	40	44	CHIPS	10-Dec-98	n/a
BVRB155	44	48	CHIPS	10-Dec-98	0.001
BVRB155	48	49	CHIPS	10-Dec-98	0.001
BVRB156	0	4	CHIPS	10-Dec-98	n/a
BVRB156	4	8	CHIPS	10-Dec-98	n/a
BVRB156	8	12	CHIPS	10-Dec-98	0.001
BVRB156	12	16	CHIPS	10-Dec-98	0.001
BVRB156	16	20	CHIPS	10-Dec-98	n/a
BVRB156	20	24	CHIPS	10-Dec-98	n/a
BVRB156	24	28	CHIPS	10-Dec-98	n/a
BVRB156	28	32	CHIPS	10-Dec-98	n/a
BVRB156	32	36	CHIPS	10-Dec-98	0.001
BVRB156	36	40	CHIPS	10-Dec-98	n/a
BVRB156	40	44	CHIPS	10-Dec-98	n/a
BVRB156	44	48	CHIPS	10-Dec-98	0.001
BVRB156	48	49	CHIPS	10-Dec-98	0.003
BVRB157	0	4	CHIPS	10-Dec-98	n/a
BVRB157	4	8	CHIPS	10-Dec-98	0.001
BVRB157	8	12	CHIPS	10-Dec-98	n/a
BVRB157	12	16	CHIPS	10-Dec-98	n/a
BVRB157	16	20	CHIPS	10-Dec-98	n/a
BVRB157	20	24	CHIPS	10-Dec-98	n/a
BVRB157	24	28	CHIPS	10-Dec-98	n/a

Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB157	28	32	CHIPS	10-Dec-98	n/a
BVRB157	32	36	CHIPS	10-Dec-98	0.001
BVRB157	36	40	CHIPS	10-Dec-98	n/a
BVRB157	40	44	CHIPS	10-Dec-98	n/a
BVRB157	44	48	CHIPS	10-Dec-98	n/a
BVRB157	48	52	CHIPS	10-Dec-98	n/a
BVRB157	52	56	CHIPS	10-Dec-98	n/a
BVRB157	56	60	CHIPS	10-Dec-98	n/a
BVRB157	60	61	CHIPS	10-Dec-98	n/a
BVRB157	61	62	CHIPS	10-Dec-98	n/a
BVRB157	62	63	CHIPS	10-Dec-98	n/a
BVRB158	0	4	CHIPS	10-Dec-98	n/a
BVRB158	4	8	CHIPS	10-Dec-98	n/a
BVRB158	8	12	CHIPS	10-Dec-98	n/a
BVRB158	12	16	CHIPS	10-Dec-98	n/a
BVRB158	16	20	CHIPS	10-Dec-98	0.001
BVRB158	20	24	CHIPS	10-Dec-98	0.001
BVRB158	24	28	CHIPS	10-Dec-98	0.001
BVRB158	28	32	CHIPS	10-Dec-98	n/a
BVRB158	32	36	CHIPS	10-Dec-98	n/a
BVRB158	36	40	CHIPS	10-Dec-98	n/a
BVRB158	40	44	CHIPS	10-Dec-98	n/a
BVRB158	44	45	CHIPS	10-Dec-98	n/a
BVRB159	0	4	CHIPS	10-Dec-98	0.001
BVRB159	4	8	CHIPS	10-Dec-98	n/a
BVRB159	8	12	CHIPS	10-Dec-98	0.001
BVRB159	12	16	CHIPS	10-Dec-98	0.001
BVRB159	16	20	CHIPS	10-Dec-98	n/a
BVRB159	20	24	CHIPS	10-Dec-98	n/a
BVRB159	24	25	CHIPS	10-Dec-98	n/a
BVRB159	25	26	CHIPS	10-Dec-98	0.001
BVRB160	0	4	CHIPS	10-Dec-98	0.001
BVRB160	4	8	CHIPS	10-Dec-98	n/a
BVRB160	8	12	CHIPS	10-Dec-98	n/a
BVRB160	12	16	CHIPS	10-Dec-98	n/a
BVRB160	16	20	CHIPS	10-Dec-98	n/a
BVRB160	20	24	CHIPS	10-Dec-98	n/a
BVRB160	24	28	CHIPS	10-Dec-98	n/a
BVRB160	28	29	CHIPS	10-Dec-98	n/a
BVRB160	29	30	CHIPS	10-Dec-98	n/a
BVRB160	30	31	CHIPS	10-Dec-98	n/a
BVRB160	31	32	CHIPS	10-Dec-98	n/a
BVRB161	0	4	CHIPS	10-Dec-98	n/a
BVRB161	4	8	CHIPS	10-Dec-98	n/a
BVRB161	8	12	CHIPS	10-Dec-98	n/a
BVRB161	12	16	CHIPS	10-Dec-98	n/a
BVRB161	16	20	CHIPS	10-Dec-98	n/a
BVRB161	20	24	CHIPS	10-Dec-98	n/a
BVRB161	24	28	CHIPS	10-Dec-98	n/a
BVRB161	28	32	CHIPS	10-Dec-98	n/a
BVRB161	32	36	CHIPS	10-Dec-98	n/a
BVRB161	36	40	CHIPS	10-Dec-98	n/a
BVRB161	40	41	CHIPS	10-Dec-98	n/a
BVRB162	0	4	CHIPS	10-Dec-98	n/a
BVRB162	4	8	CHIPS	10-Dec-98	n/a
BVRB162	8	12	CHIPS	10-Dec-98	n/a

Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB162	12	16	CHIPS	10-Dec-98	n/a
BVRB162	16	20	CHIPS	10-Dec-98	0.002
BVRB162	20	24	CHIPS	10-Dec-98	n/a
BVRB162	24	28	CHIPS	10-Dec-98	n/a
BVRB162	28	32	CHIPS	10-Dec-98	0.002
BVRB162	32	36	CHIPS	10-Dec-98	n/a
BVRB162	36	40	CHIPS	10-Dec-98	n/a
BVRB162	40	41	CHIPS	10-Dec-98	n/a
BVRB163	0	4	CHIPS	10-Dec-98	n/a
BVRB163	4	8	CHIPS	10-Dec-98	n/a
BVRB163	8	12	CHIPS	10-Dec-98	n/a
BVRB163	12	16	CHIPS	10-Dec-98	0.001
BVRB163	16	20	CHIPS	10-Dec-98	0.001
BVRB163	20	24	CHIPS	10-Dec-98	0.001
BVRB163	24	28	CHIPS	10-Dec-98	n/a
BVRB163	28	32	CHIPS	10-Dec-98	n/a
BVRB163	32	33	CHIPS	10-Dec-98	n/a
BVRB163	33	34	CHIPS	10-Dec-98	0.001
BVRB163	34	35	CHIPS	10-Dec-98	n/a
BVRB164	0	4	CHIPS	10-Dec-98	0.001
BVRB164	4	8	CHIPS	10-Dec-98	n/a
BVRB164	8	12	CHIPS	10-Dec-98	0.001
BVRB164	12	16	CHIPS	10-Dec-98	n/a
BVRB164	16	20	CHIPS	10-Dec-98	n/a
BVRB164	20	21	CHIPS	10-Dec-98	n/a
BVRB165	0	4	CHIPS	10-Dec-98	n/a
BVRB165	4	8	CHIPS	10-Dec-98	n/a
BVRB165	8	12	CHIPS	10-Dec-98	n/a
BVRB165	12	16	CHIPS	10-Dec-98	n/a
BVRB165	16	17	CHIPS	10-Dec-98	n/a
BVRB165	17	18	CHIPS	10-Dec-98	n/a
BVRB166	0	4	CHIPS	10-Dec-98	n/a
BVRB166	4	8	CHIPS	10-Dec-98	n/a
BVRB166	8	12	CHIPS	10-Dec-98	n/a
BVRB166	12	16	CHIPS	10-Dec-98	n/a
BVRB166	16	20	CHIPS	10-Dec-98	n/a
BVRB166	20	24	CHIPS	10-Dec-98	n/a
BVRB166	24	28	CHIPS	10-Dec-98	n/a
BVRB166	28	29	CHIPS	10-Dec-98	n/a
BVRB167	0	4	CHIPS	10-Dec-98	0.001
BVRB167	4	8	CHIPS	10-Dec-98	0.002
BVRB167	8	12	CHIPS	10-Dec-98	0.002
BVRB167	12	16	CHIPS	10-Dec-98	n/a
BVRB167	16	20	CHIPS	10-Dec-98	n/a
BVRB167	20	24	CHIPS	10-Dec-98	0.002
BVRB167	24	28	CHIPS	10-Dec-98	0.002
BVRB167	28	29	CHIPS	10-Dec-98	0.002
BVRB168	0	4	CHIPS	10-Dec-98	0.001
BVRB168	4	8	CHIPS	10-Dec-98	n/a
BVRB168	8	12	CHIPS	10-Dec-98	0.001
BVRB168	12	16	CHIPS	10-Dec-98	
BVRB168	16	20	CHIPS	10-Dec-98	0.001
BVRB168	20	24	CHIPS	10-Dec-98	0.002
BVRB168	24	25	CHIPS	10-Dec-98	0.002
BVRB168	25	26	CHIPS	10-Dec-98	n/a
BVRB168	26	27	CHIPS	10-Dec-98	0.001

Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB169	0	4	CHIPS	10-Dec-98	0.002
BVRB169	4	8	CHIPS	10-Dec-98	0.001
BVRB169	8	12	CHIPS	10-Dec-98	n/a
BVRB169	12	16	CHIPS	10-Dec-98	n/a
BVRB169	16	20	CHIPS	10-Dec-98	0.001
BVRB169	20	24	CHIPS	10-Dec-98	0.002
BVRB169	24	28	CHIPS	10-Dec-98	0.002
BVRB169	28	32	CHIPS	10-Dec-98	0.003
BVRB169	32	36	CHIPS	10-Dec-98	0.001
BVRB169	36	40	CHIPS	10-Dec-98	0.001
BVRB169	40	44	CHIPS	10-Dec-98	0.002
BVRB169	44	48	CHIPS	10-Dec-98	0.003
BVRB169	48	49	CHIPS	10-Dec-98	0.003
BVRB169	49	50	CHIPS	10-Dec-98	0.003
BVRB170	0	4	CHIPS	10-Dec-98	0.002
BVRB170	4	8	CHIPS	10-Dec-98	0.001
BVRB170	8	12	CHIPS	10-Dec-98	0.002
BVRB170	12	16	CHIPS	10-Dec-98	0.001
BVRB170	16	20	CHIPS	10-Dec-98	0.001
BVRB170	20	21	CHIPS	10-Dec-98	0.002
BVRB170	21	22	CHIPS	10-Dec-98	0.003
BVRB170	22	23	CHIPS	10-Dec-98	0.002
BVRB171	0	4	CHIPS	10-Dec-98	0.003
BVRB171	4	8	CHIPS	10-Dec-98	0.002
BVRB171	8	12	CHIPS	10-Dec-98	0.001
BVRB171	12	16	CHIPS	10-Dec-98	0.001
BVRB171	16	20	CHIPS	10-Dec-98	0.002
BVRB171	20	24	CHIPS	10-Dec-98	0.001
BVRB171	24	25	CHIPS	10-Dec-98	0.003
BVRB171	25	26	CHIPS	10-Dec-98	0.002
BVRB171	26	27	CHIPS	10-Dec-98	0.002
BVRB171	27	28	CHIPS	10-Dec-98	0.011
BVRB172	0	4	CHIPS	10-Dec-98	0.004
BVRB172	4	8	CHIPS	10-Dec-98	0.001
BVRB172	8	12	CHIPS	10-Dec-98	0.001
BVRB172	12	16	CHIPS	10-Dec-98	0.001
BVRB172	16	20	CHIPS	10-Dec-98	0.001
BVRB172	20	24	CHIPS	10-Dec-98	0.002
BVRB172	24	28	CHIPS	10-Dec-98	n/a
BVRB172	28	32	CHIPS	10-Dec-98	0.004
BVRB172	32	36	CHIPS	10-Dec-98	0.014
BVRB172	36	37	CHIPS	10-Dec-98	n/a
BVRB172	37	38	CHIPS	10-Dec-98	0.014
BVRB173	0	4	CHIPS	10-Dec-98	n/a
BVRB173	4	8	CHIPS	10-Dec-98	n/a
BVRB173	8	12	CHIPS	10-Dec-98	n/a
BVRB173	12	16	CHIPS	10-Dec-98	n/a
BVRB173	16	20	CHIPS	10-Dec-98	n/a
BVRB173	20	24	CHIPS	10-Dec-98	n/a
BVRB173	24	28	CHIPS	10-Dec-98	0.004
BVRB173	28	32	CHIPS	10-Dec-98	n/a
BVRB173	32	36	CHIPS	10-Dec-98	0.008
BVRB173	36	40	CHIPS	10-Dec-98	0.005
BVRB173	40	44	CHIPS	10-Dec-98	n/a
BVRB173	44	45	CHIPS	10-Dec-98	0.009
BVRB173	45	46	CHIPS	10-Dec-98	0.004

Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB174	0	4	CHIPS	10-Dec-98	0.003
BVRB174	4	8	CHIPS	10-Dec-98	0.002
BVRB174	8	12	CHIPS	10-Dec-98	n/a
BVRB174	12	16	CHIPS	10-Dec-98	n/a
BVRB174	16	20	CHIPS	10-Dec-98	n/a
BVRB174	20	24	CHIPS	10-Dec-98	n/a
BVRB174	24	25	CHIPS	10-Dec-98	0.001
BVRB175	0	4	CHIPS	10-Dec-98	0.002
BVRB175	4	8	CHIPS	10-Dec-98	
BVRB175	8	12	CHIPS	10-Dec-98	n/a
BVRB175	12	16	CHIPS	10-Dec-98	n/a
BVRB175	16	20	CHIPS	10-Dec-98	0.001
BVRB175	20	24	CHIPS	10-Dec-98	0.001
BVRB175	24	28	CHIPS	10-Dec-98	0.001
BVRB175	28	32	CHIPS	10-Dec-98	n/a
BVRB175	32	36	CHIPS	10-Dec-98	n/a
BVRB175	36	40	CHIPS	10-Dec-98	n/a
BVRB175	40	44	CHIPS	10-Dec-98	n/a
BVRB175	44	48	CHIPS	10-Dec-98	n/a
BVRB175	48	52	CHIPS	10-Dec-98	n/a
BVRB175	52	56	CHIPS	10-Dec-98	0.001
BVRB175	56	60	CHIPS	10-Dec-98	0.001
BVRB175	60	61	CHIPS	10-Dec-98	0.002
BVRB175	61	62	CHIPS	10-Dec-98	0.003
BVRB175	62	63	CHIPS	10-Dec-98	0.002
BVRB176	0	4	CHIPS	10-Dec-98	0.001
BVRB176	4	8	CHIPS	10-Dec-98	n/a
BVRB176	8	12	CHIPS	10-Dec-98	0.001
BVRB176	12	16	CHIPS	10-Dec-98	n/a
BVRB176	16	20	CHIPS	10-Dec-98	n/a
BVRB176	20	24	CHIPS	10-Dec-98	0.001
BVRB176	24	28	CHIPS	10-Dec-98	0.001
BVRB176	28	32	CHIPS	10-Dec-98	0.001
BVRB176	32	36	CHIPS	10-Dec-98	n/a
BVRB176	36	40	CHIPS	10-Dec-98	n/a
BVRB176	40	44	CHIPS	10-Dec-98	n/a
BVRB176	44	48	CHIPS	10-Dec-98	0.002
BVRB176	48	52	CHIPS	10-Dec-98	0.001
BVRB176	52	56	CHIPS	10-Dec-98	0.002
BVRB176	56	57	CHIPS	10-Dec-98	0.002
BVRB176	57	58	CHIPS	10-Dec-98	0.001
BVRB176	58	59	CHIPS	10-Dec-98	n/a
BVRB177	0	4	CHIPS	10-Dec-98	0.001
BVRB177	4	8	CHIPS	10-Dec-98	0.001
BVRB177	8	12	CHIPS	10-Dec-98	n/a
BVRB177	12	16	CHIPS	10-Dec-98	n/a
BVRB177	16	20	CHIPS	10-Dec-98	0.002
BVRB177	20	24	CHIPS	10-Dec-98	n/a
BVRB177	24	25	CHIPS	10-Dec-98	n/a
BVRB177	25	26	CHIPS	10-Dec-98	n/a
BVRB177	26	27	CHIPS	10-Dec-98	n/a
BVRB177	27	28	CHIPS	10-Dec-98	0.001
BVRB178	0	4	CHIPS	10-Dec-98	0.002
BVRB178	4	8	CHIPS	10-Dec-98	0.001
BVRB178	8	12	CHIPS	10-Dec-98	0.003
BVRB178	12	16	CHIPS	10-Dec-98	0.002



Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB178	16	20	CHIPS	10-Dec-98	0.003
BVRB178	20	21	CHIPS	10-Dec-98	0.003
BVRB178	21	22	CHIPS	10-Dec-98	0.003
BVRB178	22	23	CHIPS	10-Dec-98	0.003
BVRB179	0	4	CHIPS	10-Dec-98	0.004
BVRB179	4	8	CHIPS	10-Dec-98	0.003
BVRB179	8	12	CHIPS	10-Dec-98	n/a
BVRB179	12	16	CHIPS	10-Dec-98	n/a
BVRB179	16	20	CHIPS	10-Dec-98	n/a
BVRB179	20	24	CHIPS	10-Dec-98	n/a
BVRB179	24	28	CHIPS	10-Dec-98	0.002
BVRB179	28	32	CHIPS	10-Dec-98	n/a
BVRB179	32	36	CHIPS	10-Dec-98	0.001
BVRB179	36	40	CHIPS	10-Dec-98	0.001
BVRB179	40	44	CHIPS	10-Dec-98	n/a
BVRB179	44	45	CHIPS	10-Dec-98	n/a
BVRB179	45	46	CHIPS	10-Dec-98	0.001
BVRB180	0	4	CHIPS	10-Dec-98	n/a
BVRB180	4	8	CHIPS	10-Dec-98	n/a
BVRB180	8	12	CHIPS	10-Dec-98	n/a
BVRB180	12	16	CHIPS	10-Dec-98	n/a
BVRB180	16	20	CHIPS	10-Dec-98	n/a
BVRB180	20	24	CHIPS	10-Dec-98	n/a
BVRB180	24	28	CHIPS	10-Dec-98	n/a
BVRB180	28	32	CHIPS	10-Dec-98	n/a
BVRB180	32	36	CHIPS	10-Dec-98	n/a
BVRB180	36	40	CHIPS	10-Dec-98	n/a
BVRB180	40	44	CHIPS	10-Dec-98	n/a
BVRB180	44	48	CHIPS	10-Dec-98	0.001
BVRB180	48	49	CHIPS	10-Dec-98	0.001
BVRB180	49	50	CHIPS	10-Dec-98	0.001
BVRB180	50	51	CHIPS	10-Dec-98	0.002
BVRB181	0	4	CHIPS	10-Dec-98	n/a
BVRB181	4	8	CHIPS	10-Dec-98	0.001
BVRB181	8	12	CHIPS	10-Dec-98	0.001
BVRB181	12	16	CHIPS	10-Dec-98	0.001
BVRB181	16	20	CHIPS	10-Dec-98	n/a
BVRB181	20	24	CHIPS	10-Dec-98	n/a
BVRB181	24	25	CHIPS	10-Dec-98	0.001
BVRB181	25	26	CHIPS	10-Dec-98	0.001
BVRB181	26	27	CHIPS	10-Dec-98	n/a
BVRB181	27	28	CHIPS	10-Dec-98	n/a
BVRB182	0	4	CHIPS	10-Dec-98	0.002
BVRB182	4	8	CHIPS	10-Dec-98	n/a
BVRB182	8	12	CHIPS	10-Dec-98	n/a
BVRB182	12	16	CHIPS	10-Dec-98	n/a
BVRB182	16	20	CHIPS	10-Dec-98	0.001
BVRB182	20	24	CHIPS	10-Dec-98	n/a
BVRB182	24	28	CHIPS	10-Dec-98	0.001
BVRB182	28	29	CHIPS	10-Dec-98	n/a
BVRB182	29	30	CHIPS	10-Dec-98	n/a
BVRB183	0	4	CHIPS	10-Dec-98	n/a
BVRB183	4	8	CHIPS	10-Dec-98	0.001
BVRB183	8	12	CHIPS	10-Dec-98	n/a
BVRB183	12	16	CHIPS	10-Dec-98	n/a
BVRB183	16	20	CHIPS	10-Dec-98	n/a

Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB183	20	24	CHIPS	10-Dec-98	n/a
BVRB183	24	25	CHIPS	10-Dec-98	0.001
BVRB184	0	4	CHIPS	10-Dec-98	0.001
BVRB184	4	8	CHIPS	10-Dec-98	n/a
BVRB184	8	12	CHIPS	10-Dec-98	n/a
BVRB184	12	16	CHIPS	10-Dec-98	0.001
BVRB184	16	20	CHIPS	10-Dec-98	n/a
BVRB184	20	21	CHIPS	10-Dec-98	n/a
BVRB185	0	4	CHIPS	10-Dec-98	0.001
BVRB185	4	8	CHIPS	10-Dec-98	n/a
BVRB185	8	12	CHIPS	10-Dec-98	n/a
BVRB185	12	16	CHIPS	10-Dec-98	n/a
BVRB185	16	20	CHIPS	10-Dec-98	n/a
BVRB185	20	24	CHIPS	10-Dec-98	n/a
BVRB185	24	28	CHIPS	10-Dec-98	n/a
BVRB185	28	29	CHIPS	10-Dec-98	0.001
BVRB185	29	30	CHIPS	10-Dec-98	0.001
BVRB185	30	31	CHIPS	10-Dec-98	n/a
BVRB186	0	4	CHIPS	10-Dec-98	0.001
BVRB186	4	8	CHIPS	10-Dec-98	0.001
BVRB186	8	12	CHIPS	10-Dec-98	n/a
BVRB186	12	16	CHIPS	10-Dec-98	n/a
BVRB186	16	20	CHIPS	10-Dec-98	0.002
BVRB186	20	24	CHIPS	10-Dec-98	0.001
BVRB186	24	28	CHIPS	10-Dec-98	n/a
BVRB186	28	32	CHIPS	10-Dec-98	n/a
BVRB186	32	36	CHIPS	10-Dec-98	n/a
BVRB186	36	40	CHIPS	10-Dec-98	n/a
BVRB186	40	41	CHIPS	10-Dec-98	0.001
BVRB187	0	4	CHIPS	10-Dec-98	0.001
BVRB187	4	8	CHIPS	10-Dec-98	n/a
BVRB187	8	12	CHIPS	10-Dec-98	n/a
BVRB187	12	16	CHIPS	10-Dec-98	n/a
BVRB187	16	20	CHIPS	10-Dec-98	n/a
BVRB187	20	24	CHIPS	10-Dec-98	0.001
BVRB187	24	28	CHIPS	10-Dec-98	0.001
BVRB187	28	32	CHIPS	10-Dec-98	n/a
BVRB187	32	36	CHIPS	10-Dec-98	0.001
BVRB187	36	40	CHIPS	10-Dec-98	0.001
BVRB187	40	44	CHIPS	10-Dec-98	0.001
BVRB187	44	48	CHIPS	10-Dec-98	0.001
BVRB187	48	52	CHIPS	10-Dec-98	0.017
BVRB187	52	56	CHIPS	10-Dec-98	0.002
BVRB187	56	60	CHIPS	10-Dec-98	0.002
BVRB187	60	64	CHIPS	10-Dec-98	0.006
BVRB187	64	65	CHIPS	10-Dec-98	0.003
BVRB188	0	4	CHIPS	10-Dec-98	0.001
BVRB188	4	8	CHIPS	10-Dec-98	0.001
BVRB188	8	12	CHIPS	10-Dec-98	0.001
BVRB188	12	16	CHIPS	10-Dec-98	0.001
BVRB188	16	20	CHIPS	10-Dec-98	n/a
BVRB188	20	24	CHIPS	10-Dec-98	0.001
BVRB188	24	28	CHIPS	10-Dec-98	n/a
BVRB188	28	32	CHIPS	10-Dec-98	0.001
BVRB188	32	36	CHIPS	10-Dec-98	n/a
BVRB188	36	40	CHIPS	10-Dec-98	0.001

Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB188	40	44	CHIPS	10-Dec-98	n/a
BVRB188	44	48	CHIPS	10-Dec-98	n/a
BVRB188	48	52	CHIPS	10-Dec-98	0.003
BVRB188	52	56	CHIPS	10-Dec-98	0.001
BVRB188	56	60	CHIPS	10-Dec-98	0.001
BVRB188	60	61	CHIPS	10-Dec-98	0.001
BVRB188	61	62	CHIPS	10-Dec-98	0.001
BVRB189	0	4	CHIPS	10-Dec-98	0.001
BVRB189	4	8	CHIPS	10-Dec-98	n/a
BVRB189	8	12	CHIPS	10-Dec-98	n/a
BVRB189	12	16	CHIPS	10-Dec-98	0.002
BVRB189	16	20	CHIPS	10-Dec-98	0.001
BVRB189	20	24	CHIPS	10-Dec-98	n/a
BVRB189	24	28	CHIPS	10-Dec-98	n/a
BVRB189	28	32	CHIPS	10-Dec-98	n/a
BVRB189	32	36	CHIPS	10-Dec-98	n/a
BVRB189	36	40	CHIPS	10-Dec-98	n/a
BVRB189	40	44	CHIPS	10-Dec-98	n/a
BVRB189	44	48	CHIPS	10-Dec-98	0.001
BVRB189	48	49	CHIPS	10-Dec-98	n/a
BVRB189	49	50	CHIPS	10-Dec-98	n/a
BVRB190	0	4	CHIPS	10-Dec-98	0.001
BVRB190	4	8	CHIPS	10-Dec-98	0.001
BVRB190	8	12	CHIPS	10-Dec-98	0.001
BVRB190	12	16	CHIPS	10-Dec-98	0.001
BVRB190	16	20	CHIPS	10-Dec-98	n/a
BVRB190	20	24	CHIPS	10-Dec-98	0.001
BVRB190	24	28	CHIPS	10-Dec-98	0.001
BVRB190	28	32	CHIPS	10-Dec-98	0.001
BVRB190	32	36	CHIPS	10-Dec-98	0.001
BVRB190	36	40	CHIPS	10-Dec-98	n/a
BVRB190	40	44	CHIPS	10-Dec-98	0.002
BVRB190	44	48	CHIPS	10-Dec-98	0.001
BVRB190	48	49	CHIPS	10-Dec-98	0.001
BVRB190	49	50	CHIPS	10-Dec-98	n/a
BVRB190	50	51	CHIPS	10-Dec-98	n/a
BVRB191	0	4	NS	10-Dec-98	n/a
BVRB191	4	8	CHIPS	10-Dec-98	0.002
BVRB191	8	12	CHIPS	10-Dec-98	n/a
BVRB191	12	16	CHIPS	10-Dec-98	n/a
BVRB191	16	20	CHIPS	10-Dec-98	n/a
BVRB191	20	24	CHIPS	10-Dec-98	0.001
BVRB191	24	28	CHIPS	10-Dec-98	0.002
BVRB191	28	29	CHIPS	10-Dec-98	n/a
BVRB191	29	30	CHIPS	10-Dec-98	0.003
BVRB191	30	31	CHIPS	10-Dec-98	0.002
BVRB191	31	32	CHIPS	10-Dec-98	0.001
BVRB192	0	4	CHIPS	10-Dec-98	0.001
BVRB192	4	8	CHIPS	10-Dec-98	0.001
BVRB192	8	12	CHIPS	10-Dec-98	0.001
BVRB192	12	16	CHIPS	10-Dec-98	0.001
BVRB192	16	20	CHIPS	10-Dec-98	0.001
BVRB192	20	24	CHIPS	10-Dec-98	0.001
BVRB192	24	28	CHIPS	10-Dec-98	0.001
BVRB192	28	32	CHIPS	10-Dec-98	0.001
BVRB192	32	36	CHIPS	10-Dec-98	0.001

Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB192	36	37	CHIPS	10-Dec-98	0.001
BVRB192	37	38	CHIPS	10-Dec-98	n/a
BVRB192	38	39	CHIPS	10-Dec-98	0.001
BVRB193	0	4	CHIPS	10-Dec-98	0.001
BVRB193	4	8	CHIPS	10-Dec-98	0.001
BVRB193	8	12	CHIPS	10-Dec-98	0.001
BVRB193	12	16	CHIPS	10-Dec-98	0.001
BVRB193	16	20	CHIPS	10-Dec-98	n/a
BVRB193	20	24	CHIPS	10-Dec-98	n/a
BVRB193	24	25	CHIPS	10-Dec-98	0.009
BVRB194	0	4	CHIPS	10-Dec-98	0.001
BVRB194	4	8	CHIPS	10-Dec-98	n/a
BVRB194	8	12	CHIPS	10-Dec-98	0.001
BVRB194	12	16	CHIPS	10-Dec-98	n/a
BVRB194	16	20	CHIPS	10-Dec-98	n/a
BVRB194	20	24	CHIPS	10-Dec-98	n/a
BVRB194	24	28	CHIPS	10-Dec-98	0.003
BVRB194	28	29	CHIPS	10-Dec-98	0.004
BVRB194	29	30	CHIPS	10-Dec-98	n/a
BVRB194	30	31	CHIPS	10-Dec-98	n/a
BVRB194	31	32	CHIPS	10-Dec-98	n/a
BVRB195	0	4	CHIPS	10-Dec-98	n/a
BVRB195	4	8	CHIPS	10-Dec-98	n/a
BVRB195	8	12	CHIPS	10-Dec-98	n/a
BVRB195	12	16	CHIPS	10-Dec-98	n/a
BVRB195	16	20	CHIPS	10-Dec-98	n/a
BVRB195	20	21	CHIPS	10-Dec-98	n/a
BVRB195	21	22	CHIPS	10-Dec-98	n/a
BVRB195	22	23	CHIPS	10-Dec-98	n/a
BVRB195	23	24	CHIPS	10-Dec-98	n/a
BVRB196	0	4	CHIPS	10-Dec-98	n/a
BVRB196	4	8	CHIPS	10-Dec-98	0.001
BVRB196	8	12	CHIPS	10-Dec-98	n/a
BVRB196	12	16	CHIPS	10-Dec-98	0.001
BVRB196	16	20	CHIPS	10-Dec-98	0.001
BVRB196	20	21	CHIPS	10-Dec-98	0.001
BVRB196	21	22	CHIPS	10-Dec-98	n/a
BVRB196	22	23	CHIPS	10-Dec-98	0.001
BVRB197	0	4	CHIPS	10-Dec-98	0.001
BVRB197	4	8	CHIPS	10-Dec-98	0.001
BVRB197	8	12	CHIPS	10-Dec-98	n/a
BVRB197	12	16	CHIPS	10-Dec-98	n/a
BVRB197	16	20	CHIPS	10-Dec-98	0.001
BVRB197	20	24	CHIPS	10-Dec-98	0.001
BVRB197	24	28	CHIPS	10-Dec-98	0.001
BVRB197	28	32	CHIPS	10-Dec-98	0.001
BVRB197	32	33	CHIPS	10-Dec-98	0.002
BVRB198	0	4	CHIPS	10-Dec-98	0.001
BVRB198	4	8	CHIPS	10-Dec-98	n/a
BVRB198	8	12	CHIPS	10-Dec-98	n/a
BVRB198	12	16	CHIPS	10-Dec-98	n/a
BVRB198	16	20	CHIPS	10-Dec-98	0.001
BVRB198	20	24	CHIPS	10-Dec-98	0.001
BVRB198	24	28	CHIPS	10-Dec-98	0.001
BVRB198	28	32	CHIPS	10-Dec-98	0.001
BVRB198	32	33	CHIPS	10-Dec-98	0.001

Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB199	0	4	CHIPS	10-Dec-98	0.001
BVRB199	4	8	CHIPS	10-Dec-98	0.001
BVRB199	8	12	CHIPS	10-Dec-98	0.001
BVRB199	12	16	CHIPS	10-Dec-98	0.002
BVRB199	16	20	CHIPS	10-Dec-98	0.001
BVRB199	20	24	CHIPS	10-Dec-98	0.001
BVRB199	24	28	CHIPS	10-Dec-98	0.001
BVRB199	28	32	CHIPS	10-Dec-98	0.001
BVRB199	32	36	CHIPS	10-Dec-98	0.001
BVRB199	36	40	CHIPS	10-Dec-98	0.002
BVRB199	40	44	CHIPS	10-Dec-98	0.001
BVRB199	44	48	CHIPS	10-Dec-98	0.002
BVRB199	48	49	CHIPS	10-Dec-98	0.003
BVRB199	49	50	CHIPS	10-Dec-98	0.002
BVRB199	50	51	CHIPS	10-Dec-98	0.002
BVRB199	51	52	CHIPS	10-Dec-98	0.003
BVRB200	0	4	CHIPS	10-Dec-98	0.001
BVRB200	4	8	CHIPS	10-Dec-98	0.001
BVRB200	8	12	CHIPS	10-Dec-98	n/a
BVRB200	12	16	CHIPS	10-Dec-98	n/a
BVRB200	16	20	CHIPS	10-Dec-98	n/a
BVRB200	20	24	CHIPS	10-Dec-98	n/a
BVRB200	24	28	CHIPS	10-Dec-98	n/a
BVRB200	28	29	CHIPS	10-Dec-98	0.001
BVRB200	29	30	CHIPS	10-Dec-98	0.001
BVRB200	30	31	CHIPS	10-Dec-98	0.001
BVRB201	0	4	CHIPS	10-Dec-98	n/a
BVRB201	4	8	CHIPS	10-Dec-98	n/a
BVRB201	8	12	CHIPS	10-Dec-98	n/a
BVRB201	12	16	CHIPS	10-Dec-98	n/a
BVRB201	16	20	CHIPS	10-Dec-98	n/a
BVRB201	20	24	CHIPS	10-Dec-98	n/a
BVRB201	24	28	CHIPS	10-Dec-98	n/a
BVRB201	28	32	CHIPS	10-Dec-98	n/a
BVRB201	32	33	CHIPS	10-Dec-98	0.001
BVRB201	33	34	CHIPS	10-Dec-98	n/a
BVRB201	34	35	CHIPS	10-Dec-98	n/a
BVRB201	35	36	CHIPS	10-Dec-98	0.001
BVRB202	0	4	CHIPS	10-Dec-98	0.002
BVRB202	4	8	CHIPS	10-Dec-98	0.001
BVRB202	8	12	CHIPS	10-Dec-98	0.001
BVRB202	12	16	CHIPS	10-Dec-98	n/a
BVRB202	16	20	CHIPS	10-Dec-98	0.001
BVRB202	20	24	CHIPS	10-Dec-98	0.001
BVRB202	24	25	CHIPS	10-Dec-98	0.001
BVRB202	25	26	CHIPS	10-Dec-98	0.001
BVRB203	0	4	CHIPS	10-Dec-98	0.002
BVRB203	4	8	CHIPS	10-Dec-98	0.001
BVRB203	8	12	CHIPS	10-Dec-98	n/a
BVRB203	12	16	CHIPS	10-Dec-98	0.001
BVRB203	16	20	CHIPS	10-Dec-98	0.002
BVRB203	20	24	CHIPS	10-Dec-98	0.001
BVRB203	24	28	CHIPS	10-Dec-98	0.001
BVRB203	28	29	CHIPS	10-Dec-98	0.001
BVRB203	29	30	CHIPS	10-Dec-98	0.004
BVRB203	30	31	CHIPS	10-Dec-98	0.004



Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB204	0	4	CHIPS	10-Dec-98	0.001
BVRB204	4	8	CHIPS	10-Dec-98	0.001
BVRB204	8	12	CHIPS	10-Dec-98	0.001
BVRB204	12	16	CHIPS	10-Dec-98	0.002
BVRB204	16	20	CHIPS	10-Dec-98	0.001
BVRB204	20	24	NS	10-Dec-98	n/a
BVRB204	24	28	CHIPS	10-Dec-98	n/a
BVRB204	28	32	CHIPS	10-Dec-98	0.001
BVRB204	32	36	CHIPS	10-Dec-98	n/a
BVRB204	36	40	CHIPS	10-Dec-98	0.001
BVRB204	40	41	CHIPS	10-Dec-98	n/a
BVRB205	0	4	CHIPS	10-Dec-98	0.001
BVRB205	4	8	CHIPS	10-Dec-98	0.001
BVRB205	8	12	CHIPS	10-Dec-98	n/a
BVRB205	12	16	CHIPS	10-Dec-98	0.001
BVRB205	16	20	CHIPS	10-Dec-98	0.001
BVRB205	20	24	CHIPS	10-Dec-98	0.001
BVRB205	24	28	CHIPS	10-Dec-98	0.001
BVRB205	28	32	CHIPS	10-Dec-98	0.001
BVRB205	32	36	CHIPS	10-Dec-98	0.001
BVRB205	36	40	CHIPS	10-Dec-98	0.001
BVRB205	40	44	CHIPS	10-Dec-98	n/a
BVRB205	44	45	CHIPS	10-Dec-98	0.001
BVRB205	45	46	CHIPS	10-Dec-98	0.001
BVRB206	0	4	CHIPS	10-Dec-98	0.003
BVRB206	4	8	CHIPS	10-Dec-98	0.002
BVRB206	8	12	CHIPS	10-Dec-98	n/a
BVRB206	12	16	CHIPS	10-Dec-98	n/a
BVRB206	16	20	CHIPS	10-Dec-98	0.002
BVRB206	20	24	CHIPS	10-Dec-98	0.002
BVRB206	24	28	CHIPS	10-Dec-98	0.428
BVRB206	28	32	CHIPS	10-Dec-98	0.12
BVRB206	32	33	CHIPS	10-Dec-98	0.219
BVRB206	33	34	CHIPS	10-Dec-98	0.433
BVRB206	34	35	CHIPS	10-Dec-98	0.445
BVRB207	0	4	CHIPS	10-Dec-98	0.013
BVRB207	4	8	CHIPS	10-Dec-98	0.001
BVRB207	8	12	CHIPS	10-Dec-98	0.002
BVRB207	12	16	CHIPS	10-Dec-98	0.001
BVRB207	16	20	CHIPS	10-Dec-98	0.001
BVRB207	20	24	CHIPS	10-Dec-98	0.001
BVRB207	24	28	CHIPS	10-Dec-98	0.013
BVRB207	28	32	CHIPS	10-Dec-98	0.002
BVRB207	32	33	CHIPS	10-Dec-98	0.008
BVRB208	0	4	CHIPS	10-Dec-98	0.003
BVRB208	4	8	CHIPS	10-Dec-98	0.001
BVRB208	8	12	CHIPS	10-Dec-98	0.001
BVRB208	12	16	CHIPS	10-Dec-98	0.001
BVRB208	16	20	CHIPS	10-Dec-98	0.001
BVRB208	20	24	CHIPS	10-Dec-98	n/a
BVRB208	24	28	CHIPS	10-Dec-98	0.001
BVRB208	28	32	CHIPS	10-Dec-98	0.023
BVRB208	32	36	CHIPS	10-Dec-98	0.01
BVRB208	36	37	CHIPS	10-Dec-98	0.01
BVRB208	37	38	CHIPS	10-Dec-98	0.013
BVRB209	0	4	CHIPS	10-Dec-98	0.002

Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB209	4	8	CHIPS	10-Dec-98	0.001
BVRB209	8	12	CHIPS	10-Dec-98	0.001
BVRB209	12	16	NS	10-Dec-98	n/a
BVRB209	16	20	CHIPS	10-Dec-98	0.001
BVRB209	20	24	CHIPS	10-Dec-98	0.001
BVRB209	24	28	CHIPS	10-Dec-98	n/a
BVRB209	28	32	CHIPS	10-Dec-98	n/a
BVRB209	32	36	CHIPS	10-Dec-98	0.036
BVRB209	36	37	CHIPS	10-Dec-98	0.013
BVRB209	37	38	CHIPS	10-Dec-98	0.009
BVRB210	0	4	CHIPS	10-Dec-98	0.004
BVRB210	4	8	CHIPS	10-Dec-98	0.001
BVRB210	8	12	CHIPS	10-Dec-98	0.001
BVRB210	12	16	CHIPS	10-Dec-98	n/a
BVRB210	16	20	CHIPS	10-Dec-98	n/a
BVRB210	20	24	CHIPS	10-Dec-98	n/a
BVRB210	24	28	CHIPS	10-Dec-98	0.001
BVRB210	28	32	CHIPS	10-Dec-98	0.029
BVRB210	32	33	CHIPS	10-Dec-98	0.016
BVRB210	33	34	CHIPS	10-Dec-98	0.01
BVRB210	34	35	CHIPS	10-Dec-98	0.008
BVRB211	0	4	CHIPS	10-Dec-98	0.003
BVRB211	4	8	CHIPS	10-Dec-98	0.001
BVRB211	8	12	CHIPS	10-Dec-98	0.003
BVRB211	12	16	CHIPS	10-Dec-98	0.001
BVRB211	16	20	CHIPS	10-Dec-98	0.001
BVRB211	20	21	CHIPS	10-Dec-98	n/a
BVRB211	21	22	CHIPS	10-Dec-98	0.001
BVRB211	22	23	CHIPS	10-Dec-98	0.023
BVRB211	23	24	CHIPS	10-Dec-98	0.012
BVRB212	0	4	CHIPS	10-Dec-98	0.003
BVRB212	4	8	CHIPS	10-Dec-98	n/a
BVRB212	8	12	CHIPS	10-Dec-98	0.001
BVRB212	12	16	CHIPS	10-Dec-98	0.001
BVRB212	16	20	CHIPS	10-Dec-98	n/a
BVRB212	20	24	CHIPS	10-Dec-98	n/a
BVRB212	24	28	CHIPS	10-Dec-98	n/a
BVRB212	28	32	CHIPS	10-Dec-98	n/a
BVRB212	32	36	CHIPS	10-Dec-98	n/a
BVRB212	36	40	CHIPS	10-Dec-98	n/a
BVRB212	40	44	CHIPS	10-Dec-98	n/a
BVRB212	44	48	CHIPS	10-Dec-98	0.001
BVRB212	48	52	CHIPS	10-Dec-98	0.003
BVRB212	52	53	CHIPS	10-Dec-98	0.004
BVRB212	53	54	CHIPS	10-Dec-98	0.007
BVRB213	0	4	CHIPS	10-Dec-98	0.004
BVRB213	4	8	CHIPS	10-Dec-98	0.001
BVRB213	8	12	CHIPS	10-Dec-98	0.001
BVRB213	12	16	CHIPS	10-Dec-98	n/a
BVRB213	16	20	CHIPS	10-Dec-98	0.001
BVRB213	20	24	CHIPS	10-Dec-98	0.001
BVRB213	24	28	CHIPS	10-Dec-98	n/a
BVRB213	28	32	CHIPS	10-Dec-98	0.001
BVRB213	32	36	CHIPS	10-Dec-98	0.002
BVRB213	36	40	CHIPS	10-Dec-98	0.001
BVRB213	40	44	CHIPS	10-Dec-98	0.024

Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB213	44	48	CHIPS	10-Dec-98	0.014
BVRB213	48	52	CHIPS	10-Dec-98	0.01
BVRB213	52	56	CHIPS	10-Dec-98	0.016
BVRB213	56	57	CHIPS	10-Dec-98	0.012
BVRB213	57	58	CHIPS	10-Dec-98	0.005
BVRB213	58	59	CHIPS	10-Dec-98	0.004
BVRB214	0	4	CHIPS	10-Dec-98	0.004
BVRB214	4	8	CHIPS	10-Dec-98	0.001
BVRB214	8	12	CHIPS	10-Dec-98	0.002
BVRB214	12	16	CHIPS	10-Dec-98	0.001
BVRB214	16	20	CHIPS	10-Dec-98	0.002
BVRB214	20	24	CHIPS	10-Dec-98	0.002
BVRB214	24	28	CHIPS	10-Dec-98	0.002
BVRB214	28	32	CHIPS	10-Dec-98	0.003
BVRB214	32	36	CHIPS	10-Dec-98	0.004
BVRB214	36	40	CHIPS	10-Dec-98	0.004
BVRB214	40	44	CHIPS	10-Dec-98	0.072
BVRB214	44	45	CHIPS	10-Dec-98	0.01
BVRB215	0	4	CHIPS	10-Dec-98	0.001
BVRB215	4	8	CHIPS	10-Dec-98	n/a
BVRB215	8	12	CHIPS	10-Dec-98	0.001
BVRB215	12	16	CHIPS	10-Dec-98	0.011
BVRB215	16	17	CHIPS	10-Dec-98	n/a
BVRB215	17	18	CHIPS	10-Dec-98	0.08
BVRB215	18	19	CHIPS	10-Dec-98	0.001
BVRB216	0	4	CHIPS	10-Dec-98	0.007
BVRB216	4	8	CHIPS	10-Dec-98	n/a
BVRB216	8	12	CHIPS	10-Dec-98	0.001
BVRB216	12	16	CHIPS	10-Dec-98	0.001
BVRB216	16	20	CHIPS	10-Dec-98	0.001
BVRB216	20	21	CHIPS	10-Dec-98	0.004
BVRB216	21	22	CHIPS	10-Dec-98	0.001
BVRB216	22	23	CHIPS	10-Dec-98	n/a
BVRB216	23	24	CHIPS	10-Dec-98	0.009
BVRB217	0	4	CHIPS	10-Dec-98	0.002
BVRB217	4	8	CHIPS	10-Dec-98	n/a
BVRB217	8	12	CHIPS	10-Dec-98	n/a
BVRB217	12	16	CHIPS	10-Dec-98	0.001
BVRB217	16	20	CHIPS	10-Dec-98	n/a
BVRB217	20	24	CHIPS	10-Dec-98	0.002
BVRB217	24	28	CHIPS	10-Dec-98	0.001
BVRB217	28	32	CHIPS	10-Dec-98	0.001
BVRB217	32	36	CHIPS	10-Dec-98	0.003
BVRB217	36	40	CHIPS	10-Dec-98	0.001
BVRB217	40	41	CHIPS	10-Dec-98	0.002
BVRB217	41	42	CHIPS	10-Dec-98	0.001
BVRB218	0	4	CHIPS	10-Dec-98	0.001
BVRB218	4	8	CHIPS	10-Dec-98	0.001
BVRB218	8	12	CHIPS	10-Dec-98	0.001
BVRB218	12	16	CHIPS	10-Dec-98	n/a
BVRB218	16	20	CHIPS	10-Dec-98	n/a
BVRB218	20	24	CHIPS	10-Dec-98	0.001
BVRB218	24	28	CHIPS	10-Dec-98	0.001
BVRB218	28	32	CHIPS	10-Dec-98	0.001
BVRB218	32	36	CHIPS	10-Dec-98	0.033
BVRB218	36	37	CHIPS	10-Dec-98	0.123

Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB219	0	4	CHIPS	10-Dec-98	n/a
BVRB219	4	8	CHIPS	10-Dec-98	0.001
BVRB219	8	12	CHIPS	10-Dec-98	0.001
BVRB219	12	16	CHIPS	10-Dec-98	0.001
BVRB219	16	20	CHIPS	10-Dec-98	0.001
BVRB219	20	24	CHIPS	10-Dec-98	0.001
BVRB219	24	28	CHIPS	10-Dec-98	0.001
BVRB219	28	32	CHIPS	10-Dec-98	0.001
BVRB219	32	36	CHIPS	10-Dec-98	0.001
BVRB219	36	40	CHIPS	10-Dec-98	0.001
BVRB219	40	44	CHIPS	10-Dec-98	0.002
BVRB219	44	48	CHIPS	10-Dec-98	0.004
BVRB219	48	49	CHIPS	10-Dec-98	0.001
BVRB219	49	50	CHIPS	10-Dec-98	0.002
BVRB219	50	51	CHIPS	10-Dec-98	0.007
BVRB219	51	52	CHIPS	10-Dec-98	0.007
BVRB220	0	4	CHIPS	10-Dec-98	0.001
BVRB220	4	8	CHIPS	10-Dec-98	n/a
BVRB220	8	12	CHIPS	10-Dec-98	n/a
BVRB220	12	16	CHIPS	10-Dec-98	0.006
BVRB220	16	20	CHIPS	10-Dec-98	0.004
BVRB220	20	24	CHIPS	10-Dec-98	0.001
BVRB220	24	28	CHIPS	10-Dec-98	n/a
BVRB220	28	32	CHIPS	10-Dec-98	n/a
BVRB220	32	36	CHIPS	10-Dec-98	0.023
BVRB220	36	40	CHIPS	10-Dec-98	0.001
BVRB220	40	44	CHIPS	10-Dec-98	n/a
BVRB220	44	48	CHIPS	10-Dec-98	0.011
BVRB220	48	52	CHIPS	10-Dec-98	0.248
BVRB220	52	56	CHIPS	10-Dec-98	0.328
BVRB220	56	60	CHIPS	10-Dec-98	0.12
BVRB220	60	61	CHIPS	10-Dec-98	0.095
BVRB221	0	4	CHIPS	10-Dec-98	0.004
BVRB221	4	8	CHIPS	10-Dec-98	n/a
BVRB221	8	12	CHIPS	10-Dec-98	
BVRB221	12	16	CHIPS	10-Dec-98	0.001
BVRB221	16	20	CHIPS	10-Dec-98	0.004
BVRB221	20	24	CHIPS	10-Dec-98	0.016
BVRB221	24	28	CHIPS	10-Dec-98	n/a
BVRB221	28	32	CHIPS	10-Dec-98	0.003
BVRB221	32	36	CHIPS	10-Dec-98	0.001
BVRB221	36	40	CHIPS	10-Dec-98	0.46
BVRB221	40	44	CHIPS	10-Dec-98	n/a
BVRB221	44	48	CHIPS	10-Dec-98	0.006
BVRB221	48	52	CHIPS	10-Dec-98	0.013
BVRB221	52	56	CHIPS	10-Dec-98	0.08
BVRB221	56	57	CHIPS	10-Dec-98	0.076
BVRB221	57	58	CHIPS	10-Dec-98	0.052
BVRB221	58	59	CHIPS	10-Dec-98	0.005
BVRB221	59	60	CHIPS	10-Dec-98	0.008
BVRB222	0	4	CHIPS	10-Dec-98	0.003
BVRB222	4	8	CHIPS	10-Dec-98	0.002
BVRB222	8	12	CHIPS	10-Dec-98	0.002
BVRB222	12	16	CHIPS	10-Dec-98	n/a
BVRB222	16	20	CHIPS	10-Dec-98	0.004
BVRB222	20	24	CHIPS	10-Dec-98	0.002

Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB222	24	28	CHIPS	10-Dec-98	0.001
BVRB222	28	32	CHIPS	10-Dec-98	0.003
BVRB222	32	33	CHIPS	10-Dec-98	0.007
BVRB222	33	34	CHIPS	10-Dec-98	0.007
BVRB222	34	35	CHIPS	10-Dec-98	0.046
BVRB223	0	4	CHIPS	10-Dec-98	0.002
BVRB223	4	8	CHIPS	10-Dec-98	0.001
BVRB223	8	12	CHIPS	10-Dec-98	0.002
BVRB223	12	16	CHIPS	10-Dec-98	0.006
BVRB223	16	20	CHIPS	10-Dec-98	0.002
BVRB223	20	24	CHIPS	10-Dec-98	0.004
BVRB223	24	28	CHIPS	10-Dec-98	0.001
BVRB223	28	32	CHIPS	10-Dec-98	0.001
BVRB223	32	33	NS	10-Dec-98	n/a
BVRB224	0	4	CHIPS	10-Dec-98	0.002
BVRB224	4	8	CHIPS	10-Dec-98	0.001
BVRB224	8	12	CHIPS	10-Dec-98	0.001
BVRB224	12	16	CHIPS	10-Dec-98	0.001
BVRB224	16	20	CHIPS	10-Dec-98	0.002
BVRB224	20	24	CHIPS	10-Dec-98	0.001
BVRB224	24	28	CHIPS	10-Dec-98	0.001
BVRB224	28	32	CHIPS	10-Dec-98	0.001
BVRB224	32	36	CHIPS	10-Dec-98	0.001
BVRB224	36	40	CHIPS	10-Dec-98	0.001
BVRB224	40	44	CHIPS	10-Dec-98	0.001
BVRB224	44	48	CHIPS	10-Dec-98	0.001
BVRB224	48	52	CHIPS	10-Dec-98	0.001
BVRB224	52	56	CHIPS	10-Dec-98	0.003
BVRB224	56	57	CHIPS	10-Dec-98	n/a
BVRB225	0	4	CHIPS	10-Dec-98	0.001
BVRB225	4	8	CHIPS	10-Dec-98	0.001
BVRB225	8	12	CHIPS	10-Dec-98	0.001
BVRB225	12	16	CHIPS	10-Dec-98	0.001
BVRB225	16	20	CHIPS	10-Dec-98	n/a
BVRB225	20	24	CHIPS	10-Dec-98	n/a
BVRB225	24	28	CHIPS	10-Dec-98	n/a
BVRB225	28	32	CHIPS	10-Dec-98	0.004
BVRB225	32	33	CHIPS	10-Dec-98	0.004
BVRB226	0	4	CHIPS	10-Dec-98	0.002
BVRB226	4	8	CHIPS	10-Dec-98	n/a
BVRB226	8	12	CHIPS	10-Dec-98	n/a
BVRB226	12	16	CHIPS	10-Dec-98	n/a
BVRB226	16	20	CHIPS	10-Dec-98	n/a
BVRB226	20	24	CHIPS	10-Dec-98	n/a
BVRB226	24	25	CHIPS	10-Dec-98	n/a
BVRB226	25	26	CHIPS	10-Dec-98	0.002
BVRB227	0	4	CHIPS	10-Dec-98	n/a
BVRB227	4	8	CHIPS	10-Dec-98	n/a
BVRB227	8	12	CHIPS	10-Dec-98	n/a
BVRB227	12	16	CHIPS	10-Dec-98	n/a
BVRB227	16	20	CHIPS	10-Dec-98	n/a
BVRB227	20	24	CHIPS	10-Dec-98	n/a
BVRB227	24	28	CHIPS	10-Dec-98	n/a
BVRB227	28	29	CHIPS	10-Dec-98	0.002
BVRB227	29	30	CHIPS	10-Dec-98	0.002
BVRB227	30	31	CHIPS	10-Dec-98	0.002

Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB227	31	32	CHIPS	10-Dec-98	0.002
BVRB228	0	4	CHIPS	10-Dec-98	0.002
BVRB228	4	8	CHIPS	10-Dec-98	n/a
BVRB228	8	12	CHIPS	10-Dec-98	n/a
BVRB228	12	16	CHIPS	10-Dec-98	n/a
BVRB228	16	20	CHIPS	10-Dec-98	n/a
BVRB228	20	21	CHIPS	10-Dec-98	n/a
BVRB228	21	22	CHIPS	10-Dec-98	n/a
BVRB229	0	4	CHIPS	10-Dec-98	n/a
BVRB229	4	8	CHIPS	10-Dec-98	0.001
BVRB229	8	12	CHIPS	10-Dec-98	n/a
BVRB229	12	16	CHIPS	10-Dec-98	n/a
BVRB229	16	17	CHIPS	10-Dec-98	n/a
BVRB229	17	18	CHIPS	10-Dec-98	n/a
BVRB230	0	4	CHIPS	10-Dec-98	n/a
BVRB230	4	8	CHIPS	10-Dec-98	n/a
BVRB230	8	12	CHIPS	10-Dec-98	n/a
BVRB230	12	16	CHIPS	10-Dec-98	0.002
BVRB230	16	20	CHIPS	10-Dec-98	0.002
BVRB230	20	24	CHIPS	10-Dec-98	0.002
BVRB230	24	28	CHIPS	10-Dec-98	0.001
BVRB230	28	32	CHIPS	10-Dec-98	n/a
BVRB230	32	33	CHIPS	10-Dec-98	0.002
BVRB230	33	34	CHIPS	10-Dec-98	n/a
BVRB230	34	35	CHIPS	10-Dec-98	n/a
BVRB231	0	4	CHIPS	10-Dec-98	0.002
BVRB231	4	8	CHIPS	10-Dec-98	0.002
BVRB231	8	12	CHIPS	10-Dec-98	n/a
BVRB231	12	16	CHIPS	10-Dec-98	n/a
BVRB231	16	20	CHIPS	10-Dec-98	n/a
BVRB231	20	24	CHIPS	10-Dec-98	n/a
BVRB231	24	28	CHIPS	10-Dec-98	n/a
BVRB231	28	32	CHIPS	10-Dec-98	0.002
BVRB231	32	36	CHIPS	10-Dec-98	n/a
BVRB231	36	40	CHIPS	10-Dec-98	0.002
BVRB231	40	44	CHIPS	10-Dec-98	0.002
BVRB231	44	48	CHIPS	10-Dec-98	n/a
BVRB231	48	52	CHIPS	10-Dec-98	n/a
BVRB231	52	56	CHIPS	10-Dec-98	n/a
BVRB231	56	57	CHIPS	10-Dec-98	0.002
BVRB231	57	58	CHIPS	10-Dec-98	0.002
BVRB231	58	59	CHIPS	10-Dec-98	0.002
BVRB232	0	4	CHIPS	10-Dec-98	0.004
BVRB232	4	8	CHIPS	10-Dec-98	0.002
BVRB232	8	12	CHIPS	10-Dec-98	0.002
BVRB232	12	16	CHIPS	10-Dec-98	0.002
BVRB232	16	20	CHIPS	10-Dec-98	n/a
BVRB232	20	24	CHIPS	10-Dec-98	0.002
BVRB232	24	28	CHIPS	10-Dec-98	n/a
BVRB232	28	32	CHIPS	10-Dec-98	n/a
BVRB232	32	36	CHIPS	10-Dec-98	n/a
BVRB232	36	40	CHIPS	10-Dec-98	n/a
BVRB232	40	44	CHIPS	10-Dec-98	n/a
BVRB232	44	48	CHIPS	10-Dec-98	n/a
BVRB232	48	49	CHIPS	10-Dec-98	n/a
BVRB232	49	50	CHIPS	10-Dec-98	n/a



Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB232	50	51	CHIPS	10-Dec-98	0.012
BVRB233	0	4	CHIPS	10-Dec-98	n/a
BVRB233	4	8	CHIPS	10-Dec-98	n/a
BVRB233	8	12	CHIPS	10-Dec-98	n/a
BVRB233	12	16	CHIPS	10-Dec-98	0.002
BVRB233	16	20	CHIPS	10-Dec-98	0.002
BVRB233	20	24	CHIPS	10-Dec-98	0.002
BVRB233	24	25	CHIPS	10-Dec-98	n/a
BVRB233	25	26	CHIPS	10-Dec-98	0.002
BVRB234	0	4	CHIPS	10-Dec-98	0.002
BVRB234	4	8	CHIPS	10-Dec-98	0.002
BVRB234	8	12	CHIPS	10-Dec-98	n/a
BVRB234	12	16	CHIPS	10-Dec-98	0.002
BVRB234	16	20	CHIPS	10-Dec-98	0.002
BVRB234	20	24	CHIPS	10-Dec-98	n/a
BVRB234	24	28	CHIPS	10-Dec-98	0.002
BVRB234	28	32	CHIPS	10-Dec-98	n/a
BVRB234	32	33	CHIPS	10-Dec-98	0.002
BVRB234	33	34	CHIPS	10-Dec-98	0.002
BVRB234	34	35	CHIPS	10-Dec-98	0.002
BVRB235	0	4	CHIPS	10-Dec-98	0.002
BVRB235	4	8	CHIPS	10-Dec-98	n/a
BVRB235	8	12	CHIPS	10-Dec-98	n/a
BVRB235	12	13	CHIPS	10-Dec-98	0.002
BVRB235	13	14	CHIPS	10-Dec-98	n/a
BVRB236	0	4	CHIPS	10-Dec-98	0.002
BVRB236	4	8	CHIPS	10-Dec-98	n/a
BVRB236	8	12	CHIPS	10-Dec-98	n/a
BVRB236	12	16	CHIPS	10-Dec-98	n/a
BVRB236	16	17	CHIPS	10-Dec-98	n/a
BVRB236	17	18	CHIPS	10-Dec-98	n/a
BVRB236	18	19	CHIPS	10-Dec-98	n/a
BVRB236	19	20	CHIPS	10-Dec-98	n/a
BVRB237	0	4	CHIPS	10-Dec-98	n/a
BVRB237	4	8	CHIPS	10-Dec-98	n/a
BVRB237	8	12	CHIPS	10-Dec-98	n/a
BVRB237	12	16	CHIPS	10-Dec-98	n/a
BVRB237	16	17	CHIPS	10-Dec-98	0.002
BVRB238	0	4	CHIPS	10-Dec-98	n/a
BVRB238	4	8	CHIPS	10-Dec-98	n/a
BVRB238	8	9	CHIPS	10-Dec-98	n/a
BVRB238	9	10	CHIPS	10-Dec-98	n/a
BVRB239	0	4	CHIPS	10-Dec-98	n/a
BVRB239	4	8	CHIPS	10-Dec-98	n/a
BVRB239	8	12	CHIPS	10-Dec-98	0.002
BVRB239	12	16	CHIPS	10-Dec-98	n/a
BVRB239	16	20	CHIPS	10-Dec-98	n/a
BVRB239	20	21	CHIPS	10-Dec-98	n/a
BVRB239	21	22	CHIPS	10-Dec-98	n/a
BVRB239	22	23	CHIPS	10-Dec-98	n/a
BVRB240	0	4	CHIPS	10-Dec-98	n/a
BVRB240	4	8	CHIPS	10-Dec-98	n/a
BVRB240	8	12	CHIPS	10-Dec-98	0.002
BVRB240	12	13	CHIPS	10-Dec-98	n/a
BVRB240	13	14	CHIPS	10-Dec-98	n/a
BVRB240	14	15	CHIPS	10-Dec-98	n/a

Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB241	0	4	CHIPS	10-Dec-98	n/a
BVRB241	4	8	CHIPS	10-Dec-98	n/a
BVRB241	8	12	CHIPS	10-Dec-98	n/a
BVRB241	12	16	CHIPS	10-Dec-98	n/a
BVRB241	16	17	CHIPS	10-Dec-98	n/a
BVRB241	17	18	CHIPS	10-Dec-98	n/a
BVRB242	0	4	CHIPS	10-Dec-98	n/a
BVRB242	4	8	CHIPS	10-Dec-98	n/a
BVRB242	8	12	CHIPS	10-Dec-98	n/a
BVRB242	12	16	CHIPS	10-Dec-98	n/a
BVRB242	16	17	CHIPS	10-Dec-98	n/a
BVRB242	17	18	CHIPS	10-Dec-98	n/a
BVRB243	0	4	CHIPS	10-Dec-98	n/a
BVRB243	4	8	CHIPS	10-Dec-98	n/a
BVRB243	8	12	CHIPS	10-Dec-98	n/a
BVRB243	12	16	CHIPS	10-Dec-98	n/a
BVRB243	16	17	CHIPS	10-Dec-98	n/a
BVRB243	17	18	CHIPS	10-Dec-98	n/a
BVRB243	18	19	CHIPS	10-Dec-98	n/a
BVRB244	0	4	CHIPS	10-Dec-98	0.001
BVRB244	4	8	CHIPS	10-Dec-98	n/a
BVRB244	8	12	CHIPS	10-Dec-98	n/a
BVRB244	12	16	CHIPS	10-Dec-98	n/a
BVRB244	16	20	CHIPS	10-Dec-98	n/a
BVRB244	20	24	CHIPS	10-Dec-98	n/a
BVRB244	24	28	CHIPS	10-Dec-98	n/a
BVRB244	28	29	CHIPS	10-Dec-98	0.001
BVRB245	0	4	CHIPS	10-Dec-98	n/a
BVRB245	4	8	CHIPS	10-Dec-98	n/a
BVRB245	8	9	CHIPS	10-Dec-98	n/a
BVRB245	9	10	CHIPS	10-Dec-98	n/a
BVRB246	0	4	CHIPS	10-Dec-98	n/a
BVRB246	4	5	CHIPS	10-Dec-98	n/a
BVRB246	5	6	CHIPS	10-Dec-98	n/a
BVRB246	6	7	CHIPS	10-Dec-98	n/a
BVRB247	0	4	CHIPS	10-Dec-98	
BVRB247	4	8	CHIPS	10-Dec-98	n/a
BVRB247	8	12	CHIPS	10-Dec-98	n/a
BVRB247	12	16	CHIPS	10-Dec-98	n/a
BVRB247	16	20	CHIPS	10-Dec-98	n/a
BVRB247	20	21	CHIPS	10-Dec-98	n/a
BVRB248	0	4	CHIPS	10-Dec-98	n/a
BVRB248	4	8	CHIPS	10-Dec-98	n/a
BVRB248	8	9	CHIPS	10-Dec-98	n/a
BVRB249	0	4	CHIPS	10-Dec-98	0.001
BVRB249	4	8	CHIPS	10-Dec-98	0.001
BVRB249	8	12	CHIPS	10-Dec-98	n/a
BVRB249	12	16	CHIPS	10-Dec-98	n/a
BVRB249	16	20	CHIPS	10-Dec-98	n/a
BVRB249	20	24	CHIPS	10-Dec-98	n/a
BVRB249	24	28	CHIPS	10-Dec-98	n/a
BVRB249	28	32	CHIPS	10-Dec-98	n/a
BVRB249	32	36	CHIPS	10-Dec-98	n/a
BVRB249	36	40	CHIPS	10-Dec-98	n/a
BVRB249	40	44	CHIPS	10-Dec-98	n/a
BVRB249	44	45	CHIPS	10-Dec-98	n/a

Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB249	45	46	CHIPS	10-Dec-98	n/a
BVRB250	0	4	CHIPS	10-Dec-98	n/a
BVRB250	4	8	CHIPS	10-Dec-98	n/a
BVRB250	8	12	CHIPS	10-Dec-98	n/a
BVRB250	12	16	CHIPS	10-Dec-98	n/a
BVRB250	16	20	CHIPS	10-Dec-98	n/a
BVRB250	20	24	CHIPS	10-Dec-98	n/a
BVRB250	24	28	CHIPS	10-Dec-98	n/a
BVRB250	28	32	CHIPS	10-Dec-98	n/a
BVRB250	32	36	CHIPS	10-Dec-98	n/a
BVRB250	36	40	CHIPS	10-Dec-98	0.001
BVRB250	40	44	CHIPS	10-Dec-98	n/a
BVRB250	44	45	CHIPS	10-Dec-98	n/a
BVRB250	45	46	CHIPS	10-Dec-98	0.001
BVRB251	0	4	CHIPS	10-Dec-98	0.001
BVRB251	4	8	CHIPS	10-Dec-98	n/a
BVRB251	8	12	CHIPS	10-Dec-98	n/a
BVRB251	12	16	CHIPS	10-Dec-98	n/a
BVRB251	16	17	CHIPS	10-Dec-98	n/a
BVRB251	17	18	CHIPS	10-Dec-98	n/a
BVRB251	18	19	CHIPS	10-Dec-98	n/a
BVRB252	0	4	CHIPS	10-Dec-98	0.001
BVRB252	4	8	CHIPS	10-Dec-98	n/a
BVRB252	8	12	CHIPS	10-Dec-98	n/a
BVRB252	12	16	CHIPS	10-Dec-98	n/a
BVRB252	16	20	CHIPS	10-Dec-98	n/a
BVRB252	20	24	CHIPS	10-Dec-98	n/a
BVRB252	24	28	CHIPS	10-Dec-98	n/a
BVRB252	28	32	CHIPS	10-Dec-98	n/a
BVRB252	32	36	CHIPS	10-Dec-98	n/a
BVRB252	36	40	CHIPS	10-Dec-98	n/a
BVRB252	40	44	CHIPS	10-Dec-98	n/a
BVRB252	44	45	CHIPS	10-Dec-98	n/a
BVRB252	45	46	CHIPS	10-Dec-98	n/a
BVRB252	46	47	CHIPS	10-Dec-98	n/a
BVRB253	0	4	CHIPS	10-Dec-98	0.001
BVRB253	4	8	CHIPS	10-Dec-98	n/a
BVRB253	8	12	CHIPS	10-Dec-98	n/a
BVRB253	12	16	CHIPS	10-Dec-98	n/a
BVRB253	16	20	CHIPS	10-Dec-98	n/a
BVRB253	20	24	CHIPS	10-Dec-98	n/a
BVRB253	24	25	CHIPS	10-Dec-98	n/a
BVRB253	25	26	CHIPS	10-Dec-98	n/a
BVRB253	26	27	CHIPS	10-Dec-98	n/a
BVRB253	27	28	CHIPS	10-Dec-98	n/a
BVRB254	0	4	CHIPS	10-Dec-98	n/a
BVRB254	4	8	CHIPS	10-Dec-98	n/a
BVRB254	8	12	CHIPS	10-Dec-98	n/a
BVRB254	12	16	CHIPS	10-Dec-98	n/a
BVRB254	16	20	CHIPS	10-Dec-98	n/a
BVRB254	20	24	CHIPS	10-Dec-98	n/a
BVRB254	24	28	CHIPS	10-Dec-98	n/a
BVRB254	28	29	CHIPS	10-Dec-98	0.002
BVRB254	29	30	CHIPS	10-Dec-98	n/a
BVRB254	30	31	CHIPS	10-Dec-98	0.002
BVRB255	0	4	CHIPS	10-Dec-98	0.002

Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB255	4	8	CHIPS	10-Dec-98	n/a
BVRB255	8	12	CHIPS	10-Dec-98	0.002
BVRB255	12	16	CHIPS	10-Dec-98	n/a
BVRB255	16	17	CHIPS	10-Dec-98	0.002
BVRB255	17	18	CHIPS	10-Dec-98	n/a
BVRB255	18	19	CHIPS	10-Dec-98	n/a
BVRB255	19	20	CHIPS	10-Dec-98	0.002
BVRB256	0	4	CHIPS	10-Dec-98	n/a
BVRB256	4	8	CHIPS	10-Dec-98	0.002
BVRB256	8	12	CHIPS	10-Dec-98	n/a
BVRB256	12	16	CHIPS	10-Dec-98	0.002
BVRB256	16	20	CHIPS	10-Dec-98	n/a
BVRB256	20	21	CHIPS	10-Dec-98	n/a
BVRB256	21	22	CHIPS	10-Dec-98	n/a
BVRB256	22	23	CHIPS	10-Dec-98	n/a
BVRB256	23	24	CHIPS	10-Dec-98	n/a
BVRB257	0	4	CHIPS	10-Dec-98	n/a
BVRB257	4	8	CHIPS	10-Dec-98	n/a
BVRB257	8	12	CHIPS	10-Dec-98	n/a
BVRB257	12	16	CHIPS	10-Dec-98	n/a
BVRB257	16	20	CHIPS	10-Dec-98	n/a
BVRB257	20	24	CHIPS	10-Dec-98	n/a
BVRB257	24	25	CHIPS	10-Dec-98	n/a
BVRB257	25	26	CHIPS	10-Dec-98	n/a
BVRB257	26	27	CHIPS	10-Dec-98	n/a
BVRB257	27	28	CHIPS	10-Dec-98	n/a
BVRB258	0	4	CHIPS	10-Dec-98	n/a
BVRB258	4	8	CHIPS	10-Dec-98	n/a
BVRB258	8	12	CHIPS	10-Dec-98	n/a
BVRB258	12	16	CHIPS	10-Dec-98	n/a
BVRB258	16	17	CHIPS	10-Dec-98	n/a
BVRB258	17	18	CHIPS	10-Dec-98	n/a
BVRB258	18	19	CHIPS	10-Dec-98	n/a
BVRB258	19	20	CHIPS	10-Dec-98	n/a
BVRB259	0	4	CHIPS	10-Dec-98	0.002
BVRB259	4	8	CHIPS	10-Dec-98	n/a
BVRB259	8	12	CHIPS	10-Dec-98	n/a
BVRB259	12	16	CHIPS	10-Dec-98	n/a
BVRB259	16	20	CHIPS	10-Dec-98	n/a
BVRB259	20	21	CHIPS	10-Dec-98	n/a
BVRB260	0	4	CHIPS	10-Dec-98	0.002
BVRB260	4	8	CHIPS	10-Dec-98	n/a
BVRB260	8	12	CHIPS	10-Dec-98	n/a
BVRB260	12	16	CHIPS	10-Dec-98	n/a
BVRB260	16	20	CHIPS	10-Dec-98	n/a
BVRB260	20	21	CHIPS	10-Dec-98	n/a
BVRB260	21	22	CHIPS	10-Dec-98	n/a
BVRB261	0	4	CHIPS	10-Dec-98	n/a
BVRB261	4	8	CHIPS	10-Dec-98	n/a
BVRB261	8	12	CHIPS	10-Dec-98	n/a
BVRB261	12	16	CHIPS	10-Dec-98	n/a
BVRB261	16	20	CHIPS	10-Dec-98	n/a
BVRB261	20	24	CHIPS	10-Dec-98	n/a
BVRB261	24	28	CHIPS	10-Dec-98	n/a
BVRB261	28	29	CHIPS	10-Dec-98	n/a
BVRB261	29	30	CHIPS	10-Dec-98	n/a

Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB261	30	31	CHIPS	10-Dec-98	n/a
BVRB262	0	4	CHIPS	10-Dec-98	n/a
BVRB262	4	8	CHIPS	10-Dec-98	n/a
BVRB262	8	12	CHIPS	10-Dec-98	n/a
BVRB262	12	16	CHIPS	10-Dec-98	n/a
BVRB262	16	20	CHIPS	10-Dec-98	n/a
BVRB262	20	24	CHIPS	10-Dec-98	n/a
BVRB262	24	28	CHIPS	10-Dec-98	n/a
BVRB262	28	32	CHIPS	10-Dec-98	n/a
BVRB262	32	33	CHIPS	10-Dec-98	n/a
BVRB263	0	4	CHIPS	10-Dec-98	n/a
BVRB263	4	8	CHIPS	10-Dec-98	n/a
BVRB263	8	12	CHIPS	10-Dec-98	n/a
BVRB263	12	16	CHIPS	10-Dec-98	n/a
BVRB263	16	17	CHIPS	10-Dec-98	n/a
BVRB263	17	18	CHIPS	10-Dec-98	n/a
BVRB263	18	19	CHIPS	10-Dec-98	n/a
BVRB263	19	20	CHIPS	10-Dec-98	n/a
BVRB264	0	4	CHIPS	10-Dec-98	n/a
BVRB264	4	8	CHIPS	10-Dec-98	n/a
BVRB264	8	12	CHIPS	10-Dec-98	n/a
BVRB264	12	16	CHIPS	10-Dec-98	n/a
BVRB264	16	20	CHIPS	10-Dec-98	n/a
BVRB264	20	21	CHIPS	10-Dec-98	n/a
BVRB264	21	22	CHIPS	10-Dec-98	n/a
BVRB264	22	23	CHIPS	10-Dec-98	n/a
BVRB265	0	4	CHIPS	10-Dec-98	n/a
BVRB265	4	8	CHIPS	10-Dec-98	n/a
BVRB265	8	12	CHIPS	10-Dec-98	n/a
BVRB265	12	16	CHIPS	10-Dec-98	n/a
BVRB265	16	20	CHIPS	10-Dec-98	n/a
BVRB265	20	24	CHIPS	10-Dec-98	n/a
BVRB265	24	28	CHIPS	10-Dec-98	n/a
BVRB265	28	29	CHIPS	10-Dec-98	n/a
BVRB265	29	30	CHIPS	10-Dec-98	n/a
BVRB265	30	31	CHIPS	10-Dec-98	n/a
BVRB265	31	32	CHIPS	10-Dec-98	n/a
BVRB266	0	4	CHIPS	10-Dec-98	n/a
BVRB266	4	8	CHIPS	10-Dec-98	n/a
BVRB266	8	12	CHIPS	10-Dec-98	n/a
BVRB266	12	16	CHIPS	10-Dec-98	n/a
BVRB266	16	20	CHIPS	10-Dec-98	n/a
BVRB266	20	24	CHIPS	10-Dec-98	n/a
BVRB266	24	25	CHIPS	10-Dec-98	n/a
BVRB266	25	26	CHIPS	10-Dec-98	n/a
BVRB267	0	4	CHIPS	10-Dec-98	n/a
BVRB267	4	8	CHIPS	10-Dec-98	n/a
BVRB267	8	12	CHIPS	10-Dec-98	n/a
BVRB267	12	16	CHIPS	10-Dec-98	n/a
BVRB267	16	20	CHIPS	10-Dec-98	n/a
BVRB267	20	24	CHIPS	10-Dec-98	0.002
BVRB267	24	28	CHIPS	10-Dec-98	n/a
BVRB267	28	32	CHIPS	10-Dec-98	n/a
BVRB267	32	33	CHIPS	10-Dec-98	0.002
BVRB267	33	34	CHIPS	10-Dec-98	0.002
BVRB267	34	35	CHIPS	10-Dec-98	0.002

Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB267	35	36	CHIPS	10-Dec-98	n/a
BVRB268	0	4	CHIPS	10-Dec-98	n/a
BVRB268	4	8	CHIPS	10-Dec-98	n/a
BVRB268	8	12	CHIPS	10-Dec-98	n/a
BVRB268	12	16	CHIPS	10-Dec-98	n/a
BVRB268	16	17	CHIPS	10-Dec-98	n/a
BVRB268	17	18	CHIPS	10-Dec-98	n/a
BVRB268	18	19	CHIPS	10-Dec-98	n/a
BVRB268	19	20	CHIPS	10-Dec-98	n/a
BVRB269	0	4	CHIPS	10-Dec-98	n/a
BVRB269	4	8	CHIPS	10-Dec-98	n/a
BVRB269	8	12	CHIPS	10-Dec-98	n/a
BVRB269	12	16	CHIPS	10-Dec-98	n/a
BVRB269	16	20	CHIPS	10-Dec-98	n/a
BVRB269	20	24	CHIPS	10-Dec-98	n/a
BVRB269	24	28	CHIPS	10-Dec-98	n/a
BVRB269	28	32	CHIPS	10-Dec-98	n/a
BVRB269	32	36	CHIPS	10-Dec-98	0.002
BVRB269	36	40	CHIPS	10-Dec-98	n/a
BVRB269	40	44	CHIPS	10-Dec-98	n/a
BVRB269	44	45	CHIPS	10-Dec-98	n/a
BVRB269	45	46	CHIPS	10-Dec-98	n/a
BVRB269	46	47	CHIPS	10-Dec-98	n/a
BVRB269	47	48	CHIPS	10-Dec-98	n/a
BVRB270	0	4	CHIPS	10-Dec-98	n/a
BVRB270	4	8	CHIPS	10-Dec-98	n/a
BVRB270	8	12	CHIPS	10-Dec-98	n/a
BVRB270	12	16	CHIPS	10-Dec-98	n/a
BVRB270	16	20	CHIPS	10-Dec-98	n/a
BVRB270	20	24	CHIPS	10-Dec-98	n/a
BVRB270	24	28	CHIPS	10-Dec-98	n/a
BVRB270	28	29	CHIPS	10-Dec-98	n/a
BVRB271	0	4	CHIPS	10-Dec-98	n/a
BVRB271	4	8	CHIPS	10-Dec-98	n/a
BVRB271	8	12	CHIPS	10-Dec-98	n/a
BVRB271	12	16	CHIPS	10-Dec-98	n/a
BVRB271	16	20	CHIPS	10-Dec-98	n/a
BVRB271	20	24	CHIPS	10-Dec-98	n/a
BVRB271	24	28	CHIPS	10-Dec-98	n/a
BVRB271	28	29	CHIPS	10-Dec-98	n/a
BVRB272	0	4	CHIPS	10-Dec-98	n/a
BVRB272	4	8	CHIPS	10-Dec-98	n/a
BVRB272	8	12	CHIPS	10-Dec-98	n/a
BVRB272	12	16	CHIPS	10-Dec-98	n/a
BVRB272	16	20	CHIPS	10-Dec-98	n/a
BVRB272	20	24	CHIPS	10-Dec-98	n/a
BVRB272	24	28	CHIPS	10-Dec-98	n/a
BVRB272	28	32	CHIPS	10-Dec-98	n/a
BVRB272	32	36	CHIPS	10-Dec-98	0.002
BVRB272	36	40	CHIPS	10-Dec-98	n/a
BVRB272	40	44	CHIPS	10-Dec-98	n/a
BVRB272	44	45	CHIPS	10-Dec-98	n/a
BVRB272	45	46	CHIPS	10-Dec-98	n/a
BVRB273	0	4	CHIPS	10-Dec-98	n/a
BVRB273	4	8	CHIPS	10-Dec-98	n/a
BVRB273	8	12	CHIPS	10-Dec-98	n/a



Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB273	12	16	CHIPS	10-Dec-98	n/a
BVRB273	16	20	CHIPS	10-Dec-98	n/a
BVRB273	20	24	CHIPS	10-Dec-98	n/a
BVRB273	24	25	CHIPS	10-Dec-98	n/a
BVRB274	0	4	CHIPS	10-Dec-98	n/a
BVRB274	4	8	CHIPS	10-Dec-98	n/a
BVRB274	8	12	CHIPS	10-Dec-98	n/a
BVRB274	12	16	CHIPS	10-Dec-98	n/a
BVRB274	16	20	CHIPS	10-Dec-98	n/a
BVRB274	20	24	CHIPS	10-Dec-98	n/a
BVRB274	24	28	CHIPS	10-Dec-98	n/a
BVRB274	28	32	CHIPS	10-Dec-98	n/a
BVRB274	32	33	CHIPS	10-Dec-98	n/a
BVRB274	33	34	CHIPS	10-Dec-98	n/a
BVRB274	34	35	CHIPS	10-Dec-98	0.002
BVRB275	0	4	CHIPS	10-Dec-98	0.002
BVRB275	4	8	CHIPS	10-Dec-98	n/a
BVRB275	8	12	CHIPS	10-Dec-98	n/a
BVRB275	12	16	CHIPS	10-Dec-98	n/a
BVRB275	16	20	CHIPS	10-Dec-98	n/a
BVRB275	20	24	CHIPS	10-Dec-98	n/a
BVRB275	24	28	CHIPS	10-Dec-98	n/a
BVRB275	28	29	CHIPS	10-Dec-98	n/a
BVRB275	29	30	CHIPS	10-Dec-98	n/a
BVRB276	0	4	CHIPS	22-Sep-00	n/a
BVRB276	4	8	CHIPS	22-Sep-00	n/a
BVRB276	8	12	CHIPS	22-Sep-00	0.02
BVRB276	12	16	CHIPS	22-Sep-00	n/a
BVRB276	16	20	CHIPS	22-Sep-00	n/a
BVRB276	20	24	CHIPS	22-Sep-00	n/a
BVRB276	24	28	CHIPS	22-Sep-00	n/a
BVRB276	28	32	CHIPS	22-Sep-00	n/a
BVRB276	32	36	CHIPS	22-Sep-00	n/a
BVRB276	36	40	CHIPS	22-Sep-00	n/a
BVRB276	40	44	CHIPS	22-Sep-00	n/a
BVRB276	44	47	CHIPS	22-Sep-00	n/a
BVRB276	47	48	CHIPS	22-Sep-00	0.02
BVRB277	0	4	CHIPS	22-Sep-00	0.01
BVRB277	4	8	CHIPS	22-Sep-00	0.01
BVRB277	8	12	CHIPS	22-Sep-00	n/a
BVRB277	12	16	CHIPS	22-Sep-00	n/a
BVRB277	16	20	CHIPS	22-Sep-00	0.01
BVRB277	20	24	CHIPS	22-Sep-00	n/a
BVRB277	24	28	CHIPS	22-Sep-00	n/a
BVRB277	28	32	CHIPS	22-Sep-00	n/a
BVRB277	32	36	CHIPS	22-Sep-00	n/a
BVRB277	36	37	CHIPS	22-Sep-00	0.01
BVRB277	37	38	CHIPS	22-Sep-00	0.01
BVRB278	0	4	CHIPS	22-Sep-00	n/a
BVRB278	4	8	CHIPS	22-Sep-00	0.01
BVRB278	8	12	CHIPS	22-Sep-00	0.01
BVRB278	12	16	CHIPS	22-Sep-00	n/a
BVRB278	16	20	CHIPS	22-Sep-00	n/a
BVRB278	20	24	CHIPS	22-Sep-00	n/a
BVRB278	24	28	CHIPS	22-Sep-00	0.01
BVRB278	28	32	CHIPS	22-Sep-00	n/a

Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB278	32	33	CHIPS	22-Sep-00	n/a
BVRB279	0	4	CHIPS	22-Sep-00	n/a
BVRB279	4	8	CHIPS	22-Sep-00	n/a
BVRB279	8	12	CHIPS	22-Sep-00	0.01
BVRB279	12	16	CHIPS	22-Sep-00	0.01
BVRB279	16	20	CHIPS	22-Sep-00	n/a
BVRB279	20	23	CHIPS	22-Sep-00	0.01
BVRB279	23	24	CHIPS	22-Sep-00	n/a
BVRB280	0	4	CHIPS	22-Sep-00	n/a
BVRB280	4	8	CHIPS	22-Sep-00	n/a
BVRB280	8	12	CHIPS	22-Sep-00	n/a
BVRB280	12	16	CHIPS	22-Sep-00	0.01
BVRB280	16	20	CHIPS	22-Sep-00	0.01
BVRB280	20	24	CHIPS	22-Sep-00	0.01
BVRB280	24	27	CHIPS	22-Sep-00	0.01
BVRB280	27	28	CHIPS	22-Sep-00	0.01
BVRB281	0	4	CHIPS	22-Sep-00	n/a
BVRB281	4	8	CHIPS	22-Sep-00	n/a
BVRB281	8	12	CHIPS	22-Sep-00	n/a
BVRB281	12	16	CHIPS	22-Sep-00	0.01
BVRB281	16	20	CHIPS	22-Sep-00	n/a
BVRB281	20	24	CHIPS	22-Sep-00	n/a
BVRB281	24	26	CHIPS	22-Sep-00	n/a
BVRB281	26	27	CHIPS	22-Sep-00	0.01
BVRB282	0	4	CHIPS	22-Sep-00	n/a
BVRB282	4	8	CHIPS	22-Sep-00	n/a
BVRB282	8	12	CHIPS	22-Sep-00	n/a
BVRB282	12	16	CHIPS	22-Sep-00	n/a
BVRB282	16	20	CHIPS	22-Sep-00	n/a
BVRB282	20	23	CHIPS	22-Sep-00	0.01
BVRB282	23	24	CHIPS	22-Sep-00	0.01
BVRB283	0	4	CHIPS	22-Sep-00	0.01
BVRB283	4	8	CHIPS	22-Sep-00	n/a
BVRB283	8	12	CHIPS	22-Sep-00	n/a
BVRB283	12	16	CHIPS	22-Sep-00	n/a
BVRB283	16	20	CHIPS	22-Sep-00	n/a
BVRB283	20	24	CHIPS	22-Sep-00	n/a
BVRB283	24	25	CHIPS	22-Sep-00	n/a
BVRB283	25	26	CHIPS	22-Sep-00	n/a
BVRB284	0	4	CHIPS	22-Sep-00	n/a
BVRB284	4	8	CHIPS	22-Sep-00	0.01
BVRB284	8	12	CHIPS	22-Sep-00	n/a
BVRB284	12	16	CHIPS	22-Sep-00	n/a
BVRB284	16	18	CHIPS	22-Sep-00	n/a
BVRB284	18	19	CHIPS	22-Sep-00	n/a
BVRB285	0	4	CHIPS	22-Sep-00	n/a
BVRB285	4	8	CHIPS	22-Sep-00	n/a
BVRB285	8	12	CHIPS	22-Sep-00	n/a
BVRB285	12	16	CHIPS	22-Sep-00	n/a
BVRB285	16	20	CHIPS	22-Sep-00	n/a
BVRB285	20	21	CHIPS	22-Sep-00	n/a
BVRB285	21	22	CHIPS	22-Sep-00	n/a
BVRB286	0	4	CHIPS	22-Sep-00	n/a
BVRB286	4	8	CHIPS	22-Sep-00	n/a
BVRB286	8	12	CHIPS	22-Sep-00	0.01
BVRB286	12	16	CHIPS	22-Sep-00	0.03

Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB286	16	20	CHIPS	22-Sep-00	0.01
BVRB286	20	21	CHIPS	22-Sep-00	n/a
BVRB286	21	22	CHIPS	22-Sep-00	n/a
BVRB287	0	4	CHIPS	22-Sep-00	n/a
BVRB287	4	8	CHIPS	22-Sep-00	n/a
BVRB287	8	12	CHIPS	22-Sep-00	n/a
BVRB287	12	16	CHIPS	22-Sep-00	n/a
BVRB287	16	20	CHIPS	22-Sep-00	n/a
BVRB287	20	24	CHIPS	22-Sep-00	n/a
BVRB287	24	28	CHIPS	22-Sep-00	0.01
BVRB287	28	31	CHIPS	22-Sep-00	n/a
BVRB287	31	32	CHIPS	22-Sep-00	0.01
BVRB288	0	4	CHIPS	22-Sep-00	0.01
BVRB288	4	8	CHIPS	22-Sep-00	0.05
BVRB288	8	12	CHIPS	22-Sep-00	0.01
BVRB288	12	15	CHIPS	22-Sep-00	0.01
BVRB288	15	16	CHIPS	22-Sep-00	0.01
BVRB289	0	1	CHIPS	22-Sep-00	0.01
BVRB290	0	4	CHIPS	22-Sep-00	n/a
BVRB290	4	8	CHIPS	22-Sep-00	n/a
BVRB290	8	10	CHIPS	22-Sep-00	0.02
BVRB290	10	11	CHIPS	22-Sep-00	0.03
BVRB291	0	4	CHIPS	22-Sep-00	0.01
BVRB291	4	8	CHIPS	22-Sep-00	0.01
BVRB291	8	12	CHIPS	22-Sep-00	n/a
BVRB291	12	16	CHIPS	22-Sep-00	n/a
BVRB291	16	20	CHIPS	22-Sep-00	n/a
BVRB291	20	24	CHIPS	22-Sep-00	0.01
BVRB291	24	28	CHIPS	22-Sep-00	n/a
BVRB291	28	32	CHIPS	22-Sep-00	0.02
BVRB291	32	36	CHIPS	22-Sep-00	0.01
BVRB291	36	40	CHIPS	22-Sep-00	0.01
BVRB291	40	41	CHIPS	22-Sep-00	0.01
BVRB292	0	4	CHIPS	22-Sep-00	0.01
BVRB292	4	8	CHIPS	22-Sep-00	0.01
BVRB292	8	12	CHIPS	22-Sep-00	0.01
BVRB292	12	16	CHIPS	22-Sep-00	0.01
BVRB292	16	20	CHIPS	22-Sep-00	0.01
BVRB292	20	24	CHIPS	22-Sep-00	n/a
BVRB292	24	28	CHIPS	22-Sep-00	0.01
BVRB292	28	32	CHIPS	22-Sep-00	n/a
BVRB292	32	36	CHIPS	22-Sep-00	n/a
BVRB292	36	40	CHIPS	22-Sep-00	n/a
BVRB292	40	44	CHIPS	22-Sep-00	n/a
BVRB292	44	48	CHIPS	22-Sep-00	n/a
BVRB292	48	49	CHIPS	22-Sep-00	n/a
BVRB292	49	50	CHIPS	22-Sep-00	0.02
BVRB293	0	4	CHIPS	22-Sep-00	n/a
BVRB293	4	8	CHIPS	22-Sep-00	n/a
BVRB293	8	12	CHIPS	22-Sep-00	n/a
BVRB293	12	16	CHIPS	22-Sep-00	n/a
BVRB293	16	20	CHIPS	22-Sep-00	n/a
BVRB293	20	24	CHIPS	22-Sep-00	n/a
BVRB293	24	28	CHIPS	22-Sep-00	n/a
BVRB293	28	32	CHIPS	22-Sep-00	0.01
BVRB293	32	36	CHIPS	22-Sep-00	n/a

Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB293	36	39	CHIPS	22-Sep-00	n/a
BVRB293	39	40	CHIPS	22-Sep-00	n/a
BVRB294	0	4	CHIPS	22-Sep-00	n/a
BVRB294	4	8	CHIPS	22-Sep-00	0.02
BVRB294	8	12	CHIPS	22-Sep-00	0.02
BVRB294	12	16	CHIPS	22-Sep-00	0.13
BVRB294	16	20	CHIPS	22-Sep-00	n/a
BVRB294	20	24	CHIPS	22-Sep-00	0.01
BVRB294	24	28	CHIPS	22-Sep-00	n/a
BVRB294	28	31	CHIPS	22-Sep-00	n/a
BVRB294	31	32	CHIPS	22-Sep-00	n/a
BVRB295	0	4	CHIPS	22-Sep-00	n/a
BVRB295	4	8	CHIPS	22-Sep-00	n/a
BVRB295	8	12	CHIPS	22-Sep-00	n/a
BVRB295	12	16	CHIPS	22-Sep-00	n/a
BVRB295	16	20	CHIPS	22-Sep-00	n/a
BVRB295	20	24	CHIPS	22-Sep-00	n/a
BVRB295	24	28	CHIPS	22-Sep-00	n/a
BVRB295	28	32	CHIPS	22-Sep-00	n/a
BVRB295	32	33	CHIPS	22-Sep-00	n/a
BVRB296	0	4	CHIPS	22-Sep-00	n/a
BVRB296	4	8	CHIPS	22-Sep-00	n/a
BVRB296	8	12	CHIPS	22-Sep-00	n/a
BVRB296	12	13	CHIPS	22-Sep-00	n/a
BVRB297	0	4	CHIPS	22-Sep-00	n/a
BVRB297	4	8	CHIPS	22-Sep-00	n/a
BVRB297	8	12	CHIPS	22-Sep-00	n/a
BVRB297	12	16	CHIPS	22-Sep-00	n/a
BVRB297	16	20	CHIPS	22-Sep-00	n/a
BVRB297	20	24	CHIPS	22-Sep-00	n/a
BVRB297	24	27	CHIPS	22-Sep-00	0.01
BVRB297	27	28	CHIPS	22-Sep-00	n/a
BVRB298	0	4	CHIPS	22-Sep-00	n/a
BVRB298	4	8	CHIPS	22-Sep-00	n/a
BVRB298	8	12	CHIPS	22-Sep-00	0.01
BVRB298	12	16	CHIPS	22-Sep-00	n/a
BVRB298	16	20	CHIPS	22-Sep-00	0.01
BVRB298	20	24	CHIPS	22-Sep-00	n/a
BVRB298	24	28	CHIPS	22-Sep-00	0.01
BVRB298	28	32	CHIPS	22-Sep-00	n/a
BVRB298	32	36	CHIPS	22-Sep-00	n/a
BVRB298	36	40	CHIPS	22-Sep-00	n/a
BVRB298	40	44	CHIPS	22-Sep-00	n/a
BVRB298	44	45	CHIPS	22-Sep-00	n/a
BVRB298	45	46	CHIPS	22-Sep-00	n/a
BVRB299	0	4	CHIPS	22-Sep-00	n/a
BVRB299	4	8	CHIPS	22-Sep-00	n/a
BVRB299	8	12	CHIPS	22-Sep-00	n/a
BVRB299	12	16	CHIPS	22-Sep-00	n/a
BVRB299	16	20	CHIPS	22-Sep-00	n/a
BVRB299	20	24	CHIPS	22-Sep-00	n/a
BVRB299	24	28	CHIPS	22-Sep-00	n/a
BVRB299	28	32	CHIPS	22-Sep-00	n/a
BVRB299	32	33	CHIPS	22-Sep-00	n/a
BVRB299	33	34	CHIPS	22-Sep-00	n/a
BVRB300	0	4	CHIPS	22-Sep-00	n/a

Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB300	4	8	CHIPS	22-Sep-00	n/a
BVRB300	8	12	CHIPS	22-Sep-00	n/a
BVRB300	12	16	CHIPS	22-Sep-00	n/a
BVRB300	16	20	CHIPS	22-Sep-00	n/a
BVRB300	20	24	CHIPS	22-Sep-00	n/a
BVRB300	24	28	CHIPS	22-Sep-00	n/a
BVRB300	28	29	CHIPS	22-Sep-00	n/a
BVRB300	29	30	CHIPS	22-Sep-00	n/a
BVRB301	0	4	CHIPS	22-Sep-00	n/a
BVRB301	4	8	CHIPS	22-Sep-00	n/a
BVRB301	8	12	CHIPS	22-Sep-00	n/a
BVRB301	12	16	CHIPS	22-Sep-00	n/a
BVRB301	16	20	CHIPS	22-Sep-00	n/a
BVRB301	20	24	CHIPS	22-Sep-00	n/a
BVRB301	24	28	CHIPS	22-Sep-00	n/a
BVRB301	28	32	CHIPS	22-Sep-00	n/a
BVRB301	32	36	CHIPS	22-Sep-00	n/a
BVRB301	36	40	CHIPS	22-Sep-00	n/a
BVRB301	40	41	CHIPS	22-Sep-00	n/a
BVRB302	0	4	CHIPS	22-Sep-00	n/a
BVRB302	4	8	CHIPS	22-Sep-00	n/a
BVRB302	8	12	CHIPS	22-Sep-00	n/a
BVRB302	12	16	CHIPS	22-Sep-00	n/a
BVRB302	16	20	CHIPS	22-Sep-00	n/a
BVRB302	20	24	CHIPS	22-Sep-00	0.02
BVRB302	24	25	CHIPS	22-Sep-00	0.01
BVRB302	25	26	CHIPS	22-Sep-00	n/a
BVRB303	0	4	CHIPS	22-Sep-00	n/a
BVRB303	4	8	CHIPS	22-Sep-00	n/a
BVRB303	8	12	CHIPS	22-Sep-00	n/a
BVRB303	12	16	CHIPS	22-Sep-00	n/a
BVRB303	16	20	CHIPS	22-Sep-00	n/a
BVRB303	20	24	CHIPS	22-Sep-00	n/a
BVRB303	24	28	CHIPS	22-Sep-00	n/a
BVRB303	28	31	CHIPS	22-Sep-00	n/a
BVRB303	31	32	CHIPS	22-Sep-00	0.01
BVRB304	0	4	CHIPS	22-Sep-00	n/a
BVRB304	4	8	CHIPS	22-Sep-00	n/a
BVRB304	8	12	CHIPS	22-Sep-00	n/a
BVRB304	12	16	CHIPS	22-Sep-00	n/a
BVRB304	16	20	CHIPS	22-Sep-00	0.02
BVRB304	20	23	CHIPS	22-Sep-00	n/a
BVRB304	23	24	CHIPS	22-Sep-00	n/a
BVRB305	0	4	CHIPS	22-Sep-00	n/a
BVRB305	4	8	CHIPS	22-Sep-00	n/a
BVRB305	8	12	CHIPS	22-Sep-00	n/a
BVRB305	12	16	CHIPS	22-Sep-00	n/a
BVRB305	16	20	CHIPS	22-Sep-00	n/a
BVRB305	20	24	CHIPS	22-Sep-00	n/a
BVRB305	24	26	CHIPS	22-Sep-00	n/a
BVRB305	26	27	CHIPS	22-Sep-00	n/a
BVRB306	0	4	CHIPS	22-Sep-00	n/a
BVRB306	4	8	CHIPS	22-Sep-00	n/a
BVRB306	8	12	CHIPS	22-Sep-00	n/a
BVRB306	12	16	CHIPS	22-Sep-00	n/a
BVRB306	16	20	CHIPS	22-Sep-00	n/a

Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB306	20	24	CHIPS	22-Sep-00	0.01
BVRB306	24	28	CHIPS	22-Sep-00	n/a
BVRB306	28	32	CHIPS	22-Sep-00	n/a
BVRB306	32	33	CHIPS	22-Sep-00	n/a
BVRB307	0	4	CHIPS	22-Sep-00	n/a
BVRB307	4	8	CHIPS	22-Sep-00	n/a
BVRB307	8	12	CHIPS	22-Sep-00	n/a
BVRB307	12	16	CHIPS	22-Sep-00	n/a
BVRB307	16	20	CHIPS	22-Sep-00	n/a
BVRB307	20	24	CHIPS	22-Sep-00	n/a
BVRB307	24	28	CHIPS	22-Sep-00	n/a
BVRB307	28	32	CHIPS	22-Sep-00	n/a
BVRB307	32	35	CHIPS	22-Sep-00	n/a
BVRB307	35	36	CHIPS	22-Sep-00	n/a
BVRB308	0	4	CHIPS	22-Sep-00	0.01
BVRB308	4	8	CHIPS	22-Sep-00	0.02
BVRB308	8	12	CHIPS	22-Sep-00	0.01
BVRB308	12	16	CHIPS	22-Sep-00	n/a
BVRB308	16	20	CHIPS	22-Sep-00	n/a
BVRB308	20	24	CHIPS	22-Sep-00	n/a
BVRB308	24	28	CHIPS	22-Sep-00	0.01
BVRB308	28	32	CHIPS	22-Sep-00	0.01
BVRB308	32	36	CHIPS	22-Sep-00	n/a
BVRB308	36	40	CHIPS	22-Sep-00	n/a
BVRB308	40	44	CHIPS	22-Sep-00	0.01
BVRB308	44	48	CHIPS	22-Sep-00	0.01
BVRB308	48	49	CHIPS	22-Sep-00	0.01
BVRB308	49	50	CHIPS	22-Sep-00	n/a
BVRB309	0	4	CHIPS	22-Sep-00	0.01
BVRB309	4	8	CHIPS	22-Sep-00	n/a
BVRB309	8	12	CHIPS	22-Sep-00	n/a
BVRB309	12	16	CHIPS	22-Sep-00	0.01
BVRB309	16	20	CHIPS	22-Sep-00	0.01
BVRB309	20	24	CHIPS	22-Sep-00	0.01
BVRB309	24	28	CHIPS	22-Sep-00	n/a
BVRB309	28	32	CHIPS	22-Sep-00	n/a
BVRB309	32	36	CHIPS	22-Sep-00	0.01
BVRB309	36	39	CHIPS	22-Sep-00	0.01
BVRB309	39	40	CHIPS	22-Sep-00	0.02
BVRB310	0	4	CHIPS	22-Sep-00	0.01
BVRB310	4	8	CHIPS	22-Sep-00	0.01
BVRB310	8	12	CHIPS	22-Sep-00	n/a
BVRB310	12	16	CHIPS	22-Sep-00	0.01
BVRB310	16	20	CHIPS	22-Sep-00	0.01
BVRB310	20	24	CHIPS	22-Sep-00	n/a
BVRB310	24	28	CHIPS	22-Sep-00	n/a
BVRB310	28	32	CHIPS	22-Sep-00	n/a
BVRB310	32	36	CHIPS	22-Sep-00	0.02
BVRB310	36	40	CHIPS	22-Sep-00	n/a
BVRB310	40	44	CHIPS	22-Sep-00	0.01
BVRB310	44	48	CHIPS	22-Sep-00	0.01
BVRB310	48	51	CHIPS	22-Sep-00	0.02
BVRB310	51	52	CHIPS	22-Sep-00	0.01
BVRB311	0	4	CHIPS	22-Sep-00	0.01
BVRB311	4	8	CHIPS	22-Sep-00	n/a
BVRB311	8	12	CHIPS	22-Sep-00	0.01



Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB311	12	16	CHIPS	22-Sep-00	n/a
BVRB311	16	20	CHIPS	22-Sep-00	n/a
BVRB311	20	24	CHIPS	22-Sep-00	n/a
BVRB311	24	28	CHIPS	22-Sep-00	n/a
BVRB311	28	32	CHIPS	22-Sep-00	0.01
BVRB311	32	36	CHIPS	22-Sep-00	n/a
BVRB311	36	40	CHIPS	22-Sep-00	n/a
BVRB311	40	44	CHIPS	22-Sep-00	0.01
BVRB311	44	48	CHIPS	22-Sep-00	n/a
BVRB311	48	50	CHIPS	22-Sep-00	n/a
BVRB311	50	51	CHIPS	22-Sep-00	n/a
BVRB312	0	4	CHIPS	22-Sep-00	n/a
BVRB312	4	8	CHIPS	22-Sep-00	n/a
BVRB312	8	12	CHIPS	22-Sep-00	n/a
BVRB312	12	16	CHIPS	22-Sep-00	n/a
BVRB312	16	20	CHIPS	22-Sep-00	n/a
BVRB312	20	24	CHIPS	22-Sep-00	n/a
BVRB312	24	28	CHIPS	22-Sep-00	n/a
BVRB312	28	32	CHIPS	22-Sep-00	0.01
BVRB312	32	36	CHIPS	22-Sep-00	n/a
BVRB312	36	40	CHIPS	22-Sep-00	n/a
BVRB312	40	43	CHIPS	22-Sep-00	n/a
BVRB312	43	44	CHIPS	22-Sep-00	n/a
BVRB313	0	4	CHIPS	22-Sep-00	n/a
BVRB313	4	8	CHIPS	22-Sep-00	n/a
BVRB313	8	12	CHIPS	22-Sep-00	n/a
BVRB313	12	16	CHIPS	22-Sep-00	n/a
BVRB313	16	20	CHIPS	22-Sep-00	n/a
BVRB313	20	24	CHIPS	22-Sep-00	n/a
BVRB313	24	27	CHIPS	22-Sep-00	0.01
BVRB313	27	28	CHIPS	22-Sep-00	n/a
BVRB314	0	4	CHIPS	22-Sep-00	n/a
BVRB314	4	8	CHIPS	22-Sep-00	n/a
BVRB314	8	12	CHIPS	22-Sep-00	n/a
BVRB314	12	16	CHIPS	22-Sep-00	n/a
BVRB314	16	20	CHIPS	22-Sep-00	n/a
BVRB314	20	24	CHIPS	22-Sep-00	0.01
BVRB314	24	28	CHIPS	22-Sep-00	n/a
BVRB314	28	32	CHIPS	22-Sep-00	0.01
BVRB314	32	36	CHIPS	22-Sep-00	0.01
BVRB314	36	40	CHIPS	22-Sep-00	n/a
BVRB314	40	43	CHIPS	22-Sep-00	n/a
BVRB314	43	44	CHIPS	22-Sep-00	0.02
BVRB315	0	4	CHIPS	22-Sep-00	n/a
BVRB315	4	8	CHIPS	22-Sep-00	n/a
BVRB315	8	12	CHIPS	22-Sep-00	n/a
BVRB315	12	16	CHIPS	22-Sep-00	n/a
BVRB315	16	20	CHIPS	22-Sep-00	n/a
BVRB315	20	24	CHIPS	22-Sep-00	0.01
BVRB315	24	28	CHIPS	22-Sep-00	n/a
BVRB315	28	29	CHIPS	22-Sep-00	0.01
BVRB316	0	4	CHIPS	22-Sep-00	n/a
BVRB316	4	8	CHIPS	22-Sep-00	n/a
BVRB316	8	12	CHIPS	22-Sep-00	n/a
BVRB316	12	16	CHIPS	22-Sep-00	n/a
BVRB316	16	20	CHIPS	22-Sep-00	n/a

Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB316	20	23	CHIPS	22-Sep-00	n/a
BVRB316	23	24	CHIPS	22-Sep-00	n/a
BVRB317	0	4	CHIPS	22-Sep-00	n/a
BVRB317	4	8	CHIPS	22-Sep-00	n/a
BVRB317	8	12	CHIPS	22-Sep-00	n/a
BVRB317	12	16	CHIPS	22-Sep-00	0.02
BVRB317	16	20	CHIPS	22-Sep-00	n/a
BVRB317	20	24	CHIPS	22-Sep-00	0.01
BVRB317	24	28	CHIPS	22-Sep-00	n/a
BVRB317	28	32	CHIPS	22-Sep-00	n/a
BVRB317	32	36	CHIPS	22-Sep-00	0.02
BVRB317	36	37	CHIPS	22-Sep-00	0.01
BVRB317	37	38	CHIPS	22-Sep-00	n/a
BVRB318	0	4	CHIPS	22-Sep-00	n/a
BVRB318	4	8	CHIPS	22-Sep-00	n/a
BVRB318	8	12	CHIPS	22-Sep-00	n/a
BVRB318	12	16	CHIPS	22-Sep-00	n/a
BVRB318	16	20	CHIPS	22-Sep-00	n/a
BVRB318	20	24	CHIPS	22-Sep-00	n/a
BVRB318	24	28	CHIPS	22-Sep-00	n/a
BVRB318	28	32	CHIPS	22-Sep-00	n/a
BVRB318	32	34	CHIPS	22-Sep-00	n/a
BVRB318	34	35	CHIPS	22-Sep-00	n/a
BVRB319	0	4	CHIPS	22-Sep-00	n/a
BVRB319	4	8	CHIPS	22-Sep-00	n/a
BVRB319	8	12	CHIPS	22-Sep-00	n/a
BVRB319	12	16	CHIPS	22-Sep-00	0.01
BVRB319	16	17	CHIPS	22-Sep-00	0.01
BVRB319	17	18	CHIPS	22-Sep-00	n/a
BVRB320	0	4	CHIPS	22-Sep-00	0.01
BVRB320	4	8	CHIPS	22-Sep-00	0.01
BVRB320	8	12	CHIPS	22-Sep-00	0.02
BVRB320	12	16	CHIPS	22-Sep-00	n/a
BVRB320	16	17	CHIPS	22-Sep-00	n/a
BVRB320	17	18	CHIPS	22-Sep-00	0.01
BVRB321	0	4	CHIPS	22-Sep-00	0.01
BVRB321	4	8	CHIPS	22-Sep-00	0.01
BVRB321	8	12	CHIPS	22-Sep-00	n/a
BVRB321	12	16	CHIPS	22-Sep-00	n/a
BVRB321	16	20	CHIPS	22-Sep-00	n/a
BVRB321	20	24	CHIPS	22-Sep-00	n/a
BVRB321	24	28	CHIPS	22-Sep-00	n/a
BVRB321	28	32	CHIPS	22-Sep-00	0.01
BVRB321	32	36	CHIPS	22-Sep-00	0.03
BVRB321	36	40	CHIPS	22-Sep-00	0.01
BVRB321	40	44	CHIPS	22-Sep-00	0.01
BVRB321	44	48	CHIPS	22-Sep-00	n/a
BVRB321	48	52	CHIPS	22-Sep-00	0.01
BVRB321	52	53	CHIPS	22-Sep-00	0.01
BVRB321	53	54	CHIPS	22-Sep-00	0.01
BVRB322	0	4	CHIPS	22-Sep-00	0.01
BVRB322	4	8	CHIPS	22-Sep-00	n/a
BVRB322	8	12	CHIPS	22-Sep-00	n/a
BVRB322	12	16	CHIPS	22-Sep-00	0.01
BVRB322	16	20	CHIPS	22-Sep-00	n/a
BVRB322	20	24	CHIPS	22-Sep-00	0.01

Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB322	24	28	CHIPS	22-Sep-00	0.01
BVRB322	28	32	CHIPS	22-Sep-00	0.01
BVRB322	32	36	CHIPS	22-Sep-00	n/a
BVRB322	36	40	CHIPS	22-Sep-00	0.02
BVRB322	40	44	CHIPS	22-Sep-00	0.01
BVRB322	44	48	CHIPS	22-Sep-00	n/a
BVRB322	48	52	CHIPS	22-Sep-00	0.01
BVRB322	52	53	CHIPS	22-Sep-00	0.01
BVRB322	53	54	CHIPS	22-Sep-00	n/a
BVRB323	0	4	CHIPS	22-Sep-00	n/a
BVRB323	4	8	CHIPS	22-Sep-00	n/a
BVRB323	8	12	CHIPS	22-Sep-00	0.01
BVRB323	12	16	CHIPS	22-Sep-00	n/a
BVRB323	16	20	CHIPS	22-Sep-00	n/a
BVRB323	20	24	CHIPS	22-Sep-00	0.01
BVRB323	24	28	CHIPS	22-Sep-00	0.01
BVRB323	28	32	CHIPS	22-Sep-00	0.01
BVRB323	32	36	CHIPS	22-Sep-00	n/a
BVRB323	36	40	CHIPS	22-Sep-00	0.01
BVRB323	40	41	CHIPS	22-Sep-00	0.01
BVRB324	0	4	CHIPS	22-Sep-00	0.01
BVRB324	4	8	CHIPS	22-Sep-00	0.01
BVRB324	8	12	CHIPS	22-Sep-00	n/a
BVRB324	12	16	CHIPS	22-Sep-00	n/a
BVRB324	16	20	CHIPS	22-Sep-00	n/a
BVRB324	20	24	CHIPS	22-Sep-00	n/a
BVRB324	24	28	CHIPS	22-Sep-00	0.1
BVRB324	28	32	CHIPS	22-Sep-00	0.01
BVRB324	32	36	CHIPS	22-Sep-00	0.01
BVRB324	36	40	CHIPS	22-Sep-00	0.01
BVRB324	40	44	CHIPS	22-Sep-00	n/a
BVRB324	44	48	CHIPS	22-Sep-00	n/a
BVRB324	48	49	CHIPS	22-Sep-00	0.01
BVRB324	49	50	CHIPS	22-Sep-00	n/a
BVRB325	0	4	CHIPS	22-Sep-00	0.01
BVRB325	4	8	CHIPS	22-Sep-00	0.01
BVRB325	8	12	CHIPS	22-Sep-00	n/a
BVRB325	12	16	CHIPS	22-Sep-00	n/a
BVRB325	16	20	CHIPS	22-Sep-00	n/a
BVRB325	20	24	CHIPS	22-Sep-00	n/a
BVRB325	24	28	CHIPS	22-Sep-00	n/a
BVRB325	28	32	CHIPS	22-Sep-00	n/a
BVRB325	32	36	CHIPS	22-Sep-00	n/a
BVRB325	36	40	CHIPS	22-Sep-00	n/a
BVRB325	40	44	CHIPS	22-Sep-00	0.02
BVRB325	44	45	CHIPS	22-Sep-00	0.01
BVRB325	45	46	CHIPS	22-Sep-00	0.02
BVRB326	0	4	CHIPS	22-Sep-00	n/a
BVRB326	4	8	CHIPS	22-Sep-00	n/a
BVRB326	8	12	CHIPS	22-Sep-00	n/a
BVRB326	12	16	CHIPS	22-Sep-00	n/a
BVRB326	16	20	CHIPS	22-Sep-00	n/a
BVRB326	20	24	CHIPS	22-Sep-00	n/a
BVRB326	24	28	CHIPS	22-Sep-00	0.01
BVRB326	28	32	CHIPS	22-Sep-00	0.07
BVRB326	32	36	CHIPS	22-Sep-00	0.53

Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB326	36	37	CHIPS	22-Sep-00	0.02
BVRB327	0	4	CHIPS	22-Sep-00	0.03
BVRB327	4	8	CHIPS	22-Sep-00	0.01
BVRB327	8	12	CHIPS	22-Sep-00	n/a
BVRB327	12	16	CHIPS	22-Sep-00	0.02
BVRB327	16	20	CHIPS	22-Sep-00	0.14
BVRB327	20	24	CHIPS	22-Sep-00	0.47
BVRB327	24	26	CHIPS	22-Sep-00	0.07
BVRB327	26	27	CHIPS	22-Sep-00	0.05
BVRB328	0	4	CHIPS	22-Sep-00	0.02
BVRB328	4	8	CHIPS	22-Sep-00	n/a
BVRB328	8	12	CHIPS	22-Sep-00	0.03
BVRB328	12	16	CHIPS	22-Sep-00	0.03
BVRB328	16	20	CHIPS	22-Sep-00	0.13
BVRB328	20	24	CHIPS	22-Sep-00	0.06
BVRB328	24	28	CHIPS	22-Sep-00	0.03
BVRB328	28	32	CHIPS	22-Sep-00	0.03
BVRB328	32	33	CHIPS	22-Sep-00	0.01
BVRB329	0	4	CHIPS	22-Sep-00	n/a
BVRB329	4	8	CHIPS	22-Sep-00	n/a
BVRB329	8	12	CHIPS	22-Sep-00	0.02
BVRB329	12	15	CHIPS	22-Sep-00	0.03
BVRB329	15	16	CHIPS	22-Sep-00	0.01
BVRB330	0	4	CHIPS	22-Sep-00	n/a
BVRB330	4	8	CHIPS	22-Sep-00	n/a
BVRB330	8	12	CHIPS	22-Sep-00	n/a
BVRB330	12	16	CHIPS	22-Sep-00	n/a
BVRB330	16	20	CHIPS	22-Sep-00	0.01
BVRB330	20	24	CHIPS	22-Sep-00	n/a
BVRB330	24	28	CHIPS	22-Sep-00	n/a
BVRB330	28	32	CHIPS	22-Sep-00	n/a
BVRB330	32	34	CHIPS	22-Sep-00	n/a
BVRB330	34	35	CHIPS	22-Sep-00	n/a
BVRB331	0	4	CHIPS	22-Sep-00	n/a
BVRB331	4	8	CHIPS	22-Sep-00	n/a
BVRB331	8	12	CHIPS	22-Sep-00	n/a
BVRB331	12	16	CHIPS	22-Sep-00	n/a
BVRB331	16	20	CHIPS	22-Sep-00	n/a
BVRB331	20	24	CHIPS	22-Sep-00	n/a
BVRB331	24	28	CHIPS	22-Sep-00	0.01
BVRB331	28	32	CHIPS	22-Sep-00	n/a
BVRB331	32	35	CHIPS	22-Sep-00	n/a
BVRB331	35	36	CHIPS	22-Sep-00	n/a
BVRB332	0	4	CHIPS	22-Sep-00	n/a
BVRB332	4	8	CHIPS	22-Sep-00	n/a
BVRB332	8	12	CHIPS	22-Sep-00	n/a
BVRB332	12	16	CHIPS	22-Sep-00	n/a
BVRB332	16	20	CHIPS	22-Sep-00	n/a
BVRB332	20	24	CHIPS	22-Sep-00	n/a
BVRB332	24	28	CHIPS	22-Sep-00	n/a
BVRB332	28	32	CHIPS	22-Sep-00	n/a
BVRB332	32	36	CHIPS	22-Sep-00	n/a
BVRB332	36	40	CHIPS	22-Sep-00	0.02
BVRB332	40	44	CHIPS	22-Sep-00	0.01
BVRB332	44	45	CHIPS	22-Sep-00	n/a
BVRB333	0	4	CHIPS	22-Sep-00	n/a

Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB333	4	8	CHIPS	22-Sep-00	n/a
BVRB333	8	12	CHIPS	22-Sep-00	n/a
BVRB333	12	16	CHIPS	22-Sep-00	n/a
BVRB333	16	20	CHIPS	22-Sep-00	0.01
BVRB333	20	24	CHIPS	22-Sep-00	n/a
BVRB333	24	28	CHIPS	22-Sep-00	n/a
BVRB333	28	32	CHIPS	22-Sep-00	0.01
BVRB333	32	36	CHIPS	22-Sep-00	0.01
BVRB333	36	37	CHIPS	22-Sep-00	0.02
BVRB333	37	38	CHIPS	22-Sep-00	0.02
BVRB334	0	4	CHIPS	22-Sep-00	0.07
BVRB334	4	8	CHIPS	22-Sep-00	n/a
BVRB334	8	12	CHIPS	22-Sep-00	0.01
BVRB334	12	16	CHIPS	22-Sep-00	n/a
BVRB334	16	20	CHIPS	22-Sep-00	n/a
BVRB334	20	24	CHIPS	22-Sep-00	n/a
BVRB334	24	28	CHIPS	22-Sep-00	0.01
BVRB334	28	32	CHIPS	22-Sep-00	n/a
BVRB334	32	36	CHIPS	22-Sep-00	n/a
BVRB334	36	40	CHIPS	22-Sep-00	n/a
BVRB334	40	41	CHIPS	22-Sep-00	n/a
BVRB335	0	4	CHIPS	22-Sep-00	n/a
BVRB335	4	8	CHIPS	22-Sep-00	0.01
BVRB335	8	12	CHIPS	22-Sep-00	n/a
BVRB335	12	16	CHIPS	22-Sep-00	0.01
BVRB335	16	20	CHIPS	22-Sep-00	n/a
BVRB335	20	24	CHIPS	22-Sep-00	0.01
BVRB335	24	28	CHIPS	22-Sep-00	n/a
BVRB335	28	32	CHIPS	22-Sep-00	0.04
BVRB335	32	35	CHIPS	22-Sep-00	0.04
BVRB335	35	36	CHIPS	22-Sep-00	0.09
BVRB336	0	4	CHIPS	22-Sep-00	n/a
BVRB336	4	8	CHIPS	22-Sep-00	0.01
BVRB336	8	12	CHIPS	22-Sep-00	n/a
BVRB336	12	16	CHIPS	22-Sep-00	n/a
BVRB336	16	20	CHIPS	22-Sep-00	n/a
BVRB336	20	24	CHIPS	22-Sep-00	0.01
BVRB336	24	28	CHIPS	22-Sep-00	n/a
BVRB336	28	32	CHIPS	22-Sep-00	0.01
BVRB336	32	36	CHIPS	22-Sep-00	n/a
BVRB336	36	40	CHIPS	22-Sep-00	0.17
BVRB336	40	44	CHIPS	22-Sep-00	0.4
BVRB336	44	48	CHIPS	22-Sep-00	0.23
BVRB336	48	49	CHIPS	22-Sep-00	0.14
BVRB337	0	4	CHIPS	22-Sep-00	0.01
BVRB337	4	8	CHIPS	22-Sep-00	n/a
BVRB337	8	12	CHIPS	22-Sep-00	n/a
BVRB337	12	16	CHIPS	22-Sep-00	n/a
BVRB337	16	20	CHIPS	22-Sep-00	0.01
BVRB337	20	24	CHIPS	22-Sep-00	0.04
BVRB337	24	28	CHIPS	22-Sep-00	0.01
BVRB337	28	32	CHIPS	22-Sep-00	0.03
BVRB337	32	34	CHIPS	22-Sep-00	0.01
BVRB337	34	35	CHIPS	22-Sep-00	0.06
BVRB338	0	4	CHIPS	22-Sep-00	n/a
BVRB338	4	8	CHIPS	22-Sep-00	n/a

Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB338	8	12	CHIPS	22-Sep-00	n/a
BVRB338	12	16	CHIPS	22-Sep-00	n/a
BVRB338	16	20	CHIPS	22-Sep-00	n/a
BVRB338	20	24	CHIPS	22-Sep-00	0.01
BVRB338	24	28	CHIPS	22-Sep-00	0.01
BVRB338	28	32	CHIPS	22-Sep-00	0.01
BVRB338	32	36	CHIPS	22-Sep-00	0.01
BVRB338	36	38	CHIPS	22-Sep-00	0.01
BVRB338	38	39	CHIPS	22-Sep-00	0.01
BVRB339	0	4	CHIPS	22-Sep-00	n/a
BVRB339	4	8	CHIPS	22-Sep-00	n/a
BVRB339	8	11	CHIPS	22-Sep-00	0.01
BVRB339	11	12	CHIPS	22-Sep-00	n/a
BVRB340	0	4	CHIPS	22-Sep-00	n/a
BVRB340	4	8	CHIPS	22-Sep-00	n/a
BVRB340	8	12	CHIPS	22-Sep-00	n/a
BVRB340	12	15	CHIPS	22-Sep-00	n/a
BVRB340	15	16	CHIPS	22-Sep-00	n/a
BVRB341	0	4	CHIPS	22-Sep-00	n/a
BVRB341	4	8	CHIPS	22-Sep-00	n/a
BVRB341	8	11	CHIPS	22-Sep-00	0.01
BVRB341	11	12	CHIPS	22-Sep-00	0.01
BVRB342	0	4	CHIPS	22-Sep-00	n/a
BVRB342	4	8	CHIPS	22-Sep-00	n/a
BVRB342	8	10	CHIPS	22-Sep-00	n/a
BVRB342	10	11	CHIPS	22-Sep-00	0.02
BVRB343	0	4	CHIPS	22-Sep-00	n/a
BVRB343	4	8	CHIPS	22-Sep-00	0.02
BVRB343	8	12	CHIPS	22-Sep-00	n/a
BVRB343	12	16	CHIPS	22-Sep-00	n/a
BVRB343	16	20	CHIPS	22-Sep-00	n/a
BVRB343	20	24	CHIPS	22-Sep-00	n/a
BVRB343	24	28	CHIPS	22-Sep-00	n/a
BVRB343	28	32	CHIPS	22-Sep-00	n/a
BVRB343	32	36	CHIPS	22-Sep-00	n/a
BVRB343	36	40	CHIPS	22-Sep-00	n/a
BVRB343	40	44	CHIPS	22-Sep-00	n/a
BVRB343	44	48	CHIPS	22-Sep-00	n/a
BVRB343	48	52	CHIPS	22-Sep-00	n/a
BVRB343	52	56	CHIPS	22-Sep-00	n/a
BVRB343	56	60	CHIPS	22-Sep-00	n/a
BVRB343	60	64	CHIPS	22-Sep-00	n/a
BVRB343	64	68	CHIPS	22-Sep-00	n/a
BVRB343	68	70	CHIPS	22-Sep-00	n/a
BVRB343	70	71	CHIPS	22-Sep-00	n/a
BVRB344	0	4	CHIPS	22-Sep-00	n/a
BVRB344	4	8	CHIPS	22-Sep-00	n/a
BVRB344	8	12	CHIPS	22-Sep-00	n/a
BVRB344	12	16	CHIPS	22-Sep-00	n/a
BVRB344	16	20	CHIPS	22-Sep-00	0.01
BVRB344	20	24	CHIPS	22-Sep-00	0.01
BVRB344	24	28	CHIPS	22-Sep-00	n/a
BVRB344	28	32	CHIPS	22-Sep-00	n/a
BVRB344	32	36	CHIPS	22-Sep-00	n/a
BVRB344	36	40	CHIPS	22-Sep-00	0.03
BVRB344	40	43	CHIPS	22-Sep-00	n/a



Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB344	43	44	CHIPS	22-Sep-00	n/a
BVRB345	0	4	CHIPS	22-Sep-00	n/a
BVRB345	4	8	CHIPS	22-Sep-00	n/a
BVRB345	8	12	CHIPS	22-Sep-00	0.02
BVRB345	12	16	CHIPS	22-Sep-00	0.08
BVRB345	16	20	CHIPS	22-Sep-00	0.01
BVRB345	20	22	CHIPS	22-Sep-00	0.01
BVRB345	22	23	CHIPS	22-Sep-00	0.03
BVRB346	0	4	CHIPS	22-Sep-00	n/a
BVRB346	4	8	CHIPS	22-Sep-00	n/a
BVRB346	8	12	CHIPS	22-Sep-00	n/a
BVRB346	12	16	CHIPS	22-Sep-00	n/a
BVRB346	16	20	CHIPS	22-Sep-00	n/a
BVRB346	20	24	CHIPS	22-Sep-00	n/a
BVRB346	24	27	CHIPS	22-Sep-00	n/a
BVRB346	27	28	CHIPS	22-Sep-00	0.01
BVRB347	0	4	CHIPS	22-Sep-00	n/a
BVRB347	4	8	CHIPS	22-Sep-00	n/a
BVRB347	8	12	CHIPS	22-Sep-00	n/a
BVRB347	12	16	CHIPS	22-Sep-00	n/a
BVRB347	16	20	CHIPS	22-Sep-00	0.01
BVRB347	20	24	CHIPS	22-Sep-00	n/a
BVRB347	24	26	CHIPS	22-Sep-00	0.01
BVRB347	26	27	CHIPS	22-Sep-00	n/a
BVRB348	0	4	CHIPS	22-Sep-00	n/a
BVRB348	4	8	CHIPS	22-Sep-00	n/a
BVRB348	8	12	CHIPS	22-Sep-00	n/a
BVRB348	12	16	CHIPS	22-Sep-00	n/a
BVRB348	16	20	CHIPS	22-Sep-00	n/a
BVRB348	20	24	CHIPS	22-Sep-00	n/a
BVRB348	24	26	CHIPS	22-Sep-00	n/a
BVRB348	26	27	CHIPS	22-Sep-00	0.01
BVRB349	0	4	CHIPS	22-Sep-00	n/a
BVRB349	4	8	CHIPS	22-Sep-00	n/a
BVRB349	8	12	CHIPS	22-Sep-00	n/a
BVRB349	12	16	CHIPS	22-Sep-00	n/a
BVRB349	16	20	CHIPS	22-Sep-00	n/a
BVRB349	20	24	CHIPS	22-Sep-00	n/a
BVRB349	24	26	CHIPS	22-Sep-00	n/a
BVRB349	26	27	CHIPS	22-Sep-00	n/a
BVRB350	0	4	CHIPS	22-Sep-00	n/a
BVRB350	4	8	CHIPS	22-Sep-00	n/a
BVRB350	8	12	CHIPS	22-Sep-00	n/a
BVRB350	12	16	CHIPS	22-Sep-00	n/a
BVRB350	16	20	CHIPS	22-Sep-00	n/a
BVRB350	20	24	CHIPS	22-Sep-00	n/a
BVRB350	24	27	CHIPS	22-Sep-00	n/a
BVRB350	27	28	CHIPS	22-Sep-00	0.01
BVRB351	0	4	CHIPS	22-Sep-00	n/a
BVRB351	4	8	CHIPS	22-Sep-00	n/a
BVRB351	8	12	CHIPS	22-Sep-00	n/a
BVRB351	12	16	CHIPS	22-Sep-00	n/a
BVRB351	16	20	CHIPS	22-Sep-00	n/a
BVRB351	20	24	CHIPS	22-Sep-00	n/a
BVRB351	24	28	CHIPS	22-Sep-00	0.04
BVRB351	28	32	CHIPS	22-Sep-00	0.01

Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB351	32	36	CHIPS	22-Sep-00	0.02
BVRB351	36	38	CHIPS	22-Sep-00	n/a
BVRB351	38	39	CHIPS	22-Sep-00	n/a
BVRB352	0	4	CHIPS	22-Sep-00	n/a
BVRB352	4	8	CHIPS	22-Sep-00	0.02
BVRB352	8	12	CHIPS	22-Sep-00	n/a
BVRB352	12	16	CHIPS	22-Sep-00	n/a
BVRB352	16	20	CHIPS	22-Sep-00	n/a
BVRB352	20	24	CHIPS	22-Sep-00	n/a
BVRB352	24	28	CHIPS	22-Sep-00	n/a
BVRB352	28	32	CHIPS	22-Sep-00	0.03
BVRB352	32	33	CHIPS	22-Sep-00	0.06
BVRB353	0	4	CHIPS	22-Sep-00	n/a
BVRB353	4	8	CHIPS	22-Sep-00	n/a
BVRB353	8	12	CHIPS	22-Sep-00	n/a
BVRB353	12	16	CHIPS	22-Sep-00	0.01
BVRB353	16	20	CHIPS	22-Sep-00	0.04
BVRB353	20	24	CHIPS	22-Sep-00	0.05
BVRB353	24	28	CHIPS	22-Sep-00	0.04
BVRB353	28	32	CHIPS	22-Sep-00	0.04
BVRB353	32	33	CHIPS	22-Sep-00	0.05
BVRB354	0	4	CHIPS	22-Sep-00	n/a
BVRB354	4	8	CHIPS	22-Sep-00	n/a
BVRB354	8	12	CHIPS	22-Sep-00	n/a
BVRB354	12	16	CHIPS	22-Sep-00	n/a
BVRB354	16	20	CHIPS	22-Sep-00	n/a
BVRB354	20	24	CHIPS	22-Sep-00	n/a
BVRB354	24	28	CHIPS	22-Sep-00	n/a
BVRB354	28	31	CHIPS	22-Sep-00	n/a
BVRB354	31	32	CHIPS	22-Sep-00	n/a
BVRB355	0	4	CHIPS	22-Sep-00	n/a
BVRB355	4	8	CHIPS	22-Sep-00	n/a
BVRB355	8	12	CHIPS	22-Sep-00	n/a
BVRB355	12	16	CHIPS	22-Sep-00	n/a
BVRB355	16	20	CHIPS	22-Sep-00	n/a
BVRB355	20	24	CHIPS	22-Sep-00	0.01
BVRB355	24	28	CHIPS	22-Sep-00	n/a
BVRB355	28	31	CHIPS	22-Sep-00	n/a
BVRB355	31	32	CHIPS	22-Sep-00	n/a
BVRB356	0	4	CHIPS	22-Sep-00	n/a
BVRB356	4	6	CHIPS	22-Sep-00	n/a
BVRB356	6	7	CHIPS	22-Sep-00	n/a
BVRB357	0	4	CHIPS	22-Sep-00	n/a
BVRB357	4	8	CHIPS	22-Sep-00	n/a
BVRB357	8	12	CHIPS	22-Sep-00	n/a
BVRB357	12	16	CHIPS	22-Sep-00	n/a
BVRB357	16	20	CHIPS	22-Sep-00	n/a
BVRB357	20	24	CHIPS	22-Sep-00	n/a
BVRB357	24	28	CHIPS	22-Sep-00	n/a
BVRB357	28	29	CHIPS	22-Sep-00	n/a
BVRB358	0	4	CHIPS	22-Sep-00	n/a
BVRB358	4	8	CHIPS	22-Sep-00	n/a
BVRB358	8	12	CHIPS	22-Sep-00	n/a
BVRB358	12	16	CHIPS	22-Sep-00	n/a
BVRB358	16	20	CHIPS	22-Sep-00	0.01
BVRB358	20	22	CHIPS	22-Sep-00	n/a

Hole_ID	Depth_From	Depth_To	Sample_Type	Sampled_Date	Au_ppm
BVRB358	22	23	CHIPS	22-Sep-00	n/a
BVRB359	0	4	CHIPS	22-Sep-00	n/a
BVRB359	4	8	CHIPS	22-Sep-00	n/a
BVRB359	8	12	CHIPS	22-Sep-00	n/a
BVRB359	12	16	CHIPS	22-Sep-00	n/a
BVRB359	16	20	CHIPS	22-Sep-00	n/a
BVRB359	20	22	CHIPS	22-Sep-00	n/a
BVRB359	22	23	CHIPS	22-Sep-00	n/a
BVRB360	0	4	CHIPS	22-Sep-00	n/a
BVRB360	4	8	CHIPS	22-Sep-00	n/a
BVRB360	8	12	CHIPS	22-Sep-00	n/a
BVRB360	12	16	CHIPS	22-Sep-00	0.01
BVRB360	16	20	CHIPS	22-Sep-00	0.01
BVRB360	20	23	CHIPS	22-Sep-00	n/a
BVRB360	23	24	CHIPS	22-Sep-00	0.01
BVRB361	0	4	CHIPS	22-Sep-00	n/a
BVRB361	4	8	CHIPS	22-Sep-00	n/a
BVRB361	8	12	CHIPS	22-Sep-00	n/a
BVRB361	12	16	CHIPS	22-Sep-00	0.01
BVRB361	16	18	CHIPS	22-Sep-00	0.01
BVRB361	18	19	CHIPS	22-Sep-00	0.01
BVRB362	0	3	CHIPS	22-Sep-00	n/a
BVRB362	3	4	CHIPS	22-Sep-00	n/a
BVRB363	0	4	CHIPS	22-Sep-00	n/a
BVRB363	4	8	CHIPS	22-Sep-00	n/a
BVRB363	8	12	CHIPS	22-Sep-00	0.01
BVRB363	12	16	CHIPS	22-Sep-00	0.01
BVRB363	16	20	CHIPS	22-Sep-00	n/a
BVRB363	20	24	CHIPS	22-Sep-00	0.01
BVRB363	24	27	CHIPS	22-Sep-00	0.01
BVRB363	27	28	CHIPS	22-Sep-00	0.01
BVRB364	0	4	CHIPS	22-Sep-00	n/a
BVRB364	4	8	CHIPS	22-Sep-00	0.01
BVRB364	8	12	CHIPS	22-Sep-00	0.02
BVRB364	12	15	CHIPS	22-Sep-00	0.01
BVRB364	15	16	CHIPS	22-Sep-00	n/a
BVRB365	0	4	CHIPS	22-Sep-00	0.01
BVRB365	4	5	CHIPS	22-Sep-00	n/a
BVRB366	0	3	CHIPS	22-Sep-00	n/a
BVRB366	3	4	CHIPS	22-Sep-00	n/a
BVRB367	0	4	CHIPS	22-Sep-00	n/a
BVRB367	4	7	CHIPS	22-Sep-00	n/a
BVRB367	7	8	CHIPS	22-Sep-00	n/a

**Table 5: Au results from the BVRB holes, taken from WAMEX reports A62263 and A58256**

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB001	0	1	OTA
BVRB001	1	2	OTP
BVRB001	2	3	OTP
BVRB001	3	4	OTP
BVRB001	4	5	OTP
BVRB001	5	6	OTP
BVRB001	6	7	OTP
BVRB001	7	8	OTP
BVRB001	8	9	OTP
BVRB001	9	10	OTP
BVRB001	10	11	OTP
BVRB001	11	12	LSU
BVRB001	12	13	LSU
BVRB001	13	14	LSU
BVRB001	14	15	LSU
BVRB001	15	16	LSU
BVRB001	16	17	LSU
BVRB001	17	18	LSL
BVRB001	18	19	LSL
BVRB001	19	20	MG
BVRB001	20	21	MG
BVRB001	21	22	MG
BVRB001	22	23	MG
BVRB001	23	24	MG
BVRB001	24	25	MG
BVRB001	25	26	MG
BVRB001	26	27	MG
BVRB001	27	28	MG
BVRB001	28	29	MG
BVRB001	29	30	MG
BVRB002	0	1	OTA
BVRB002	1	2	OTP
BVRB002	2	3	OTP
BVRB002	3	4	OTP
BVRB002	4	5	LSU
BVRB002	5	6	LSU
BVRB002	6	7	LSU
BVRB002	7	8	LSU
BVRB002	8	9	LSU
BVRB002	9	10	LSU
BVRB002	10	11	LSU
BVRB002	11	12	LSU
BVRB002	12	13	LSU
BVRB002	13	14	MG
BVRB002	14	15	MG
BVRB002	15	16	MG
BVRB002	16	17	MG
BVRB002	17	18	MG
BVRB002	18	19	MG
BVRB002	19	20	MG
BVRB002	20	21	MG
BVRB002	21	22	MG
BVRB003	0	1	OTA
BVRB003	1	2	OTP
BVRB003	2	3	OTP

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB003	3	4	OTP
BVRB003	4	5	OTP
BVRB003	5	6	LSU
BVRB003	6	7	LSL
BVRB003	7	8	LSL
BVRB003	8	9	LSL
BVRB003	9	10	LSL
BVRB003	10	11	LSL
BVRB003	11	12	SHCC
BVRB003	12	13	SHCC
BVRB003	13	14	SHL
BVRB003	14	15	SHL
BVRB003	15	16	SHL
BVRB003	16	17	SFW
BVRB003	17	18	SFW
BVRB003	18	19	SFW
BVRB003	19	20	SFW
BVRB003	20	21	SFW
BVRB003	21	22	SFW
BVRB003	22	23	SFW
BVRB003	23	24	SFW
BVRB003	24	25	SFW
BVRB003	25	26	SFW
BVRB003	26	27	SFW
BVRB003	27	28	SFW
BVRB003	28	29	SFW
BVRB004	0	1	OTA
BVRB004	1	2	OTP
BVRB004	2	3	OTP
BVRB004	3	4	VQ
BVRB004	4	5	OTP
BVRB004	5	6	LSL
BVRB004	6	7	LSL
BVRB004	7	8	LSL
BVRB004	8	9	LSL
BVRB004	9	10	LSL
BVRB004	10	11	LSL
BVRB004	11	12	LSL
BVRB004	12	13	LSL
BVRB004	13	14	LSL
BVRB004	14	15	MD
BVRB004	15	16	MD
BVRB004	16	17	MD
BVRB004	17	18	MD
BVRB004	18	19	MD
BVRB004	19	20	MD
BVRB004	20	21	MD
BVRB004	21	22	MD
BVRB005	0	1	OTA
BVRB005	1	2	OTP
BVRB005	2	3	OTP
BVRB005	3	4	SHL
BVRB005	4	5	SHL
BVRB005	5	6	SHL
BVRB005	6	7	SHL
BVRB005	7	8	SHCC

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB005	8	9	SHCC
BVRB005	9	10	SFW
BVRB005	10	11	SFW
BVRB005	11	12	SFW
BVRB005	12	13	SFW
BVRB005	13	14	SFW
BVRB005	14	15	SHCC
BVRB005	15	16	SHCC
BVRB005	16	17	SHCC
BVRB005	17	18	SHCC
BVRB005	18	19	SHCC
BVRB005	19	20	SHCC
BVRB005	20	21	SHCC
BVRB005	21	22	SHL
BVRB005	22	23	SHL
BVRB006	0	1	OTA
BVRB006	1	2	OTA
BVRB006	2	3	OTA
BVRB006	3	4	OTP
BVRB006	4	5	OTP
BVRB006	5	6	OTP
BVRB006	6	7	LSL
BVRB006	7	8	LSL
BVRB006	8	9	LSL
BVRB006	9	10	MG
BVRB006	10	11	MG
BVRB006	11	12	MG
BVRB006	12	13	MG
BVRB006	13	14	MG
BVRB006	14	15	MG
BVRB006	15	16	MG
BVRB007	0	1	OTA
BVRB007	1	2	OTA
BVRB007	2	3	OTA
BVRB007	3	4	OTP
BVRB007	4	5	OTP
BVRB007	5	6	OTP
BVRB007	6	7	OTP
BVRB007	7	8	LSL
BVRB007	8	9	LSL
BVRB007	9	10	MGQ
BVRB007	10	11	MGQ
BVRB007	11	12	MGQ
BVRB007	12	13	MGQ
BVRB007	13	14	MGQ
BVRB007	14	15	MGQ
BVRB007	15	16	MGQ
BVRB007	16	17	MGQ
BVRB007	17	18	MGQ
BVRB008	0	1	OTA
BVRB008	1	2	OTA
BVRB008	2	3	OTP
BVRB008	3	4	OTP
BVRB008	4	5	SHL
BVRB008	5	6	SHL
BVRB008	6	7	SHL

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB008	7	8	SHL
BVRB008	8	9	SHL
BVRB008	9	10	SHL
BVRB008	10	11	SHCC
BVRB008	11	12	SHCC
BVRB008	12	13	SHCC
BVRB008	13	14	SHCC
BVRB008	14	15	SHCC
BVRB008	15	16	SHCC
BVRB008	16	17	SHCC
BVRB008	17	18	SHCC
BVRB008	18	19	SHCC
BVRB008	19	20	SHCC
BVRB009	0	1	OTA
BVRB009	1	2	OTA
BVRB009	2	3	OTA
BVRB009	3	4	OTA
BVRB009	4	5	LSU
BVRB009	5	6	LSU
BVRB009	6	7	LSL
BVRB009	7	8	LSL
BVRB009	8	9	LSL
BVRB009	9	10	LSL
BVRB009	10	11	LSL
BVRB009	11	12	LSL
BVRB009	12	13	SHL
BVRB009	13	14	SHL
BVRB009	14	15	SCT
BVRB009	15	16	SCT
BVRB009	16	17	SCT
BVRB009	17	18	SFW
BVRB009	18	19	SFW
BVRB009	19	20	SFW
BVRB010	0	1	OTA
BVRB010	1	2	OTA
BVRB010	2	3	OTP
BVRB010	3	4	OTP
BVRB010	4	5	LSU
BVRB010	5	6	LSU
BVRB010	6	7	LSL
BVRB010	7	8	LSL
BVRB010	8	9	LSL
BVRB010	9	10	LSL
BVRB010	10	11	SCT
BVRB010	11	12	SCT
BVRB011	0	1	OTA
BVRB011	1	2	OTP
BVRB011	2	3	OTP
BVRB011	3	4	OTP
BVRB011	4	5	LSL
BVRB011	5	6	LSL
BVRB011	6	7	LSL
BVRB011	7	8	LSL
BVRB011	8	9	LSL
BVRB011	9	10	LSL
BVRB011	10	11	LSL



Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB011	11	12	MD
BVRB011	12	13	MD
BVRB011	13	14	MB
BVRB011	14	15	MB
BVRB011	15	16	MB
BVRB011	16	17	MB
BVRB011	17	18	MB
BVRB011	18	19	MB
BVRB011	19	20	MB
BVRB011	20	21	MB
BVRB011	21	22	SHL
BVRB011	22	23	SHL
BVRB011	23	24	MB
BVRB011	24	25	MB
BVRB011	25	26	MB
BVRB011	26	27	MB
BVRB011	27	28	MB
BVRB012	0	1	OTA
BVRB012	1	2	OTP
BVRB012	2	3	OTP
BVRB012	3	4	OTP
BVRB012	4	5	MD
BVRB012	5	6	MD
BVRB012	6	7	MD
BVRB012	7	8	MD
BVRB012	8	9	MD
BVRB012	9	10	MD
BVRB012	10	11	MD
BVRB012	11	12	MD
BVRB012	12	13	MD
BVRB012	13	14	MD
BVRB012	14	15	MD
BVRB012	15	16	MD
BVRB013	0	1	OTA
BVRB013	1	2	OTA
BVRB013	2	3	OTA
BVRB013	3	4	OTA
BVRB013	4	5	LSL
BVRB013	5	6	MD
BVRB013	6	7	MD
BVRB013	7	8	MD
BVRB013	8	9	MD
BVRB013	9	10	MD
BVRB013	10	11	MD
BVRB013	11	12	MD
BVRB013	12	13	MD
BVRB013	13	14	MD
BVRB013	14	15	MD
BVRB014	0	1	OTA
BVRB014	1	2	OTA
BVRB014	2	3	OTA
BVRB014	3	4	SHL
BVRB014	4	5	SHL
BVRB014	5	6	SHL
BVRB014	6	7	SHL
BVRB014	7	8	SHL

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB014	8	9	SHCC
BVRB014	9	10	VQ
BVRB014	10	11	SHCC
BVRB014	11	12	SHCC
BVRB014	12	13	SHCC
BVRB014	13	14	SHCC
BVRB014	14	15	SHCC
BVRB014	15	16	SSL
BVRB014	16	17	SSL
BVRB014	17	18	SSL
BVRB014	18	19	SSL
BVRB014	19	20	SSL
BVRB014	20	21	SSL
BVRB014	21	22	SSL
BVRB014	22	23	SSL
BVRB015	0	1	OTA
BVRB015	1	2	OTA
BVRB015	2	3	OTA
BVRB015	3	4	LSU
BVRB015	4	5	LSU
BVRB015	5	6	LSL
BVRB015	6	7	LSL
BVRB015	7	8	LSL
BVRB015	8	9	LSL
BVRB015	9	10	SHL
BVRB015	10	11	SHL
BVRB015	11	12	SHL
BVRB015	12	13	SHL
BVRB015	13	14	SHL
BVRB015	14	15	SHL
BVRB015	15	16	SHL
BVRB015	16	17	SHL
BVRB016	0	1	OTA
BVRB016	1	2	OTP
BVRB016	2	3	OTP
BVRB016	3	4	OTP
BVRB016	4	5	OTP
BVRB016	5	6	SHL
BVRB016	6	7	SHL
BVRB016	7	8	SHL
BVRB016	8	9	SHCC
BVRB016	9	10	SHCC
BVRB016	10	11	SHCC
BVRB016	11	12	SHCC
BVRB016	12	13	SHCC
BVRB016	13	14	SHCC
BVRB017	0	1	OTA
BVRB017	1	2	OTA
BVRB017	2	3	OTA
BVRB017	3	4	LM
BVRB017	4	5	LSU
BVRB017	5	6	LSU
BVRB017	6	7	LSU
BVRB017	7	8	LSU
BVRB017	8	9	LSU
BVRB017	9	10	LSU

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB017	10	11	LSU
BVRB017	11	12	LSL
BVRB017	12	13	LSL
BVRB017	13	14	LSL
BVRB017	14	15	LSL
BVRB017	15	16	LSL
BVRB017	16	17	SSL
BVRB017	17	18	SSL
BVRB017	18	19	SSL
BVRB017	19	20	SSL
BVRB017	20	21	SSL
BVRB017	21	22	SFW
BVRB017	22	23	SFW
BVRB017	23	24	SFW
BVRB018	0	1	OTA
BVRB018	1	2	OTA
BVRB018	2	3	OTA
BVRB018	3	4	OTA
BVRB018	4	5	LM
BVRB018	5	6	LSU
BVRB018	6	7	LSU
BVRB018	7	8	LSU
BVRB018	8	9	LSU
BVRB018	9	10	LSU
BVRB018	10	11	LSU
BVRB018	11	12	LSU
BVRB018	12	13	LSL
BVRB018	13	14	LSL
BVRB018	14	15	LSL
BVRB018	15	16	LSL
BVRB018	16	17	LSL
BVRB018	17	18	LSL
BVRB018	18	19	LSL
BVRB018	19	20	LSL
BVRB018	20	21	LSL
BVRB018	21	22	SFW
BVRB018	22	23	SFW
BVRB018	23	24	SFW
BVRB018	24	25	SFW
BVRB019	0	1	OTA
BVRB019	1	2	OTA
BVRB019	2	3	OTP
BVRB019	3	4	OTP
BVRB019	4	5	OTP
BVRB019	5	6	OTP
BVRB019	6	7	LSU
BVRB019	7	8	LSU
BVRB019	8	9	LSU
BVRB019	9	10	LSU
BVRB019	10	11	LSU
BVRB019	11	12	LSU
BVRB019	12	13	LSU
BVRB019	13	14	LSU
BVRB019	14	15	LSU
BVRB019	15	16	LSU
BVRB019	16	17	LSU

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB019	17	18	LSU
BVRB019	18	19	LSU
BVRB019	19	20	LSU
BVRB019	20	21	LSU
BVRB019	21	22	LSU
BVRB019	22	23	LSL
BVRB019	23	24	LSL
BVRB019	24	25	SFW
BVRB019	25	26	SFW
BVRB019	26	27	SFW
BVRB020	0	1	OTA
BVRB020	1	2	OTP
BVRB020	2	3	OTP
BVRB020	3	4	OTP
BVRB020	4	5	OTP
BVRB020	5	6	OTP
BVRB020	6	7	OTP
BVRB020	7	8	OTP
BVRB020	8	9	OTP
BVRB020	9	10	OTP
BVRB020	10	11	OTP
BVRB020	11	12	LSU
BVRB020	12	13	LSU
BVRB020	13	14	LSU
BVRB020	14	15	LSU
BVRB020	15	16	LSU
BVRB020	16	17	LSU
BVRB020	17	18	LSU
BVRB020	18	19	LSU
BVRB020	19	20	LSU
BVRB020	20	21	LSL
BVRB020	21	22	LSL
BVRB020	22	23	LSL
BVRB020	23	24	LSL
BVRB020	24	25	LSL
BVRB020	25	26	LSL
BVRB020	26	27	LSL
BVRB020	27	28	LSL
BVRB020	28	29	LSL
BVRB020	29	30	LSL
BVRB020	30	31	LSL
BVRB020	31	32	LSL
BVRB020	32	33	LSL
BVRB020	33	34	LSL
BVRB020	34	35	LSL
BVRB020	35	36	LSL
BVRB020	36	37	LSL
BVRB020	37	38	MG
BVRB020	38	39	MG
BVRB021	0	1	OTA
BVRB021	1	2	OTP
BVRB021	2	3	OTP
BVRB021	3	4	OTP
BVRB021	4	5	OTP
BVRB021	5	6	OTP
BVRB021	6	7	OTP

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB021	7	8	OTP
BVRB021	8	9	OTP
BVRB021	9	10	OTP
BVRB021	10	11	OTP
BVRB021	11	12	OTP
BVRB021	12	13	OTP
BVRB021	13	14	OTP
BVRB021	14	15	OTP
BVRB021	15	16	OTP
BVRB021	16	17	OTP
BVRB021	17	18	OTP
BVRB021	18	19	OTP
BVRB021	19	20	OTP
BVRB021	20	21	LSL
BVRB021	21	22	LSL
BVRB021	22	23	LSL
BVRB021	23	24	LSL
BVRB021	24	25	LSL
BVRB021	25	26	LSL
BVRB021	26	27	LSL
BVRB021	27	28	LSL
BVRB021	28	29	LSL
BVRB021	29	30	LSL
BVRB021	30	31	LSL
BVRB021	31	32	LSL
BVRB021	32	33	MG
BVRB021	33	34	MG
BVRB021	34	35	MG
BVRB021	35	36	MG
BVRB021	36	37	MG
BVRB021	37	38	MG
BVRB021	38	39	MG
BVRB021	39	40	MG
BVRB021	40	41	MG
BVRB021	41	42	MG
BVRB021	42	43	MG
BVRB022	0	1	OTA
BVRB022	1	2	OTA
BVRB022	2	3	OTA
BVRB022	3	4	OTA
BVRB022	4	5	OTP
BVRB022	5	6	OTP
BVRB022	6	7	LSL
BVRB022	7	8	LSL
BVRB022	8	9	LSL
BVRB022	9	10	LSL
BVRB022	10	11	LSL
BVRB022	11	12	LSL
BVRB022	12	13	LSL
BVRB022	13	14	LSL
BVRB022	14	15	LSL
BVRB022	15	16	LSL
BVRB022	16	17	LSL
BVRB022	17	18	LSL
BVRB022	18	19	LSL
BVRB022	19	20	MG

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB022	20	21	MG
BVRB022	21	22	MG
BVRB022	22	23	MG
BVRB022	23	24	MG
BVRB022	24	25	MG
BVRB022	25	26	MG
BVRB022	26	27	MG
BVRB022	27	28	MG
BVRB022	28	29	MG
BVRB022	29	30	MG
BVRB022	30	31	MG
BVRB023	0	1	OTA
BVRB023	1	2	OTA
BVRB023	2	3	OTA
BVRB023	3	4	OTA
BVRB023	4	5	OTA
BVRB023	5	6	LSL
BVRB023	6	7	LSL
BVRB023	7	8	LSL
BVRB023	8	9	LSL
BVRB023	9	10	LSL
BVRB023	10	11	LSL
BVRB023	11	12	SFW
BVRB023	12	13	SFW
BVRB023	13	14	SFW
BVRB023	14	15	SFW
BVRB023	15	16	SHL
BVRB023	16	17	SHL
BVRB023	17	18	SHL
BVRB024	0	1	OTA
BVRB024	1	2	OTA
BVRB024	2	3	OTA
BVRB024	3	4	LSL
BVRB024	4	5	SHL
BVRB024	5	6	SHL
BVRB024	6	7	SHL
BVRB024	7	8	SHL
BVRB024	8	9	SHL
BVRB024	9	10	SHL
BVRB024	10	11	SCT
BVRB024	11	12	SCT
BVRB025	0	1	OTA
BVRB025	1	2	OTA
BVRB025	2	3	OTA
BVRB025	3	4	OTA
BVRB025	4	5	LSL
BVRB025	5	6	LSL
BVRB025	6	7	LSL
BVRB025	7	8	LSL
BVRB025	8	9	LSL
BVRB025	9	10	LSL
BVRB025	10	11	LSL
BVRB025	11	12	LSL
BVRB025	12	13	MD
BVRB025	13	14	MD
BVRB025	14	15	MD

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB025	15	16	MD
BVRB025	16	17	MD
BVRB025	17	18	MD
BVRB025	18	19	MD
BVRB026	0	1	OTA
BVRB026	1	2	OTA
BVRB026	2	3	OTA
BVRB026	3	4	OTA
BVRB026	4	5	LSL
BVRB026	5	6	LSL
BVRB026	6	7	LSL
BVRB026	7	8	LSL
BVRB026	8	9	LSL
BVRB026	9	10	LSL
BVRB026	10	11	LSL
BVRB026	11	12	LSL
BVRB026	12	13	LSL
BVRB026	13	14	MD
BVRB026	14	15	MD
BVRB026	15	16	MD
BVRB026	16	17	MD
BVRB027	0	1	OTA
BVRB027	1	2	OTA
BVRB027	2	3	OTA
BVRB027	3	4	OTA
BVRB027	4	5	LSL
BVRB027	5	6	LSL
BVRB027	6	7	LSL
BVRB027	7	8	MGQ
BVRB027	8	9	MGQ
BVRB027	9	10	MGQ
BVRB027	10	11	MGQ
BVRB027	11	12	MGQ
BVRB027	12	13	MGQ
BVRB027	13	14	MGQ
BVRB028	0	1	OTA
BVRB028	1	2	OTA
BVRB028	2	3	OTA
BVRB028	3	4	OTA
BVRB028	4	5	LSL
BVRB028	5	6	LSL
BVRB028	6	7	LSL
BVRB028	7	8	LSL
BVRB028	8	9	LSL
BVRB028	9	10	MG
BVRB028	10	11	MG
BVRB028	11	12	MG
BVRB028	12	13	MG
BVRB028	13	14	MG
BVRB028	14	15	MG
BVRB028	15	16	MG
BVRB028	16	17	MG
BVRB028	17	18	MG
BVRB028	18	19	MG
BVRB028	19	20	MG
BVRB028	20	21	MG



Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB028	21	22	MG
BVRB029	0	1	OTA
BVRB029	1	2	OTA
BVRB029	2	3	OTA
BVRB029	3	4	OTA
BVRB029	4	5	LSL
BVRB029	5	6	LSL
BVRB029	6	7	MD
BVRB029	7	8	MD
BVRB029	8	9	MD
BVRB029	9	10	MD
BVRB029	10	11	MD
BVRB029	11	12	MD
BVRB029	12	13	MD
BVRB029	13	14	MD
BVRB029	14	15	MD
BVRB029	15	16	MD
BVRB029	16	17	MD
BVRB029	17	18	MD
BVRB029	18	19	MD
BVRB029	19	20	MD
BVRB029	20	21	MD
BVRB029	21	22	MD
BVRB029	22	23	MD
BVRB029	23	24	MD
BVRB030	0	1	OTA
BVRB030	1	2	OTA
BVRB030	2	3	OTA
BVRB030	3	4	MB
BVRB030	4	5	MB
BVRB030	5	6	MB
BVRB030	6	7	MB
BVRB030	7	8	MB
BVRB030	8	9	MB
BVRB030	9	10	MB
BVRB031	0	1	OTA
BVRB031	1	2	OTA
BVRB031	2	3	OTA
BVRB031	3	4	OTA
BVRB031	4	5	LSL
BVRB031	5	6	LSL
BVRB031	6	7	LSL
BVRB031	7	8	MG
BVRB031	8	9	MG
BVRB031	9	10	MG
BVRB031	10	11	MGQ
BVRB031	11	12	MGQ
BVRB031	12	13	MGQ
BVRB031	13	14	MGQ
BVRB031	14	15	MGQ
BVRB031	15	16	MGQ
BVRB031	16	17	MGQ
BVRB031	17	18	MGQ
BVRB031	18	19	MGQ
BVRB031	19	20	MGQ
BVRB031	20	21	MGQ

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB031	21	22	MGQ
BVRB031	22	23	MGQ
BVRB031	23	24	MGQ
BVRB031	24	25	MGQ
BVRB031	25	26	MGQ
BVRB031	26	27	MGQ
BVRB031	27	28	MGQ
BVRB032	0	1	OTA
BVRB032	1	2	OTA
BVRB032	2	3	OTA
BVRB032	3	4	OTA
BVRB032	4	5	LSL
BVRB032	5	6	LSL
BVRB032	6	7	MGQ
BVRB032	7	8	MGQ
BVRB032	8	9	MGQ
BVRB032	9	10	MGQ
BVRB032	10	11	MGQ
BVRB032	11	12	MGQ
BVRB032	12	13	MGQ
BVRB032	13	14	MGQ
BVRB032	14	15	MGQ
BVRB032	15	16	MGQ
BVRB032	16	17	MGQ
BVRB032	17	18	MGQ
BVRB032	18	19	MGQ
BVRB032	19	20	MGQ
BVRB032	20	21	MGQ
BVRB032	21	22	MGQ
BVRB032	22	23	MGQ
BVRB032	23	24	MGQ
BVRB032	24	25	MGQ
BVRB032	25	26	MGQ
BVRB032	26	27	MGQ
BVRB032	27	28	MGQ
BVRB032	28	29	MGQ
BVRB032	29	30	MGQ
BVRB033	0	1	OTS
BVRB033	1	2	LSL
BVRB033	2	3	LSL
BVRB033	3	4	LSL
BVRB033	4	5	LSL
BVRB033	5	6	LSL
BVRB033	6	7	LSL
BVRB033	7	8	SHL
BVRB033	8	9	SHL
BVRB033	9	10	SHL
BVRB033	10	11	SHL
BVRB033	11	12	SHL
BVRB033	12	13	SHL
BVRB033	13	14	SHL
BVRB033	14	15	SHL
BVRB033	15	16	SHL
BVRB033	16	17	SHL
BVRB033	17	18	SHL
BVRB033	18	19	SHL

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB033	19	20	SHL
BVRB033	20	21	SHL
BVRB033	21	22	SHL
BVRB033	22	23	SHL
BVRB034	0	1	OTS
BVRB034	1	2	OTS
BVRB034	2	3	LSL
BVRB034	3	4	LSL
BVRB034	4	5	LSL
BVRB034	5	6	LSL
BVRB034	6	7	LSL
BVRB034	7	8	LSL
BVRB034	8	9	LSL
BVRB034	9	10	LSL
BVRB034	10	11	LSL
BVRB034	11	12	SHL
BVRB034	12	13	SHL
BVRB034	13	14	SHL
BVRB034	14	15	SHL
BVRB034	15	16	SHL
BVRB034	16	17	SHL
BVRB034	17	18	SHL
BVRB034	18	19	SHL
BVRB034	19	20	SHL
BVRB035	0	1	OTS
BVRB035	1	2	OTP
BVRB035	2	3	OTP
BVRB035	3	4	LSL
BVRB035	4	5	LSL
BVRB035	5	6	LSL
BVRB035	6	7	LSL
BVRB035	7	8	LSL
BVRB035	8	9	LSL
BVRB035	9	10	LSL
BVRB035	10	11	LSL
BVRB035	11	12	LSL
BVRB035	12	13	LSL
BVRB035	13	14	LSL
BVRB035	14	15	SHL
BVRB035	15	16	SHL
BVRB035	16	17	SHL
BVRB035	17	18	SHL
BVRB035	18	19	SHL
BVRB035	19	20	SHL
BVRB035	20	21	SHL
BVRB035	21	22	SHL
BVRB035	22	23	SHL
BVRB035	23	24	SHL
BVRB035	24	25	SHL
BVRB035	25	26	SHL
BVRB036	0	1	OTS
BVRB036	1	2	OTP
BVRB036	2	3	OTP
BVRB036	3	4	OTP
BVRB036	4	5	OTP
BVRB036	5	6	LSL

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB036	6	7	LSL
BVRB036	7	8	SHL
BVRB036	8	9	SHL
BVRB036	9	10	SHL
BVRB036	10	11	SHL
BVRB036	11	12	SHL
BVRB036	12	13	SHL
BVRB036	13	14	SHL
BVRB037	0	1	OTS
BVRB037	1	2	OTP
BVRB037	2	3	OTP
BVRB037	3	4	OTP
BVRB037	4	5	OTP
BVRB037	5	6	OTP
BVRB037	6	7	LSL
BVRB037	7	8	LSL
BVRB037	8	9	LSL
BVRB037	9	10	LSL
BVRB037	10	11	LSL
BVRB037	11	12	LSL
BVRB037	12	13	LSL
BVRB037	13	14	LSL
BVRB037	14	15	LSL
BVRB037	15	16	LSL
BVRB037	16	17	LSL
BVRB037	17	18	LSL
BVRB037	18	19	LSL
BVRB037	19	20	LSL
BVRB037	20	21	LSL
BVRB037	21	22	LSL
BVRB037	22	23	MD
BVRB037	23	24	MD
BVRB037	24	25	MD
BVRB037	25	26	MD
BVRB037	26	27	MD
BVRB037	27	28	MD
BVRB037	28	29	MD
BVRB037	29	30	MD
BVRB037	30	31	MD
BVRB038	0	1	OTS
BVRB038	1	2	OTP
BVRB038	2	3	OTP
BVRB038	3	4	OTP
BVRB038	4	5	OTP
BVRB038	5	6	LSL
BVRB038	6	7	LSL
BVRB038	7	8	LSL
BVRB038	8	9	LSL
BVRB038	9	10	LSL
BVRB038	10	11	LSL
BVRB038	11	12	LSL
BVRB038	12	13	LSL
BVRB038	13	14	LSL
BVRB038	14	15	LSL
BVRB038	15	16	LSL
BVRB038	16	17	LSL

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB038	17	18	LSL
BVRB038	18	19	LSL
BVRB038	19	20	LSL
BVRB038	20	21	LSL
BVRB038	21	22	LSL
BVRB038	22	23	MG
BVRB038	23	24	MG
BVRB039	0	1	OTS
BVRB039	1	2	OTP
BVRB039	2	3	OTP
BVRB039	3	4	OTP
BVRB039	4	5	OTP
BVRB039	5	6	LSL
BVRB039	6	7	LSL
BVRB039	7	8	LSL
BVRB039	8	9	LSL
BVRB039	9	10	LSL
BVRB039	10	11	LSL
BVRB039	11	12	LSL
BVRB039	12	13	LSL
BVRB039	13	14	LSL
BVRB039	14	15	LSL
BVRB039	15	16	LSL
BVRB039	16	17	LSL
BVRB039	17	18	LSL
BVRB039	18	19	LSL
BVRB039	19	20	LSL
BVRB039	20	21	LSL
BVRB039	21	22	LSL
BVRB039	22	23	LSL
BVRB039	23	24	MG
BVRB039	24	25	MG
BVRB039	25	26	MG
BVRB039	26	27	MG
BVRB039	27	28	MG
BVRB040	0	1	OTP
BVRB040	1	2	OTP
BVRB040	2	3	OTP
BVRB040	3	4	OTP
BVRB040	4	5	OTP
BVRB040	5	6	OTP
BVRB040	6	7	OTP
BVRB040	7	8	OTP
BVRB040	8	9	OTP
BVRB040	9	10	OTP
BVRB040	10	11	LSL
BVRB040	11	12	LSL
BVRB040	12	13	LSL
BVRB040	13	14	LSL
BVRB040	14	15	LSL
BVRB040	15	16	LSL
BVRB040	16	17	LSL
BVRB040	17	18	LSL
BVRB040	18	19	LSL
BVRB040	19	20	LSL
BVRB040	20	21	LSL

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB040	21	22	LSL
BVRB040	22	23	LSL
BVRB040	23	24	LSL
BVRB040	24	25	LSL
BVRB040	25	26	LSL
BVRB040	26	27	LSL
BVRB040	27	28	LSL
BVRB040	28	29	MGQ
BVRB040	29	30	MGQ
BVRB040	30	31	MGQ
BVRB040	31	32	MGQ
BVRB041	0	1	OTP
BVRB041	1	2	OTP
BVRB041	2	3	OTP
BVRB041	3	4	OTP
BVRB041	4	5	OTP
BVRB041	5	6	OTP
BVRB041	6	7	OTP
BVRB041	7	8	OTP
BVRB041	8	9	OTP
BVRB041	9	10	OTP
BVRB041	10	11	OTP
BVRB041	11	12	OTP
BVRB041	12	13	OTP
BVRB041	13	14	LSL
BVRB041	14	15	LSL
BVRB041	15	16	LSL
BVRB041	16	17	LSL
BVRB041	17	18	LSL
BVRB041	18	19	LSL
BVRB041	19	20	LSL
BVRB041	20	21	LSL
BVRB041	21	22	LSL
BVRB041	22	23	LSL
BVRB041	23	24	LSL
BVRB041	24	25	LSL
BVRB041	25	26	LSL
BVRB041	26	27	LSL
BVRB041	27	28	MGQ
BVRB042	0	1	OTP
BVRB042	1	2	OTP
BVRB042	2	3	OTP
BVRB042	3	4	OTP
BVRB042	4	5	OTP
BVRB042	5	6	OTP
BVRB042	6	7	OTP
BVRB042	7	8	OTP
BVRB042	8	9	OTP
BVRB042	9	10	OTP
BVRB042	10	11	OTP
BVRB042	11	12	OTP
BVRB042	12	13	OTP
BVRB042	13	14	OTP
BVRB042	14	15	OTP
BVRB042	15	16	LSU
BVRB042	16	17	LSU

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB042	17	18	LSU
BVRB042	18	19	LSU
BVRB042	19	20	LSU
BVRB042	20	21	LSU
BVRB042	21	22	LSU
BVRB042	22	23	LSL
BVRB042	23	24	LSL
BVRB042	24	25	LSL
BVRB042	25	26	LSL
BVRB042	26	27	LSL
BVRB042	27	28	MG
BVRB042	28	29	MG
BVRB042	29	30	MG
BVRB042	30	31	MG
BVRB042	31	32	MG
BVRB042	32	33	MG
BVRB042	33	34	MG
BVRB042	34	35	MG
BVRB043	0	1	OTP
BVRB043	1	2	OTP
BVRB043	2	3	OTP
BVRB043	3	4	OTP
BVRB043	4	5	OTP
BVRB043	5	6	OTP
BVRB043	6	7	OTP
BVRB043	7	8	OTP
BVRB043	8	9	OTP
BVRB043	9	10	OTP
BVRB043	10	11	OTP
BVRB043	11	12	OTP
BVRB043	12	13	OTP
BVRB043	13	14	OTP
BVRB043	14	15	OTP
BVRB043	15	16	LSU
BVRB043	16	17	LSU
BVRB043	17	18	LSU
BVRB043	18	19	LSU
BVRB043	19	20	LSU
BVRB043	20	21	LSU
BVRB043	21	22	LSU
BVRB043	22	23	LSU
BVRB043	23	24	LSU
BVRB043	24	25	LSU
BVRB043	25	26	LSU
BVRB043	26	27	LSU
BVRB043	27	28	LSU
BVRB043	28	29	LSU
BVRB043	29	30	LSU
BVRB043	30	31	LSU
BVRB043	31	32	LSL
BVRB043	32	33	LSL
BVRB043	33	34	MG
BVRB043	34	35	MG
BVRB043	35	36	MG
BVRB043	36	37	MG
BVRB043	37	38	MG



Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB043	38	39	MG
BVRB043	39	40	MG
BVRB043	40	41	MG
BVRB044	0	1	OTS
BVRB044	1	2	OTP
BVRB044	2	3	OTP
BVRB044	3	4	OTP
BVRB044	4	5	OTP
BVRB044	5	6	OTP
BVRB044	6	7	OTP
BVRB044	7	8	LSU
BVRB044	8	9	LSL
BVRB044	9	10	LSL
BVRB044	10	11	LSL
BVRB044	11	12	LSL
BVRB044	12	13	LSL
BVRB044	13	14	LSL
BVRB044	14	15	LSL
BVRB044	15	16	LSL
BVRB044	16	17	LSL
BVRB044	17	18	LSL
BVRB044	18	19	LSL
BVRB044	19	20	LSL
BVRB044	20	21	LSL
BVRB044	21	22	MG
BVRB044	22	23	MG
BVRB044	23	24	MG
BVRB044	24	25	MG
BVRB044	25	26	MG
BVRB044	26	27	MG
BVRB044	27	28	MG
BVRB045	0	1	OTS
BVRB045	1	2	OTP
BVRB045	2	3	OTP
BVRB045	3	4	OTP
BVRB045	4	5	OTP
BVRB045	5	6	LSL
BVRB045	6	7	LSL
BVRB045	7	8	MGQ
BVRB045	8	9	MGQ
BVRB045	9	10	MGQ
BVRB046	0	1	OTS
BVRB046	1	2	OTP
BVRB046	2	3	OTP
BVRB046	3	4	OTP
BVRB046	4	5	OTP
BVRB046	5	6	OTP
BVRB046	6	7	LSL
BVRB046	7	8	LSL
BVRB046	8	9	LSL
BVRB046	9	10	LSL
BVRB046	10	11	MG
BVRB046	11	12	MG
BVRB046	12	13	MG
BVRB046	13	14	MG
BVRB047	0	1	OTS

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB047	1	2	OTP
BVRB047	2	3	OTP
BVRB047	3	4	LSL
BVRB047	4	5	LSL
BVRB047	5	6	LSL
BVRB047	6	7	LSL
BVRB047	7	8	LSL
BVRB047	8	9	LSL
BVRB047	9	10	LSL
BVRB047	10	11	LSL
BVRB047	11	12	LSL
BVRB047	12	13	LSL
BVRB047	13	14	LSL
BVRB047	14	15	MD
BVRB047	15	16	MD
BVRB047	16	17	MD
BVRB047	17	18	MD
BVRB047	18	19	MD
BVRB047	19	20	MD
BVRB048	0	1	OTS
BVRB048	1	2	OTP
BVRB048	2	3	OTP
BVRB048	3	4	OTP
BVRB048	4	5	LSL
BVRB048	5	6	LSL
BVRB048	6	7	LSL
BVRB048	7	8	LSL
BVRB048	8	9	MG
BVRB048	9	10	MG
BVRB048	10	11	MG
BVRB048	11	12	MG
BVRB048	12	13	MG
BVRB049	0	1	OTS
BVRB049	1	2	OTP
BVRB049	2	3	OTP
BVRB049	3	4	LSL
BVRB049	4	5	MGQ
BVRB049	5	6	MGQ
BVRB049	6	7	MGQ
BVRB049	7	8	MGQ
BVRB049	8	9	MGQ
BVRB049	9	10	MGQ
BVRB049	10	11	MGQ
BVRB049	11	12	MGQ
BVRB049	12	13	MGQ
BVRB049	13	14	MGQ
BVRB049	14	15	MGQ
BVRB050	0	1	OTS
BVRB050	1	2	OTP
BVRB050	2	3	OTP
BVRB050	3	4	OTP
BVRB050	4	5	OTP
BVRB050	5	6	OTP
BVRB050	6	7	LSU
BVRB050	7	8	LSU
BVRB050	8	9	LSU

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB050	9	10	LSU
BVRB050	10	11	LSU
BVRB050	11	12	LSU
BVRB050	12	13	LSU
BVRB050	13	14	LSU
BVRB050	14	15	LSU
BVRB050	15	16	LSU
BVRB050	16	17	SFW
BVRB050	17	18	SFW
BVRB051	0	1	OTA
BVRB051	1	2	LSU
BVRB051	2	3	LSU
BVRB051	3	4	LSU
BVRB051	4	5	LSU
BVRB051	5	6	LSU
BVRB051	6	7	LSU
BVRB051	7	8	LSU
BVRB051	8	9	LSU
BVRB051	9	10	LSU
BVRB051	10	11	LSU
BVRB051	11	12	LSL
BVRB051	12	13	LSL
BVRB051	13	14	LSL
BVRB051	14	15	LSL
BVRB051	15	16	LSL
BVRB051	16	17	LSL
BVRB051	17	18	LSL
BVRB051	18	19	LSL
BVRB051	19	20	SFW
BVRB051	20	21	SFW
BVRB051	21	22	SFW
BVRB052	0	1	OTA
BVRB052	1	2	LM
BVRB052	2	3	LM
BVRB052	3	4	LSU
BVRB052	4	5	LSU
BVRB052	5	6	LSU
BVRB052	6	7	LSU
BVRB052	7	8	LSU
BVRB052	8	9	LSU
BVRB052	9	10	LSL
BVRB052	10	11	LSL
BVRB052	11	12	LSL
BVRB052	12	13	LSL
BVRB052	13	14	SFW
BVRB052	14	15	SFW
BVRB052	15	16	SFW
BVRB052	16	17	SFW
BVRB052	17	18	SFW
BVRB053	0	1	OTS
BVRB053	1	2	OTP
BVRB053	2	3	OTP
BVRB053	3	4	LSU
BVRB053	4	5	LSU
BVRB053	5	6	LSU
BVRB053	6	7	LSL

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB053	7	8	LSL
BVRB053	8	9	LSL
BVRB053	9	10	SFW
BVRB053	10	11	SFW
BVRB053	11	12	SFW
BVRB053	12	13	SFW
BVRB053	13	14	SFW
BVRB053	14	15	SFW
BVRB054	0	1	OTS
BVRB054	1	2	OTP
BVRB054	2	3	OTP
BVRB054	3	4	OTP
BVRB054	4	5	OTP
BVRB054	5	6	LSU
BVRB054	6	7	LSU
BVRB054	7	8	LSU
BVRB054	8	9	LSU
BVRB054	9	10	LSU
BVRB054	10	11	LSU
BVRB054	11	12	LSU
BVRB054	12	13	LSU
BVRB054	13	14	LSL
BVRB054	14	15	LSL
BVRB054	15	16	LSL
BVRB054	16	17	LSL
BVRB054	17	18	MG
BVRB054	18	19	MG
BVRB054	19	20	MG
BVRB054	20	21	MG
BVRB054	21	22	MG
BVRB054	22	23	MG
BVRB055	0	1	OTS
BVRB055	1	2	OTP
BVRB055	2	3	OTP
BVRB055	3	4	OTP
BVRB055	4	5	OTP
BVRB055	5	6	OTP
BVRB055	6	7	LSU
BVRB055	7	8	LSU
BVRB055	8	9	LSU
BVRB055	9	10	LSU
BVRB055	10	11	LSU
BVRB055	11	12	LSU
BVRB055	12	13	LSU
BVRB055	13	14	LSU
BVRB055	14	15	LSU
BVRB055	15	16	LSU
BVRB055	16	17	LSU
BVRB055	17	18	LSU
BVRB055	18	19	LSU
BVRB055	19	20	MG
BVRB055	20	21	MG
BVRB055	21	22	MG
BVRB055	22	23	MG
BVRB055	23	24	MG
BVRB055	24	25	MG

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB056	0	1	OTS
BVRB056	1	2	OTP
BVRB056	2	3	OTP
BVRB056	3	4	OTP
BVRB056	4	5	OTP
BVRB056	5	6	OTP
BVRB056	6	7	OTP
BVRB056	7	8	OTP
BVRB056	8	9	LSU
BVRB056	9	10	LSU
BVRB056	10	11	LSU
BVRB056	11	12	LSL
BVRB056	12	13	LSL
BVRB056	13	14	LSL
BVRB056	14	15	MG
BVRB056	15	16	MG
BVRB056	16	17	MG
BVRB056	17	18	MG
BVRB057	0	1	OTWS
BVRB057	1	2	OTP
BVRB057	2	3	OTP
BVRB057	3	4	LSL
BVRB057	4	5	LSL
BVRB057	5	6	LSL
BVRB057	6	7	LSL
BVRB057	7	8	LSL
BVRB057	8	9	LSL
BVRB057	9	10	LSL
BVRB057	10	11	LSL
BVRB057	11	12	LSL
BVRB057	12	13	LSL
BVRB057	13	14	LSL
BVRB057	14	15	MD
BVRB057	15	16	MD
BVRB057	16	17	MD
BVRB057	17	18	MD
BVRB057	18	19	MD
BVRB057	19	20	MD
BVRB057	20	21	MD
BVRB058	0	1	OTWS
BVRB058	1	2	OTP
BVRB058	2	3	OTP
BVRB058	3	4	OTP
BVRB058	4	5	OTP
BVRB058	5	6	LSL
BVRB058	6	7	LSL
BVRB058	7	8	LSL
BVRB058	8	9	LSL
BVRB058	9	10	LSL
BVRB058	10	11	LSL
BVRB058	11	12	LSL
BVRB058	12	13	LSL
BVRB058	13	14	LSL
BVRB058	14	15	MGQ
BVRB058	15	16	MGQ
BVRB058	16	17	MGQ

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB058	17	18	MGQ
BVRB058	18	19	MGQ
BVRB059	0	1	OTS
BVRB059	1	2	OTP
BVRB059	2	3	OTP
BVRB059	3	4	OTP
BVRB059	4	5	LSL
BVRB059	5	6	LSL
BVRB059	6	7	LSL
BVRB059	7	8	LSL
BVRB059	8	9	MGP
BVRB059	9	10	MGP
BVRB059	10	11	MGP
BVRB059	11	12	MGP
BVRB059	12	13	MGP
BVRB059	13	14	MGP
BVRB059	14	15	MGP
BVRB059	15	16	MGP
BVRB060	0	1	OTS
BVRB060	1	2	OTP
BVRB060	2	3	OTP
BVRB060	3	4	OTP
BVRB060	4	5	LSL
BVRB060	5	6	LSL
BVRB060	6	7	LSL
BVRB060	7	8	LSL
BVRB060	8	9	MG
BVRB060	9	10	MG
BVRB060	10	11	MG
BVRB061	0	1	OTS
BVRB061	1	2	OTP
BVRB061	2	3	OTP
BVRB061	3	4	OTP
BVRB061	4	5	OTP
BVRB061	5	6	MD
BVRB061	6	7	MD
BVRB061	7	8	MD
BVRB061	8	9	MD
BVRB061	9	10	MD
BVRB062	0	1	OTS
BVRB062	1	2	OTP
BVRB062	2	3	OTP
BVRB062	3	4	OTP
BVRB062	4	5	OTP
BVRB062	5	6	OTP
BVRB062	6	7	MD
BVRB063	0	1	OTS
BVRB063	1	2	OTP
BVRB063	2	3	OTP
BVRB063	3	4	OTP
BVRB063	4	5	OTP
BVRB063	5	6	LSL
BVRB063	6	7	MD
BVRB063	7	8	MD
BVRB063	8	9	MD
BVRB063	9	10	MD

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB063	10	11	MD
BVRB063	11	12	MD
BVRB064	0	1	OTS
BVRB064	1	2	OTP
BVRB064	2	3	OTP
BVRB064	3	4	OTP
BVRB064	4	5	OTP
BVRB064	5	6	OTP
BVRB064	6	7	LSL
BVRB064	7	8	LSL
BVRB064	8	9	LSL
BVRB064	9	10	LSL
BVRB064	10	11	LSL
BVRB064	11	12	LSL
BVRB064	12	13	MG
BVRB064	13	14	MG
BVRB064	14	15	MG
BVRB064	15	16	MG
BVRB064	16	17	MG
BVRB064	17	18	MG
BVRB064	18	19	MG
BVRB064	19	20	MG
BVRB064	20	21	MG
BVRB064	21	22	MG
BVRB065	0	1	OTS
BVRB065	1	2	OTP
BVRB065	2	3	OTP
BVRB065	3	4	OTP
BVRB065	4	5	OTP
BVRB065	5	6	OTP
BVRB065	6	7	LSL
BVRB065	7	8	LSL
BVRB065	8	9	LSL
BVRB065	9	10	MGQ
BVRB065	10	11	MGQ
BVRB065	11	12	MGQ
BVRB065	12	13	MGQ
BVRB065	13	14	MGQ
BVRB066	0	1	OTS
BVRB066	1	2	OTP
BVRB066	2	3	OTP
BVRB066	3	4	OTP
BVRB066	4	5	OTP
BVRB066	5	6	LSL
BVRB066	6	7	LSL
BVRB066	7	8	GTO
BVRB066	8	9	GTO
BVRB066	9	10	GTO
BVRB066	10	11	GTO
BVRB066	11	12	GTO
BVRB067	0	1	OTS
BVRB067	1	2	OTP
BVRB067	2	3	OTP
BVRB067	3	4	OTP
BVRB067	4	5	OTP
BVRB067	5	6	OTP

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB067	6	7	OTP
BVRB067	7	8	OTP
BVRB067	8	9	OTP
BVRB067	9	10	LSL
BVRB067	10	11	LSL
BVRB067	11	12	LSL
BVRB067	12	13	LSL
BVRB067	13	14	LSL
BVRB067	14	15	LSL
BVRB067	15	16	LSL
BVRB067	16	17	GTO
BVRB067	17	18	GTO
BVRB067	18	19	GTO
BVRB067	19	20	GTO
BVRB067	20	21	GTO
BVRB067	21	22	GTO
BVRB067	22	23	GTO
BVRB067	23	24	GTO
BVRB067	24	25	GTO
BVRB067	25	26	GTO
BVRB067	26	27	GTO
BVRB067	27	28	GTO
BVRB068	0	1	OTS
BVRB068	1	2	OTP
BVRB068	2	3	OTP
BVRB068	3	4	OTP
BVRB068	4	5	OTP
BVRB068	5	6	LSU
BVRB068	6	7	LSU
BVRB068	7	8	LSU
BVRB068	8	9	LSU
BVRB068	9	10	LSU
BVRB068	10	11	LSU
BVRB068	11	12	LSU
BVRB068	12	13	LSU
BVRB068	13	14	LSU
BVRB068	14	15	LSU
BVRB068	15	16	LSU
BVRB068	16	17	LSU
BVRB068	17	18	LSU
BVRB068	18	19	LSU
BVRB068	19	20	LSU
BVRB068	20	21	LSL
BVRB068	21	22	LSL
BVRB068	22	23	LSL
BVRB068	23	24	LSL
BVRB068	24	25	LSL
BVRB068	25	26	LSL
BVRB068	26	27	LSL
BVRB068	27	28	LSL
BVRB068	28	29	SSL
BVRB069	0	1	OTS
BVRB069	1	2	OTP
BVRB069	2	3	OTP
BVRB069	3	4	OTP
BVRB069	4	5	LSU



Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB069	5	6	LSU
BVRB069	6	7	LSU
BVRB069	7	8	LSU
BVRB069	8	9	LSU
BVRB069	9	10	LSU
BVRB069	10	11	LSU
BVRB069	11	12	LSU
BVRB069	12	13	LSU
BVRB069	13	14	LSU
BVRB069	14	15	LSU
BVRB069	15	16	LSL
BVRB069	16	17	LSL
BVRB069	17	18	LSL
BVRB069	18	19	LSL
BVRB069	19	20	LSL
BVRB069	20	21	LSL
BVRB069	21	22	LSL
BVRB069	22	23	LSL
BVRB069	23	24	LSL
BVRB069	24	25	LSL
BVRB069	25	26	LSL
BVRB069	26	27	SFW
BVRB069	27	28	SFW
BVRB069	28	29	SCT
BVRB069	29	30	SCT
BVRB069	30	31	SCT
BVRB069	31	32	SCT
BVRB069	32	33	SCT
BVRB069	33	34	SCT
BVRB070	0	1	OTS
BVRB070	1	2	OTP
BVRB070	2	3	OTP
BVRB070	3	4	OTP
BVRB070	4	5	OTP
BVRB070	5	6	LSU
BVRB070	6	7	LSU
BVRB070	7	8	LSU
BVRB070	8	9	LSU
BVRB070	9	10	LSU
BVRB070	10	11	LSU
BVRB070	11	12	LSU
BVRB070	12	13	LSU
BVRB070	13	14	LSU
BVRB070	14	15	LSU
BVRB070	15	16	LSU
BVRB070	16	17	LSU
BVRB070	17	18	LSU
BVRB070	18	19	LSU
BVRB070	19	20	LSU
BVRB070	20	21	LSU
BVRB070	21	22	LSU
BVRB070	22	23	LSU
BVRB070	23	24	LSU
BVRB070	24	25	LSU
BVRB070	25	26	LSL
BVRB070	26	27	LSL

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB070	27	28	LSL
BVRB070	28	29	LSL
BVRB070	29	30	LSL
BVRB070	30	31	LSL
BVRB070	31	32	LSL
BVRB070	32	33	LSL
BVRB070	33	34	LSL
BVRB070	34	35	LSL
BVRB070	35	36	SFW
BVRB070	36	37	SFW
BVRB071	0	1	OTS
BVRB071	1	2	OTP
BVRB071	2	3	OTP
BVRB071	3	4	OTP
BVRB071	4	5	OTP
BVRB071	5	6	LSU
BVRB071	6	7	LSU
BVRB071	7	8	LSU
BVRB071	8	9	LSU
BVRB071	9	10	LSU
BVRB071	10	11	LSU
BVRB071	11	12	LSU
BVRB071	12	13	LSU
BVRB071	13	14	LSU
BVRB071	14	15	LSU
BVRB071	15	16	LSU
BVRB071	16	17	LSU
BVRB071	17	18	LSU
BVRB071	18	19	LSU
BVRB071	19	20	LSL
BVRB071	20	21	LSL
BVRB071	21	22	LSL
BVRB071	22	23	LSL
BVRB071	23	24	LSL
BVRB071	24	25	LSL
BVRB071	25	26	VQ
BVRB071	26	27	SFW
BVRB071	27	28	SFW
BVRB071	28	29	SFW
BVRB071	29	30	SFW
BVRB071	30	31	SFW
BVRB071	31	32	SFW
BVRB071	32	33	SFW
BVRB071	33	34	SFW
BVRB072	0	1	OTS
BVRB072	1	2	OTP
BVRB072	2	3	OTP
BVRB072	3	4	OTP
BVRB072	4	5	OTP
BVRB072	5	6	LSL
BVRB072	6	7	LSL
BVRB072	7	8	LSL
BVRB072	8	9	LSL
BVRB072	9	10	LSL
BVRB072	10	11	LSL
BVRB072	11	12	LSL

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB072	12	13	LSL
BVRB072	13	14	GTO
BVRB072	14	15	GTO
BVRB072	15	16	GTO
BVRB072	16	17	GTO
BVRB072	17	18	GTO
BVRB072	18	19	GTO
BVRB072	19	20	GTO
BVRB073	0	1	OTS
BVRB073	1	2	OTP
BVRB073	2	3	OTP
BVRB073	3	4	OTP
BVRB073	4	5	OTP
BVRB073	5	6	LSU
BVRB073	6	7	LSU
BVRB073	7	8	LSU
BVRB073	8	9	LSU
BVRB073	9	10	LSU
BVRB073	10	11	LSU
BVRB073	11	12	LSU
BVRB073	12	13	LSL
BVRB073	13	14	LSL
BVRB073	14	15	LSL
BVRB073	15	16	LSL
BVRB073	16	17	LSL
BVRB073	17	18	LSL
BVRB073	18	19	GTO
BVRB073	19	20	GTO
BVRB073	20	21	GTO
BVRB073	21	22	GTO
BVRB073	22	23	GTO
BVRB073	23	24	GTO
BVRB073	24	25	GTO
BVRB074	0	1	OTS
BVRB074	1	2	OTP
BVRB074	2	3	OTP
BVRB074	3	4	OTP
BVRB074	4	5	OTP
BVRB074	5	6	OTP
BVRB074	6	7	LSU
BVRB074	7	8	LSU
BVRB074	8	9	LSU
BVRB074	9	10	LSU
BVRB074	10	11	LSU
BVRB074	11	12	LSU
BVRB074	12	13	LSU
BVRB074	13	14	LSU
BVRB074	14	15	LSU
BVRB074	15	16	LSU
BVRB074	16	17	LSU
BVRB074	17	18	LSU
BVRB074	18	19	LSU
BVRB074	19	20	LSU
BVRB074	20	21	LSL
BVRB074	21	22	GTO
BVRB074	22	23	GTO

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB074	23	24	GTO
BVRB074	24	25	GTO
BVRB074	25	26	GTO
BVRB074	26	27	GTO
BVRB075	0	1	OTS
BVRB075	1	2	OTP
BVRB075	2	3	OTP
BVRB075	3	4	OTP
BVRB075	4	5	OTP
BVRB075	5	6	LSU
BVRB075	6	7	LSU
BVRB075	7	8	LSU
BVRB075	8	9	LSU
BVRB075	9	10	LSU
BVRB075	10	11	LSU
BVRB075	11	12	LSU
BVRB075	12	13	LSU
BVRB075	13	14	LSU
BVRB075	14	15	LSU
BVRB075	15	16	LSU
BVRB075	16	17	LSU
BVRB075	17	18	LSU
BVRB075	18	19	LSU
BVRB075	19	20	LSU
BVRB075	20	21	LSU
BVRB075	21	22	LSL
BVRB075	22	23	LSL
BVRB075	23	24	LSL
BVRB075	24	25	LSL
BVRB075	25	26	LSL
BVRB075	26	27	SHL
BVRB075	27	28	SHL
BVRB076	0	1	OTS
BVRB076	1	2	OTP
BVRB076	2	3	LSL
BVRB076	3	4	LSL
BVRB076	4	5	LSL
BVRB076	5	6	LSL
BVRB076	6	7	LSL
BVRB076	7	8	SCT
BVRB076	8	9	SCT
BVRB076	9	10	SCT
BVRB077	0	1	OTS
BVRB077	1	2	OTP
BVRB077	2	3	OTP
BVRB077	3	4	OTP
BVRB077	4	5	MD
BVRB077	5	6	MD
BVRB077	6	7	MD
BVRB078	0	1	OTWS
BVRB078	1	2	OTP
BVRB078	2	3	OTP
BVRB078	3	4	OTP
BVRB078	4	5	LSU
BVRB078	5	6	LSL
BVRB078	6	7	LSL

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB078	7	8	SCT
BVRB078	8	9	SCT
BVRB078	9	10	SCT
BVRB078	10	11	SCT
BVRB078	11	12	SCT
BVRB078	12	13	SCT
BVRB079	0	1	OTA
BVRB079	1	2	OTA
BVRB079	2	3	LSL
BVRB079	3	4	MG
BVRB079	4	5	MG
BVRB079	5	6	MG
BVRB079	6	7	MG
BVRB080	0	1	OTC
BVRB080	1	2	OTC
BVRB080	2	3	MG
BVRB080	3	4	MG
BVRB080	4	5	MG
BVRB080	5	6	MG
BVRB080	6	7	MG
BVRB081	0	1	OTC
BVRB081	1	2	LSL
BVRB081	2	3	MG
BVRB081	3	4	MG
BVRB081	4	5	MG
BVRB081	5	6	MG
BVRB081	6	7	MG
BVRB082	0	1	OTC
BVRB082	1	2	MG
BVRB082	2	3	MG
BVRB082	3	4	MG
BVRB082	4	5	MG
BVRB082	5	6	MG
BVRB083	0	1	OTC
BVRB083	1	2	MG
BVRB083	2	3	MG
BVRB083	3	4	MG
BVRB083	4	5	MG
BVRB084	0	1	OTA
BVRB084	1	2	LSL
BVRB084	2	3	LSL
BVRB084	3	4	MGQ
BVRB084	4	5	MGQ
BVRB084	5	6	MGQ
BVRB085	0	1	OTA
BVRB085	1	2	LSL
BVRB085	2	3	LSL
BVRB085	3	4	MG
BVRB085	4	5	MG
BVRB086	0	1	OTC
BVRB086	1	2	OTP
BVRB086	2	3	OTP
BVRB086	3	4	MG
BVRB086	4	5	MG
BVRB087	0	1	OTWS
BVRB087	1	2	OTP

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB087	2	3	OTP
BVRB087	3	4	OTP
BVRB087	4	5	MD
BVRB087	5	6	MD
BVRB087	6	7	MD
BVRB088	0	1	OTSW
BVRB088	1	2	OTP
BVRB088	2	3	OTP
BVRB088	3	4	OTP
BVRB088	4	5	MD
BVRB088	5	6	MD
BVRB088	6	7	MD
BVRB089	0	1	OTWS
BVRB089	1	2	OTP
BVRB089	2	3	MD
BVRB089	3	4	MD
BVRB089	4	5	MD
BVRB090	0	1	OTWS
BVRB090	1	2	OTP
BVRB090	2	3	OTP
BVRB090	3	4	LSL
BVRB090	4	5	MD
BVRB090	5	6	MD
BVRB091	0	1	OTC
BVRB091	1	2	OTC
BVRB091	2	3	MD
BVRB091	3	4	MD
BVRB091	4	5	MD
BVRB092	0	1	MG
BVRB092	1	2	MG
BVRB093	0	1	OTC
BVRB093	1	2	MD
BVRB093	2	3	MD
BVRB094	0	1	OTA
BVRB094	1	2	GTO
BVRB094	2	3	GTO
BVRB094	3	4	GTO
BVRB094	4	5	GTO
BVRB095	0	1	OTA
BVRB095	1	2	LSL
BVRB095	2	3	LSL
BVRB095	3	4	LSL
BVRB095	4	5	GTO
BVRB095	5	6	GTO
BVRB095	6	7	GTO
BVRB095	7	8	GTO
BVRB095	8	9	GTO
BVRB095	9	10	GTO
BVRB095	10	11	GTO
BVRB095	11	12	GTO
BVRB095	12	13	GTO
BVRB095	13	14	GTO
BVRB095	14	15	GTO
BVRB096	0	1	OTA
BVRB096	1	2	OTA
BVRB096	2	3	OTA

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB096	3	4	OTA
BVRB096	4	5	OTA
BVRB096	5	6	LSL
BVRB096	6	7	LSL
BVRB096	7	8	LSL
BVRB096	8	9	LSL
BVRB096	9	10	GTO
BVRB096	10	11	GTO
BVRB096	11	12	GTO
BVRB096	12	13	GTO
BVRB096	13	14	GTO
BVRB096	14	15	GTO
BVRB096	15	16	GTO
BVRB097	0	1	OTA
BVRB097	1	2	OTP
BVRB097	2	3	OTP
BVRB097	3	4	LSL
BVRB097	4	5	LSL
BVRB097	5	6	LSL
BVRB097	6	7	LSL
BVRB097	7	8	LSL
BVRB097	8	9	LSL
BVRB097	9	10	GTO
BVRB097	10	11	GTO
BVRB097	11	12	GTO
BVRB097	12	13	GTO
BVRB097	13	14	GTO
BVRB097	14	15	GTO
BVRB097	15	16	GTO
BVRB097	16	17	GTO
BVRB097	17	18	GTO
BVRB097	18	19	GTO
BVRB098	0	1	OTA
BVRB098	1	2	OTP
BVRB098	2	3	OTP
BVRB098	3	4	OTP
BVRB098	4	5	OTP
BVRB098	5	6	OTP
BVRB098	6	7	OTP
BVRB098	7	8	OTP
BVRB098	8	9	OTP
BVRB098	9	10	LSU
BVRB098	10	11	LSU
BVRB098	11	12	LSU
BVRB098	12	13	LSU
BVRB098	13	14	LSU
BVRB098	14	15	LSU
BVRB098	15	16	LSU
BVRB098	16	17	LSU
BVRB098	17	18	LSU
BVRB098	18	19	LSU
BVRB098	19	20	LSU
BVRB098	20	21	LSU
BVRB098	21	22	LSL
BVRB098	22	23	MGQ
BVRB098	23	24	MGQ

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB098	24	25	MGQ
BVRB098	25	26	MGQ
BVRB098	26	27	MGQ
BVRB098	27	28	MGQ
BVRB099	0	1	OTA
BVRB099	1	2	OTA
BVRB099	2	3	OTA
BVRB099	3	4	OTA
BVRB099	4	5	OTA
BVRB099	5	6	LSU
BVRB099	6	7	LSL
BVRB099	7	8	LSL
BVRB099	8	9	LSL
BVRB099	9	10	LSU
BVRB099	10	11	LSU
BVRB099	11	12	LSU
BVRB099	12	13	LSU
BVRB099	13	14	LSU
BVRB099	14	15	LSU
BVRB099	15	16	LSU
BVRB099	16	17	LSU
BVRB099	17	18	LSU
BVRB099	18	19	LSU
BVRB099	19	20	LSL
BVRB099	20	21	LSL
BVRB099	21	22	LSL
BVRB099	22	23	LSL
BVRB099	23	24	LSL
BVRB099	24	25	LSL
BVRB099	25	26	LSL
BVRB099	26	27	LSL
BVRB099	27	28	SFW
BVRB099	28	29	SFW
BVRB100	0	1	OTWS
BVRB100	1	2	OTP
BVRB100	2	3	OTP
BVRB100	3	4	OTP
BVRB100	4	5	OTP
BVRB100	5	6	LSU
BVRB100	6	7	LSU
BVRB100	7	8	LSU
BVRB100	8	9	LSL
BVRB100	9	10	LSL
BVRB100	10	11	LSL
BVRB100	11	12	LSL
BVRB100	12	13	LSL
BVRB100	13	14	LSL
BVRB100	14	15	LSL
BVRB100	15	16	LSL
BVRB100	16	17	LSL
BVRB100	17	18	LSL
BVRB100	18	19	LSL
BVRB100	19	20	LSL
BVRB100	20	21	LSL
BVRB100	21	22	LSL
BVRB100	22	23	LSL



Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB100	23	24	SFW
BVRB101	0	1	OTA
BVRB101	1	2	OTA
BVRB101	2	3	OTA
BVRB101	3	4	LSL
BVRB101	4	5	LSL
BVRB101	5	6	LSL
BVRB101	6	7	LSL
BVRB101	7	8	SFW
BVRB102	0	1	OTA
BVRB102	1	2	OTA
BVRB102	2	3	OTA
BVRB102	3	4	OTA
BVRB102	4	5	SHL
BVRB102	5	6	SHL
BVRB102	6	7	SHL
BVRB103	0	1	OTA
BVRB103	1	2	OTA
BVRB103	2	3	OTA
BVRB103	3	4	OTA
BVRB103	4	5	LSU
BVRB103	5	6	LSU
BVRB103	6	7	SFW
BVRB103	7	8	SFW
BVRB104	0	1	OTA
BVRB104	1	2	OTA
BVRB104	2	3	OTA
BVRB104	3	4	OTA
BVRB104	4	5	LSU
BVRB104	5	6	LSU
BVRB104	6	7	LSU
BVRB104	7	8	LSU
BVRB104	8	9	LSU
BVRB104	9	10	LSU
BVRB104	10	11	LSL
BVRB104	11	12	LSL
BVRB104	12	13	LSL
BVRB104	13	14	LSL
BVRB104	14	15	LSL
BVRB104	15	16	MG
BVRB104	16	17	MG
BVRB105	0	1	OTA
BVRB105	1	2	LSL
BVRB105	2	3	LSL
BVRB105	3	4	LSL
BVRB105	4	5	LSL
BVRB105	5	6	LSL
BVRB105	6	7	LSL
BVRB105	7	8	LSL
BVRB105	8	9	LSL
BVRB105	9	10	LSL
BVRB105	10	11	MG
BVRB105	11	12	MG
BVRB105	12	13	MG
BVRB106	0	1	OTA
BVRB106	1	2	LSL

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB106	2	3	LSL
BVRB106	3	4	LSL
BVRB106	4	5	LSL
BVRB106	5	6	LSL
BVRB106	6	7	LSL
BVRB106	7	8	LSL
BVRB106	8	9	LSL
BVRB106	9	10	LSL
BVRB106	10	11	MG
BVRB106	11	12	MG
BVRB107	0	1	OTA
BVRB107	1	2	LSL
BVRB107	2	3	LSL
BVRB107	3	4	LSL
BVRB107	4	5	LSL
BVRB107	5	6	LSL
BVRB107	6	7	LSL
BVRB107	7	8	LSL
BVRB107	8	9	MG
BVRB107	9	10	MG
BVRB107	10	11	MG
BVRB108	0	1	OTA
BVRB108	1	2	MD
BVRB108	2	3	MD
BVRB108	3	4	MD
BVRB109	0	1	OTA
BVRB109	1	2	MG
BVRB109	2	3	MG
BVRB109	3	4	MG
BVRB110	0	1	OTA
BVRB110	1	2	LSL
BVRB110	2	3	MD
BVRB110	3	4	MD
BVRB110	4	5	MD
BVRB110	5	6	MD
BVRB110	6	7	MD
BVRB111	0	1	OTA
BVRB111	1	2	LSL
BVRB111	2	3	LSL
BVRB111	3	4	MD
BVRB111	4	5	MD
BVRB111	5	6	MD
BVRB111	6	7	MD
BVRB111	7	8	MD
BVRB111	8	9	MD
BVRB111	9	10	MD
BVRB111	10	11	MD
BVRB112	0	1	OTA
BVRB112	1	2	MD
BVRB112	2	3	MD
BVRB113	0	1	OTA
BVRB113	1	2	MD
BVRB113	2	3	MD
BVRB114	0	1	MD
BVRB115	0	1	OTC
BVRB115	1	2	MD

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB115	2	3	MD
BVRB116	0	1	OTC
BVRB116	1	2	MD
BVRB116	2	3	MD
BVRB117	0	1	OTC
BVRB117	1	2	LSL
BVRB117	2	3	MD
BVRB117	3	4	MD
BVRB117	4	5	MD
BVRB117	5	6	MD
BVRB118	0	1	OTC
BVRB118	1	2	LSL
BVRB118	2	3	MGQ
BVRB118	3	4	MGQ
BVRB118	4	5	MGQ
BVRB118	5	6	MGQ
BVRB119	0	1	OTC
BVRB119	1	2	LSL
BVRB119	2	3	MGQ
BVRB119	3	4	MGQ
BVRB119	4	5	MGQ
BVRB119	5	6	MGQ
BVRB119	6	7	MGQ
BVRB119	7	8	MGQ
BVRB119	8	9	MGQ
BVRB119	9	10	MGQ
BVRB119	10	11	MGQ
BVRB119	11	12	MGQ
BVRB119	12	13	MGQ
BVRB120	0	1	OTC
BVRB120	1	2	LSL
BVRB120	2	3	LSL
BVRB120	3	4	GTO
BVRB120	4	5	GTO
BVRB120	5	6	GTO
BVRB120	6	7	GTO
BVRB120	7	8	GTO
BVRB120	8	9	GTO
BVRB120	9	10	GTO
BVRB121	0	1	OTC
BVRB121	1	2	LSL
BVRB121	2	3	GTO
BVRB121	3	4	GTO
BVRB121	4	5	GTO
BVRB121	5	6	GTO
BVRB121	6	7	GTO
BVRB122	0	1	OTC
BVRB122	1	2	OTC
BVRB122	2	3	OTC
BVRB122	3	4	LSU
BVRB122	4	5	LSU
BVRB122	5	6	LSU
BVRB122	6	7	LSU
BVRB122	7	8	LSU
BVRB122	8	9	LSU
BVRB122	9	10	LSU

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB122	10	11	LSU
BVRB122	11	12	LSL
BVRB122	12	13	LSL
BVRB122	13	14	LSL
BVRB122	14	15	SFW
BVRB122	15	16	SFW
BVRB123	0	1	OTC
BVRB123	1	2	OTC
BVRB123	2	3	OTC
BVRB123	3	4	OTC
BVRB123	4	5	LSU
BVRB123	5	6	LSU
BVRB123	6	7	LSU
BVRB123	7	8	LSU
BVRB123	8	9	LSU
BVRB123	9	10	LSU
BVRB123	10	11	LSL
BVRB123	11	12	SSL
BVRB123	12	13	SSL
BVRB123	13	14	SSL
BVRB124	0	1	OTA
BVRB124	1	2	OTP
BVRB124	2	3	OTP
BVRB124	3	4	OTP
BVRB124	4	5	OTP
BVRB124	5	6	LSU
BVRB124	6	7	LSU
BVRB124	7	8	LSU
BVRB124	8	9	LSL
BVRB124	9	10	LSL
BVRB124	10	11	LSL
BVRB124	11	12	LSL
BVRB124	12	13	LSL
BVRB124	13	14	LSL
BVRB124	14	15	SFW
BVRB125	0	1	OTC
BVRB125	1	2	OTP
BVRB125	2	3	OTP
BVRB125	3	4	OTP
BVRB125	4	5	OTP
BVRB125	5	6	OTP
BVRB125	6	7	LSU
BVRB125	7	8	LSU
BVRB125	8	9	LSU
BVRB125	9	10	LSL
BVRB125	10	11	SHL
BVRB125	11	12	SHL
BVRB125	12	13	SHL
BVRB126	0	1	OTS
BVRB126	1	2	OTP
BVRB126	2	3	OTP
BVRB126	3	4	OTP
BVRB126	4	5	OTP
BVRB126	5	6	LSU
BVRB126	6	7	LSU
BVRB126	7	8	LSU

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB126	8	9	LSL
BVRB126	9	10	LSL
BVRB126	10	11	LSL
BVRB126	11	12	SHL
BVRB126	12	13	SHL
BVRB127	0	1	OTS
BVRB127	1	2	OTS
BVRB127	2	3	OTS
BVRB127	3	4	LSL
BVRB127	4	5	LSL
BVRB127	5	6	LSL
BVRB127	6	7	LSL
BVRB127	7	8	SHL
BVRB127	8	9	SHL
BVRB127	9	10	SHL
BVRB127	10	11	SHL
BVRB128	0	1	OTA
BVRB128	1	2	OTA
BVRB128	2	3	OTA
BVRB128	3	4	LSL
BVRB128	4	5	LSL
BVRB128	5	6	LSL
BVRB128	6	7	LSL
BVRB128	7	8	LSL
BVRB128	8	9	LSL
BVRB128	9	10	LSL
BVRB128	10	11	LSL
BVRB128	11	12	LSL
BVRB128	12	13	LSL
BVRB128	13	14	LSL
BVRB128	14	15	LSL
BVRB128	15	16	MGQ
BVRB128	16	17	MGQ
BVRB128	17	18	MGQ
BVRB128	18	19	MGQ
BVRB128	19	20	MGQ
BVRB128	20	21	MGQ
BVRB128	21	22	MGQ
BVRB128	22	23	MGQ
BVRB128	23	24	MGQ
BVRB128	24	25	MGQ
BVRB129	0	1	OTA
BVRB129	1	2	OTA
BVRB129	2	3	LSU
BVRB129	3	4	LSU
BVRB129	4	5	LSU
BVRB129	5	6	LSU
BVRB129	6	7	LSU
BVRB129	7	8	LSU
BVRB129	8	9	LSU
BVRB129	9	10	LSU
BVRB129	10	11	LSU
BVRB129	11	12	LSU
BVRB129	12	13	LSU
BVRB129	13	14	LSU
BVRB129	14	15	LSU

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB129	15	16	LSU
BVRB129	16	17	LSU
BVRB129	17	18	LSU
BVRB129	18	19	LSU
BVRB129	19	20	LSU
BVRB129	20	21	LSL
BVRB129	21	22	LSL
BVRB129	22	23	LSL
BVRB129	23	24	LSL
BVRB129	24	25	SHL
BVRB129	25	26	SHL
BVRB129	26	27	SHL
BVRB129	27	28	SHL
BVRB129	28	29	SHL
BVRB130	0	1	OTA
BVRB130	1	2	OTA
BVRB130	2	3	LSU
BVRB130	3	4	LSU
BVRB130	4	5	LSU
BVRB130	5	6	LSU
BVRB130	6	7	LSU
BVRB130	7	8	LSL
BVRB130	8	9	LSL
BVRB130	9	10	LSL
BVRB130	10	11	SCT
BVRB130	11	12	SCT
BVRB130	12	13	SCT
BVRB131	0	1	OTA
BVRB131	1	2	LSL
BVRB131	2	3	LSL
BVRB131	3	4	LSL
BVRB131	4	5	LSL
BVRB131	5	6	LSL
BVRB131	6	7	LSL
BVRB131	7	8	LSL
BVRB131	8	9	LSL
BVRB131	9	10	LSL
BVRB131	10	11	LSL
BVRB131	11	12	VQ
BVRB131	12	13	SFW
BVRB131	13	14	SFW
BVRB131	14	15	SFW
BVRB131	15	16	SFW
BVRB131	16	17	SFW
BVRB131	17	18	SFW
BVRB131	18	19	SFW
BVRB132	0	1	OTA
BVRB132	1	2	LSU
BVRB132	2	3	LSU
BVRB132	3	4	LSU
BVRB132	4	5	LSU
BVRB132	5	6	LSU
BVRB132	6	7	LSU
BVRB132	7	8	LSU
BVRB132	8	9	LSU
BVRB132	9	10	LSU

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB132	10	11	LSU
BVRB132	11	12	LSU
BVRB132	12	13	SFW
BVRB132	13	14	SFW
BVRB132	14	15	SFW
BVRB132	15	16	SFW
BVRB132	16	17	SFW
BVRB133	0	1	OTPR
BVRB133	1	2	LSU
BVRB133	2	3	LSU
BVRB133	3	4	LSU
BVRB133	4	5	LSU
BVRB133	5	6	LSU
BVRB133	6	7	LSU
BVRB133	7	8	LSU
BVRB133	8	9	LSL
BVRB133	9	10	LSL
BVRB133	10	11	LSL
BVRB133	11	12	SSL
BVRB133	12	13	SSL
BVRB133	13	14	SSL
BVRB133	14	15	SSL
BVRB134	0	1	OTPR
BVRB134	1	2	LSU
BVRB134	2	3	LSU
BVRB134	3	4	LSU
BVRB134	4	5	LSU
BVRB134	5	6	LSU
BVRB134	6	7	LSU
BVRB134	7	8	LSU
BVRB134	8	9	LSU
BVRB134	9	10	LSU
BVRB134	10	11	LSL
BVRB134	11	12	LSL
BVRB134	12	13	SSL
BVRB134	13	14	SSL
BVRB135	0	1	OTPR
BVRB135	1	2	LSU
BVRB135	2	3	LSU
BVRB135	3	4	LSU
BVRB135	4	5	LSU
BVRB135	5	6	SHL
BVRB135	6	7	SHL
BVRB135	7	8	SHL
BVRB135	8	9	SHL
BVRB135	9	10	SHL
BVRB135	10	11	SHL
BVRB135	11	12	SSL
BVRB135	12	13	SFW
BVRB135	13	14	SFW
BVRB135	14	15	SFW
BVRB135	15	16	SFW
BVRB135	16	17	SHL
BVRB135	17	18	SHL
BVRB135	18	19	SHL
BVRB136	0	1	OTPR

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB136	1	2	LSU
BVRB136	2	3	LSU
BVRB136	3	4	LSU
BVRB136	4	5	LSU
BVRB136	5	6	LSU
BVRB136	6	7	LSU
BVRB136	7	8	LSU
BVRB136	8	9	LSU
BVRB136	9	10	LSU
BVRB136	10	11	LSU
BVRB136	11	12	LSU
BVRB136	12	13	LSU
BVRB136	13	14	LSU
BVRB136	14	15	LSU
BVRB136	15	16	LSU
BVRB136	16	17	LSU
BVRB136	17	18	LSU
BVRB136	18	19	LSU
BVRB136	19	20	SHL
BVRB136	20	21	SHL
BVRB136	21	22	SFW
BVRB136	22	23	SHL
BVRB136	23	24	SHL
BVRB136	24	25	SHL
BVRB136	25	26	SHL
BVRB137	0	1	OTL
BVRB137	1	2	OTP
BVRB137	2	3	OTP
BVRB137	3	4	OTP
BVRB137	4	5	OTP
BVRB137	5	6	LSU
BVRB137	6	7	LSU
BVRB137	7	8	LSL
BVRB137	8	9	LSL
BVRB137	9	10	LSL
BVRB137	10	11	LSL
BVRB137	11	12	LSL
BVRB137	12	13	LSL
BVRB137	13	14	MMB
BVRB137	14	15	MMB
BVRB137	15	16	MMB
BVRB137	16	17	MMB
BVRB137	17	18	MMB
BVRB137	18	19	MMB
BVRB138	0	1	OTL
BVRB138	1	2	LF
BVRB138	2	3	LF
BVRB138	3	4	LF
BVRB138	4	5	LF
BVRB138	5	6	OTP
BVRB138	6	7	OTP
BVRB138	7	8	OTP
BVRB138	8	9	OTP
BVRB138	9	10	OTP
BVRB138	10	11	LSU
BVRB138	11	12	LSU



Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB138	12	13	LSU
BVRB138	13	14	LSU
BVRB138	14	15	LSU
BVRB138	15	16	LSU
BVRB138	16	17	LSU
BVRB138	17	18	LSU
BVRB138	18	19	LSU
BVRB138	19	20	LSU
BVRB138	20	21	LSU
BVRB138	21	22	LSU
BVRB138	22	23	LSU
BVRB138	23	24	LSU
BVRB138	24	25	LSU
BVRB138	25	26	LSU
BVRB138	26	27	LSU
BVRB138	27	28	LSU
BVRB138	28	29	LSU
BVRB138	29	30	LSU
BVRB138	30	31	LSU
BVRB138	31	32	LSU
BVRB138	32	33	LSU
BVRB138	33	34	LSU
BVRB138	34	35	LSU
BVRB138	35	36	LSU
BVRB138	36	37	LSL
BVRB138	37	38	LSL
BVRB138	38	39	LSL
BVRB138	39	40	MB
BVRB138	40	41	MB
BVRB138	41	42	MB
BVRB138	42	43	MB
BVRB138	43	44	MB
BVRB138	44	45	MB
BVRB139	0	1	OTL
BVRB139	1	2	OTL
BVRB139	2	3	OTP
BVRB139	3	4	OTP
BVRB139	4	5	OTP
BVRB139	5	6	OTP
BVRB139	6	7	OTP
BVRB139	7	8	OTP
BVRB139	8	9	OTP
BVRB139	9	10	OTP
BVRB139	10	11	OTP
BVRB139	11	12	OTP
BVRB139	12	13	LSU
BVRB139	13	14	LSU
BVRB139	14	15	LSU
BVRB139	15	16	LSU
BVRB139	16	17	LSU
BVRB139	17	18	LSU
BVRB139	18	19	LSU
BVRB139	19	20	LSU
BVRB139	20	21	LSU
BVRB139	21	22	LSU
BVRB139	22	23	LSU

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB139	23	24	LSU
BVRB139	24	25	LSU
BVRB139	25	26	LSU
BVRB139	26	27	LSU
BVRB139	27	28	LSU
BVRB139	28	29	LSU
BVRB139	29	30	LSU
BVRB139	30	31	LSU
BVRB139	31	32	LSU
BVRB139	32	33	LSU
BVRB139	33	34	LSL
BVRB139	34	35	LSL
BVRB139	35	36	LSL
BVRB139	36	37	LSL
BVRB139	37	38	LSL
BVRB139	38	39	MMB
BVRB139	39	40	MMB
BVRB139	40	41	MMB
BVRB139	41	42	MMB
BVRB139	42	43	MMB
BVRB140	0	1	OTA
BVRB140	1	2	LSU
BVRB140	2	3	LSU
BVRB140	3	4	LSU
BVRB140	4	5	LSU
BVRB140	5	6	LSU
BVRB140	6	7	LSU
BVRB140	7	8	LSU
BVRB140	8	9	LSU
BVRB140	9	10	LSU
BVRB140	10	11	LSU
BVRB140	11	12	LSU
BVRB140	12	13	LSU
BVRB140	13	14	LSU
BVRB140	14	15	LSU
BVRB140	15	16	LSL
BVRB140	16	17	LSL
BVRB140	17	18	LSL
BVRB140	18	19	MMB
BVRB140	19	20	MMB
BVRB140	20	21	MMB
BVRB141	0	1	OTA
BVRB141	1	2	OTA
BVRB141	2	3	LSU
BVRB141	3	4	LSU
BVRB141	4	5	LSU
BVRB141	5	6	LSU
BVRB141	6	7	LSU
BVRB141	7	8	LSU
BVRB141	8	9	LSU
BVRB141	9	10	LSU
BVRB141	10	11	LSU
BVRB141	11	12	LSU
BVRB141	12	13	LSU
BVRB141	13	14	LSU
BVRB141	14	15	LSU

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB141	15	16	LSU
BVRB141	16	17	LSU
BVRB141	17	18	LSU
BVRB141	18	19	LSU
BVRB141	19	20	LSU
BVRB141	20	21	LSU
BVRB141	21	22	LSU
BVRB141	22	23	LSU
BVRB141	23	24	LSU
BVRB141	24	25	LSU
BVRB141	25	26	LSU
BVRB141	26	27	LSU
BVRB141	27	28	LSU
BVRB141	28	29	LSU
BVRB141	29	30	LSL
BVRB141	30	31	LSL
BVRB141	31	32	PQ
BVRB141	32	33	PQ
BVRB141	33	34	PQ
BVRB141	34	35	PQ
BVRB141	35	36	PQ
BVRB141	36	37	PQ
BVRB141	37	38	PQ
BVRB141	38	39	PQ
BVRB142	0	1	OTA
BVRB142	1	2	OTA
BVRB142	2	3	LSU
BVRB142	3	4	LSU
BVRB142	4	5	LSU
BVRB142	5	6	LSU
BVRB142	6	7	LSU
BVRB142	7	8	LSU
BVRB142	8	9	LSU
BVRB142	9	10	LSU
BVRB142	10	11	LSU
BVRB142	11	12	LSU
BVRB142	12	13	LSU
BVRB142	13	14	LSU
BVRB142	14	15	LSU
BVRB142	15	16	LSU
BVRB142	16	17	LSU
BVRB142	17	18	LSL
BVRB142	18	19	LSL
BVRB142	19	20	MMB
BVRB142	20	21	MMB
BVRB142	21	22	MMB
BVRB143	0	1	OTA
BVRB143	1	2	OTA
BVRB143	2	3	LSU
BVRB143	3	4	LSU
BVRB143	4	5	LSU
BVRB143	5	6	LSU
BVRB143	6	7	LSU
BVRB143	7	8	LSU
BVRB143	8	9	LSU
BVRB143	9	10	LSU

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB143	10	11	LSU
BVRB143	11	12	LSU
BVRB143	12	13	LSU
BVRB143	13	14	LSU
BVRB143	14	15	LSU
BVRB143	15	16	LSU
BVRB143	16	17	LSU
BVRB143	17	18	LSL
BVRB143	18	19	LSL
BVRB143	19	20	LSL
BVRB143	20	21	LSL
BVRB143	21	22	MMB
BVRB143	22	23	MMB
BVRB143	23	24	MMB
BVRB143	24	25	MMB
BVRB143	25	26	MMB
BVRB143	26	27	MMB
BVRB143	27	28	MMB
BVRB143	28	29	MMB
BVRB143	29	30	MMB
BVRB143	30	31	MMB
BVRB144	0	1	OTA
BVRB144	1	2	OTA
BVRB144	2	3	LSU
BVRB144	3	4	LSU
BVRB144	4	5	LSU
BVRB144	5	6	LSU
BVRB144	6	7	LSU
BVRB144	7	8	LSU
BVRB144	8	9	LSU
BVRB144	9	10	LSU
BVRB144	10	11	LSU
BVRB144	11	12	LSU
BVRB144	12	13	LSU
BVRB144	13	14	LSU
BVRB144	14	15	LSU
BVRB144	15	16	LSU
BVRB144	16	17	LSU
BVRB144	17	18	LSU
BVRB144	18	19	LSU
BVRB144	19	20	LSU
BVRB144	20	21	LSL
BVRB144	21	22	LSL
BVRB144	22	23	LSL
BVRB144	23	24	LSL
BVRB144	24	25	MB
BVRB144	25	26	MB
BVRB144	26	27	MB
BVRB144	27	28	MB
BVRB144	28	29	MB
BVRB144	29	30	MB
BVRB145	0	1	OTL
BVRB145	1	2	OTL
BVRB145	2	3	LSU
BVRB145	3	4	LSU
BVRB145	4	5	LSU

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB145	5	6	LSU
BVRB145	6	7	LSU
BVRB145	7	8	LSU
BVRB145	8	9	LSU
BVRB145	9	10	LSU
BVRB145	10	11	LSU
BVRB145	11	12	LSU
BVRB145	12	13	LSU
BVRB145	13	14	LSU
BVRB145	14	15	LSU
BVRB145	15	16	LSU
BVRB145	16	17	LSU
BVRB145	17	18	LSU
BVRB145	18	19	LSU
BVRB145	19	20	LSU
BVRB145	20	21	LSU
BVRB145	21	22	LSU
BVRB145	22	23	LSU
BVRB145	23	24	LSU
BVRB145	24	25	LSU
BVRB145	25	26	LSU
BVRB145	26	27	LSU
BVRB145	27	28	LSU
BVRB145	28	29	LSU
BVRB145	29	30	LSU
BVRB145	30	31	LSU
BVRB145	31	32	LSU
BVRB145	32	33	LSU
BVRB145	33	34	LSU
BVRB145	34	35	LSL
BVRB145	35	36	LSL
BVRB145	36	37	LSL
BVRB145	37	38	MMB
BVRB145	38	39	MMB
BVRB145	39	40	MMB
BVRB145	40	41	MMB
BVRB145	41	42	MMB
BVRB145	42	43	MMB
BVRB146	0	1	OTL
BVRB146	1	2	OTL
BVRB146	2	3	OTL
BVRB146	3	4	LSU
BVRB146	4	5	LSU
BVRB146	5	6	LSU
BVRB146	6	7	LSU
BVRB146	7	8	LSU
BVRB146	8	9	LSU
BVRB146	9	10	LSU
BVRB146	10	11	LSU
BVRB146	11	12	LSU
BVRB146	12	13	LSU
BVRB146	13	14	LSU
BVRB146	14	15	LSU
BVRB146	15	16	LSU
BVRB146	16	17	LSU
BVRB146	17	18	LSU

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB146	18	19	LSU
BVRB146	19	20	LSU
BVRB146	20	21	LSU
BVRB146	21	22	LSU
BVRB146	22	23	LSU
BVRB146	23	24	LSU
BVRB146	24	25	LSU
BVRB146	25	26	LSU
BVRB146	26	27	LSU
BVRB146	27	28	LSU
BVRB146	28	29	LSU
BVRB146	29	30	LSL
BVRB146	30	31	MMB
BVRB146	31	32	MMB
BVRB146	32	33	MMB
BVRB146	33	34	VQ
BVRB146	34	35	VQ
BVRB146	35	36	MMB
BVRB146	36	37	MMB
BVRB146	37	38	MMB
BVRB146	38	39	MMB
BVRB146	39	40	MMB
BVRB146	40	41	MMB
BVRB146	41	42	MMB
BVRB146	42	43	MMB
BVRB146	43	44	MMB
BVRB146	44	45	MMB
BVRB146	45	46	MMB
BVRB147	0	1	OTL
BVRB147	1	2	OTL
BVRB147	2	3	LSU
BVRB147	3	4	LSU
BVRB147	4	5	LSU
BVRB147	5	6	LSU
BVRB147	6	7	LSU
BVRB147	7	8	LSU
BVRB147	8	9	LSU
BVRB147	9	10	LSU
BVRB147	10	11	LSU
BVRB147	11	12	LSU
BVRB147	12	13	LSU
BVRB147	13	14	LSU
BVRB147	14	15	LSU
BVRB147	15	16	LSL
BVRB147	16	17	LSL
BVRB147	17	18	LSL
BVRB147	18	19	MB
BVRB147	19	20	MB
BVRB147	20	21	MB
BVRB148	0	1	OTL
BVRB148	1	2	OTL
BVRB148	2	3	OTL
BVRB148	3	4	LM
BVRB148	4	5	LM
BVRB148	5	6	LM
BVRB148	6	7	LM

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB148	7	8	LM
BVRB148	8	9	LM
BVRB148	9	10	LM
BVRB148	10	11	LM
BVRB148	11	12	LM
BVRB148	12	13	LM
BVRB148	13	14	LM
BVRB148	14	15	LSU
BVRB148	15	16	LSU
BVRB148	16	17	LSU
BVRB148	17	18	LSU
BVRB148	18	19	LSL
BVRB148	19	20	LSL
BVRB148	20	21	LSL
BVRB148	21	22	LSL
BVRB148	22	23	MB
BVRB148	23	24	MB
BVRB148	24	25	MB
BVRB149	0	1	OTL
BVRB149	1	2	OTL
BVRB149	2	3	OTL
BVRB149	3	4	LM
BVRB149	4	5	LM
BVRB149	5	6	LM
BVRB149	6	7	LM
BVRB149	7	8	LSU
BVRB149	8	9	LSU
BVRB149	9	10	LSU
BVRB149	10	11	LSU
BVRB149	11	12	LSU
BVRB149	12	13	LSU
BVRB149	13	14	LSU
BVRB149	14	15	LSU
BVRB149	15	16	LSU
BVRB149	16	17	LSU
BVRB149	17	18	LSU
BVRB149	18	19	LSU
BVRB149	19	20	LSU
BVRB149	20	21	LSU
BVRB149	21	22	LSU
BVRB149	22	23	LSU
BVRB149	23	24	LSU
BVRB149	24	25	LSU
BVRB149	25	26	LSU
BVRB149	26	27	LSU
BVRB149	27	28	LSU
BVRB149	28	29	LSU
BVRB149	29	30	LSU
BVRB149	30	31	LSU
BVRB149	31	32	LSU
BVRB149	32	33	LSU
BVRB149	33	34	LSU
BVRB149	34	35	LSL
BVRB149	35	36	LSL
BVRB149	36	37	LSL
BVRB149	37	38	LSL

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB149	38	39	LSL
BVRB149	39	40	LSL
BVRB149	40	41	LSL
BVRB149	41	42	MMB
BVRB149	42	43	MMB
BVRB149	43	44	MMB
BVRB149	44	45	MMB
BVRB149	45	46	MMB
BVRB149	46	47	MMB
BVRB149	47	48	MMB
BVRB150	0	1	OTL
BVRB150	1	2	LF
BVRB150	2	3	LF
BVRB150	3	4	LF
BVRB150	4	5	LM
BVRB150	5	6	LM
BVRB150	6	7	LM
BVRB150	7	8	LM
BVRB150	8	9	LM
BVRB150	9	10	LM
BVRB150	10	11	LM
BVRB150	11	12	LM
BVRB150	12	13	LM
BVRB150	13	14	LM
BVRB150	14	15	LM
BVRB150	15	16	LM
BVRB150	16	17	LSU
BVRB150	17	18	LSU
BVRB150	18	19	LSU
BVRB150	19	20	LSU
BVRB150	20	21	LSU
BVRB150	21	22	LSU
BVRB150	22	23	LSU
BVRB150	23	24	LSU
BVRB150	24	25	LSL
BVRB150	25	26	LSL
BVRB150	26	27	LSL
BVRB150	27	28	LSL
BVRB150	28	29	LSL
BVRB150	29	30	LSL
BVRB150	30	31	LSL
BVRB150	31	32	LSL
BVRB150	32	33	LSL
BVRB150	33	34	LSL
BVRB150	34	35	LSL
BVRB150	35	36	MMB
BVRB150	36	37	MMB
BVRB150	37	38	MMB
BVRB150	38	39	MMB
BVRB151	0	1	OTL
BVRB151	1	2	OTL
BVRB151	2	3	OTL
BVRB151	3	4	OTL
BVRB151	4	5	LSU
BVRB151	5	6	LSU
BVRB151	6	7	LSU



Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB151	7	8	LSU
BVRB151	8	9	LSU
BVRB151	9	10	LSU
BVRB151	10	11	LSU
BVRB151	11	12	LSU
BVRB151	12	13	LSU
BVRB151	13	14	LSU
BVRB151	14	15	LSU
BVRB151	15	16	LSU
BVRB151	16	17	LSU
BVRB151	17	18	LSU
BVRB151	18	19	LSU
BVRB151	19	20	LSU
BVRB151	20	21	LSU
BVRB151	21	22	LSU
BVRB151	22	23	LSU
BVRB151	23	24	LSU
BVRB151	24	25	LSU
BVRB151	25	26	LSU
BVRB151	26	27	LSU
BVRB151	27	28	LSU
BVRB151	28	29	LSU
BVRB151	29	30	LSU
BVRB151	30	31	LSL
BVRB151	31	32	LSL
BVRB151	32	33	LSL
BVRB151	33	34	MB
BVRB151	34	35	MB
BVRB151	35	36	MB
BVRB151	36	37	MB
BVRB151	37	38	MB
BVRB151	38	39	MB
BVRB152	0	1	OTL
BVRB152	1	2	OTP
BVRB152	2	3	OTP
BVRB152	3	4	OTP
BVRB152	4	5	LSU
BVRB152	5	6	LSU
BVRB152	6	7	LSU
BVRB152	7	8	LSU
BVRB152	8	9	LSU
BVRB152	9	10	LSU
BVRB152	10	11	LSU
BVRB152	11	12	LSU
BVRB152	12	13	LSU
BVRB152	13	14	LSU
BVRB152	14	15	LSU
BVRB152	15	16	LSU
BVRB152	16	17	LSU
BVRB152	17	18	LSU
BVRB152	18	19	LSU
BVRB152	19	20	LSU
BVRB152	20	21	LSU
BVRB152	21	22	LSU
BVRB152	22	23	LSU
BVRB152	23	24	LSU

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB152	24	25	LSU
BVRB152	25	26	LSU
BVRB152	26	27	LSU
BVRB152	27	28	LSU
BVRB152	28	29	LSU
BVRB152	29	30	LSU
BVRB152	30	31	LSU
BVRB152	31	32	LSU
BVRB152	32	33	LSL
BVRB152	33	34	LSL
BVRB152	34	35	LSL
BVRB152	35	36	LSL
BVRB152	36	37	MMB
BVRB152	37	38	MMB
BVRB152	38	39	MMB
BVRB152	39	40	MMB
BVRB152	40	41	MMB
BVRB152	41	42	MMB
BVRB153	0	1	OTL
BVRB153	1	2	OTP
BVRB153	2	3	OTP
BVRB153	3	4	OTP
BVRB153	4	5	LSU
BVRB153	5	6	LSU
BVRB153	6	7	LSU
BVRB153	7	8	LSU
BVRB153	8	9	LSU
BVRB153	9	10	LSU
BVRB153	10	11	LSU
BVRB153	11	12	LSU
BVRB153	12	13	LSU
BVRB153	13	14	LSU
BVRB153	14	15	LSU
BVRB153	15	16	LSU
BVRB153	16	17	LSU
BVRB153	17	18	LSU
BVRB153	18	19	LSU
BVRB153	19	20	LSU
BVRB153	20	21	LSU
BVRB153	21	22	LSU
BVRB153	22	23	LSU
BVRB153	23	24	LSU
BVRB153	24	25	LSU
BVRB153	25	26	LSU
BVRB153	26	27	LSU
BVRB153	27	28	LSU
BVRB153	28	29	LSU
BVRB153	29	30	LSU
BVRB153	30	31	LSL
BVRB153	31	32	LSL
BVRB153	32	33	LSL
BVRB153	33	34	LSL
BVRB153	34	35	LSL
BVRB153	35	36	LSL
BVRB153	36	37	LSL
BVRB153	37	38	MB

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB153	38	39	MB
BVRB153	39	40	MB
BVRB153	40	41	MB
BVRB154	0	1	OTL
BVRB154	1	2	OTP
BVRB154	2	3	OTP
BVRB154	3	4	OTP
BVRB154	4	5	OTP
BVRB154	5	6	OTP
BVRB154	6	7	LSU
BVRB154	7	8	LSU
BVRB154	8	9	LSU
BVRB154	9	10	LSU
BVRB154	10	11	LSU
BVRB154	11	12	LSU
BVRB154	12	13	LSU
BVRB154	13	14	LSU
BVRB154	14	15	LSU
BVRB154	15	16	LSU
BVRB154	16	17	LSU
BVRB154	17	18	LSU
BVRB154	18	19	LSU
BVRB154	19	20	LSU
BVRB154	20	21	LSU
BVRB154	21	22	LSU
BVRB154	22	23	LSU
BVRB154	23	24	LSU
BVRB154	24	25	LSU
BVRB154	25	26	LSU
BVRB154	26	27	LSU
BVRB154	27	28	LSU
BVRB154	28	29	LSL
BVRB154	29	30	LSL
BVRB154	30	31	MB
BVRB154	31	32	MB
BVRB154	32	33	MB
BVRB154	33	34	MB
BVRB154	34	35	MB
BVRB154	35	36	MB
BVRB155	0	1	OTL
BVRB155	1	2	OTP
BVRB155	2	3	OTP
BVRB155	3	4	OTP
BVRB155	4	5	OTP
BVRB155	5	6	OTP
BVRB155	6	7	OTP
BVRB155	7	8	OTP
BVRB155	8	9	LSU
BVRB155	9	10	LSU
BVRB155	10	11	LSU
BVRB155	11	12	LSU
BVRB155	12	13	LSU
BVRB155	13	14	LSU
BVRB155	14	15	LSU
BVRB155	15	16	LSU
BVRB155	16	17	LSU

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB155	17	18	LSU
BVRB155	18	19	LSU
BVRB155	19	20	LSU
BVRB155	20	21	LSU
BVRB155	21	22	LSU
BVRB155	22	23	LSU
BVRB155	23	24	LSU
BVRB155	24	25	LSU
BVRB155	25	26	LSU
BVRB155	26	27	LSU
BVRB155	27	28	LSU
BVRB155	28	29	LSU
BVRB155	29	30	LSU
BVRB155	30	31	LSU
BVRB155	31	32	LSU
BVRB155	32	33	LSU
BVRB155	33	34	LSU
BVRB155	34	35	LSU
BVRB155	35	36	LSU
BVRB155	36	37	LSU
BVRB155	37	38	LSU
BVRB155	38	39	LSU
BVRB155	39	40	LSU
BVRB155	40	41	LSL
BVRB155	41	42	LSL
BVRB155	42	43	LSL
BVRB155	43	44	LSL
BVRB155	44	45	MB
BVRB155	45	46	MB
BVRB155	46	47	MB
BVRB155	47	48	MB
BVRB155	48	49	MB
BVRB156	0	1	OTL
BVRB156	1	2	OTP
BVRB156	2	3	OTP
BVRB156	3	4	OTP
BVRB156	4	5	OTP
BVRB156	5	6	OTP
BVRB156	6	7	OTP
BVRB156	7	8	OTP
BVRB156	8	9	OTP
BVRB156	9	10	LSU
BVRB156	10	11	LSU
BVRB156	11	12	LSU
BVRB156	12	13	LSU
BVRB156	13	14	LSU
BVRB156	14	15	LSU
BVRB156	15	16	LSU
BVRB156	16	17	LSU
BVRB156	17	18	LSU
BVRB156	18	19	LSU
BVRB156	19	20	LSU
BVRB156	20	21	LSU
BVRB156	21	22	LSU
BVRB156	22	23	LSU
BVRB156	23	24	LSU

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB156	24	25	LSU
BVRB156	25	26	LSU
BVRB156	26	27	LSU
BVRB156	27	28	LSU
BVRB156	28	29	LSU
BVRB156	29	30	LSU
BVRB156	30	31	LSU
BVRB156	31	32	LSU
BVRB156	32	33	LSU
BVRB156	33	34	LSU
BVRB156	34	35	VQ
BVRB156	35	36	LSU
BVRB156	36	37	LSU
BVRB156	37	38	LSU
BVRB156	38	39	LSU
BVRB156	39	40	LSU
BVRB156	40	41	LSL
BVRB156	41	42	LSL
BVRB156	42	43	LSL
BVRB156	43	44	LSL
BVRB156	44	45	LSL
BVRB156	45	46	LSL
BVRB156	46	47	MMB
BVRB156	47	48	MMB
BVRB156	48	49	MMB
BVRB157	0	1	OTL
BVRB157	1	2	OTP
BVRB157	2	3	OTP
BVRB157	3	4	OTP
BVRB157	4	5	OTP
BVRB157	5	6	OTP
BVRB157	6	7	OTP
BVRB157	7	8	LSU
BVRB157	8	9	LSU
BVRB157	9	10	LSU
BVRB157	10	11	LSU
BVRB157	11	12	LSU
BVRB157	12	13	LSU
BVRB157	13	14	LSU
BVRB157	14	15	LSU
BVRB157	15	16	LSU
BVRB157	16	17	LSU
BVRB157	17	18	LSU
BVRB157	18	19	LSU
BVRB157	19	20	LSU
BVRB157	20	21	LSU
BVRB157	21	22	LSU
BVRB157	22	23	LSU
BVRB157	23	24	LSU
BVRB157	24	25	LSU
BVRB157	25	26	LSU
BVRB157	26	27	LSU
BVRB157	27	28	LSU
BVRB157	28	29	LSU
BVRB157	29	30	LSU
BVRB157	30	31	LSU

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB157	31	32	LSU
BVRB157	32	33	LSU
BVRB157	33	34	LSU
BVRB157	34	35	LSU
BVRB157	35	36	LSU
BVRB157	36	37	LSU
BVRB157	37	38	LSU
BVRB157	38	39	LSU
BVRB157	39	40	LSU
BVRB157	40	41	LSU
BVRB157	41	42	LSU
BVRB157	42	43	LSU
BVRB157	43	44	LSU
BVRB157	44	45	LSU
BVRB157	45	46	LSU
BVRB157	46	47	LSU
BVRB157	47	48	LSU
BVRB157	48	49	LSU
BVRB157	49	50	LSU
BVRB157	50	51	LSU
BVRB157	51	52	LSU
BVRB157	52	53	LSU
BVRB157	53	54	LSU
BVRB157	54	55	LSU
BVRB157	55	56	LSL
BVRB157	56	57	LSL
BVRB157	57	58	LSL
BVRB157	58	59	LSL
BVRB157	59	60	MB
BVRB157	60	61	MB
BVRB157	61	62	MB
BVRB157	62	63	MB
BVRB158	0	1	OTL
BVRB158	1	2	OTP
BVRB158	2	3	OTP
BVRB158	3	4	OTP
BVRB158	4	5	OTP
BVRB158	5	6	OTP
BVRB158	6	7	OTP
BVRB158	7	8	LSU
BVRB158	8	9	LSU
BVRB158	9	10	LSU
BVRB158	10	11	LSU
BVRB158	11	12	LSU
BVRB158	12	13	LSU
BVRB158	13	14	LSU
BVRB158	14	15	LSU
BVRB158	15	16	LSU
BVRB158	16	17	LSU
BVRB158	17	18	LSU
BVRB158	18	19	LSU
BVRB158	19	20	LSU
BVRB158	20	21	LSU
BVRB158	21	22	LSU
BVRB158	22	23	LSU
BVRB158	23	24	LSU

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB158	24	25	LSU
BVRB158	25	26	LSU
BVRB158	26	27	LSU
BVRB158	27	28	LSU
BVRB158	28	29	LSU
BVRB158	29	30	LSU
BVRB158	30	31	LSU
BVRB158	31	32	LSL
BVRB158	32	33	LSL
BVRB158	33	34	LSL
BVRB158	34	35	LSL
BVRB158	35	36	LSL
BVRB158	36	37	LSL
BVRB158	37	38	LSL
BVRB158	38	39	LSL
BVRB158	39	40	LSL
BVRB158	40	41	LSL
BVRB158	41	42	MMB
BVRB158	42	43	MMB
BVRB158	43	44	MMB
BVRB158	44	45	MMB
BVRB159	0	1	OTL
BVRB159	1	2	OTP
BVRB159	2	3	OTP
BVRB159	3	4	OTP
BVRB159	4	5	OTP
BVRB159	5	6	OTP
BVRB159	6	7	OTP
BVRB159	7	8	LSU
BVRB159	8	9	LSU
BVRB159	9	10	LSU
BVRB159	10	11	LSU
BVRB159	11	12	LSU
BVRB159	12	13	LSU
BVRB159	13	14	LSU
BVRB159	14	15	LSU
BVRB159	15	16	LSU
BVRB159	16	17	LSU
BVRB159	17	18	LSU
BVRB159	18	19	LSU
BVRB159	19	20	LSL
BVRB159	20	21	LSL
BVRB159	21	22	LSL
BVRB159	22	23	MMB
BVRB159	23	24	MMB
BVRB159	24	25	MMB
BVRB159	25	26	MMB
BVRB160	0	1	OTL
BVRB160	1	2	OTP
BVRB160	2	3	OTP
BVRB160	3	4	OTP
BVRB160	4	5	OTP
BVRB160	5	6	OTP
BVRB160	6	7	LSU
BVRB160	7	8	LSU
BVRB160	8	9	LSU

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB160	9	10	LSU
BVRB160	10	11	LSU
BVRB160	11	12	LSU
BVRB160	12	13	LSU
BVRB160	13	14	LSU
BVRB160	14	15	LSU
BVRB160	15	16	LSU
BVRB160	16	17	LSU
BVRB160	17	18	LSU
BVRB160	18	19	LSU
BVRB160	19	20	LSU
BVRB160	20	21	LSU
BVRB160	21	22	LSU
BVRB160	22	23	LSU
BVRB160	23	24	LSU
BVRB160	24	25	LSU
BVRB160	25	26	LSL
BVRB160	26	27	LSL
BVRB160	27	28	MB
BVRB160	28	29	MB
BVRB160	29	30	MB
BVRB160	30	31	MB
BVRB160	31	32	MB
BVRB161	0	1	OTL
BVRB161	1	2	OTP
BVRB161	2	3	OTP
BVRB161	3	4	OTP
BVRB161	4	5	OTP
BVRB161	5	6	LSU
BVRB161	6	7	LSU
BVRB161	7	8	LSU
BVRB161	8	9	LSU
BVRB161	9	10	LSU
BVRB161	10	11	LSU
BVRB161	11	12	LSU
BVRB161	12	13	LSU
BVRB161	13	14	LSU
BVRB161	14	15	LSU
BVRB161	15	16	LSU
BVRB161	16	17	LSU
BVRB161	17	18	LSU
BVRB161	18	19	LSU
BVRB161	19	20	LSU
BVRB161	20	21	LSU
BVRB161	21	22	LSU
BVRB161	22	23	LSU
BVRB161	23	24	LSU
BVRB161	24	25	LSL
BVRB161	25	26	LSL
BVRB161	26	27	LSL
BVRB161	27	28	LSL
BVRB161	28	29	LSL
BVRB161	29	30	LSL
BVRB161	30	31	LSL
BVRB161	31	32	LSL
BVRB161	32	33	LSL



Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB161	33	34	MB
BVRB161	34	35	MB
BVRB161	35	36	MB
BVRB161	36	37	MB
BVRB161	37	38	MB
BVRB161	38	39	MB
BVRB161	39	40	MB
BVRB161	40	41	MB
BVRB162	0	1	OTL
BVRB162	1	2	OTS
BVRB162	2	3	OTS
BVRB162	3	4	OTS
BVRB162	4	5	OTS
BVRB162	5	6	OTS
BVRB162	6	7	OTS
BVRB162	7	8	OTS
BVRB162	8	9	OTS
BVRB162	9	10	LM
BVRB162	10	11	LM
BVRB162	11	12	LM
BVRB162	12	13	LM
BVRB162	13	14	LM
BVRB162	14	15	LSU
BVRB162	15	16	LSU
BVRB162	16	17	LSU
BVRB162	17	18	LSU
BVRB162	18	19	LSU
BVRB162	19	20	LSU
BVRB162	20	21	LSU
BVRB162	21	22	LSU
BVRB162	22	23	LSU
BVRB162	23	24	LSU
BVRB162	24	25	LSU
BVRB162	25	26	LSU
BVRB162	26	27	LSU
BVRB162	27	28	LSU
BVRB162	28	29	LSU
BVRB162	29	30	LSU
BVRB162	30	31	LSL
BVRB162	31	32	LSL
BVRB162	32	33	MMB
BVRB162	33	34	MMB
BVRB162	34	35	MMB
BVRB162	35	36	MMB
BVRB162	36	37	MMB
BVRB162	37	38	MMB
BVRB162	38	39	MMB
BVRB162	39	40	MMB
BVRB162	40	41	MMB
BVRB163	0	1	OTL
BVRB163	1	2	OTL
BVRB163	2	3	LSU
BVRB163	3	4	LSU
BVRB163	4	5	LSU
BVRB163	5	6	LSU
BVRB163	6	7	LSU

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB163	7	8	LSU
BVRB163	8	9	LSU
BVRB163	9	10	LSU
BVRB163	10	11	LSU
BVRB163	11	12	LSU
BVRB163	12	13	LSU
BVRB163	13	14	LSU
BVRB163	14	15	LSU
BVRB163	15	16	LSU
BVRB163	16	17	LSU
BVRB163	17	18	LSU
BVRB163	18	19	LSU
BVRB163	19	20	LSL
BVRB163	20	21	LSL
BVRB163	21	22	LSL
BVRB163	22	23	LSL
BVRB163	23	24	LSL
BVRB163	24	25	LSL
BVRB163	25	26	LSL
BVRB163	26	27	MMB
BVRB163	27	28	MMB
BVRB163	28	29	MMB
BVRB163	29	30	MMB
BVRB163	30	31	MMB
BVRB163	31	32	MMB
BVRB163	32	33	MMB
BVRB163	33	34	MMB
BVRB163	34	35	MMB
BVRB164	0	1	OTL
BVRB164	1	2	OTL
BVRB164	2	3	LSU
BVRB164	3	4	LSU
BVRB164	4	5	LSU
BVRB164	5	6	LSU
BVRB164	6	7	LSU
BVRB164	7	8	LSU
BVRB164	8	9	LSU
BVRB164	9	10	LSU
BVRB164	10	11	LSU
BVRB164	11	12	LSU
BVRB164	12	13	LSU
BVRB164	13	14	LSU
BVRB164	14	15	LSU
BVRB164	15	16	LSL
BVRB164	16	17	LSL
BVRB164	17	18	MB
BVRB164	18	19	MB
BVRB164	19	20	MB
BVRB164	20	21	MB
BVRB165	0	1	OTL
BVRB165	1	2	OTL
BVRB165	2	3	LSU
BVRB165	3	4	LSU
BVRB165	4	5	LSU
BVRB165	5	6	LSU
BVRB165	6	7	LSU

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB165	7	8	LSU
BVRB165	8	9	LSU
BVRB165	9	10	LSU
BVRB165	10	11	LSU
BVRB165	11	12	LSU
BVRB165	12	13	LSU
BVRB165	13	14	LSU
BVRB165	14	15	LF
BVRB165	15	16	MMB
BVRB165	16	17	MMB
BVRB165	17	18	MMB
BVRB166	0	1	OTL
BVRB166	1	2	OTL
BVRB166	2	3	LSU
BVRB166	3	4	LSU
BVRB166	4	5	LSU
BVRB166	5	6	LSU
BVRB166	6	7	LSU
BVRB166	7	8	LSU
BVRB166	8	9	LSU
BVRB166	9	10	LSU
BVRB166	10	11	LSU
BVRB166	11	12	LSU
BVRB166	12	13	LSU
BVRB166	13	14	LSU
BVRB166	14	15	LSU
BVRB166	15	16	LSU
BVRB166	16	17	LSU
BVRB166	17	18	LSU
BVRB166	18	19	LSU
BVRB166	19	20	LSU
BVRB166	20	21	LSL
BVRB166	21	22	LSL
BVRB166	22	23	LSL
BVRB166	23	24	MMB
BVRB166	24	25	MMB
BVRB166	25	26	MMB
BVRB166	26	27	MMB
BVRB166	27	28	MMB
BVRB166	28	29	MMB
BVRB167	0	1	OTL
BVRB167	1	2	OTL
BVRB167	2	3	OTS
BVRB167	3	4	OTS
BVRB167	4	5	OTS
BVRB167	5	6	OTS
BVRB167	6	7	OTS
BVRB167	7	8	LSU
BVRB167	8	9	LSU
BVRB167	9	10	LSU
BVRB167	10	11	LSU
BVRB167	11	12	LSU
BVRB167	12	13	LSU
BVRB167	13	14	LSU
BVRB167	14	15	LSU
BVRB167	15	16	LSL

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB167	16	17	LSL
BVRB167	17	18	LSL
BVRB167	18	19	LSL
BVRB167	19	20	LSL
BVRB167	20	21	LSL
BVRB167	21	22	LSL
BVRB167	22	23	LSL
BVRB167	23	24	LSL
BVRB167	24	25	MMB
BVRB167	25	26	MMB
BVRB167	26	27	MMB
BVRB167	27	28	MMB
BVRB167	28	29	MMB
BVRB168	0	1	OTC
BVRB168	1	2	OTC
BVRB168	2	3	OTC
BVRB168	3	4	OTS
BVRB168	4	5	OTS
BVRB168	5	6	OTS
BVRB168	6	7	OTS
BVRB168	7	8	OTS
BVRB168	8	9	OTS
BVRB168	9	10	OTS
BVRB168	10	11	LSU
BVRB168	11	12	LSU
BVRB168	12	13	LSU
BVRB168	13	14	LSU
BVRB168	14	15	LSU
BVRB168	15	16	LSU
BVRB168	16	17	LSU
BVRB168	17	18	LSU
BVRB168	18	19	LSU
BVRB168	19	20	LSU
BVRB168	20	21	LSU
BVRB168	21	22	LSU
BVRB168	22	23	LSU
BVRB168	23	24	LSL
BVRB168	24	25	MMB
BVRB168	25	26	LSL
BVRB169	0	1	OTC
BVRB169	1	2	OTC
BVRB169	2	3	OTS
BVRB169	3	4	OTS
BVRB169	4	5	OTS
BVRB169	5	6	OTS
BVRB169	6	7	OTS
BVRB169	7	8	OTS
BVRB169	8	9	LSU
BVRB169	9	10	LSU
BVRB169	10	11	LSU
BVRB169	11	12	LSU
BVRB169	12	13	LSU
BVRB169	13	14	LSU
BVRB169	14	15	LSU
BVRB169	15	16	LSU
BVRB169	16	17	LSU

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB169	17	18	LSU
BVRB169	18	19	LSU
BVRB169	19	20	LSU
BVRB169	20	21	LSU
BVRB169	21	22	LSL
BVRB169	22	23	LSL
BVRB169	23	24	LSL
BVRB169	24	25	LSL
BVRB169	25	26	LSL
BVRB169	26	27	LSL
BVRB169	27	28	MMB
BVRB169	28	29	MMB
BVRB169	29	30	MMB
BVRB169	30	31	MMB
BVRB169	31	32	MMB
BVRB169	32	33	MMB
BVRB169	33	34	MMB
BVRB169	34	35	MMB
BVRB169	35	36	MMB
BVRB169	36	37	MMB
BVRB169	37	38	MMB
BVRB169	38	39	MMB
BVRB169	39	40	MMB
BVRB169	40	41	MMB
BVRB169	41	42	MMB
BVRB169	42	43	MMB
BVRB169	43	44	MMB
BVRB169	44	45	MMB
BVRB169	45	46	MMB
BVRB169	46	47	MMB
BVRB169	47	48	MMB
BVRB169	48	49	MMB
BVRB169	49	50	MMB
BVRB170	0	1	OTC
BVRB170	1	2	OTC
BVRB170	2	3	LSU
BVRB170	3	4	LSU
BVRB170	4	5	LSU
BVRB170	5	6	LSU
BVRB170	6	7	LSU
BVRB170	7	8	LSU
BVRB170	8	9	LSU
BVRB170	9	10	LSU
BVRB170	10	11	LSU
BVRB170	11	12	LSU
BVRB170	12	13	LSU
BVRB170	13	14	LSU
BVRB170	14	15	LSU
BVRB170	15	16	LSU
BVRB170	16	17	LSU
BVRB170	17	18	LSU
BVRB170	18	19	UK
BVRB170	19	20	UK
BVRB170	20	21	UK
BVRB170	21	22	UK
BVRB170	22	23	UK

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB171	0	1	OTC
BVRB171	1	2	OTC
BVRB171	2	3	LSU
BVRB171	3	4	LSU
BVRB171	4	5	LSU
BVRB171	5	6	LSU
BVRB171	6	7	LSU
BVRB171	7	8	LSU
BVRB171	8	9	LSU
BVRB171	9	10	LSU
BVRB171	10	11	LSU
BVRB171	11	12	LSU
BVRB171	12	13	LSU
BVRB171	13	14	LSU
BVRB171	14	15	LSU
BVRB171	15	16	LSU
BVRB171	16	17	LSU
BVRB171	17	18	LSU
BVRB171	18	19	LSU
BVRB171	19	20	LSU
BVRB171	20	21	OCC
BVRB171	21	22	LSL
BVRB171	22	23	LSL
BVRB171	23	24	LSL
BVRB171	24	25	LSL
BVRB171	25	26	LSL
BVRB171	26	27	UK
BVRB171	27	28	UK
BVRB172	0	1	OTC
BVRB172	1	2	OTC
BVRB172	2	3	OTC
BVRB172	3	4	LM
BVRB172	4	5	LM
BVRB172	5	6	LM
BVRB172	6	7	LM
BVRB172	7	8	LM
BVRB172	8	9	LM
BVRB172	9	10	LSU
BVRB172	10	11	LSU
BVRB172	11	12	LSU
BVRB172	12	13	LSU
BVRB172	13	14	LSU
BVRB172	14	15	LSU
BVRB172	15	16	LSU
BVRB172	16	17	LSU
BVRB172	17	18	LSU
BVRB172	18	19	LSU
BVRB172	19	20	LSU
BVRB172	20	21	LSL
BVRB172	21	22	LSL
BVRB172	22	23	LSL
BVRB172	23	24	LSL
BVRB172	24	25	LSL
BVRB172	25	26	LSL
BVRB172	26	27	LSL
BVRB172	27	28	LSL

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB172	28	29	LSL
BVRB172	29	30	LSL
BVRB172	30	31	SHL
BVRB172	31	32	SHL
BVRB172	32	33	SHL
BVRB172	33	34	SHL
BVRB172	34	35	SHL
BVRB172	35	36	SHL
BVRB172	36	37	UK
BVRB172	37	38	UK
BVRB173	0	1	OTC
BVRB173	1	2	OTC
BVRB173	2	3	LM
BVRB173	3	4	LM
BVRB173	4	5	LM
BVRB173	5	6	LM
BVRB173	6	7	LM
BVRB173	7	8	LM
BVRB173	8	9	LM
BVRB173	9	10	LM
BVRB173	10	11	LM
BVRB173	11	12	LM
BVRB173	12	13	LM
BVRB173	13	14	LSU
BVRB173	14	15	LSU
BVRB173	15	16	LSU
BVRB173	16	17	LSU
BVRB173	17	18	LSU
BVRB173	18	19	LSU
BVRB173	19	20	LSU
BVRB173	20	21	LSU
BVRB173	21	22	LSU
BVRB173	22	23	LSL
BVRB173	23	24	LSL
BVRB173	24	25	LSL
BVRB173	25	26	LSL
BVRB173	26	27	LSL
BVRB173	27	28	LSL
BVRB173	28	29	LSL
BVRB173	29	30	LSL
BVRB173	30	31	LSL
BVRB173	31	32	MMB
BVRB173	32	33	MMB
BVRB173	33	34	MMB
BVRB173	34	35	MMB
BVRB173	35	36	MMB
BVRB173	36	37	MMB
BVRB173	37	38	MMB
BVRB173	38	39	UK
BVRB173	39	40	UK
BVRB173	40	41	UK
BVRB173	41	42	UK
BVRB173	42	43	UK
BVRB173	43	44	UK
BVRB173	44	45	UK
BVRB173	45	46	UK

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB174	0	1	OTC
BVRB174	1	2	OTC
BVRB174	2	3	LM
BVRB174	3	4	LM
BVRB174	4	5	LM
BVRB174	5	6	LM
BVRB174	6	7	LM
BVRB174	7	8	LM
BVRB174	8	9	LM
BVRB174	9	10	LM
BVRB174	10	11	LM
BVRB174	11	12	LSU
BVRB174	12	13	LSU
BVRB174	13	14	LSU
BVRB174	14	15	LSU
BVRB174	15	16	LSU
BVRB174	16	17	LSU
BVRB174	17	18	LSL
BVRB174	18	19	LSL
BVRB174	19	20	LSL
BVRB174	20	21	LSL
BVRB174	21	22	LSL
BVRB174	22	23	UK
BVRB174	23	24	UK
BVRB174	24	25	UK
BVRB175	0	1	OTC
BVRB175	1	2	OTC
BVRB175	2	3	OTC
BVRB175	3	4	OTP
BVRB175	4	5	OTP
BVRB175	5	6	OTP
BVRB175	6	7	OTP
BVRB175	7	8	OTP
BVRB175	8	9	OTP
BVRB175	9	10	OTP
BVRB175	10	11	OTP
BVRB175	11	12	OTP
BVRB175	12	13	OTP
BVRB175	13	14	OTP
BVRB175	14	15	OTP
BVRB175	15	16	LSU
BVRB175	16	17	LSU
BVRB175	17	18	LSU
BVRB175	18	19	LSU
BVRB175	19	20	LSU
BVRB175	20	21	LSU
BVRB175	21	22	LSU
BVRB175	22	23	LSU
BVRB175	23	24	LSU
BVRB175	24	25	LSU
BVRB175	25	26	LSU
BVRB175	26	27	LSU
BVRB175	27	28	LSU
BVRB175	28	29	LSU
BVRB175	29	30	LSU
BVRB175	30	31	LSU



Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB175	31	32	LSU
BVRB175	32	33	LSU
BVRB175	33	34	LSU
BVRB175	34	35	LSU
BVRB175	35	36	LSU
BVRB175	36	37	LSU
BVRB175	37	38	LSU
BVRB175	38	39	LSU
BVRB175	39	40	LSU
BVRB175	40	41	LSU
BVRB175	41	42	LSU
BVRB175	42	43	LSU
BVRB175	43	44	LSU
BVRB175	44	45	LSU
BVRB175	45	46	LSU
BVRB175	46	47	LSU
BVRB175	47	48	LSU
BVRB175	48	49	LSU
BVRB175	49	50	LSU
BVRB175	50	51	LSU
BVRB175	51	52	LSU
BVRB175	52	53	LSL
BVRB175	53	54	LSL
BVRB175	54	55	MMB
BVRB175	55	56	MMB
BVRB175	56	57	UK
BVRB175	57	58	UK
BVRB175	58	59	UK
BVRB175	59	60	UK
BVRB175	60	61	UK
BVRB175	61	62	UK
BVRB175	62	63	UK
BVRB176	0	1	OTC
BVRB176	1	2	OTP
BVRB176	2	3	OTP
BVRB176	3	4	OTP
BVRB176	4	5	OTP
BVRB176	5	6	OTP
BVRB176	6	7	OTP
BVRB176	7	8	OTP
BVRB176	8	9	OTP
BVRB176	9	10	OTP
BVRB176	10	11	LSU
BVRB176	11	12	LSU
BVRB176	12	13	LSU
BVRB176	13	14	LSU
BVRB176	14	15	LSU
BVRB176	15	16	LSU
BVRB176	16	17	LSU
BVRB176	17	18	LSU
BVRB176	18	19	LSU
BVRB176	19	20	LSU
BVRB176	20	21	LSU
BVRB176	21	22	LSU
BVRB176	22	23	LSU
BVRB176	23	24	LSU

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB176	24	25	LSU
BVRB176	25	26	LSU
BVRB176	26	27	LSU
BVRB176	27	28	LSU
BVRB176	28	29	LSU
BVRB176	29	30	LSU
BVRB176	30	31	LSU
BVRB176	31	32	LSU
BVRB176	32	33	LSU
BVRB176	33	34	LSU
BVRB176	34	35	LSU
BVRB176	35	36	LSU
BVRB176	36	37	LSU
BVRB176	37	38	LSU
BVRB176	38	39	LSU
BVRB176	39	40	LSU
BVRB176	40	41	LSU
BVRB176	41	42	LSU
BVRB176	42	43	LSU
BVRB176	43	44	LSU
BVRB176	44	45	LSL
BVRB176	45	46	LSL
BVRB176	46	47	LSL
BVRB176	47	48	LSL
BVRB176	48	49	LSL
BVRB176	49	50	LSL
BVRB176	50	51	MMB
BVRB176	51	52	MMB
BVRB176	52	53	MMB
BVRB176	53	54	MMB
BVRB176	54	55	MMB
BVRB176	55	56	MMB
BVRB176	56	57	MMB
BVRB176	57	58	MMB
BVRB176	58	59	MMB
BVRB177	0	1	OTC
BVRB177	1	2	OTC
BVRB177	2	3	OTC
BVRB177	3	4	OTP
BVRB177	4	5	OTP
BVRB177	5	6	OTP
BVRB177	6	7	OTP
BVRB177	7	8	OTP
BVRB177	8	9	OTP
BVRB177	9	10	OTP
BVRB177	10	11	OTP
BVRB177	11	12	OTP
BVRB177	12	13	OTP
BVRB177	13	14	OTP
BVRB177	14	15	OTP
BVRB177	15	16	OTP
BVRB177	16	17	OTP
BVRB177	17	18	LSU
BVRB177	18	19	LSU
BVRB177	19	20	LSU
BVRB177	20	21	LSU

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB177	21	22	LSL
BVRB177	22	23	LSL
BVRB177	23	24	MMB
BVRB177	24	25	MMB
BVRB177	25	26	MMB
BVRB177	26	27	MMB
BVRB177	27	28	MMB
BVRB178	0	1	OTC
BVRB178	1	2	OTP
BVRB178	2	3	OTP
BVRB178	3	4	OTP
BVRB178	4	5	OTP
BVRB178	5	6	OTP
BVRB178	6	7	OTP
BVRB178	7	8	OTP
BVRB178	8	9	OTP
BVRB178	9	10	OTP
BVRB178	10	11	OTP
BVRB178	11	12	OTP
BVRB178	12	13	OTP
BVRB178	13	14	OTP
BVRB178	14	15	OTP
BVRB178	15	16	OTP
BVRB178	16	17	LSU
BVRB178	17	18	LSU
BVRB178	18	19	LSL
BVRB178	19	20	LSL
BVRB178	20	21	MMB
BVRB178	21	22	MMB
BVRB178	22	23	MMB
BVRB179	0	1	OTC
BVRB179	1	2	OTP
BVRB179	2	3	OTP
BVRB179	3	4	OTP
BVRB179	4	5	OTP
BVRB179	5	6	OTP
BVRB179	6	7	OTP
BVRB179	7	8	OTP
BVRB179	8	9	OTP
BVRB179	9	10	LSU
BVRB179	10	11	LSU
BVRB179	11	12	LSU
BVRB179	12	13	LSU
BVRB179	13	14	LSU
BVRB179	14	15	LSU
BVRB179	15	16	LSU
BVRB179	16	17	LSU
BVRB179	17	18	LSU
BVRB179	18	19	LSU
BVRB179	19	20	LSU
BVRB179	20	21	LSU
BVRB179	21	22	LSU
BVRB179	22	23	LSU
BVRB179	23	24	LSU
BVRB179	24	25	LSU
BVRB179	25	26	LSU

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB179	26	27	LSU
BVRB179	27	28	LSU
BVRB179	28	29	LSU
BVRB179	29	30	LSU
BVRB179	30	31	LSU
BVRB179	31	32	LSU
BVRB179	32	33	LSU
BVRB179	33	34	LSL
BVRB179	34	35	LSL
BVRB179	35	36	MMB
BVRB179	36	37	MMB
BVRB179	37	38	MMB
BVRB179	38	39	MMB
BVRB179	39	40	MB
BVRB179	40	41	MB
BVRB179	41	42	MB
BVRB179	42	43	MB
BVRB179	43	44	MB
BVRB179	44	45	MB
BVRB179	45	46	MB
BVRB180	0	1	OTC
BVRB180	1	2	OTC
BVRB180	2	3	LM
BVRB180	3	4	LM
BVRB180	4	5	LM
BVRB180	5	6	LM
BVRB180	6	7	LM
BVRB180	7	8	LM
BVRB180	8	9	LSU
BVRB180	9	10	LSU
BVRB180	10	11	LSU
BVRB180	11	12	LSU
BVRB180	12	13	LSU
BVRB180	13	14	LSU
BVRB180	14	15	LSU
BVRB180	15	16	LSU
BVRB180	16	17	LSU
BVRB180	17	18	LSU
BVRB180	18	19	LSU
BVRB180	19	20	LSU
BVRB180	20	21	LSU
BVRB180	21	22	LSU
BVRB180	22	23	LSU
BVRB180	23	24	LSU
BVRB180	24	25	LSU
BVRB180	25	26	LSU
BVRB180	26	27	LSU
BVRB180	27	28	LSU
BVRB180	28	29	LSU
BVRB180	29	30	LSL
BVRB180	30	31	LSL
BVRB180	31	32	LSL
BVRB180	32	33	LSL
BVRB180	33	34	LSL
BVRB180	34	35	LSL
BVRB180	35	36	LSL

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB180	36	37	LSL
BVRB180	37	38	LSL
BVRB180	38	39	MMB
BVRB180	39	40	MMB
BVRB180	40	41	MMB
BVRB180	41	42	MMB
BVRB180	42	43	MMB
BVRB180	43	44	MMB
BVRB180	44	45	VQ
BVRB180	45	46	VQ
BVRB180	46	47	VQ
BVRB180	47	48	VQ
BVRB180	48	49	MMB
BVRB180	49	50	MMB
BVRB180	50	51	MMB
BVRB181	0	1	OTC
BVRB181	1	2	OTP
BVRB181	2	3	OTP
BVRB181	3	4	LSU
BVRB181	4	5	LSU
BVRB181	5	6	LSU
BVRB181	6	7	LSU
BVRB181	7	8	LSU
BVRB181	8	9	LSU
BVRB181	9	10	LSU
BVRB181	10	11	LSU
BVRB181	11	12	LSU
BVRB181	12	13	LSU
BVRB181	13	14	LSU
BVRB181	14	15	LSU
BVRB181	15	16	LSU
BVRB181	16	17	LSU
BVRB181	17	18	LSU
BVRB181	18	19	LSU
BVRB181	19	20	LSU
BVRB181	20	21	LSL
BVRB181	21	22	LSL
BVRB181	22	23	LSL
BVRB181	23	24	MMB
BVRB181	24	25	MMB
BVRB181	25	26	MMB
BVRB181	26	27	MMB
BVRB181	27	28	MMB
BVRB182	0	1	OTC
BVRB182	1	2	OTP
BVRB182	2	3	OTP
BVRB182	3	4	OTP
BVRB182	4	5	LSU
BVRB182	5	6	LSU
BVRB182	6	7	LSU
BVRB182	7	8	LSU
BVRB182	8	9	LSU
BVRB182	9	10	LSU
BVRB182	10	11	LSU
BVRB182	11	12	LSU
BVRB182	12	13	LSU

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB182	13	14	LSU
BVRB182	14	15	LSU
BVRB182	15	16	LSU
BVRB182	16	17	LSU
BVRB182	17	18	LSU
BVRB182	18	19	LSU
BVRB182	19	20	LSU
BVRB182	20	21	LSU
BVRB182	21	22	LSU
BVRB182	22	23	LSL
BVRB182	23	24	LSL
BVRB182	24	25	LSL
BVRB182	25	26	MMB
BVRB182	26	27	MMB
BVRB182	27	28	MMB
BVRB182	28	29	MMB
BVRB182	29	30	MMB
BVRB183	0	1	OTC
BVRB183	1	2	OTP
BVRB183	2	3	OTP
BVRB183	3	4	OTP
BVRB183	4	5	OTP
BVRB183	5	6	OTP
BVRB183	6	7	LSU
BVRB183	7	8	LSU
BVRB183	8	9	LSU
BVRB183	9	10	LSU
BVRB183	10	11	LSU
BVRB183	11	12	LSU
BVRB183	12	13	LSU
BVRB183	13	14	LSU
BVRB183	14	15	LSU
BVRB183	15	16	LSU
BVRB183	16	17	LSU
BVRB183	17	18	LSU
BVRB183	18	19	LSL
BVRB183	19	20	LSL
BVRB183	20	21	LSL
BVRB183	21	22	LSL
BVRB183	22	23	MMB
BVRB183	23	24	MMB
BVRB183	24	25	MMB
BVRB184	0	1	OTC
BVRB184	1	2	OTP
BVRB184	2	3	OTP
BVRB184	3	4	OTP
BVRB184	4	5	OTP
BVRB184	5	6	OTP
BVRB184	6	7	LSU
BVRB184	7	8	LSU
BVRB184	8	9	LSU
BVRB184	9	10	LSU
BVRB184	10	11	LSU
BVRB184	11	12	LSU
BVRB184	12	13	LSU
BVRB184	13	14	LSU

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB184	14	15	LSL
BVRB184	15	16	LSL
BVRB184	16	17	LSL
BVRB184	17	18	LSL
BVRB184	18	19	MMB
BVRB184	19	20	MMB
BVRB184	20	21	MMB
BVRB185	0	1	OTC
BVRB185	1	2	OTP
BVRB185	2	3	OTP
BVRB185	3	4	LSU
BVRB185	4	5	LSU
BVRB185	5	6	LSU
BVRB185	6	7	LSU
BVRB185	7	8	LSU
BVRB185	8	9	LSU
BVRB185	9	10	LSU
BVRB185	10	11	LSU
BVRB185	11	12	LSU
BVRB185	12	13	LSU
BVRB185	13	14	LSU
BVRB185	14	15	LSU
BVRB185	15	16	LSU
BVRB185	16	17	LSU
BVRB185	17	18	LSU
BVRB185	18	19	LSU
BVRB185	19	20	LSU
BVRB185	20	21	LSU
BVRB185	21	22	LSU
BVRB185	22	23	LSU
BVRB185	23	24	LSU
BVRB185	24	25	LSU
BVRB185	25	26	LSU
BVRB185	26	27	LSU
BVRB185	27	28	LSL
BVRB185	28	29	MMB
BVRB185	29	30	MMB
BVRB185	30	31	MMB
BVRB186	0	1	OTC
BVRB186	1	2	OTP
BVRB186	2	3	OTP
BVRB186	3	4	OTP
BVRB186	4	5	OTP
BVRB186	5	6	OTP
BVRB186	6	7	OTP
BVRB186	7	8	LSU
BVRB186	8	9	LSU
BVRB186	9	10	LSU
BVRB186	10	11	LSU
BVRB186	11	12	LSU
BVRB186	12	13	LSU
BVRB186	13	14	LSU
BVRB186	14	15	LSU
BVRB186	15	16	LSU
BVRB186	16	17	LSU
BVRB186	17	18	LSU

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB186	18	19	LSU
BVRB186	19	20	LSU
BVRB186	20	21	LSU
BVRB186	21	22	LSU
BVRB186	22	23	LSU
BVRB186	23	24	LSU
BVRB186	24	25	LSU
BVRB186	25	26	LSU
BVRB186	26	27	LSU
BVRB186	27	28	LSL
BVRB186	28	29	LSL
BVRB186	29	30	LSL
BVRB186	30	31	LSL
BVRB186	31	32	LSL
BVRB186	32	33	LSL
BVRB186	33	34	LSL
BVRB186	34	35	LSL
BVRB186	35	36	MMB
BVRB186	36	37	MMB
BVRB186	37	38	MMB
BVRB186	38	39	MMB
BVRB186	39	40	MMB
BVRB186	40	41	MMB
BVRB187	0	1	OTC
BVRB187	1	2	OTP
BVRB187	2	3	OTP
BVRB187	3	4	OTP
BVRB187	4	5	OTP
BVRB187	5	6	OTP
BVRB187	6	7	OTP
BVRB187	7	8	LSU
BVRB187	8	9	LSU
BVRB187	9	10	LSU
BVRB187	10	11	LSU
BVRB187	11	12	LSU
BVRB187	12	13	LSU
BVRB187	13	14	LSU
BVRB187	14	15	LSU
BVRB187	15	16	LSU
BVRB187	16	17	LSU
BVRB187	17	18	LSU
BVRB187	18	19	LSU
BVRB187	19	20	LSU
BVRB187	20	21	LSU
BVRB187	21	22	LSU
BVRB187	22	23	LSU
BVRB187	23	24	LSU
BVRB187	24	25	LSU
BVRB187	25	26	LSU
BVRB187	26	27	LSU
BVRB187	27	28	LSU
BVRB187	28	29	LSU
BVRB187	29	30	LSU
BVRB187	30	31	LSU
BVRB187	31	32	LSU
BVRB187	32	33	LSU



Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB187	33	34	LSU
BVRB187	34	35	LSU
BVRB187	35	36	LSU
BVRB187	36	37	LSU
BVRB187	37	38	LSU
BVRB187	38	39	LSU
BVRB187	39	40	LSU
BVRB187	40	41	LSU
BVRB187	41	42	LSU
BVRB187	42	43	LSU
BVRB187	43	44	LSL
BVRB187	44	45	LSL
BVRB187	45	46	LSL
BVRB187	46	47	LSL
BVRB187	47	48	LSL
BVRB187	48	49	LSL
BVRB187	49	50	LSL
BVRB187	50	51	MMB
BVRB187	51	52	MMB
BVRB187	52	53	MMB
BVRB187	53	54	MMB
BVRB187	54	55	MMB
BVRB187	55	56	MMB
BVRB187	56	57	MMB
BVRB187	57	58	MMB
BVRB187	58	59	MMB
BVRB187	59	60	MMB
BVRB187	60	61	MMB
BVRB187	61	62	MMB
BVRB187	62	63	MMB
BVRB187	63	64	MMB
BVRB187	64	65	MMB
BVRB188	0	1	OTC
BVRB188	1	2	OTP
BVRB188	2	3	OTP
BVRB188	3	4	OTP
BVRB188	4	5	OTP
BVRB188	5	6	OTP
BVRB188	6	7	OTP
BVRB188	7	8	OTP
BVRB188	8	9	LSU
BVRB188	9	10	LSU
BVRB188	10	11	LSU
BVRB188	11	12	LSU
BVRB188	12	13	LSU
BVRB188	13	14	LSU
BVRB188	14	15	LSU
BVRB188	15	16	LSU
BVRB188	16	17	LSU
BVRB188	17	18	LSU
BVRB188	18	19	LSU
BVRB188	19	20	LSU
BVRB188	20	21	LSU
BVRB188	21	22	LSU
BVRB188	22	23	LSU
BVRB188	23	24	LSU

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB188	24	25	LSU
BVRB188	25	26	LSU
BVRB188	26	27	LSU
BVRB188	27	28	LSU
BVRB188	28	29	LSU
BVRB188	29	30	LSU
BVRB188	30	31	LSU
BVRB188	31	32	LSU
BVRB188	32	33	LSU
BVRB188	33	34	LSU
BVRB188	34	35	LSU
BVRB188	35	36	LSU
BVRB188	36	37	LSU
BVRB188	37	38	LSU
BVRB188	38	39	LSL
BVRB188	39	40	LSL
BVRB188	40	41	LSL
BVRB188	41	42	LSL
BVRB188	42	43	LSL
BVRB188	43	44	LSL
BVRB188	44	45	LSL
BVRB188	45	46	LSL
BVRB188	46	47	LSL
BVRB188	47	48	LSL
BVRB188	48	49	LSL
BVRB188	49	50	LSL
BVRB188	50	51	LSL
BVRB188	51	52	LSL
BVRB188	52	53	LSL
BVRB188	53	54	LSL
BVRB188	54	55	MMB
BVRB188	55	56	MMB
BVRB188	56	57	MMB
BVRB188	57	58	MMB
BVRB188	58	59	MMB
BVRB188	59	60	MMB
BVRB188	60	61	MMB
BVRB188	61	62	MMB
BVRB189	0	1	OTC
BVRB189	1	2	OTP
BVRB189	2	3	OTP
BVRB189	3	4	OTP
BVRB189	4	5	OTP
BVRB189	5	6	LSU
BVRB189	6	7	LSU
BVRB189	7	8	LSU
BVRB189	8	9	LSU
BVRB189	9	10	LSU
BVRB189	10	11	LSU
BVRB189	11	12	LSU
BVRB189	12	13	LSU
BVRB189	13	14	LSU
BVRB189	14	15	LSU
BVRB189	15	16	LSU
BVRB189	16	17	LSU
BVRB189	17	18	LSU

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB189	18	19	LSU
BVRB189	19	20	LSU
BVRB189	20	21	LSU
BVRB189	21	22	LSU
BVRB189	22	23	LSU
BVRB189	23	24	LSU
BVRB189	24	25	LSU
BVRB189	25	26	LSU
BVRB189	26	27	LSU
BVRB189	27	28	LSU
BVRB189	28	29	LSU
BVRB189	29	30	LSU
BVRB189	30	31	LSU
BVRB189	31	32	LSU
BVRB189	32	33	LSU
BVRB189	33	34	LSU
BVRB189	34	35	LSU
BVRB189	35	36	LSU
BVRB189	36	37	LSU
BVRB189	37	38	LSL
BVRB189	38	39	LSL
BVRB189	39	40	LSL
BVRB189	40	41	LSL
BVRB189	41	42	LSL
BVRB189	42	43	LSL
BVRB189	43	44	LSL
BVRB189	44	45	LSL
BVRB189	45	46	SCT
BVRB189	46	47	SCT
BVRB189	47	48	MMB
BVRB189	48	49	MMB
BVRB189	49	50	MMB
BVRB190	0	1	OTC
BVRB190	1	2	OTP
BVRB190	2	3	OTP
BVRB190	3	4	OTP
BVRB190	4	5	OTP
BVRB190	5	6	LSU
BVRB190	6	7	LSU
BVRB190	7	8	LSU
BVRB190	8	9	LSU
BVRB190	9	10	LSU
BVRB190	10	11	LSU
BVRB190	11	12	LSU
BVRB190	12	13	LSU
BVRB190	13	14	LSU
BVRB190	14	15	LSU
BVRB190	15	16	LSU
BVRB190	16	17	LSU
BVRB190	17	18	LSU
BVRB190	18	19	LSU
BVRB190	19	20	LSU
BVRB190	20	21	LSU
BVRB190	21	22	LSU
BVRB190	22	23	LSU
BVRB190	23	24	LSU

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB190	24	25	LSU
BVRB190	25	26	LSU
BVRB190	26	27	LSU
BVRB190	27	28	LSU
BVRB190	28	29	LSU
BVRB190	29	30	LSU
BVRB190	30	31	LSU
BVRB190	31	32	LSU
BVRB190	32	33	LSU
BVRB190	33	34	LSU
BVRB190	34	35	LSU
BVRB190	35	36	LSU
BVRB190	36	37	LSU
BVRB190	37	38	LSU
BVRB190	38	39	LSU
BVRB190	39	40	LSU
BVRB190	40	41	LSU
BVRB190	41	42	LSL
BVRB190	42	43	LSL
BVRB190	43	44	LSL
BVRB190	44	45	LSL
BVRB190	45	46	MMB
BVRB190	46	47	MMB
BVRB190	47	48	MMB
BVRB190	48	49	MMB
BVRB190	49	50	MMB
BVRB190	50	51	MMB
BVRB191	0	1	OTC
BVRB191	1	2	OTP
BVRB191	2	3	OTP
BVRB191	3	4	OTP
BVRB191	4	5	LSU
BVRB191	5	6	LSU
BVRB191	6	7	LSU
BVRB191	7	8	LSU
BVRB191	8	9	LSU
BVRB191	9	10	LSU
BVRB191	10	11	LSU
BVRB191	11	12	LSU
BVRB191	12	13	LSU
BVRB191	13	14	LSU
BVRB191	14	15	LSU
BVRB191	15	16	LSU
BVRB191	16	17	LSU
BVRB191	17	18	LSU
BVRB191	18	19	LSU
BVRB191	19	20	LSL
BVRB191	20	21	LSL
BVRB191	21	22	LSL
BVRB191	22	23	LSL
BVRB191	23	24	LSL
BVRB191	24	25	LSL
BVRB191	25	26	LSL
BVRB191	26	27	LSL
BVRB191	27	28	LSL
BVRB191	28	29	MB

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB191	29	30	MB
BVRB191	30	31	MB
BVRB191	31	32	MB
BVRB192	0	1	OTC
BVRB192	1	2	OTP
BVRB192	2	3	OTP
BVRB192	3	4	OTP
BVRB192	4	5	OTP
BVRB192	5	6	LSU
BVRB192	6	7	LSU
BVRB192	7	8	LSU
BVRB192	8	9	LSU
BVRB192	9	10	LSU
BVRB192	10	11	LSU
BVRB192	11	12	LSU
BVRB192	12	13	LSU
BVRB192	13	14	LSU
BVRB192	14	15	LSU
BVRB192	15	16	LSU
BVRB192	16	17	LSU
BVRB192	17	18	LSU
BVRB192	18	19	LSU
BVRB192	19	20	LSU
BVRB192	20	21	LSU
BVRB192	21	22	LSU
BVRB192	22	23	LSU
BVRB192	23	24	LSU
BVRB192	24	25	LSU
BVRB192	25	26	LSU
BVRB192	26	27	LSU
BVRB192	27	28	LSU
BVRB192	28	29	LSU
BVRB192	29	30	LSU
BVRB192	30	31	LSU
BVRB192	31	32	LSU
BVRB192	32	33	MB
BVRB192	33	34	MB
BVRB192	34	35	MB
BVRB192	35	36	MB
BVRB192	36	37	MB
BVRB192	37	38	MB
BVRB192	38	39	MB
BVRB193	0	1	OTL
BVRB193	1	2	OTL
BVRB193	2	3	OTL
BVRB193	3	4	OTP
BVRB193	4	5	OTP
BVRB193	5	6	LSU
BVRB193	6	7	LSU
BVRB193	7	8	LSU
BVRB193	8	9	LSU
BVRB193	9	10	LSU
BVRB193	10	11	LSU
BVRB193	11	12	LSU
BVRB193	12	13	LSU
BVRB193	13	14	LSU

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB193	14	15	LSU
BVRB193	15	16	LSU
BVRB193	16	17	LSU
BVRB193	17	18	LSU
BVRB193	18	19	LSU
BVRB193	19	20	LSU
BVRB193	20	21	MB
BVRB193	21	22	MB
BVRB193	22	23	MB
BVRB193	23	24	MB
BVRB193	24	25	MB
BVRB194	0	1	OTL
BVRB194	1	2	OTL
BVRB194	2	3	OTL
BVRB194	3	4	OTL
BVRB194	4	5	OTL
BVRB194	5	6	OTL
BVRB194	6	7	LSU
BVRB194	7	8	LSU
BVRB194	8	9	LSU
BVRB194	9	10	LSU
BVRB194	10	11	LSU
BVRB194	11	12	LSU
BVRB194	12	13	LSU
BVRB194	13	14	LSU
BVRB194	14	15	LSU
BVRB194	15	16	LSU
BVRB194	16	17	LSU
BVRB194	17	18	LSU
BVRB194	18	19	LSU
BVRB194	19	20	LSU
BVRB194	20	21	LSU
BVRB194	21	22	LSU
BVRB194	22	23	LSL
BVRB194	23	24	LSL
BVRB194	24	25	LSL
BVRB194	25	26	MB
BVRB194	26	27	MB
BVRB194	27	28	MB
BVRB194	28	29	MB
BVRB194	29	30	MB
BVRB194	30	31	MB
BVRB194	31	32	MB
BVRB195	0	1	OTL
BVRB195	1	2	LSU
BVRB195	2	3	LSU
BVRB195	3	4	LSU
BVRB195	4	5	LSU
BVRB195	5	6	LSU
BVRB195	6	7	LSU
BVRB195	7	8	LSU
BVRB195	8	9	LSU
BVRB195	9	10	LSU
BVRB195	10	11	LSU
BVRB195	11	12	LSU
BVRB195	12	13	LSU

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB195	13	14	LSU
BVRB195	14	15	LSU
BVRB195	15	16	LSU
BVRB195	16	17	LSU
BVRB195	17	18	LSU
BVRB195	18	19	LSU
BVRB195	19	20	LSU
BVRB195	20	21	LSU
BVRB195	21	22	LSL
BVRB195	22	23	MMB
BVRB195	23	24	MMB
BVRB196	0	1	OTL
BVRB196	1	2	OTL
BVRB196	2	3	LM
BVRB196	3	4	LM
BVRB196	4	5	LM
BVRB196	5	6	LM
BVRB196	6	7	LM
BVRB196	7	8	LSU
BVRB196	8	9	LSU
BVRB196	9	10	LSU
BVRB196	10	11	LSU
BVRB196	11	12	LSU
BVRB196	12	13	LSU
BVRB196	13	14	LSU
BVRB196	14	15	LSU
BVRB196	15	16	LSU
BVRB196	16	17	LSU
BVRB196	17	18	LSU
BVRB196	18	19	LSL
BVRB196	19	20	MMB
BVRB196	20	21	MMB
BVRB196	21	22	MMB
BVRB196	22	23	MMB
BVRB197	0	1	OTL
BVRB197	1	2	OTL
BVRB197	2	3	LSU
BVRB197	3	4	LSU
BVRB197	4	5	LSU
BVRB197	5	6	LSU
BVRB197	6	7	LSU
BVRB197	7	8	LSU
BVRB197	8	9	LSU
BVRB197	9	10	LSU
BVRB197	10	11	LSU
BVRB197	11	12	LSU
BVRB197	12	13	LSU
BVRB197	13	14	LSU
BVRB197	14	15	LSU
BVRB197	15	16	LSL
BVRB197	16	17	LSL
BVRB197	17	18	LSL
BVRB197	18	19	LSL
BVRB197	19	20	LSL
BVRB197	20	21	LSL
BVRB197	21	22	LSL

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB197	22	23	LSL
BVRB197	23	24	LSL
BVRB197	24	25	LSL
BVRB197	25	26	MMB
BVRB197	26	27	MMB
BVRB197	27	28	MMB
BVRB197	28	29	MMB
BVRB197	29	30	MMB
BVRB197	30	31	MMB
BVRB197	31	32	MMB
BVRB197	32	33	MMB
BVRB198	0	1	OTA
BVRB198	1	2	OTA
BVRB198	2	3	LSU
BVRB198	3	4	LSU
BVRB198	4	5	LSU
BVRB198	5	6	LSU
BVRB198	6	7	LSU
BVRB198	7	8	LSU
BVRB198	8	9	LSU
BVRB198	9	10	LSU
BVRB198	10	11	LSU
BVRB198	11	12	LSU
BVRB198	12	13	LSU
BVRB198	13	14	LSU
BVRB198	14	15	LSU
BVRB198	15	16	LSU
BVRB198	16	17	LSU
BVRB198	17	18	LSU
BVRB198	18	19	LSU
BVRB198	19	20	LSU
BVRB198	20	21	LSU
BVRB198	21	22	LSU
BVRB198	22	23	LSU
BVRB198	23	24	LSL
BVRB198	24	25	LSL
BVRB198	25	26	LSL
BVRB198	26	27	MMB
BVRB198	27	28	MMB
BVRB198	28	29	MMB
BVRB198	29	30	MMB
BVRB198	30	31	MMB
BVRB198	31	32	MMB
BVRB198	32	33	MMB
BVRB199	0	1	OTL
BVRB199	1	2	LSU
BVRB199	2	3	LSU
BVRB199	3	4	LSU
BVRB199	4	5	LSU
BVRB199	5	6	LSU
BVRB199	6	7	LSU
BVRB199	7	8	LSU
BVRB199	8	9	LSU
BVRB199	9	10	LSU
BVRB199	10	11	LSU
BVRB199	11	12	LSU



Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB199	12	13	LSU
BVRB199	13	14	LSU
BVRB199	14	15	LSU
BVRB199	15	16	LSU
BVRB199	16	17	LSU
BVRB199	17	18	LSU
BVRB199	18	19	LSU
BVRB199	19	20	LSU
BVRB199	20	21	LSU
BVRB199	21	22	LSU
BVRB199	22	23	LSU
BVRB199	23	24	LSL
BVRB199	24	25	LSL
BVRB199	25	26	LSL
BVRB199	26	27	LSL
BVRB199	27	28	LSL
BVRB199	28	29	LSL
BVRB199	29	30	LSL
BVRB199	30	31	LSL
BVRB199	31	32	LSL
BVRB199	32	33	LSL
BVRB199	33	34	LSL
BVRB199	34	35	LSL
BVRB199	35	36	LSL
BVRB199	36	37	MB
BVRB199	37	38	MB
BVRB199	38	39	MB
BVRB199	39	40	MB
BVRB199	40	41	MB
BVRB199	41	42	MB
BVRB199	42	43	MB
BVRB199	43	44	MB
BVRB199	44	45	MB
BVRB199	45	46	MB
BVRB199	46	47	MB
BVRB199	47	48	MB
BVRB199	48	49	MB
BVRB199	49	50	MB
BVRB199	50	51	MB
BVRB199	51	52	MB
BVRB200	0	1	OTA
BVRB200	1	2	OTA
BVRB200	2	3	OTA
BVRB200	3	4	OTA
BVRB200	4	5	LSU
BVRB200	5	6	LSU
BVRB200	6	7	LSU
BVRB200	7	8	LSU
BVRB200	8	9	LSU
BVRB200	9	10	LSU
BVRB200	10	11	LSU
BVRB200	11	12	LSU
BVRB200	12	13	LSU
BVRB200	13	14	LSU
BVRB200	14	15	LSU
BVRB200	15	16	LSU

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB200	16	17	LSU
BVRB200	17	18	LSU
BVRB200	18	19	LSL
BVRB200	19	20	LSL
BVRB200	20	21	LSL
BVRB200	21	22	LSL
BVRB200	22	23	LSL
BVRB200	23	24	LSL
BVRB200	24	25	LSL
BVRB200	25	26	MB
BVRB200	26	27	MB
BVRB200	27	28	MB
BVRB200	28	29	MB
BVRB200	29	30	MB
BVRB200	30	31	MB
BVRB201	0	1	OTA
BVRB201	1	2	LSU
BVRB201	2	3	LSU
BVRB201	3	4	LSU
BVRB201	4	5	LSU
BVRB201	5	6	LSU
BVRB201	6	7	LSU
BVRB201	7	8	LSU
BVRB201	8	9	LSU
BVRB201	9	10	LSU
BVRB201	10	11	LSU
BVRB201	11	12	LSU
BVRB201	12	13	LSU
BVRB201	13	14	LSU
BVRB201	14	15	LSU
BVRB201	15	16	LSU
BVRB201	16	17	LSU
BVRB201	17	18	LSU
BVRB201	18	19	LSU
BVRB201	19	20	LSU
BVRB201	20	21	LSL
BVRB201	21	22	LSL
BVRB201	22	23	LSL
BVRB201	23	24	LSL
BVRB201	24	25	LSL
BVRB201	25	26	LSL
BVRB201	26	27	LSL
BVRB201	27	28	LSL
BVRB201	28	29	LSL
BVRB201	29	30	LSL
BVRB201	30	31	MB
BVRB201	31	32	MB
BVRB201	32	33	MB
BVRB201	33	34	MB
BVRB201	34	35	MB
BVRB201	35	36	MB
BVRB202	0	1	OTC
BVRB202	1	2	LSU
BVRB202	2	3	LSU
BVRB202	3	4	LSU
BVRB202	4	5	LSU

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB202	5	6	LSU
BVRB202	6	7	LSU
BVRB202	7	8	LSU
BVRB202	8	9	LSU
BVRB202	9	10	LSU
BVRB202	10	11	LSU
BVRB202	11	12	LSU
BVRB202	12	13	LSU
BVRB202	13	14	LSU
BVRB202	14	15	LSU
BVRB202	15	16	LSU
BVRB202	16	17	LSU
BVRB202	17	18	LSL
BVRB202	18	19	LSL
BVRB202	19	20	MB
BVRB202	20	21	MB
BVRB202	21	22	MB
BVRB202	22	23	LSL
BVRB202	23	24	MB
BVRB202	24	25	MB
BVRB202	25	26	MB
BVRB203	0	1	OTL
BVRB203	1	2	LSU
BVRB203	2	3	LSU
BVRB203	3	4	LSU
BVRB203	4	5	LSU
BVRB203	5	6	LSU
BVRB203	6	7	LSU
BVRB203	7	8	LSU
BVRB203	8	9	LSU
BVRB203	9	10	LSU
BVRB203	10	11	LSU
BVRB203	11	12	LSU
BVRB203	12	13	LSU
BVRB203	13	14	LSU
BVRB203	14	15	LSU
BVRB203	15	16	LSU
BVRB203	16	17	LSU
BVRB203	17	18	LSU
BVRB203	18	19	LSU
BVRB203	19	20	LSU
BVRB203	20	21	LSU
BVRB203	21	22	LSU
BVRB203	22	23	LSU
BVRB203	23	24	LSL
BVRB203	24	25	LSL
BVRB203	25	26	LSL
BVRB203	26	27	LSL
BVRB203	27	28	MB
BVRB203	28	29	MB
BVRB203	29	30	MB
BVRB203	30	31	MB
BVRB204	0	1	OTL
BVRB204	1	2	OTL
BVRB204	2	3	OTL
BVRB204	3	4	LSU

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB204	4	5	LSU
BVRB204	5	6	LSU
BVRB204	6	7	LSU
BVRB204	7	8	LSU
BVRB204	8	9	LSU
BVRB204	9	10	LSU
BVRB204	10	11	LSU
BVRB204	11	12	LSU
BVRB204	12	13	LSU
BVRB204	13	14	LSU
BVRB204	14	15	LSU
BVRB204	15	16	LSU
BVRB204	16	17	LSU
BVRB204	17	18	LSL
BVRB204	18	19	LSL
BVRB204	19	20	LSL
BVRB204	20	21	LSL
BVRB204	21	22	LSL
BVRB204	22	23	LSL
BVRB204	23	24	LSL
BVRB204	24	25	LSL
BVRB204	25	26	LSU
BVRB204	26	27	LSU
BVRB204	27	28	LSU
BVRB204	28	29	LSU
BVRB204	29	30	LSU
BVRB204	30	31	LSL
BVRB204	31	32	LSL
BVRB204	32	33	LSL
BVRB204	33	34	LSL
BVRB204	34	35	LSL
BVRB204	35	36	LSL
BVRB204	36	37	MB
BVRB204	37	38	MB
BVRB204	38	39	MB
BVRB204	39	40	MB
BVRB204	40	41	MB
BVRB205	0	1	OTL
BVRB205	1	2	OTP
BVRB205	2	3	OTP
BVRB205	3	4	OTP
BVRB205	4	5	OTP
BVRB205	5	6	LSU
BVRB205	6	7	LSU
BVRB205	7	8	LSU
BVRB205	8	9	LSU
BVRB205	9	10	LSU
BVRB205	10	11	LSU
BVRB205	11	12	LSU
BVRB205	12	13	LSU
BVRB205	13	14	LSU
BVRB205	14	15	LSU
BVRB205	15	16	LSU
BVRB205	16	17	LSU
BVRB205	17	18	LSU
BVRB205	18	19	LSU

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB205	19	20	LSU
BVRB205	20	21	LSU
BVRB205	21	22	LSU
BVRB205	22	23	LSU
BVRB205	23	24	LSU
BVRB205	24	25	LSU
BVRB205	25	26	LSU
BVRB205	26	27	LSU
BVRB205	27	28	LSU
BVRB205	28	29	LSU
BVRB205	29	30	LSU
BVRB205	30	31	LSU
BVRB205	31	32	LSU
BVRB205	32	33	LSU
BVRB205	33	34	LSU
BVRB205	34	35	LSU
BVRB205	35	36	LSU
BVRB205	36	37	LSU
BVRB205	37	38	LSU
BVRB205	38	39	LSU
BVRB205	39	40	LSU
BVRB205	40	41	LSU
BVRB205	41	42	LSU
BVRB205	42	43	LSU
BVRB205	43	44	LSU
BVRB205	44	45	LSU
BVRB205	45	46	LSU
BVRB206	0	1	OTC
BVRB206	1	2	OTP
BVRB206	2	3	OTP
BVRB206	3	4	OTP
BVRB206	4	5	OTP
BVRB206	5	6	OTP
BVRB206	6	7	OTP
BVRB206	7	8	OTP
BVRB206	8	9	LSU
BVRB206	9	10	LSU
BVRB206	10	11	LSU
BVRB206	11	12	LSU
BVRB206	12	13	LSU
BVRB206	13	14	LSU
BVRB206	14	15	LSU
BVRB206	15	16	LSU
BVRB206	16	17	LSU
BVRB206	17	18	LSU
BVRB206	18	19	LSU
BVRB206	19	20	LSU
BVRB206	20	21	LSU
BVRB206	21	22	LSU
BVRB206	22	23	LSL
BVRB206	23	24	LSL
BVRB206	24	25	LSL
BVRB206	25	26	LSL
BVRB206	26	27	LSL
BVRB206	27	28	MB
BVRB206	28	29	MB

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB206	29	30	MB
BVRB206	30	31	MB
BVRB206	31	32	MB
BVRB206	32	33	MB
BVRB206	33	34	MB
BVRB206	34	35	MB
BVRB207	0	1	OTA
BVRB207	1	2	OTP
BVRB207	2	3	OTP
BVRB207	3	4	OTP
BVRB207	4	5	OTP
BVRB207	5	6	OTP
BVRB207	6	7	OTP
BVRB207	7	8	OTP
BVRB207	8	9	OTP
BVRB207	9	10	LSU
BVRB207	10	11	LSU
BVRB207	11	12	LSU
BVRB207	12	13	LSU
BVRB207	13	14	LSU
BVRB207	14	15	LSU
BVRB207	15	16	LSU
BVRB207	16	17	LSU
BVRB207	17	18	LSU
BVRB207	18	19	LSU
BVRB207	19	20	LSU
BVRB207	20	21	LSU
BVRB207	21	22	LSU
BVRB207	22	23	LSU
BVRB207	23	24	LSU
BVRB207	24	25	LSU
BVRB207	25	26	LSL
BVRB207	26	27	LSL
BVRB207	27	28	LSL
BVRB207	28	29	LSL
BVRB207	29	30	MB
BVRB207	30	31	MB
BVRB207	31	32	MB
BVRB207	32	33	MB
BVRB208	0	1	OTA
BVRB208	1	2	OTP
BVRB208	2	3	OTP
BVRB208	3	4	OTP
BVRB208	4	5	LSU
BVRB208	5	6	LSU
BVRB208	6	7	LSU
BVRB208	7	8	LSU
BVRB208	8	9	LSU
BVRB208	9	10	LSU
BVRB208	10	11	LSU
BVRB208	11	12	LSU
BVRB208	12	13	LSU
BVRB208	13	14	LSU
BVRB208	14	15	LSU
BVRB208	15	16	LSU
BVRB208	16	17	LSU

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB208	17	18	LSU
BVRB208	18	19	LSL
BVRB208	19	20	LSL
BVRB208	20	21	LSL
BVRB208	21	22	LSL
BVRB208	22	23	LSL
BVRB208	23	24	LSL
BVRB208	24	25	LSL
BVRB208	25	26	LSL
BVRB208	26	27	LSL
BVRB208	27	28	LSL
BVRB208	28	29	LSL
BVRB208	29	30	LSL
BVRB208	30	31	MB
BVRB208	31	32	MB
BVRB208	32	33	MB
BVRB208	33	34	MB
BVRB208	34	35	MB
BVRB208	35	36	MB
BVRB208	36	37	MB
BVRB208	37	38	MB
BVRB209	0	1	OTL
BVRB209	1	2	LSU
BVRB209	2	3	LSU
BVRB209	3	4	LSU
BVRB209	4	5	LSU
BVRB209	5	6	LSU
BVRB209	6	7	LSU
BVRB209	7	8	LSU
BVRB209	8	9	LSU
BVRB209	9	10	LSU
BVRB209	10	11	LSU
BVRB209	11	12	LSU
BVRB209	12	13	LSU
BVRB209	13	14	LSU
BVRB209	14	15	LSU
BVRB209	15	16	LSU
BVRB209	16	17	LSU
BVRB209	17	18	LSU
BVRB209	18	19	LSU
BVRB209	19	20	LSU
BVRB209	20	21	LSU
BVRB209	21	22	LSU
BVRB209	22	23	LSU
BVRB209	23	24	LSU
BVRB209	24	25	LSL
BVRB209	25	26	LSL
BVRB209	26	27	LSL
BVRB209	27	28	LSL
BVRB209	28	29	LSL
BVRB209	29	30	LSL
BVRB209	30	31	LSL
BVRB209	31	32	MB
BVRB209	32	33	MB
BVRB209	33	34	MB
BVRB209	34	35	MB

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB209	35	36	MB
BVRB209	36	37	MB
BVRB209	37	38	MB
BVRB210	0	1	OTA
BVRB210	1	2	OTP
BVRB210	2	3	OTP
BVRB210	3	4	OTP
BVRB210	4	5	LM
BVRB210	5	6	LM
BVRB210	6	7	LM
BVRB210	7	8	LM
BVRB210	8	9	LM
BVRB210	9	10	LM
BVRB210	10	11	LSU
BVRB210	11	12	LSU
BVRB210	12	13	LSU
BVRB210	13	14	LSU
BVRB210	14	15	LSU
BVRB210	15	16	LSU
BVRB210	16	17	LSL
BVRB210	17	18	LSL
BVRB210	18	19	LSL
BVRB210	19	20	LSL
BVRB210	20	21	LSL
BVRB210	21	22	LSL
BVRB210	22	23	LSL
BVRB210	23	24	LSL
BVRB210	24	25	LSL
BVRB210	25	26	LSL
BVRB210	26	27	LSL
BVRB210	27	28	MB
BVRB210	28	29	MB
BVRB210	29	30	MB
BVRB210	30	31	MB
BVRB210	31	32	MB
BVRB210	32	33	MB
BVRB210	33	34	MB
BVRB210	34	35	MB
BVRB211	0	1	OTL
BVRB211	1	2	OTP
BVRB211	2	3	LSU
BVRB211	3	4	LSU
BVRB211	4	5	LSU
BVRB211	5	6	LSU
BVRB211	6	7	LSU
BVRB211	7	8	LSU
BVRB211	8	9	LSU
BVRB211	9	10	LSU
BVRB211	10	11	LSU
BVRB211	11	12	LSU
BVRB211	12	13	LSU
BVRB211	13	14	LSU
BVRB211	14	15	LSU
BVRB211	15	16	LSU
BVRB211	16	17	LSU
BVRB211	17	18	LSU



Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB211	18	19	LSL
BVRB211	19	20	LSL
BVRB211	20	21	LSL
BVRB211	21	22	MB
BVRB211	22	23	MB
BVRB211	23	24	MB
BVRB212	0	1	OTL
BVRB212	1	2	OTP
BVRB212	2	3	OTP
BVRB212	3	4	OTP
BVRB212	4	5	OTP
BVRB212	5	6	LSU
BVRB212	6	7	LSU
BVRB212	7	8	LSU
BVRB212	8	9	LSU
BVRB212	9	10	LSU
BVRB212	10	11	LSU
BVRB212	11	12	LSU
BVRB212	12	13	LSU
BVRB212	13	14	LSU
BVRB212	14	15	LSU
BVRB212	15	16	LSU
BVRB212	16	17	LSU
BVRB212	17	18	LSU
BVRB212	18	19	LSU
BVRB212	19	20	LSU
BVRB212	20	21	LSU
BVRB212	21	22	LSU
BVRB212	22	23	LSL
BVRB212	23	24	LSL
BVRB212	24	25	LSL
BVRB212	25	26	LSL
BVRB212	26	27	LSL
BVRB212	27	28	LSL
BVRB212	28	29	LSL
BVRB212	29	30	LSL
BVRB212	30	31	LSL
BVRB212	31	32	LSL
BVRB212	32	33	LSL
BVRB212	33	34	LSL
BVRB212	34	35	LSL
BVRB212	35	36	LSL
BVRB212	36	37	LSL
BVRB212	37	38	LSL
BVRB212	38	39	LSL
BVRB212	39	40	LSL
BVRB212	40	41	LSL
BVRB212	41	42	LSL
BVRB212	42	43	MMB
BVRB212	43	44	MMB
BVRB212	44	45	MMB
BVRB212	45	46	MMB
BVRB212	46	47	MMB
BVRB212	47	48	MMB
BVRB212	48	49	MMB
BVRB212	49	50	MMB

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB212	50	51	MMB
BVRB212	51	52	MMB
BVRB212	52	53	MMB
BVRB212	53	54	MMB
BVRB213	0	1	OTL
BVRB213	1	2	OTP
BVRB213	2	3	OTP
BVRB213	3	4	OTP
BVRB213	4	5	LSU
BVRB213	5	6	LSU
BVRB213	6	7	LSU
BVRB213	7	8	LSU
BVRB213	8	9	LSU
BVRB213	9	10	LSU
BVRB213	10	11	LSU
BVRB213	11	12	LSU
BVRB213	12	13	LSU
BVRB213	13	14	LSU
BVRB213	14	15	LSU
BVRB213	15	16	LSU
BVRB213	16	17	LSU
BVRB213	17	18	LSU
BVRB213	18	19	LSU
BVRB213	19	20	LSU
BVRB213	20	21	LSU
BVRB213	21	22	LSU
BVRB213	22	23	LSU
BVRB213	23	24	LSU
BVRB213	24	25	LSU
BVRB213	25	26	LSU
BVRB213	26	27	LSU
BVRB213	27	28	LSU
BVRB213	28	29	LSU
BVRB213	29	30	LSU
BVRB213	30	31	LSU
BVRB213	31	32	LSU
BVRB213	32	33	LSL
BVRB213	33	34	LSL
BVRB213	34	35	LSL
BVRB213	35	36	LSL
BVRB213	36	37	SHCC
BVRB213	37	38	SHCC
BVRB213	38	39	SHCC
BVRB213	39	40	SHCC
BVRB213	40	41	SHCC
BVRB213	41	42	SHCC
BVRB213	42	43	SHCC
BVRB213	43	44	SHCC
BVRB213	44	45	SHCC
BVRB213	45	46	SHCC
BVRB213	46	47	SHCC
BVRB213	47	48	SHCC
BVRB213	48	49	SHCC
BVRB213	49	50	SHCC
BVRB213	50	51	SHCC
BVRB213	51	52	SHCC

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB213	52	53	SHCC
BVRB213	53	54	SHCC
BVRB213	54	55	SHCC
BVRB213	55	56	SHCC
BVRB213	56	57	SHCC
BVRB213	57	58	SHCC
BVRB213	58	59	SHCC
BVRB214	0	1	OTL
BVRB214	1	2	OTP
BVRB214	2	3	OTP
BVRB214	3	4	OTP
BVRB214	4	5	OTP
BVRB214	5	6	OTP
BVRB214	6	7	OTP
BVRB214	7	8	OTP
BVRB214	8	9	LSU
BVRB214	9	10	LSU
BVRB214	10	11	LSU
BVRB214	11	12	LSU
BVRB214	12	13	LSU
BVRB214	13	14	LSU
BVRB214	14	15	LSU
BVRB214	15	16	LSU
BVRB214	16	17	LSU
BVRB214	17	18	LSU
BVRB214	18	19	LSU
BVRB214	19	20	LSU
BVRB214	20	21	LSU
BVRB214	21	22	LSU
BVRB214	22	23	LSU
BVRB214	23	24	LSU
BVRB214	24	25	LSU
BVRB214	25	26	LSU
BVRB214	26	27	LSL
BVRB214	27	28	LSL
BVRB214	28	29	LSL
BVRB214	29	30	LSL
BVRB214	30	31	LSL
BVRB214	31	32	LSL
BVRB214	32	33	LSL
BVRB214	33	34	LSL
BVRB214	34	35	LSL
BVRB214	35	36	MB
BVRB214	36	37	MB
BVRB214	37	38	MB
BVRB214	38	39	MB
BVRB214	39	40	MB
BVRB214	40	41	MB
BVRB214	41	42	MB
BVRB214	42	43	MB
BVRB214	43	44	MB
BVRB214	44	45	MB
BVRB215	0	1	OTL
BVRB215	1	2	OTL
BVRB215	2	3	OTL
BVRB215	3	4	OTL

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB215	4	5	LSU
BVRB215	5	6	LSU
BVRB215	6	7	LSU
BVRB215	7	8	LSU
BVRB215	8	9	LSU
BVRB215	9	10	LSU
BVRB215	10	11	LSU
BVRB215	11	12	LSU
BVRB215	12	13	LSU
BVRB215	13	14	LSL
BVRB215	14	15	LSL
BVRB215	15	16	MG
BVRB215	16	17	MG
BVRB215	17	18	MG
BVRB215	18	19	MG
BVRB216	0	1	OTL
BVRB216	1	2	OTP
BVRB216	2	3	OTP
BVRB216	3	4	OTP
BVRB216	4	5	OTP
BVRB216	5	6	LSU
BVRB216	6	7	LSU
BVRB216	7	8	LSU
BVRB216	8	9	LSU
BVRB216	9	10	LSU
BVRB216	10	11	LSU
BVRB216	11	12	LSU
BVRB216	12	13	LSU
BVRB216	13	14	LSU
BVRB216	14	15	LSU
BVRB216	15	16	LSU
BVRB216	16	17	LSU
BVRB216	17	18	LSL
BVRB216	18	19	LSL
BVRB216	19	20	LSL
BVRB216	20	21	MG
BVRB216	21	22	MG
BVRB216	22	23	MG
BVRB216	23	24	MG
BVRB217	0	1	OTL
BVRB217	1	2	OTP
BVRB217	2	3	OTP
BVRB217	3	4	OTP
BVRB217	4	5	OTP
BVRB217	5	6	LSU
BVRB217	6	7	LSU
BVRB217	7	8	LSU
BVRB217	8	9	LSU
BVRB217	9	10	LSU
BVRB217	10	11	LSU
BVRB217	11	12	LSU
BVRB217	12	13	LSU
BVRB217	13	14	LSU
BVRB217	14	15	LSU
BVRB217	15	16	LSU
BVRB217	16	17	LSU

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB217	17	18	LSU
BVRB217	18	19	LSU
BVRB217	19	20	LSU
BVRB217	20	21	LSU
BVRB217	21	22	LSU
BVRB217	22	23	LSU
BVRB217	23	24	LSU
BVRB217	24	25	LSU
BVRB217	25	26	LSU
BVRB217	26	27	LSU
BVRB217	27	28	LSU
BVRB217	28	29	LSU
BVRB217	29	30	LSU
BVRB217	30	31	LSU
BVRB217	31	32	LSL
BVRB217	32	33	LSL
BVRB217	33	34	MD
BVRB217	34	35	MD
BVRB217	35	36	MD
BVRB217	36	37	MD
BVRB217	37	38	MD
BVRB217	38	39	MD
BVRB217	39	40	MD
BVRB217	40	41	MD
BVRB217	41	42	MD
BVRB218	0	1	OTL
BVRB218	1	2	OTP
BVRB218	2	3	OTP
BVRB218	3	4	OTP
BVRB218	4	5	OTP
BVRB218	5	6	LSU
BVRB218	6	7	LSU
BVRB218	7	8	LSU
BVRB218	8	9	LSU
BVRB218	9	10	LSU
BVRB218	10	11	LSU
BVRB218	11	12	LSU
BVRB218	12	13	LSU
BVRB218	13	14	LSU
BVRB218	14	15	LSU
BVRB218	15	16	LSU
BVRB218	16	17	LSU
BVRB218	17	18	LSU
BVRB218	18	19	LSU
BVRB218	19	20	LSU
BVRB218	20	21	LSU
BVRB218	21	22	LSU
BVRB218	22	23	LSU
BVRB218	23	24	LSU
BVRB218	24	25	LSU
BVRB218	25	26	LSU
BVRB218	26	27	LSU
BVRB218	27	28	LSU
BVRB218	28	29	LSU
BVRB218	29	30	LSU
BVRB218	30	31	LSL

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB218	31	32	LSL
BVRB218	32	33	MD
BVRB218	33	34	MD
BVRB218	34	35	MD
BVRB218	35	36	MD
BVRB218	36	37	MD
BVRB219	0	1	OTA
BVRB219	1	2	OTP
BVRB219	2	3	OTP
BVRB219	3	4	OTP
BVRB219	4	5	OTP
BVRB219	5	6	OTP
BVRB219	6	7	LM
BVRB219	7	8	LM
BVRB219	8	9	LM
BVRB219	9	10	LSU
BVRB219	10	11	LSU
BVRB219	11	12	LSU
BVRB219	12	13	LSU
BVRB219	13	14	LSU
BVRB219	14	15	LSU
BVRB219	15	16	LSU
BVRB219	16	17	LSU
BVRB219	17	18	LSU
BVRB219	18	19	LSU
BVRB219	19	20	LSU
BVRB219	20	21	LSU
BVRB219	21	22	LSU
BVRB219	22	23	LSU
BVRB219	23	24	LSU
BVRB219	24	25	LSU
BVRB219	25	26	LSU
BVRB219	26	27	LSU
BVRB219	27	28	LSU
BVRB219	28	29	LSU
BVRB219	29	30	LSU
BVRB219	30	31	LSU
BVRB219	31	32	LSU
BVRB219	32	33	LSU
BVRB219	33	34	LSU
BVRB219	34	35	LSU
BVRB219	35	36	LSL
BVRB219	36	37	LSL
BVRB219	37	38	LSL
BVRB219	38	39	LSL
BVRB219	39	40	LSL
BVRB219	40	41	LSL
BVRB219	41	42	LSL
BVRB219	42	43	LSL
BVRB219	43	44	SHCC
BVRB219	44	45	SHCC
BVRB219	45	46	SHCC
BVRB219	46	47	LSL
BVRB219	47	48	LSL
BVRB219	48	49	MB
BVRB219	49	50	MB

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB219	50	51	MB
BVRB219	51	52	MB
BVRB220	0	1	OTL
BVRB220	1	2	OTP
BVRB220	2	3	OTP
BVRB220	3	4	OTP
BVRB220	4	5	OTP
BVRB220	5	6	OTP
BVRB220	6	7	OTP
BVRB220	7	8	OTP
BVRB220	8	9	LSU
BVRB220	9	10	LSU
BVRB220	10	11	LSU
BVRB220	11	12	LSU
BVRB220	12	13	LSU
BVRB220	13	14	LSU
BVRB220	14	15	LSU
BVRB220	15	16	LSU
BVRB220	16	17	LSU
BVRB220	17	18	LSU
BVRB220	18	19	LSU
BVRB220	19	20	LSU
BVRB220	20	21	LSU
BVRB220	21	22	LSU
BVRB220	22	23	LSU
BVRB220	23	24	LSU
BVRB220	24	25	LSU
BVRB220	25	26	LSU
BVRB220	26	27	LSU
BVRB220	27	28	LSU
BVRB220	28	29	LSU
BVRB220	29	30	LSU
BVRB220	30	31	LSU
BVRB220	31	32	LSU
BVRB220	32	33	LSU
BVRB220	33	34	LSU
BVRB220	34	35	LSU
BVRB220	35	36	LSU
BVRB220	36	37	LSU
BVRB220	37	38	LSU
BVRB220	38	39	LSU
BVRB220	39	40	LSU
BVRB220	40	41	LSU
BVRB220	41	42	LSU
BVRB220	42	43	LSU
BVRB220	43	44	LSU
BVRB220	44	45	LSL
BVRB220	45	46	LSL
BVRB220	46	47	LSL
BVRB220	47	48	LSL
BVRB220	48	49	LSL
BVRB220	49	50	MMB
BVRB220	50	51	MMB
BVRB220	51	52	MMB
BVRB220	52	53	MMB
BVRB220	53	54	MMB

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB220	54	55	MMB
BVRB220	55	56	MMB
BVRB220	56	57	MMB
BVRB220	57	58	MMB
BVRB220	58	59	MMB
BVRB220	59	60	MMB
BVRB220	60	61	MMB
BVRB221	0	1	OTL
BVRB221	1	2	OTP
BVRB221	2	3	OTP
BVRB221	3	4	OTP
BVRB221	4	5	OTP
BVRB221	5	6	OTP
BVRB221	6	7	LM
BVRB221	7	8	LM
BVRB221	8	9	LSU
BVRB221	9	10	LSU
BVRB221	10	11	LSU
BVRB221	11	12	LSU
BVRB221	12	13	LSU
BVRB221	13	14	LSU
BVRB221	14	15	LSU
BVRB221	15	16	LSU
BVRB221	16	17	LSU
BVRB221	17	18	LSU
BVRB221	18	19	LSU
BVRB221	19	20	LSU
BVRB221	20	21	LSU
BVRB221	21	22	LSU
BVRB221	22	23	LSU
BVRB221	23	24	LSU
BVRB221	24	25	LSU
BVRB221	25	26	LSU
BVRB221	26	27	LSU
BVRB221	27	28	LSU
BVRB221	28	29	LSU
BVRB221	29	30	LSU
BVRB221	30	31	LSU
BVRB221	31	32	LSU
BVRB221	32	33	LSU
BVRB221	33	34	LSU
BVRB221	34	35	LSU
BVRB221	35	36	LSU
BVRB221	36	37	LSU
BVRB221	37	38	LSU
BVRB221	38	39	LSU
BVRB221	39	40	LSU
BVRB221	40	41	LSU
BVRB221	41	42	LSU
BVRB221	42	43	LSU
BVRB221	43	44	LSU
BVRB221	44	45	LSU
BVRB221	45	46	LSU
BVRB221	46	47	SHCC
BVRB221	47	48	SHCC
BVRB221	48	49	SHCC



Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB221	49	50	SHCC
BVRB221	50	51	SHCC
BVRB221	51	52	SHCC
BVRB221	52	53	SHCC
BVRB221	53	54	SHCC
BVRB221	54	55	LSL
BVRB221	55	56	LSL
BVRB221	56	57	MB
BVRB221	57	58	MB
BVRB221	58	59	MB
BVRB221	59	60	MB
BVRB222	0	1	OTL
BVRB222	1	2	OTP
BVRB222	2	3	OTP
BVRB222	3	4	OTP
BVRB222	4	5	OTP
BVRB222	5	6	OTP
BVRB222	6	7	OTP
BVRB222	7	8	LSU
BVRB222	8	9	LSU
BVRB222	9	10	LSU
BVRB222	10	11	LSU
BVRB222	11	12	LSU
BVRB222	12	13	LSU
BVRB222	13	14	LSU
BVRB222	14	15	LSU
BVRB222	15	16	LSU
BVRB222	16	17	LSU
BVRB222	17	18	LSU
BVRB222	18	19	LSU
BVRB222	19	20	LSU
BVRB222	20	21	LSU
BVRB222	21	22	LSU
BVRB222	22	23	LSU
BVRB222	23	24	LSU
BVRB222	24	25	LSU
BVRB222	25	26	LSU
BVRB222	26	27	LSU
BVRB222	27	28	LSL
BVRB222	28	29	LSL
BVRB222	29	30	MMB
BVRB222	30	31	MMB
BVRB222	31	32	MMB
BVRB222	32	33	MMB
BVRB222	33	34	MMB
BVRB222	34	35	MMB
BVRB223	0	1	OTL
BVRB223	1	2	OTP
BVRB223	2	3	OTP
BVRB223	3	4	OTP
BVRB223	4	5	LSU
BVRB223	5	6	LSU
BVRB223	6	7	LSU
BVRB223	7	8	LSU
BVRB223	8	9	LSU
BVRB223	9	10	LSU

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB223	10	11	LSU
BVRB223	11	12	LSU
BVRB223	12	13	LSU
BVRB223	13	14	LSU
BVRB223	14	15	LSU
BVRB223	15	16	LSU
BVRB223	16	17	LSU
BVRB223	17	18	LSU
BVRB223	18	19	LSU
BVRB223	19	20	LSU
BVRB223	20	21	LSU
BVRB223	21	22	LSU
BVRB223	22	23	LSU
BVRB223	23	24	LSU
BVRB223	24	25	LSU
BVRB223	25	26	LSU
BVRB223	26	27	LSU
BVRB223	27	28	LSU
BVRB223	28	29	LSU
BVRB223	29	30	LSL
BVRB223	30	31	MMB
BVRB223	31	32	MMB
BVRB223	32	33	MMB
BVRB224	0	1	OTL
BVRB224	1	2	OTP
BVRB224	2	3	OTP
BVRB224	3	4	OTP
BVRB224	4	5	OTP
BVRB224	5	6	LSU
BVRB224	6	7	LSU
BVRB224	7	8	LSU
BVRB224	8	9	LSU
BVRB224	9	10	LSU
BVRB224	10	11	LSU
BVRB224	11	12	LSU
BVRB224	12	13	LSU
BVRB224	13	14	LSU
BVRB224	14	15	LSU
BVRB224	15	16	LSU
BVRB224	16	17	LSU
BVRB224	17	18	LSU
BVRB224	18	19	LSU
BVRB224	19	20	LSU
BVRB224	20	21	LSU
BVRB224	21	22	LSU
BVRB224	22	23	LSU
BVRB224	23	24	LSU
BVRB224	24	25	LSU
BVRB224	25	26	LSU
BVRB224	26	27	LSL
BVRB224	27	28	LSL
BVRB224	28	29	LSL
BVRB224	29	30	LSL
BVRB224	30	31	LSL
BVRB224	31	32	LSL
BVRB224	32	33	LSL

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB224	33	34	LSL
BVRB224	34	35	LSL
BVRB224	35	36	LSL
BVRB224	36	37	LSL
BVRB224	37	38	LSL
BVRB224	38	39	LSL
BVRB224	39	40	LSL
BVRB224	40	41	LSL
BVRB224	41	42	LSL
BVRB224	42	43	LSL
BVRB224	43	44	LSL
BVRB224	44	45	LSL
BVRB224	45	46	LSL
BVRB224	46	47	MB
BVRB224	47	48	MB
BVRB224	48	49	MB
BVRB224	49	50	MB
BVRB224	50	51	MB
BVRB224	51	52	MB
BVRB224	52	53	MB
BVRB224	53	54	MB
BVRB224	54	55	MB
BVRB224	55	56	SCT
BVRB224	56	57	SCT
BVRB225	0	1	OTL
BVRB225	1	2	OTP
BVRB225	2	3	OTP
BVRB225	3	4	OTP
BVRB225	4	5	LSU
BVRB225	5	6	LSU
BVRB225	6	7	LSU
BVRB225	7	8	LSU
BVRB225	8	9	LSU
BVRB225	9	10	LSU
BVRB225	10	11	LSU
BVRB225	11	12	LSU
BVRB225	12	13	LSU
BVRB225	13	14	LSU
BVRB225	14	15	LSU
BVRB225	15	16	LSU
BVRB225	16	17	LSU
BVRB225	17	18	LSU
BVRB225	18	19	LSU
BVRB225	19	20	LSU
BVRB225	20	21	LSU
BVRB225	21	22	LSU
BVRB225	22	23	LSU
BVRB225	23	24	LSU
BVRB225	24	25	LSL
BVRB225	25	26	LSL
BVRB225	26	27	LSL
BVRB225	27	28	MMB
BVRB225	28	29	MMB
BVRB225	29	30	MMB
BVRB225	30	31	MMB
BVRB225	31	32	MMB

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB225	32	33	MMB
BVRB226	0	1	OTA
BVRB226	1	2	OTA
BVRB226	2	3	OTA
BVRB226	3	4	OTA
BVRB226	4	5	OTA
BVRB226	5	6	OTA
BVRB226	6	7	OTA
BVRB226	7	8	OTA
BVRB226	8	9	OTA
BVRB226	9	10	LSU
BVRB226	10	11	LSU
BVRB226	11	12	LSU
BVRB226	12	13	LSU
BVRB226	13	14	LSL
BVRB226	14	15	LSL
BVRB226	15	16	MB
BVRB226	16	17	MB
BVRB226	17	18	MB
BVRB226	18	19	MB
BVRB226	19	20	MB
BVRB226	20	21	MB
BVRB226	21	22	MB
BVRB226	22	23	MB
BVRB226	23	24	MB
BVRB226	24	25	MB
BVRB226	25	26	MB
BVRB227	0	1	OTA
BVRB227	1	2	OTP
BVRB227	2	3	OTP
BVRB227	3	4	OTP
BVRB227	4	5	LSU
BVRB227	5	6	LSU
BVRB227	6	7	LSU
BVRB227	7	8	LSU
BVRB227	8	9	LSU
BVRB227	9	10	LSU
BVRB227	10	11	LSU
BVRB227	11	12	LSU
BVRB227	12	13	LSU
BVRB227	13	14	LSU
BVRB227	14	15	LSU
BVRB227	15	16	LSU
BVRB227	16	17	LSU
BVRB227	17	18	LSU
BVRB227	18	19	LSU
BVRB227	19	20	LSL
BVRB227	20	21	LSL
BVRB227	21	22	LSL
BVRB227	22	23	LSL
BVRB227	23	24	LSL
BVRB227	24	25	MB
BVRB227	25	26	MB
BVRB227	26	27	MB
BVRB227	27	28	MB
BVRB227	28	29	MB

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB227	29	30	MB
BVRB227	30	31	MB
BVRB227	31	32	MB
BVRB228	0	1	OTA
BVRB228	1	2	OTP
BVRB228	2	3	OTP
BVRB228	3	4	OTP
BVRB228	4	5	LM
BVRB228	5	6	LM
BVRB228	6	7	LM
BVRB228	7	8	LM
BVRB228	8	9	LM
BVRB228	9	10	LSU
BVRB228	10	11	LSU
BVRB228	11	12	LSU
BVRB228	12	13	LSU
BVRB228	13	14	LSU
BVRB228	14	15	LSU
BVRB228	15	16	LSU
BVRB228	16	17	LSU
BVRB228	17	18	LSL
BVRB228	18	19	MB
BVRB228	19	20	MB
BVRB228	20	21	MB
BVRB228	21	22	MB
BVRB229	0	1	OTA
BVRB229	1	2	OTP
BVRB229	2	3	OTP
BVRB229	3	4	OTP
BVRB229	4	5	OTP
BVRB229	5	6	LSU
BVRB229	6	7	LSU
BVRB229	7	8	LSU
BVRB229	8	9	LSU
BVRB229	9	10	LSL
BVRB229	10	11	LSL
BVRB229	11	12	LSL
BVRB229	12	13	LSL
BVRB229	13	14	LSL
BVRB229	14	15	LSL
BVRB229	15	16	MB
BVRB229	16	17	MB
BVRB229	17	18	MB
BVRB230	0	1	OTA
BVRB230	1	2	OTP
BVRB230	2	3	OTP
BVRB230	3	4	OTP
BVRB230	4	5	OTP
BVRB230	5	6	OTP
BVRB230	6	7	OTP
BVRB230	7	8	OTP
BVRB230	8	9	LSU
BVRB230	9	10	LSU
BVRB230	10	11	LSU
BVRB230	11	12	LSU
BVRB230	12	13	LSU

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB230	13	14	LSU
BVRB230	14	15	LSL
BVRB230	15	16	LSL
BVRB230	16	17	LSL
BVRB230	17	18	LSL
BVRB230	18	19	LSL
BVRB230	19	20	LSL
BVRB230	20	21	LSL
BVRB230	21	22	LSL
BVRB230	22	23	LSL
BVRB230	23	24	LSL
BVRB230	24	25	LSL
BVRB230	25	26	LSL
BVRB230	26	27	MMB
BVRB230	27	28	MMB
BVRB230	28	29	MMB
BVRB230	29	30	MMB
BVRB230	30	31	MMB
BVRB230	31	32	MMB
BVRB230	32	33	MMB
BVRB230	33	34	MMB
BVRB230	34	35	MMB
BVRB231	0	1	OTA
BVRB231	1	2	OTP
BVRB231	2	3	OTP
BVRB231	3	4	OTP
BVRB231	4	5	OTP
BVRB231	5	6	LM
BVRB231	6	7	LM
BVRB231	7	8	LM
BVRB231	8	9	LSU
BVRB231	9	10	LSU
BVRB231	10	11	LSU
BVRB231	11	12	LSU
BVRB231	12	13	LSU
BVRB231	13	14	LSU
BVRB231	14	15	LSU
BVRB231	15	16	LSU
BVRB231	16	17	LSU
BVRB231	17	18	LSU
BVRB231	18	19	LSU
BVRB231	19	20	LSU
BVRB231	20	21	LSU
BVRB231	21	22	LSU
BVRB231	22	23	LSU
BVRB231	23	24	LSU
BVRB231	24	25	LSU
BVRB231	25	26	LSU
BVRB231	26	27	LSU
BVRB231	27	28	LSU
BVRB231	28	29	LSU
BVRB231	29	30	LSU
BVRB231	30	31	LSU
BVRB231	31	32	LSU
BVRB231	32	33	LSU
BVRB231	33	34	LSU

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB231	34	35	LSU
BVRB231	35	36	LSU
BVRB231	36	37	LSU
BVRB231	37	38	LSU
BVRB231	38	39	LSU
BVRB231	39	40	LSU
BVRB231	40	41	LSU
BVRB231	41	42	LSL
BVRB231	42	43	LSL
BVRB231	43	44	LSL
BVRB231	44	45	LSL
BVRB231	45	46	LSL
BVRB231	46	47	LSL
BVRB231	47	48	LSL
BVRB231	48	49	LSL
BVRB231	49	50	LSL
BVRB231	50	51	MMB
BVRB231	51	52	MMB
BVRB231	52	53	MMB
BVRB231	53	54	MMB
BVRB231	54	55	MMB
BVRB231	55	56	MMB
BVRB231	56	57	MMB
BVRB231	57	58	SCT
BVRB231	58	59	SCT
BVRB232	0	1	OTL
BVRB232	1	2	OTP
BVRB232	2	3	OTP
BVRB232	3	4	OTP
BVRB232	4	5	OTP
BVRB232	5	6	LSU
BVRB232	6	7	LSU
BVRB232	7	8	LSU
BVRB232	8	9	LSU
BVRB232	9	10	LSU
BVRB232	10	11	LSU
BVRB232	11	12	LSU
BVRB232	12	13	LSU
BVRB232	13	14	LSU
BVRB232	14	15	LSU
BVRB232	15	16	LSU
BVRB232	16	17	LSU
BVRB232	17	18	LSU
BVRB232	18	19	LSU
BVRB232	19	20	LSU
BVRB232	20	21	LSU
BVRB232	21	22	LSU
BVRB232	22	23	LSU
BVRB232	23	24	LSU
BVRB232	24	25	LSU
BVRB232	25	26	LSU
BVRB232	26	27	LSU
BVRB232	27	28	LSU
BVRB232	28	29	LSU
BVRB232	29	30	LSU
BVRB232	30	31	LSU

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB232	31	32	LSU
BVRB232	32	33	LSU
BVRB232	33	34	LSU
BVRB232	34	35	LSL
BVRB232	35	36	LSL
BVRB232	36	37	LSL
BVRB232	37	38	LSL
BVRB232	38	39	LSL
BVRB232	39	40	LSL
BVRB232	40	41	LSL
BVRB232	41	42	LSL
BVRB232	42	43	SCT
BVRB232	43	44	SCT
BVRB232	44	45	SCT
BVRB232	45	46	SCT
BVRB232	46	47	SCT
BVRB232	47	48	SCT
BVRB232	48	49	SCT
BVRB232	49	50	SCT
BVRB232	50	51	SCT
BVRB233	0	1	OTC
BVRB233	1	2	OTC
BVRB233	2	3	OTC
BVRB233	3	4	OTC
BVRB233	4	5	OTC
BVRB233	5	6	OTC
BVRB233	6	7	OTC
BVRB233	7	8	OTC
BVRB233	8	9	OTC
BVRB233	9	10	LSU
BVRB233	10	11	LSU
BVRB233	11	12	LSU
BVRB233	12	13	LSU
BVRB233	13	14	LSU
BVRB233	14	15	LSU
BVRB233	15	16	LSL
BVRB233	16	17	LSL
BVRB233	17	18	LSL
BVRB233	18	19	MB
BVRB233	19	20	MB
BVRB233	20	21	MB
BVRB233	21	22	MB
BVRB233	22	23	MB
BVRB233	23	24	MB
BVRB233	24	25	MB
BVRB233	25	26	MB
BVRB234	0	1	OTC
BVRB234	1	2	OTC
BVRB234	2	3	LSU
BVRB234	3	4	LSU
BVRB234	4	5	LSU
BVRB234	5	6	LSU
BVRB234	6	7	LSU
BVRB234	7	8	LSU
BVRB234	8	9	LSU
BVRB234	9	10	LSU



Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB234	10	11	LSU
BVRB234	11	12	LSU
BVRB234	12	13	LSU
BVRB234	13	14	LSU
BVRB234	14	15	LSU
BVRB234	15	16	LSU
BVRB234	16	17	LSU
BVRB234	17	18	LSU
BVRB234	18	19	LSL
BVRB234	19	20	LSL
BVRB234	20	21	LSL
BVRB234	21	22	LSL
BVRB234	22	23	LSL
BVRB234	23	24	LSL
BVRB234	24	25	LSL
BVRB234	25	26	LSL
BVRB234	26	27	LSL
BVRB234	27	28	LSL
BVRB234	28	29	LSL
BVRB234	29	30	LSL
BVRB234	30	31	LSL
BVRB234	31	32	MB
BVRB234	32	33	MB
BVRB234	33	34	MB
BVRB234	34	35	MB
BVRB235	0	1	OTC
BVRB235	1	2	OTC
BVRB235	2	3	OTC
BVRB235	3	4	OTC
BVRB235	4	5	OTC
BVRB235	5	6	OTC
BVRB235	6	7	OTC
BVRB235	7	8	OTC
BVRB235	8	9	LF
BVRB235	9	10	LF
BVRB235	10	11	LF
BVRB235	11	12	LF
BVRB235	12	13	MB
BVRB235	13	14	MB
BVRB236	0	1	OTC
BVRB236	1	2	OTC
BVRB236	2	3	OTC
BVRB236	3	4	OTC
BVRB236	4	5	OTC
BVRB236	5	6	OTC
BVRB236	6	7	OTC
BVRB236	7	8	LSU
BVRB236	8	9	LSU
BVRB236	9	10	LSU
BVRB236	10	11	LSL
BVRB236	11	12	LSL
BVRB236	12	13	LSL
BVRB236	13	14	LSL
BVRB236	14	15	LSL
BVRB236	15	16	MB
BVRB236	16	17	MB

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB236	17	18	MB
BVRB236	18	19	MB
BVRB236	19	20	MB
BVRB237	0	1	OTL
BVRB237	1	2	OTL
BVRB237	2	3	OTL
BVRB237	3	4	OTL
BVRB237	4	5	LF
BVRB237	5	6	LF
BVRB237	6	7	LF
BVRB237	7	8	LF
BVRB237	8	9	LF
BVRB237	9	10	LSL
BVRB237	10	11	MG
BVRB237	11	12	MG
BVRB237	12	13	MD
BVRB237	13	14	MD
BVRB237	14	15	MD
BVRB237	15	16	MD
BVRB237	16	17	MD
BVRB238	0	1	OTC
BVRB238	1	2	OTC
BVRB238	2	3	OTC
BVRB238	3	4	OTC
BVRB238	4	5	OTC
BVRB238	5	6	OTC
BVRB238	6	7	LSU
BVRB238	7	8	LSU
BVRB238	8	9	LSL
BVRB238	9	10	SCT
BVRB239	0	1	OTC
BVRB239	1	2	OTC
BVRB239	2	3	OTC
BVRB239	3	4	OTC
BVRB239	4	5	OTC
BVRB239	5	6	LSU
BVRB239	6	7	LSU
BVRB239	7	8	LSU
BVRB239	8	9	LSU
BVRB239	9	10	LSU
BVRB239	10	11	LSU
BVRB239	11	12	LSU
BVRB239	12	13	LSU
BVRB239	13	14	LSL
BVRB239	14	15	SCT
BVRB239	15	16	SCT
BVRB239	16	17	MB
BVRB239	17	18	MB
BVRB239	18	19	MB
BVRB239	19	20	MB
BVRB239	20	21	MB
BVRB239	21	22	LSL
BVRB239	22	23	MB
BVRB240	0	1	OTL
BVRB240	1	2	LF
BVRB240	2	3	LF

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB240	3	4	LF
BVRB240	4	5	LF
BVRB240	5	6	LF
BVRB240	6	7	LF
BVRB240	7	8	LSL
BVRB240	8	9	LSL
BVRB240	9	10	LSL
BVRB240	10	11	LSL
BVRB240	11	12	MMB
BVRB240	12	13	MMB
BVRB240	13	14	MMB
BVRB240	14	15	MMB
BVRB241	0	1	OTC
BVRB241	1	2	OTC
BVRB241	2	3	OTC
BVRB241	3	4	OTC
BVRB241	4	5	OTC
BVRB241	5	6	OTC
BVRB241	6	7	LSU
BVRB241	7	8	LSU
BVRB241	8	9	LSU
BVRB241	9	10	LSU
BVRB241	10	11	LSU
BVRB241	11	12	LSU
BVRB241	12	13	LSL
BVRB241	13	14	LSL
BVRB241	14	15	MB
BVRB241	15	16	MB
BVRB241	16	17	MB
BVRB241	17	18	MB
BVRB242	0	1	OTC
BVRB242	1	2	OTC
BVRB242	2	3	OTC
BVRB242	3	4	OTC
BVRB242	4	5	LSU
BVRB242	5	6	LSU
BVRB242	6	7	LSU
BVRB242	7	8	LSU
BVRB242	8	9	LSU
BVRB242	9	10	LSU
BVRB242	10	11	LSU
BVRB242	11	12	LSU
BVRB242	12	13	LSU
BVRB242	13	14	LSU
BVRB242	14	15	LSL
BVRB242	15	16	MB
BVRB242	16	17	MB
BVRB242	17	18	MB
BVRB243	0	1	OTC
BVRB243	1	2	OTC
BVRB243	2	3	OTC
BVRB243	3	4	OTC
BVRB243	4	5	OTC
BVRB243	5	6	OTC
BVRB243	6	7	LSU
BVRB243	7	8	LSU

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB243	8	9	LSU
BVRB243	9	10	LSU
BVRB243	10	11	LSL
BVRB243	11	12	LSL
BVRB243	12	13	LSL
BVRB243	13	14	LSL
BVRB243	14	15	LSL
BVRB243	15	16	LSL
BVRB243	16	17	MB
BVRB243	17	18	MB
BVRB243	18	19	MB
BVRB244	0	1	OTC
BVRB244	1	2	OTC
BVRB244	2	3	OTC
BVRB244	3	4	OTC
BVRB244	4	5	OTC
BVRB244	5	6	OTC
BVRB244	6	7	OTC
BVRB244	7	8	OTC
BVRB244	8	9	OTC
BVRB244	9	10	OTC
BVRB244	10	11	OTC
BVRB244	11	12	OTC
BVRB244	12	13	OTC
BVRB244	13	14	LSL
BVRB244	14	15	LSL
BVRB244	15	16	LSL
BVRB244	16	17	MB
BVRB244	17	18	MB
BVRB244	18	19	MB
BVRB244	19	20	MB
BVRB244	20	21	MB
BVRB244	21	22	MB
BVRB244	22	23	MB
BVRB244	23	24	MB
BVRB244	24	25	MB
BVRB244	25	26	MB
BVRB244	26	27	MB
BVRB244	27	28	MB
BVRB244	28	29	MB
BVRB245	0	1	OTC
BVRB245	1	2	OTC
BVRB245	2	3	OTC
BVRB245	3	4	OTC
BVRB245	4	5	MB
BVRB245	5	6	MB
BVRB245	6	7	MB
BVRB245	7	8	MB
BVRB245	8	9	MB
BVRB245	9	10	MB
BVRB246	0	1	OTC
BVRB246	1	2	OTC
BVRB246	2	3	MB
BVRB246	3	4	MB
BVRB246	4	5	MB
BVRB246	5	6	MB

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB246	6	7	MB
BVRB247	0	1	OTC
BVRB247	1	2	OTC
BVRB247	2	3	OTC
BVRB247	3	4	OTC
BVRB247	4	5	OTC
BVRB247	5	6	OTC
BVRB247	6	7	LSU
BVRB247	7	8	LSU
BVRB247	8	9	LSL
BVRB247	9	10	LSL
BVRB247	10	11	LSL
BVRB247	11	12	LSL
BVRB247	12	13	LSL
BVRB247	13	14	LSL
BVRB247	14	15	LSL
BVRB247	15	16	LSL
BVRB247	16	17	LSL
BVRB247	17	18	LSL
BVRB247	18	19	MMB
BVRB247	19	20	MMB
BVRB247	20	21	MMB
BVRB248	0	1	OTC
BVRB248	1	2	OTC
BVRB248	2	3	OTC
BVRB248	3	4	OTC
BVRB248	4	5	OTC
BVRB248	5	6	OTC
BVRB248	6	7	OTC
BVRB248	7	8	MB
BVRB248	8	9	MB
BVRB249	0	1	OTA
BVRB249	1	2	OTA
BVRB249	2	3	OTA
BVRB249	3	4	OTA
BVRB249	4	5	OTA
BVRB249	5	6	OTA
BVRB249	6	7	OTA
BVRB249	7	8	OTA
BVRB249	8	9	OTA
BVRB249	9	10	OTA
BVRB249	10	11	OTA
BVRB249	11	12	LSU
BVRB249	12	13	LSU
BVRB249	13	14	LSU
BVRB249	14	15	LSU
BVRB249	15	16	LSU
BVRB249	16	17	LSU
BVRB249	17	18	LSU
BVRB249	18	19	LSU
BVRB249	19	20	LSU
BVRB249	20	21	LSL
BVRB249	21	22	LSL
BVRB249	22	23	LSL
BVRB249	23	24	LSL
BVRB249	24	25	LSL

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB249	25	26	LSL
BVRB249	26	27	LSL
BVRB249	27	28	LSL
BVRB249	28	29	LSL
BVRB249	29	30	LSL
BVRB249	30	31	LSL
BVRB249	31	32	LSL
BVRB249	32	33	LSL
BVRB249	33	34	LSL
BVRB249	34	35	LSL
BVRB249	35	36	LSL
BVRB249	36	37	LSL
BVRB249	37	38	LSL
BVRB249	38	39	LSL
BVRB249	39	40	LSL
BVRB249	40	41	LSL
BVRB249	41	42	LSL
BVRB249	42	43	LSL
BVRB249	43	44	LSL
BVRB249	44	45	LSL
BVRB249	45	46	MMB
BVRB250	0	1	OTA
BVRB250	1	2	OTA
BVRB250	2	3	OTA
BVRB250	3	4	OTA
BVRB250	4	5	OTA
BVRB250	5	6	OTA
BVRB250	6	7	OTA
BVRB250	7	8	LSU
BVRB250	8	9	LSU
BVRB250	9	10	LSU
BVRB250	10	11	LSU
BVRB250	11	12	LSU
BVRB250	12	13	LSU
BVRB250	13	14	LSU
BVRB250	14	15	LSU
BVRB250	15	16	LSU
BVRB250	16	17	LSU
BVRB250	17	18	LSU
BVRB250	18	19	LSU
BVRB250	19	20	LSU
BVRB250	20	21	LSU
BVRB250	21	22	LSU
BVRB250	22	23	LSL
BVRB250	23	24	LSL
BVRB250	24	25	LSL
BVRB250	25	26	LSL
BVRB250	26	27	MB
BVRB250	27	28	MB
BVRB250	28	29	MB
BVRB250	29	30	MB
BVRB250	30	31	MB
BVRB250	31	32	MB
BVRB250	32	33	LSL
BVRB250	33	34	LSL
BVRB250	34	35	LSL

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB250	35	36	LSL
BVRB250	36	37	LSL
BVRB250	37	38	LSL
BVRB250	38	39	LSL
BVRB250	39	40	LSL
BVRB250	40	41	LSL
BVRB250	41	42	MB
BVRB250	42	43	MB
BVRB250	43	44	MB
BVRB250	44	45	MB
BVRB250	45	46	MB
BVRB251	0	1	OTA
BVRB251	1	2	OTA
BVRB251	2	3	OTA
BVRB251	3	4	OTA
BVRB251	4	5	LSU
BVRB251	5	6	LSU
BVRB251	6	7	LSU
BVRB251	7	8	LSU
BVRB251	8	9	LSU
BVRB251	9	10	LSU
BVRB251	10	11	LSU
BVRB251	11	12	LSU
BVRB251	12	13	LSU
BVRB251	13	14	LSU
BVRB251	14	15	LSU
BVRB251	15	16	LSL
BVRB251	16	17	MB
BVRB251	17	18	MB
BVRB251	18	19	MB
BVRB252	0	1	OTA
BVRB252	1	2	OTA
BVRB252	2	3	OTA
BVRB252	3	4	OTA
BVRB252	4	5	OTA
BVRB252	5	6	LSU
BVRB252	6	7	LSU
BVRB252	7	8	LSU
BVRB252	8	9	LSU
BVRB252	9	10	LSU
BVRB252	10	11	LSU
BVRB252	11	12	LSU
BVRB252	12	13	LSU
BVRB252	13	14	LSU
BVRB252	14	15	LSU
BVRB252	15	16	LSU
BVRB252	16	17	LSL
BVRB252	17	18	MB
BVRB252	18	19	MB
BVRB252	19	20	MB
BVRB252	20	21	MB
BVRB252	21	22	MB
BVRB252	22	23	MB
BVRB252	23	24	MB
BVRB252	24	25	MB
BVRB252	25	26	LSL

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB252	26	27	LSL
BVRB252	27	28	LSL
BVRB252	28	29	LSL
BVRB252	29	30	LSL
BVRB252	30	31	LSL
BVRB252	31	32	LSL
BVRB252	32	33	LSL
BVRB252	33	34	LSL
BVRB252	34	35	LSL
BVRB252	35	36	LSL
BVRB252	36	37	LSL
BVRB252	37	38	LSL
BVRB252	38	39	LSL
BVRB252	39	40	LSL
BVRB252	40	41	MB
BVRB252	41	42	MB
BVRB252	42	43	MB
BVRB252	43	44	MB
BVRB252	44	45	MB
BVRB252	45	46	MB
BVRB252	46	47	MB
BVRB253	0	1	OTA
BVRB253	1	2	OTA
BVRB253	2	3	OTA
BVRB253	3	4	OTA
BVRB253	4	5	OTA
BVRB253	5	6	LSU
BVRB253	6	7	LSU
BVRB253	7	8	LSU
BVRB253	8	9	LSU
BVRB253	9	10	LSU
BVRB253	10	11	LSU
BVRB253	11	12	LSU
BVRB253	12	13	LSU
BVRB253	13	14	LSU
BVRB253	14	15	LSU
BVRB253	15	16	LSL
BVRB253	16	17	MD
BVRB253	17	18	MD
BVRB253	18	19	MB
BVRB253	19	20	MB
BVRB253	20	21	MB
BVRB253	21	22	MB
BVRB253	22	23	MB
BVRB253	23	24	MB
BVRB253	24	25	MB
BVRB253	25	26	MB
BVRB253	26	27	MB
BVRB253	27	28	MB
BVRB254	0	1	OTL
BVRB254	1	2	OTL
BVRB254	2	3	LF
BVRB254	3	4	LF
BVRB254	4	5	LF
BVRB254	5	6	LF
BVRB254	6	7	LF



Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB254	7	8	LF
BVRB254	8	9	LF
BVRB254	9	10	LF
BVRB254	10	11	LF
BVRB254	11	12	LF
BVRB254	12	13	LF
BVRB254	13	14	LF
BVRB254	14	15	LSU
BVRB254	15	16	LSU
BVRB254	16	17	LSU
BVRB254	17	18	MB
BVRB254	18	19	MB
BVRB254	19	20	MB
BVRB254	20	21	MB
BVRB254	21	22	MB
BVRB254	22	23	MB
BVRB254	23	24	MB
BVRB254	24	25	MB
BVRB254	25	26	MB
BVRB254	26	27	MB
BVRB254	27	28	MB
BVRB254	28	29	MB
BVRB254	29	30	MB
BVRB254	30	31	MB
BVRB255	0	1	OTC
BVRB255	1	2	OTC
BVRB255	2	3	LSU
BVRB255	3	4	LSU
BVRB255	4	5	LSL
BVRB255	5	6	LSL
BVRB255	6	7	LSU
BVRB255	7	8	LSU
BVRB255	8	9	LSL
BVRB255	9	10	LSL
BVRB255	10	11	LF
BVRB255	11	12	LF
BVRB255	12	13	LSL
BVRB255	13	14	LSL
BVRB255	14	15	MB
BVRB255	15	16	MB
BVRB255	16	17	MB
BVRB255	17	18	MB
BVRB255	18	19	MB
BVRB255	19	20	MB
BVRB256	0	1	OTC
BVRB256	1	2	OTC
BVRB256	2	3	LM
BVRB256	3	4	LM
BVRB256	4	5	LM
BVRB256	5	6	LM
BVRB256	6	7	LSU
BVRB256	7	8	LSU
BVRB256	8	9	LSU
BVRB256	9	10	LSU
BVRB256	10	11	LSU
BVRB256	11	12	LSU

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB256	12	13	LSU
BVRB256	13	14	LSU
BVRB256	14	15	LSU
BVRB256	15	16	LSU
BVRB256	16	17	LSU
BVRB256	17	18	LSU
BVRB256	18	19	LSU
BVRB256	19	20	LSL
BVRB256	20	21	MB
BVRB256	21	22	MB
BVRB256	22	23	MB
BVRB256	23	24	MB
BVRB257	0	1	OTC
BVRB257	1	2	OTC
BVRB257	2	3	OTC
BVRB257	3	4	OTC
BVRB257	4	5	LSU
BVRB257	5	6	LSU
BVRB257	6	7	LSU
BVRB257	7	8	LSU
BVRB257	8	9	LSU
BVRB257	9	10	LSU
BVRB257	10	11	LSU
BVRB257	11	12	LSU
BVRB257	12	13	LSU
BVRB257	13	14	LSU
BVRB257	14	15	LSU
BVRB257	15	16	LSU
BVRB257	16	17	LSU
BVRB257	17	18	LSU
BVRB257	18	19	LSU
BVRB257	19	20	LSL
BVRB257	20	21	LSL
BVRB257	21	22	OCS
BVRB257	22	23	MB
BVRB257	23	24	MB
BVRB257	24	25	MB
BVRB257	25	26	MB
BVRB257	26	27	MB
BVRB257	27	28	MB
BVRB258	0	1	OTC
BVRB258	1	2	OTC
BVRB258	2	3	OTC
BVRB258	3	4	OTC
BVRB258	4	5	LSU
BVRB258	5	6	LSU
BVRB258	6	7	LSU
BVRB258	7	8	LSU
BVRB258	8	9	LSU
BVRB258	9	10	LSU
BVRB258	10	11	LSU
BVRB258	11	12	LF
BVRB258	12	13	LSU
BVRB258	13	14	LSU
BVRB258	14	15	LSU
BVRB258	15	16	LSL

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB258	16	17	LSL
BVRB258	17	18	MB
BVRB258	18	19	MB
BVRB258	19	20	MB
BVRB259	0	1	OTC
BVRB259	1	2	OTC
BVRB259	2	3	LSU
BVRB259	3	4	LSU
BVRB259	4	5	LSU
BVRB259	5	6	LSU
BVRB259	6	7	LSU
BVRB259	7	8	LSU
BVRB259	8	9	LSU
BVRB259	9	10	LSU
BVRB259	10	11	LSU
BVRB259	11	12	LSU
BVRB259	12	13	LSU
BVRB259	13	14	LSU
BVRB259	14	15	LF
BVRB259	15	16	LF
BVRB259	16	17	LF
BVRB259	17	18	MB
BVRB259	18	19	MB
BVRB259	19	20	MB
BVRB259	20	21	MB
BVRB260	0	1	OTA
BVRB260	1	2	OTA
BVRB260	2	3	OTA
BVRB260	3	4	LF
BVRB260	4	5	LF
BVRB260	5	6	LF
BVRB260	6	7	LF
BVRB260	7	8	LF
BVRB260	8	9	LF
BVRB260	9	10	LF
BVRB260	10	11	LF
BVRB260	11	12	LF
BVRB260	12	13	LF
BVRB260	13	14	LSU
BVRB260	14	15	LSL
BVRB260	15	16	LSL
BVRB260	16	17	MB
BVRB260	17	18	MB
BVRB260	18	19	MB
BVRB260	19	20	MB
BVRB260	20	21	MB
BVRB260	21	22	MB
BVRB261	0	1	OTA
BVRB261	1	2	OTA
BVRB261	2	3	LSU
BVRB261	3	4	LSU
BVRB261	4	5	LSU
BVRB261	5	6	LSU
BVRB261	6	7	LSU
BVRB261	7	8	LSU
BVRB261	8	9	LSU

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB261	9	10	LSU
BVRB261	10	11	LSU
BVRB261	11	12	LSU
BVRB261	12	13	LSU
BVRB261	13	14	LSU
BVRB261	14	15	LSU
BVRB261	15	16	LSU
BVRB261	16	17	LSU
BVRB261	17	18	LSU
BVRB261	18	19	LSU
BVRB261	19	20	LSU
BVRB261	20	21	LSU
BVRB261	21	22	LSU
BVRB261	22	23	LSU
BVRB261	23	24	LSU
BVRB261	24	25	LSL
BVRB261	25	26	LSL
BVRB261	26	27	MB
BVRB261	27	28	MB
BVRB261	28	29	MB
BVRB261	29	30	MB
BVRB261	30	31	MB
BVRB262	0	1	OTA
BVRB262	1	2	OTA
BVRB262	2	3	OTA
BVRB262	3	4	LSU
BVRB262	4	5	LSU
BVRB262	5	6	LSU
BVRB262	6	7	LSU
BVRB262	7	8	LSU
BVRB262	8	9	LSU
BVRB262	9	10	LSU
BVRB262	10	11	LSU
BVRB262	11	12	LSU
BVRB262	12	13	LSU
BVRB262	13	14	LSU
BVRB262	14	15	LSU
BVRB262	15	16	LSU
BVRB262	16	17	LSU
BVRB262	17	18	LSU
BVRB262	18	19	LSU
BVRB262	19	20	LSU
BVRB262	20	21	LSU
BVRB262	21	22	LSU
BVRB262	22	23	LSU
BVRB262	23	24	LSL
BVRB262	24	25	LSL
BVRB262	25	26	LSL
BVRB262	26	27	MB
BVRB262	27	28	MB
BVRB262	28	29	MB
BVRB262	29	30	MB
BVRB262	30	31	MB
BVRB262	31	32	MB
BVRB262	32	33	MB
BVRB263	0	1	OTA

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB263	1	2	OTA
BVRB263	2	3	LSU
BVRB263	3	4	LSU
BVRB263	4	5	LSU
BVRB263	5	6	LSU
BVRB263	6	7	LSU
BVRB263	7	8	LSU
BVRB263	8	9	LSU
BVRB263	9	10	LSU
BVRB263	10	11	LSU
BVRB263	11	12	LSU
BVRB263	12	13	LSU
BVRB263	13	14	LSU
BVRB263	14	15	LSU
BVRB263	15	16	LSU
BVRB263	16	17	LSU
BVRB263	17	18	LSU
BVRB263	18	19	LSU
BVRB263	19	20	MB
BVRB264	0	1	OTA
BVRB264	1	2	OTA
BVRB264	2	3	OTA
BVRB264	3	4	OTA
BVRB264	4	5	LM
BVRB264	5	6	LM
BVRB264	6	7	LSU
BVRB264	7	8	LSU
BVRB264	8	9	LSU
BVRB264	9	10	LSU
BVRB264	10	11	LSU
BVRB264	11	12	LSU
BVRB264	12	13	LSU
BVRB264	13	14	LSU
BVRB264	14	15	LSU
BVRB264	15	16	LSU
BVRB264	16	17	LSU
BVRB264	17	18	LSU
BVRB264	18	19	LSU
BVRB264	19	20	MB
BVRB264	20	21	MB
BVRB264	21	22	MB
BVRB264	22	23	MB
BVRB265	0	1	OTA
BVRB265	1	2	OTA
BVRB265	2	3	OTA
BVRB265	3	4	LM
BVRB265	4	5	LM
BVRB265	5	6	LM
BVRB265	6	7	LM
BVRB265	7	8	LM
BVRB265	8	9	LSU
BVRB265	9	10	LSU
BVRB265	10	11	LSU
BVRB265	11	12	LSU
BVRB265	12	13	LSU
BVRB265	13	14	LSU

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB265	14	15	LSU
BVRB265	15	16	LSU
BVRB265	16	17	LSU
BVRB265	17	18	LSU
BVRB265	18	19	LSU
BVRB265	19	20	LSU
BVRB265	20	21	LSU
BVRB265	21	22	LSU
BVRB265	22	23	LSU
BVRB265	23	24	LSU
BVRB265	24	25	LSU
BVRB265	25	26	LSU
BVRB265	26	27	LSL
BVRB265	27	28	LSL
BVRB265	28	29	MB
BVRB265	29	30	MB
BVRB265	30	31	MB
BVRB265	31	32	MB
BVRB266	0	1	OTC
BVRB266	1	2	OTC
BVRB266	2	3	OTC
BVRB266	3	4	OTC
BVRB266	4	5	LSU
BVRB266	5	6	LSU
BVRB266	6	7	LSU
BVRB266	7	8	LSU
BVRB266	8	9	LSU
BVRB266	9	10	LSU
BVRB266	10	11	LSU
BVRB266	11	12	LSU
BVRB266	12	13	LSU
BVRB266	13	14	LSU
BVRB266	14	15	LSU
BVRB266	15	16	LSU
BVRB266	16	17	LSU
BVRB266	17	18	LSU
BVRB266	18	19	LSU
BVRB266	19	20	LSU
BVRB266	20	21	LSU
BVRB266	21	22	LSU
BVRB266	22	23	LSU
BVRB266	23	24	MB
BVRB266	24	25	MB
BVRB266	25	26	MB
BVRB267	0	1	OTA
BVRB267	1	2	OTA
BVRB267	2	3	LSU
BVRB267	3	4	LSU
BVRB267	4	5	LSU
BVRB267	5	6	LSU
BVRB267	6	7	LSU
BVRB267	7	8	LSU
BVRB267	8	9	LSU
BVRB267	9	10	LSU
BVRB267	10	11	LSU
BVRB267	11	12	LSU

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB267	12	13	LSU
BVRB267	13	14	LSU
BVRB267	14	15	LSU
BVRB267	15	16	LSU
BVRB267	16	17	LSU
BVRB267	17	18	LSU
BVRB267	18	19	LSU
BVRB267	19	20	LSU
BVRB267	20	21	LSU
BVRB267	21	22	LSU
BVRB267	22	23	LSU
BVRB267	23	24	LSU
BVRB267	24	25	LSU
BVRB267	25	26	OCS
BVRB267	26	27	OCS
BVRB267	27	28	OCS
BVRB267	28	29	MB
BVRB267	29	30	MB
BVRB267	30	31	MB
BVRB267	31	32	MB
BVRB267	32	33	MB
BVRB267	33	34	MB
BVRB267	34	35	MB
BVRB267	35	36	MB
BVRB268	0	1	OTC
BVRB268	1	2	OTC
BVRB268	2	3	OTC
BVRB268	3	4	OTC
BVRB268	4	5	OTC
BVRB268	5	6	LF
BVRB268	6	7	LF
BVRB268	7	8	LF
BVRB268	8	9	LF
BVRB268	9	10	LF
BVRB268	10	11	LF
BVRB268	11	12	MB
BVRB268	12	13	MB
BVRB268	13	14	MB
BVRB268	14	15	MB
BVRB268	15	16	MB
BVRB268	16	17	MB
BVRB268	17	18	MB
BVRB268	18	19	MB
BVRB268	19	20	MB
BVRB269	0	1	OTA
BVRB269	1	2	OTA
BVRB269	2	3	OTA
BVRB269	3	4	OTA
BVRB269	4	5	LF
BVRB269	5	6	LF
BVRB269	6	7	LF
BVRB269	7	8	LF
BVRB269	8	9	LF
BVRB269	9	10	LF
BVRB269	10	11	LSU
BVRB269	11	12	LSU

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB269	12	13	LSU
BVRB269	13	14	LSU
BVRB269	14	15	LSU
BVRB269	15	16	LSU
BVRB269	16	17	LSU
BVRB269	17	18	LSU
BVRB269	18	19	LSL
BVRB269	19	20	LSL
BVRB269	20	21	LSL
BVRB269	21	22	LSL
BVRB269	22	23	LSL
BVRB269	23	24	LSL
BVRB269	24	25	LSL
BVRB269	25	26	LSL
BVRB269	26	27	LSL
BVRB269	27	28	LSL
BVRB269	28	29	LSL
BVRB269	29	30	LSL
BVRB269	30	31	LSL
BVRB269	31	32	LSL
BVRB269	32	33	LSL
BVRB269	33	34	LSL
BVRB269	34	35	LSL
BVRB269	35	36	LSL
BVRB269	36	37	LSL
BVRB269	37	38	LSL
BVRB269	38	39	LSL
BVRB269	39	40	MB
BVRB269	40	41	MB
BVRB269	41	42	MB
BVRB269	42	43	MB
BVRB269	43	44	MB
BVRB269	44	45	MB
BVRB269	45	46	MB
BVRB269	46	47	MB
BVRB269	47	48	MB
BVRB270	0	1	OTA
BVRB270	1	2	OTA
BVRB270	2	3	OTA
BVRB270	3	4	LM
BVRB270	4	5	LM
BVRB270	5	6	LM
BVRB270	6	7	LM
BVRB270	7	8	LM
BVRB270	8	9	LM
BVRB270	9	10	LM
BVRB270	10	11	LM
BVRB270	11	12	LF
BVRB270	12	13	LF
BVRB270	13	14	LF
BVRB270	14	15	LF
BVRB270	15	16	LF
BVRB270	16	17	LF
BVRB270	17	18	LF
BVRB270	18	19	LF
BVRB270	19	20	LF



Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB270	20	21	MB
BVRB270	21	22	MB
BVRB270	22	23	MB
BVRB270	23	24	MB
BVRB270	24	25	MB
BVRB270	25	26	MB
BVRB270	26	27	MB
BVRB270	27	28	MB
BVRB270	28	29	MB
BVRB271	0	1	OTC
BVRB271	1	2	OTC
BVRB271	2	3	OTC
BVRB271	3	4	LSU
BVRB271	4	5	LSU
BVRB271	5	6	LSU
BVRB271	6	7	LSU
BVRB271	7	8	LSU
BVRB271	8	9	LSU
BVRB271	9	10	LSU
BVRB271	10	11	LSU
BVRB271	11	12	LSU
BVRB271	12	13	LSU
BVRB271	13	14	LSU
BVRB271	14	15	LSU
BVRB271	15	16	LSU
BVRB271	16	17	LSU
BVRB271	17	18	LSL
BVRB271	18	19	LSL
BVRB271	19	20	LSL
BVRB271	20	21	LSL
BVRB271	21	22	LSL
BVRB271	22	23	LSL
BVRB271	23	24	LSL
BVRB271	24	25	MB
BVRB271	25	26	MB
BVRB271	26	27	MB
BVRB271	27	28	MB
BVRB271	28	29	MB
BVRB272	0	1	OTC
BVRB272	1	2	OTC
BVRB272	2	3	LSU
BVRB272	3	4	LSU
BVRB272	4	5	LSU
BVRB272	5	6	LSU
BVRB272	6	7	LSU
BVRB272	7	8	LSU
BVRB272	8	9	LSU
BVRB272	9	10	LSU
BVRB272	10	11	LSU
BVRB272	11	12	LSU
BVRB272	12	13	LSU
BVRB272	13	14	LSU
BVRB272	14	15	LSU
BVRB272	15	16	LSU
BVRB272	16	17	LSL
BVRB272	17	18	LSL

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB272	18	19	LSL
BVRB272	19	20	LSL
BVRB272	20	21	LSL
BVRB272	21	22	LSL
BVRB272	22	23	LSL
BVRB272	23	24	LSL
BVRB272	24	25	LSL
BVRB272	25	26	LSL
BVRB272	26	27	LSL
BVRB272	27	28	LSL
BVRB272	28	29	LSL
BVRB272	29	30	LSL
BVRB272	30	31	MB
BVRB272	31	32	MB
BVRB272	32	33	MB
BVRB272	33	34	MB
BVRB272	34	35	MB
BVRB272	35	36	MB
BVRB272	36	37	MB
BVRB272	37	38	MB
BVRB272	38	39	MB
BVRB272	39	40	MB
BVRB272	40	41	MB
BVRB272	41	42	MB
BVRB272	42	43	MB
BVRB272	43	44	MB
BVRB272	44	45	MB
BVRB272	45	46	MB
BVRB273	0	1	OTC
BVRB273	1	2	OTC
BVRB273	2	3	LSU
BVRB273	3	4	LSU
BVRB273	4	5	LSU
BVRB273	5	6	LSU
BVRB273	6	7	LSU
BVRB273	7	8	LSU
BVRB273	8	9	LSU
BVRB273	9	10	LSU
BVRB273	10	11	LSU
BVRB273	11	12	LSU
BVRB273	12	13	LSU
BVRB273	13	14	LSU
BVRB273	14	15	LSU
BVRB273	15	16	LSU
BVRB273	16	17	LSU
BVRB273	17	18	LSU
BVRB273	18	19	LSU
BVRB273	19	20	LSL
BVRB273	20	21	LSL
BVRB273	21	22	LSL
BVRB273	22	23	LSL
BVRB273	23	24	LSL
BVRB273	24	25	LSL
BVRB274	0	1	OTA
BVRB274	1	2	OTA
BVRB274	2	3	OTA

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB274	3	4	OTA
BVRB274	4	5	LSU
BVRB274	5	6	LSU
BVRB274	6	7	LSU
BVRB274	7	8	LSU
BVRB274	8	9	LSU
BVRB274	9	10	LSU
BVRB274	10	11	LSU
BVRB274	11	12	LSU
BVRB274	12	13	LSU
BVRB274	13	14	LSU
BVRB274	14	15	LSU
BVRB274	15	16	LSU
BVRB274	16	17	LSU
BVRB274	17	18	LSU
BVRB274	18	19	LSU
BVRB274	19	20	LSU
BVRB274	20	21	LSU
BVRB274	21	22	LSU
BVRB274	22	23	LSU
BVRB274	23	24	LSU
BVRB274	24	25	LSU
BVRB274	25	26	LSU
BVRB274	26	27	LSU
BVRB274	27	28	LSL
BVRB274	28	29	LSL
BVRB274	29	30	LSL
BVRB274	30	31	LSL
BVRB274	31	32	MB
BVRB275	0	1	OTC
BVRB275	1	2	OTC
BVRB275	2	3	OTC
BVRB275	3	4	LSL
BVRB275	4	5	LSL
BVRB275	5	6	LSL
BVRB275	6	7	LSL
BVRB275	7	8	LSL
BVRB275	8	9	LSL
BVRB275	9	10	LSL
BVRB275	10	11	LSL
BVRB275	11	12	LSL
BVRB275	12	13	LSL
BVRB275	13	14	LSL
BVRB275	14	15	LSL
BVRB275	15	16	LSL
BVRB275	16	17	LSL
BVRB275	17	18	LSL
BVRB275	18	19	LSL
BVRB275	19	20	LSL
BVRB275	20	21	LSL
BVRB275	21	22	LSL
BVRB275	22	23	LSL
BVRB275	23	24	LSL
BVRB275	24	25	SSL
BVRB275	25	26	SSL
BVRB275	26	27	SSL

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB275	27	28	SSL
BVRB275	28	29	SSL
BVRB275	29	30	SSL
BVRB276	0	3	OTA
BVRB276	3	9	LSL
BVRB276	9	15	LSL
BVRB276	15	23	LSL
BVRB276	23	24	LSL
BVRB276	24	27	LSL
BVRB276	27	31	LSL
BVRB276	31	34	LSL
BVRB276	34	40	LSL
BVRB276	40	46	SVG
BVRB276	46	47	SVG
BVRB276	47	48	SVG
BVRB277	0	1	OTA
BVRB277	1	4	LSU
BVRB277	4	7	LSL
BVRB277	7	12	LSL
BVRB277	12	23	LSL
BVRB277	23	26	LSL
BVRB277	26	32	SVG
BVRB277	32	36	SVG
BVRB277	36	37	SVG
BVRB277	37	38	SVG
BVRB278	0	1	OTA
BVRB278	1	5	LSU
BVRB278	5	15	LSL
BVRB278	15	26	LSL
BVRB278	26	29	LSL
BVRB278	29	32	SVG
BVRB278	32	33	SVG
BVRB279	0	1	OTA
BVRB279	1	5	LSL
BVRB279	5	9	LSL
BVRB279	9	15	LSL
BVRB279	15	21	LSL
BVRB279	21	22	SVG
BVRB279	22	23	SVG
BVRB279	23	24	SVG
BVRB280	0	1	OTA
BVRB280	1	5	LSL
BVRB280	5	10	LSL
BVRB280	10	11	SVG
BVRB280	11	14	SVG
BVRB280	14	19	SVG
BVRB280	19	24	SVG
BVRB280	24	27	SVG
BVRB280	27	28	SVG
BVRB281	0	1	OTA
BVRB281	1	6	LSL
BVRB281	6	11	LSL
BVRB281	11	20	LSL
BVRB281	20	23	SVG
BVRB281	23	26	SVG
BVRB281	26	27	SVG

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB282	0	1	OTA
BVRB282	1	5	LSL
BVRB282	5	12	MD
BVRB282	12	23	MD
BVRB282	23	24	MD
BVRB283	0	1	OTA
BVRB283	1	6	LSL
BVRB283	6	11	LSL
BVRB283	11	16	LSL
BVRB283	16	18	SVG
BVRB283	18	24	SVG
BVRB283	24	26	SCT
BVRB284	0	2	OTA
BVRB284	2	7	LSL
BVRB284	7	12	LSL
BVRB284	12	13	LSL
BVRB284	13	19	LSL
BVRB285	0	1	OTA
BVRB285	1	7	LSL
BVRB285	7	16	MD
BVRB285	16	18	MD
BVRB285	18	21	MD
BVRB285	21	22	MD
BVRB286	0	4	LSL
BVRB286	4	7	LSL
BVRB286	7	10	MD
BVRB286	10	14	MD
BVRB286	14	19	MD
BVRB286	19	21	MD
BVRB286	21	22	MD
BVRB287	0	1	OTA
BVRB287	1	6	LSL
BVRB287	6	15	LSL
BVRB287	15	22	LSL
BVRB287	22	29	LSL
BVRB287	29	31	MD
BVRB287	31	32	MD
BVRB288	0	3	LSU
BVRB288	3	7	LSL
BVRB288	7	11	LSL
BVRB288	11	15	SSL
BVRB288	15	16	SCT
BVRB289	0	1	SCT
BVRB290	0	2	OTC
BVRB290	2	9	LSL
BVRB290	9	10	MD
BVRB290	10	11	MD
BVRB291	0	2	OTA
BVRB291	2	7	LSL
BVRB291	7	18	LSL
BVRB291	18	19	LSL
BVRB291	19	21	LSL
BVRB291	21	32	LSL
BVRB291	32	39	SHCC
BVRB291	39	41	SHCC
BVRB292	0	3	OTA

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB292	3	10	LSL
BVRB292	10	15	LSL
BVRB292	15	22	U
BVRB292	22	28	U
BVRB292	28	40	U
BVRB292	40	47	U
BVRB292	47	49	U
BVRB292	49	50	U
BVRB293	0	2	OTA
BVRB293	2	9	LSL
BVRB293	9	12	U
BVRB293	12	20	U
BVRB293	20	23	U
BVRB293	23	32	U
BVRB293	32	39	UTC
BVRB293	39	40	UTC
BVRB294	0	2	OTA
BVRB294	2	9	LSL
BVRB294	9	14	U
BVRB294	14	26	U
BVRB294	26	30	U
BVRB294	30	32	U
BVRB295	0	1	OTA
BVRB295	1	5	LSL
BVRB295	5	12	U
BVRB295	12	24	U
BVRB295	24	29	U
BVRB295	29	33	U
BVRB296	0	1	OTA
BVRB296	1	5	LSL
BVRB296	5	9	LSL
BVRB296	9	12	MB
BVRB296	12	13	MB
BVRB297	0	1	OTA
BVRB297	1	6	LSL
BVRB297	6	15	LSL
BVRB297	15	18	MB
BVRB297	18	23	MMB
BVRB297	23	27	MMB
BVRB297	27	28	MMB
BVRB298	0	1	OTA
BVRB298	1	12	OTP
BVRB298	12	31	LSL
BVRB298	31	36	MMB
BVRB298	36	44	MMB
BVRB298	44	46	MMB
BVRB299	0	1	OTA
BVRB299	1	17	OTP
BVRB299	17	26	LSL
BVRB299	26	32	LSL
BVRB299	32	33	MMB
BVRB299	33	34	MMB
BVRB300	0	1	OTA
BVRB300	1	17	OTP
BVRB300	17	24	LSL
BVRB300	24	26	LSL

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB300	26	28	MMB
BVRB300	28	29	MMB
BVRB300	29	30	MMB
BVRB301	0	1	OTA
BVRB301	1	20	OTP
BVRB301	20	32	LSL
BVRB301	32	36	SVG
BVRB301	36	40	SVG
BVRB301	40	41	SVG
BVRB302	0	1	OTA
BVRB302	1	4	OTP
BVRB302	4	12	OTP
BVRB302	12	19	LSL
BVRB302	19	23	MMB
BVRB302	23	25	MMB
BVRB302	25	26	MMB
BVRB303	0	1	OTA
BVRB303	1	7	OTP
BVRB303	7	15	LSL
BVRB303	15	21	LSL
BVRB303	21	25	LSL
BVRB303	25	29	SVG
BVRB303	29	31	SVG
BVRB303	31	32	SVG
BVRB304	0	2	OTA
BVRB304	2	7	OTP
BVRB304	7	14	LSL
BVRB304	14	16	LSL
BVRB304	16	21	SSL
BVRB304	21	22	SSL
BVRB304	22	24	SCT
BVRB305	0	2	OTA
BVRB305	2	7	OTP
BVRB305	7	15	LSL
BVRB305	15	21	LSL
BVRB305	21	25	SVG
BVRB305	25	26	SVG
BVRB305	26	27	SVG
BVRB306	0	1	OTA
BVRB306	1	6	OTP
BVRB306	6	23	LSL
BVRB306	23	28	LSL
BVRB306	28	30	SVG
BVRB306	30	31	SCT
BVRB306	31	33	SCT
BVRB307	0	1	OTA
BVRB307	1	6	OTP
BVRB307	6	12	LSL
BVRB307	12	20	SVG
BVRB307	20	22	SVG
BVRB307	22	23	SVG
BVRB307	23	33	SVG
BVRB307	33	35	SVG
BVRB307	35	36	SVG
BVRB308	0	2	OTC
BVRB308	2	10	LSU

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB308	10	21	LSL
BVRB308	21	28	LSL
BVRB308	28	33	LSL
BVRB308	33	37	SSL
BVRB308	37	42	SVG
BVRB308	42	46	SVG
BVRB308	46	49	SVG
BVRB308	49	50	SVG
BVRB309	0	1	OTC
BVRB309	1	3	SSL
BVRB309	3	12	LSU
BVRB309	12	16	LSL
BVRB309	16	20	LSL
BVRB309	20	27	LSL
BVRB309	27	34	LSL
BVRB309	34	36	SVG
BVRB309	36	39	SVG
BVRB309	39	40	SVG
BVRB310	0	2	OTC
BVRB310	2	9	LSU
BVRB310	9	15	LSL
BVRB310	15	31	LSL
BVRB310	31	33	SHCC
BVRB310	33	37	LSL
BVRB310	37	44	LSL
BVRB310	44	46	LSL
BVRB310	46	50	SHCC
BVRB310	50	52	SHCC
BVRB311	0	4	OTA
BVRB311	4	12	LSL
BVRB311	12	21	LSL
BVRB311	21	27	LSL
BVRB311	27	30	U
BVRB311	30	34	SHCC
BVRB311	34	45	SHCC
BVRB311	45	48	U
BVRB311	48	50	SHCC
BVRB311	50	51	SHCC
BVRB312	0	2	OTA
BVRB312	2	8	LSL
BVRB312	8	13	LSL
BVRB312	13	19	LSL
BVRB312	19	27	LSL
BVRB312	27	35	UAC
BVRB312	35	41	UTC
BVRB312	41	43	UTC
BVRB312	43	44	UTC
BVRB313	0	2	OTA
BVRB313	2	6	LSL
BVRB313	6	10	LSL
BVRB313	10	16	LSL
BVRB313	16	24	U
BVRB313	24	26	U
BVRB313	26	28	U
BVRB314	0	3	ORL
BVRB314	3	7	LSL



Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB314	7	9	LSL
BVRB314	9	17	LSL
BVRB314	17	33	U
BVRB314	33	41	U
BVRB314	41	43	UTC
BVRB314	43	44	UTC
BVRB315	0	2	ORL
BVRB315	2	7	LSL
BVRB315	7	12	LSL
BVRB315	12	19	U
BVRB315	19	25	U
BVRB315	25	28	U
BVRB315	28	29	U
BVRB316	0	2	ORL
BVRB316	2	5	LSL
BVRB316	5	11	LSL
BVRB316	11	13	M
BVRB316	13	15	MMB
BVRB316	15	20	MMB
BVRB316	20	22	MMB
BVRB316	22	24	MMB
BVRB317	0	2	OTA
BVRB317	2	14	LSL
BVRB317	14	19	LSL
BVRB317	19	25	U
BVRB317	25	33	U
BVRB317	33	37	U
BVRB317	37	38	U
BVRB318	0	2	OTA
BVRB318	2	5	LSL
BVRB318	5	12	LSL
BVRB318	12	19	U
BVRB318	19	20	U
BVRB318	20	28	U
BVRB318	28	32	UTC
BVRB318	32	35	UTC
BVRB319	0	3	OTA
BVRB319	3	12	LSL
BVRB319	12	13	LSL
BVRB319	13	15	U
BVRB319	15	17	U
BVRB319	17	18	U
BVRB320	0	3	OTA
BVRB320	3	12	LSL
BVRB320	12	14	LSL
BVRB320	14	17	MB
BVRB320	17	18	MB
BVRB321	0	2	OTA
BVRB321	2	5	LSL
BVRB321	5	7	LSL
BVRB321	7	11	LSL
BVRB321	11	14	LSL
BVRB321	14	23	LSL
BVRB321	23	25	LSL
BVRB321	25	30	LSL
BVRB321	30	35	SVG

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB321	35	43	SVG
BVRB321	43	53	SVG
BVRB321	53	54	SVG
BVRB322	0	2	OTA
BVRB322	2	13	LSL
BVRB322	13	26	LSL
BVRB322	26	31	LSL
BVRB322	31	42	LSL
BVRB322	42	48	SVG
BVRB322	48	51	SVG
BVRB322	51	54	SVG
BVRB323	0	2	OTA
BVRB323	2	8	LSL
BVRB323	8	11	LSL
BVRB323	11	23	LSL
BVRB323	23	33	SSL
BVRB323	33	40	SSL
BVRB323	40	41	SSL
BVRB324	0	3	OTA
BVRB324	3	8	LSL
BVRB324	8	19	LSL
BVRB324	19	28	SVG
BVRB324	28	31	SVG
BVRB324	31	41	SSL
BVRB324	41	48	SSL
BVRB324	48	50	SSL
BVRB325	0	2	OTA
BVRB325	2	18	OTP
BVRB325	18	31	LSL
BVRB325	31	38	LSL
BVRB325	38	44	LSL
BVRB325	44	46	SHCC
BVRB326	0	3	OTA
BVRB326	3	5	OTL
BVRB326	5	11	OTP
BVRB326	11	22	LSL
BVRB326	22	26	LSL
BVRB326	26	32	UTC
BVRB326	32	35	UTC
BVRB326	35	37	UTC
BVRB327	0	1	OTA
BVRB327	1	8	LSL
BVRB327	8	12	U
BVRB327	12	16	U
BVRB327	16	23	UK
BVRB327	23	27	UK
BVRB328	0	1	OTA
BVRB328	1	6	LSL
BVRB328	6	12	U
BVRB328	12	19	U
BVRB328	19	22	U
BVRB328	22	27	U
BVRB328	27	31	UTC
BVRB328	31	33	UTC
BVRB329	0	2	OTA
BVRB329	2	6	LSL

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB329	6	8	U
BVRB329	8	11	U
BVRB329	11	13	U
BVRB329	13	15	U
BVRB329	15	16	U
BVRB330	0	2	OTA
BVRB330	2	7	LSL
BVRB330	7	26	U
BVRB330	26	31	U
BVRB330	31	35	U
BVRB331	0	2	OTA
BVRB331	2	8	OTP
BVRB331	8	15	LSL
BVRB331	15	18	LSL
BVRB331	18	27	UK
BVRB331	27	33	UK
BVRB331	33	36	UK
BVRB332	0	3	OTA
BVRB332	3	10	OTP
BVRB332	10	19	LSL
BVRB332	19	27	LSL
BVRB332	27	37	LSL
BVRB332	37	39	UTC
BVRB332	39	43	UTC
BVRB332	43	45	UTC
BVRB333	0	2	OTA
BVRB333	2	8	OTP
BVRB333	8	13	LSL
BVRB333	13	18	LSL
BVRB333	18	23	LSL
BVRB333	23	28	LSL
BVRB333	28	34	U
BVRB333	34	37	SSL
BVRB333	37	38	SSL
BVRB334	0	2	OTA
BVRB334	2	11	OTP
BVRB334	11	18	LSL
BVRB334	18	22	LSL
BVRB334	22	31	SVG
BVRB334	31	39	SVG
BVRB334	39	41	SVG
BVRB335	0	2	OTA
BVRB335	2	8	OTP
BVRB335	8	12	LSL
BVRB335	12	23	LSL
BVRB335	23	31	M
BVRB335	31	35	MB
BVRB335	35	36	MB
BVRB336	0	3	OTA
BVRB336	3	12	OTP
BVRB336	12	20	LSL
BVRB336	20	35	LSL
BVRB336	35	39	LSL
BVRB336	39	44	SVG
BVRB336	44	47	SVG
BVRB336	47	49	MB

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB337	0	3	OTL
BVRB337	3	7	OTP
BVRB337	7	13	U
BVRB337	13	19	U
BVRB337	19	23	U
BVRB337	23	33	U
BVRB337	33	35	U
BVRB338	0	3	OTL
BVRB338	3	12	LSL
BVRB338	12	20	U
BVRB338	20	23	U
BVRB338	23	31	U
BVRB338	31	35	U
BVRB338	35	39	U
BVRB339	0	2	OTA
BVRB339	2	6	LSL
BVRB339	6	8	U
BVRB339	8	10	U
BVRB339	10	12	U
BVRB340	0	2	OTA
BVRB340	2	4	LSL
BVRB340	4	11	U
BVRB340	11	14	U
BVRB340	14	16	U
BVRB341	0	2	OTA
BVRB341	2	4	LSL
BVRB341	4	5	U
BVRB341	5	7	U
BVRB341	7	10	U
BVRB341	10	12	U
BVRB342	0	2	OTA
BVRB342	2	3	LSL
BVRB342	3	6	U
BVRB342	6	10	U
BVRB342	10	11	U
BVRB343	0	2	OTA
BVRB343	2	5	LSL
BVRB343	5	13	U
BVRB343	13	21	U
BVRB343	21	36	UTC
BVRB343	36	62	UTC
BVRB343	62	70	UTC
BVRB343	70	71	UTC
BVRB344	0	1	OTA
BVRB344	1	3	LSL
BVRB344	3	7	U
BVRB344	7	16	U
BVRB344	16	29	U
BVRB344	29	38	U
BVRB344	38	43	U
BVRB344	43	44	U
BVRB345	0	1	OTA
BVRB345	1	3	LSL
BVRB345	3	10	U
BVRB345	10	14	U
BVRB345	14	17	U

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB345	17	22	U
BVRB345	22	23	U
BVRB346	0	1	OTA
BVRB346	1	7	LSL
BVRB346	7	11	LSL
BVRB346	11	16	LSL
BVRB346	16	22	LSL
BVRB346	22	26	SVG
BVRB346	26	27	SVG
BVRB346	27	28	SVG
BVRB347	0	2	OTA
BVRB347	2	11	LSL
BVRB347	11	19	LSL
BVRB347	19	23	SVG
BVRB347	23	26	SVG
BVRB347	26	27	SVG
BVRB348	0	1	OTA
BVRB348	1	7	LSL
BVRB348	7	16	U
BVRB348	16	21	U
BVRB348	21	25	U
BVRB348	25	27	U
BVRB349	0	2	OTA
BVRB349	2	8	LSL
BVRB349	8	17	M
BVRB349	17	23	MMB
BVRB349	23	25	MMB
BVRB349	25	27	MMB
BVRB350	0	1	OTA
BVRB350	1	7	LSL
BVRB350	7	11	SHCC
BVRB350	11	18	LSL
BVRB350	18	23	MMB
BVRB350	23	26	MMB
BVRB350	26	28	MMB
BVRB351	0	2	OTA
BVRB351	2	6	OTP
BVRB351	6	8	LSU
BVRB351	8	14	LSL
BVRB351	14	19	LSL
BVRB351	19	25	LSL
BVRB351	25	29	SVG
BVRB351	29	35	SVG
BVRB351	35	38	SVG
BVRB351	38	39	SVG
BVRB352	0	1	OTA
BVRB352	1	6	OTP
BVRB352	6	17	LSL
BVRB352	17	22	LSL
BVRB352	22	26	SHCC
BVRB352	26	29	SVG
BVRB352	29	31	SVG
BVRB352	31	33	SVG
BVRB353	0	2	OTA
BVRB353	2	8	OTP
BVRB353	8	9	SAND

Hole_ID	Depth_From	Depth_To	Lith1_Hist_Code
BVRB353	9	11	LSL
BVRB353	11	16	LSL
BVRB353	16	22	SVG
BVRB353	22	28	SVG
BVRB353	28	31	SVG
BVRB353	31	33	SVG
BVRB354	0	2	OTA
BVRB354	2	4	OTP
BVRB354	4	7	LSL
BVRB354	7	13	LSL
BVRB354	13	20	U
BVRB354	20	21	U
BVRB354	21	27	U
BVRB354	27	32	U
BVRB355	0	1	OTA
BVRB355	1	5	LSL
BVRB355	5	8	U
BVRB355	8	11	U
BVRB355	11	21	U
BVRB355	21	29	U
BVRB355	29	32	U
BVRB356	0	1	OTA
BVRB356	1	7	UPD
BVRB357	0	1	OTA
BVRB357	1	7	UK
BVRB357	7	29	UK
BVRB358	0	1	OTA
BVRB358	1	23	UPD
BVRB359	0	1	OTA
BVRB359	1	13	UK
BVRB359	13	23	UK
BVRB360	0	1	OTA
BVRB360	1	13	UK
BVRB360	13	24	UK
BVRB361	0	2	OTA
BVRB361	2	11	UK
BVRB361	11	19	UK
BVRB362	0	2	OTA
BVRB362	2	4	UPD
BVRB363	0	2	OTA
BVRB363	2	13	UPD
BVRB363	13	28	UPD
BVRB364	0	3	OTA
BVRB364	3	11	UAC
BVRB364	11	16	UAC
BVRB365	0	3	OTA
BVRB365	3	5	MMB
BVRB366	0	3	OTA
BVRB366	3	4	MMB
BVRB367	0	3	OTA
BVRB367	3	8	MMB

**Table 6: Historic geology logs from the BVRB holes taken from WAMEX reports A62263 and A58256**

Geological Logging Codes			
<b>Volcanic - Coherent Facies (ie Lavas)</b>		<b>Intermediate Rocks SiO2 55% - 45%</b>	
FV	Undivided Felsic Volcanic Rock	<b>Volcanic - Coherent Facies (ie Lavas)</b>	
FD	Dacite (even grained)	IV	Undivided Intermediate Volcanic Rock
FDP	Porphyritic Dacite ( K-feldspar phyrriic)	IA	Andesite (even grained)
FR	Rhyolite (even grained, glassy)	IAP	Porphyritic Trachy-Andesite (Plagioclase-K-feldspar phyrriic)
FRP	Porphyritic Rhyolite (Quartz phyrriic)	IFP	Porphyritic Andesite (Plagioclase phyrriic, biotite rich)
		IL	Latite
<b>Volcanic - Autoclastic Facies</b>		ILP	Porphyritic Latite
FDXA	Dacitic Autobreccia		
FRXA	Rhyolitic Autobreccia	<b>Volcanic - Autoclastic Facies</b>	
FDXH	Dacitic Hyaloclastite	IAXA	Andesitic Autobreccia
FRXH	Rhyolite Hyaloclastite	IAXH	Andesitic Hyaloclastite
FVX	Undivided Felsic Autoclastic Rocks	ILXA	Latitic Autobreccia
		ILXH	Latitic Hyaloclastite
<b>Volcanic - Pyroclastic Facies</b>		IVX	Undivided Intermediate Autoclastic Rocks
FTA	Felsic Tuff (ash-lapilli)		
FTC	Felsic Tuff (crystal, crystal lithic)	<b>Volcanic Re-sedimented Facies</b>	
FTI	Felsic Ignimbrite (Welded Tuff)	See Sedimentary Rocks	
FPBX	Felsic Pyroclastic Breccia (Agglomerate)		
FVY	Undivided Felsic Pyroclastic Rocks	<b>Plutonic</b>	
<b>Volcanic Re-sedimented Facies</b>		GD	Diorite
See Sedimentary Rocks		GMO	Monzonite
<b>Plutonic</b>		GSDI	Syenodiorite
GA	Alkali granite	GSY	Syenite
GDI	Granodiorite		
GMOQ	Quartz Monzonite (cf Ademellite)	<b>Alteration Code</b>	
GP	Pegmatite	A	Alteration: with the following qualifiers
GR	Granite	B	Albite
GRA	Aplite	C	Biotite
GT	Granitoid	D	Chlorite
GTO	Tonalite	E	Dolomite
		F	Epidote
<b>Porphyry Intrusions (Felsic to Intermediate)</b>		G	Fuchsite
PF	Felsic Porphyry	H	Garnet
PFQ	Feldspar Quartz Porphyry	I	Hematite
PFQH	Feldspar Quartz Hornblende Porphyry	K	Ankerite
PFB	Feldspar Biotite Porphyry	L	K-feldspar
PFQB	Feldspar Quartz Biotite Porphyry	M	Silica
PFBH	Feldspar Hornblende Biotite Porphyry	N	Muscovite
PQ	Quartz Porphyry	P	Magnetite
		L	Pyrophyllite
<b>Miscellaneous Codes</b>		R	Silicified
BFIL	Back filled/collapsed workings	S	Carbonate
CLSS	Core Loss (DD only)	T	Sericite
CL	Clay	U	Talc
CLP	Pisolitic Clay	X	Sulphides
GOSS	Gossan		Amphibole (Sodic)
GOFI	Ironstone	<b>Tectonites</b>	
GOFM	Manganese Ironstone	IBX	
NREC	No recovery / No sample return (RAB, AC, RC)	Z	Tectonic Breccia
OBSC	Obscured	B	Schist: with the following qualifiers
VOID	Unfilled/Open Workings	C	Biotite
		F	Chlorite
<b>Transported Regolith</b>		L	Fuchsite
OTA	Overburden transported Alluvium	M	Silica
OTC	Overburden transported Colluvium	P	Muscovite
OTL	Overburden transported Lateritic Gravels	L	Pyrophyllite
OTSW	Ov. Transported Sheetwash Plain	R	Silica
OTWS	Overburden Transported Aeolian Dune Sand	S	Carbonate
OTWK	Overburden Transported Aeolian Kopai	T	Sericite
ORS	Overburden Residual Soil		Talc
ORL	Overburden Residual Lateritic Gravels	<b>In Situ Regolith</b>	
OCC	Overburden Chemical Calcrete	L	
OCE	Overburden Chemical Evaporite	LF	Laterite
OCH	Overburden Chemical Hardpan	LFC	Lateritic Ferricrete (note following qualifiers)
OCS	Overburden Chemical Silcrete	LFF	Lateritic Ferricrete Concretionary
OTPR	Ov. Transported Playa Lake Deposits (Recent)	LFM	Lateritic Ferricrete Fragmental
OTPR	Ov. Transported Playa Lake Deposits (Plastic Clay)	LFN	Lateritic Ferricrete Massive
CLAY	Paleochannel Clay (Non-Plastic Clay)	LFP	Lateritic Ferricrete Nodular
GRAV	Unconsolidated Quartz Gravels (Paleochannel)	LFV	Lateritic Ferricrete Pisolitic
SAND	Unconsolidated Quartz Sands (Paleochannel)	LM	Lateritic Ferricrete Vermiform
		LS	Mottled Zone
<b>Infill Codes</b>		LSC	Undivided Saprolite
V	Vein: with the following qualifiers	LSCF	Saprolitic Clay (Upper Saprolite - no primary fabric, clay rich)
C	Chlorite	LSF	Ferruginised Saprolitic Clay (ditto - ie. Redox fronts)
D	Dolomite	LSL	Ferruginous zone (Fe-Mn oxide deposits at REDOX front)
F	Fuchsite	LSR	Lower Saprolite (clays>20% of minerals susceptible to weathering)
H	Hematite	LSU	Saprock (<20% of minerals susceptible to weathering)
K	Ankerite		Upper Saprolite (Leached zone, kaolin+goethite, fabric destroyed)
M	Muscovite		
N	Magnetite		
Q	Quartz		
R	Carbonate		
U	Sulphides		

**Table 7: Replica of Historic geology logs with lithology codes from the BVRB holes taken from WAMEX reports A62263 and A58256**





SiteID	NAT_Grid_ID	NAT_North	NAT_East	Surv method	Lease_ID	Sample_Description
FR000460	MGA94_51	6722539	326699	GPS	E29/1158	Qz with mica
FR000461	MGA94_51	6722496	326749	GPS	E29/1158	Muscovite pegmatite
FR000462	MGA94_51	6723753	327058	GPS	E29/1158	Muscovite pegmatite
FR000463	MGA94_51	6723563	326970	GPS	E29/1158	Pegmatite
FR000464	MGA94_51	6723532	326961	GPS	E29/1158	Pegmatite with feldspar & qtz
FR000465	MGA94_51	6723552	326867	GPS	E29/1158	Mica pegmatite
FR000466	MGA94_51	6723552	326867	GPS	E29/1158	Metapelite?
FR000467	MGA94_51	6722940	326693	GPS	E29/1158	Qtz vein
FR000470	MGA94_51	6723759	326956	GPS	E29/1158	Muscovite feld pegmatite
FR000471	MGA94_51	6723694	327017	GPS	E29/1158	V coarse pegmatite foliated
FR000472	MGA94_51	6723652	327106	GPS	E29/1158	Muscovite rich pegmatite
FR000473	MGA94_51	6723622	326999	GPS	E29/1158	Coarse grained Muscovite pegmatite
FR000474	MGA94_51	6723009	326706	GPS	E29/1158	Qz muscovite
FR000475	MGA94_51	6722960	326675	GPS	E29/1158	Qtz vein in metapelite?
FR000476	MGA94_51	6722566	326679	GPS	E29/1158	Muscovite pegmatite
FR000479	MGA94_51	6713485	329560	GPS	E29/1037	Pegmatite outcrop
FR000480	MGA94_51	6713388	329741	GPS	E29/1037	20m pegmatite outcrop
FR000481	MGA94_51	6713551	330271	GPS	E29/1037	50m Pegmatite on ridge
FR000482	MGA94_51	6713238	330365	GPS	E29/1037	50m Pegmatite on ridge
FR000483	MGA94_51	6712821	330568	GPS	E29/1037	Pegmatite
FR000484	MGA94_51	6708206	330551	GPS	E29/1036	Pegmatite
FR000485	MGA94_51	6708176	330614	GPS	E29/1036	Pegmatite
FR000488	MGA94_51	6708058	330770	GPS	E29/1036	Pegmatite
FR000489	MGA94_51	6707854	330899	GPS	E29/1036	Pegmatite
FR000491	MGA94_51	6707612	330883	GPS	E29/1036	Stacked pegmatite
FR000492	MGA94_51	6707573	330663	GPS	E29/1036	NNW trending pegmatite
FR000565	MGA94_51	6711548	332224	GPS	E29/1037	Pegmatite
FR000566	MGA94_51	6711550	332216	GPS	E29/1037	Qtz vein
FR000567	MGA94_51	6711548	332220	GPS	E29/1037	Pegmatite
FR000568	MGA94_51	6711547	332240	GPS	E29/1037	Pegmatite
FR000569	MGA94_51	6708461	330465	GPS	E29/1036	Pegmatite
FR000570	MGA94_51	6708590	331184	GPS	E29/1036	Pegmatite
FR000571	MGA94_51	6708675	331685	GPS	E29/1036	Pegmatite
FR000572	MGA94_51	6708228	332072	GPS	E29/1036	Pegmatite
FR000573	MGA94_51	6708140	332089	GPS	E29/1036	Pegmatite
FR000574	MGA94_51	6707871	332236	GPS	E29/1036	Pegmatite
FR000575	MGA94_51	6707510	332333	GPS	E29/1036	Pegmatite
FR000576	MGA94_51	6707253	332414	GPS	E29/1036	Pegmatite
FR000577	MGA94_51	6706789	331911	GPS	E29/1036	Pegmatite
FR000578	MGA94_51	6706682	331845	GPS	E29/1036	Banded vqz with fe
FR000579	MGA94_51	6706645	331434	GPS	E29/1036	Pegmatite
FR000580	MGA94_51	6706528	331287	GPS	E29/1036	Thick (30m) feeder Pegmatite

**Table 9: Mapping locations and pegmatite outcrops, recorded by FRS geologists at E29/1158, E29/1036 and E29/1037 (RL ~445m).**

**Appendix 1 – JORC TABLE 1**  
**Section 1 Sampling Techniques and Data**

Criteria	JORC Code Explanation	Commentary
Sampling techniques	<ul style="list-style-type: none"> <li>Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down-hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</li> <li>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</li> <li>Aspects of the determination of mineralisation that are Material to the Public Report.</li> <li>In cases where 'industry standard' work has been done this would be relatively simple (e.g. 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g. submarine nodules) may warrant disclosure of detailed information.</li> </ul>	<ul style="list-style-type: none"> <li>FRS did not conduct any drilling activities and no drilling data by FRS is reported in this announcement.</li> <li>All drilling data reported in this announcement is from historic WAMEX reports, the Aurelia Resources Limited prospectus 2012, AMEX Resources quarterly report, June 2008, (all relevant WAMEX report numbers are noted in the body of the report). The sampling data from the historic reports is unknown but believed to have been undertaken using "industry standard" techniques.</li> <li>Composite sampling (4m) is known to have taken place for the regional drilling programme (prefix BVRB) at Bonnie Vale. Those holes with the prefix BVRB represent a RAB drilling programme.</li> <li>Holes with prefix AA, BDRC, AXRC were completed with reverse circulation drilling. Holes with prefix BR were part of a RAB drilling programme.</li> <li>Holes with prefix BR – drill samples over a 2m interval were collected via a cyclone, representative sample was taken, utilising a pipe and composited over 6m. Samples were bagged and submitted to Genalysis assayed for gold using fire assay techniques. Any 6m sample returning an assay greater than 0.1ppm Au was re-sampled, by collecting the individual 2m samples and submitted to Genalysis and assayed for gold, using fire assay.</li> <li>FRS is not reporting any sampling over these tenements and as such, are not reporting any sampling completed by the Company.</li> </ul>
Drilling techniques	<ul style="list-style-type: none"> <li>Drill type (e.g. core, reverse circulation, open- hole hammer, rotary air blast, auger, Bangka, sonic, etc.) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc.).</li> </ul>	<ul style="list-style-type: none"> <li>FRS did not conduct any drilling activities and no drilling by FRS is reported in this announcement.</li> <li>All drilling data reported in this announcement is from historic WAMEX reports, the Aurelia Resources Limited prospectus 2012, AMEX Resources quarterly report, June 2008, (all relevant WAMEX report numbers are noted in the body of the report). The sampling data from the historic reports is believed to have been undertaken using "industry standard" techniques.</li> <li>Reported historic drilling is reverse circulation (RC) and rotary air blast (RAB) drilling.</li> <li>Those holes with the prefix BVRB and BR represent RAB drilling programmes.</li> </ul>

Criteria	JORC Code Explanation	Commentary
		<ul style="list-style-type: none"> <li>Holes with prefix AA, BDRC, AXRC were completed with reverse circulation drilling.</li> </ul>
Drill sample recovery	<ul style="list-style-type: none"> <li>Method of recording and assessing core and chip sample recoveries and results assessed.</li> <li>Measures taken to maximise sample recovery and ensure representative nature of the samples.</li> <li>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</li> </ul>	<ul style="list-style-type: none"> <li>FRS did not conduct any drilling activities and no drilling by FRS is reported in this announcement.</li> <li>All drilling data reported in this announcement is from historic WAMEX reports, the Aurelia Resources Limited prospectus 2012, AMEX Resources quarterly report, June 2008, (all relevant WAMEX report numbers are noted in the body of the report). The sampling data from the historic reports is believed to have been undertaken using "industry standard" techniques.</li> <li>Drill sample recovery is not known for the historic drilling.</li> <li>No known relationship exists between sample recovery and grade and no sample bias is known to have occurred.</li> </ul>
Logging	<ul style="list-style-type: none"> <li>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</li> <li>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc.) photography. The total length and percentage of the relevant intersections logged.</li> </ul>	<ul style="list-style-type: none"> <li>FRS did not conduct any drilling activities and no drilling by FRS is reported in this announcement.</li> <li>All drilling data reported in this announcement is from historic WAMEX reports (detailed below), the Aurelia Resources Limited prospectus 2012, AMEX Resources quarterly report, June 2008, (all relevant WAMEX report numbers are noted in the body of the report). The logging data from the historic reports is believed to have been undertaken using "industry standard" techniques.</li> <li>The geological logs for holes with prefix BVRB and BDRC are available within the relevant WAMEX reports and details transferred to the company database. Samples were logged geologically including but not limited to: recording colour, weathering, regolith, lithology, veining, structure, texture, alteration and mineralisation.</li> <li>Geological logs for holes with prefix AA, BR and AXRC are currently unavailable.</li> <li>The historic data in this announcement is NOT intended for use in a mineral resource estimation.</li> <li>Table 8 refers to mapping points for pegmatites and other lithologies taken by Forrester Resources geologists at tenements: E29/1036, E29/1037 and E29/1158. These lithologies were mapped and logged by qualified geologists.</li> </ul>
Sub-sampling techniques and sample preparation	<ul style="list-style-type: none"> <li>If core, whether cut or sawn and whether quarter, half or all core taken. If non-core, whether riffled, tube sampled, rotary split, etc. and whether sampled wet or dry.</li> <li>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</li> </ul>	<ul style="list-style-type: none"> <li>FRS did not conduct any drilling activities and no drilling by FRS is reported in this announcement.</li> <li>No FRS drilling results are being reported in this announcement.</li> <li>For historic RC and RAB drilling a combination of 1m samples and composited samples (between 2m to 6m composites). Where reported in</li> </ul>

Criteria	JORC Code Explanation	Commentary
	<ul style="list-style-type: none"> <li>Quality control procedures adopted for all sub- sampling stages to maximise representivity of samples. Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling. Whether sample sizes are appropriate to the grain size of the material being sampled.</li> </ul>	<p>WAMEX reports, samples were collected via a combination of riffle splitter and metals scoops/ spears.</p> <ul style="list-style-type: none"> <li>Holes with prefix BR – drill samples over a 2m interval were collected via a cyclone, representative sample was taken, utilising a pipe and composited over 6m. Samples were bagged and submitted to Genalysis assayed for gold using fire assay techniques. Any 6m sample returning an assay greater than 0.1ppm Au was re-sampled, by collecting the individual 2m samples and submitted to Genalysis and assayed for gold, using fire assay.</li> <li>The historic data in this announcement is NOT intended for use in a mineral resource estimation.</li> <li>The QAQC procedures for historic RC and RAB drilling is not recorded adequately. It is assumed “industry standard” QAQC protocols for the time were applied.</li> <li>Information that is present in WAMEX reports:</li> <li>Holes with prefix BVRB – duplicate samples were taken but no methodology is given on the QAQC procedure</li> <li>BDRC10 has 3 standards with no IDs and 2 blanks, these were taken every 5 samples.</li> </ul>
Quality of assay data and laboratory tests	<ul style="list-style-type: none"> <li>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</li> <li>For geophysical tools, spectrometers, handheld XRF instruments, etc., the parameters used in determining the Annlysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</li> <li>Nature of quality control procedures adopted (e.g. standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.</li> </ul>	<ul style="list-style-type: none"> <li>FRS did not conduct any drilling activities and no drilling by FRS is reported in this announcement.</li> <li>Historic assay techniques:</li> <li>Holes with prefix BDRC, assay methodology: AR_ICPXS – believed to be an aqua regia digest Aqua and combination of ICPMS/ICPES.</li> <li>Holes with prefix BVRB: All samples were analysed at Kalgoorlie Assay Laboratory. Gold was analysed to 1 ppb using the 500 ml bottle roll technique. Arsenic was tested to 2 ppm using an aqua regia digest.</li> <li>Holes with prefix BR – drill samples over a 2m interval were collected via a cyclone, representative sample was taken, utilising a pipe and composited over 6m. Samples were bagged and submitted to Genalysis assayed for gold using fire assay techniques. Any 6m sample returning an assay greater than 0.1ppm Au was re-sampled, by collecting the individual 2m samples and submitted to Genalysis and assayed for gold, using fire assay.</li> <li>Holes with prefix AA, AXRC, assay methodology: unknown.</li> <li>QA/QC procedures are unknown for the majority of the historic drilling that is being reported.</li> </ul>
Verification of sampling and assaying	<ul style="list-style-type: none"> <li>The verification of significant intersections by either independent or alternative Company personnel.</li> <li>The use of twinned holes.</li> </ul>	<ul style="list-style-type: none"> <li>FRS did not conduct any drilling activities and no drilling by FRS is reported in this announcement.</li> </ul>

Criteria	JORC Code Explanation	Commentary
	<ul style="list-style-type: none"> <li>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</li> <li>Discuss any adjustment to assay data.</li> </ul>	<ul style="list-style-type: none"> <li>There are a number of historic, significant intersections that are reported in this announcement. Future drilling and exploration work by the company will seek to confirm the intersections and the validity of the mineralisation.</li> </ul>
Location of data points	<ul style="list-style-type: none"> <li>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</li> <li>Specification of the grid system used.</li> <li>Quality and adequacy of topographic control.</li> </ul>	<ul style="list-style-type: none"> <li>FRS did not conduct any drilling activities and no drilling by FRS is reported in this announcement.</li> <li>Drill hole coordinates were recorded in MGA zone 51 and have been taken from data attached to historic WAMEX reports.</li> <li>Table 8 refers to mapping points for pegmatites and other lithologies taken by a hand held GPS. These were completed by Forrester Resources geologists at tenements: E29/1036, E29/1037 and E29/1158.</li> </ul>
Data spacing and distribution	<ul style="list-style-type: none"> <li>Data spacing for reporting of Exploration Results.</li> <li>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</li> <li>Whether sample compositing has been applied.</li> </ul>	<ul style="list-style-type: none"> <li>FRS did not conduct any drilling activities and no drilling by FRS is reported in this announcement.</li> <li>The data outlined in this announcement is historic and is NOT intended to be used for a mineral resource estimate.</li> <li>Sample compositing has been applied by previous explorers, with historic sample composites up to 6m.</li> <li>The historic data in this announcement is NOT intended for use in a mineral resource estimation.</li> </ul>
Orientation of data in relation to geological structure	<ul style="list-style-type: none"> <li>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</li> <li>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</li> </ul>	<ul style="list-style-type: none"> <li>FRS did not conduct any drilling activities and no drilling by FRS is reported in this announcement and no new drilling by FRS is being reported in this announcement. All of the drilling is historic.</li> <li>The majority of the drilling at Breakaway Dam was exploration in nature and as such, an understanding of the mineralisation was not well understood.</li> <li>No sampling bias is known to have occurred at the Breakaway Dam project.</li> <li>The majority of drilling at Ada Ann was targeting a gently east dipping, mineralised structure, according to the Aurelia prospectus. BHP suggested an 8m shear zone, striking approximately 020 and dipping ~45 degrees to the east.</li> <li>All holes with prefix BVRB were drilled with a dip of -60 degrees and azimuth of 270 degrees (A58256)</li> <li>All holes with prefix BR were drilled with a dip of -60 degrees and azimuth of 295 degrees (A25113).</li> <li>Holes with prefix AXRC were drilled with a dip of -90 degrees and azimuth of 360 degrees (A109745)</li> <li>All holes with prefix BDRC were drilled with a dip of -60 degrees and azimuth of 45 degrees (WAMEX A78230).</li> </ul>

Criteria	JORC Code Explanation	Commentary																																																																																				
		<ul style="list-style-type: none"><li>Holes with prefix AA were predominantly drilled with a dip of -60 degrees and azimuth of 270 degrees (A77024), with the exception of:<table><tr><th>Hole_ID</th><th>Dip</th><th>Azimuth</th></tr><tr><td>AA10</td><td>-60</td><td>265</td></tr><tr><td>AA17</td><td>-60</td><td>260</td></tr><tr><td>AA18</td><td>-60</td><td>255</td></tr><tr><td>AA24</td><td>-90</td><td>360</td></tr><tr><td>AA25</td><td>-90</td><td>360</td></tr><tr><td>AA27</td><td>-60</td><td>250</td></tr><tr><td>AA28</td><td>-90</td><td>360</td></tr><tr><td>AA31</td><td>-90</td><td>360</td></tr><tr><td>AA32</td><td>-90</td><td>360</td></tr><tr><td>AA33</td><td>-90</td><td>360</td></tr><tr><td>AA55</td><td>-90</td><td>360</td></tr></table></li><li>BVRB holes referenced in this announcement (RL unknown and not referenced in historic data):<table><tr><th>Hole_ID</th><th>Hole_Type</th><th>Depth</th><th>NAT_Grid_ID</th><th>East</th><th>North</th></tr><tr><td>BVRB058</td><td>RAB</td><td>19</td><td>MGA94_51</td><td>327388</td><td>6591302</td></tr><tr><td>BVRB059</td><td>RAB</td><td>16</td><td>MGA94_51</td><td>327423</td><td>6591267</td></tr><tr><td>BVRB060</td><td>RAB</td><td>11</td><td>MGA94_51</td><td>327458</td><td>6591231</td></tr><tr><td>BVRB220</td><td>RAB</td><td>61</td><td>MGA94_51</td><td>324737</td><td>6592757</td></tr><tr><td>BVRB221</td><td>RAB</td><td>60</td><td>MGA94_51</td><td>324637</td><td>6592757</td></tr><tr><td>BVRB206</td><td>RAB</td><td>35</td><td>MGA94_51</td><td>324987</td><td>6592357</td></tr><tr><td>BVRB336</td><td>RAB</td><td>49</td><td>MGA94_51</td><td>325885</td><td>6591166</td></tr></table></li><li>No sampling bias is known to have occurred at the Ada Ann project.</li></ul>	Hole_ID	Dip	Azimuth	AA10	-60	265	AA17	-60	260	AA18	-60	255	AA24	-90	360	AA25	-90	360	AA27	-60	250	AA28	-90	360	AA31	-90	360	AA32	-90	360	AA33	-90	360	AA55	-90	360	Hole_ID	Hole_Type	Depth	NAT_Grid_ID	East	North	BVRB058	RAB	19	MGA94_51	327388	6591302	BVRB059	RAB	16	MGA94_51	327423	6591267	BVRB060	RAB	11	MGA94_51	327458	6591231	BVRB220	RAB	61	MGA94_51	324737	6592757	BVRB221	RAB	60	MGA94_51	324637	6592757	BVRB206	RAB	35	MGA94_51	324987	6592357	BVRB336	RAB	49	MGA94_51	325885	6591166
Hole_ID	Dip	Azimuth																																																																																				
AA10	-60	265																																																																																				
AA17	-60	260																																																																																				
AA18	-60	255																																																																																				
AA24	-90	360																																																																																				
AA25	-90	360																																																																																				
AA27	-60	250																																																																																				
AA28	-90	360																																																																																				
AA31	-90	360																																																																																				
AA32	-90	360																																																																																				
AA33	-90	360																																																																																				
AA55	-90	360																																																																																				
Hole_ID	Hole_Type	Depth	NAT_Grid_ID	East	North																																																																																	
BVRB058	RAB	19	MGA94_51	327388	6591302																																																																																	
BVRB059	RAB	16	MGA94_51	327423	6591267																																																																																	
BVRB060	RAB	11	MGA94_51	327458	6591231																																																																																	
BVRB220	RAB	61	MGA94_51	324737	6592757																																																																																	
BVRB221	RAB	60	MGA94_51	324637	6592757																																																																																	
BVRB206	RAB	35	MGA94_51	324987	6592357																																																																																	
BVRB336	RAB	49	MGA94_51	325885	6591166																																																																																	

Criteria	JORC Code Explanation	Commentary
Sample security	<ul style="list-style-type: none"> <li>The measures taken to ensure sample security.</li> </ul>	<ul style="list-style-type: none"> <li>FRS did not conduct any drilling activities and no drilling by FRS is reported in this announcement, however, it is assumed that the previous operators ensured that industry standards were adhered to for sample security.</li> </ul>
Audits or reviews	<ul style="list-style-type: none"> <li>The sampling methods being used are industry standard practice.</li> </ul>	<ul style="list-style-type: none"> <li>FRS did not conduct any drilling activities and no drilling by FRS is reported in this announcement and the full details of the sampling methodology are not known. The methodology utilised by previous explorers is assumed to be industry standard.</li> <li>Where the sampling methodology is known, the details are noted in the FRS database.</li> </ul>

**Section 2 Reporting of Exploration Results**  
**(Criteria in this section apply to all succeeding sections)**

Criteria	JORC Code Explanation	Commentary
Mineral tenement and land tenure status	<ul style="list-style-type: none"> <li>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</li> <li>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</li> </ul>	<ul style="list-style-type: none"> <li>E15/1632 E15/1534, E29/1036 and E29/1037 are currently owned and operated by Outback Minerals Pty Ltd.</li> <li>This announcement is confirming that Forrestania Resources Limited has reached an agreement with Outback Minerals to operate the tenements and keep the tenements in good standing.</li> </ul>
Exploration by other parties	<ul style="list-style-type: none"> <li>Acknowledgment and appraisal of exploration by other parties.</li> </ul>	<ul style="list-style-type: none"> <li>Bonnie Vale projects:</li> <li>Gold production from the Bonnie Vale regional area commenced prior to 1897, following discovery of gold nearby at Coolgardie by Bayley and Ford in 1892.</li> <li>During the period 1970 to about 1983, an unreported amount of gold was recovered from within the project area at the Ada Ann prospect, at that time covered by several prospecting licences.</li> <li>Amex, Aurelia and Global Riches each conducted reviews of open-file exploration reports on the DMP WAMEX online database.</li> <li>Reported exploration of the Bonnie Vale North area commenced in the mid-1960's, predominantly for copper and nickel. It was not until the early 1980's</li> </ul>



Criteria	JORC Code Explanation	Commentary
		<p><i>that gold exploration became the main focus, which it has remained to the present.</i></p> <ul style="list-style-type: none"> <li><i>During the past 20 years or so, exploration within the Bonnie Vale project area has mainly concentrated on gold within the eastern sector of the project area, particularly near the important regional structure of the Kunanalling Shear Zone.</i></li> <li><i>Exploration along and adjacent to the regional shear zone was commenced by Esso Exploration in 1994, at their Roger Springs prospect. Work on the area continued until 2001, by which time it was held under a joint venture between Goldfields Exploration and Reefton Mining NL. Activities included geological mapping, geochemical sampling (surface and auger), rotary air blast drilling and finally reverse circulation drilling.</i></li> <li><i>In 1998, Goldfields Exploration included exploration of the area west of Ada Ann as part of a systematic shallow auger soils program over their entire Bonnie Vale tenement. A number of elevated gold responses (from 7 to 15ppb Au) were recorded in a coherent trend but not investigated further due to the Company concentrating their efforts on the Kunanalling Shear Zone.</i></li> <li><i>The Ada Ann prospect was also included in Goldfields' regional airborne magnetic and radiometric survey.</i></li> <li><i>The historic Ada Ann prospect area was included in prospectuses for Emu Hill Gold Mines NL in 1984 and Coolgardie Mining Associates in 1987. Both companies carried out mainly surface sampling and chip sampling of the small-scale old gold workings.</i></li> <li><i>BHP-Utah Minerals International drilled an initial 19 RAB holes totalling 573m at Ada Ann in 1988, followed by a further 10 RAB and RC holes.</i></li> <li><i>Coarse free gold was recorded in some panned samples, this was also indicated by the spread of values obtained for some repeat Au analyses by AAS.</i></li> <li><i>In 1993, prospector Mr Alan Stockwell pegged P15/3443 over two cancelled GMLs 15/6718 and 15/6729 — Ada Ann. He completed a series of close-spaced shallow inclined RC drill holes (AA01 to AA51) within the Ada Ann property.</i></li> <li><i>Most holes were drilled to identify small-scale near surface ore grade mineralization amenable to immediate extraction and treatment.</i></li> <li><i>Mr Stockwell extracted 150 tonnes of near surface ore from Ada Ann, which was treated at the Kintore Mill of Mr M Pavlinovich. Gold recovery was reported as 33.75 ounces, equivalent to 7 grams of gold per tonne of ore.</i></li> </ul>



Criteria	JORC Code Explanation	Commentary
		<ul style="list-style-type: none"> <li><i>In 1996, Gindalbie Gold NI drilled a further 7 deeper holes at the Ada Ann prospect, comprising two RAB initial holes and then five RC holes to complete the programme.</i></li> <li><i>Further RC drilling was conducted during 2008 by Amex, to confirm the</i></li> <li><i>earlier results and to investigate the possibility of extensions both down dip and along strike. A number of encouraging shallow intercepts were recorded, generally in weathered and oxidised host rock material:</i></li> </ul> <p><i>Alexandra Bore/Breakaway Dam:</i></p> <ul style="list-style-type: none"> <li><i>Although now recognised as one complete greenstone belt, the project area was originally mapped as being two separate outcropping greenstone areas, Breakaway Dam and Alexandria Bore, and the historical exploration will be described accordingly.</i></li> <li><i>At Breakaway Dam, the first indications of exploration were a number of small pits dug by prospectors, possibly in the late 1960s or early 1970s, which exposed malachite-coated quartz veining in chloritic schists.</i></li> <li><i>Systematic exploration commenced in the 1970s when copper, nickel, lead and zinc exploration was undertaken by Australian Selection Pty Ltd. Their work included geological mapping and surface geochemical sampling, the results of which clearly defined a greenstone belt and copper-zinc anomalism. It was subsequently concluded that the mineralisation was shear zone hosted with limited potential.</i></li> <li><i>Between 1997 and 1998, Delta Gold N.L. (Delta) negotiated an option to purchase the project area from prospectors.</i></li> <li><i>Delta then completed a shallow auger soil sampling program with a total of 157 holes on a 800m x 400m spacing. Samples were analysed for gold (ppb) and arsenic and copper (ppm).</i></li> <li><i>Follow-up by Delta consisted of a further 270 shallow auger soil samples followed by drilling of 18 short RAB holes totalling 461m. Results indicated the presence of a number of sinusoidal anomalies, two of which exhibited gold values of greater than 85ppb Au. These were reported to be "situated within favourable dilatant jogs" related to sinistral movement along the sheared western greenstone-granite contact. Delta did not consider the results warranted further exploration.</i></li> </ul>

Criteria	JORC Code Explanation	Commentary
		<ul style="list-style-type: none"> <li>• From May 2003 to May 2004, the exploration area was renamed the Oliver Twist Project and explored by Sunrise Exploration Pty Ltd (Sunrise) on behalf of Pelican Resources Limited. A total of 232 soil samples were collected from about 15cm depth at 25m spacings along four east-west lines with samples being analysed for gold and arsenic; no base metal analyses were undertaken. No anomalous results were returned.</li> <li>• In the zone immediately adjacent to the old prospecting pits a programme of 15 easterly inclined shallow RAB holes totalling 500m was completed and 131 samples were collected and analysed for gold (ppm).</li> <li>• In 2007, the outcropping secondary copper mineralisation was sampled by a prospecting group and submitted for limited multielement analyses with the results revealing statistically anomalous levels of gold, lead, tin and tungsten possibly indicative of a significant mineralised sulphide system in the area.</li> <li>• Later in 2007, Amex commenced a wide-spaced reconnaissance reverse circulation (RC) drilling program of 7 shallow holes over 250m strike length near Breakaway Dam focused initially on a number of the old prospecting pits and a shallow geophysical anomaly (MLEM, moving loop ground electromagnetics).</li> <li>• A further three RC holes were drilled in mid 2008, testing several additional deeper targets.</li> <li>• Another three holes were drilled later in 2009, up to 650m further north of BDRC10, to test other MLEM targets. A number of mineralised sulphide lodes were intersected in each hole, comprising predominantly pyrite, pyrrhotite and minor chalcopyrite, with anomalous copper and silver levels. Amex's initial interpretation was that some of the semi-massive to massive</li> <li>• sulphides intersected had the potential to be "feeder zone" mineralisation and considered strongly indicative of a larger VMS copper sulphide system.</li> <li>• Down hole geophysical surveying of these holes BDD001-003 identified eight DHTM bedrock conductors of interest in close proximity to these drill holes, at depths from 45-100m below surface. The three largest of these have been interpreted as having copper sulphides as the conductor source and have yet to be drilled.</li> <li>• Ground magnetics and moving loop electromagnetic (MLEM) surveying had also defined additional targets over several kilometres of strike extent which have yet to be tested.</li> </ul>

Criteria	JORC Code Explanation	Commentary
		<ul style="list-style-type: none"> <li>The Alexandria Bore greenstone to the south would also have been prospected in the early days, as shown by the presence of old workings. However, the first recorded modern exploration was conducted by Le Nickel (Australia) Exploration Pty Ltd in 1971 who completed mapping and sampling of gossans and rock-chips.</li> <li>Further gridding detailed soil sampling and ground magnetic surveying were recommended but apparently not carried out.</li> <li>Gold prospecting over the area in the mid-1990's was generally not successful, although one sample from an old shaft/quartz reef just to the east of Alexandria Bore reportedly returned 2.18g/t Au.</li> <li>No other exploration has been reported over this part of the greenstone belt, and its potential remains largely untested.</li> <li>In 1996, Normandy Exploration carried out gold exploration over the Moriarty shear and granite to the west of Alexandria Bore, and in the following year diamond exploration was carried out over a similar area by Stockdale Prospecting Ltd.</li> </ul> <p>These exploration histories are taken from the Aurelia IPO prospectus 2012 and WAMEX report A109745.</p>
Geology	<ul style="list-style-type: none"> <li>Deposit type, geological setting and style of mineralisation.</li> </ul>	<ul style="list-style-type: none"> <li>The Alexandra Bore/Breakaway Dam project area is located approximately 17km east of Menzies, Coolgardie within the Eastern Goldfields Super Terrane of Western Australia's Yilgarn Craton. The Alexandra Bore greenstone belt, made up of predominantly mafic volcanics, strikes through both of the tenements. This greenstone belt is bounded on either side by Archean granitoids.</li> <li>Ultramafic and pegmatite outcrops have been mapped across both tenements.</li> <li>The Perseverance Fault runs through both tenements, roughly north south, intersecting the greenstone belt in the northern half of E29/1037; whilst an unnamed fault strikes roughly north-west/south-east intersecting the Perseverance Fault.</li> <li>The Bonnie Vale project area is located approximately 12km north of Coolgardie within the Eastern Goldfields Super Terrane of Western Australia's Yilgarn Craton. The project area is made up predominantly of the felsic volcanics of the Black Flag Group, ultramafics of the Hampton Hill Formation which forms part of the Kalgoorlie Group and the Powder Sill Gabbro..</li> <li>Additionally, the Kunanalling Shear runs approximately north-west through E15/1534.</li> </ul>

Criteria	JORC Code ExplAnntion	Commentary																																																
		<ul style="list-style-type: none"><li>The Ada Ann deposit is thought to be a gently east dipping, mineralised structure, according to the Aurelia prospectus. BHP suggested an 8m shear zone, striking approximately 020 and dipping ~45 degrees to the east.</li><li>Table 8 refers to mapping points for pegmatites and other lithologies taken by Forrestania Resources geologists at tenements: E29/1036, E29/1037 and E29/1158. These lithologies were mapped and logged by qualified geologists.</li></ul>																																																
Drill hole Information	<ul style="list-style-type: none"><li>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:<ul style="list-style-type: none"><li>easting and northing of the drill hole collar</li><li>elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar</li><li>dip and azimuth of the hole, down hole length and interception depth</li><li>hole length</li></ul></li><li>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</li></ul>	<ul style="list-style-type: none"><li>FRS did not conduct any drilling activities and no new drilling results are reported in this announcement.</li><li>Historical drilling information on the project areas can be found in WAMEX reports: A2523, A55119, A78230, A91577, A25113, A28449, A109745, A58256, A54843. and A62263. Additional information was found in the AMEX Resources quarterly report for June 2008 and the Aurelia Resources IPO prospectus 2012.</li><li>The location of historic drilling is based on historical reports and their underlying data. Drill hole information for historic holes reported in this announcement are found in tables 1, 2 and 3.</li><li>Data for some drill holes, including assay information, hole depth and collar details are missing from some of the historic WAMEX reports and is noted in the tables. Assay grades for AXRC holes have been included, even when the collar locations are unknown as they have previously been released to the ASX: <a href="https://www.asx.com.au/asxpdf/20080408/pdf/318gn138jg5j59.pdf">https://www.asx.com.au/asxpdf/20080408/pdf/318gn138jg5j59.pdf</a></li><li>All holes with prefix BVRB were drilled with a dip of -60 degrees and azimuth of 270 degrees (A58256) BVRB holes referenced in this announcement (RL unknown and not referenced in historic data):<table><tr><th>Hole_ID</th><th>Hole_Type</th><th>Depth</th><th>NAT_Grid_ID</th><th>East</th><th>North</th></tr><tr><td>BVRB058</td><td>RAB</td><td>19</td><td>MGA94_51</td><td>327388</td><td>6591302</td></tr><tr><td>BVRB059</td><td>RAB</td><td>16</td><td>MGA94_51</td><td>327423</td><td>6591267</td></tr><tr><td>BVRB060</td><td>RAB</td><td>11</td><td>MGA94_51</td><td>327458</td><td>6591231</td></tr><tr><td>BVRB220</td><td>RAB</td><td>61</td><td>MGA94_51</td><td>324737</td><td>6592757</td></tr><tr><td>BVRB221</td><td>RAB</td><td>60</td><td>MGA94_51</td><td>324637</td><td>6592757</td></tr><tr><td>BVRB206</td><td>RAB</td><td>35</td><td>MGA94_51</td><td>324987</td><td>6592357</td></tr><tr><td>BVRB336</td><td>RAB</td><td>49</td><td>MGA94_51</td><td>325885</td><td>6591166</td></tr></table></li></ul>	Hole_ID	Hole_Type	Depth	NAT_Grid_ID	East	North	BVRB058	RAB	19	MGA94_51	327388	6591302	BVRB059	RAB	16	MGA94_51	327423	6591267	BVRB060	RAB	11	MGA94_51	327458	6591231	BVRB220	RAB	61	MGA94_51	324737	6592757	BVRB221	RAB	60	MGA94_51	324637	6592757	BVRB206	RAB	35	MGA94_51	324987	6592357	BVRB336	RAB	49	MGA94_51	325885	6591166
Hole_ID	Hole_Type	Depth	NAT_Grid_ID	East	North																																													
BVRB058	RAB	19	MGA94_51	327388	6591302																																													
BVRB059	RAB	16	MGA94_51	327423	6591267																																													
BVRB060	RAB	11	MGA94_51	327458	6591231																																													
BVRB220	RAB	61	MGA94_51	324737	6592757																																													
BVRB221	RAB	60	MGA94_51	324637	6592757																																													
BVRB206	RAB	35	MGA94_51	324987	6592357																																													
BVRB336	RAB	49	MGA94_51	325885	6591166																																													
		<ul style="list-style-type: none"><li>All holes with prefix BR were drilled with a dip of -60 degrees and azimuth of 295 degrees (A25113).</li></ul>																																																

Criteria	JORC Code Explanation	Commentary																																				
		<ul style="list-style-type: none"> <li>Holes with prefix AXRC were drilled with a dip of -90 degrees and azimuth of 360 degrees (A109745)</li> <li>All holes with prefix BDRC were drilled with a dip of -60 degrees and azimuth of 45 degrees (WAMEX A78230).</li> <li>Holes with prefix AA were predominantly drilled with a dip of -60 degrees and azimuth of 270 degrees (A77024), with the exception of: <table border="1"> <thead> <tr> <th>Hole_ID</th><th>Dip</th><th>Azimuth</th></tr> </thead> <tbody> <tr><td>AA10</td><td>-60</td><td>265</td></tr> <tr><td>AA17</td><td>-60</td><td>260</td></tr> <tr><td>AA18</td><td>-60</td><td>255</td></tr> <tr><td>AA24</td><td>-90</td><td>360</td></tr> <tr><td>AA25</td><td>-90</td><td>360</td></tr> <tr><td>AA27</td><td>-60</td><td>250</td></tr> <tr><td>AA28</td><td>-90</td><td>360</td></tr> <tr><td>AA31</td><td>-90</td><td>360</td></tr> <tr><td>AA32</td><td>-90</td><td>360</td></tr> <tr><td>AA33</td><td>-90</td><td>360</td></tr> <tr><td>AA55</td><td>-90</td><td>360</td></tr> </tbody> </table> </li> </ul>	Hole_ID	Dip	Azimuth	AA10	-60	265	AA17	-60	260	AA18	-60	255	AA24	-90	360	AA25	-90	360	AA27	-60	250	AA28	-90	360	AA31	-90	360	AA32	-90	360	AA33	-90	360	AA55	-90	360
Hole_ID	Dip	Azimuth																																				
AA10	-60	265																																				
AA17	-60	260																																				
AA18	-60	255																																				
AA24	-90	360																																				
AA25	-90	360																																				
AA27	-60	250																																				
AA28	-90	360																																				
AA31	-90	360																																				
AA32	-90	360																																				
AA33	-90	360																																				
AA55	-90	360																																				
Data aggregation	<ul style="list-style-type: none"> <li>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated.</li> <li>Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</li> <li>The assumptions used for any reporting of metal equivalent values should be clearly stated.</li> </ul>	<ul style="list-style-type: none"> <li>FRS did not conduct any drilling activities and no new drilling results are reported in this announcement.</li> <li>Historic data has been loaded into the FRS database. Some of this historic data has previously been aggregated, the details of the aggregation is not always known.</li> <li>Data that had not previously been aggregated has been loaded to the FRS database and calculated using: <ul style="list-style-type: none"> <li>Au - lower cut off 0.5 ppm, minimum interval 1m, maximum internal waste 2m.</li> <li>Cu - lower cut off 1000 ppm, minimum interval 1m, maximum internal waste 2m.</li> <li>Ag - lower cut off 1 ppm, minimum interval 1m, maximum internal waste 2m.</li> </ul> </li> <li>The assay details for holes at Ada Ann - some hole details were not available with the WAMEX data and some intercepts have been aggregated by previous explorers (the details of aggregation methodology are unavailable) they are reported in tables 2 and 3 as they have been reported in WAMEX reports:</li> </ul>																																				

Criteria	JORC Code Explanation	Commentary
		A109745 and A54843. Additional information was found in the AMEX Resources quarterly report for June 2008 and the Aurelia Resources IPO prospectus 2012.
Relationship between mineralisation widths and intercept lengths	<ul style="list-style-type: none"> <li>• These relationships are particularly important in the reporting of Exploration Results.</li> <li>• If the geometry of the mineralisation with respect to the drill-hole angle is known, its nature should be reported. If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known').</li> </ul>	<ul style="list-style-type: none"> <li>• FRS did not conduct any drilling activities and no new drilling results are reported in this announcement.</li> <li>• The geometry of the historic mineralisation for the prospects reported in this announcement is not yet known. All intercept lengths reported are derived from downhole depths. No true widths have been reported.</li> </ul>
Diagrams	<ul style="list-style-type: none"> <li>• Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</li> </ul>	<ul style="list-style-type: none"> <li>• Appropriate maps with scale are included within the body of the accompanying document.</li> <li>• All geological maps are courtesy of DMIRS, 1:500000 interpreted bedrock geology of WA.</li> </ul>
Balanced reporting	<ul style="list-style-type: none"> <li>• Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</li> </ul>	<ul style="list-style-type: none"> <li>• The accompanying document is considered to represent the exploration potential of the tenements. Some (but not all) of the higher grade historical results have been selected to justify follow up exploration work.</li> </ul>
Other substantive exploration data	<ul style="list-style-type: none"> <li>• Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</li> </ul>	<ul style="list-style-type: none"> <li>• WAMEX reports: A2523, A6055, A55119, A78230, A91577, A25113, A28449, A109745, A58256 and A54843 were used to confirm data for this report; data includes areas that were previously mapped during historic activities.</li> <li>• WAMEX reports A88374 and A91577 reference a down hole EM survey that was completed in 2010, Three DHTM surveys were completed at the Breakaway Dam project during mid September 2009 by GEM Geophysical Surveys. The objective of these surveys was to detect bedrock conductors of interest (possible copper sulphide concentrations) in close proximity to these drill holes:</li> </ul>

Criteria	JORC Code ExplAnntion	Commentary																												
		<p><u>Conventional dB/dt DHTeM Surveys</u></p> <ul style="list-style-type: none"><li>Contractor : GEM Geophysical Surveys</li><li>Date : Jan 15<sup>th</sup> - Jan 17<sup>th</sup> 2010</li><li>Survey Configuration : Downhole</li><li>Receiver : Smartem</li><li>Transmitter : Zonge ZT-30</li><li>Transmitter Current : ~24-34 amps (1 turn)</li><li>Ramp Time : 0.20 ms</li><li>Base Frequency/Channels : 1.0 and 1.5625Hz (34 and 36 channels), 50% duty cycle</li><li>Components : A, U and V</li><li>Coordinate System : <b>GDA94 / MGA Zone 51</b></li></ul> <p><b>3.2 Loop Location and Survey Coverage</b></p> <p>The loop locations in <b>GDA94 / MGA Zone 51</b> for the downhole TEM surveying are provided below:</p> <p>BD1 329855mE 6713049mN (~200 x 200m) 329970mE 6713213mN 330134mE 6713099mN 330020mE 6712935mN</p> <p>BD2 329884mE 6713124mN (~150 x 150m) 329769mE 6713221mN 329866mE 6713336mN 329981mE 6713239mN</p> <p>BD3 329427mE 6713430mN (~150 x 150m) 329531mE 6713540mN 329640mE 6713436mN 329536mE 6713327mN</p> <ul style="list-style-type: none"><li>•</li><li>• A total of 70 downhole stations (AUV components) were recorded for a total of 305 metres of DHTeM data from the three surveys.</li></ul> <table><tr><th>Drill hole</th><th>Survey Date</th><th>Loop</th><th>From (m)</th><th>To (m)</th><th>No. of stations</th><th>Distance</th></tr><tr><td><b>BD01</b></td><td>17/9/2009</td><td><b>BD1</b></td><td>10</td><td>115</td><td>26</td><td>105</td></tr><tr><td><b>BD02</b></td><td>16/9/2009</td><td><b>BD2</b></td><td>10</td><td>100</td><td>22</td><td>90</td></tr><tr><td><b>BD03</b></td><td>15/9/2009</td><td><b>BD3</b></td><td>10</td><td>120</td><td>22</td><td>110</td></tr></table>	Drill hole	Survey Date	Loop	From (m)	To (m)	No. of stations	Distance	<b>BD01</b>	17/9/2009	<b>BD1</b>	10	115	26	105	<b>BD02</b>	16/9/2009	<b>BD2</b>	10	100	22	90	<b>BD03</b>	15/9/2009	<b>BD3</b>	10	120	22	110
Drill hole	Survey Date	Loop	From (m)	To (m)	No. of stations	Distance																								
<b>BD01</b>	17/9/2009	<b>BD1</b>	10	115	26	105																								
<b>BD02</b>	16/9/2009	<b>BD2</b>	10	100	22	90																								
<b>BD03</b>	15/9/2009	<b>BD3</b>	10	120	22	110																								

Criteria	JORC Code ExplAnntion	Commentary
Further work	<ul style="list-style-type: none"> <li><i>The nature and scale of planned further work (e.g. tests for lateral extensions or depthextensions or large-scale stepout drilling).</i></li> <li><i>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i></li> </ul>	<ul style="list-style-type: none"> <li><i>The historic data from WAMEX reports will be compiled within the FRS company database.</i></li> <li><i>Where possible, further validation of the historic drilling will be confirmed by site visits.</i></li> </ul>