

ASX Release  
16 November 2020

## MAJOR EXTENSION POTENTIAL AT STUREC GOLD MINE

**\*\* 90m @ 3.88 g/t Au and 13.9 g/t Ag \*\***  
**\* Bonanza grades up to 89.1 g/t Au \***

### Highlights

- UGA-04 intersected a thick continuous mineralized zone of **90m @ 3.88 g/t Au and 13.9 g/t Ag** from 0m (0.3g/t Au cut-off, downhole thickness) including:
  - **9m @ 11.66 g/t Au and 62.3 g/t Ag** from 14m (2g/t Au cut-off);
  - **6m @ 33.76 g/t Au and 36.2 g/t Ag** from 43m (1g/t Au cut-off); and
  - **1m @ 89.1 g/t Au and 69 g/t Ag** from 47m

*Cautionary Note: This intersection is not a true thickness as the drill hole was drilled at an acute angle to the mineralised zone due to the location of the underground drill site relative to the target zone. Further drilling is necessary to better constrain the interpretation.*

- UGA-04 and UGA-05 cover a significant **>150m along strike step out** from the existing JORC (2012) Mineral Resource at the Sturec Gold Mine with mineralisation **open along strike and down dip**
- Additional assays from samples higher in UGA-03 have significantly increased the mineralised zone by 14m to **73m @ 2.14 g/t Au & 8.8 g/t Ag** from 211m (0.3g/t Au cut-off, downhole thickness)
- UGA-05 has been completed to a depth of 140.46m and assays are “rush” pending
- UGA-06 has been completed at to a depth of 116.50m and assays are “rush” pending
- UGA-07 is currently underway and represents a down dip step out of approximately 30 metres from UGA-06 along the hangingwall of the interpreted mineralised zone and approximately 60m along the footwall margin

Commenting on the results for UGA-04, MetalsTech Chairman, Russell Moran stated:

“This is an outstanding result for what is only our fourth drill hole on this project in an area than has never been drilled before. It looks like we are going to get a nice thick extension of the mineralised zone over the current 150m step out. We will be looking to see how far we can extend this zone down dip with these next few holes, then we will look to step out further.”

*Note: This announcement is authorised by the executive board on behalf of the Company.*



Figure 1: UGA-04 drill core; interval from 43m to 49m (down-hole) with assay grade 6m @ 33.78g/t Au and 36.2g/t Ag

Note: This announcement is authorised by the executive board on behalf of the Company.

**MetalsTech Limited (ASX: MTC)** (the Company or MTC) is pleased to provide stakeholders with an update on its diamond drilling program at the Company's 100% owned Sturec Gold Mine, located in Slovakia (**Sturec**). To date the Company has completed six diamond drill holes as part of the Company's maiden underground drilling program from within the Andrej Adit. The current drilling program has been designed to test for southern extensions to the high-grade plunging zone within the existing Sturec Mineral Resource.

The drill hole collar details are set out in Table 1 below.

Drill hole name	Easting (m)	Northing (m)	RL (m)	Datum	Azi (°TN)	Dip (°)	EOH Depth (m)
UGA-01	-435,852	-1,230,204	656	S-JTSK/ Krovak	017	-53	346.05
UGA-02	-435,852	-1,230,204	656	S-JTSK/ Krovak	022	-46	293.46
UGA-03	-435,852	-1,230,204	656	S-JTSK/ Krovak	007	-45	287.25
UGA-04	-435,852	-1,230,204	656	S-JTSK/ Krovak	297	-80	140.90
UGA-05	-435,852	-1,230,204	656	S-JTSK/ Krovak	200	-60	140.46
UGA-06	-435,852	-1,230,204	656	S-JTSK/ Krovak	350	-60	116.50
UGA-07	-435,852	-1,230,204	656	S-JTSK/ Krovak	355	-70	

Table 1: Drill Collar details

### Drilling Assay Results from UGA-04

Drilling of UGA-04 was completed to a depth of 140.90m. Drill hole UGA-04 was planned to extend the interpreted mineralised zone approximately 100m along strike from the southern extent of the Sturec JORC (2012) Mineral Resource; approximately 50m down dip from where it has been historically mined within the Andrej Adit; and approximately 30m down dip from the current Sturec JORC (2012) Mineral Resource extents (Figures 2 and 3).

Photo 1 shows a high grade zone within the broader drill intersection.

Assay results from UGA-04 are interpreted to show a continuous mineralised zone from 0m to 90m using a 0.3g/t Au cut-off. A summary of the significant intersections from UGA-04 are shown in Table 2 below.

Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off (%)
UGA-04	90.00	@	3.88	13.9	0.00	90.00	0.3g/t Au cut-off and max. 6m internal dilution
	including						
	9.00	@	11.66	62.3	14.00	23.00	2g/t Au cut-off and 1m internal dilution
	and						
	6.00	@	33.76	36.2	43.00	49.00	1g/t Au cut-off and no internal dilution

Table 2: Significant intersections in UGA - 04

*Note: This announcement is authorised by the executive board on behalf of the Company.*

The lower gold grade, larger intervals have been selected using a gold cut-off grade similar to the cut-off grade utilised for the Sturec Gold Project JORC 2012 Mineral Resource. While the higher gold grade, shorter intervals have been selected utilising incrementally increasing gold cut-off grades in order to demonstrate the mineralisation at a range of gold cut-off grades, which may be utilised in the future if the mineralisation needs to be high graded in order to support feasibility studies.

Whether or not these intervals are included in the OP or UG portion of the mineral resource can not be determined until a new mineral resource is modelled, estimated and then modifying factors are applied to it. This new, updated resource estimate will not be completed until all the drilling results have been received.

These drilling results represent a significant extension of the underground mineralised zone that the Company is targeting. The underground mineralised structure has now been drilled over a strike length of 150m from the boundary of the Sturec JORC (2012) Mineral Resource, with the mineralisation remaining open along strike and down dip.

The Company continues to drill into new areas where historical drilling and historical mining has not been completed, so these results signal major discoveries for the Company and highlight the significant exploration upside present at the Sturec Gold Mine.

### Further Drilling Assay Results from UGA-03

Further assay results from samples taken higher in UGA-03 have also been received which have indicated that the mineralised zone is in fact 14m longer. Assay results from UGA-03 are now interpreted to show a continuous mineralised zone from 211m to 284.00m. Over this interval, the drill hole intersected 73m @ 2.14g/t Au & 8.8g/t Ag from 211m using a 0.3g/t Au cut-off (downhole thickness); including 24m @ 4.74g/t Au & 13.4g/t Ag from 252m using a 0.5g/t Au cut-off (downhole thickness) or 15m @ 6.7g/t Au & 15.3g/t Au from 252m using a 2g/t Au cut-off (downhole thickness). A summary of the updated significant intersections from UGA-03 at different cut-off grades are shown in Table 3 below.

Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off (%)
UGA-03	73.00	@	2.14	8.8	211.00	284.00	0.3g/t Au cut-off and max. 3m internal dilution including a 1.39m historic mining void
	including						
	31.61	@	3.76	11.0	248.00	279.61	0.5g/t Au cut-off and max. 2m internal dilution
	including						
	24.00	@	4.74	13.4	252.00	276.00	1g/t Au cut-off and max. 3m internal dilution
	including						
	15.00	@	6.70	15.3	252.00	267.00	2g/t Au cut-off and max. 3m internal dilution
	including						
	7.00	@	11.65	24.7	260.00	267.00	5g/t Au cut-off and max. 1m dilution

Table 3: Updated significant intersections in UGA - 03

### Drilling Update: UGA-05

Drilling of UGA-05 was completed to a depth of 140.46m. UGA-05 intersected the interpreted mineralised zone along strike, approximately 30 metres to the south from UGA-04 along the hangingwall of the interpreted mineralised zone and approximately 55m along the footwall margin; approximately 130m along strike from the southern extent of the Sturec JORC (2012) Mineral Resource along the hangingwall and over

*Note: This announcement is authorised by the executive board on behalf of the Company.*



150m along the footwall of the interpreted mineralised zone; and approximately 50m down dip from where it has been historically mined within the Andrej Adit (Figure 2 and 3).

The drill core has been cut and sampled and sent to the laboratory with a “rush” request utilised in order to get assays as quickly as possible.

#### Drilling Update: UGA-06

Drilling of UGA-06 has recently been completed to a depth of 116.50m. Drill hole UGA-06 was planned to intersect the mineralised zone between UGA-03 and UGA-04 in order to increase the potential resource tonnage between the two intersections where the Schramen Vein was intersected at the footwall (Figure 2).

The Company looks forward to providing an update on UGA-06 in the next few weeks as the core has been sampled and dispatched to the lab for “rush assay”.

#### Drilling Update: UGA-07

UGA-07 is already underway. UGA-07 is planned to intersect the interpreted mineralised zone down dip approximately 30 metres from UGA-06 along the hangingwall of the interpreted mineralised zone and approximately 60m along the footwall margin.




Figure 2: Long-section showing the traces of drill holes from the current drill program; shown relative to mineralisation within the existing Sturec Mineral Resource displayed as a 3D point cloud (grade scale shown with pseudocolor spectrum). This view is looking west.

*Note: This announcement is authorised by the executive board on behalf of the Company.*




Figure 3: Cross-section showing UGA-04 and the interpretation of the extents of the mineralisation zone below the current Sturec Mineral Resource.

*Note: This announcement is authorised by the executive board on behalf of the Company.*

ENDS

For further information, contact:

Russell Moran  
**Chairman**  
M +61 415 493 993  
russell@metals tech.net

Nathan Ryan  
**Investor Relations**  
M +61 420 582 887  
nathan.ryan@nwrcommunications.com.au

Gino D'Anna  
**Director**  
M +61 400 408 878  
gino@metals tech.net

### Caution Regarding Forward-Looking Information

This document contains forward-looking statements concerning MetalsTech. Forward-looking statements are not statements of historical fact and actual events and results may differ materially from those described in the forward-looking statements as a result of a variety of risks, uncertainties and other factors. Forward-looking statements are inherently subject to business, economic, competitive, political and social uncertainties and contingencies. Many factors could cause the Company's actual results to differ materially from those expressed or implied in any forward-looking information provided by the Company, or on behalf of, the Company. Such factors include, among other things, risks relating to additional funding requirements, metal prices, exploration, development and operating risks, competition, production risks, regulatory restrictions, including environmental regulation and liability and potential title disputes.

Forward looking statements in this document are based on the company's beliefs, opinions and estimates of MetalsTech as of the dates the forward-looking statements are made, and no obligation is assumed to update forward looking statements if these beliefs, opinions and estimates should change or to reflect other future developments.

### Competent Persons Statement

The information in this announcement that relates to Exploration Results is based on information compiled by Dr Quinton Hills Ph.D., M.Sc., B.Sc. Dr Hills is the technical advisor of MetalsTech Limited and is a member of the Australasian Institute of Mining and Metallurgy (No. 991225). Dr Hills has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Dr Hills consents to the inclusion in the report of the matters based on their information in the form and context in which it appears.

The information in the report to which this statement is attached that relates to Mineral Resources for the Sturec Gold Deposit is based on information compiled by Mr Chris Grove, who is a Member of The Australasian Institute of Mining and Metallurgy (No. 310106). Mr Grove is a full-time employee of Measured Group Pty Ltd and has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr Grove consents to the inclusion in the report of the matters based on his information in the form and context in which it appears.

*Note: This announcement is authorised by the executive board on behalf of the Company.*

## Background: Sturec Gold Mine

The Sturec Gold Mine is located in central Slovakia between the town of Kremnica and the village of Lučky, 17km west of central Slovakia's largest city, Banská Bystrica, and 150km northeast of the capital, Bratislava.

Sturec is a low sulphidation epithermal system and contains a total Mineral Resource of 21.2Mt @ 1.50 g/t Au and 11.6 g/t Ag (1.59g/t AuEq) using a 0.4g/t Au cut-off and within an optimised open pit, containing 1,026,000 ounces of gold and 7,944,000 ounces of silver (1,086,000 ounces of gold equivalent) in accordance with JORC (2012). An additional 388,000 tonnes at 3.45 g/t Au and 21.6 g/t Ag (3.60g/t AuEq) outside the optimised open pit contains an additional 43,000 ounces of gold and 270,000 ounces of silver (45,000 ounces of gold equivalent), reported in accordance with JORC (2012).

Mineral Resource Estimate – Sturec Gold Mine

Sturec Mineral Resource Estimate								
Resource Estimate above 0.40 g/t Au cut-off and within an optimised open pit shell								
Resource Category	Tonnes (kt)	Density (t/m <sup>3</sup> )	Au (g/t)	Ag (g/t)	AuEq <sup>1</sup> (g/t)	Au (koz)	Ag (koz)	AuEq <sup>1</sup> (koz)
Measured	3,000	2.17	1.69	13.5	1.79	161	1291	171
Indicated	11,200	2.24	1.79	14.9	1.90	643	5373	685
Measured + Indicated	14,200	2.23	1.77	14.6	1.87	804	6664	856
Inferred	7,000	2.33	0.97	5.6	1.01	222	1280	230
TOTAL	21,200	2.26	1.50	11.6	1.59	1026	7944	1086
Resource Estimate above 2.85 g/t Au cut-off: outside optimised open pit shell								
Resource Category	Tonnes (kt)	Density (t/m <sup>3</sup> )	Au (g/t)	Ag (g/t)	AuEq <sup>1</sup> (g/t)	Au (koz)	Ag (koz)	AuEq <sup>1</sup> (koz)
Measured	-	-	-	-	-	-	-	-
Indicated	114	2.28	3.39	25.6	3.57	12	94	13
Measured + Indicated	114	2.28	3.39	25.6	3.57	12	94	13
Inferred	274	2.34	3.47	19.9	3.61	31	176	32
TOTAL	388	2.34	3.45	21.6	3.60	43	270	45

<sup>1</sup> AuEq g/t = ((Au g/t grade\*Met. Rec.\*Au price/g) + (Ag g/t grade\*Met. Rec.\*Ag price/g)) / (Met. Rec.\*Au price/g)

Long term Forecast Gold and Silver Price USD/oz (source: World Bank, JP Morgan): \$1,500 and \$20 respectively.

Gold And silver recovery from the 2014 Thiosulphate metallurgical test work: 90.5% and 48.9% respectively.

It is the Company's opinion that both gold and silver have a reasonable potential to be recovered and sold from the Sturec ore using Thiosulphate Leaching/Electrowinning as per the recoveries indicated.

Note: This announcement is authorised by the executive board on behalf of the Company.



## APPENDIX 1: JORC CODE, 2012 EDITION – TABLE 1

### Section 1 - Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections)

Criteria	JORC Code Explanation	Details
<b>Sampling techniques</b>	<ul style="list-style-type: none"> <li>Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</li> <li>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</li> <li>Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (e.g. 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases, more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g. submarine nodules) may warrant disclosure of detailed information.</li> </ul>	<ul style="list-style-type: none"> <li>Routine samples over prospective mineralised intervals from diamond drill core as determined by an experienced geologist are 1m half drill core; or quarter core for duplicates (routine 1/2 core sample sawn into two 1/4 core samples).</li> <li>Entire sample sent to ALS laboratory in Romania for preparation and fire assay analysis, while the four-acid digest with ICPAES will be completed at the ALS laboratory in Ireland.</li> <li>90% of sample to be crushed to &lt;2mm. Sample is then dried and riffle split to produce a 1kg split. 1kg split then pulverised to 85% passing &lt;75µm to produce a 50g charge for fire assay for gold analysis and a 0.25g sample for four acid digestion (near-total) with an ICPAES (inductively coupled plasma atomic emission spectroscopy) finish for 33 elements including Ag, Cu, Co, Pb, Zn, etc.</li> <li>If coarse-grained gold is encountered then Au will also be analysed by screen fire assay. The remaining sample from the 90% of the original routine sample that was crushed to &lt;2mm and dried is then riffle split again to produce another 1kg split. This 1kg split is then dry screened to a nominal 106 micron. Duplicate 50g fire assays with AAS finish are then performed on the undersize, and fire assay with gravimetric finish is done on the entire oversize fraction. Then the total gold content is calculate and reported, using the individual assays and weight of the fractions.</li> </ul>
<b>Drilling techniques</b>	<ul style="list-style-type: none"> <li>Drill type (e.g. core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</li> </ul>	<ul style="list-style-type: none"> <li>The current program is utilising diamond drilling from an underground location within the Andrej Adit.</li> <li>None of the diamond core is being oriented.</li> <li>UGA-01, was drilled with NQ (47.6mm core diameter) to 183.6m and then reduced to BQ due to drilling difficulties (36.5mm core diameter) till EOH (346.05m).</li> <li>UGA-02 was drilled with NQ (47.6mm core diameter) to 201m and then reduced to BQ due to drilling difficulties (36.5mm core diameter) till EOH (293.46m).</li> <li>UGA-03 was drilled with NQ (47.6mm core diameter) to 200.52m and then reduced to BQ due to drilling difficulties (36.5mm core diameter) till EOH (287.25m).</li> <li>UGA-04 was drilled with NQ (47.6mm core diameter) to EOH (140.90m).</li> <li>UGA-05 was drilled with NQ (47.6mm core diameter) to EOH (140.46m).</li> <li>UGA-06 was drilled with NQ (47.6mm core diameter) to EOH (116.50m).</li> <li>UGA-07 has been started with NQ (47.6mm core diameter)</li> </ul>
<b>Drill sample recovery</b>	<ul style="list-style-type: none"> <li>Method of recording and assessing core and chip sample recoveries and results assessed.</li> <li>Measures taken to maximise sample recovery and ensure representative nature of the samples.</li> </ul>	<ul style="list-style-type: none"> <li>Core recovery is measured as the length of core recovered versus the depth of the drill hole. In detail, the length of each 'run' of core recovered (between 0-3m) is measured and its length compared to the length the drillers measured from the drill rod advance.</li> <li>The core recovery for all drill holes so far is excellent, approximately 95%.</li> </ul>

Criteria	JORC Code Explanation	Details
	<ul style="list-style-type: none"> <li>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</li> </ul>	<ul style="list-style-type: none"> <li>Historic drill records indicate that core recovery at the Sturec Project was consistently good, where historic mining voids have not been encountered.</li> <li>No relationship between sample recovery and grade has been interpreted as recovery is excellent.</li> </ul>
<b>Logging</b>	<ul style="list-style-type: none"> <li>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</li> <li>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</li> <li>The total length and percentage of the relevant intersections logged.</li> </ul>	<ul style="list-style-type: none"> <li>The core was geologically and geotechnically logged to a level to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. Core is logged both qualitatively and quantitatively.</li> <li>All logging data is digitally captured via excel spreadsheets, which are then validated when they are imported into a resource modelling software package.</li> <li>Core photography is completed for all drill holes.</li> <li>The entire length of drill core is logged.</li> </ul>
<b>Sub-sampling techniques and sample preparation</b>	<ul style="list-style-type: none"> <li>If core, whether cut or sawn and whether quarter, half or all core taken.</li> <li>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</li> <li>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</li> <li>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</li> <li>Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling.</li> <li>Whether sample sizes are appropriate to the grain size of the material being sampled.</li> </ul>	<ul style="list-style-type: none"> <li>Routine samples over prospective mineralised intervals from diamond drill core as determined by an experienced geologist are sawn into 1m half drill core; or quarter core for duplicates.</li> <li>Same side of drill core sampled to ensure no selective sampling bias.</li> <li>The other half of the core was retained for geological reference and potential further sampling, such as metallurgical test work.</li> <li>Entire sample sent to ALS laboratory in Romania for preparation and fire assay analysis, while the four-acid digest with ICPAES is completed at the ALS laboratory in Ireland.</li> <li>90% of sample crushed to &lt;2mm. Sample then dried and riffle split. 1kg split then pulverised to 85% passing &lt;75µm to produce a 50g charge for fire assay for gold analysis and a 0.25g sample for four acid digestion (near-total) with an ICPAES (inductively coupled plasma atomic emission spectroscopy) finish for 33 elements including Ag, Cu, Co, Pb, Zn, etc.</li> <li>The remainder of the material is retained as a coarse split for metallurgical test work.</li> <li>Remaining pulps are retained for analyses such as second laboratory check assays.</li> <li>Duplicate samples (routine 1m ½ core sample sawn in half to produce two ¼ core samples) taken every 30 samples or at least one per hole if less than 30 samples taken.</li> <li>A Certified Reference Material (CRM or 'Standard') is inserted into the routine sample sequence approximately every 30 samples or at least one per hole if less than 30 samples taken.</li> <li>A blank (material with no concentrations of economic elements under consideration) is inserted into the routine sample sequence approximately every 30 samples or at least one per hole if less than 30 samples taken.</li> <li>Sample prep techniques utilised are industry standard for Carpathian epithermal-style gold mienralisation and are considered appropriate.</li> <li>Samples sizes are considered appropriate for the grain-size of the material being sampled.</li> </ul>
<b>Quality of assay data and laboratory tests</b>	<ul style="list-style-type: none"> <li>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</li> <li>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including</li> </ul>	<ul style="list-style-type: none"> <li>Analysis completed by using 50g charge for fire assay for gold analysis and a 0.25g sample for four acid digestion (near-total) with an ICPAES (inductively coupled plasma atomic emission spectroscopy) finish for 33 elements including Ag, Cu, Co, Pb, Zn, etc.</li> <li>If coarse-grained gold is encountered then Au is also analysed by screen fire assay. The remaining sample from the 90% of the original routine sample that was crushed to &lt;2mm</li> </ul>

Criteria	JORC Code Explanation	Details
	<p><i>instrument make and model, reading times, calibrations factors applied and their derivation, etc.</i></p> <ul style="list-style-type: none"> <li>• <i>Nature of quality control procedures adopted (e.g. standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.</i></li> </ul>	<p>and dried is then riffle split again to produce another 1kg split. This 1kg split is then dry screened to a nominal 106 micron. Duplicate 50g fire assays with AAS finish are then performed on the undersize, and fire assay with gravimetric finish is done on the entire oversize fraction. Then the total gold content is calculate and reported, using the individual assays and weight of the fractions.</p> <ul style="list-style-type: none"> <li>• Analysis techniques utilised are industry standard for Carpathian epithermal-style gold mineralisation and are considered appropriate.</li> <li>• Laboratory Routine QC protocol for Au-AA26: 1 lab Blank, 2 lab CRM, 3 client duplicates,1 PREP Duplicate per batch (up to 77 samples). Laboratory Routine QC protocol for ME-ICP61: 1 lab Blank, 2 lab CRM, 2 client duplicates,1 PREP Duplicate per batch (up to 77 samples).</li> <li>• Internal laboratory checks, as well as internal and external check assays such as repeats and check assays enable assessment of precision. Contamination between samples is checked for by the use of blank samples (laboratory and company inserted). Assessment of accuracy will be carried out by the analysis of the assay results of the CRMs.</li> <li>• QAQC results are reviewed on a batch-by-batch basis. Any deviations from acceptable precision or indications of bias are acted upon prior to announcing any results with repeat and check assays.</li> </ul>
<b>Verification of sampling</b>	<ul style="list-style-type: none"> <li>• <i>The verification of significant intersections by either independent or alternative company personnel.</i></li> <li>• <i>The use of twinned holes.</i></li> <li>• <i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i></li> <li>• <i>Discuss any adjustment to assay data.</i></li> </ul>	<ul style="list-style-type: none"> <li>• On receipt of assay results from the laboratory, the results are verified by the Exploration Manager and by responsible geologists who compare the results with the geological logging and remaining drill core (or core photography if site access is not possible).</li> <li>• No twins have been completed yet.</li> <li>• All primary data (logging, sample intervals and assay results) is digitally captured via excel spreadsheets, which are then validated when they are imported into a resource modelling software package.</li> <li>• Data is stored in secure company Dropbox that has a 180 day file recovery and version history function.</li> <li>• No adjustments of the assay data have occurred.</li> </ul>
<b>Location of data points</b>	<ul style="list-style-type: none"> <li>• <i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i></li> <li>• <i>Specification of the grid system used.</i></li> <li>• <i>Quality and adequacy of topographic control.</i></li> </ul>	<ul style="list-style-type: none"> <li>• Locations of diamond drill hole collars, channel samples and mine workings are recorded using the Slovak National Datum: S-JTSK/Krovak Datum.</li> <li>• As the location of the current drill hole is within the Andrej Adit, which has been surveyed, its location is very accurately known.</li> <li>• High-resolution topography over the project was acquired using LiDAR.</li> </ul>
<b>Data spacing and distribution</b>	<ul style="list-style-type: none"> <li>• <i>Data spacing for reporting of Exploration Results.</i></li> <li>• <i>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i></li> <li>• <i>Whether sample compositing has been applied.</i></li> </ul>	<ul style="list-style-type: none"> <li>• Data spacing is highly variable across the prospect. Drill hole UGA-04 was drilled to extend the interpreted mineralised zone approximately 100m along strike from the southern extent of the Sturec Mineral Resource; approximately 50m down dip from where it has been historically mined within the Andrej Adit; and approximately 30m down dip from the current Sturec Mineral Resource extents.</li> <li>• The area currently being drilled has not been previously targeted by drilling and therefore, it can not currently be determined if the data spacing and distribution will be sufficient to</li> </ul>

Criteria	JORC Code Explanation	Details
		<p>establish the degree of geological and grade continuity appropriate for Mineral Resource and Ore Reserve estimation.</p> <ul style="list-style-type: none"> <li>No samples have been composited.</li> </ul>
<b>Orientation of data in relation to geological structure</b>	<ul style="list-style-type: none"> <li><i>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</i></li> <li><i>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i></li> </ul>	<ul style="list-style-type: none"> <li>Due to only one site within the Andrej Adit being suitable for drilling, the drill holes completed so far have been drilled at an acute angle to the strike of the exploration target and the adjoining mineral resource.</li> <li>The true thickness of the mineralised zone intersected by UGA-04 is not possible to determine at this stage due to the limited drilling in this area and further drilling is necessary to better constrain the interpretation.</li> </ul>
<b>Sample security</b>	<ul style="list-style-type: none"> <li><i>The measures taken to ensure sample security.</i></li> </ul>	<ul style="list-style-type: none"> <li>Samples were securely stored in company facilities prior to being completely sealed and couriered to the ALS laboratory in Romaina.</li> </ul>
<b>Audits or reviews</b>	<ul style="list-style-type: none"> <li><i>The results of any audits or reviews of sampling techniques and data.</i></li> </ul>	<ul style="list-style-type: none"> <li>No audits/reviews of the sampling techniques and assay data has been completed at this stage.</li> </ul>

## Section 2 - Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section)

Criteria	JORC Code Explanation	Details														
Mineral tenement and land tenure status	<ul style="list-style-type: none"><li>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</li><li>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</li></ul>	<ul style="list-style-type: none"><li>Sturec Gold Project consists of the Kremnica Mining Territory (9.47 km<sup>2</sup>) owned by Slovakian limited liability company Ortac SK, which is a wholly-owned subsidiary of Ortac UK (a private limited company registered in England and Wales).</li><li><b>Kremnica Mining Territory’ and Mining Licence details:</b></li></ul> <p><b>‘Kremnica Mining Territory’</b></p> <table><tr><td>Name:</td><td>Mining Territory Kremnica Au-Ag</td></tr><tr><td>Mining area No:</td><td>MHD-D.P.- 12</td></tr><tr><td>Date of Issuance:</td><td>21 January 1961</td></tr><tr><td>Metals</td><td><ul style="list-style-type: none"><li>Gold and Silver</li></ul></td></tr><tr><td>Duration:</td><td>Indefinite</td></tr><tr><td>Holder of the:</td><td>Ortac, s.r.o</td></tr><tr><td>Amendments:</td><td><ul style="list-style-type: none"><li>No. 1037-1639/2009</li></ul></td></tr></table>	Name:	Mining Territory Kremnica Au-Ag	Mining area No:	MHD-D.P.- 12	Date of Issuance:	21 January 1961	Metals	<ul style="list-style-type: none"><li>Gold and Silver</li></ul>	Duration:	Indefinite	Holder of the:	Ortac, s.r.o	Amendments:	<ul style="list-style-type: none"><li>No. 1037-1639/2009</li></ul>
	Name:	Mining Territory Kremnica Au-Ag														
	Mining area No:	MHD-D.P.- 12														
Date of Issuance:	21 January 1961															
Metals	<ul style="list-style-type: none"><li>Gold and Silver</li></ul>															
Duration:	Indefinite															
Holder of the:	Ortac, s.r.o															
Amendments:	<ul style="list-style-type: none"><li>No. 1037-1639/2009</li></ul>															
		<p><b>ORTAC,s.r.o. Mining Licence details</b></p> <table><tr><td>Name:</td><td>Ortac,s.r.o.</td></tr><tr><td>Mining License No:</td><td>1830-3359/2008</td></tr><tr><td>Date of Issuance:</td><td>13 November 2008</td></tr></table>	Name:	Ortac,s.r.o.	Mining License No:	1830-3359/2008	Date of Issuance:	13 November 2008								
Name:	Ortac,s.r.o.															
Mining License No:	1830-3359/2008															
Date of Issuance:	13 November 2008															



Criteria	JORC Code Explanation	Details										
		<table><tr><td>Subject:</td><td><ul style="list-style-type: none"><li>● Opening, preparation and exploitation of reserved mineral resource</li><li>● Installation, conservation and decommissioning of mining work</li><li>● Processing and refinement of mineral resources</li><li>● Installation and operation of unloading areas and dumps</li><li>● Opening the mining works to the public for museum purposes and related safety maintenance works</li></ul></td></tr><tr><td>Duration:</td><td>Indefinite</td></tr><tr><td>Responsible Person:</td><td>Ing. Peter Čorej</td></tr><tr><td>Amendments:</td><td><ul style="list-style-type: none"><li>● No. 773-1398/2015 dated 11 May 2015 extending the subject of the Mining License</li><li>● No. 979-1401/2019 dated 11 June 2019 updating the information on statutory body</li></ul></td></tr><tr><td colspan="2"></td></tr></table>	Subject:	<ul style="list-style-type: none"><li>● Opening, preparation and exploitation of reserved mineral resource</li><li>● Installation, conservation and decommissioning of mining work</li><li>● Processing and refinement of mineral resources</li><li>● Installation and operation of unloading areas and dumps</li><li>● Opening the mining works to the public for museum purposes and related safety maintenance works</li></ul>	Duration:	Indefinite	Responsible Person:	Ing. Peter Čorej	Amendments:	<ul style="list-style-type: none"><li>● No. 773-1398/2015 dated 11 May 2015 extending the subject of the Mining License</li><li>● No. 979-1401/2019 dated 11 June 2019 updating the information on statutory body</li></ul>		
		Subject:	<ul style="list-style-type: none"><li>● Opening, preparation and exploitation of reserved mineral resource</li><li>● Installation, conservation and decommissioning of mining work</li><li>● Processing and refinement of mineral resources</li><li>● Installation and operation of unloading areas and dumps</li><li>● Opening the mining works to the public for museum purposes and related safety maintenance works</li></ul>									
		Duration:	Indefinite									
		Responsible Person:	Ing. Peter Čorej									
		Amendments:	<ul style="list-style-type: none"><li>● No. 773-1398/2015 dated 11 May 2015 extending the subject of the Mining License</li><li>● No. 979-1401/2019 dated 11 June 2019 updating the information on statutory body</li></ul>									
<ul style="list-style-type: none"><li>• The Kremnica Mining Licence is located in central Slovakia between the town of Kremnica and the village of Lučky, 17km west of central Slovakia's largest city, Banská Bystrica, and 150km northeast of the capital, Bratislava.</li><li>• Metals Tech owns 100% of the Sturec Gold Project by completing the acquisition of Ortac UK on 14 February 2020.</li><li>• As a part of the acquisition, MetalsTech Limited has granted Arc Minerals Limited a royalty equal to A\$2 per ounce of resource that is delineated at the project above an open cut JORC (2012) Indicated and Measured Resources that exceeds 1.5million ounces at a grade greater than 2.5g/t AuEq after 2 years from the date of execution of the Terms Sheet but before the date that is 5 years after the date of execution of the Terms Sheet capped at 7 million ounces.</li><li>• Also, subject to MTC shareholder approval, Courchevel 1850 Pty Ltd (a related party of MTC chairman Russell Moran) is to be assigned a 2% net smelter royalty on all production from the project.</li><li>• In 2013, Arc Minerals (named Ortac Resources Limited at this time) submitted a small-scale underground mining application, which was awarded by the Central Mining Bureau in 2014. Trial underground mining commenced in June 2014 and a 40t bulk sample was extracted from Sturec for metallurgical test work.</li><li>• In 2016, the Regional Court in Banská Bystrica ruled against the Central Mining Bureau concerning the underground mining permit issued to Arc Minerals Limited in 2014 and revoked the decision to issue the mining permit.</li><li>• In May 2017, the Central Mining Bureau issued Ortac SK with an amended underground mining permit that allowed for small-scale mining activities to recommence.</li><li>• In July 2017, Ortac SK (Arc Minerals Limited) re-commenced the trial underground mining activities at Sturec, fulfilling the condition required by Slovak regulations to preserve its right to exploit the ore deposit in the Kremnica Mining Licence Area for a minimum period of at least three years. 500t of ore was extracted and used for metallurgical test work relating to alternative processing technologies to the conventional cyanide leaching.</li><li>• Since 2017 (before selling the project to MetalsTech), Arc Minerals Limited has continued working with the local community and stakeholders to facilitate the development of the project.</li><li>• In October 2019, the Central Mining Bureau issued Ortac SK with an underground mining permit that allowed for small-scale mining activities to recommence: Decision No. 827-2373 / 2019. This decision was appealed soon after being received.</li></ul>												

Criteria	JORC Code Explanation	Details
		<ul style="list-style-type: none"> <li>• In February 2020, the appeals against Decision No. 827-2373 / 2019 were rejected by the State Mining Administration and the underground mining authorisation was upheld.</li> <li>• In April 2020, MetalsTech Limited re-commenced the underground mining activities at Sturec, in order to fulfill the condition required by Slovak regulations to preserve its right to exploit the ore deposit in the Kremnica Mining Licence Area for a minimum period of at least three years.</li> <li>• Although Ortac SK is officially registered as the holder of the Kremnica Mining Territory, the validity of the allocation of the Kremnica Mining Territory has been repeatedly disputed. Arguments challenging the validity of the allocation of the Kremnica Mining Territory have been raised by third parties in licensing proceedings in respect of particular mining activities within the Kremnica Mining Territory. So far, the merits of such arguments have not been assessed by the court, as the respective court decisions were issued on procedural grounds in the past. Despite the existence of reasonable legal arguments defending the validity of the allocation of the Kremnica Mining Territory, it cannot be ruled out that the challenges to its validity will eventually prevail before the court. Even if the validity of the allocation of the Kremnica Mining Territory is successfully defended in principle, there is a risk that Ortac SK's entitlement to the Kremnica Mining Territory could be held to be limited to underground operations only.</li> <li>• There are no environmental protected areas in the vicinity of the project resource area, except a protected lime tree situated close to the Leopold Shaft, adjacent to the monument commemorating the visit by Emperor Joseph II to Kremnica. Permission can be obtained to fell the tree if necessary, from the Provincial Environmental Office in Banska Bystrica.</li> <li>• It appears that a significant part of the Kremnica Mining Licence is covered by a heritage conservation area. This is not surprising given the extensive mining history throughout this area. The previous owners Arc Minerals Ltd used this fact to their advantage by establishing the Andrej Kremnica Mining Museum, whose two main attractions are the Ludavika Shaft Building and the Andrej Adit, which was established in 1982 by the State to access the main quartz vein mineralisation. As a result, various requirements under the applicable regulations in the area of heritage protection must be complied with. Further investigation needs to be completed to understand the effect this Heritage Protection will have on any proposed mining activities.</li> <li>• There is one registered environmental burden located in the Kremnica Mining Territory with registration number SK/EZ/ZH/2129. This environmental burden relates to the processing facilities including the historic waste dumps that are situated immediately next to the Arc Minerals operation office/Andrej Kremnica Mining Museum. It is categorized "only" as a potential (probable) environmental burden as no significant contamination/acid rock drainage (ARD) effects have been reported concerning these historic mining remnants.</li> <li>• There is risk concerning the further development of the Sturec Gold Project due to the historic social and environmental opposition to the development of a mining operation in this area. The opposition is believed to be the result of two main factors: previous development plans utilised cyanide ore processing; and previous development plans involved digging a large open pit in relatively proximity to the township of Kremnica. <ul style="list-style-type: none"> <li>◦ To minimise the first risk, MetalsTech is investigating alternative gold processing methods, especially Thiosulphate Leaching, which has previously been used quite successfully on Sturec ore samples during metallurgical test work in 2014. Also, in 2014 the CSIRO successfully collaborated with Barrick Gold Corp. to implement Thiosulphate ore processing technology on the Goldstrike Mine in Nevada, USA, which now produces approximately 350,000 ounces of gold per annum for Barrick and Newmont Goldcorp Corp; proving that this technology can be utilised economically and at significant scale.</li> <li>◦ To minimise the second risk, MetalsTech intends to put in place a comprehensive project stakeholder engagement programme to attempt to understand and mitigate their concerns about the development of a mining operation on the Sturec Gold Project. Also, the full suite of benefits to the country and local communities that will arise from the Sturec Gold Project (such as job creation, training, capital investment, revenue generation, procurement of goods and services locally, and community development initiatives)</li> </ul> </li> </ul>

Criteria	JORC Code Explanation	Details
		need to be properly communicated to project stakeholders, so that that they can use this to motivate/ justify the project in project-approval processes.
Exploration done by other parties	<ul style="list-style-type: none"> <li><i>Acknowledgment and appraisal of exploration by other parties.</i></li> </ul>	<ul style="list-style-type: none"> <li>Many exploration companies have previously explored the Sturec Gold Project and the surrounding areas. The details of the exploration history are outlined below: <ul style="list-style-type: none"> <li>The Slovak Geological Survey carried out extensive exploration in the Sturec area from 1981 to 1987, including extensive adit and cross-cut development within the Sturec zone.</li> <li>Rudne Bane operated the open-pit mine at Sturec from 1987 to 1992 and produced 50,028t of ore averaging 1.54g/t Au. During this time, Rudne Bane conducted underground sampling of the larger mineralised portions of the Sturec deposit (40 channels for 3,149 individual samples) and 12 underground fan drill holes (for 425.3m) into the northern-most known limits of the deposit. A total of 266 sample intervals were assayed for gold and silver.</li> <li>Kremnica Banská Spolocnost (KBS), an investment company composed of former mine managers, obtained the title to the Kremnica Mining Lease (MHD-D.P. 12) from the Slovak government on 1 April 1995. In 1995, Argosy Mining Corporation (Argosy) of Vancouver formed a 100% owned Slovak Subsidiary, Argosy Slovakia s.r.o., which entered into a joint venture with KBS on 6 October 1995. Argosy Slovakia purchased KBS's share of the joint venture on 24 April 1997 to control 100% of the mining licence through its subsidiary, Kremnica Gold a.s. Argosy completed a core drilling programme in 1996 and a combined core and reverse-circulation (RC) drilling programme in 1997. This core/RC program totalled 79 holes for 12,306m; 9,382.4m of which was into the Sturec Deposit area.</li> <li>In July 2003, Tournigan Gold Corporation (Tournigan) acquired the rights to the Sturec Project by purchasing Kremnica Gold a.s. from Argosy. Tournigan then completed 104 diamond core and RC drill holes for ~14,000m over the period 2004 to 2008. The majority of these holes were into the Sturec Deposit, but adjacent areas were also explored. In the summer and autumn of 2005, Tournigan executed a 36-hole program of RC drilling as infill of Argosy's and Tournigan's earlier core drilling programs into the Sturec Deposit. Tournigan also drilled five additional holes as twins of Argosy's previous core holes. This drilling resulted in the deposit being drilled off on approximate 50-metre centres (earlier drilling had been on approximately 100 x 50 metre centres). The RC program results confirmed the geology and ore outlines that were previously established by core drilling (e.g., rock types and alteration, location of zones of oxidation, location of ore-bearing veins and stockworks, hanging walls, footwalls, thicknesses, strikes, dips, and grades). The holes and assay results were displayed on cross-sections and recorded on logs. Samples were collected at 1-meter intervals under the immediate supervision of a geologist, sealed in plastic bags, and submitted for analysis and check analyses according to the required formal protocols. The holes were logged on site by the drill geologists and again in the laboratory where qualitative samples were taken and inventoried as geological reference samples. The bulk rejects from these RC samples are stored at the operational offices at the Andrej Mining Museum. Tournigan also completed nine bench channel surveys incorporating a total of 317 sample intervals. In 2004, Tournigan also conducted an 11-hole diamond drilling programme north of Sturec at the Wolf prospect.</li> <li>Ortac Resources (now Arc Mineral Limited) acquired the project in 2009. Since 2009 till MetalsTech acquired the project from them in February 2020, Ortac drilled 13 core holes for 2,771.7m within the Sturec Deposit area. They also completed 4 drill core holes at the Vratislav Prospect, immediately to the north of the Sturec Mineral Resource area and 3 drill core holes at the Wolf Prospect, immediately north of the Vratislav Prospect.</li> </ul> </li> </ul>

Criteria	JORC Code Explanation	Details																																																																
Geology	<ul style="list-style-type: none"><li>Deposit type, geological setting and style of mineralisation.</li></ul>	<ul style="list-style-type: none"><li>The Sturec Gold Project is located in the Central Slovakia Volcanic Area in the Kremnica Mountains of the Western Carpathians. The Central Slovakia Volcanic Field hosts several Ag–Au epithermal vein-type deposits including Banská Štiavnica, Kremnica, Hodruša-Hámre, and Nová Bana, which were important sources of precious and base metals in the past. The area is characterised by Tertiary pyroxene-amphibole andesite flows and tuffs of the Zlata Studna Formation. The andesites are underlain by Mesozoic limestone. Deep-seated structures and faults within the pre-Tertiary basement interpreted to be extensional Horst and Graben in style, focussed sub-volcanic intrusions of gabbrodiorite, diorite, diorite porphyry, and minor quartz-diorite porphyry at depth and associated mesothermal mineralising events, which were then overprinted by the epithermal precious metal mineralisation. In the Kremnica area, the structure is controlled by a 6-7km long, N-S trending horst, known as the Kremnica Horst Structure, which is interpreted to be the result of the sub-volcanic intrusions of gabbrodiorite, diorite, diorite porphyry, and minor quartz-diorite porphyry at depth causing this zone to be uplifted relative to the two graben structures to either side.</li><li>The Sturec Gold Project mineralisation is classified as a low-sulphidation epithermal Ag-Au deposit type and is interpreted to have formed from low-salinity fluids composed of a mixture of meteoric and magmatic waters at temperatures mostly between ~270 to 190 °C. The mineralisation is hosted by quartz–dolomite veins also containing adularia, sericite, illite and chalcedony that cut through Neogene propylitised (low pressure/low to medium temperature hydrothermal alteration) andesites of the Kremnica stratovolcano. The hydrothermal alteration from the veins outwards consists of silicification and potassic-metasomatism (adularia), propylitization and argillisation. Vein styles include large banded to massive quartz veins, smaller quartz veins and sheeted veins, quartz stockwork veining and silicified hydrothermal breccias.</li></ul>																																																																
Drill hole Information	<ul style="list-style-type: none"><li>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:<ul style="list-style-type: none"><li>easting and northing of the drill hole collar</li><li>elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar</li><li>dip and azimuth of the hole</li><li>down hole length and interception depth</li><li>hole length.</li></ul></li><li>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</li></ul>	<ul style="list-style-type: none"><li>Drill collar details:</li></ul> <table><tr><th>Drill hole name</th><th>Easting (m)</th><th>Northing (m)</th><th>RL (m)</th><th>Datum</th><th>Azi (°TN)</th><th>Dip (°)</th><th>EOH Depth (m)</th></tr><tr><td>UGA-01</td><td>-435,852</td><td>-1,230,204</td><td>656</td><td>S-JTSK/ Krovak</td><td>017</td><td>-53</td><td>346.05</td></tr><tr><td>UGA-02</td><td>-435,852</td><td>-1,230,204</td><td>656</td><td>S-JTSK/ Krovak</td><td>022</td><td>-46</td><td>293.46</td></tr><tr><td>UGA-03</td><td>-435,852</td><td>-1,230,204</td><td>656</td><td>S-JTSK/ Krovak</td><td>007</td><td>-45</td><td>287.25</td></tr><tr><td>UGA-04</td><td>-435,852</td><td>-1,230,204</td><td>656</td><td>S-JTSK/ Krovak</td><td>297</td><td>-80</td><td>140.90</td></tr><tr><td>UGA-05</td><td>-435,852</td><td>-1,230,204</td><td>656</td><td>S-JTSK/ Krovak</td><td>200</td><td>-60</td><td>140.46</td></tr><tr><td>UGA-06</td><td>-435,852</td><td>-1,230,204</td><td>656</td><td>S-JTSK/ Krovak</td><td>350</td><td>-60</td><td>116.50</td></tr><tr><td>UGA-07</td><td>-435,852</td><td>-1,230,204</td><td>656</td><td>S-JTSK/ Krovak</td><td>355</td><td>-70</td><td></td></tr></table> <ul style="list-style-type: none"><li>A summary table of significant drill hole intersections:</li></ul>	Drill hole name	Easting (m)	Northing (m)	RL (m)	Datum	Azi (°TN)	Dip (°)	EOH Depth (m)	UGA-01	-435,852	-1,230,204	656	S-JTSK/ Krovak	017	-53	346.05	UGA-02	-435,852	-1,230,204	656	S-JTSK/ Krovak	022	-46	293.46	UGA-03	-435,852	-1,230,204	656	S-JTSK/ Krovak	007	-45	287.25	UGA-04	-435,852	-1,230,204	656	S-JTSK/ Krovak	297	-80	140.90	UGA-05	-435,852	-1,230,204	656	S-JTSK/ Krovak	200	-60	140.46	UGA-06	-435,852	-1,230,204	656	S-JTSK/ Krovak	350	-60	116.50	UGA-07	-435,852	-1,230,204	656	S-JTSK/ Krovak	355	-70	
Drill hole name	Easting (m)	Northing (m)	RL (m)	Datum	Azi (°TN)	Dip (°)	EOH Depth (m)																																																											
UGA-01	-435,852	-1,230,204	656	S-JTSK/ Krovak	017	-53	346.05																																																											
UGA-02	-435,852	-1,230,204	656	S-JTSK/ Krovak	022	-46	293.46																																																											
UGA-03	-435,852	-1,230,204	656	S-JTSK/ Krovak	007	-45	287.25																																																											
UGA-04	-435,852	-1,230,204	656	S-JTSK/ Krovak	297	-80	140.90																																																											
UGA-05	-435,852	-1,230,204	656	S-JTSK/ Krovak	200	-60	140.46																																																											
UGA-06	-435,852	-1,230,204	656	S-JTSK/ Krovak	350	-60	116.50																																																											
UGA-07	-435,852	-1,230,204	656	S-JTSK/ Krovak	355	-70																																																												





Criteria	JORC Code Explanation	Details									
	• The assumptions used for any reporting of metal equivalent values should be clearly stated.										
		Hole	From (m)	To (m)	Interval (m)	Sample Nr	Au ppm (Au-AA26)	Au g/t* interval	Ag ppm (ME-ICP61)	Ag g/t* interval	
		UGA-01	234	235	1	M294307	4.23	4.23	44	44	10 metres @
		UGA-01	235	236	1	M294308	0.34	0.34	4.4	4.4	1.47 g/t Au
		UGA-01	236	237	1	M294309	0.5	0.5	5	5	9.68 g/t Ag
		UGA-01	237	238	1	M294310	0.65	0.65	3.9	3.9	from 234m
		UGA-01	238	239	1	M294312	0.27	0.27	4.2	4.2	using a 0.5g/t Au cut-off with 2m of internal dilution
		UGA-01	239	240	1	M294313	0.2	0.2	3.3	3.3	
		UGA-01	240	241	1	M294314	0.8	0.8	7	7	
		UGA-01	241	242	1	M294315	0.44	0.44	2.6	2.6	
		UGA-01	242	243	1	M294316	0.5	0.5	1.9	1.9	
		UGA-01	243	244	1	M294317	6.76	6.76	20.5	20.5	
		UGA-02	16	17	1	M294480	0.24	0.24	2.2	2.2	
		UGA-02	17	18	1	M294481	0.62	0.62	20.2	20.2	9 metres @
		UGA-02	18	19	1	M294482	4.3	4.3	13.1	13.1	0.94 g/t Au
		UGA-02	19	20	1	M294483	0.41	0.41	2.9	2.9	6.46 g/t Ag
		UGA-02	20	21	1	M294484	0.73	0.73	4.4	4.4	from 17m
		UGA-02	21	22	1	M294485	0.06	0.06	1.6	1.6	using a 0.3g/t Au cut-off with 2m of internal dilution
		UGA-02	22	23	1	M294486	0.1	0.1	2	2	including
		UGA-02	23	24	1	M294487	1.14	1.14	4.3	4.3	4 metres @
		UGA-02	24	25	1	M294488	0.3	0.3	2.1	2.1	1.52 g/t Au
		UGA-02	25	26	1	M294490	0.79	0.79	7.5	7.5	10.15 g/t Ag
		UGA-02	26	27	1	M294491	0.09	0.09	2	2	from 17m
		UGA-02	27	28	1	M294492	0.06	0.06	1	1	using a 0.5g/t Au cut-off



Criteria	JORC Code Explanation	Details
	<i>treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</i>	<ul style="list-style-type: none"> <li>○ Thiosulphate Leaching gold and silver extraction technology was investigated by the previous owners of the project (Arc Minerals Limited) between 2011-2014. The Thiosulphate Leaching test work results reported so far indicate that this alternate mineral processing methodology is generally applicable to the Sturec gold-silver ores. The most encouraging results came from the latest, Thiosulphate Leaching study completed in 2014 by CMC Chimie. In this study, Ammonium Thiosulphate leaching of the Sturec ore (10 batches of approximately 800kg each) produced a pregnant liquor that had a content of 3-8g/t Au and 10-25g/t Ag, which was then subjected to electrowinning and filtering/drying, producing a copper/gold/silver cement with an overall recovery of 90.5% for gold and 48.9% for silver. The resultant dry cement was approximately 1% gold-silver and about 50% copper. These results were used to justify the conclusion that Thiosulphate Leaching could be used as an alternative processing method to conventional cyanidation and that it was also more economically viable. These results are interpreted to indicate that a further, more detailed metallurgical test work investigation is warranted into this alternative processing method in order to underpin further economic analysis (scoping Study or PFS) of the Sturec Gold Project in light of Slovakia's ban on cyanidation mineral processing.</li> <li>○ In 2016-2017, Arc Minerals also investigated the Cycladex Process as another alternative to cyanidation. In this process a bromide-based solubilizing agent (lixiviant) leaches the ore creating potassium gold bromide (tetrabromoaurate: <math>\text{KAuBr}_4</math>). Then cyclodextrin, a commercially available corn-starch derivative, is added to the resultant pregnant liquor, which results in the spontaneous precipitation of crystals containing the gold. The gold is then released from the crystalline precipitate at high temperature using a furnace to yield solid gold metal. The Cycladex Process test work results reported indicate that this alternate mineral processing methodology is also generally applicable to the Sturec gold-silver ores and potentially cheaper than conventional cyanidation. These results are interpreted to indicate that further investigation is warranted into this alternative processing method and that a PFS-level metallurgical test work-study needs to be completed to underpin a revaluation of the 2013 PFS completed by SRK in light of Slovakia's ban on cyanidation mineral processing.</li> <li>○ As an alternative to onsite leaching, producing a gravity/flootation concentrate on site that could then be then further processed elsewhere (Austria/Belgium) has also been investigated. Gravity concentrate and flotation test work completed on 11 composite samples of Sturec ore found that gold recovery ranged from 64.1 to 93.9% and silver recovery ranged from 45.1 to 83.9%. This processing methodology is currently being used at Slovakia's only operating gold mine, which is of a very similar mineralisation style to Sturec; and so, there is a reasonable possibility it could also be used at Sturec. The main deterrents to this option are the cost of transporting this concentrate (obviously depending on the distance of the further processing facility) and the lower recovery of gold and silver (especially in fine ores). Further work needs to be done to better constrain the metallurgical recovery of this processing methodology across the entire orebody, as well as understand the economic factors involved before an assessment of its suitability can be fully determined.</li> <li>• Groundwater and geotechnical investigations were completed in 2013. The groundwater monitoring results and geotechnical data were found to be adequate to interpret reasonable open pit slope angles for the various host rock types for the purposes of an open pit optimisation that was used as justification for a 'reasonable prospects of economic extraction' interpretation.</li> <li>• Concerning the groundwater, it has been interpreted that the most likely current situation is that the water table around the open pit area was drawn down due the dewatering through the 'Heritage Adits'; with the Main Heritage Adit being situated some 300m below and transporting the groundwater 15km away to where it eventually reaches the surface. It was interpreted that the dewatering had occurred to the level with or below the maximum depth of the proposed pit (~300m). However, the possibility that the dewatering was not as efficient as interpreted has also considered and it has been recommended that up to 6 permanent monitoring wells be installed on the western and eastern sides of the pit to the full depth of the proposed pit. The primary purpose of these wells is to determine if there is any spatial and temporal variation in groundwater levels around the pit.</li> </ul>



Criteria	JORC Code Explanation	Details
		<ul style="list-style-type: none"> <li>Geotechnical investigations found that the stability of the open pit was significantly controlled by the degree of argillic alteration of the predominantly andesite rock mass found at Sturec (host rock of the quartz veining). The modelling suggested that the pit slope needed to be as low as 43° in the highly argillic altered/clay rock type but that a 50° pit slope was adequate in the other rock types.</li> <li>The groundwater and geotechnical investigation results have been used to model a recommended open pit design that achieved an adequate Factor of Safety (FoS) of greater than 2.0.</li> </ul>
Further work	<ul style="list-style-type: none"> <li><i>The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large-scale step-out drilling).</i></li> <li><i>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i></li> </ul>	<ul style="list-style-type: none"> <li>There is good potential for the delineation of further gold mineralisation within the Sturec Gold Project area through future exploration.</li> <li>Prospects such as Wolf, Vratislav, Vollie Henne and South Ridge are interpreted to be extension areas to the Mineral Resource area at Sturec. Significant gold-silver bearing quartz vein mineralisation has been identified and variably explored/mined at each of these prospects.</li> <li>The most exciting and potentially valuable exploration potential though appears to be down plunge. When the Mineral Resource model is investigated, it is apparent that the ore body has a high-grade core that appears to be plunging towards the south. The current exploration drilling has been designed to confirm whether or not this high-grade mineralisation continues down plunge to the south.</li> </ul>

					Au-AA26	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
				SAMPLE	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	From (m)	To (m)	Interval (m)	DESCRIPTION	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
UGA-04	0.00	1.00	1.00	M294935	0.84	7.8	4.88	139	500	0.6	<2	0.25	<0.5	10	59	28	3.83
UGA-04	1.00	2.00	1.00	M294936	0.74	6.6	2.93	121	220	0.5	<2	0.21	<0.5	6	54	15	2.86
UGA-04	2.00	3.00	1.00	M294937	0.54	10.9	3.16	91	240	0.6	<2	0.13	<0.5	8	47	21	2.97
UGA-04	3.00	4.00	1.00	M294938	0.71	8.4	3.32	63	360	0.6	<2	0.15	<0.5	8	68	19	2.96
UGA-04	4.00	5.00	1.00	M294939	0.29	9.1	4.72	128	390	0.9	<2	0.22	<0.5	15	59	29	4.63
UGA-04	5.00	6.00	1.00	M294940	1.34	51.1	5.08	670	360	1.1	<2	0.31	<0.5	16	63	36	5.04
UGA-04	6.00	7.00	1.00	M294941	0.88	22.4	4.8	221	290	0.9	3	0.23	<0.5	14	72	43	3.95
UGA-04	7.00	8.00	1.00	M294942	0.46	18.5	4.1	235	260	0.7	<2	0.17	<0.5	10	66	37	2.4
UGA-04	8.00	9.00	1.00	M294943	2.27	19.7	1.18	128	90	0.7	<2	0.12	<0.5	3	55	23	1.28
UGA-04	9.00	10.00	1.00	M294945	0.45	7.9	5.45	147	520	1	<2	0.69	<0.5	15	61	27	3.32
UGA-04	10.00	11.00	1.00	M294946	1.07	7.3	5.8	102	560	1	<2	0.38	<0.5	18	62	30	3.91
UGA-04	11.00	12.00	1.00	M294947	0.29	6.9	6.36	155	550	1.2	<2	1.02	<0.5	20	61	37	4.34
UGA-04	12.00	13.00	1.00	M294948	0.17	2.5	6.6	137	610	1	2	1.04	<0.5	20	65	34	3.84
UGA-04	13.00	14.00	1.00	M294949	0.17	3.5	6.45	508	500	1.5	<2	0.39	<0.5	26	61	36	7.36
UGA-04	14.00	15.00	1.00	M294950	5.12	4.7	6.92	245	510	1.6	<2	0.36	<0.5	20	69	36	4.71
UGA-04	15.00	16.00	1.00	M294951	4.28	7.1	7.07	518	530	1.4	2	0.41	<0.5	19	69	36	5.62
UGA-04	16.00	17.00	1.00	M294952	0.24	5	7.01	670	580	1.6	<2	0.46	<0.5	20	69	38	5.62
UGA-04	17.00	18.00	1.00	M294953	6.13	35.1	6	518	560	1.3	2	0.54	<0.5	17	62	47	4.47
UGA-04	18.00	19.00	1.00	M294954	16.45	89.3	2.07	213	170	0.7	<2	0.18	<0.5	5	61	58	2.14
UGA-04	19.00	20.00	1.00	M294956	29.2	>100	1.42	882	30	0.7	<2	0.26	0.8	6	45	134	3.2
UGA-04	20.00	21.00	1.00	M294957	27.7	>100	1.83	775	70	0.8	<2	0.24	<0.5	5	48	103	3.04
UGA-04	21.00	22.00	1.00	M294958	11.55	38.9	1.03	219	110	0.6	<2	0.17	<0.5	3	57	44	2.42
UGA-04	22.00	23.00	1.00	M294959	4.25	37.2	2.82	305	50	0.9	<2	0.68	<0.5	8	74	32	3.28
UGA-04	23.00	24.00	1.00	M294961	0.42	29	2.89	628	20	0.9	2	0.41	<0.5	9	51	34	3.89
UGA-04	24.00	25.00	1.00	M294962	0.75	8	5.3	556	30	1.1	<2	0.46	<0.5	17	75	28	4.84
UGA-04	25.00	26.00	1.00	M294963	0.78	8.8	4.72	792	100	1	<2	0.63	<0.5	16	63	29	5.26
UGA-04	26.00	27.00	1.00	M294964	0.87	10.7	2.19	1020	10	0.8	<2	0.9	<0.5	10	48	18	4.86
UGA-04	27.00	28.00	1.00	M294965	0.32	2.7	1.43	593	10	0.7	<2	0.62	<0.5	4	43	9	2.71
UGA-04	28.00	29.00	1.00	M294966	0.38	6.2	0.56	1120	10	0.5	<2	0.29	<0.5	2	37	7	3.21
UGA-04	29.00	30.00	1.00	M294967	0.31	2.3	0.96	523	10	0.6	<2	0.33	<0.5	2	43	6	2
UGA-04	30.00	31.00	1.00	M294968	0.22	2.8	5.04	499	500	1	2	0.76	<0.5	10	48	22	4.32
UGA-04	31.00	32.00	1.00	M294969	0.25	3.3	5.06	205	690	0.7	<2	0.63	<0.5	9	33	20	3.77
UGA-04	32.00	33.00	1.00	M294970	0.32	1.6	3.21	379	210	0.8	<2	1.04	<0.5	7	33	15	4.45
UGA-04	33.00	34.00	1.00	M294971	0.16	2.5	6.1	246	550	0.9	2	0.44	<0.5	16	43	30	4.83
UGA-04	34.00	35.00	1.00	M294972	0.34	3.8	6.64	268	350	0.7	3	0.42	<0.5	20	41	26	4.89
UGA-04	35.00	36.00	1.00	M294973	2.53	3.7	5.87	457	450	0.8	<2	0.58	<0.5	17	35	26	4.02
UGA-04	36.00	37.00	1.00	M294975	0.2	2.3	5.72	115	430	0.8	3	0.37	<0.5	18	37	27	4.84
UGA-04	37.00	38.00	1.00	M294976	1.6	11.2	4.82	568	400	0.6	4	0.47	<0.5	13	35	30	5.68
UGA-04	38.00	39.00	1.00	M294977	0.35	5.4	6.02	645	500	0.8	3	0.75	0.5	19	39	24	5.08
UGA-04	39.00	40.00	1.00	M294978	0.41	15.1	5.87	300	470	0.6	<2	0.45	<0.5	19	40	22	3.48
UGA-04	40.00	41.00	1.00	M294979	0.08	2.6	6.47	144	580	1.2	<2	0.33	<0.5	19	34	22	4.8
UGA-04	41.00	42.00	1.00	M294980	0.15	4.1	6.45	312	680	1	<2	0.58	<0.5	15	34	21	4.67

					ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
				SAMPLE	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	
	From (m)	To (m)	Interval (m)	DESCTIO	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	
UGA-04	0.00	1.00	1.00	M294935	10	4.66	10	0.07	66	5	0.05	9	1030	11	3.91	36	13	
UGA-04	1.00	2.00	1.00	M294936	<10	2.78	10	0.06	108	5	0.03	5	810	10	2.64	77	6	
UGA-04	2.00	3.00	1.00	M294937	10	2.73	10	0.09	93	7	0.03	7	460	9	2.88	84	7	
UGA-04	3.00	4.00	1.00	M294938	<10	3.68	10	0.05	117	5	0.04	6	540	9	2.46	66	8	
UGA-04	4.00	5.00	1.00	M294939	10	4.53	20	0.24	66	3	0.04	10	860	10	4.98	38	15	
UGA-04	5.00	6.00	1.00	M294940	10	4.39	20	0.32	58	6	0.03	10	1210	14	5.44	82	16	
UGA-04	6.00	7.00	1.00	M294941	10	3.97	20	0.21	79	9	0.03	12	1040	16	3.88	66	14	
UGA-04	7.00	8.00	1.00	M294942	10	3.3	10	0.1	86	6	0.03	7	640	10	2.22	92	11	
UGA-04	8.00	9.00	1.00	M294943	<10	0.82	<10	0.08	95	5	0.02	2	210	4	0.85	154	3	
UGA-04	9.00	10.00	1.00	M294945	10	4.28	20	0.79	336	3	0.04	10	1260	11	2.82	35	17	
UGA-04	10.00	11.00	1.00	M294946	10	4.8	20	0.42	194	2	0.05	14	1000	14	3.97	25	17	
UGA-04	11.00	12.00	1.00	M294947	10	5.14	20	1.16	356	2	0.05	12	1290	16	3.45	31	19	
UGA-04	12.00	13.00	1.00	M294948	10	5.67	20	1.55	660	3	0.06	11	1310	13	2.05	18	20	
UGA-04	13.00	14.00	1.00	M294949	10	5.04	20	0.6	741	4	0.05	20	1490	16	4.78	40	20	
UGA-04	14.00	15.00	1.00	M294950	10	5.55	30	0.36	242	4	0.06	13	1520	14	3.41	52	21	
UGA-04	15.00	16.00	1.00	M294951	20	4.91	30	0.49	561	4	0.05	12	1630	15	4.15	52	21	
UGA-04	16.00	17.00	1.00	M294952	10	5.35	30	0.51	338	5	0.05	14	1750	12	4.72	66	21	
UGA-04	17.00	18.00	1.00	M294953	10	4.44	30	0.39	274	5	0.04	13	2080	19	4.41	81	19	
UGA-04	18.00	19.00	1.00	M294954	<10	1.66	10	0.12	97	201	0.02	3	530	21	1.74	156	5	
UGA-04	19.00	20.00	1.00	M294956	<10	0.29	10	0.06	94	30	0.01	7	900	33	2.99	303	3	
UGA-04	20.00	21.00	1.00	M294957	<10	0.68	10	0.15	106	6	0.01	4	610	23	2.99	242	4	
UGA-04	21.00	22.00	1.00	M294958	<10	0.69	<10	0.07	171	7	0.02	4	300	12	1.68	180	2	
UGA-04	22.00	23.00	1.00	M294959	10	0.5	10	0.3	349	5	0.01	6	1370	12	2.62	129	8	
UGA-04	23.00	24.00	1.00	M294961	10	0.43	10	0.16	106	9	0.01	10	1520	13	3.97	168	8	
UGA-04	24.00	25.00	1.00	M294962	10	0.59	20	0.13	67	7	0.01	15	1840	13	5.09	111	16	
UGA-04	25.00	26.00	1.00	M294963	10	1.26	20	0.12	68	7	0.02	13	2600	11	5.43	138	14	
UGA-04	26.00	27.00	1.00	M294964	10	0.43	10	0.13	63	26	0.01	7	3650	13	5.05	181	8	
UGA-04	27.00	28.00	1.00	M294965	<10	0.26	10	0.12	69	9	0.01	4	2250	7	2.71	160	5	
UGA-04	28.00	29.00	1.00	M294966	<10	0.12	<10	0.06	110	14	0.01	2	900	9	2.85	205	2	
UGA-04	29.00	30.00	1.00	M294967	<10	0.09	<10	0.09	156	6	0.01	<1	970	4	1.53	145	2	
UGA-04	30.00	31.00	1.00	M294968	10	4.57	20	0.1	104	8	0.04	5	3110	11	3.97	90	11	
UGA-04	31.00	32.00	1.00	M294969	10	4.85	20	0.06	126	10	0.05	5	2570	10	3.72	58	10	
UGA-04	32.00	33.00	1.00	M294970	10	2.17	20	0.21	882	7	0.03	3	4010	5	3.1	103	7	
UGA-04	33.00	34.00	1.00	M294971	10	5.21	20	0.25	150	4	0.08	8	1760	10	5	43	17	
UGA-04	34.00	35.00	1.00	M294972	10	3.92	20	0.11	232	4	0.11	9	1750	11	4.63	39	18	
UGA-04	35.00	36.00	1.00	M294973	10	4	20	0.06	118	5	0.08	7	2540	13	4.16	59	13	
UGA-04	36.00	37.00	1.00	M294975	10	4.52	30	0.27	632	4	0.06	8	1230	13	4.43	46	16	
UGA-04	37.00	38.00	1.00	M294976	10	4.44	20	0.09	162	6	0.05	11	1920	13	5.61	85	13	
UGA-04	38.00	39.00	1.00	M294977	10	4.68	20	0.09	320	6	0.05	16	3110	12	4.75	76	16	
UGA-04	39.00	40.00	1.00	M294978	10	4.76	20	0.09	107	6	0.05	12	1880	10	3.65	60	16	
UGA-04	40.00	41.00	1.00	M294979	10	4.43	30	0.53	956	4	0.04	10	1210	14	4	29	19	
UGA-04	41.00	42.00	1.00	M294980	10	4.8	30	0.34	661	18	0.05	8	2330	15	4.17	45	19	

					ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24
				SAMPLE	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Au Total (+)	Au (+) Fract	Au (-) Fract	Au (+) mg
	From (m)	To (m)	Interval (m)	DESCRIPTION	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	mg
UGA-04	0.00	1.00	1.00	M294935	80	<20	0.26	10	<10	81	10	31					
UGA-04	1.00	2.00	1.00	M294936	57	<20	0.12	<10	<10	37	<10	33					
UGA-04	2.00	3.00	1.00	M294937	59	<20	0.14	<10	<10	45	<10	38					
UGA-04	3.00	4.00	1.00	M294938	58	<20	0.15	10	<10	39	<10	39					
UGA-04	4.00	5.00	1.00	M294939	61	<20	0.26	10	<10	103	<10	53					
UGA-04	5.00	6.00	1.00	M294940	60	<20	0.28	20	<10	109	<10	64					
UGA-04	6.00	7.00	1.00	M294941	51	<20	0.26	10	<10	98	10	47					
UGA-04	7.00	8.00	1.00	M294942	67	<20	0.21	10	<10	73	<10	48					
UGA-04	8.00	9.00	1.00	M294943	31	<20	0.05	<10	<10	19	<10	40					
UGA-04	9.00	10.00	1.00	M294945	86	<20	0.29	<10	<10	112	<10	67					
UGA-04	10.00	11.00	1.00	M294946	213	<20	0.31	10	<10	107	<10	67					
UGA-04	11.00	12.00	1.00	M294947	151	<20	0.34	10	<10	126	<10	71					
UGA-04	12.00	13.00	1.00	M294948	198	<20	0.34	10	<10	136	<10	67					
UGA-04	13.00	14.00	1.00	M294949	115	<20	0.35	10	<10	144	<10	86					
UGA-04	14.00	15.00	1.00	M294950	163	<20	0.37	10	<10	151	10	88					
UGA-04	15.00	16.00	1.00	M294951	146	<20	0.38	10	<10	158	<10	76					
UGA-04	16.00	17.00	1.00	M294952	120	<20	0.38	20	<10	148	<10	62					
UGA-04	17.00	18.00	1.00	M294953	94	<20	0.32	20	<10	127	<10	64					
UGA-04	18.00	19.00	1.00	M294954	30	<20	0.1	10	<10	53	<10	46					
UGA-04	19.00	20.00	1.00	M294956	20	<20	0.06	20	<10	23	<10	76	213				
UGA-04	20.00	21.00	1.00	M294957	28	<20	0.08	10	<10	29	<10	61	130				
UGA-04	21.00	22.00	1.00	M294958	40	<20	0.04	<10	<10	16	<10	42					
UGA-04	22.00	23.00	1.00	M294959	35	<20	0.14	<10	<10	64	<10	57					
UGA-04	23.00	24.00	1.00	M294961	22	<20	0.15	10	<10	59	<10	43					
UGA-04	24.00	25.00	1.00	M294962	15	<20	0.29	10	<10	104	10	41					
UGA-04	25.00	26.00	1.00	M294963	30	<20	0.25	20	<10	75	<10	31					
UGA-04	26.00	27.00	1.00	M294964	20	<20	0.14	20	<10	79	<10	27					
UGA-04	27.00	28.00	1.00	M294965	18	<20	0.07	10	<10	43	<10	23					
UGA-04	28.00	29.00	1.00	M294966	17	<20	0.02	20	<10	12	<10	20					
UGA-04	29.00	30.00	1.00	M294967	23	<20	0.03	10	<10	22	<10	24					
UGA-04	30.00	31.00	1.00	M294968	81	<20	0.25	10	<10	76	10	52					
UGA-04	31.00	32.00	1.00	M294969	88	<20	0.23	10	<10	48	10	49					
UGA-04	32.00	33.00	1.00	M294970	45	<20	0.14	10	<10	57	<10	50					
UGA-04	33.00	34.00	1.00	M294971	119	<20	0.33	10	<10	118	10	51					
UGA-04	34.00	35.00	1.00	M294972	192	<20	0.37	10	<10	117	10	70					
UGA-04	35.00	36.00	1.00	M294973	156	<20	0.33	20	<10	89	10	65					
UGA-04	36.00	37.00	1.00	M294975	122	<20	0.31	10	<10	103	10	57					
UGA-04	37.00	38.00	1.00	M294976	100	<20	0.26	20	<10	76	10	46					
UGA-04	38.00	39.00	1.00	M294977	103	<20	0.32	20	<10	99	10	50					
UGA-04	39.00	40.00	1.00	M294978	97	<20	0.33	10	<10	101	20	63					
UGA-04	40.00	41.00	1.00	M294979	82	<20	0.36	10	<10	145	<10	66					
UGA-04	41.00	42.00	1.00	M294980	93	<20	0.35	10	<10	138	<10	56					



					Au-SCR24	Au-SCR24	Au-AA26D
				SAMPLE	WT. + Frac E	WT. - Frac E	Au
	From (m)	To (m)	Interval (m)	DESCRIPTION	g	g	ppm
UGA-04	0.00	1.00	1.00	M294935			
UGA-04	1.00	2.00	1.00	M294936			
UGA-04	2.00	3.00	1.00	M294937			
UGA-04	3.00	4.00	1.00	M294938			
UGA-04	4.00	5.00	1.00	M294939			
UGA-04	5.00	6.00	1.00	M294940			
UGA-04	6.00	7.00	1.00	M294941			
UGA-04	7.00	8.00	1.00	M294942			
UGA-04	8.00	9.00	1.00	M294943			
UGA-04	9.00	10.00	1.00	M294945			
UGA-04	10.00	11.00	1.00	M294946			
UGA-04	11.00	12.00	1.00	M294947			
UGA-04	12.00	13.00	1.00	M294948			
UGA-04	13.00	14.00	1.00	M294949			
UGA-04	14.00	15.00	1.00	M294950			
UGA-04	15.00	16.00	1.00	M294951			
UGA-04	16.00	17.00	1.00	M294952			
UGA-04	17.00	18.00	1.00	M294953			
UGA-04	18.00	19.00	1.00	M294954			
UGA-04	19.00	20.00	1.00	M294956			
UGA-04	20.00	21.00	1.00	M294957			
UGA-04	21.00	22.00	1.00	M294958			
UGA-04	22.00	23.00	1.00	M294959			
UGA-04	23.00	24.00	1.00	M294961			
UGA-04	24.00	25.00	1.00	M294962			
UGA-04	25.00	26.00	1.00	M294963			
UGA-04	26.00	27.00	1.00	M294964			
UGA-04	27.00	28.00	1.00	M294965			
UGA-04	28.00	29.00	1.00	M294966			
UGA-04	29.00	30.00	1.00	M294967			
UGA-04	30.00	31.00	1.00	M294968			
UGA-04	31.00	32.00	1.00	M294969			
UGA-04	32.00	33.00	1.00	M294970			
UGA-04	33.00	34.00	1.00	M294971			
UGA-04	34.00	35.00	1.00	M294972			
UGA-04	35.00	36.00	1.00	M294973			
UGA-04	36.00	37.00	1.00	M294975			
UGA-04	37.00	38.00	1.00	M294976			
UGA-04	38.00	39.00	1.00	M294977			
UGA-04	39.00	40.00	1.00	M294978			
UGA-04	40.00	41.00	1.00	M294979			
UGA-04	41.00	42.00	1.00	M294980			

					Au-AA26	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
				SAMPLE	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	From (m)	To (m)	Interval (m)	DESCRIPTION	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
UGA-04	42.00	43.00	1.00	M294981	0.17	5.5	5.75	127	610	0.8	<2	0.28	<0.5	14	39	23	3.86
UGA-04	43.00	44.00	1.00	M294982	1.3	9.1	6.35	312	310	1.4	<2	0.5	<0.5	16	37	28	5.35
UGA-04	44.00	45.00	1.00	M294983	13.7	22.7	2.28	636	20	0.8	<2	0.63	<0.5	6	38	22	3.43
UGA-04	45.00	46.00	1.00	M294984	55.8	54.7	0.87	218	20	0.6	<2	0.43	<0.5	1	34	28	1.79
UGA-04	46.00	47.00	1.00	M294986	41.6	59.4	0.6	284	20	0.6	<2	0.39	<0.5	<1	34	35	1.74
UGA-04	47.00	48.00	1.00	M294987	84.2	>100	0.63	156	10	0.5	<2	0.69	<0.5	2	41	17	1.41
UGA-04	48.00	49.00	1.00	M294989	1.36	2	1.16	34	10	0.5	<2	1.51	<0.5	2	30	5	1.22
UGA-04	49.00	50.00	1.00	M294990	0.22	1	2.59	54	40	0.7	<2	4.98	<0.5	6	28	9	2.6
UGA-04	50.00	51.00	1.00	M294991	0.09	2.7	6.26	91	470	1	<2	2.46	<0.5	23	36	24	6.2
UGA-04	51.00	52.00	1.00	M294992	0.05	2.6	6.76	38	430	1.2	3	0.48	<0.5	23	37	36	5.25
UGA-04	52.00	53.00	1.00	M294993	0.5	4.4	5.98	101	560	0.8	<2	1.29	<0.5	15	36	25	4.3
UGA-04	53.00	54.00	1.00	M294994	0.67	4.9	6.5	110	710	0.9	2	0.6	<0.5	17	43	19	3.79
UGA-04	54.00	55.00	1.00	M294995	0.13	4.2	5.95	166	310	0.8	<2	0.32	<0.5	15	37	21	3.62
UGA-04	55.00	56.00	1.00	M294996	0.1	4	6.07	141	590	1.1	<2	0.31	<0.5	16	38	28	3.88
UGA-04	56.00	57.00	1.00	M294997	0.69	4.9	4.26	217	380	0.7	<2	0.39	<0.5	11	46	20	3.65
UGA-04	57.00	58.00	1.00	M294998	0.2	2.9	5.42	261	360	0.8	<2	0.42	<0.5	14	36	18	3.54
UGA-04	58.00	59.00	1.00	M294999	0.22	2.4	3.75	131	470	0.8	<2	0.58	<0.5	10	33	14	3.51
UGA-04	59.00	60.00	1.00	M295000	0.19	3.5	5.45	156	520	0.8	<2	0.62	<0.5	14	40	17	3.39
UGA-04	60.00	61.00	1.00	M295751	0.67	3.5	4.73	84	690	0.8	<2	0.45	<0.5	13	33	17	3.33
UGA-04	61.00	62.00	1.00	M295752	0.19	2.4	4.02	140	550	0.8	<2	0.27	<0.5	11	35	17	3.43
UGA-04	62.00	63.00	1.00	M295753	0.11	2.4	4.26	120	320	1.2	<2	0.45	<0.5	11	39	17	3.14
UGA-04	63.00	64.00	1.00	M295754	0.11	2.2	3.8	113	250	1.3	<2	0.86	<0.5	11	29	16	3.97
UGA-04	64.00	65.00	1.00	M295755	0.1	1.6	4.34	101	640	0.8	2	0.38	<0.5	11	33	17	3.2
UGA-04	65.00	66.00	1.00	M295756	0.11	1.8	3.95	129	460	0.9	<2	0.56	<0.5	10	41	18	2.89
UGA-04	66.00	67.00	1.00	M295757	0.18	1.6	4.28	151	770	0.6	<2	0.24	<0.5	12	39	17	2.73
UGA-04	67.00	68.00	1.00	M295758	3.6	4.5	2.01	344	180	0.7	<2	0.59	<0.5	8	37	11	2.56
UGA-04	68.00	69.00	1.00	M295760	0.11	1.2	2.94	115	200	0.8	<2	1.75	<0.5	7	30	11	2.63
UGA-04	69.00	70.00	1.00	M295761	0.58	0.7	1.39	83	80	0.5	<2	2.67	<0.5	3	31	6	2.04
UGA-04	70.00	71.00	1.00	M295762	0.18	1.6	2.47	145	340	0.5	<2	2.22	<0.5	9	32	13	3.38
UGA-04	71.00	72.00	1.00	M295763	0.18	3.8	2.28	140	330	0.6	<2	0.68	<0.5	6	36	14	2.53
UGA-04	72.00	73.00	1.00	M295765	0.1	1.4	2.53	139	180	0.8	<2	0.47	<0.5	6	43	9	2.8
UGA-04	73.00	74.00	1.00	M295766	0.56	2.4	2.82	189	140	0.8	3	2.39	<0.5	8	29	13	3.22
UGA-04	74.00	75.00	1.00	M295767	0.9	3.8	2.55	204	240	0.7	2	2.19	<0.5	8	24	13	3.05
UGA-04	75.00	76.00	1.00	M295768	0.9	11.2	4.82	311	570	1	<2	1.81	<0.5	12	43	23	3.7
UGA-04	76.00	77.00	1.00	M295769	0.35	4.1	3.21	107	620	0.8	<2	1.15	<0.5	10	45	16	2.96
UGA-04	77.00	78.00	1.00	M295771	0.3	8.3	4.21	78	780	0.9	3	1.07	<0.5	12	38	11	2.64
UGA-04	78.00	79.00	1.00	M295772	0.55	5	3.24	70	390	0.9	<2	1.3	<0.5	10	37	20	3.6
UGA-04	79.00	80.00	1.00	M295773	0.26	5.5	5.86	76	580	1.2	3	0.44	<0.5	16	47	22	4.24
UGA-04	80.00	81.00	1.00	M295774	0.31	4.1	5.07	63	610	1.1	<2	1.22	<0.5	15	37	12	3.71
UGA-04	81.00	82.00	1.00	M295775	0.66	4.9	5.8	86	820	1.2	2	1.11	<0.5	15	38	23	3.73
UGA-04	82.00	83.00	1.00	M295776	0.21	3.1	6.51	110	520	1.5	3	0.86	<0.5	18	50	24	4.06
UGA-04	83.00	84.00	1.00	M295777	0.49	3.4	4.95	117	540	1.1	2	0.43	<0.5	14	43	16	4.28

					ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
				SAMPLE	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	
	From (m)	To (m)	Interval (m)	DESCRIPTION	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	
UGA-04	42.00	43.00	1.00	M294981	10	4.24	20	0.15	319	5	0.05	6	1110	12	3.73	41	15	
UGA-04	43.00	44.00	1.00	M294982	10	4.27	30	0.31	1340	3	0.03	7	1900	14	4.25	62	19	
UGA-04	44.00	45.00	1.00	M294983	10	0.19	10	0.15	404	7	0.01	1	2240	9	2.97	149	5	
UGA-04	45.00	46.00	1.00	M294984	<10	0.07	<10	0.07	154	4	0.01	2	1290	7	1.1	155	1	
UGA-04	46.00	47.00	1.00	M294986	<10	0.04	<10	0.09	169	7	0.01	<1	1140	10	1.34	160	1	
UGA-04	47.00	48.00	1.00	M294987	<10	0.03	<10	0.45	155	5	0.01	<1	500	2	0.8	146	1	
UGA-04	48.00	49.00	1.00	M294989	<10	0.03	<10	1.11	202	4	0.01	<1	500	<2	0.73	124	2	
UGA-04	49.00	50.00	1.00	M294990	10	0.25	10	2.56	526	4	0.01	1	650	5	1.7	72	6	
UGA-04	50.00	51.00	1.00	M294991	10	3.93	30	1.32	1480	4	0.05	11	1360	11	4.56	32	17	
UGA-04	51.00	52.00	1.00	M294992	10	4.26	30	0.44	887	2	0.11	9	1050	13	4.55	25	18	
UGA-04	52.00	53.00	1.00	M294993	10	4.38	20	0.69	448	6	0.09	8	1070	10	4.08	28	16	
UGA-04	53.00	54.00	1.00	M294994	10	4.49	30	0.42	300	3	0.1	7	1150	12	3.57	30	18	
UGA-04	54.00	55.00	1.00	M294995	10	5.9	20	0.17	197	3	0.1	8	1230	9	3.58	30	15	
UGA-04	55.00	56.00	1.00	M294996	10	4.76	20	0.26	122	3	0.08	7	1230	13	4.07	26	15	
UGA-04	56.00	57.00	1.00	M294997	<10	4.04	20	0.06	59	5	0.05	6	1560	7	3.72	45	7	
UGA-04	57.00	58.00	1.00	M294998	10	3.91	20	0.12	178	3	0.08	7	1710	11	3.5	45	13	
UGA-04	58.00	59.00	1.00	M294999	10	2.66	10	0.24	602	4	0.03	7	1110	10	2.7	47	9	
UGA-04	59.00	60.00	1.00	M295000	10	4.27	20	0.21	139	4	0.07	8	1180	9	3.26	37	12	
UGA-04	60.00	61.00	1.00	M295751	10	4.32	20	0.15	194	4	0.05	7	1360	13	3.28	35	11	
UGA-04	61.00	62.00	1.00	M295752	10	3.27	10	0.11	259	5	0.04	5	1070	8	3.09	42	9	
UGA-04	62.00	63.00	1.00	M295753	10	2.43	20	0.07	67	6	0.03	9	2040	9	3.05	62	9	
UGA-04	63.00	64.00	1.00	M295754	10	1.53	20	0.18	1260	7	0.02	8	3500	6	2.44	86	11	
UGA-04	64.00	65.00	1.00	M295755	10	3.88	20	0.07	444	5	0.04	6	1600	10	2.82	48	11	
UGA-04	65.00	66.00	1.00	M295756	10	2.58	20	0.07	112	7	0.03	5	2320	9	2.81	70	10	
UGA-04	66.00	67.00	1.00	M295757	<10	4.75	20	0.05	101	4	0.04	6	1000	9	2.79	39	10	
UGA-04	67.00	68.00	1.00	M295758	<10	1.1	10	0.11	283	9	0.02	5	2050	7	1.91	136	5	
UGA-04	68.00	69.00	1.00	M295760	10	1.3	10	0.57	536	8	0.02	3	2860	7	1.86	114	7	
UGA-04	69.00	70.00	1.00	M295761	<10	0.4	<10	1.54	306	7	0.02	<1	2540	5	1.26	115	4	
UGA-04	70.00	71.00	1.00	M295762	10	1.9	10	0.95	723	8	0.03	3	2680	3	2.37	72	7	
UGA-04	71.00	72.00	1.00	M295763	<10	1.72	10	0.12	166	6	0.03	3	2120	5	2.01	77	5	
UGA-04	72.00	73.00	1.00	M295765	10	0.99	10	0.17	495	4	0.02	3	1340	7	1.93	51	5	
UGA-04	73.00	74.00	1.00	M295766	10	0.6	10	1.33	526	4	0.02	2	1380	7	2.55	52	7	
UGA-04	74.00	75.00	1.00	M295767	10	0.99	10	2.18	373	4	0.02	2	800	8	2.33	71	7	
UGA-04	75.00	76.00	1.00	M295768	10	4.06	20	2.22	277	3	0.04	8	780	12	3.38	49	13	
UGA-04	76.00	77.00	1.00	M295769	10	2.73	10	1.77	218	3	0.03	6	560	7	2.55	67	8	
UGA-04	77.00	78.00	1.00	M295771	10	3.91	20	2.05	208	3	0.05	6	710	6	2.21	47	11	
UGA-04	78.00	79.00	1.00	M295772	10	2.43	10	1.64	499	3	0.04	6	580	7	2.85	51	9	
UGA-04	79.00	80.00	1.00	M295773	10	4.97	20	0.48	383	4	0.12	10	1530	9	3.83	32	16	
UGA-04	80.00	81.00	1.00	M295774	10	4	20	1.31	502	3	0.09	7	820	8	3.17	35	13	
UGA-04	81.00	82.00	1.00	M295775	10	4.94	20	1.76	243	3	0.14	7	910	14	3.44	33	15	
UGA-04	82.00	83.00	1.00	M295776	10	5.53	20	1.48	290	3	0.16	11	970	9	3.83	26	18	
UGA-04	83.00	84.00	1.00	M295777	10	3.81	20	0.45	493	3	0.09	7	1110	11	3.7	41	13	

					ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24
				SAMPLE	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Au Total (+)	Au (+) Fract	Au (-) Fracti	Au (+) mg
	From (m)	To (m)	Interval (m)	DESCRIPTION	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	mg
UGA-04	42.00	43.00	1.00	M294981	75	<20	0.31	10	<10	101	<10	55					
UGA-04	43.00	44.00	1.00	M294982	52	<20	0.33	10	<10	130	10	59					
UGA-04	44.00	45.00	1.00	M294983	35	<20	0.1	10	<10	38	<10	41					
UGA-04	45.00	46.00	1.00	M294984	32	<20	0.02	<10	<10	14	<10	19					
UGA-04	46.00	47.00	1.00	M294986	38	<20	0.01	<10	<10	10	<10	23		41.3	26.9	41.7	0.754
UGA-04	47.00	48.00	1.00	M294987	35	<20	0.01	<10	<10	13	<10	17	69	89.1	132	84.4	11.709
UGA-04	48.00	49.00	1.00	M294989	52	<20	0.04	<10	<10	24	<10	18					
UGA-04	49.00	50.00	1.00	M294990	117	<20	0.12	<10	<10	61	<10	37					
UGA-04	50.00	51.00	1.00	M294991	104	<20	0.33	10	<10	127	10	88					
UGA-04	51.00	52.00	1.00	M294992	85	<20	0.36	10	<10	143	<10	91					
UGA-04	52.00	53.00	1.00	M294993	115	<20	0.31	10	<10	115	10	54					
UGA-04	53.00	54.00	1.00	M294994	101	<20	0.35	10	<10	122	10	71					
UGA-04	54.00	55.00	1.00	M294995	80	<20	0.32	10	<10	100	10	55					
UGA-04	55.00	56.00	1.00	M294996	81	<20	0.33	10	<10	117	<10	61					
UGA-04	56.00	57.00	1.00	M294997	74	<20	0.22	10	<10	46	<10	45					
UGA-04	57.00	58.00	1.00	M294998	86	<20	0.29	10	<10	83	<10	50					
UGA-04	58.00	59.00	1.00	M294999	56	<20	0.2	<10	<10	59	<10	48					
UGA-04	59.00	60.00	1.00	M295000	90	<20	0.29	10	<10	78	<10	50					
UGA-04	60.00	61.00	1.00	M295751	66	<20	0.25	10	<10	64	<10	43					
UGA-04	61.00	62.00	1.00	M295752	47	<20	0.22	10	<10	59	10	33					
UGA-04	62.00	63.00	1.00	M295753	46	<20	0.22	10	<10	63	10	43					
UGA-04	63.00	64.00	1.00	M295754	28	<20	0.18	<10	<10	68	10	54					
UGA-04	64.00	65.00	1.00	M295755	61	<20	0.23	<10	<10	69	10	45					
UGA-04	65.00	66.00	1.00	M295756	45	<20	0.2	10	<10	72	10	49					
UGA-04	66.00	67.00	1.00	M295757	63	<20	0.23	<10	<10	64	<10	40					
UGA-04	67.00	68.00	1.00	M295758	36	<20	0.1	20	<10	33	<10	28					
UGA-04	68.00	69.00	1.00	M295760	51	<20	0.13	<10	<10	49	10	34					
UGA-04	69.00	70.00	1.00	M295761	73	<20	0.06	<10	<10	37	<10	17					
UGA-04	70.00	71.00	1.00	M295762	79	<20	0.12	<10	<10	48	<10	31					
UGA-04	71.00	72.00	1.00	M295763	45	<20	0.11	<10	<10	38	<10	29					
UGA-04	72.00	73.00	1.00	M295765	30	<20	0.13	10	<10	53	<10	33					
UGA-04	73.00	74.00	1.00	M295766	83	<20	0.16	<10	<10	55	<10	47					
UGA-04	74.00	75.00	1.00	M295767	75	<20	0.13	<10	<10	50	<10	28					
UGA-04	75.00	76.00	1.00	M295768	94	<20	0.24	10	<10	85	<10	38					
UGA-04	76.00	77.00	1.00	M295769	81	<20	0.16	10	<10	59	<10	28					
UGA-04	77.00	78.00	1.00	M295771	100	<20	0.2	10	<10	73	<10	34					
UGA-04	78.00	79.00	1.00	M295772	81	<20	0.16	<10	<10	69	<10	27					
UGA-04	79.00	80.00	1.00	M295773	84	<20	0.31	10	<10	123	<10	34					
UGA-04	80.00	81.00	1.00	M295774	99	<20	0.26	<10	<10	106	<10	31					
UGA-04	81.00	82.00	1.00	M295775	124	<20	0.29	10	<10	107	<10	38					
UGA-04	82.00	83.00	1.00	M295776	120	<20	0.34	<10	<10	130	<10	40					
UGA-04	83.00	84.00	1.00	M295777	113	<20	0.25	<10	<10	104	<10	36					

					Au-SCR24	Au-SCR24	Au-AA26D
				SAMPLE	WT. + Frac E	WT. - Frac E	Au
	From (m)	To (m)	Interval (m)	DESCRIPTION	g	g	ppm
UGA-04	42.00	43.00	1.00	M294981			
UGA-04	43.00	44.00	1.00	M294982			
UGA-04	44.00	45.00	1.00	M294983			
UGA-04	45.00	46.00	1.00	M294984			
UGA-04	46.00	47.00	1.00	M294986	28.01	920.3	41.8
UGA-04	47.00	48.00	1.00	M294987	88.62	814.5	84.6
UGA-04	48.00	49.00	1.00	M294989			
UGA-04	49.00	50.00	1.00	M294990			
UGA-04	50.00	51.00	1.00	M294991			
UGA-04	51.00	52.00	1.00	M294992			
UGA-04	52.00	53.00	1.00	M294993			
UGA-04	53.00	54.00	1.00	M294994			
UGA-04	54.00	55.00	1.00	M294995			
UGA-04	55.00	56.00	1.00	M294996			
UGA-04	56.00	57.00	1.00	M294997			
UGA-04	57.00	58.00	1.00	M294998			
UGA-04	58.00	59.00	1.00	M294999			
UGA-04	59.00	60.00	1.00	M295000			
UGA-04	60.00	61.00	1.00	M295751			
UGA-04	61.00	62.00	1.00	M295752			
UGA-04	62.00	63.00	1.00	M295753			
UGA-04	63.00	64.00	1.00	M295754			
UGA-04	64.00	65.00	1.00	M295755			
UGA-04	65.00	66.00	1.00	M295756			
UGA-04	66.00	67.00	1.00	M295757			
UGA-04	67.00	68.00	1.00	M295758			
UGA-04	68.00	69.00	1.00	M295760			
UGA-04	69.00	70.00	1.00	M295761			
UGA-04	70.00	71.00	1.00	M295762			
UGA-04	71.00	72.00	1.00	M295763			
UGA-04	72.00	73.00	1.00	M295765			
UGA-04	73.00	74.00	1.00	M295766			
UGA-04	74.00	75.00	1.00	M295767			
UGA-04	75.00	76.00	1.00	M295768			
UGA-04	76.00	77.00	1.00	M295769			
UGA-04	77.00	78.00	1.00	M295771			
UGA-04	78.00	79.00	1.00	M295772			
UGA-04	79.00	80.00	1.00	M295773			
UGA-04	80.00	81.00	1.00	M295774			
UGA-04	81.00	82.00	1.00	M295775			
UGA-04	82.00	83.00	1.00	M295776			
UGA-04	83.00	84.00	1.00	M295777			

					Au-AA26	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
				SAMPLE	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	From (m)	To (m)	Interval (m)	DESCRIPTION	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
UGA-04	84.00	85.00	1.00	M295778	0.82	4.8	5.54	167	530	1.3	2	0.9	<0.5	14	42	26	4.81
UGA-04	85.00	86.00	1.00	M295779	0.35	5.3	6.9	894	900	1.4	<2	0.85	<0.5	20	45	44	4.23
UGA-04	86.00	87.00	1.00	M295780	4.57	3.5	4.43	196	570	1.2	2	0.91	<0.5	13	32	17	4.35
UGA-04	87.00	88.00	1.00	M295781	0.44	4.8	3.94	193	390	0.9	<2	1.06	<0.5	13	34	16	4.48
UGA-04	88.00	89.00	1.00	M295783	0.25	9.5	4.58	86	560	1.1	2	0.84	<0.5	14	42	23	4.09
UGA-04	89.00	90.00	1.00	M295784	0.67	8.7	4.36	73	370	1.3	<2	0.24	<0.5	13	47	27	4.12
UGA-04	90.00	91.00	1.00	M295785	0.06	1.7	4.78	34	420	1.3	<2	0.4	<0.5	16	52	23	4.49
UGA-04	91.00	92.00	1.00	M295786	0.08	5	4.3	72	390	1.4	2	1.31	<0.5	12	36	29	4.12
UGA-04	92.00	93.00	1.00	M295787	0.18	3.2	4.29	180	490	1	<2	0.62	<0.5	13	40	15	3.99
UGA-04	93.00	94.00	1.00	M295788	0.26	3.4	3.72	273	360	1	<2	0.2	<0.5	11	54	10	2.86
UGA-04	94.00	95.00	1.00	M295790	0.27	3.9	3.75	183	360	1.1	<2	0.44	<0.5	12	52	12	2.9
UGA-04	95.00	96.00	1.00	M295791	0.17	1.6	3.88	110	570	1	<2	1.69	<0.5	12	39	13	3.29
UGA-04	96.00	97.00	1.00	M295792	0.13	2.4	4	86	570	1.1	2	0.37	<0.5	12	41	17	3.12
UGA-04	97.00	98.00	1.00	M295793	0.25	6.4	4.86	268	680	1.3	<2	0.28	<0.5	16	46	22	2.91
UGA-04	98.00	99.00	1.00	M295794	0.27	4.1	3.14	176	240	1.1	<2	0.19	<0.5	10	50	13	3.09
UGA-04	99.00	100.00	1.00	M295796	0.13	3.2	4.42	132	660	1.3	<2	0.22	<0.5	13	44	19	3.33
UGA-04	100.00	101.00	1.00	M295797	0.54	7.5	5.16	136	730	1.5	<2	1.73	<0.5	17	45	21	4.53
UGA-04	101.00	102.00	1.00	M295798	0.44	3.7	4.79	127	570	1.3	<2	0.45	<0.5	15	44	17	3.56
UGA-04	102.00	103.00	1.00	M295799	0.34	3.3	4.62	126	520	1.4	<2	0.25	<0.5	13	44	16	3.39
UGA-04	103.00	104.00	1.00	M295800	0.16	1.9	3.78	88	110	1.4	<2	0.76	<0.5	11	44	13	2.95
UGA-04	104.00	105.00	1.00	M295801	0.09	1.8	3.48	55	30	1.5	2	0.23	<0.5	11	52	15	2.49
UGA-04	105.00	106.00	1.00	M295802	0.1	1.2	4.55	70	110	1.3	<2	3.01	<0.5	14	32	12	3.34
UGA-04	106.00	107.00	1.00	M295803	0.06	0.9	5.31	64	500	1.4	2	4.58	0.5	16	28	14	4.03
UGA-04	107.00	108.00	1.00	M295804	0.02	<0.5	6.8	43	220	1.8	<2	4.54	0.7	19	20	23	4.69
UGA-03	129.00	130.00	1.00	M295805	0.73	5.9	6.76	90	770	1.1	<2	0.4	<0.5	20	45	36	4.65
UGA-03	130.00	131.00	1.00	M295806	0.23	2.1	5.72	143	820	1	<2	0.92	<0.5	17	41	42	4
UGA-03	131.00	132.00	1.00	M295808	0.09	1.3	7.31	145	630	1.1	3	1.5	0.5	19	36	27	5.03
UGA-03	132.00	133.00	1.00	M295809	0.13	1.5	6.87	132	600	1	<2	0.78	<0.5	18	34	26	4.07
UGA-03	133.00	134.00	1.00	M295810	0.11	1.1	7.46	137	630	1.1	3	1.42	<0.5	18	34	31	4.5
UGA-03	134.00	135.00	1.00	M295811	0.04	3	7.08	36	680	1	3	2.39	<0.5	18	33	39	4.35
UGA-03	135.00	136.00	1.00	M295812	0.06	1	7.05	75	610	1	2	2.25	<0.5	18	32	30	4.99
UGA-03	136.00	137.00	1.00	M295813	0.26	4.4	5.93	187	710	1.1	<2	1.82	0.5	15	34	28	4.01
UGA-03	137.00	138.00	1.00	M295814	0.07	1.4	6.78	128	680	1	3	0.76	<0.5	19	36	29	4.73
UGA-03	138.00	139.00	1.00	M295815	1.46	20.1	6.53	378	530	0.9	4	0.78	<0.5	17	32	33	4.68
UGA-03	139.00	140.00	1.00	M295817	0.46	1.8	6.74	124	580	1.1	2	0.62	<0.5	19	41	39	4.79
UGA-03	140.00	141.00	1.00	M295818	0.31	1.6	7.31	143	580	1.3	3	0.6	<0.5	18	38	55	4.58
UGA-03	141.00	142.00	1.00	M295819	0.41	1.2	6.58	150	650	1.3	2	0.72	0.7	18	36	23	4.78
UGA-03	142.00	143.00	1.00	M295820	0.26	2.1	6.66	179	820	1.3	2	0.81	0.6	18	36	28	4.54
UGA-03	143.00	144.00	1.00	M295821	0.19	2	6.97	275	790	1.3	3	0.5	0.5	19	34	31	4.5
UGA-03	144.00	145.00	1.00	M295822	0.14	2.2	7.1	118	710	1.2	2	0.5	<0.5	18	35	31	4.46
UGA-03	145.00	146.00	1.00	M295823	1.65	3.2	6.65	116	760	1.2	3	0.53	<0.5	17	35	29	4.46



					ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
				SAMPLE	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	
	From (m)	To (m)	Interval (m)	DESCRIPTION	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	
UGA-04	84.00	85.00	1.00	M295778	10	3.98	20	2.21	309	3	0.1	9	960	15	4.27	32	15	
UGA-04	85.00	86.00	1.00	M295779	20	5.02	20	3.17	320	2	0.15	10	1060	13	3.35	19	19	
UGA-04	86.00	87.00	1.00	M295780	10	3.14	20	2.51	341	3	0.07	6	840	11	3.74	41	12	
UGA-04	87.00	88.00	1.00	M295781	10	3.12	20	2.08	317	3	0.05	6	640	12	4.07	39	11	
UGA-04	88.00	89.00	1.00	M295783	10	3.69	20	1.08	626	3	0.04	9	780	10	3.36	36	12	
UGA-04	89.00	90.00	1.00	M295784	10	3.19	20	0.37	569	4	0.03	8	800	16	3.31	51	12	
UGA-04	90.00	91.00	1.00	M295785	10	3.95	20	0.53	471	3	0.03	12	820	12	4.17	36	15	
UGA-04	91.00	92.00	1.00	M295786	10	3.25	10	1.06	439	2	0.03	8	710	9	3.86	30	13	
UGA-04	92.00	93.00	1.00	M295787	10	3.55	10	0.48	537	3	0.03	10	730	12	3.29	39	12	
UGA-04	93.00	94.00	1.00	M295788	10	2.91	10	0.25	472	4	0.03	9	610	9	1.78	50	10	
UGA-04	94.00	95.00	1.00	M295790	10	2.5	10	0.35	292	4	0.03	9	730	11	2.37	61	9	
UGA-04	95.00	96.00	1.00	M295791	10	3.1	10	1.78	368	2	0.03	5	650	8	2.75	36	12	
UGA-04	96.00	97.00	1.00	M295792	10	3.15	10	0.4	256	2	0.03	7	650	10	2.76	84	11	
UGA-04	97.00	98.00	1.00	M295793	10	3.75	20	0.51	282	3	0.04	14	890	9	2.5	47	12	
UGA-04	98.00	99.00	1.00	M295794	10	1.61	10	0.31	244	4	0.02	9	670	8	2.57	61	7	
UGA-04	99.00	100.00	1.00	M295796	10	3.71	20	0.35	267	2	0.04	8	720	10	3.14	54	12	
UGA-04	100.00	101.00	1.00	M295797	10	3.87	20	2.08	634	4	0.04	11	1010	9	3.3	32	16	
UGA-04	101.00	102.00	1.00	M295798	10	3.43	20	0.52	370	3	0.03	9	860	10	3.04	42	14	
UGA-04	102.00	103.00	1.00	M295799	10	3.37	20	0.38	397	5	0.03	9	860	10	2.94	1120	13	
UGA-04	103.00	104.00	1.00	M295800	10	1.58	20	0.51	235	3	0.02	9	930	8	2.8	49	11	
UGA-04	104.00	105.00	1.00	M295801	10	1.21	10	0.31	54	3	0.01	8	740	10	2.57	48	11	
UGA-04	105.00	106.00	1.00	M295802	10	1.81	20	1.66	533	2	0.01	5	680	11	3.11	25	12	
UGA-04	106.00	107.00	1.00	M295803	10	2.31	30	2.51	885	2	0.02	6	810	11	3.57	21	14	
UGA-04	107.00	108.00	1.00	M295804	20	2.87	20	2.3	1170	2	0.03	3	780	12	2.94	14	19	
UGA-03	129.00	130.00	1.00	M295805	10	5.51	20	1.97	666	2	0.07	12	1080	13	1.93	21	19	
UGA-03	130.00	131.00	1.00	M295806	10	4.24	20	1.58	543	3	0.05	7	1090	10	1.93	61	17	
UGA-03	131.00	132.00	1.00	M295808	20	5.13	30	1.98	507	5	0.05	8	1240	16	2.27	29	20	
UGA-03	132.00	133.00	1.00	M295809	10	4.75	30	1.19	401	4	0.05	7	1140	12	2.14	34	18	
UGA-03	133.00	134.00	1.00	M295810	20	4.81	30	1.4	534	4	0.05	9	1360	13	2.16	42	19	
UGA-03	134.00	135.00	1.00	M295811	20	5.15	30	1.78	528	2	0.06	7	1140	11	2.49	30	19	
UGA-03	135.00	136.00	1.00	M295812	20	5.27	30	1.73	481	4	0.05	9	1220	16	3.52	24	19	
UGA-03	136.00	137.00	1.00	M295813	10	4.13	30	1.38	379	4	0.06	6	1090	14	2.83	48	16	
UGA-03	137.00	138.00	1.00	M295814	10	5.55	30	1.73	459	4	0.06	9	1190	13	2.77	14	19	
UGA-03	138.00	139.00	1.00	M295815	10	4.93	30	1.39	333	19	0.06	7	1110	17	3.65	50	17	
UGA-03	139.00	140.00	1.00	M295817	10	4.8	30	2.31	555	4	0.06	9	1310	8	2.13	10	19	
UGA-03	140.00	141.00	1.00	M295818	20	5.32	30	2.61	527	4	0.08	10	1380	10	1.68	17	19	
UGA-03	141.00	142.00	1.00	M295819	10	4.95	30	2.75	546	4	0.07	7	1380	10	2.03	12	19	
UGA-03	142.00	143.00	1.00	M295820	10	4.72	30	2.3	451	7	0.06	7	1410	12	2.27	18	19	
UGA-03	143.00	144.00	1.00	M295821	20	5.36	30	2.64	382	4	0.07	8	1390	13	2.27	20	18	
UGA-03	144.00	145.00	1.00	M295822	20	5.26	30	2.15	391	4	0.08	9	1290	10	2.37	18	18	
UGA-03	145.00	146.00	1.00	M295823	20	5.13	30	2.38	434	5	0.07	8	1280	14	2.31	12	18	

					ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24
				SAMPLE	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Au Total (+)	Au (+) Fract	Au (-) Fract	Au (+) mg
	From (m)	To (m)	Interval (m)	DESCRIPTION	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	mg
UGA-04	84.00	85.00	1.00	M295778	95	<20	0.28	10	<10	116	<10	37					
UGA-04	85.00	86.00	1.00	M295779	121	<20	0.39	10	<10	148	<10	60					
UGA-04	86.00	87.00	1.00	M295780	79	<20	0.23	<10	<10	92	<10	37					
UGA-04	87.00	88.00	1.00	M295781	87	<20	0.2	<10	<10	87	<10	43					
UGA-04	88.00	89.00	1.00	M295783	78	<20	0.24	10	<10	97	<10	47					
UGA-04	89.00	90.00	1.00	M295784	51	<20	0.24	10	<10	95	<10	49					
UGA-04	90.00	91.00	1.00	M295785	77	<20	0.27	10	<10	105	<10	36					
UGA-04	91.00	92.00	1.00	M295786	76	<20	0.23	10	<10	95	20	29					
UGA-04	92.00	93.00	1.00	M295787	61	<20	0.23	10	<10	98	<10	50					
UGA-04	93.00	94.00	1.00	M295788	41	<20	0.2	<10	<10	95	<10	41					
UGA-04	94.00	95.00	1.00	M295790	43	<20	0.2	<10	<10	93	<10	44					
UGA-04	95.00	96.00	1.00	M295791	79	<20	0.21	<10	<10	90	<10	28					
UGA-04	96.00	97.00	1.00	M295792	59	<20	0.21	10	<10	91	<10	46					
UGA-04	97.00	98.00	1.00	M295793	65	<20	0.26	10	<10	106	<10	60					
UGA-04	98.00	99.00	1.00	M295794	36	<20	0.15	10	<10	70	<10	47					
UGA-04	99.00	100.00	1.00	M295796	42	<20	0.24	10	<10	102	<10	43					
UGA-04	100.00	101.00	1.00	M295797	70	<20	0.28	10	<10	118	<10	48					
UGA-04	101.00	102.00	1.00	M295798	39	<20	0.24	10	<10	110	<10	49					
UGA-04	102.00	103.00	1.00	M295799	31	<20	0.25	10	<10	105	<10	60					
UGA-04	103.00	104.00	1.00	M295800	28	<20	0.21	10	<10	83	<10	42					
UGA-04	104.00	105.00	1.00	M295801	14	<20	0.19	<10	<10	76	<10	58					
UGA-04	105.00	106.00	1.00	M295802	54	<20	0.24	<10	<10	89	<10	84					
UGA-04	106.00	107.00	1.00	M295803	95	<20	0.29	<10	<10	103	<10	50					
UGA-04	107.00	108.00	1.00	M295804	73	<20	0.38	<10	<10	141	<10	55					
UGA-03	129.00	130.00	1.00	M295805	124	<20	0.37	10	<10	140	10	70					
UGA-03	130.00	131.00	1.00	M295806	102	<20	0.31	10	<10	120	10	57					
UGA-03	131.00	132.00	1.00	M295808	105	<20	0.4	10	<10	146	10	67					
UGA-03	132.00	133.00	1.00	M295809	87	<20	0.37	10	<10	139	10	62					
UGA-03	133.00	134.00	1.00	M295810	86	<20	0.39	10	<10	147	10	68					
UGA-03	134.00	135.00	1.00	M295811	107	<20	0.38	<10	<10	144	10	67					
UGA-03	135.00	136.00	1.00	M295812	122	<20	0.4	<10	<10	153	10	68					
UGA-03	136.00	137.00	1.00	M295813	118	<20	0.32	10	<10	115	10	56					
UGA-03	137.00	138.00	1.00	M295814	92	<20	0.4	10	<10	149	10	74					
UGA-03	138.00	139.00	1.00	M295815	81	<20	0.34	10	<10	127	<10	57					
UGA-03	139.00	140.00	1.00	M295817	82	<20	0.39	<10	<10	148	10	71					
UGA-03	140.00	141.00	1.00	M295818	100	<20	0.43	10	<10	164	<10	79					
UGA-03	141.00	142.00	1.00	M295819	93	<20	0.4	10	<10	158	10	75					
UGA-03	142.00	143.00	1.00	M295820	90	<20	0.38	10	<10	141	<10	68					
UGA-03	143.00	144.00	1.00	M295821	102	<20	0.39	10	<10	152	10	67					
UGA-03	144.00	145.00	1.00	M295822	97	<20	0.4	10	<10	147	<10	70					
UGA-03	145.00	146.00	1.00	M295823	92	<20	0.38	<10	<10	144	<10	67					

					Au-SCR24	Au-SCR24	Au-AA26D
				SAMPLE	WT. + Frac E	WT. - Frac E	Au
	From (m)	To (m)	Interval (m)	DESCRIPTION	g	g	ppm
UGA-04	84.00	85.00	1.00	M295778			
UGA-04	85.00	86.00	1.00	M295779			
UGA-04	86.00	87.00	1.00	M295780			
UGA-04	87.00	88.00	1.00	M295781			
UGA-04	88.00	89.00	1.00	M295783			
UGA-04	89.00	90.00	1.00	M295784			
UGA-04	90.00	91.00	1.00	M295785			
UGA-04	91.00	92.00	1.00	M295786			
UGA-04	92.00	93.00	1.00	M295787			
UGA-04	93.00	94.00	1.00	M295788			
UGA-04	94.00	95.00	1.00	M295790			
UGA-04	95.00	96.00	1.00	M295791			
UGA-04	96.00	97.00	1.00	M295792			
UGA-04	97.00	98.00	1.00	M295793			
UGA-04	98.00	99.00	1.00	M295794			
UGA-04	99.00	100.00	1.00	M295796			
UGA-04	100.00	101.00	1.00	M295797			
UGA-04	101.00	102.00	1.00	M295798			
UGA-04	102.00	103.00	1.00	M295799			
UGA-04	103.00	104.00	1.00	M295800			
UGA-04	104.00	105.00	1.00	M295801			
UGA-04	105.00	106.00	1.00	M295802			
UGA-04	106.00	107.00	1.00	M295803			
UGA-04	107.00	108.00	1.00	M295804			
UGA-03	129.00	130.00	1.00	M295805			
UGA-03	130.00	131.00	1.00	M295806			
UGA-03	131.00	132.00	1.00	M295808			
UGA-03	132.00	133.00	1.00	M295809			
UGA-03	133.00	134.00	1.00	M295810			
UGA-03	134.00	135.00	1.00	M295811			
UGA-03	135.00	136.00	1.00	M295812			
UGA-03	136.00	137.00	1.00	M295813			
UGA-03	137.00	138.00	1.00	M295814			
UGA-03	138.00	139.00	1.00	M295815			
UGA-03	139.00	140.00	1.00	M295817			
UGA-03	140.00	141.00	1.00	M295818			
UGA-03	141.00	142.00	1.00	M295819			
UGA-03	142.00	143.00	1.00	M295820			
UGA-03	143.00	144.00	1.00	M295821			
UGA-03	144.00	145.00	1.00	M295822			
UGA-03	145.00	146.00	1.00	M295823			

					Au-AA26	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
				SAMPLE	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	From (m)	To (m)	Interval (m)	DESCRIPTION	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
UGA-03	146.00	147.00	1.00	M295824	0.79	1.3	7.07	95	970	1.1	3	1.34	0.8	18	36	47	4.48
UGA-03	147.00	148.00	1.00	M295825	0.4	3.4	5.91	298	790	1.1	2	0.6	<0.5	17	32	18	4.18
UGA-03	148.00	149.00	1.00	M295827	0.16	1	5.59	185	730	1.1	<2	0.91	0.5	16	31	18	4.32
UGA-03	149.00	150.00	1.00	M295828	0.71	3.5	6.8	365	850	1.1	<2	0.94	<0.5	16	31	28	3.98
UGA-03	150.00	151.00	1.00	M295829	1.61	5.5	6.05	182	710	1	3	1.12	<0.5	15	33	23	4.33
UGA-03	151.00	152.00	1.00	M295830	21.8	25.1	6.9	197	790	1.1	3	1.45	0.7	18	33	30	5.22
UGA-03	152.00	153.00	1.00	M295831	0.34	7.7	6.1	396	740	1.1	<2	1.62	<0.5	15	34	23	4.71
UGA-03	153.00	154.00	1.00	M295832	0.16	0.9	6.92	77	710	1.2	<2	1.57	<0.5	16	33	24	4.64
UGA-03	154.00	155.00	1.00	M295833	0.3	2.2	6.16	173	660	1.2	<2	1.12	<0.5	16	31	25	4.26
UGA-03	155.00	156.00	1.00	M295834	0.61	8.9	5.58	431	480	1.3	<2	0.34	<0.5	16	34	28	4.38
UGA-03	156.00	157.00	1.00	M295835	0.31	4.5	6.82	280	740	1.4	<2	0.66	0.5	18	33	40	5.15
UGA-03	157.00	158.00	1.00	M295836	1.7	2	5.8	161	880	1.2	<2	1.19	<0.5	14	28	24	3.98
UGA-03	158.00	159.00	1.00	M295837	0.19	2.8	6.98	234	990	1.3	2	1.44	<0.5	17	34	39	4.66
UGA-03	159.00	160.00	1.00	M295838	0.38	2.6	6.86	256	970	1.2	<2	1.31	<0.5	19	37	31	4.56
UGA-03	160.00	161.00	1.00	M295839	0.44	4.3	6.24	187	750	1.1	<2	0.79	0.5	16	37	24	4.42
UGA-03	161.00	162.00	1.00	M295840	0.29	2.8	5.63	284	680	1.1	<2	1.09	<0.5	17	37	26	4.46
UGA-03	162.00	163.00	1.00	M295841	0.32	4.1	6.54	205	840	1.3	<2	2.09	<0.5	17	42	25	4.44
UGA-03	163.00	164.00	1.00	M295842	0.07	1.6	6.71	147	710	1.6	3	2.05	<0.5	18	40	29	4.5
UGA-03	164.00	165.00	1.00	M295843	4.01	65.3	5.82	796	390	1.5	<2	0.32	0.5	15	40	43	6.02
UGA-03	165.00	166.00	1.00	M295845	0.63	9.6	5.66	286	170	1.6	2	0.33	<0.5	15	45	24	4.21
UGA-03	166.00	167.00	1.00	M295846	0.22	2.7	6.64	151	700	1.4	<2	0.36	<0.5	18	44	29	4.67
UGA-03	167.00	168.00	1.00	M295847	0.72	6.4	6.34	257	200	1.3	<2	0.34	<0.5	18	47	27	3.89
UGA-03	200.00	201.00	1.00	M295848	0.16	1.2	6.75	220	1010	1.2	3	0.67	<0.5	20	54	33	4.87
UGA-03	201.00	202.00	1.00	M295849	0.48	0.8	7.52	141	840	1.6	<2	1.17	<0.5	20	58	43	4.59
UGA-03	202.00	203.00	1.00	M295850	0.09	<0.5	7.67	50	610	1.5	<2	1.63	0.5	21	61	36	4.48
UGA-03	203.00	204.00	1.00	M295852	0.33	1.4	6.92	86	660	1.2	2	2.31	<0.5	18	56	83	4.46
UGA-03	204.00	205.00	1.00	M295853	0.86	1.5	5.74	69	600	1	<2	1	<0.5	18	55	45	4.1
UGA-03	205.00	206.00	1.00	M295854	0.18	1.4	6.09	59	490	1.2	2	1.14	<0.5	21	55	40	3.95
UGA-03	206.00	207.00	1.00	M295855	0.15	2.5	5.44	100	610	1.3	<2	1.15	0.6	17	58	24	3.69
UGA-03	207.00	208.00	1.00	M295856	0.15	3.2	5.97	123	710	1.3	2	1.64	0.6	16	49	21	4.05
UGA-03	208.00	209.00	1.00	M295858	0.12	0.9	7.11	141	610	1.2	<2	2.16	<0.5	17	70	31	3.36
UGA-03	209.00	210.00	1.00	M295859	0.09	1.4	6.52	208	520	1.2	<2	0.95	<0.5	22	73	41	4.42
UGA-03	210.00	211.00	1.00	M295860	0.16	1.2	7.23	93	740	1.3	2	1.21	<0.5	19	55	32	4.36
UGA-03	211.00	212.00	1.00	M295861	0.36	2.2	7.22	123	950	1.3	2	1.29	<0.5	19	73	48	4.05
UGA-03	212.00	213.00	1.00	M295862	1.24	3.3	6.95	187	680	1.4	2	0.38	<0.5	18	56	21	4.84
UGA-03	213.00	214.00	1.00	M295863	0.78	1.6	7.23	242	580	1.4	<2	0.36	<0.5	22	58	15	3.96
UGA-03	214.00	215.00	1.00	M295864	6.74	12.5	7.22	299	690	1.6	<2	0.33	<0.5	20	54	26	4.16
UGA-03	215.00	216.00	1.00	M295865	0.27	2	7.35	191	860	1.6	<2	0.38	<0.5	21	60	25	4.29
UGA-03	216.00	217.00	1.00	M295866	0.45	3.1	5.74	231	260	1.3	<2	0.24	<0.5	20	52	31	4.87
UGA-03	217.00	218.00	1.00	M295867	1.27	15.3	7.88	765	50	1.7	<2	0.25	<0.5	23	93	46	4.01
UGA-03	218.00	219.00	1.00	M295868	2.14	6.2	6.7	723	50	2	<2	0.27	<0.5	20	55	54	4.6

					ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
				SAMPLE	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	
	From (m)	To (m)	Interval (m)	DESCRIPTIO	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	
UGA-03	146.00	147.00	1.00	M295824	10	5.29	30	2.47	547	3	0.08	5	1240	23	2.2	6	20	
UGA-03	147.00	148.00	1.00	M295825	10	4.76	30	2.09	396	5	0.08	4	1170	12	2.4	19	18	
UGA-03	148.00	149.00	1.00	M295827	10	5.13	20	1.95	452	4	0.07	6	1200	12	2.37	30	16	
UGA-03	149.00	150.00	1.00	M295828	20	4.58	30	1.3	312	6	0.06	7	1300	15	2.77	1150	19	
UGA-03	150.00	151.00	1.00	M295829	10	4.65	20	1.52	514	5	0.07	7	1290	12	2.43	57	17	
UGA-03	151.00	152.00	1.00	M295830	10	5.43	30	2.29	723	5	0.09	6	1220	13	2.74	50	20	
UGA-03	152.00	153.00	1.00	M295831	20	5.17	20	1.82	494	5	0.1	6	1290	10	2.64	74	18	
UGA-03	153.00	154.00	1.00	M295832	20	5.28	30	2.07	574	4	0.07	7	1370	8	1.75	27	20	
UGA-03	154.00	155.00	1.00	M295833	10	4.98	30	1.01	676	2	0.07	5	1170	13	2.28	45	18	
UGA-03	155.00	156.00	1.00	M295834	10	4.34	20	0.39	882	8	0.05	6	1280	15	3.05	93	16	
UGA-03	156.00	157.00	1.00	M295835	20	4.83	30	0.72	875	4	0.06	8	1370	14	3.02	106	20	
UGA-03	157.00	158.00	1.00	M295836	10	4.61	20	0.86	607	3	0.06	5	1140	12	2.42	465	15	
UGA-03	158.00	159.00	1.00	M295837	20	5.36	30	1.57	617	4	0.09	6	1250	13	2.71	60	20	
UGA-03	159.00	160.00	1.00	M295838	10	5.16	30	2.46	479	3	0.08	7	1140	11	2.65	18	21	
UGA-03	160.00	161.00	1.00	M295839	10	4.64	30	2.73	483	3	0.06	8	1080	12	2.22	32	19	
UGA-03	161.00	162.00	1.00	M295840	10	4.91	20	2.15	423	3	0.07	7	1210	13	2.94	30	17	
UGA-03	162.00	163.00	1.00	M295841	10	4.79	30	1.99	471	4	0.07	8	1120	10	2.7	30	21	
UGA-03	163.00	164.00	1.00	M295842	20	4.58	20	1.62	582	3	0.06	6	1130	11	2.45	33	20	
UGA-03	164.00	165.00	1.00	M295843	10	3.42	20	0.54	913	32	0.04	5	1050	22	4.38	206	17	
UGA-03	165.00	166.00	1.00	M295845	10	1.45	20	0.37	973	6	0.02	7	1080	10	3.26	332	18	
UGA-03	166.00	167.00	1.00	M295846	20	4.33	30	0.6	1050	5	0.05	10	1190	12	2.6	61	21	
UGA-03	167.00	168.00	1.00	M295847	10	1.82	30	0.35	618	9	0.02	8	1180	15	2.89	370	19	
UGA-03	200.00	201.00	1.00	M295848	20	4.5	20	2.51	450	3	0.05	13	1270	12	2.62	39	21	
UGA-03	201.00	202.00	1.00	M295849	20	4.52	30	2.95	670	3	0.05	14	1230	12	1.24	32	22	
UGA-03	202.00	203.00	1.00	M295850	20	4.11	30	2.07	741	3	0.05	13	1230	8	1.13	41	24	
UGA-03	203.00	204.00	1.00	M295852	10	3.67	30	1.82	795	3	0.05	14	1130	10	1.74	43	22	
UGA-03	204.00	205.00	1.00	M295853	10	3.72	20	1.8	492	5	0.04	12	1050	13	2.01	41	18	
UGA-03	205.00	206.00	1.00	M295854	20	3.93	20	1.7	385	3	0.04	12	1110	12	2.35	36	17	
UGA-03	206.00	207.00	1.00	M295855	10	3.92	20	1.35	381	4	0.03	9	1040	8	2.56	33	17	
UGA-03	207.00	208.00	1.00	M295856	10	3.8	20	1.31	364	5	0.03	8	990	12	3.01	32	19	
UGA-03	208.00	209.00	1.00	M295858	20	3.19	30	1.33	524	3	0.03	10	1230	10	1.87	55	23	
UGA-03	209.00	210.00	1.00	M295859	20	4.71	20	1.07	327	4	0.05	14	1190	14	3.62	30	21	
UGA-03	210.00	211.00	1.00	M295860	10	4.66	30	2.03	554	3	0.04	11	980	11	2.17	20	20	
UGA-03	211.00	212.00	1.00	M295861	20	4.49	20	1.52	466	4	0.05	17	1270	11	2.38	20	23	
UGA-03	212.00	213.00	1.00	M295862	10	4.38	30	2.19	897	11	0.04	12	1110	12	1.7	27	20	
UGA-03	213.00	214.00	1.00	M295863	20	4.37	30	0.85	687	5	0.04	11	1200	16	1.97	31	20	
UGA-03	214.00	215.00	1.00	M295864	20	4.6	30	0.77	637	4	0.04	14	1120	19	2.49	31	20	
UGA-03	215.00	216.00	1.00	M295865	20	4.51	30	0.68	999	6	0.04	14	1220	14	1.92	52	22	
UGA-03	216.00	217.00	1.00	M295866	10	3.29	20	0.51	669	7	0.03	13	820	15	4.03	64	18	
UGA-03	217.00	218.00	1.00	M295867	20	2.25	30	0.49	575	24	0.02	17	1080	17	3.24	184	22	
UGA-03	218.00	219.00	1.00	M295868	20	2.23	30	0.61	922	7	0.02	17	1400	23	3.5	147	20	

					ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24
				SAMPLE	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Au Total (+)	Au (+) Fract	Au (-) Fracti	Au (+) mg
	From (m)	To (m)	Interval (m)	DESCRIPTION	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	mg
UGA-03	146.00	147.00	1.00	M295824	115	<20	0.41	10	<10	152	10	136					
UGA-03	147.00	148.00	1.00	M295825	102	<20	0.36	10	<10	126	<10	65					
UGA-03	148.00	149.00	1.00	M295827	111	<20	0.39	<10	<10	141	<10	66					
UGA-03	149.00	150.00	1.00	M295828	119	<20	0.38	10	<10	139	10	71					
UGA-03	150.00	151.00	1.00	M295829	113	<20	0.37	<10	<10	127	10	61					
UGA-03	151.00	152.00	1.00	M295830	130	<20	0.4	10	<10	133	<10	72					
UGA-03	152.00	153.00	1.00	M295831	138	<20	0.4	10	<10	146	<10	69					
UGA-03	153.00	154.00	1.00	M295832	131	<20	0.4	10	<10	144	<10	75					
UGA-03	154.00	155.00	1.00	M295833	113	<20	0.38	10	<10	133	<10	59					
UGA-03	155.00	156.00	1.00	M295834	66	<20	0.35	10	<10	124	<10	51					
UGA-03	156.00	157.00	1.00	M295835	91	<20	0.4	10	<10	138	10	63					
UGA-03	157.00	158.00	1.00	M295836	102	<20	0.38	10	<10	134	10	65					
UGA-03	158.00	159.00	1.00	M295837	148	<20	0.39	10	<10	138	10	78					
UGA-03	159.00	160.00	1.00	M295838	119	<20	0.39	<10	<10	137	<10	65					
UGA-03	160.00	161.00	1.00	M295839	104	<20	0.37	10	<10	135	<10	78					
UGA-03	161.00	162.00	1.00	M295840	114	<20	0.38	10	<10	136	<10	69					
UGA-03	162.00	163.00	1.00	M295841	117	<20	0.38	<10	<10	133	<10	73					
UGA-03	163.00	164.00	1.00	M295842	100	<20	0.4	<10	<10	147	<10	75					
UGA-03	164.00	165.00	1.00	M295843	46	<20	0.33	20	<10	120	<10	81					
UGA-03	165.00	166.00	1.00	M295845	19	<20	0.34	<10	<10	124	10	70					
UGA-03	166.00	167.00	1.00	M295846	68	<20	0.4	10	<10	148	<10	69					
UGA-03	167.00	168.00	1.00	M295847	28	<20	0.38	10	<10	137	10	103					
UGA-03	200.00	201.00	1.00	M295848	76	<20	0.41	10	<10	156	<10	63					
UGA-03	201.00	202.00	1.00	M295849	84	<20	0.42	10	<10	158	<10	83					
UGA-03	202.00	203.00	1.00	M295850	93	<20	0.43	10	<10	159	10	81					
UGA-03	203.00	204.00	1.00	M295852	99	<20	0.36	10	<10	148	10	74					
UGA-03	204.00	205.00	1.00	M295853	67	<20	0.36	10	<10	138	10	66					
UGA-03	205.00	206.00	1.00	M295854	63	<20	0.38	10	<10	145	10	61					
UGA-03	206.00	207.00	1.00	M295855	58	<20	0.38	10	<10	145	<10	61					
UGA-03	207.00	208.00	1.00	M295856	70	<20	0.33	<10	<10	124	<10	58					
UGA-03	208.00	209.00	1.00	M295858	66	<20	0.42	10	<10	166	10	73					
UGA-03	209.00	210.00	1.00	M295859	79	<20	0.41	<10	<10	160	<10	61					
UGA-03	210.00	211.00	1.00	M295860	83	<20	0.38	10	<10	146	10	57					
UGA-03	211.00	212.00	1.00	M295861	93	<20	0.4	<10	<10	158	<10	66					
UGA-03	212.00	213.00	1.00	M295862	72	<20	0.37	<10	<10	141	<10	63					
UGA-03	213.00	214.00	1.00	M295863	70	<20	0.38	<10	<10	151	<10	55					
UGA-03	214.00	215.00	1.00	M295864	79	<20	0.39	<10	<10	146	<10	65		14.1	478	6.97	7.604
UGA-03	215.00	216.00	1.00	M295865	65	<20	0.4	10	<10	163	<10	66					
UGA-03	216.00	217.00	1.00	M295866	42	<20	0.31	<10	<10	121	<10	58					
UGA-03	217.00	218.00	1.00	M295867	18	<20	0.44	20	<10	169	<10	59					
UGA-03	218.00	219.00	1.00	M295868	17	<20	0.37	10	<10	155	<10	91					



					Au-SCR24	Au-SCR24	Au-AA26D
				SAMPLE	WT. + Frac E	WT. - Frac E	Au
	From (m)	To (m)	Interval (m)	DESCRIPTION	g	g	ppm
UGA-03	146.00	147.00	1.00	M295824			
UGA-03	147.00	148.00	1.00	M295825			
UGA-03	148.00	149.00	1.00	M295827			
UGA-03	149.00	150.00	1.00	M295828			
UGA-03	150.00	151.00	1.00	M295829			
UGA-03	151.00	152.00	1.00	M295830			
UGA-03	152.00	153.00	1.00	M295831			
UGA-03	153.00	154.00	1.00	M295832			
UGA-03	154.00	155.00	1.00	M295833			
UGA-03	155.00	156.00	1.00	M295834			
UGA-03	156.00	157.00	1.00	M295835			
UGA-03	157.00	158.00	1.00	M295836			
UGA-03	158.00	159.00	1.00	M295837			
UGA-03	159.00	160.00	1.00	M295838			
UGA-03	160.00	161.00	1.00	M295839			
UGA-03	161.00	162.00	1.00	M295840			
UGA-03	162.00	163.00	1.00	M295841			
UGA-03	163.00	164.00	1.00	M295842			
UGA-03	164.00	165.00	1.00	M295843			
UGA-03	165.00	166.00	1.00	M295845			
UGA-03	166.00	167.00	1.00	M295846			
UGA-03	167.00	168.00	1.00	M295847			
UGA-03	200.00	201.00	1.00	M295848			
UGA-03	201.00	202.00	1.00	M295849			
UGA-03	202.00	203.00	1.00	M295850			
UGA-03	203.00	204.00	1.00	M295852			
UGA-03	204.00	205.00	1.00	M295853			
UGA-03	205.00	206.00	1.00	M295854			
UGA-03	206.00	207.00	1.00	M295855			
UGA-03	207.00	208.00	1.00	M295856			
UGA-03	208.00	209.00	1.00	M295858			
UGA-03	209.00	210.00	1.00	M295859			
UGA-03	210.00	211.00	1.00	M295860			
UGA-03	211.00	212.00	1.00	M295861			
UGA-03	212.00	213.00	1.00	M295862			
UGA-03	213.00	214.00	1.00	M295863			
UGA-03	214.00	215.00	1.00	M295864	15.91	1037	7.19
UGA-03	215.00	216.00	1.00	M295865			
UGA-03	216.00	217.00	1.00	M295866			
UGA-03	217.00	218.00	1.00	M295867			
UGA-03	218.00	219.00	1.00	M295868			

					Au-AA26	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
				SAMPLE	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	From (m)	To (m)	Interval (m)	DESCRIPTION	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
UGA-03	219.00	221.00	2.00	M295869	0.44	3.6	5.29	166	40	1.2	<2	0.15	<0.5	8	49	19	2.51
UGA-03	221.00	223.00	2.00	M295870	0.4	12.2	7.34	390	340	1.8	<2	0.31	<0.5	18	72	29	4.68
UGA-03	223.00	224.00	1.00	M294865	0.17	4.5	6.8	153	120	2	4	0.35	<0.5	25	58	42	4.6
UGA-03	224.00	225.00	1.00	M294866	0.18	3	5.49	79	60	2	2	0.27	<0.5	12	42	13	3.31
UGA-03	225.00	226.00	1.00	M294867	2.73	23.6	3.54	439	30	1.3	<2	0.34	<0.5	7	41	22	3.22
UGA-03	226.00	227.00	1.00	M294869	0.16	6.2	4.49	125	80	1.6	<2	0.24	<0.5	12	48	12	4.15
UGA-03	227.00	228.00	1.00	M294870	0.4	12.2	7.34	390	340	1.8	<2	0.31	<0.5	18	72	29	4.68
UGA-03	228.00	229.00	1.00	M294871	0.45	8.5	7.51	962	150	2	3	0.34	<0.5	24	61	70	3.56
UGA-03	229.00	230.00	1.00	M294872	1.15	20.5	6.22	718	640	1.6	3	0.32	<0.5	19	55	67	4.08
UGA-03	230.00	231.00	1.00	M294873	0.52	10.5	6.06	622	600	1.6	<2	0.32	<0.5	17	49	61	3.29
UGA-03	231.00	232.00	1.00	M294874	0.53	15.9	7.02	1035	820	1.8	2	0.36	<0.5	22	58	137	4.52
UGA-03	232.00	233.00	1.00	M294875	1.33	9	6.38	600	700	1.7	2	0.33	<0.5	21	55	73	3.25
UGA-03	233.00	234.00	1.00	M294876	0.35	5.8	5.89	537	410	1.5	<2	0.3	<0.5	21	54	55	4.79
UGA-03	234.00	235.00	1.00	M294877	0.66	12.7	6.48	611	640	1.6	2	0.36	<0.5	19	57	46	4.6
UGA-03	235.00	236.00	1.00	M294878	0.83	14	7.36	737	610	1.7	<2	0.43	<0.5	23	59	79	5.71
UGA-03	236.00	237.00	1.00	M294879	0.76	11.2	6.91	380	690	1.6	<2	0.39	<0.5	20	57	61	4.58
UGA-03	237.00	238.00	1.00	M294881	0.08	2.2	7.81	328	900	1.3	5	0.91	<0.5	23	61	45	4.65
UGA-03	238.00	239.00	1.00	M294882	0.53	10.6	7.59	776	940	1.4	3	0.78	<0.5	23	59	69	4.54
UGA-03	239.00	240.00	1.00	M294883	0.18	3	7.22	203	710	1.5	2	0.78	<0.5	23	58	49	4.88
UGA-03	240.00	241.00	1.00	M294884	0.42	3.2	6.17	159	380	1.5	<2	1.06	<0.5	23	50	36	5.64
UGA-03	241.00	242.00	1.00	M294885	0.1	2.3	6.07	127	70	1.6	<2	1.58	<0.5	12	47	23	4.03
UGA-03	242.00	243.00	1.00	M294886	0.06	2	6.96	156	80	2.1	<2	0.91	<0.5	15	54	17	5.2
UGA-03	243.00	244.00	1.00	M294887	0.05	3.1	7.18	266	100	1.9	5	0.3	<0.5	18	62	24	4.45
UGA-03	244.00	245.00	1.00	M294888	0.32	6.2	6	189	80	1.5	4	0.22	<0.5	18	51	15	3.92
UGA-03	245.00	246.00	1.00	M294889	0.27	5	7.18	304	80	2.6	2	0.43	<0.5	20	57	16	4.38
UGA-03	246.00	247.00	1.00	M294891	0.11	3.6	6.93	180	80	2.2	<2	0.42	<0.5	15	55	16	4.1
UGA-03	247.00	248.00	1.00	M294892	0.12	3.5	6.22	110	80	1.6	2	0.23	<0.5	15	60	16	3.13
UGA-03	248.00	249.00	1.00	M294893	1.72	2.3	4.64	84	80	1.5	2	0.26	<0.5	8	43	17	2.84
UGA-03	249.00	250.00	1.00	M294894	0.12	3	6.7	142	110	2.2	<2	0.38	<0.5	21	50	13	6.02
UGA-03	250.00	251.00	1.00	M294895	0.29	6.7	6.08	187	200	1.6	<2	0.31	<0.5	17	48	26	3.99
UGA-03	251.00	252.00	1.00	M294896	0.59	4.2	6.75	351	680	1.7	3	0.32	<0.5	24	53	53	4.97
UGA-03	252.00	253.00	1.00	M294897	9.4	28.5	4.34	578	210	1.2	3	0.23	<0.5	12	41	103	4.01
UGA-03	253.00	254.00	1.00	M294898	0.2	3.6	7.24	234	280	2.3	<2	0.33	<0.5	18	60	26	3.8
UGA-03	254.00	255.00	1.00	M294899	0.33	3.5	6.63	236	90	1.7	2	0.39	<0.5	38	75	118	2.65
UGA-03	255.00	256.00	1.00	M294900	3.48	5.9	5.43	211	50	1.5	<2	0.37	<0.5	33	62	136	3.74
UGA-03	256.00	257.00	1.00	M294901	3.03	5	5.57	177	140	1.4	<2	0.35	<0.5	27	68	127	3.27
UGA-03	257.00	258.00	1.00	M294902	0.54	2.8	5.89	151	490	1.7	<2	0.59	<0.5	13	52	28	4.67
UGA-03	258.00	259.00	1.00	M294903	0.29	2.1	6.58	259	370	1.4	<2	0.87	<0.5	22	59	40	4.36
UGA-03	259.00	260.00	1.00	M294904	1.64	4.5	6.16	230	630	1.3	<2	0.45	<0.5	22	57	43	4.18
UGA-03	260.00	261.00	1.00	M294906	46.1	21.8	5.95	375	720	1.2	<2	0.62	<0.5	19	54	78	4.38
UGA-03	261.00	262.00	1.00	M294907	1.29	9	6.29	117	680	1.4	<2	0.49	<0.5	20	56	53	4.3
UGA-03	262.00	263.00	1.00	M294908	4.77	15.9	7.3	637	360	2.1	2	0.42	<0.5	20	63	110	4.91

					ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
				SAMPLE	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	
	From (m)	To (m)	Interval (m)	DESCRIPTION	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	
UGA-03	219.00	221.00	2.00	M295869	10	2.1	20	0.49	104	8	0.02	7	660	13	2.33	140	14	
UGA-03	221.00	223.00	2.00	M295870	20	3.37	30	0.64	491	9	0.02	16	1080	17	4.31	125	23	
UGA-03	223.00	224.00	1.00	M294865	20	2.8	20	0.67	454	4	0.02	17	1170	14	4.57	46	20	
UGA-03	224.00	225.00	1.00	M294866	10	2.46	20	0.6	264	5	0.02	9	900	11	3.3	45	15	
UGA-03	225.00	226.00	1.00	M294867	10	1.33	20	0.35	234	25	0.02	7	1240	12	3.02	107	10	
UGA-03	226.00	227.00	1.00	M294869	10	1.77	20	0.45	335	4	0.02	12	780	10	4.18	49	13	
UGA-03	227.00	228.00	1.00	M294870	20	3.37	30	0.64	491	9	0.02	16	1080	17	4.31	125	23	
UGA-03	228.00	229.00	1.00	M294871	20	2.33	30	0.46	580	4	0.02	17	1270	14	3.06	101	20	
UGA-03	229.00	230.00	1.00	M294872	10	3.52	20	0.45	661	5	0.04	13	1140	13	3.34	534	18	
UGA-03	230.00	231.00	1.00	M294873	10	3.17	20	0.45	516	4	0.04	13	1120	9	2.51	55	17	
UGA-03	231.00	232.00	1.00	M294874	20	4.08	30	0.65	878	3	0.05	19	1150	13	2.83	133	21	
UGA-03	232.00	233.00	1.00	M294875	10	3.44	30	0.53	762	3	0.04	15	1030	10	1.75	278	19	
UGA-03	233.00	234.00	1.00	M294876	10	3.57	20	0.45	628	3	0.04	14	920	10	3.97	121	18	
UGA-03	234.00	235.00	1.00	M294877	10	3.94	20	0.44	492	3	0.05	16	1220	13	4.26	56	20	
UGA-03	235.00	236.00	1.00	M294878	20	4.55	30	1	987	7	0.06	18	1510	13	4.19	62	22	
UGA-03	236.00	237.00	1.00	M294879	20	4.24	20	1.54	436	5	0.05	15	1460	9	3.8	45	20	
UGA-03	237.00	238.00	1.00	M294881	20	4.71	30	2.07	575	2	0.07	16	1190	10	2.69	26	23	
UGA-03	238.00	239.00	1.00	M294882	20	4.63	30	2.35	559	2	0.06	18	1100	13	2.14	24	23	
UGA-03	239.00	240.00	1.00	M294883	20	3.74	30	2.4	578	2	0.04	17	1020	9	2.54	20	22	
UGA-03	240.00	241.00	1.00	M294884	10	3.17	20	1.05	271	3	0.03	17	930	12	5.68	21	19	
UGA-03	241.00	242.00	1.00	M294885	10	2.65	20	1.16	407	4	0.02	10	1290	9	3.63	23	17	
UGA-03	242.00	243.00	1.00	M294886	10	3.04	30	1.03	1635	3	0.02	12	810	12	3.48	20	21	
UGA-03	243.00	244.00	1.00	M294887	20	3.07	30	0.73	564	5	0.02	15	870	11	3.98	29	21	
UGA-03	244.00	245.00	1.00	M294888	10	2.6	20	0.55	225	4	0.02	15	870	11	4.03	40	17	
UGA-03	245.00	246.00	1.00	M294889	20	3.08	30	0.7	768	12	0.02	16	1670	14	3.72	47	19	
UGA-03	246.00	247.00	1.00	M294891	20	3.31	30	0.78	384	8	0.02	12	1620	13	3.98	30	16	
UGA-03	247.00	248.00	1.00	M294892	20	2.94	30	0.67	128	5	0.02	14	1190	16	3.13	42	17	
UGA-03	248.00	249.00	1.00	M294893	10	2.19	30	0.52	304	4	0.02	7	980	14	2.65	16	12	
UGA-03	249.00	250.00	1.00	M294894	20	3.02	30	0.85	2640	5	0.02	15	1000	9	2.73	18	20	
UGA-03	250.00	251.00	1.00	M294895	10	2.75	20	0.78	503	8	0.02	13	1220	11	3.58	40	18	
UGA-03	251.00	252.00	1.00	M294896	20	3.27	20	1.77	926	3	0.04	16	1050	10	2.55	22	19	
UGA-03	252.00	253.00	1.00	M294897	10	1.94	10	0.39	482	15	0.02	9	760	13	3.67	88	12	
UGA-03	253.00	254.00	1.00	M294898	20	3.37	20	0.77	763	5	0.02	13	1230	12	3.11	28	18	
UGA-03	254.00	255.00	1.00	M294899	10	1.91	30	0.43	608	5	0.02	21	1950	8	1.96	36	20	
UGA-03	255.00	256.00	1.00	M294900	10	1.65	20	0.38	838	4	0.02	12	1530	9	3.2	33	17	
UGA-03	256.00	257.00	1.00	M294901	10	2.08	20	0.44	707	3	0.02	13	1240	6	2.74	25	16	
UGA-03	257.00	258.00	1.00	M294902	10	3.01	20	0.76	1400	4	0.03	9	1070	9	3.09	20	17	
UGA-03	258.00	259.00	1.00	M294903	10	2.8	20	2.22	572	2	0.04	17	1090	5	1.66	15	19	
UGA-03	259.00	260.00	1.00	M294904	10	3.1	20	2.16	285	4	0.05	17	1100	6	1.54	16	18	
UGA-03	260.00	261.00	1.00	M294906	10	3.19	20	2.19	377	3	0.05	15	1010	10	2.36	30	17	
UGA-03	261.00	262.00	1.00	M294907	10	3.19	30	2.09	529	3	0.05	15	1060	8	2.34	22	17	
UGA-03	262.00	263.00	1.00	M294908	20	2.79	30	0.72	1575	9	0.04	16	1340	10	2.41	57	20	

					ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24
				SAMPLE	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Au Total (+)	Au (+) Fract	Au (-) Fract	Au (+) mg
	From (m)	To (m)	Interval (m)	DESCRIPTION	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	mg
UGA-03	219.00	221.00	2.00	M295869	15	<20	0.33	10	<10	105	<10	44					
UGA-03	221.00	223.00	2.00	M295870	24	<20	0.41	10	<10	161	10	46					
UGA-03	223.00	224.00	1.00	M294865	15	<20	0.37	<10	<10	171	10	54					
UGA-03	224.00	225.00	1.00	M294866	15	<20	0.31	<10	<10	117	10	37					
UGA-03	225.00	226.00	1.00	M294867	15	<20	0.18	10	<10	82	<10	36					
UGA-03	226.00	227.00	1.00	M294869	15	<20	0.23	<10	<10	97	<10	97					
UGA-03	227.00	228.00	1.00	M294870	24	<20	0.41	10	<10	161	10	46					
UGA-03	228.00	229.00	1.00	M294871	20	<20	0.41	10	<10	155	10	97					
UGA-03	229.00	230.00	1.00	M294872	39	<20	0.35	10	<10	129	<10	58					
UGA-03	230.00	231.00	1.00	M294873	37	<20	0.33	10	<10	123	<10	58					
UGA-03	231.00	232.00	1.00	M294874	47	<20	0.38	10	<10	149	<10	76					
UGA-03	232.00	233.00	1.00	M294875	48	<20	0.33	10	<10	133	<10	86					
UGA-03	233.00	234.00	1.00	M294876	44	<20	0.31	10	<10	124	<10	69					
UGA-03	234.00	235.00	1.00	M294877	46	<20	0.35	10	<10	142	<10	64					
UGA-03	235.00	236.00	1.00	M294878	64	<20	0.39	10	<10	157	<10	84					
UGA-03	236.00	237.00	1.00	M294879	55	<20	0.37	10	<10	146	<10	66					
UGA-03	237.00	238.00	1.00	M294881	83	<20	0.41	10	<10	164	<10	61					
UGA-03	238.00	239.00	1.00	M294882	81	<20	0.4	10	<10	156	<10	65					
UGA-03	239.00	240.00	1.00	M294883	54	<20	0.38	10	<10	150	<10	59					
UGA-03	240.00	241.00	1.00	M294884	37	<20	0.33	<10	<10	128	<10	43					
UGA-03	241.00	242.00	1.00	M294885	30	<20	0.32	10	<10	126	10	36					
UGA-03	242.00	243.00	1.00	M294886	20	<20	0.37	<10	<10	143	10	48					
UGA-03	243.00	244.00	1.00	M294887	16	<20	0.39	10	<10	147	10	50					
UGA-03	244.00	245.00	1.00	M294888	12	<20	0.32	10	<10	126	10	52					
UGA-03	245.00	246.00	1.00	M294889	14	<20	0.38	20	<10	160	<10	67					
UGA-03	246.00	247.00	1.00	M294891	14	<20	0.38	10	<10	159	<10	36					
UGA-03	247.00	248.00	1.00	M294892	15	<20	0.44	<10	<10	146	10	43					
UGA-03	248.00	249.00	1.00	M294893	17	<20	0.35	10	<10	102	10	28					
UGA-03	249.00	250.00	1.00	M294894	15	<20	0.33	<10	<10	156	<10	64					
UGA-03	250.00	251.00	1.00	M294895	19	<20	0.32	10	<10	128	<10	61					
UGA-03	251.00	252.00	1.00	M294896	37	<20	0.36	10	<10	142	<10	80					
UGA-03	252.00	253.00	1.00	M294897	22	<20	0.21	10	<10	86	<10	53					
UGA-03	253.00	254.00	1.00	M294898	19	<20	0.36	10	<10	148	<10	46					
UGA-03	254.00	255.00	1.00	M294899	15	<20	0.37	<10	<10	143	10	48					
UGA-03	255.00	256.00	1.00	M294900	13	<20	0.3	10	<10	119	<10	57					
UGA-03	256.00	257.00	1.00	M294901	16	<20	0.32	<10	<10	130	<10	56					
UGA-03	257.00	258.00	1.00	M294902	32	<20	0.33	10	<10	117	<10	56					
UGA-03	258.00	259.00	1.00	M294903	36	<20	0.34	<10	<10	129	<10	57					
UGA-03	259.00	260.00	1.00	M294904	40	<20	0.35	10	<10	135	<10	67					
UGA-03	260.00	261.00	1.00	M294906	52	<20	0.3	10	<10	118	<10	60					
UGA-03	261.00	262.00	1.00	M294907	43	<20	0.31	<10	<10	123	<10	61					
UGA-03	262.00	263.00	1.00	M294908	34	<20	0.38	10	<10	145	<10	92					

					Au-SCR24	Au-SCR24	Au-AA26D
				SAMPLE	WT. + Frac E	WT. - Frac E	Au
	From (m)	To (m)	Interval (m)	DESCRIPTION	g	g	ppm
UGA-03	219.00	221.00	2.00	M295869			
UGA-03	221.00	223.00	2.00	M295870			
UGA-03	223.00	224.00	1.00	M294865			
UGA-03	224.00	225.00	1.00	M294866			
UGA-03	225.00	226.00	1.00	M294867			
UGA-03	226.00	227.00	1.00	M294869			
UGA-03	227.00	228.00	1.00	M294870			
UGA-03	228.00	229.00	1.00	M294871			
UGA-03	229.00	230.00	1.00	M294872			
UGA-03	230.00	231.00	1.00	M294873			
UGA-03	231.00	232.00	1.00	M294874			
UGA-03	232.00	233.00	1.00	M294875			
UGA-03	233.00	234.00	1.00	M294876			
UGA-03	234.00	235.00	1.00	M294877			
UGA-03	235.00	236.00	1.00	M294878			
UGA-03	236.00	237.00	1.00	M294879			
UGA-03	237.00	238.00	1.00	M294881			
UGA-03	238.00	239.00	1.00	M294882			
UGA-03	239.00	240.00	1.00	M294883			
UGA-03	240.00	241.00	1.00	M294884			
UGA-03	241.00	242.00	1.00	M294885			
UGA-03	242.00	243.00	1.00	M294886			
UGA-03	243.00	244.00	1.00	M294887			
UGA-03	244.00	245.00	1.00	M294888			
UGA-03	245.00	246.00	1.00	M294889			
UGA-03	246.00	247.00	1.00	M294891			
UGA-03	247.00	248.00	1.00	M294892			
UGA-03	248.00	249.00	1.00	M294893			
UGA-03	249.00	250.00	1.00	M294894			
UGA-03	250.00	251.00	1.00	M294895			
UGA-03	251.00	252.00	1.00	M294896			
UGA-03	252.00	253.00	1.00	M294897			
UGA-03	253.00	254.00	1.00	M294898			
UGA-03	254.00	255.00	1.00	M294899			
UGA-03	255.00	256.00	1.00	M294900			
UGA-03	256.00	257.00	1.00	M294901			
UGA-03	257.00	258.00	1.00	M294902			
UGA-03	258.00	259.00	1.00	M294903			
UGA-03	259.00	260.00	1.00	M294904			
UGA-03	260.00	261.00	1.00	M294906			
UGA-03	261.00	262.00	1.00	M294907			
UGA-03	262.00	263.00	1.00	M294908			

					Au-AA26	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
				SAMPLE	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	From (m)	To (m)	Interval (m)	DESCRIPTION	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
UGA-03	263.00	264.00	1.00	M294909	2.57	18.6	6.05	537	560	1.4	<2	0.57	<0.5	19	55	38	5.51
UGA-03	264.00	265.00	1.00	M294910	9.48	19.4	5.93	314	330	1.3	3	0.32	<0.5	20	67	33	4.91
UGA-03	265.00	266.00	1.00	M294911	1.09	13.5	6.15	154	630	1.2	<2	0.32	<0.5	20	66	38	3.68
UGA-03	266.00	267.00	1.00	M294912	16.25	74.7	3.15	1540	110	0.8	<2	0.28	0.6	10	49	95	7.65
UGA-03	267.00	268.00	1.00	M294914	0.28	2.7	2.96	20	210	0.8	<2	0.35	<0.5	10	42	13	3.2
UGA-03	268.00	269.00	1.00	M294916	1.65	12.6	2.9	218	110	0.7	<2	1.6	<0.5	9	42	14	3.85
UGA-03	269.00	270.00	1.00	M294917	1.37	5.1	3.04	85	50	0.8	<2	0.17	<0.5	9	72	16	2.55
UGA-03	270.00	271.00	1.00	M294918	0.25	3.8	4.14	69	460	0.9	2	0.48	<0.5	13	75	13	3.28
UGA-03	271.00	272.00	1.00	M294919	0.77	7.4	3.16	160	470	0.7	<2	0.99	<0.5	10	53	12	2.65
UGA-03	272.00	273.00	1.00	M294920	0.82	3.6	2.41	52	390	0.6	<2	0.61	<0.5	7	45	7	2.46
UGA-03	273.00	274.00	1.00	M294921	5.86	35.9	2.11	18	380	0.6	<2	0.32	<0.5	6	51	13	1.84
UGA-03	274.00	275.00	1.00	M294922	0.75	2.6	2.73	82	140	0.9	<2	0.29	<0.5	9	53	15	2.96
UGA-03	275.00	276.00	1.00	M294923	1.65	18.7	1.89	412	120	0.6	<2	0.23	<0.5	5	57	24	1.93
UGA-03	276.00	277.00	1.00	M294924	0.82	4	1.31	84	20	0.5	<2	0.19	<0.5	3	61	10	1.64
UGA-03	277.00	278.00	1.00	M294925	0.31	2.2	1.96	57	30	0.6	2	0.22	<0.5	5	48	9	1.8
UGA-03	278.00	279.00	1.00	M294927	0.67	2.4	1.14	73	20	0.5	<2	0.16	<0.5	3	42	6	1.34
UGA-03	279.00	279.61	0.61	M294928	0.58	5	1.43	90	60	0.5	<2	0.14	<0.5	10	43	13	1.83
	279.61	281.00	1.39	Cavity													
UGA-03	281.00	282.00	1.00	M294929	1.36	3.5	3.51	97	250	1	2	0.28	<0.5	11	49	25	3.04
UGA-03	282.00	283.00	1.00	M294930	0.62	2.6	2.74	52	50	0.8	<2	0.26	<0.5	9	27	11	1.96
UGA-03	283.00	284.00	1.00	M294931	1.09	8.2	1.44	215	20	0.6	<2	0.42	<0.5	5	28	18	1.7
UGA-03	284.00	285.00	1.00	M294932	0.17	1.4	2.73	78	40	0.8	<2	0.13	<0.5	7	22	9	1.61
UGA-03	285.00	285.52	0.52	M294933	0.21	0.9	2.27	75	40	0.7	2	0.11	<0.5	6	25	6	1.52
UGA-03	285.52	287.25	1.73	M294934	0.41	17.7	3.71	123	80	1	<2	0.23	<0.5	9	38	57	2.61



					ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
				SAMPLE	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	From (m)	To (m)	Interval (m)	DESRIPTIO	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
UGA-03	263.00	264.00	1.00	M294909	10	3.09	20	1.81	729	11	0.05	17	1090	10	3.54	70	17
UGA-03	264.00	265.00	1.00	M294910	10	3.36	20	1.91	378	10	0.05	18	1120	13	3.97	51	17
UGA-03	265.00	266.00	1.00	M294911	10	3.64	20	0.88	331	6	0.05	17	1230	20	3.5	41	18
UGA-03	266.00	267.00	1.00	M294912	10	2.12	10	0.41	123	24	0.03	10	1110	36	7.86	213	8
UGA-03	267.00	268.00	1.00	M294914	<10	1.05	10	0.31	1250	2	0.03	8	610	6	2.22	39	9
UGA-03	268.00	269.00	1.00	M294916	<10	0.86	10	0.84	1650	6	0.02	9	1100	6	2.72	57	8
UGA-03	269.00	270.00	1.00	M294917	<10	1	10	0.25	244	4	0.02	12	620	6	2.42	59	9
UGA-03	270.00	271.00	1.00	M294918	10	1.9	10	0.44	478	3	0.03	13	850	8	3.14	39	12
UGA-03	271.00	272.00	1.00	M294919	<10	1.83	10	0.77	233	2	0.04	7	770	4	2.39	60	8
UGA-03	272.00	273.00	1.00	M294920	<10	1.49	10	0.79	447	3	0.03	6	730	4	1.87	62	6
UGA-03	273.00	274.00	1.00	M294921	<10	1.29	10	0.39	248	3	0.03	5	390	6	1.35	87	5
UGA-03	274.00	275.00	1.00	M294922	<10	0.88	10	0.21	691	3	0.02	10	1060	5	2.17	70	8
UGA-03	275.00	276.00	1.00	M294923	<10	0.66	10	0.13	139	5	0.02	5	880	6	1.55	141	5
UGA-03	276.00	277.00	1.00	M294924	<10	0.25	<10	0.11	161	4	0.01	4	510	2	1.08	99	3
UGA-03	277.00	278.00	1.00	M294925	<10	0.44	10	0.15	245	4	0.01	4	780	4	1.41	75	5
UGA-03	278.00	279.00	1.00	M294927	<10	0.28	<10	0.11	346	3	0.02	1	310	2	0.77	98	2
UGA-03	279.00	279.61	0.61	M294928	<10	0.44	<10	0.14	324	5	0.02	3	380	4	0.91	86	3
	279.61	281.00	1.39	Cavity													
UGA-03	281.00	282.00	1.00	M294929	10	1.77	10	0.59	240	4	0.03	9	1280	7	2.92	46	10
UGA-03	282.00	283.00	1.00	M294930	10	1.17	10	0.35	159	5	0.02	5	1180	8	1.85	35	7
UGA-03	283.00	284.00	1.00	M294931	<10	0.52	10	0.14	125	10	0.01	2	1900	4	1.41	77	4
UGA-03	284.00	285.00	1.00	M294932	10	1.19	10	0.24	122	8	0.02	3	570	4	1.47	31	6
UGA-03	285.00	285.52	0.52	M294933	<10	0.96	10	0.19	134	7	0.02	3	450	4	1.27	33	5
UGA-03	285.52	287.25	1.73	M294934	10	1.43	20	0.49	212	25	0.02	10	1040	8	1.92	37	10

					ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24
				SAMPLE	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Au Total (+)	Au (+) Fract	Au (-) Fract	Au (+) mg
	From (m)	To (m)	Interval (m)	DESCRIPTION	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	mg
UGA-03	263.00	264.00	1.00	M294909	43	<20	0.32	10	<10	120	<10	70					
UGA-03	264.00	265.00	1.00	M294910	45	<20	0.32	10	<10	124	<10	49					
UGA-03	265.00	266.00	1.00	M294911	48	<20	0.34	10	<10	125	<10	56					
UGA-03	266.00	267.00	1.00	M294912	32	<20	0.15	30	<10	57	<10	50					
UGA-03	267.00	268.00	1.00	M294914	34	<20	0.15	<10	<10	43	<10	52					
UGA-03	268.00	269.00	1.00	M294916	51	<20	0.14	<10	<10	40	<10	59					
UGA-03	269.00	270.00	1.00	M294917	16	<20	0.15	<10	<10	55	<10	34					
UGA-03	270.00	271.00	1.00	M294918	37	<20	0.21	<10	<10	71	<10	60					
UGA-03	271.00	272.00	1.00	M294919	73	<20	0.16	<10	<10	49	<10	38					
UGA-03	272.00	273.00	1.00	M294920	57	<20	0.11	<10	<10	35	<10	28					
UGA-03	273.00	274.00	1.00	M294921	58	<20	0.09	<10	<10	28	<10	17					
UGA-03	274.00	275.00	1.00	M294922	26	<20	0.13	<10	<10	48	<10	46					
UGA-03	275.00	276.00	1.00	M294923	21	<20	0.08	<10	<10	32	<10	25					
UGA-03	276.00	277.00	1.00	M294924	25	<20	0.05	<10	<10	17	<10	22					
UGA-03	277.00	278.00	1.00	M294925	19	<20	0.09	<10	<10	30	<10	36					
UGA-03	278.00	279.00	1.00	M294927	19	<20	0.04	<10	<10	15	<10	22					
UGA-03	279.00	279.61	0.61	M294928	17	<20	0.06	<10	<10	21	<10	23					
	279.61	281.00	1.39	Cavity													
UGA-03	281.00	282.00	1.00	M294929	26	<20	0.19	<10	<10	69	<10	46					
UGA-03	282.00	283.00	1.00	M294930	15	<20	0.13	<10	<10	50	<10	43					
UGA-03	283.00	284.00	1.00	M294931	16	<20	0.07	10	<10	27	<10	29					
UGA-03	284.00	285.00	1.00	M294932	15	<20	0.12	<10	<10	49	<10	32					
UGA-03	285.00	285.52	0.52	M294933	16	<20	0.1	<10	<10	38	<10	23					
UGA-03	285.52	287.25	1.73	M294934	18	<20	0.19	<10	<10	75	60	37					

					Au-SCR24	Au-SCR24	Au-AA26D
				SAMPLE	WT. + Frac E	WT. - Frac E	Au
	From (m)	To (m)	Interval (m)	DESCRIPTION	g	g	ppm
UGA-03	263.00	264.00	1.00	M294909			
UGA-03	264.00	265.00	1.00	M294910			
UGA-03	265.00	266.00	1.00	M294911			
UGA-03	266.00	267.00	1.00	M294912			
UGA-03	267.00	268.00	1.00	M294914			
UGA-03	268.00	269.00	1.00	M294916			
UGA-03	269.00	270.00	1.00	M294917			
UGA-03	270.00	271.00	1.00	M294918			
UGA-03	271.00	272.00	1.00	M294919			
UGA-03	272.00	273.00	1.00	M294920			
UGA-03	273.00	274.00	1.00	M294921			
UGA-03	274.00	275.00	1.00	M294922			
UGA-03	275.00	276.00	1.00	M294923			
UGA-03	276.00	277.00	1.00	M294924			
UGA-03	277.00	278.00	1.00	M294925			
UGA-03	278.00	279.00	1.00	M294927			
UGA-03	279.00	279.61	0.61	M294928			
	279.61	281.00	1.39	Cavity			
UGA-03	281.00	282.00	1.00	M294929			
UGA-03	282.00	283.00	1.00	M294930			
UGA-03	283.00	284.00	1.00	M294931			
UGA-03	284.00	285.00	1.00	M294932			
UGA-03	285.00	285.52	0.52	M294933			
UGA-03	285.52	287.25	1.73	M294934			